

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 1995-96**

**UNITED STATES OF AMERICA
VS.
FALLBROOK PUBLIC UTILITY DISTRICT, ET AL
CIVIL NO. 1247 - SD-T**

**JAMES S. JENKS
WATERMASTER
P.O. BOX 631
FALLBROOK, CA 92088
(760) 728-1028
FAX (760) 728-1990**

June 1997

TABLE OF CONTENTS

	<u>Page No.</u>
1. Summary.....	1
2. Introduction	
2.1 Background.....	3
2.2 Authority.....	3
2.3 Scope.....	3
3. Surface Water Availability and Use	
3.1 Surface Flow.....	4
3.2 Surface Water Diversions.....	7
3.3 Water Storage.....	10
4. Subsurface Water Availability	
4.1 General.....	12
4.2 Extractions.....	12
4.3 Water Levels.....	14
4.4 Changes in Groundwater Storage.....	18
5. Imports/Exports	
5.1 General.....	19
5.2 Water Year 1995-96.....	21
5.3 Water Years 1966-96.....	21
5.4 Lake Skinner.....	24
5.5 Eastside Reservoir Project.....	25
6. Water Rights	
6.1 General.....	27
6.2 Appropriative Surface Water Rights.....	29
7. Water Production and Use	
7.1 General.....	34
7.2 Water Purveyors.....	35
7.3 Indian Reservations.....	54
7.4 Mobile Homes/Campgrounds.....	56
7.5 Irrigation Water Use.....	56

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Page No.

8. Unauthorized Water Use	
8.1 General.....	57
8.2 Dams on Chihuahua Creek.....	57
8.3 Unauthorized Small Storage Ponds.....	57
8.4 Rancho California Water District Water Use.....	58
8.5 Other Potential Unauthorized Uses.....	60
9. Threats to Water Supply	
9.1 General.....	61
9.2 High Nitrate Concentrations.....	61
9.3 Potential Overdraft Conditions.....	62
9.4 Salt Balance.....	63
10. Water Quality	
10.1 Surface Water Quality.....	64
10.2 Groundwater Quality.....	64
11. Five Year Projection of Watermaster Office Tasks, Expenditures and Requirements	
11.1 General.....	66
11.2 Normal Tasks.....	66
11.3 Additional Tasks.....	66
11.4 Projected Expenditures.....	67
12. Watermaster Office Budget 1997-98.....	68

LIST OF TABLES

	<u>Page No.</u>
3.1 - Stream Gaging Stations.....	5
3.2 - Measured Surface Water Flow 1995-96.....	6
3.3 - Surface Water Diversions to Storage.....	8
3.4 - Surface Water Diversions to Irrigation.....	9
3.5 - Water in Storage.....	11
4.1 - Water Production by Substantial Users.....	13
5.1 - Storage in State Water Project and Colorado River Reservoirs.....	20
5.2 - Imports/Exports 1995-96.....	22
5.3 - Imports/Exports 1966-96.....	23
6.1 - Appropriative Water Rights Permits & Licenses.....	30
6.2 - Pre-1914 Appropriative Water Rights	32
7.1 - Water Production and Use.....	36
7.2 - Definitions of Water Use by Municipal Water Purveyors.....	37
7.3 - Water Deliveries to Temecula Valley Regional Water Reclamation Facility.....	40
7.4 - Rancho California Water District, Permit 7032 Area Use.....	44
7.5 - Rancho California Water District, Rancho Division Return Flow Credit 1995-96.....	46
7.6 - Rancho California Water District, Santa Rosa Division Return Flow Credit 1995-96.....	47
7.7 - Depth of Younger Alluvium in Rancho California Water District Wells.....	50
7.8 - Rancho California Water District Well Production from Younger and Older Alluvium.....	52

LIST OF FIGURES

4.1 - Water Level Elevations Well No. 8S/2W-12H1	14
4.2 - Water Level Elevations Well No. 10S/4W-7J1	15
4.3 - Water Level Elevations Well No. 7S/3W-20C9	16
4.4 - Water Level Elevations Well No. 7S/3E-21G1	17

APPENDICES

Appendix A - Production and Use Water Year 1995-96

Table A-1	Eastern Municipal Water District
Table A-2	Fallbrook Public Utility District
Table A-3	Murrieta County Water District
Table A-4	Rainbow Municipal Water District
Table A-5	Rancho California Water District
Table A-6	U.S.M.C. - Camp Pendleton
Table A-7	U. S. Naval Weapons Station, Fallbrook Annex
Table A-8	Miscellaneous Water Production and Import

Appendix B - Production and Use Water Years 1965-66 To 1995-96

Table B-1	Eastern Municipal Water District
Table B-2	Fallbrook Public Utility District
Table B-3	Fallbrook Public Utility District (Wastewater)
Table B-4	Murrieta County Water District
Table B-5	Rainbow Municipal Water District
Table B-6	Rancho California Water District
Table B-7	U.S.M.C. - Camp Pendleton
Table B-8	U. S. Naval Weapons Station, Fallbrook Annex

Appendix C - Substantial Water Users 1995-96

Appendix D - Water Quality Data

	<u>Last Published</u>	
Table D-1	Surface Streams Sampled by Camp Pendleton	1992-93
Table D-2	Surface Streams Sampled by Rancho California Water District	1995-96
Table D-3	Wells in Murrieta County Water District	1995-96
Table D-4	Wells in Rancho California Water District	1995-96
Table D-5	Wells on Indian Reservations	1995-96
Table D-6	Wells on Camp Pendleton	1995-96
Table D-7	Eastern Municipal Water District	1992-93
Table D-8	Eastern Municipal Water District	1992-93
Table D-9	Eastern Municipal Water District	1992-93
Table D-10	Eastern Municipal Water District	1994-95
Table D-11	Wells in Domenigoni Valley	1994-95

MAP

SECTION 1 - SUMMARY

Section 1 - A summary of the Santa Margarita River Watershed Annual Watermaster Report for the 1995-96 Water Year.

Section 2 - This Annual Watermaster Report is prepared pursuant to Section II of the U. S. District Court Order dated March 13, 1989. The Court has retained jurisdiction over all surface flows of the Santa Margarita River Watershed and all underground waters determined by the Court to be subsurface flow of streams or creeks or which is determined by the Court to add to, support or contribute to the Santa Margarita River stream system. Thus imported waters, whether in storage in Lake Skinner or being transported through the Watershed, are outside Court jurisdiction, along with local, vagrant groundwaters that do not support the Santa Margarita River stream system.

Section 3 - Surface water flows were somewhat below normal in 1995-96, with long-term station flows ranging from 24 to 71 percent of the long-term average flow. Surface diversions to irrigation use totaled 950 acre feet compared with 832 acre feet in 1994-95. The total quantity of water in storage in the Watershed on September 30, 1996, was 60,973 acre feet, of which 20,390 acre feet was Santa Margarita River water and 40,583 acre feet was imported water.

Section 4 - Groundwater extractions were 50,785 acre feet compared to 45,676 acre feet in 1994-95. Water purveyors pumped 43,714 acre feet and 7,071 acre feet were pumped by other substantial users.

Section 5 - During 1995-96, 43,689 acre feet of water were imported and distributed in the Santa Margarita River Watershed by seven water purveyors. This compares with 31,750 acre feet in 1994-95 and represents a 38 percent increase from 1994-95. Net exports, including wastewater, were 5,803 acre feet.

Section 6 - Water rights during the 1950's and 1960's consisted primarily of riparian and overlying rights. Other rights included appropriative rights and federal reserved rights. More recently, water purveyors in the Watershed have begun exercising groundwater appropriative rights. Appropriative surface water rights on file with the State Water Resources Control Board (SWRCB) amount to 906,892 gallons per day which corresponds to 1.4 cfs or 2.78 acre feet per day of direct diversion rights and 44,315.5 acre feet of active storage rights.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

Section 7 - Total imported supplies plus local production totaled 95,424 acre feet compared to 77,711 reported in 1994-95. Of that quantity, 51,006 acre feet were used for agriculture; 3,921 acre feet were used for commercial purposes; and 31,646 acre feet were used for domestic purposes; 2,149 acre feet were discharged to Murrieta Creek and Temecula Creeks; 3,577 acre feet of fresh water were exported and 3,125 acre feet were defined as loss. Water loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Section 8 - Unauthorized water uses include Rancho California WD use of 3,096 acre feet of water from Vail Lake for purposes and in locations not in accord with terms of Permit 7032.

Section 9 - Threats to water supply include high nitrate levels in Rainbow Creek and Anza Valley in past years, potential overdraft conditions in the Murrieta-Temecula and Anza groundwater basins, and salt balance issues in the upper Watershed.

Section 10 - Water quality data in the Watershed for 1995-96 are presented in Appendix D.

Section 11 - Projected Watermaster tasks for the next five years are listed.

Section 12 - A total Watermaster budget of \$264,200 is proposed for the 1997-98 Water Year. This budget includes \$161,300 for the Watermaster Office and \$102,900 for operation of gaging stations by the U. S. Geological Survey (U.S.G.S.).

SECTION 2 - INTRODUCTION

2.1 Background

On January 25, 1951, the United States of America filed Complaint No. 1247 in the United States District Court for the Southern District of California to seek a judicial determination of all respective water rights within the Santa Margarita River Watershed. The Final Judgment and Decree was entered on May 8, 1963, and appealed to the U. S. Court of Appeals. A Modified Final Judgment and Decree was entered on April 6, 1966. Among other things, the Decree provided that the Court:

. . . retains continuing jurisdiction of this cause as to the use of all surface waters within the watershed of the Santa Margarita River and all underground or sub-surface waters within the watershed of the Santa Margarita River, which are determined in any of the constituent parts of this Modified Final Judgment to be a part of the sub-surface flow of any specific river or creek, or which are determined in any of the constituent parts of this Modified Final Judgment to add to, contribute to, or support the Santa Margarita River stream system.

In March 1989, the Court appointed James S. Jenks as Watermaster to administer and enforce the provisions of the Modified Final Judgment and Decree and subsequent orders of the Court. The appointing Order described the Watermaster's Powers and Duties as well as procedures for funding and operating the Watermaster's Office. Also in 1989, the Court appointed a Steering Committee which at the conclusion of 1995-96 was comprised of representatives from the United States, Eastern Municipal Water District, Fallbrook Public Utility District, Metropolitan Water District of Southern California, Pechanga Tribe, and Rancho California Water District. The purpose of the Steering Committee is to assist the Court, to facilitate litigation, and to assist the Watermaster.

2.2 Authority

Section II of the appointing Order requires that the Watermaster submit a written report containing his findings and conclusions to the Court promptly after the end of each water year.

2.3 Scope

The subjects addressed in this report are responsive to Section II of the appointing order. Information and data contained in this report are based on information reported to the Watermaster by others. Therefore, the Watermaster does not guarantee the completeness and accuracy of the information presented in this report although most of the data presented are based on measurements. Estimates by the Watermaster are so noted.

SECTION 3 - SURFACE WATER AVAILABILITY AND USE

3.1 Surface Flow

Over the years, flows in the Santa Margarita River Watershed have been measured at the stations listed on Table 3.1. A number of these stations have been discontinued. During Water Year 1995-96 the U.S.G.S. operated 12 stations under an agreement with the Watermaster and operated one station (Fallbrook Creek) under an agreement with Camp Pendleton. In considering the historical record of flow at each of these stations, it should be recognized that the station location may have changed from time to time. A description of these various historical locations may be found in, *Water Resources Data - California*, which is published annually by the U.S.G.S.

Monthly flows for stations in Water Year 1995-96 are shown on Table 3.2. That table lists U.S.G.S. provisional estimates of discharges available at the time this draft report is published. Official U.S.G.S. estimates of discharges for 1995-96 will be published by the U.S.G.S. in its annual Water Resources Data report.

Total flows at four long-term stations for Water Years 1994-95 and 1995-96 are compared with the average for the stations in the tabulation below. Average flows for the Santa Margarita River stations near Temecula and near Ysidora are shown for two periods: before Vail Dam was constructed (1923 to 1948), and after Vail Dam was constructed (1948 to date).

	<u>TOTAL FLOW</u>		<u>AVERAGE FLOW</u>
	<u>1994-95</u> <u>Acre Feet</u>	<u>1995-96</u> <u>Acre Feet</u>	<u>Through 1995</u> <u>Acre Feet</u>
Temecula Creek Near Aguanga	17,559	4,387	6,180 (1957-95)
Murrieta Creek At Temecula	33,186	2,246	9,397 (1925-95)
Santa Margarita River Near Temecula	41,718	4,522	14,257 (1949-95) 20,390 (1923-48)
Santa Margarita River Near Ysidora (various locations)	132,964	11,177	28,200 (1949-95) 31,390 (1923-48)

The foregoing tabulation indicates that flows in 1995-96 ranged from 24 to 71 percent of the long-term average flow.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.1
SANTA MARGARITA RIVER WATERSHED
STREAM GAGING STATIONS
1995-96

STATION NAME	STATION NO.	AREA SQ MI	PERIOD OF RECORD							
			1920	1930	1940	1950	1960	1970	1980	1990
Temecula Creek Near Aguanga	11042400	131			8/57		00 0000000000	0000000000	0000000000	00000000
Wilson Creek Above Vail Lake	11042490	122							10/89	10/94 000000
Temecula Creek At Vail Dam	11042520	320	2/23 00000000	0000000000	0000000000	0000000000	0000000000	0000000000	10/77	
Vail Lake at Temecula (Reservoir Storage)	11042510	320			10/48 0	0000000000	0000000000	0000000000	0000000000	00000000
Pechanga Creek Near Temecula	11042631	13.8							10/87	00 00000000
Warm Springs Creek Near Murrieta	11042800	55.4							10/87	00 00000000
Santa Gertrudis Creek Near Temecula	11042900	90.1							10/87	00 00 0000
Murrieta Creek At Temecula	11043000	222	10/25 0000	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	00000000
Santa Margarita River Near Temecula	11044000	588	2/23 00000000	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	00000000
Rainbow Creek Near Fallbrook	11044250	10.3								9/89 00000000
Sandia Creek Near Fallbrook	11044350	21.1								9/89 00000000
Santa Margarita River At FPUD Sump	11044300	620	10/24 000000	0000000000	0000000000	0000000000	0000000000	0000000000	9/80	9/89 00000000
Santa Margarita River Tributary Near Fallbrook	11044600	0.52					10/81 9/85 0000			
DeLuz Creek Near DeLuz 1/	11044800	33				2/51 0000000000	67 69 00000000 0	77 00000000		9/89 0 0000
Santa Margarita River Near DeLuz Station	11045000	705	10/24 - 9/26 00							
Fallbrook Creek 2/ Near Fallbrook	11045300	6.97					10/84 000000	9/76 00000000		12/88 0 00000000
Santa Margarita River At Ysidora	11046000	723	3/23 00000000	0000000000	0000000000	0000000000	0000000000	0000000000	0000000000	00000000

All Stations Recorded by USGS
 1/ Recorded by USMC, Camp Pendleton October 1966 to 1977
 2/ Recorded by USMC, Camp Pendleton prior to October 1993

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.2
SANTA MARGARITA RIVER WATERSHED
MEASURED SURFACE WATER FLOW
1995-96
Quantities in Acre Feet

GAGING STATION	DRAINAGE AREA SQ MI	MONTH												WATER YEAR TOTAL	ANNUAL AVERAGE THRU 1995	YEARS OF RECORD THRU 1995
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
Temecula Creek Near Aguanga	131	305	312	409	482	583	921	413	281	200	158	161	162	4,387	6,180	38
Pechanga Creek Near Temecula	13.8	0	0	0	1	1	3	0	0	0	0	0	0	5	1,000	8
Warm Springs Creek Near Murrieta	55.4	0	0	0	69	88	47	1	0	0	0	0	0	205	4,280	8
Santa Gertrudis Creek Near Temecula	90.2	0	0	22	142	164	28	0	0	1	1	0	0	356	3,970	8
Murrieta Creek At Temecula	222	111	20	37	300	778	256	18	120	207	106	132	161	2,246	9,397	71
Santa Margarita River Near Temecula	588	206	143	165	583	1,360	639	157	299	326	195	211	218	4,522	14,257 20,390	47 (1949-95) 26 (1923-48)
Rainbow Creek Near Fallbrook	10.3	43	31	49	120	171	216	64	15	15	4	9	8	745	4,310	6
Sandia Creek Near Fallbrook	21.1	94	128	171	244	489	528	222	134	61	19	2	4	2,096	9,670	6
Santa Margarita River At FPUD Sump	620	477	708	618	607	2,360	1,200	517	476	293	187	212	216	7,871	48,200	6
DeLuz Creek Near DeLuz	33	36	61	105	209	784	525	139	72	18	0	0	0	1,949	3,770	25 (1951-77) Except 1968 (1989-90) 4 (1992-95)
Santa Margarita River At Ysidora	723	131	235	624	758	4,490	3,890	737	258	54	0	0	0	11,177	28,200 31,390	47 (1949-95) 26 (1923-48)
Fallbrook Creek Near Fallbrook	6.97	18	28	46	100	214	135	49	76	29	5	2	1	702	2,080 *	12 (1965-76) 7 (1989-95)

* Includes wastewater flows
N/A - Not Applicable

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Monthly flows shown in Table 3.2 consist primarily of naturally occurring surface runoff except for Rancho California WD discharges into Temecula and Murrieta Creeks. These discharges are pursuant to Section Eleventh of the 1940 Stipulated Judgment which requires maintenance of three cubic feet per second (cfs) flow at the Santa Margarita River near Temecula station between May 1 and October 31 of each year. Total flow at that station for October 1994 and May through September 1995 are shown below:

<u>Month</u>	<u>Monthly Discharge Acre Feet</u>	<u>Average Daily Flow CFS</u>
October 1995	206	3.4
May 1996	299	4.9
June 1996	326	5.5
July 1996	195	3.2
August 1996	211	3.4
September 1996	<u>218</u>	<u>3.7</u>
TOTAL	1,455	4.0

During 1995-96, Rancho California WD released 2,149 acre feet into Murrieta and Temecula Creeks of which 2,044 acre feet were released between October 1 and 31, 1995, and between May 1 and September 30, 1996. Much of this release was from wells some distance upstream from the gaging station.

3.2 Surface Water Diversions

Surface diversions to surface water storage and groundwater storage during 1994-95 and 1995-96 are shown in Table 3.3. Diversions to surface storage at Vail Lake and Lake O'Neill are computed as being equal to inflow less spill. In addition, diversion to surface storage at Vail Lake excludes inflow during the period from May 1 through October 31 when Permit 7032 does not allow such diversions. Inflow to Vail is calculated as the sum of evaporation, spill, releases and change of storage. Inflow into Vail Lake during the period when diversions are not permitted is released and not credited to groundwater storage. Representatives of the United States do not agree with this method of calculation. Surface diversions to irrigation, estimated consumptive use, losses and returns for 1995-96 are shown in Table 3.4.

TABLE 3.3

SANTA MARGARITA RIVER WATERSHED
SURFACE WATER DIVERSIONS TO STORAGE
1995-96

Quantities in Acre Feet

Surface Water Storage

	<u>Vail Lake</u>		<u>Lake O'Neill</u>	
	<u>1994-95</u>	<u>1995-96</u>	<u>1994-95</u>	<u>1995-96</u>
Storage end of prior year	21,870	28,630	670	720
Inflow - Total	25,895	5,221	4,128 ¹	716 ²
Inflow to be Bypassed	3,746	1,068	0	0
Spill	0	0	618	0
Diversions to Surface Storage	22,149 ³	4,153 ³	3,510 ⁴	716 ⁴
Annual Evaporation	4,231	3,566	315	362
Releases - Total	14,904	10,495	3,030	0
Release to GW Storage	11,158 ⁵	9,427 ⁵	3,030	0
Apparent Seepage to GW	0	0	115	474
Change of Storage	+6,760	- 8,840	+ 50	- 120
Storage End of Year	28,630	19,790	720	600

Groundwater Storage

Recharge Release from Storage Facility	11,158 ⁶	9,427	3,030	0
Direct Recharge	0	0	885	1,099

¹ 798 AF diverted from the Santa Margarita River and 3,330 acre feet inflow from Fallbrook Creek

² 0 AF diverted from the Santa Margarita River and 716 AF inflow from Fallbrook Creek

³ Inflow less Spill less Inflow (Oct 1 to Oct 31 and May 1 to Sept 30)

⁴ Inflow less Spill

⁵ Total Release less Inflow to be bypassed

⁶ Revised

TABLE 3.4

SANTA MARGARITA RIVER WATERSHED
SURFACE WATER DIVERSIONS TO IRRIGATION
1995-96
Quantities in Acre Feet

	<u>Surface Diversions</u>	<u>Consumptive Use¹</u>	<u>Losses²</u>	<u>Returns³</u>
Prestininzi	18	12	2	4
Bluebird Ranch	31	22	3	7
Chambers	5	3.4	0.5	1.1
Cal June, Inc.	160	108	16	36
Cottle/Strange	338	228	34	76
Missionary Foundation	2	1.4	0.2	0.4
Agri-Empire, Inc. Kohler Canyon	99	67	10	22
Papac	38	26	4	8
Sage Ranch Nursery	105	71	10	24
Shirley	38	26	4	8
Borel	57	38	6	13
Margarita Land and Development Co.	<u>59</u>	<u>40</u>	<u>6</u>	<u>13</u>
TOTAL	950	641.8	95.7	212.5

¹ Consumptive use equals 75% of Diversions less Losses

² Losses equal 10% of Diversions

³ Returns equal 25% of Diversions less Losses

3.3 Water Storage

Major water storage facilities in the Santa Margarita River Watershed are listed on Table 3.5, together with the water in storage on September 30, 1995, and September 30, 1996. Total Santa Margarita River stream system water in storage at the end of Water Year 1995-96 totaled 20,390 acre feet, compared to 29,352 acre feet at the end of the previous year. Imported water in storage in Lake Skinner operated by Metropolitan Water District of Southern California (MWD) is also shown on Table 3.5. Imported water is not under Court jurisdiction.

TABLE 3.5

SANTA MARGARITA RIVER WATERSHED
WATER IN STORAGE
1995-96
Quantities in Acre Feet

<u>Santa Margarita River Storage</u>	<u>Total Capacity</u>	<u>Water in Storage</u>	
		<u>9/30/95</u>	<u>9/30/96</u>
Dunn Ranch Dam	90	0	0
Upper Chihuahua Creek Reservoir	± 47	2 E	0
Vail Lake	49,370	28,630	19,790
Lake O'Neill	<u>1,200</u>	<u>720</u>	<u>600</u>
Subtotal	50,707	29,352	20,390
 <u>Imported Water Storage</u>			
Lake Skinner	44,000	40,172	40,583
 <u>TOTAL STORAGE</u>	 94,707	 69,524	 60,973

E - Estimated

SECTION 4 - SUBSURFACE WATER AVAILABILITY

4.1 General

Much of the water from the Santa Margarita River stream system is obtained by pumping subsurface water. The Court generally has identified two basic types of subsurface water in its interlocutory judgments. One type is vagrant, local, percolating waters that do not add to, support or contribute to the Santa Margarita River or its tributaries. Such waters have been determined to be outside the continuing jurisdiction of the Court. These waters are typically found in the basement complex and/or residuum deposits in the Watershed. Wells tapping these deposits typically have low yields.

Other subsurface waters were found by the Court to add to, contribute to and support the Santa Margarita River and/or its tributaries. Aquifers containing such waters have been designated by the Court as younger alluvium and older alluvium. Younger alluvial deposits are commonly exposed along streams and in valleys. Older alluvium may be found underneath younger alluvium and is not limited to areas along stream channels. Older alluvium may or may not be exposed at ground surface. The use of subsurface water found in younger and older alluvium is generally under the continuing jurisdiction of the Court and is reported upon in this report.

4.2 Extractions

Production of Santa Margarita River water by substantial water users in the Watershed from all sources is listed on Table 4.1 by hydrologic area along with estimated consumptive use and return flows. Substantial water users include water purveyors as well as private irrigators who irrigate eight acres or more or use an equivalent quantity of water.

In 1995-96 production by purveyors totaled 43,714 acre feet, compared to 38,907 acre feet in 1994-95. Monthly quantities are shown in Appendix A and annual production for water years between 1966 and 1996 is shown in Appendix B.

Subsurface extractions by private irrigators are based on the irrigated acreage and reported in Appendix C. These groundwater extractions were 950 acre feet in 1995-96. Of the subsurface extractions, 75 percent is estimated to have been consumed and 25 percent to have been return flow. Return flow is that portion of the total deliveries that is not consumed.

In addition to groundwater production by water purveyors and private irrigators, surface diversions are also listed on Table 4.1 as well as total production of Santa Margarita River water.

TABLE 4.1
SANTA MARGARITA RIVER WATERSHED
SANTA MARGARITA RIVER WATER PRODUCTION BY SUBSTANTIAL USERS
1995-96

HYDROLOGIC AREA	WATER PURVEYOR PRODUCTION ACRE FEET	OTHER IRRIGATED ACRES	IRRIGATION PRODUCTION ACRE FEET	TOTAL GROUNDWATER PRODUCTION ACRE FEET	SURFACE WATER DIVERSIONS ACRE FEET	TOTAL PRODUCTION ACRE FEET	ESTIMATED CONSUMPTIVE USE ACRE FEET 1/	ESTIMATED RETURN FLOW ACRE FEET
Wilson Creek Above Aguanga GWA (Lake Riverside, Includes Anza Valley (Anza MWC, Cahuilla)	288	1,697 2/	2,184	2,472	0	2,472	1,854	618
Temecula Creek Above Aguanga GWA (Butterfield Oaks MHP)	9	698	1,523	1,532	137	1,669	1,241	428
Aguanga GWA (Thousand Trails)	59	593	1,058	1,117	340	1,457	1,067	390
Upper Murrieta Creek	0	0	0	0	0	0	0	0
Lower Murrieta Creek	0	465	42	42	162	204	141	63
Murrieta-Temecula GW (RCWD, MCWD, EMWD, Pechanga)	37,159	1,228	1,778	38,937	0	38,937	29,203	9,734
Santa Margarita River Below the Gorge								
Deluz Creek	0	218	380	380	92	472	347	125
Sandia Creek	0	126	75	75	160	235	164	71
Rainbow Creek	0	0	0	0	0	0	0	0
Santa Margarita River (USMC)	6,199	20	31	6,230	59	6,289	1,438	2,766
TOTAL	43,714	6,045	7,071	50,785	950	51,735	35,466	14,194


1/ Estimated consumptive use is equal to 75% of groundwater production plus 75% of surface diversions less 10%
except for Camp Pendleton where net export of 1,170 acre feet is excluded and return flows include measured wastewater returns

2/ Includes lands overlying deep aquifer in Anza Valley

4.3 Water Levels

Water levels in various wells in the Watershed are measured periodically by various entities. These measurements are collected and each year historical water levels in four wells at various locations in the Watershed are shown in this report on Figures 4.1, 4.2, 4.3 and 4.4. Figure 4.1 shows water levels in Well No. 8S/2W-12H1 (Windmill Well) located in the Rancho California WD Service Area downstream from Vail Lake. Note the extended drawdown from 1945 to 1978, the major recoveries during the wet years in 1980 and 1993, and the effect of dry years after 1980 and in 1994. After reaching an elevation of 1198.1 feet at the end of 1993, levels declined a total of 32.64 feet by the end of 1994-95. Water levels continued to decline an additional 5.9 feet in 1996 to an elevation of 1159.6 feet. The fluctuation of water levels in this well illustrates how groundwater storage is depleted during dry years and replenished during wet years.

FIGURE 4.1




Collar El. 1216.7 Feet; Depth 515 Feet; Drilled in Alluvium
Ref: RCWD reports (1920-96)

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.2 shows water levels at Well No. 10S/4W-7J1 at Camp Pendleton, a monitoring well located in the Upper Sub-basin. Water levels between 1950 and 1995 show no long-term trends. Fluctuations in recent years illustrate recharge during the winter months and drawdown each summer, with the water levels generally between 82 and 90 feet in elevation. Water levels in Well 7J1 declined 0.8 feet between the fall of 1995 and the fall of 1996.

FIGURE 4.2




Ground El. 93 Feet; Depth 138.8 Feet; Perf. Unknown; Drilled in Alluvium
Camp Pendleton Records (1950-72) (1988-96); Leeds Hill Study (1973-85) Dates Estimated

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.3 shows water levels from production Well No. 7S/3W-20C9 (Holiday Well) in the Murrieta County Water District Service Area. Water levels in this well remained the same as in the fall of 1995. Water levels in the Lynch Well, 7S/3W-17R2, which serves as a monitoring well and had no production in 1995-96, also remained the same.


FIGURE 4.3



Ground El. 1090 Feet; Depth 307 Feet; Perf. 60 - 307 Feet
Murrieta County Water District Records

Figure 4.4 shows water levels for Well No. 7S/3E-21G1, Anza Mutual Water Company's Well No. 1, a production well located in the Anza Valley. Water levels in this well rose 2 feet this year. Recent measurements show annual 50 foot fluctuations in groundwater levels at this well, partly in response to the operation of nearby irrigation wells.

FIGURE 4.4



Ground El. 3863 Feet; Depth 260 Feet; Perf. 20 - 260 Feet; Drilled in Alluvium
Anza Mutual Water Co. Well No. 1 (1987-96); DWR Bulletin 91-22 (1950-73)

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Changes in water levels in the above noted wells between the end of the previous water year and the end of the 1996 water year are shown below:

<u>Well</u>	<u>Water Elevation 1995 Feet</u>	<u>Water Elevation 1996 Feet</u>	<u>Change in Water Level Feet</u>
8S/2W-12H1	1165.5	1159.6	Down 5.9
10S/4W-7J1	86.5	85.7	Down 0.8
7S/3W-20C9	994.0	994.0	No Change
7S/3E-21G1	3782.6	3784.6	Up 2.0

4.4. Changes in Groundwater Storage

During 1995-96, Rancho California WD, working with a joint Camp Pendleton-Rancho California WD Technical Advisory Committee, continued efforts to develop, calibrate and verify a groundwater model of the Murrieta Temecula Groundwater Area. During the verification stage, the model will be used to help depict historical conditions including historical changes in groundwater storage. When completed, it is hoped the model will be capable of estimating groundwater conditions under various operating scenarios.

SECTION 5 - IMPORTS/EXPORTS

5.1 General

Court Orders require the Watermaster to determine the quantities of imported water used in the Watershed. Most of the water imported into the Santa Margarita River Watershed is by MWD for sale to local districts. MWD obtains its water from the State Water Project (SWP) and the Colorado River. Both the SWP and the Colorado River system have major storage reservoirs to provide long-term carryover storage. The quantities of water in storage at the end of the water year in the major reservoirs in each system are shown on Table 5.1. It may be seen that during Water Year 1995-96 water in storage in the SWP decreased from 4.6 million acre feet on September 30, 1995, to 4.1 million acre feet on September 30, 1996. Storage on September 30, 1996, corresponds to about 77 percent of the total SWP storage capacity.

Similarly, water in storage in the Colorado River system decreased from 51.1 million acre feet on September 30, 1995, to 50.2 million acre feet on September 30, 1996. On September 30, 1996, those reservoirs contained 78 percent of their total capacity.

Projections of water availability on the SWP for the coming year (1997) are prepared by the State Department of Water Resources on a monthly basis from February through May. The May 1, 1997, report indicates that statewide seasonal precipitation to date is 120 percent of average, and the SWP has approved delivery of 100 percent of 1997 requests.

The following entities imported water directly or indirectly from MWD into the Santa Margarita River Watershed:

- Eastern Municipal Water District
- Elsinore Valley Municipal Water District
- Fallbrook Public Utility District
- Rainbow Municipal Water District
- Rancho California Water District
- U. S. Marine Corps, Camp Pendleton
- Western Municipal Water District

In addition to deliveries through member agencies, MWD, pursuant to a Court Order, delivered 763 acre feet of water for irrigation of lands in Domenigoni Valley within the Santa Margarita Watershed during 1995-96. MWD also imported 242 acre feet for use as construction water for the Eastside Reservoir Project.

TABLE 5.1

**SANTA MARGARITA RIVER WATERSHED
STORAGE IN STATE WATER PROJECT
AND COLORADO RIVER RESERVOIRS**
Thousands of Acre Feet

Reservoir	Total Capacity	Water in Storage - September 30						
		1990	1991	1992	1993	1994	1995	1996
Oroville	3,540	1,163	1,399	1,317	2,666	1,683	2,897	2736
San Luis (State Share)	1,060	100	385	381	944	394	1,067	740
Pyramid	171	163	164	159	156	160	168	158
Castaic	324	268	296	257	263	237	297	284
Silverwood	73	67	68	68	68	68	54	40
Perris	132	116	120	117	120	110	126	126
Total	5,300	1,877	2,432	2,299	4,217	2,652	4,609	4,084
Percent of Capacity		35%	46%	43%	80%	50%	87%	77%

MAJOR COLORADO RIVER RESERVOIRS

Reservoir	Total Capacity	Water in Storage - September 30						
		1990	1991	1992	1993	1994	1995	1996
Flaming Gorge	3,789	3,082	3,391	3,106	3,471	2,887	3,488	3364
Blue Mesa	941	618	700	604	720	615	782	686
Navajo	1,709	1,361	1,586	1,579	1,625	1,400	1,556	1203
Powell	27,000	16,252	14,699	14,085	18,825	17,772	22,311	21155
Mead	28,537	20,144	19,233	19,416	21,379	19,930	20,714	21614
Mohave	1,818	1,488	1,571	1,623	1,375	1,467	1,635	1578
Havasu	648	562	556	548	579	571	588	597
Total	64,442	43,507	41,736	40,961	47,974	44,642	51,074	50,197
Percent of Capacity		68%	65%	64%	74%	69%	79%	78%

In addition to MWD imports, water is also imported into the Santa Margarita River Watershed from adjacent watersheds. Such importation occurs from the Santa Ana Watershed where Elsinore Valley MWD pumps water from wells outside the Santa Margarita River Watershed but delivers water to a portion of its service area that is inside the Santa Margarita River Watershed.

At Camp Pendleton, there is a pipeline connection to wells located in the Las Flores Creek Watershed to the north of the Santa Margarita River Watershed. Water can be either imported or exported through that line, depending on relative water demands and pumping capacities.

Exportations from the Santa Margarita River Watershed include water pumped at Camp Pendleton that is used in the San Luis Rey River Watershed to the south or in the Las Flores Creek Watershed to the north. Some of the water exported at Camp Pendleton is returned to the Watershed as wastewater. Wastewater from the Fallbrook area and the Naval Weapons Station located on Camp Pendleton is exported by the Fallbrook Public Utility District and wastewater in the Elsinore Valley MWD is exported by that district.

Eastern MWD uses a 24-inch pipeline along Winchester Road to transport wastewater from the Temecula Valley Regional Water Reclamation Facility to areas within the Watershed for reuse as well as for export of up to 10 MGD from the Watershed. A total of 2,466 acre feet of treated wastewater was exported by Eastern MWD in 1995-96, as compared to 3,908 acre feet exported in 1994-95, a decrease of 36.9 percent.

The following paragraphs of this report describe imports during Water Year 1995-96 and during the 1966-1996 period. There is also discussion of MWD's existing Lake Skinner operations as well as proposed operations of the Eastside Reservoir Project.

5.2 Water Year 1995-96

Water quantities imported into and exported from the Santa Margarita River Watershed for months during Water Year 1995-96 are listed on Table 5.2.

5.3 Water Years 1966-1996

Water quantities imported by districts into the Santa Margarita River Watershed during Water Years 1966-1995 are shown on Table 5.3. Total imports to these districts are measured, however some districts serve lands outside the Watershed. For these districts, which include Eastern MWD, Elsinore Valley MWD, Fallbrook PUD and Rainbow MWD, the portion delivered in the Santa Margarita River Watershed must be estimated.

TABLE 5.3

SANTA MARGARITA RIVER WATERSHED
IMPORTS/EXPORTS

Quantities in Acre Feet

YEAR	IMPORTS										EXPORTS									
	EASTERN MWD	ELSI MORE VALLEY MWD	FALLBROOK PUD 1/	MWD 2/	RAINBOW MWD	RANCHO CAL WD	U.S. NAVAL WS	WESTERN MWD 3/	TOTAL IMPORTS	----- CAMP PENDLETON ----- WASTEWATER NET RETURNS EXPORT	U.S. NAVAL WS	EASTERN MWD	ELSI MORE VALLEY MWD	FALLBROOK PUD	TOTAL EXPORTS					
1966	N/R	N/R	3,351		1,308	0	0	24	6,287	3,289	0	0	0	0	2,325					
1967	1,630	N/R	2,852		1,095	0	0	20	5,597	3,231	0	0	0	0	1,988					
1968	1,484	N/R	3,423		1,377	0	0	27	6,291	3,427	0	0	0	0	2,213					
1969	1,741	N/R	2,837		1,253	0	0	25	5,856	3,414	0	0	0	0	2,244					
1970	1,417	N/R	3,538		1,689	0	0	31	6,675	3,894	0	0	0	0	2,781					
1971	1,383	N/R	3,405		1,650	0	0	34	6,549	3,549	0	0	0	0	2,459					
1972	1,470	N/R	3,916		2,037	0	0	34	7,572	3,543	0	0	0	0	2,375					
1973	1,533	N/R	3,210		1,616	0	0	30	6,504	3,544	0	0	0	0	2,357					
1974	1,601	N/R	3,967		2,049	0	0	36	7,768	3,532	0	0	0	0	2,392					
1975	1,969	N/R	3,597		1,247	0	0	34	6,962	3,098	0	0	0	0	1,568					
1976	2,493	N/R	4,627		2,239	119	0	35	9,628	3,619	0	0	0	0	2,122					
1977	2,947	N/R	5,212		2,343	1,845	0	24	12,486	3,194	0	0	0	0	1,778					
1978	2,551	569	5,202		2,188	5,774	0	26	16,425	3,071	0	0	0	0	1,788					
1979	1,894	712	5,723		2,348	7,009	0	24	17,824	4,756	0	0	0	0	3,329					
1980	1,192	896	6,404		2,489	10,126	0	25	21,047	3,651	0	0	0	0	2,246					
1981	716	798	8,543		3,153	15,282	0	34	28,642	3,892	0	0	0	0	2,643					
1982	1,112	678	7,079		2,460	13,378	0	34	24,856	3,761	0	0	0	0	2,488					
1983	1,211	658	6,720		2,190	5,752	0	26	16,672	3,000	0	0	0	0	2,787					
1984	699	816	8,506		3,068	6,716	0	26	19,946	3,243	0	0	0	0	3,181					
1985	679	808	7,831		3,410	7,158	102	27	20,015	3,377	0	0	0	0	3,263					
1986	760	882	8,585		2,945	11,174	94	34	24,474	3,326	0	0	0	0	3,457					
1987	1,155	938	8,858		3,390	7,564	116	36	21,855	3,444	0	0	0	0	2,805					
1988	2,047	1,032	8,033		2,985	17,854	120	36	32,108	3,457	0	0	0	0	2,820					
1989	3,746	1,341	9,067		3,003	22,895	128	24	40,204	3,418	0	0	0	0	3,250					
1990	5,601	2,255	10,103		3,818	22,030	145	22	43,974	2,971	0	0	0	0	2,932					
1991	9,479	2,421	7,962		2,904	21,238	109	20	44,133	2,168	0	0	0	0	2,056					
1992	8,593	2,190	7,893		2,276	16,931	99	25	38,007	2,426	0	0	0	0	2,108					
1993	5,393	1,914	6,925		1,965	11,411	117	30	27,755	2,329	0	0	0	0	2,896					
1994	7,150	3,221	7,250		1,651	16,386	73	37	35,768	2,702	0	0	0	0	3,078					
1995	4,625	3,117	6,538	547	1,661	15,108	125	29	31,750*	2,781	0	0	0	0	6,428					
1996	4,960	4,181	7,993	1,005	1,815	23,600	100	35	43,689	3,577	0	0	0	0	5,803					

1/ Includes Deluz Heights MWD prior to 1991
 2/ Metropolitan Water District direct deliveries in Domingoni Valley
 3/ Improvement District A - Rainbow Canyon Only (WR-13)
 N/R - Not Reported
 E - Estimate
 P - Partial year data
 * Revised

TABLE 5.3
SANTA MARGARITA RIVER WATERSHED
IMPORTS/EXPORTS

Quantities in Acre Feet

YEAR	IMPORTS										EXPORTS									
	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD 1/	MWD 2/	RAINBOW MWD	RANCHO CAL WD	U.S. NAVAL WS	WESTERN MWD 3/	TOTAL IMPORTS	----- EXPORTS	CAMP PENDLETON WASTEWATER RETURNS	NET EXPORT	U.S. NAVAL WS	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	TOTAL EXPORTS			
1966	1,604	N/R	3,351		1,308	0	0	24	6,287	3,299	974	2,325	0	0	0	0	2,325			
1967	1,630	N/R	2,852		1,095	0	0	20	5,597	3,231	1,243	1,988	0	0	0	0	1,988			
1968	1,464	N/R	3,423		1,377	0	0	27	6,291	3,427	1,214	2,213	0	0	0	0	2,213			
1969	1,741	N/R	2,837		1,253	0	0	25	5,856	3,414	1,170	2,244	0	0	0	0	2,244			
1970	1,417	N/R	3,538		1,689	0	0	31	6,675	3,894	1,113	2,781	0	0	0	0	2,781			
1971	1,383	N/R	3,405		1,650	0	77 E	34	6,549	3,549	1,090	2,459	0	0	0	0	2,459			
1972	1,470	N/R	3,916		2,037	0	115 E	34	7,572	3,543	1,168	2,375	0	0	0	0	2,375			
1973	1,533	N/R	3,210		1,616	0	115 E	30	6,504	3,544	1,187	2,357	0	0	0	0	2,357			
1974	1,601	N/R	3,967		2,049	0	115 E	36	7,768	3,532	1,140	2,392	0	0	0	0	2,392			
1975	1,969	N/R	3,597		1,247	0	115 E	34	6,962	3,098	1,530	1,568	0	0	0	0	1,568			
1976	2,493	N/R	4,627		2,239	119	115 E	35	9,628	3,619	1,497	2,122	0	0	0	0	2,122			
1977	2,947	N/R	5,212		2,343	1,845	115 E	24	12,486	3,194	1,416	1,778	0	0	0	0	1,778			
1978	2,551	569	5,202		2,188	5,774	115 E	26	16,425	3,071	1,283	1,788	0	0	0	0	1,788			
1979	1,894	712	5,723		2,348	7,009	115 E	24	17,824	4,756	1,427	3,329	0	0	0	0	3,329			
1980	1,192	696	6,404		2,489	10,126	115 E	25	21,047	3,651	1,405	2,246	0	0	0	0	2,246			
1981	716	798	8,543		3,153	15,282	115 E	34	28,642	3,892	1,249	2,843	0	0	0	0	2,843			
1982	1,112	678	7,079		2,460	13,378	115 E	34	24,856	3,761	1,273	2,488	0	0	0	0	2,488			
1983	1,211	658	6,720		2,190	5,752	115 E	26	16,672	3,000	1,242	1,758	26 E	0	1,003	0	2,787			
1984	699	816	8,506		3,068	6,716	115 E	26	19,946	3,243	1,120	2,123	26 E	0	1,032	0	3,181			
1985	679	808	7,831		3,410	7,158	102	27	20,015	3,377	1,200	2,177	26 E	0	1,060	0	3,263			
1986	760	882	8,585		2,945	11,174	94	34	24,474	3,326	981	2,345	16 P	0	1,096	0	3,457			
1987	1,155	938	8,656		3,390	7,564	116	36	21,855	3,444	1,799	1,645	26	0	1,129	0	2,805			
1988	2,047	1,032	8,033		2,985	17,854	120	36	32,108	3,457	1,872	1,585	26	0	1,154	0	2,820			
1989	3,746	1,341	9,067		3,003	22,895	128	24	40,204	3,418	1,446	1,972	23	0	1,181	0	3,250			
1990	5,601	2,255	10,103		3,818	22,030	145	22	43,974	2,971	1,451	1,520	27	0	1,271	0	2,932			
1991	9,479	2,421	7,962		2,904	21,238	109	20	44,133	2,168	1,219	949	13	0	134	960	2,056			
1992	8,593	2,190	7,893		2,276	16,931	99	25	38,007	2,426	1,548	878	7	0	140	1,083	2,108			
1993	5,393	1,914	6,925		1,965	11,411	117	30	27,755	2,329	1,926	403	16	1,072	150	1,255	2,896			
1994	7,150	3,221	7,250		1,651	16,386	73	37	35,768	2,702	1,501	1,201	5	634	170	1,068	3,078			
1995	4,625	3,117	6,538	547	1,661	15,108	125	29	31,750 *	2,781	1,611	1,170	12	3,908	185	1,153	6,428			
1996	4,960	4,181	7,993	1,005	1,815	23,600	100	35	43,689	3,577	1,493	2,084	5	2,466	213	1,035	5,803			

1/ Includes Deluz Heights MWD prior to 1991

2/ Metropolitan Water District direct deliveries in Domenigoni Valley

3/ Improvement District A - Rainbow Canyon Only (WR-13)

N/R - Not Reported

E - Estimate

P - Partial year data

* Revised

Exports over the 1966-1996 period are also shown on Table 5.3. These include estimated water exports on Camp Pendleton less estimated wastewater returns, as well as an estimate of exports by the Fallbrook Public Utility District and the Naval Weapons Station after 1983, and Elsinore Valley MWD after 1986. Exports by Eastern MWD were initiated in 1992-93. Exports do not include water that naturally flows from the Santa Margarita River into the Pacific Ocean.

5.4 Lake Skinner

Lake Skinner is a 44,000 acre foot reservoir constructed by MWD on Tualota Creek, within the Santa Margarita River Watershed. The purpose of Lake Skinner is to provide regulatory and emergency storage capacity for water imported to southern California. A Memorandum of Understanding and Agreement on Operation of Lake Skinner (MOU), dated November 12, 1974, approved by the Court on January 16, 1975, contains provisions to protect Santa Margarita River Watershed water users from potential effects of Lake Skinner on either subsurface or surface flows.

Protection against a decrease in subsurface flows caused by the dam is afforded by a provision in the MOU that requires that MWD release water from Lake Skinner into Tualota Creek if groundwater levels in Well AV-28B fall below an elevation of 1356.64 feet. During 1995-96, water levels in Well AV-28B reached a low of 1358.02 feet in September 1996. No water was released in 1995-96 to maintain groundwater levels.

The MOU also provides that all local surface inflow that enters Lake Skinner will be released into Tualota Creek. In its 1980 modification the MOU provides that local surface inflow is to be determined by using the hydrologic equation for Lake Skinner that is specified in the MOU. That equation is used to determine inflow and the related release for large flood events. However, in many years the local inflow is small compared to the large quantities of imported water inflow and outflow at Lake Skinner. The error of measurement for these large inflows and outflows is larger than the local inflow in many instances. Accordingly, MWD also monitors the flow in Tualota Creek, Rawson Creek and Middle Creek during storms and uses those observations to determine when to apply the hydrologic equation.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

During 1995-96, local runoff into and releases from Lake Skinner totaled 35.3 acre feet. Monthly releases were as follows:

<u>Month</u>	<u>Release Acre Feet</u>
February 1996	21.2
March	<u>14.1</u>
TOTAL (1995-96)	35.3

In addition to releases of water mandated by the MOU, MWD also makes releases of water for maintenance or operational purposes from time to time.

5.5 Eastside Reservoir Project

During 1995-96, MWD proceeded with construction of a major storage facility located in Diamond and Domenigoni Valleys within the Santa Margarita River Watershed. The facility will consist of three dams, one each at the east and west ends of the Valley and a saddle dam at the low point on the north rim. The east dam will divert surface and groundwater flows from a 4.2 square mile drainage area in the Santa Margarita River Watershed, known as Goodhart Canyon, into the Santa Ana River Watershed. The west dam will intercept existing westward surface and groundwater flows from an additional 13.19 square mile area. These intercepted groundwater flows may or may not be offset by seepage losses from the reservoir when filled.

MWD does not have a water right to store local waters in the reservoir, so a Memorandum of Understanding and Agreement on Operation of Domenigoni Valley Reservoir (MOU) was developed which was approved by the Court on January 19, 1995. Among other things, the MOU provides:

The quantity and quality of surface runoff that would flow past the West Dam in the absence of the Reservoir will be determined and a like quantity of water of similar quality will be released from the Reservoir or San Diego Canal (SDC) into Warm Springs Creek.

The MOU indicates that the required releases would be determined by measuring the surface inflows into a detention basin to be constructed near the East Dam. A quantity equal to 4.1 times the measured flow will be released from the West Dam into the existing drainage of Warm Springs Creek.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Prior to construction of the detention basin, surface runoff will be conveyed past the west dam construction site and released into the downstream drainage system which has been improved by MWD. During 1995-96, surface runoff was negligible.

Although all surface waters within the Santa Margarita River Watershed in Domenigoni and Diamond Valley are subject to the continuing jurisdiction of the Court, groundwater contained within the younger alluvium, north of the south line of Section 9, Township 6 South, Range 2 West, SBM is not a part of the Santa Margarita River system as long as levels are below an elevation of 1400 feet. During 1995-96, groundwater elevations in Well MO-6 ranged from 1359.2 at the beginning of the water year, to 1356.85 feet in September 1996.

SECTION 6 - WATER RIGHTS

6.1 General

Water is used in the Santa Margarita River Watershed under a variety of water rights. In the early 1960's, the U. S. District Court in its Interlocutory Judgments described water rights in the Watershed as primarily riparian rights and overlying rights. Riparian rights belong to owners of land parcels located adjacent to streams in the Watershed or overlying younger alluvium deposits generally along the stream channels. Overlying rights were divided by the Court into two categories based on the location where the water is obtained and used. Water extracted from lands where subsurface waters add to, contribute to and support the Santa Margarita River stream system was found to be subject to the continuing jurisdiction of the Court. Lands in this category were identified by the Court and listed in Interlocutory Judgments. In general, these parcels of land overlie younger or older alluvium deposits.

The other category of overlying use applies to parcels of land where subsurface flows do not add to, contribute to or support the Santa Margarita River stream system. These parcels were also identified by the Court and found to be outside the continuing jurisdiction of the Court. In general, these lands overlie basement complex or residuum deposits.

The Court also described a number of other rights in the Watershed. These included surface water appropriative water rights that have been administered by the State of California since 1914. These rights are discussed in the following subsection of this report.

In Interlocutory Judgment No. 41, the Court found that the United States reserved rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Cahuilla, Pechanga and Ramona Indian Reservations, including rights to the use of groundwaters sufficient for the present and future needs of the Indians residing thereon. In Interlocutory Judgment No. 44, the Court recognized and reserved water rights for lands within the Cleveland and San Bernardino National Forests and for lands being administered pursuant to the Taylor Grazing Act.

Since the early 1960's there have been substantial changes in water use in the Watershed, especially in the Murrieta-Temecula Groundwater area. During the 1950's and early 1960's when this case was under active litigation, most of the water use in the Murrieta-Temecula area consisted of individual property owners pumping water for use on their own properties. However, in 1965 the Rancho California WD was formed. The

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

District developed Agency Agreements with most of the landowners within the District. In these Agency Agreements, the landowners "...without transferring any water rights and privileges pertaining to said land..." designated the District as their exclusive agent for the development and management of their water supply.

Thus, many landowners within the Rancho California WD are now not exercising their overlying rights. Instead, Rancho California WD pumps groundwater and uses it throughout the District area under an appropriative groundwater right, with the consent of most of the overlying landowners.

A number of other water purveyors, including Murrieta CWD and Eastern MWD, also pump under groundwater appropriative rights.

Another change from the early 1960's is the large scale importation of water into the Santa Margarita River Watershed by Rancho California WD. A portion of such importation finds its way into the groundwater aquifers. The legal status of return flows from imported supplies as well as direct recharge of imported water was clarified by the final judgment in *City of Los Angeles v. City of San Fernando, et al.*, 1975 14 Cal. 3rd 199. This decision in the Supreme Court of the State of California made two major findings with respect to imported water.

The first was that agencies have the right to recharge and store imported water in a groundwater basin and to extract the imported water for use, subject to applicable state and federal laws. In addition, agencies that import and deliver water to lands overlying a groundwater basin have a continuing right to extract the return flow from such water. The return flow is that portion of the imported supply that percolates into the groundwater basin. In the San Fernando case this portion was found to range from 20 percent to 35.7 percent of the imported supplies.

The Rancho Division of the Rancho California WD overlies the Murrieta-Temecula Groundwater area. Thus a portion of the import supply delivered to the Rancho Division of Rancho California WD percolates into the underlying aquifers. The first water pumped by Rancho California WD in the ensuing year constitutes recapture of such return flows.

Imported water is also supplied to the Santa Rosa Division within Rancho California WD, however only a relatively small part of this division overlies the Murrieta-Temecula Groundwater area. Thus there is less imported water return flow from the Santa Rosa Division.

Classification of Rancho California WD supplies into various water right categories is discussed in Section 7 of this Report.

6.2 Appropriative Surface Water Rights

Another broad category of water rights used in the Watershed is surface water appropriative rights. Since 1914, these rights have been administered by the SWRCB.

A list of current permits, licenses and other active rights obtained from the SWRCB is shown on Table 6.1. A permit by the SWRCB authorizes construction of a project, sets terms for the project's completion and development of water use and may impose other conditions. After the permittee demonstrates that construction is complete, water is being put to use and the permit conditions have been met, the SWRCB can issue a license. The license remains in effect as long as the license conditions are met and the water is put to beneficial use.

Total direct diversion rights and active storage rights from creeks in the Watershed are summarized below:

	<u>Direct Diversions</u> <u>Gallons Per Day</u>	<u>Storage</u> <u>Acre Feet</u>
Cahuilla Valley	720	5
Cottonwood Creek	485,000	60
Cutea Creek	5,825	---
DeLuz Creek	4,700	100
Fern Creek	213,000	100
Kohler Canyon	158,000	40
Long Canyon Spring	89	---
Rainbow Creek	---	0.5
Rattlesnake Canyon	12,000	---
Temecula Creek	25,820	40,000
Sandia Canyon	---	8
Sourdough Spring	55	---
Santa Margarita River	133	4,000
Nelson Creek	<u>1,550</u>	<u>---</u>
TOTAL	906,892	44,313.5

These direct diversion rights of 906,892 gallons per day correspond to 1.4 cfs or 2.78 acre feet per day.

TABLE 6.1
SANTA MARGARITA RIVER WATERSHED
APPROPRIATIVE WATER RIGHTS

PERMITS AND LICENSES

I.D. NO.	OWNER	FILING DATE	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE	STATUS
6629	William H. & Sandra J. Cyrus	4/9/30	Coahuila Valley	Sec. 4, 7S, 3E	DD-720 gpd	D	License
6893	Earl C. & Mamie LaBine	2/13/31	Temecula Creek	Sec. 20, 9S, 2E	DD-820 gpd	D/I	License
7035	Nyla Lawler	8/10/31	Cutca Creek	Sec. 29, 9S, 1E	DD-5725 gpd	D/I	License
7731	Earl C. & Mamie LaBine	11/02/33	Temecula Creek	Sec. 20, 9S, 2E	DD-7200 gpd	D/I	License
9137	Goodarz Irani	10/07/37	Temecula Creek	Sec. 12, 9S, 1E	DD-400 gpd	D	License
9291	Luis Olivos	5/13/38	Nelson Creek	Sec. 23, 8S, 5W	DD-1550 gpd	D	License
10806	James R., Phyllis & Bruce Grammer	4/22/44	Temecula Creek	Sec. 34, 9S, 2E	DD-2880 gpd	D	License
11181	Roy C. Pursche & J. Zink	9/26/45	Rattlesnake Canyon	Sec. 28, 9S, 2E	DD-12,000 gpd	D/I	License
11518	Rancho California Water District	8/16/46	Temecula Creek	Sec. 10, 8S, 1W	ST-40,000 AF	D//R	Permit
11587	U. S. Bureau of Reclamation	10/11/46	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D//M	Permit
12178	U. S. Bureau of Reclamation	11/28/47	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D//M	Permit
12179	U. S. Bureau of Reclamation	11/28/47	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D//M	Permit
13505	David H. & Kathleen C. Lypps	12/12/49	Cottonwood Creek	Sec. 30, 8S, 4W	DD-0.75 cfs & ST-42 AF	R/S	License
17239	Ward Family Trust	8/15/56	Temecula Creek	Sec. 20, 9S, 2E	DD-120 gpd	D/E	License
20507	David H. & Kathleen C. Lypps	11/24/61	Cottonwood Creek	Sec. 19, 8S, 4W Sec. 30, 8S, 4W	ST-18 AF	I/R	License
20608	Richard F. & Rosabel L. Matthews	2/13/62	DeLuz Creek	Sec. 20, 8S, 4W	ST-100 AF	D//R	License
20742	U. S. Cleveland National Forest	4/24/62	Sourdough Spring	Sec. 25, 9S, 1E	DD-55 gpd	E	License
21074	U. S. Cleveland National Forest	12/07/62	Cutca Spring	Sec. 17, 9S, 1E	DD-100 gpd	S/W	License
21471A	U. S. Department of Navy	9/23/63	Santa Margarita River	Sec. 5, 10S, 4W Sec. 2, 11S, 5W	ST-4,000 AF	D//M/Z	License
21471B	U. S. Bureau of Reclamation	9/23/63	Santa Margarita River	Sec. 32, 9S, 4W	ST-165,000 AF	D//M/Z	Permit
27756	James R. Grammer	5/23/83	Temecula Creek	Sec. 3, 10S, 2E	DD-14,400 gpd	I/S	Permit
28133	Charles F. Ruggles	5/14/84	Cahuilla Creek	Sec. 15, 8S, 2E	ST-5AF	E/H//R/S	Permit

OTHER RIGHTS

05751S/Federal	U. S. Cleveland National Forest	1/01/70	Long Canyon Spring	Sec. 16, 9S, 1E	DD-89 gpd	E/R/S/W
000024/State	Judge Dial Perkins	12/26/86	Santa Margarita River	Sec. 12, 9S, 4W	DD-133.3 gpd	D
000751/State	Lawrence Butler	5/31/67	Fern Creek	Sec. 31, 8S, 4W	DD-0.33 cfs ST-100 AF	I
011411/State	Agri Empire, Inc.	5/16/84	Kohler Canyon	Sec. 33, 9S, 2E	DD-0.245 cfs ST-40 AF	I/S
012235/State	William A. & Lois D. Cunningham	8/27/85	DeLuz Creek	Sec. 4, 9S, 4W	DD-4700 gpd	D/I
001583/Stock	George F. Yackey	12/27/77	Sandia Canyon	Sec. 25, 8S, 4W	ST-8.0 AF	S
002380/Stock	Chris R. & Jeanette L. Duarte	12/16/77	Rainbow Creek	Sec. 12, 9S, 3W	ST-0.5 AF	S

KEY TO USE: DD - Direct Diversion D - Domestic R - Recreation E - Fire Protection H - Fish Culture
ST - Diversion to Storage I - Irrigation M - Municipal S - Stockwatering Z - Other
W - Fish & Wildlife Protection and/or Enhancement

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

In addition to the active storage rights shown in the previous tabulation, the SWRCB also lists 195,000 acre feet in storage rights on the Santa Margarita River held by the U. S. Bureau of Reclamation for the Santa Margarita Project.

Table 6.1 also lists other rights recognized by the SWRCB. These rights generally are based on Statements of Water Diversion and Use that have been filed with the SWRCB. Such statements include one by the United States on behalf of the Cleveland National Forest, which states that the diversion and use of water from Long Canyon Spring is made pursuant to a withdrawal and reservation of the land and resources for National Forest System purposes as of February 14, 1907.

Besides the federal filing, there are also Statements of Water Diversion and Use filed by individuals. Three of these statements represent riparian or pre-1914 appropriative diversions from DeLuz Creek, Fern Creek and Santa Margarita River that have been reported to the SWRCB. The other statement represents a pre-1914 appropriative right to divert water from a spring in Kohler Canyon into a 40 acre foot reservoir.

The last two rights noted on Table 6.1 represent filings made in 1977 pursuant to Subchapter 2.5 to Chapter 3 of Title 23 of the California Code of Regulations. That subchapter deals with Water Rights for Stockponds.

In addition to appropriative rights under SWRCB jurisdiction, there are a number of nonstatutory appropriative rights that were established prior to 1914. These rights continue to be used to support diversions of water from the Santa Margarita River stream system. Such rights, which are listed in the various Interlocutory Orders developed in this litigation, are shown on Table 6.2.

In 1990-91, in Order No. 91-07, the SWRCB revised its Order No. 89-25 entitled, "Order Adopting Declaration of Fully Appropriated Stream Systems and Specifying Conditions for Acceptance of Applications and Registrations." These Orders list the Santa Margarita River stream system as fully appropriated "from the confluence of the Santa Margarita River and the Pacific Ocean upstream including all tributaries where hydraulic continuity exists."

The consequences of this Order are as follows:

1. The Board is precluded from accepting any application to appropriate water from the Santa Margarita River System except where the proposed appropriation is consistent with conditions contained in the Declaration.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE 6.2

**SANTA MARGARITA RIVER WATERSHED
PRE - 1914 APPROPRIATIVE WATER RIGHTS
Listed in Interlocutory Decrees**

LISTED OWNER	CURRENT OWNER	DATE OF APPROPRIATION	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE
Anderson, Nina B.	Nezami, Mohammed	April 11, 1892	Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	32 gpm	Irrigation
Butler, Lawrence W. and Mary C.	Vanginkel, Norman Tr and Vanginkel, Deborah San Diego Gas & Electric	Sept. 23, 1896	Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	Capacity of 8 inch pipe	Irrigation
Wilson, Samuel M. and Hazel A.	Shirley, Robert G. and Bobbi J.	Aug. 3, 1911	DeLuz Creek	NW 1/4 Of SW 1/4 Sec 32, T8S, R4W	50 miner's inches 65 AF/Yr	Irrigation
United States	United States	1883	Santa Margarita River	Sec 5, T10S, R4W	20 cfs 1200 AF/Yr	Domestic Irrigation Stock Water

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

2. Initiation of a water right pursuant to the Water Rights Permitting Reform Act of 1988 (Water code Section 1228 et seq.)—that is, by registering small use domestic appropriations—is precluded, except where the proposed appropriation is consistent with conditions contained in the Declaration.
3. Pursuant to Water Code Section 1206(a) the Board is authorized, but not required, to cancel pending applications where inconsistent with conditions contained in the Declaration; previous Orders implement a procedure for disposition of such applications pending on the effective date of the Declaration.

The Order provides for reconsideration of the Order either upon petition of an interested party or upon the Board's own motion.

SECTION 7 - WATER PRODUCTION AND USE

7.1 General

Water production and use data were obtained from several types of substantial users including water purveyors, Indian Reservations, mobile home parks and private landowners. Substantial water users are those who irrigate eight or more acres or who produce or use an equivalent quantity of water.

Major water purveyors who reported production and use data in 1995-96 Water Year are listed as follows:

- Anza Mutual Water Company
- Eastern Municipal Water District
- Elsinore Valley Municipal Water District
- Fallbrook Public Utility District
- Lake Riverside Estates
- Murrieta County Water District
- Rainbow Municipal Water District
- Rancho California Water District
- U. S. Marine Corps, Camp Pendleton including U.S. Naval Weapons Station,
Fallbrook Annex
- Western Municipal Water District

Lake Riverside Estates is listed with major water purveyors although it produces make-up water for losses from Lake Riverside and does not deliver water to customers.

In addition to the major purveyors, there are a number of smaller water systems in the Watershed. Of these, Butterfield Oaks Mobile Home Park, and Vacation Valley (formerly Thousand Trails Resorts) are substantial users.

Three Indian Reservations, the Cahuilla, Pechanga and Ramona, are noted in Interlocutory Judgment No. 41, the Judgment that deals with Water Rights on Indian Reservations in the Watershed. Estimates of water production and use are prepared for the Cahuilla and Pechanga Indian Reservations; the Ramona Reservation has no reported water use.

A portion of a fourth Reservation, the Pauma Mission Reserve Tract of the Pauma Yuima Band of Mission Indians, is also located within the Watershed. However, these lands overlie basement complex, which waters have been found by the Court to not add to, support or contribute to the Santa Margarita River stream system.

The final category of water users are private landowners who use water primarily for irrigation use.

The water use data collected for the 1995-96 Water Year are summarized on Table 7.1. Monthly production and use data for major water purveyors are attached to this report as Appendix A. Uses are listed under agricultural, commercial and domestic categories. The definition of what constitutes agricultural, commercial and domestic use varies for the different purveyors in the Watershed. Accordingly definitions of these uses for major water purveyors are shown on Table 7.2. It is noted also that much of the non-agricultural water use in the Watershed can also be considered municipal use, which includes both the domestic and commercial uses shown in tables in this report. Similar data for Water Years 1966-1996 are summarized in tables presented in Appendix B. Appendix C presents information on substantial users outside purveyor service areas.

7.2 Water Purveyors

Anza Mutual Water Company

Anza Mutual Water Company's Service Area is in the eastern part of the Watershed in the Anza Valley. Production is from two wells: Well No. 1 drilled in 1951 and perforated from 20 feet to 260 feet; and Well No. 2 drilled later to a depth of 287 feet and perforated in the bottom 130 feet. Production for 1995-96 was 24 acre feet from Well No. 1 and 22 acre feet from Well No. 2 for a total production of 46 acre feet. The depth of water in Well No. 1 ranged from 38 feet to 80 feet.

Interlocutory Judgment No. 33 divides aquifers in Anza Valley at this location into two categories: the shallow aquifer and the deep aquifer. Based on information available to the Court the shallow aquifer was determined to include the younger and older alluvial deposits in the Anza Groundwater Basin and extend to a maximum but variable depth of approximately 100 feet. The deep aquifer underlies the shallow aquifer in an area about one-half mile in width and two miles in length, within portions of Sections 16, 17, 21, 22, 27 and 28 of Township 7 South, Range 3 East, SBM. Anza Mutual Water Company's wells are within the area of the deep aquifer. From the perforated intervals in the wells, it may be concluded that most of the production from Well No. 1 and all of the production from Well No. 2 are from the deep aquifer. Interlocutory Judgment No. 33 concluded that waters contained in the deep aquifer did not add to, support or contribute to the Santa Margarita River stream system and were, therefore, declared to be outside the Court's jurisdiction.

Thus, most of the water produced by the Anza Mutual Water Company is outside the Court's jurisdiction. The relatively small portion pumped from the shallow aquifer in Well No. 1 is pumped under a groundwater appropriative right.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

**TABLE 7.1
SANTA MARGARITA RIVER WATERSHED
WATER PRODUCTION AND USE
1995-96
Quantities in Acre Feet**

	PRODUCTION			USE					WATER RIGHT
	LOCAL	IMPORT	TOTAL	AG	COMM	DOM	LOSS	TOTAL	
<u>WATER PURVEYORS</u>									
Anza Mutual Water Company	46	0	46	0	0	41	5 1/	46	Appropriative
Eastern MWD	299	4,960	5,259	68	0	5,968	(777)	5,259	Appropriative
Elsinore Valley MWD	0	4,181	4,181	0	0	3,763	418 1/	4,181	---
Fallbrook PUD	0	7,993	7,993	4,411	521	2,726	335	7,993	Appropriative
Lake Riverside Estates	220	0	220	0	220	0	0	220	Appropriative
Metropolitan Water District	0	1,005	1,005	763	242	0	0	1,005	---
Murrieta CWD	629	0	629	88	110	373	58	629	Appropriative
Rainbow MWD	0	1,815	1,815	1,487	0	163	165	1,815	---
Rancho California WD	36,086	23,600	59,686	35,912	2,752	16,330	4,692 3/	59,686	Various
U.S.M.C. - Camp Pendleton	6,199	0	6,199	351	--- 4/	2,009	3,839 1/ 5/	6,199	Appropriative/ Riparian
U.S. Naval Weapons Station	0	100	100	0	--- 4/	90	10 1/	100	---
Western MWD	0	35	35	0	31	0	4 1/	35	---
<u>INDIAN RESERVATIONS</u>									
Cahuilla	330	0	330	308	0	22	0	330	Overlying/ Reserved
Pechanga	145	0	145	0	45	100	0	145	Overlying/ Reserved
<u>MOBILE HOME PARKS/CAMPGROUNDS</u>									
Butterfield Oaks Mobile Home Park	9	0	9	0	0	8	1 1/	9	Riparian/ Overlying
Vacation Valley	59	0	59	0	0	53	6 1/	59	Overlying
<u>OTHER SUBSTANTIAL USERS</u>	7,713 6/	0	7,713	7,618	0	0	95 7/	7,713	
TOTAL	61,736	43,689	95,424	51,006	3,921	31,646	8,851	95,424	

1/ Assumes 10% loss

2/ Recreation Use

3/ Includes 2,149 acre feet discharged into Murrieta and Temecula Creeks and a system loss of 2,543 acre feet

4/ Listed with Domestic uses

5/ Includes exports of 3,577 acre feet

6/ 950 acre feet for surface diversion plus 7,238 acre feet from ground water as shown in Appendix C minus 330 acre feet on the Cahuilla Reservation and minus 145 acre feet on the Pechanga Reservation

7/ 10% of surface diversions

TABLE 7.2
SANTA MARGARITA RIVER WATERSHED
DEFINITIONS OF WATER USE
BY MUNICIPAL WATER PURVEYORS
1995-96

DISTRICT	AGRICULTURAL	DOMESTIC	COMMERCIAL
EASTERN MUNICIPAL WATER DISTRICT	A commercial enterprise producing a crop/livestock on at least 5 acres and able to accept a delivery of at least 24 consecutive hours	Single family, multiple units and agricultural uses of less than 5 acres	Not reported
FALLBROOK PUBLIC UTILITY DISTRICT	AG - A commercial enterprise producing a crop/livestock/fowl on at least 1 acre fully used for ag purposes; can include incidental domestic use related to residency AG/DOM - Water used for both ag and domestic purposes	Single family, multi-unit and large domestic residences and the first 20,000 gallons used by an ag/domestic meter	Offices, businesses, schools and hydrants
RAINBOW MUNICIPAL WATER DISTRICT	AG- 1 acre or more of plantable, resalable products DOM/AG - Same as Ag with a house on the parcel	DOMESTIC - Homes	Generally no commercial use in district
RANCHO CALIFORNIA WATER DISTRICT	AG - 1 acre or more of plantable, resalable products GOLF - Outside water use at golf courses VINEYARDS - Outside irrigation for vineyards LANDSCAPE - Landscaping around freeways, parking lots, office buildings, median strips, etc.	DOMESTIC - Homes MULTIPLE - Apartments and Condominiums	COMMERCIAL - Office buildings, industrial users other than agri-businesses FLOATING - Fire hydrants used during construction CONSTRUCTION - Other fire hydrants used for grading UNMETERED - Construction accounts used for finish construction work MISCELLANEOUS - Schools, fire departments, parks, government agencies DETECTOR CK. METERS - Only used when there is a fire
MURRIETA COUNTY WATER DISTRICT	Agricultural uses and irrigation for crops	Homes and multiple units	Businesses, public agencies, schools and construction
USMC, CAMP PENDLETON	Irrigation - Water used for ag purposes, not landscaping, golf courses or parks	Camp Supply - Includes landscaping, golf courses parks and commercial use	Reported under Camp Supply

Eastern Municipal Water District

Eastern MWD is a member agency of MWD and its service area includes a portion of the Rancho California WD. Within the Watershed, the District wholesales water to Rancho California WD and also sells water directly to consumers. Water sold to Rancho California WD is listed in this report as imported water to the Rancho California WD Service Area.

Eastern MWD's service area outside Rancho California WD is located in the northern part of the Watershed as shown on the map bound at the end of this Report. Water for their service area is imported or produced locally from groundwater.

Imports, not including water wholesaled to Rancho California WD or Elsinore Valley MWD, totaled 11,730 acre feet. A portion of that import amounting to 6,770 acre feet was exported from the Santa Margarita River Watershed resulting in net import to the watershed of 4,960 acre feet. These data are shown in Appendix A.

Groundwater production for the 1995-96 Water Year in the Santa Margarita River Watershed totaled 299 acre feet from Well 7S/3W-15N which is 345 feet deep. Recent static water levels in Eastern MWD's well have varied from a depth of 129 feet in July 1989, to as low as 176 feet in November, 1994. The well is generally perforated between the depths of 106 and 333 feet. The well is located within the Murrieta-Temecula Groundwater Area where the older alluvium is at ground surface. Thus the well produces water from the older alluvium and pumping is under groundwater appropriative rights.

Disposition of reclaimed wastewater from the Temecula Valley Regional Water Reclamation Facility (Facility) for Water Years 1994-95 and 1995-96 is shown below:

	1994-95		1995-96	
	<u>Quantity</u> AF	<u>Percent</u> %	<u>Quantity</u> AF	<u>Percent</u> %
Used in Santa Margarita	2,154	36	2,979	55
Exported	<u>3,908</u>	<u>64</u>	<u>2,466</u>	<u>45</u>
TOTAL PRODUCTION	6,062	100	5,445	100

It can be noted that the quantities of reclaimed wastewater used within the Santa Margarita River Watershed increased from 2,154 acre feet in 1994-95 to 2,979 acre feet in

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

1995-96. During the same period the exports decreased from 3,908 acre feet to 2,466 acre feet. In 1995-96, forty-five percent of reclaimed wastewater produced at the Facility was exported.

Because of concerns about the potential export of native Santa Margarita water, the sources of water supply to the Facility service area were determined and are shown on Table 7.3 for years since 1991. In 1995 and 1996, the proportion of groundwater being supplied to the service area is about 55 percent. Thus in 1995-96, the proportion of treated water used in the watershed is about the same as the proportion of native groundwater in the supply to the service area. On a proportional basis there was no export of reclaimed wastewater that is traceable to native Santa Margarita River Watershed water in 1995-96.

Estimates of water production and use for the period 1966-1996 are shown in Appendix B.

Elsinore Valley Municipal Water District

Elsinore Valley MWD provides water to its service area around Lake Elsinore, a portion of which is within the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from ten wells, all located outside the Santa Margarita River Watershed, and also imports MWD water through Eastern MWD and Western MWD.

The District reports that 4,181 acre feet were imported into the portion of their service area that is inside the Santa Margarita River Watershed in 1995-96. Also during 1995-96, approximately 213 acre feet of wastewater were exported from that same area.

Fallbrook Public Utility District

In 1995-96, Fallbrook PUD imported 14,168 acre feet through its contract with the San Diego County Water Authority as shown in Appendix A. Of this quantity, 2,733 acre feet were delivered to the former DeLuz area which is entirely within the Santa Margarita River Watershed. Of the remaining importations it is estimated that 46 percent, or 5,260 acre feet, were delivered to lands inside the Santa Margarita River Watershed. The remainder was delivered to lands in the adjacent San Luis Rey River Watershed. Thus, imports to the Watershed totaled 7,993 acre feet in 1995-96.

In addition to importations, the District has three wells; however, in 1995-96, there was no pumpage from these wells.

All three of these wells are located along the East Fork of DeLuz Creek in an area that has younger alluvium at the ground surface. Interlocutory Judgment No. 32 indicates that this stringer of alluvium varies in width from 100 feet to one-fourth mile and at no place

TABLE 7.3

SANTA MARGARITA RIVER WATERSHED
 WATER DELIVERIES TO TEMECULA VALLEY REGIONAL WATER RECLAMATION FACILITY SERVICE AREA

Eastern MWD	WATER YEAR ENDING											
	1991		1992		1993		1994		1995		1996	
	AF	%	AF	%	AF	%	AF	%	AF	%	AF	%
Deliveries to TVRWRF Service Area												
1. Groundwater	456		527		524		232		182		299	
2. Import	4,249		3,499		3,810		4,145		4,017		4,960 *	
3. Total	4,705		4,026		4,334		4,377		4,199		5,259	
Rancho California WD												
Deliveries to TVRWRF Service Area												
1. Groundwater	2,470		3,469		4,920		6,320		7,041		8,629	
2. Import	3,231		2,656		2,145		1,926		1,806		2,377	
3. Total	5,701		6,125		7,065		8,246		8,847		11,006	
Total Deliveries to TVRWRF Service Area												
1. Groundwater	2,926	28.1%	3,996	39.4%	5,444	47.8%	6,552	51.9%	7,223	55.4%	8,928	54.9%
2. Import	7,480	71.9%	6,155	60.6%	5,955	52.2%	6,071	48.1%	5,823	44.6%	7,337	45.1%
3. Total	10,406	100.0%	10,151	100.0%	11,399	100.0%	12,623	100.0%	13,046	100.0%	16,265	100.0%

* 1995-96 imports based on discharges from EM-17; imports for prior years based on sales data.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

is greater than 50 feet in depth. The well logs for these wells indicate depths of alluvium of 32 feet, 31 feet and 32 feet respectively. Below these depths the wells penetrate fractured granite that composes the basement complex. These wells are cased and sealed with cement grout to depths of 50, 51 and 51.5 feet respectively. Thus it may be concluded that all of the water from these wells originates in the granite fractures. Interlocutory Judgment No. 32 declares that waters found in the basement complex (fractured granite) are vagrant, local, percolating waters not part of the Santa Margarita River stream system and outside the Court's jurisdiction.

Production during the period 1966 to 1996 included direct diversions from the Santa Margarita River for water years before 1972 as well as imported water and well production as shown in Appendix B.

Lake Riverside Estates

Lake Riverside Estates pumps water from Well No. 7S/2E-32C1, into Lake Riverside to make up evaporation losses. Production for 1995-96 was 220 acre feet. The production well was drilled in 1962 and is located in an area of younger alluvium in the Cahuilla Groundwater Basin. The driller's log shows sand and clay for the entire well depth of 338 feet.

Interlocutory Judgment No. 33 indicates that the owners of lands in the Cahuilla Groundwater Basin have correlative overlying rights to the use of the groundwater that is the basis for this production.

Murrieta County Water District

Murrieta CWD serves the area in the vicinity of the town of Murrieta in Riverside County. In Water Year 1995-96, Murrieta CWD produced 629 acre feet of water as shown in the following tabulation and in Appendix A.

Well Designation	Well Name	1995-96 Production Acre Feet	Casing Depth Feet	Water Depth Feet	Well Depth Feet	Perforated Interval Feet
7S/3W-20C9	Holiday	171	25	93 - 96	307	60 - 307
7S/3W-20G5	House	90	50	115 - 127	298	120 - 252
7S/3W-17R2	Lynch	0	26	46 - 60	212	172 - 212
7S/3W-18J2	North	139	50	147 - 152	650	240 - 260 500 - 640
7S/3W-20D	South	229	50	118 - 130	446	120 - 446

All of these wells are located in the Murrieta-Temecula Groundwater Area. Interlocutory Judgment No. 30 indicates that in Murrieta Valley the younger alluvium deposits extend in various depths to a maximum of approximately 30 feet from the ground surface.

The Court noted that it was impossible, based on evidence available in 1962, to determine with exactness the depth of the younger alluvial deposits throughout the Valley. However, it did decide that subsequent findings could be made, if needed, because the Court would retain continuing jurisdiction. Older alluvial deposits are found below the younger alluvium.

Four of the five Murrieta CWD wells are perforated at depths of 120 feet or more. One of the Murrieta CWD wells has perforations beginning at a depth of 60 feet. This depth is well below the maximum depth of younger alluvium found by the Court in 1962. In addition, water depths in the well with perforations at 60 feet ranged from 93 to 96 feet in 1995-96. Accordingly all of Murrieta CWD well production is from the older alluvium under a groundwater appropriative right.

Production for the period between 1966 and 1996 is shown in Appendix B.

Rainbow Municipal Water District

Rainbow MWD is located in San Diego County in the south-central part of the Watershed. In recent years about ten percent of the District's imported supply is delivered to the portion of the District's service area inside the Watershed. Most of the District is in the San Luis Rey River Watershed. As shown in Appendix A, total deliveries of imported water in the Watershed in 1995-96 amounted to 1,815 acre feet.

Total imports to the District, for years between 1966 and 1996, as well as the estimated portion served inside the Santa Margarita River Watershed, are shown in Appendix B.

Rancho California Water District

Rancho California WD serves water to a 99,600 acre service area in the central portion of the Watershed. The District produced water from 44 wells in 1995-96 and also imported water, as shown in Appendix A. Use is also shown in Appendix A under the categories of agriculture, commercial and domestic. In Water Year 1995-96, 36,086 acre feet of local supplies were pumped from the Murrieta-Temecula Groundwater Area and 23,600 acre feet were imported for total production of 59,686 acre feet not including 9,427 acre feet of water released from Vail Dam for recharge. During 1995-96, 2,149 acre feet

were released into the Santa Margarita River system: 1,978 acre feet into Murrieta Creek and 171 acre feet into Temecula Creek.

The District reclaimed and reused 2,264 acre feet of wastewater during the year.

Rancho California WD produces groundwater under a variety of rights as follows:

1. Recovery of water appropriated at Vail Lake
2. Recovery of import return flows and recharged imported water
3. Groundwater appropriative rights

Vail Appropriation

Rancho California WD's Vail Dam appropriative rights are described in Application No. 11518 as amended on June 17, 1947, and Permit 7032. That right provides that the District may store up to 40,000 acre feet in Vail Reservoir each year between November 1 and April 30, subject to applicable limitations, and that the water so stored may be used for irrigation and domestic uses incidental to farming operations on 3,797 acres of land between May 1 and October 31. Such use may be by direct diversion from Vail Lake or by recovery with wells of water released from Vail and spread downstream in Pauba Valley.

The place of use for irrigation and domestic use is described as follows:

Sections 5, 6, 7 and 18; T8S, R1W
Sections 1, 10 through 21, 28 and 29; T8S, R2W
Sections 13 and 24; T8S, R3W.

In 1971, the Permit was amended to add recreational use at Vail Reservoir within Section 10, T8S, R1W.

As previously mentioned, 9,427 acre feet were released from Vail during 1995-96. Releases from Vail for groundwater recharge for the period 1980 to 1996 are shown on Table B-6.

Water use in the Permit 7032 service area is shown on Table 7.4. This use will be compared with well production from the younger alluvium in a later section of this report.

United States' representatives have indicated that storage of water in Vail Lake, and the related recharge and redirection operations, may exceed Rancho California WD's share of the Santa Margarita River flow as allocated under the 1940 Stipulated Judgment.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 7.4

SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
PERMIT 7032 AREA WATER USE
1995-96

Quantities in Acre Feet

MONTH YEAR	AG	COMM	DOM	TOTAL
1995				
OCT	122	9	109	240
NOV	87	7	73	167
DEC	54	11	59	124
1996				
JAN	25	9	41	75
FEB	23	7	40	70
MAR	15	6	34	55
APR	27	5	29	61
MAY	75	14	66	155
JUNE	144	16	97	257
JULY	140	17	99	256
AUG	-8	13	106	111
SEPT	184	12	106	302
TOTAL	888	126	859	1,873

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Imported Water Return Flows

During 1995-96, Rancho California WD imported 23,600 acre feet of water compared to 15,108 acre feet in 1994-95. Quantities of imported water delivered to the Rancho Division and the Santa Rosa Division are shown below for Water Years 1994-95 and 1995-96.

<u>Month</u>	<u>Rancho Division Imports</u>		<u>Santa Rosa Division Imports</u>		<u>Total Imports</u>	
	<u>1995</u>	<u>1996</u>	<u>1995</u>	<u>1996</u>	<u>1995</u>	<u>1996</u>
October	270	647	1,133	1,133	1,403	1,780
November	27	131	219	567	246	698
December	0	41	338	245	338	286
January	0	34	0	286	0	320
February	0	0	0	0	0	0
March	0	0	0	0	0	0
April	35	475	195	1,199	230	1,674
May	27	1,001	306	1,910	333	2,911
June	708	1,295	1,017	2,562	1,725	3,857
July	1,189	1,308	2,061	3,104	3,250	4,412
August	1,392	1,175	2,486	2,923	3,878	4,098
September	<u>1,245</u>	<u>928</u>	<u>2,460</u>	<u>2,636</u>	<u>3,705</u>	<u>3,564</u>
Total	4,893	7,035	10,215	16,565	15,108	23,600

Return flows for 1995-96 based on imported water use in the Rancho Division are computed as shown on Table 7.5 and on Table 7.6 for the Santa Rosa Division.

In those tables, imported water is allocated to agricultural, commercial and domestic uses in each of eight hydrogeologic areas in the Rancho Division service area. This allocation is the proportion of the total deliveries to each use that is made up of imported water. In 1995-96, 21.6 percent of the supply to the Rancho Division was imported and 61.1 percent of the supply to the Santa Rosa Division was imported.

In general the Santa Rosa Division does not overlie the groundwater area. However there are several areas classified as being in the Santa Rosa Division that do overlie the groundwater area and generate return flows from imported supplies. Data from most of these lands have been reported since December 1991.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 7.5

SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
RETURN FLOW CREDIT
1995-1996
RANCHO DIVISION
Quantities in Acre Feet

HYDROGEOLOGIC AREAS									
	0 NO HYDRO- GEO CODE	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	2 SANTA GERTRUDIS QYAL	3 LOWER MESA QTOAL	4 PAUBA QYAL	5 SOUTH MESA QTOAL	6 UPPER MESA QTOAL	7 PALOMAR QTOAL	TOTAL
AGRICULTURAL *									
Total Use	2,138.18	1,113.71	266.09	2,300.67	919.11	1,649.52	2,114.98	2,028.17	12,530.43
% Import	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60
Import Use	461.78	240.53	57.47	496.87	198.50	356.25	456.77	436.02	2,706.19
% Credit	33.00	33.00	33.00	33.00	33.00	33.00	33.00	33.00	33.00
Credit	152.39	79.37	18.96	163.97	65.51	117.56	150.73	144.55	893.04
COMMERCIAL									
Total Use	11.10	947.33	354.49	849.84	44.25	99.15	26.36	0.03	2,332.55
% Import	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60
Import Use	2.40	204.59	76.56	183.54	9.56	21.41	5.69	0.01	503.76
% Credit	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
Credit	0.24	20.46	7.68	18.35	0.96	2.14	0.57	0.00	50.38
DOMESTIC									
Total Use	662.20	1,926.12	382.97	7,708.91	231.01	1,515.70	753.74	319.89	13,500.33
% Import	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60
Import Use	143.02	415.98	82.71	1,664.89	49.89	327.35	162.78	69.04	2,915.68
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
Credit	35.75	104.00	20.68	416.22	12.47	81.84	40.70	17.26	728.92
TOTAL USE	2,611.48	3,987.15	1,003.55	10,859.42	1,194.37	3,264.37	2,895.08	2,347.88	26,363.31
TOTAL									
Total Import	607.19	861.10	216.74	2,345.31	257.95	705.01	625.25	507.07	6,125.62
Total Credit	188.38 **	203.83	47.30	598.55	78.93	201.54	192.00	161.81	1,672.34
Total Credit Qyal		101.91	47.30		78.93				228.15
Total Credit Qtoal		101.91		598.55		201.54	192.00	161.81	1,255.81

* Includes golf course and landscape irrigation
** This credit not applied to either Qyal or Qtoal

TABLE 7.6

**SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
RETURN FLOW CREDIT
1995-1996
SANTA ROSA DIVISION
Quantities in Acre Feet**

HYDROGEOLOGIC AREAS				
	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	3 LOWER MESA QTOAL	8 RTS 279, 280 & 285 1/4 QYAL 3/4 QTOAL	TOTAL
AGRICULTURAL *				
Total Use	33.20	0.00	1,257.60	1,290.80
% Import	61.10	61.10	61.10	
Import Use	20.29	0.00	768.37	788.66
% Credit	33.00	33.00	33.00	
Credit	6.69	0.00	253.56	260.26
COMMERCIAL				
Total Use	2.18	1.99	269.89	274.06
% Import	61.10	61.10	61.10	
Import Use	1.33	1.22	164.90	167.45
% Credit	10.00	10.00	10.00	
Credit	0.13	0.12	16.49	16.74
DOMESTIC				
Total Use	1.01	0.00	1,142.01	1,143.01
% Import	61.10	61.10	61.10	
Import Use	0.61	0.00	697.75	698.36
% Credit	25.00	25.00	25.00	
Credit	0.15	0.00	174.44	174.59
TOTAL USE	36.39	1.99	2,669.49	2,707.88
TOTAL				
Total Import Use	22.23	1.22	1,631.02	1,654.47
Total Credit	6.98	0.12	444.49	451.59
Total Credit Qyal	3.49		111.12	114.61
Total Credit Qtoal	3.49	0.12	333.37	336.98

* Includes golf course and landscape irrigation

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The percentage of imported water that becomes return flow varies according to the use as follows:

Agricultural Use	33%
Commercial Use	10%
Domestic Use	25%

Based on the foregoing factors, the return flow credit for 1995-96 is computed to be 1,672.34 acre feet for the Rancho Division and 451.59 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Some of the hydrogeologic areas overlie older alluvium and some overlie younger alluvium. Comparison of exposures of younger alluvium with maps of the District's hydrogeologic areas indicates that the Santa Gertrudis, Pauba and half of the Murrieta-Wolf areas overlie younger alluvium. The area of the Santa Rosa Division that overlies the groundwater area is one-fourth in the younger alluvium and three-fourths in the older alluvium. Import return flows in these areas can be credited against pumping from the younger alluvium. These credits for 1995-96 for the Rancho Division are 228.15 acre feet and 114.61 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

There was no direct recharge of imported water in 1995-96.

Division of Local Water

During 1995-96, Rancho California WD pumped 36,086 acre feet of groundwater. Some of this water was pumped from the younger alluvium and some from the older alluvium. The Court determined that water in both the younger alluvium and older alluvium add to, contribute to and support the Santa Margarita River stream system. However, for purposes of this part of the report, production from each of the two sources is differentiated. Accordingly, it is necessary to identify the portion of RCWD production that is from the younger alluvium.

The younger alluvial deposits were determined by the Court to be those deposits laid down by stream action after the course of the Santa Margarita River shifted to its present westerly flow through the Temecula Gorge to the Pacific Ocean. The areal extent of the younger alluvium is shown on various maps developed during the litigation such as U. S. Exhibit 15L. The Court reported that the depth of the younger alluvial deposits could not be determined with exactness. However the Court did indicate that based on evidence available to the Court in 1962, the maximum depth of the younger alluvium in the Murrieta Valley was approximately 30 feet. Similarly in Pauba Valley, the Court stated that the evidence indicated a maximum depth of 130 feet. The Court also noted that it would retain continuing jurisdiction in the case so that subsequent findings could be made if required.

Identification of the younger alluvium during the litigation was based on the finding that the younger alluvium was part of the surface stream system. Thus the underground channel banks were formed by the contact with the older alluvium and the bed of the channel was defined as the first significant clay layer. The well logs that were used to identify the depth of the younger alluvium on U. S. Exhibit 16 were reviewed. These logs indicated that the top of clay layers varying in thickness from 2 to 205 feet had been used to define the depth of the younger alluvium.

U. S. Exhibit 16 also shows that the depth of the younger alluvium progressively thins to the west so that the deepest younger alluvium was found in the easterly portion of the Pauba Valley. Subsequent to the Court's findings in the early 1960's, additional wells have been constructed by Rancho California WD and many additional geologic studies have been conducted.

In 1995 well logs and geophysical logs of all Rancho California WD wells were reviewed by representatives of the United States and Rancho California WD to determine the depths of the younger alluvium. There was general agreement between the parties about the depth of the younger alluvium in production wells, except for ten wells shown on Table 7.7 of the 1994-95 report. The remaining disagreements relate to differences about the magnitude of the clay layer needed to define the base of the younger alluvium, the importance of neighboring wells, and general concepts about the overall geologic setting.

The depths of younger alluvium used in this report to determine the Rancho California WD production from the younger alluvium are shown on Table 7.7, together with each well location, seal depth, perforated interval and the percent of each well which produces from the younger alluvium.

There are a number of factors that can be considered in allocating total well production between the younger alluvium and older alluvium. These factors include relative permeability of the younger and older alluvium, water levels, perforated intervals and the presence of clay layers.

Although the Court has found that the younger alluvium is more permeable than the older alluvium, few data are available to indicate the magnitude of such differences. Even if tests had been conducted at one site, there could be significant variations at other locations in the groundwater area.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE 7.7

**SANTA MARGARITA RIVER WATERSHED
DEPTH OF YOUNGER ALLUVIUM IN
RANCHO CALIFORNIA WATER DISTRICT WELLS**

RCWD WELL NO.	LOCATION TOWNSHIP/ RANGE/ SECTION	SEAL DEPTH FEET	PERFORATED INTERVAL FEET	DEPTH YOUNGER ALLUVIUM FEET	PERCENT YOUNGER ALLUVIUM %		REMARKS
106	7S/3W-26R1	55	130-210; 250-310; 340-440; 700-740; 780-980	0	0.0%	Murrieta	No. 108 Winchester, clay 0'-40'
107	7S/3W-26J1	55	60-120; 190-260; 280-300; 390-590	58	0.0%	Murrieta	No. 105 - gravel & clay 58'-84'
108	7S/3W-25E1		60-110; 190-280; 350-410; 430-450; 470-490; 530-590	55	0.0%	Murrieta	Formerly No. 109 gravel/sandy clay 55'-70'
109	8S/2W-17J1	52	70-150; 170-210	75	5.6%		Brown clay and gravel 75' to 105'
110	8S/1W-6K1	54	70- 150; 200-240; 320-380; 420-460	165	39.4%		Clay 165'-190'
113	7S/2W-25H1	52	96-136; 275-462; 482-542	Shallow	0.0%		
115	8S/1W-6H	Unknown	60-120; 140-180; 226-326	150	45.5%		See No. 116
116	8S/1W-6J	Unknown	60-120; 140-200; 220-260; 270-330; 370-390	150	46.7%		Clay 150'-170'
119	8S/2W-19J	55	170-260; 300-470		0.0%	Wolf Valley	Perforated below 170'
123	8S/1W-7B	55	100-260; 300-380; 420-500	135	18.9%		Brown Sand Clay 135'-210'
129	7S/2W-20L	Unknown	180-290; 416-480; 520-600	Shallow	0.0%	Santa Gertrudis Creek	Qyal very shallow along Santa Gertrudis Creek
132	8S/1W-7D	55	70-390; 430-500	135	25.5%		Brown Clay Streaks 135'-175'
135	7S/3W-27M10	55	70-170	50	0.0%	Murrieta Valley	Silty clay 50'-69'
141	8S/2W-11P	55	120-190; 215-235; 270-380; 430-510	104	0.0%		Silt & sand 104'-185'; Well 11L1 is 112'
144	7S/3W-27D	55	983-1123; 1143-1283; 1343-1483; 1503-1743	25	0.0%	Murrieta Valley	Sand with silty clay 25'-45'
154	8S/1W-5L2	50	50-220	110	35.3%		Basalt fragments Geophysical log
205	7S/3W-35A	96	150-1000	10	0.0%	Santa Gertrudis/ Murrieta Valley	Sandy clay 10'-20'
210	8S/2W-12K	None	48-228	160	93.3%		Clay cobblestones 160'-167', 175'-227'
218	8S/2W-20B5	27	48-289	40	0.0%		Old 28; clay with sand layer 40'-60'; now monitoring wells 427, 428 and 429
466	8S/3W-1P2	Unknown	106-822	49	0.0%	Long Canyon	Old 219, Cantarini, hard clay 49'-60'
220	7S/3W-26Q1	34	114-450	58	0.0%		Clay 58' - 73'
467	8S/2W-12K1	Unknown	50-100; 100-140	140	100.0%		Old 221, JK, Exh. 16, Monitoring well since 1983
223	8S/2W-20C1	Unknown	48-250	60	7.5%	Wolf Valley	CAT Well; east of Wildomar Fault; nearby Exh 16 wells 17Q @62' & 17M @55' are also east of the Wildomar Fault
224	8S/2W-15D	Unknown	48-250	106	37.4%		Old Well 50, clay 106'-138'
230	8S/2W-11J1	Unknown	24-31; 32.5-34; 35-40; 61-65; 70-76; 80-85; 86.5-91; 92.5-98.5	>119	100.0%		Old Well 30, depth of well is 119'
231	8S/2W-20B6	55	80-120; 150-270	35	0.0%		Old 104, P-34, Clay 20'-23'; 35'-41'; East of Wildomar Fault
232	8S/2W-11J3	51	95-135; 175-215; 235-295	135	28.6%		Old 111, 105, P-31; coarse sand & clay 135' - 155'
233	8S/2W-12K2	51	95-135; 175-215; 235-295	145	28.6%		Old 112, P32; sand and clay at 145'-220'
234	8S/2W-11P1	52	80-100; 120-140; 200-240; 280-320; 340-400	125	15.6%		Brown Clay at 125'; sand and clay at 125'-140'
235	8S/3W-1Q1	55	Unknown	Shallow	0.0%	Long Canyon	
240	8S/2W-11L1	Unknown	48-298	112	27.8%		Old Well No. 40; clay 112'-136'
301	7S/3W-18Q1	93	140-280; 280-520; 540-640	26	0.0%	Murrieta	Old JR1; blue clay 26'-32'

The allocation of production could be based on the saturated thickness of the younger alluvium relative to the saturated thickness in the older alluvium. This approach would reduce the quantities estimated from the younger alluvium if water levels lower. Water levels vary throughout the year and are influenced by the rate of well production and the time between well shut off and the time of measurement.

Thus, use of saturated thickness would complicate the computation and require use of varying water level data.

In this report the portion of production from the younger alluvium is computed using the ratio of the perforated interval in younger alluvium to the net perforated interval throughout the well. The net perforated interval was computed for each well by subtracting the thickness of clay layers located within the perforated interval from the total perforated interval. In this way a single percentage can be computed for each well to apply to all production from the well.

Production from the younger alluvium and older alluvium for 1995-96 using the percentages noted in Table 7.7 is presented in Table 7.8. It may be noted that 4,327 acre feet were pumped from the younger alluvium and 31,759 acre feet were pumped from the older alluvium in 1995-96.

Representatives of the United States dispute the foregoing presentation of the depth of and production from the younger alluvium in the Pauba, and Murrieta Valleys.

This production of 4,327 acre feet from the younger alluvium as shown on Table 7.8 may be compared with import return flows shown on Tables 7.5 and 7.6, with recharge from Vail into the younger alluvium, and with deliveries to the service area permitted under Permit 7032.

In 1995-96 there were total return flow credits of 342.76 acre feet. Deducting this from the younger alluvium pumpage leaves 3,984 acre feet of production under the Vail appropriation right. In 1995-96, 9,427 acre feet were released from Vail and recharged to groundwater storage. That recharge plus the unrecovered portions of recharge in prior years means there was ample water stored underground in the Pauba Valley to support the withdrawals.

As shown on Table 7.4, 888 acre feet were used for agricultural purposes within the service area designated in Permit 7032.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

**TABLE 7.8
SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
WELL PRODUCTION FROM YOUNGER AND OLDER ALLUVIUM
1995-96
Quantities in Acre Feet**

WELL NO.	QYAL	QTOAL	TOTAL
101	0.00	378.00	378.00
102	0.00	446.00	446.00
105	0.00	0.00	0.00
106	0.00	650.00	650.00
108	0.00	351.00	351.00
109	44.41	748.59	793.00
110	653.25	1,004.75	1,658.00
113	0.00	650.00	650.00
117	0.00	0.00	0.00
118	0.00	706.00	706.00
119	0.00	131.00	131.00
120	0.00	1,058.00	1,058.00
121	0.00	409.00	409.00
122	0.00	0.00	0.00
123	0.00	0.00	0.00
124	0.00	449.00	449.00
125	0.00	25.00	25.00
126	0.00	1,478.00	1,478.00
128	0.00	1,211.00	1,211.00
129	0.00	4.00	4.00
130	0.00	1,065.00	1,065.00
131	0.00	925.00	925.00
132	578.60	1,690.41	2,269.00
133	0.00	749.00	749.00
135	0.00	1,110.00	1,110.00
138	0.00	1,279.00	1,279.00
139	0.00	977.00	977.00
140	0.00	923.00	923.00
141	0.00	660.00	660.00
143	0.00	550.00	550.00
144	0.00	675.00	675.00
145	0.00	697.00	697.00
149	0.00	0.00	0.00
151	0.00	279.00	279.00
155	0.00	285.00	285.00
201	0.00	0.00	0.00
203	0.00	418.00	418.00
204	0.00	0.00	0.00
205	0.00	118.00	118.00
207	0.00	17.00	17.00
208	0.00	135.00	135.00
209	0.00	0.00	0.00
210	1,880.93	135.07	2,016.00
211	0.00	792.00	792.00
212	0.00	0.00	0.00
215	0.00	178.00	178.00
216	0.00	0.00	0.00
217	0.00	976.00	976.00
231	0.00	112.00	112.00
232	338.05	843.95	1,182.00
233	831.40	2,075.60	2,907.00
234	0.00	0.00	0.00
235	0.00	1,130.00	1,130.00
301	0.00	0.00	0.00
302	0.00	226.00	226.00
309	0.00	3,039.00	3,039.00
TOTAL	4,326.64	31,759.36	36,086.00

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The remaining production of 3,096 acre feet may be considered to have been used outside the designated service area for irrigation purposes or partly used within the designated service area for domestic use. In either event, 3,096 acre feet were used outside the place of use and/or used for a purpose not specified in Permit 7032. Rancho California WD has recognized the situation and has petitioned the SWRCB for a change in the place and type of use under Permit 7032.

Western Municipal Water District

Western MWD wholesales imported water to Rancho California WD and also serves water to its Improvement District A near the southern boundary of Riverside County along I-15 freeway. Deliveries to Rancho California WD are included under Rancho California WD.

In Water Year 1995-96, imports to Improvement District A amounted to approximately 35 acre feet.

Deliveries to Improvement District A through turnout WR-13 for the period 1966 to 1996 are shown in Table 5.3.

U. S. Marine Corps - Camp Pendleton

Camp Pendleton is located on the coastal side of the Santa Margarita River Watershed. Water is provided by 14 wells that produced 6,199 acre feet in Water Year 1995-96. This production is from the younger alluvium and is based on riparian and appropriative rights. Of this quantity, 3,577 acre feet were exported out of the Watershed as shown in Appendix A.

A portion of the exported water amounting to 1,493 acre feet was returned to the Santa Margarita River Watershed as wastewater.

Production and estimated use inside and outside the Watershed, as well as wastewater returns, are shown in Appendix B for the period 1966-1996.

In addition to the operations at Camp Pendleton involving diversions from the Santa Margarita River, water is also imported by the Naval Weapons Station (NWS). The NWS occupies about 9,148 acres in the north eastern part of Camp Pendleton. Since 1969 the NWS has relied on imported water delivered via Fallbrook PUD for its supply. Wastewater is exported from the NWS and the Watershed via an outfall line also used by the Fallbrook Public Utility District. In 1995-96, 100 acre feet were imported of which 5 acre feet of wastewater were exported, as shown in Appendix A. Imports and use between 1969 and 1996 are shown in Appendix B.

7.3 Indian Reservations

Water use information about the three Indian Reservations in the Watershed is described in the following sections:

Cahuilla Indian Reservation

In general, domestic water use on the Cahuilla Indian Reservation is not measured, however reports indicate that 154 to 159 people reside on the Reservation. These residents use water primarily for domestic purposes as well as for livestock watering and grazing. Annual domestic water use, based on 125 gallons per capita per day, amounts to a total annual use of about 22 acre feet from wells listed in Appendix C.

The foregoing estimate is for total domestic water use on the Reservation. A portion of this use may not be under Court jurisdiction, but the estimate will be used until individual well production quantities are available to allow determination of the portion under Court jurisdiction. The estimated domestic use is included on Table 4.1 under water purveyor production.

An additional quantity was put to commercial use; however this quantity was pumped from well 7S/2E-26B3 which overlies basement complex and is outside court jurisdiction.

In 1995-96, 136 acres were leased for irrigation use. Crops included 56 acres of grain and 80 acres of potatoes. Water was supplied from the Agri-Empire, Inc. water system that includes six wells at various locations in the Anza Valley based on overlying and reserved rights. One of the wells in the Agri-Empire water system (7S/3E-28A2) is located on the Reservation.

Pechanga Indian Reservation

During 1995-96, production by the Pechanga Water system amounted to 36 acre feet during the months of March, April and May. Of that quantity, 25 acre feet were used for domestic uses, and 11 acre feet were used for commercial uses. The commercial use included 3 acre feet delivered to the Casino and 8 acre feet for construction. Extrapolating the measured quantities, the annual use may be estimated to total 145 acre feet for the year, 100 acre feet for domestic purposes, 12 acre feet for the Casino and 33 acre feet for construction.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Based on the March through May production, the annual production in 1995-96 is estimated to be from the following sources:

<u>Well/Spring Designation</u>	<u>Name</u>	1995-96 Production		<u>Water Depth Feet</u>	<u>Well Depth Feet</u>	<u>Perf. Inter. Feet</u>
		<u>Mar - May</u>	<u>Annual</u>			
28R1	Ball Park	5.86	23.4 *	95-158	1,000	130-220
28Q6	Sea Bee	1.71	6.8 *	224-237	—	—
29A1	Kelsey Tract	19.66	78.6 *	42	348	—
36	Spring	0.88	3.5 *	N/A	N/A	N/A
29B10	Eduardo	<u>8.24</u>	<u>32.9 *</u>	—	—	—
TOTAL		36.35	145.2 *			

* Estimated to be four times the measured March - May 1996 total

N/A - Not Applicable

Information about construction of some of the wells is not available.

The wells listed above are in areas of younger alluvium at ground surface. The depth of the younger alluvium in Wolf Valley was estimated by representatives of Rancho California WD and the United States for Rancho California WD Wells No. 117 (8S/2W-20E) and No. 119 (8S/2W-19J) to be in the range of 120 to 170 feet in depth. Thus, based on available well construction data, some of the production is from the younger alluvium and some from the older alluvium. Under state law production from the wells that originate in the older alluvium can be considered to be under a groundwater appropriative right or an overlying right, depending on the circumstances at each well.

Under federal law, production from wells that originate in either the younger or older alluvium can be considered to be under a federal reserved right, in accordance with Interlocutory Judgment No. 41 which provides as follows in Order No. 7:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Pechanga Indian Reservation, including rights to the use of ground waters sufficient for the present and future needs of the Indians residing thereon with priority dates of June 27, 1882, for those lands established by the Executive Order of that date; January 9, 1907 for those lands transferred by the Executive Order of that date; August 29, 1893 for those lands added to the Reservation by Patent on that date; and May 25, 1931, for those lands added to the Reservation by Patent of that date.

Ramona Indian Reservation

The Ramona Indian Reservation occupies 560 acres of land of which 321 acres are inside the Watershed. The Ramona Reservation has no reported water use and a reported resident population of two.

7.4 Mobile Homes/Campgrounds

There are a number of mobile home parks in the Watershed. These range from relatively permanent structures, to those catering to recreational vehicles and campgrounds. Water production from wells is shown on Table 7.1 for Butterfield Oaks Mobile Home Park, and Vacation Valley (formerly Thousand Trails Resorts).

7.5 Irrigation Water Use

Estimated water production reported by substantial users for irrigation in the Santa Margarita River Watershed is shown on Table 7.1 to be 7,713 acre feet. This estimate was based on reported irrigated acreage and includes 950 acre feet of surface diversions as shown in Appendix C.

SECTION 8 - UNAUTHORIZED WATER USE

8.1 General

From time to time there are complaints of unauthorized water uses of various types in the Watershed. Such complaints are investigated when they are brought to the attention of the Watermaster. The status of the current list of unauthorized uses is described as follows:

8.2 Dams on Chihuahua Creek

In 1986, Agri-Empire, Inc. filed Application No. 28930 with the SWRCB for water rights to store water at three dams previously built on Chihuahua Creek. The application was protested by downstream interests. Subsequently, on March 20, 1995, the SWRCB rejected and canceled the application on the grounds that the Santa Margarita River System is fully appropriated.

During the January 1993 storms the two lower dams were destroyed and the downstream embankment of the upper dam was severely eroded. Following the storm the embankment of the upper dam was repaired and a new spillway was constructed on the north side of the dam, which reduced the reservoir capacity to less than 50 acre feet.

Agri Empire has no right to store water in the upper reservoir and has advised the SWRCB that the reservoir will be used for storage of water for less than 30 days.

A Memorandum of Understanding (MOU) was agreed to which provides requirements for reporting data to the Watermaster. During 1995-96 considerable silt accumulated in the reservoir area significantly reducing its capacity and the outlet is now being left open at all times to help flush out the reservoir.

8.3 Unauthorized Small Storage Ponds

In addition to the dams on Chihuahua Creek, many other small dams and reservoirs have been constructed on streams in the Watershed. The legal basis for these ponds is described in the 1988-89 Watermaster Report. Basically, the Court has held that storage of water in ponds less than 10 acre feet in capacity and used for stock watering is a valid use of riparian water. The Court has also held that:

The temporary or non-seasonal impoundment by riparian owners for the purpose of providing a head for irrigation or for the purpose of temporarily accumulating sufficient water to make possible efficient irrigation is a proper riparian use of water.

Criteria for determining non-seasonal storage of irrigation water have yet to be developed.

8.4 Rancho California Water District Water Use

A number of unauthorized water use issues have been raised by the United States. These issues and action to investigate and/or correct the issues are as follows:

1. Violation of the 1940 Stipulated Judgment - United States' representatives have indicated their belief that the provisions of the 1940 Stipulated Judgment have been violated in two respects by Rancho California WD:
 - A. Storage of water in Vail Lake and the related recharge and rediversion operations exceeds the portion of the Santa Margarita River flow allocated to Rancho California WD by the Stipulated Judgment.
 - B. Production of water by Rancho California WD from the older alluvium should be included with surface water in determining whether water use by Rancho California WD exceeds that portion allocated to Rancho California WD by the Stipulated Judgment.

Rancho California WD disagrees with each of these contentions.

During 1995-96 representatives of Rancho California WD and the United States continued to discuss these issues in meetings of an Attorneys' Group and a Technical Committee. The purpose of the Attorneys' Group is to develop solutions to the water right issues that have divided the two parties. The Technical Group is to agree on technical facts that can assist the Attorney' Group in resolving issues related to the 1940 Stipulated Judgment, as well as Permit 7032 issues described in the following section.

2. Rediversion and Use Not in Accord with Terms of Permit 7032 - As noted in Section 7 of this report, the place of use, rediversion facilities and the type of use of water appropriated under Rancho California WD's Application No. 11518 and Permit 7032 have changed since the Application was filed in 1947.

Use of water under Permit 7032 is limited to irrigation, domestic use incidental to farming operations and recreation. Such use for municipal and industrial purposes represents an unauthorized use.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

During 1995-96, after import return flow credits were considered, 3,984 acre feet were produced from the younger alluvium by Rancho California WD under Permit 7032. Table 7.4 indicates that 888 acre feet were used within the 7032 Service Area for agricultural purposes. The remaining 3,096 acre feet were either used outside the designated place of use or partially used within the designated Service Area for commercial and/or domestic use, neither of which is authorized under Permit 7032. The United States believes the unauthorized use is greater than indicated herein

Rancho California WD initiated the process of changing Permit 7032 on September 1, 1992, by filing a Notice of Intent to Adopt a Negative Declaration for a Petition for Change to the SWRCB, Division of Water Rights, relative to Appropriations Water Permit 7032.

On January 15, 1993, the United States in a petition filed with the Superior Court of the State of California for Riverside County alleged that the District had violated the California Environmental Quality Act (CEQA) by adopting the Negative Declaration. On April 12, 1994, the Court denied the United States' petition and declared that Rancho California WD had complied with CEQA by adopting the Negative Declaration. On August 11, 1994, the parties jointly requested an extension of time for the filing of an appeal pending current settlement negotiations. The appellate Court granted an extension of the process to August 15, 1995. Subsequently, the process was extended to August 15, 1996, and again to August 15, 1997.

On January 13, 1993, the District filed a Petition for Change in the points of diversion, the place of use and the purpose of use with the SWRCB. The Petition for Change was protested by Camp Pendleton, U. S. Fish and Wildlife Service, the U. S. Bureau of Indian Affairs, and the California Sportfishing Alliance.

In March 1993, Camp Pendleton filed a Complaint with the SWRCB that Rancho California WD was violating the terms of Permit 7032 regarding place, season and purpose of use. On May 25, 1993, the SWRCB advised that it would process the Complaint prior to acting on the District's Petition for Change.

A representative from the SWRCB visited the area in July 1993 and completed a draft staff Report of Investigation. Prior to release of the staff report the SWRCB agreed to a joint request by the parties that the issuance of the report be deferred to allow the parties to continue to negotiate a settlement of the issues. In 1995, and in 1996, the SWRCB agreed to joint requests that the SWRCB hold in abeyance any actions related to the United

States' complaint against Rancho California WD. The SWRCB's agreement was based on the fact that the parties are actively seeking a negotiated settlement to all outstanding issues. The SWRCB requested that they be provided with a status report on the negotiations prior to August 1, 1996, a date later extended to August 15, 1997.

8.5 Other Potential Unauthorized Uses

United States' representatives also contend that water is being pumped from the younger alluvium without permit outside Pauba Valley and that there is pumping in violation of Court adjudications from the older alluvium.

SECTION 9 - THREATS TO WATER SUPPLY

9.1 General

General threats to the long-term water supply in the Santa Margarita River Watershed, which have been described in previous Watermaster Reports, are as follows:

1. High nitrate concentrations in Rainbow Creek and in Anza Valley.
2. Potential overdraft conditions at various locations in the Santa Margarita River Watershed.
3. Potentially adverse salt balance conditions in the upper Santa Margarita River area.

9.2 High Nitrate Concentrations

In past years high concentrations of nitrate have been measured in Anza Valley and on Rainbow Creek. During 1995-96 the Anza Mutual Water Company collected one sample from the Johnson Road Well. Nitrate concentration in that sample was 29 mg/l as Nitrate compared to a drinking water standard of 45 mg/l as Nitrate.

Also during 1995-96, Mission Resource Conservation District implemented its "Rainbow Creek Non-Point Source Nitrate Reduction Project." That project included installation of a stream gaging station on Rainbow Creek, as well as collection of specific conductance, pH, nitrate and phosphorus data from five stations along the creek. The project also included distribution of educational literature and a public information program.

Nitrate data collected from five sites along Rainbow Creek may be summarized as follows:

<u>Sampling Site</u>	<u>Range of Nitrate</u> (MG/L-NO ₃)
Jubilee Way in Rainbow Valley	6.66 - 50.6
Flynn-Rainbow Nursery	35.2 - 154
Oak Crest Estates	0 - 118.8
Willow Glen Road	0 - 45
FPUD Sump (on Rainbow Creek 100 feet upstream from mouth	24 - 57

It may be noted that nitrate concentrations exceed the drinking water standard of 45 mg/l NO₃ at all stations except Willow Glen Road. Reduction in nitrate concentrations

between the Oak Crest site and the Willow Glen site indicates that there is sufficient inflow of water into the creek to offset the higher nitrate concentrations coming from upstream. However, there is apparently a source of water with nitrate concentrations higher than the drinking water standard between Willow Glen and the mouth of the creek.

Investigation of that source of nitrates is the subject of a new Mission Resource Conservation District project to be funded in 1997.

9.3 Potential Overdraft Conditions

Previous Watermaster reports have noted concerns about overdraft conditions in Anza Valley and in the Temecula-Murrieta area.

The 1989-90 Watermaster Report described a water supply study, conducted by a consultant to Riverside County, which concluded that Anza Valley water use in 1986 was approximately equal to the perennial yield and that as of 1986 useable groundwater in storage approximated 56,000 acre feet. No further studies relative to groundwater use in Anza Valley have been conducted.

Groundwater levels for Anza Mutual Water Company's Well No. 1 (7S/3E-21G1) rose 2 feet between September 1995 and October 1996. A graph showing water levels in this well is included in this Report as Figure 4.4. It can be noted that the water elevation of 3784.6 feet this year is within the general range observed since the early 1970's.

No published studies of safe yield are available for the Temecula-Murrieta area. Groundwater resources in much of the area are being managed by Rancho California WD. The District has indicated that it operates the basin so as to develop its maximum perennial yield.

Groundwater levels throughout the basin area are being monitored by the District and the Watermaster Office. The District uses the record of well production and the related water levels to prepare and implement its annual groundwater production program so as to avoid continual declines in groundwater levels. Water level data collected each year are plotted on graphs in the Watermaster's office. In this way long-term trends in groundwater levels can be monitored. If there is no continual decline in water levels or other adverse impact, then overdraft conditions do not exist.

Data reported in Section Four of this Report indicate that the Windmill Well (8S/2W-12H1) located at the eastern part of Pauba Valley fell 5.9 feet in 1995-96. Well 7S/3W-20C9 in the Murrieta CWD area were unchanged from last year. Long term hydrographs were developed for unconfined wells in four different areas of Wolf Valley. These hydrographs showed no long-term change in water levels in the unconfined aquifer. Of the sixteen wells classified as confined, nine had records of more than 10 years. In these wells water levels increased in six of the wells and decreased in three, over the various periods of record.

9.4 Salt Balance

A key issue in management of a groundwater basin is potential build up of salts that decreases the usability of waters in the basin. Thus consideration must be given to measures that allow export of salt from the basin to offset the salt load in water entering the groundwater basin.

A 2 MGD Demonstration Project has been proposed by Rancho California Water District and approved by the Regional Board. This project, when implemented, will discharge up to 2 MGD of treated wastewater into the Santa Margarita River stream system. This project will provide cost-effective disposal of wastewater from the upper Santa Margarita River area, assist in controlling salt balance in the Watershed, and provide a water supply to the Santa Margarita River system downstream of Temecula.

SECTION 10 - WATER QUALITY

10.1 Surface Water Quality

Water quality data for surface streams sampled by Rancho California WD are shown in Appendix Table D-2. During 1995-96, Rancho California WD collected weekly samples from the Santa Margarita River at the Temecula gaging station. These samples were analyzed for total dissolved solids (TDS) and nitrate. As might be expected, the TDS concentrations ranged from 470 mg/l on January 31, 1996, when mean daily flows were 214 cfs to a high of 960 mg/l on November 8, 1995, when flow was 2.2 cfs. Nitrate concentrations ranged from <.2 on October 4, 1995, to 2.0 mg/l as N on May 8, 1996, well below the drinking water standard of 10 mg/l as N.

Surface water quality data collected in prior years by Camp Pendleton and Eastern MWD are listed in earlier Watermaster reports.

The U. S. Geological Survey has published water quality data including specific conductance, pH, temperature and dissolved oxygen for the Santa Margarita River at the mouth near Oceanside and in the Estuary since 1993-94.

10.2 Groundwater Quality

During 1995-96 water quality data were collected from wells by Murrieta County WD, Rancho California WD, the U.S.G.S. for wells on Indian Reservations, and the U.S.M.C. at Camp Pendleton.

Water quality samples were collected from four wells in Murrieta County Water District as shown in Appendix Table D-3. All samples were analyzed for nitrates. The samples from the House, North and South wells showed concentrations of less than 3 mg/l of NO₃ while the samples from the Holiday well showed concentrations varying from 11 to 32 mg/l of NO₃ as compared to a drinking water standard of 45 mg/l as NO₃.

Water quality data for Rancho California WD wells are shown in Appendix Table D-4. New data were collected from 13 wells during 1995-96. Of the 13 wells, samples from four wells were analyzed for nitrates only. In these wells, nitrate concentrations ranged from 2 to 22 mg/l as NO₃, with the drinking water standard being 45 mg/l as NO₃. In the remaining nine wells, which were subjected to a standard chemical analysis, TDS concentrations increased in five wells, decreased in three wells and one well had no previous analysis. The increases in concentrations ranged from 5 to 85 mg/l and averaged 36 mg/l. Decreases ranged from 5 to 210 mg/l and averaged 73 mg/l.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Appendix Table D-5 shows water quality data collected by the U.S.G.S. from wells on Indian Reservations. In 1995-96 samples were collected from four wells on the Pechanga Indian Reservation. Samples from three wells were analyzed for nitrates only with concentrations of 11.0 mg/l as N being noted in Well No. 8S/2W-28Q2 compared to a drinking water standard of 10.0 mg/l as N. The record shows that water from that well consistently exceeds the drinking water standard. If possible, water from that well should be blended with other water before being used as drinking water. A standard chemical analysis was conducted on the sample from the fourth well with concentrations of the various constituents analyzed being consistent with historical results.

During 1995-96 samples of groundwater were collected from eight wells at Camp Pendleton as shown on Appendix Table D-6. In last year's report, a significant increase in nitrate concentrations was noted in wells 18M4, 18E3 and 13R2. This year's analyses of samples show zero nitrate concentrations in seven of the eight wells sampled, including the three wells which had concentrations of about 14 mg/l as NO₃ in 1994-95. It is unusual for a group of wells which have consistently shown nitrate concentrations in the past to all exhibit zero concentrations in one set of samples.

Of the seven wells subjected to a standard chemical analysis, TDS concentrations decreased in four and increased in three. The decreases ranged from 20 to 68 mg/l/l, with an average of 48 mg/l; the increases ranged from 3 to 74 mg/l, with an average of 40 mg/l.

SECTION 11 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE TASKS, EXPENDITURES AND REQUIREMENTS

11.1 General

Projected tasks over the next five years are listed below in two categories: normal tasks, which are part of the usual Watermaster office operation; and additional tasks, which are foreseen but are not part of the normal office operations.

11.2 Normal Tasks

Tasks that are normally part of the Watermaster Office operation are as follows:

1. Update List of Substantial Users
2. Collect Water Production, Use, Import and Availability Data
3. Collect Well Location, Construction and Water Level Data
4. Administer Water Rights
5. Collect Water Quality Data
6. Monitor Water Quality and Water Right Activities
7. Administer Lake Skinner and Domenigoni Valley Reservoir MOU's
8. Administer Steering Committee Matters
9. Prepare Court Reports/Budgets
10. Monitor Streamflow and Water Quality Measuring
11. Data Management

11.3 Additional Tasks

Tasks that have been identified but which are not part of normal operations are as follows:

1. Assist with Resolution of RCWD/Camp Pendleton Water Rights Issues
2. Determine Changes in Subsurface Storage
3. Determine Salt Balance
4. Prepare List of All Water Users Under Court Jurisdiction
5. Prepare Inventory of Ponds and Reservoirs

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

11.4 Projected Expenditures

Projected expenditures for the current year and over the next five years are listed as follows:

		<u>Projected Expenditures</u>		
		<u>Watermaster Office</u>	<u>Gaging Station</u>	<u>Total</u>
Current Year	1996/97	\$156,900	\$100,000	\$256,900
Projected Years	1997/98	\$161,300	\$102,900	\$264,200
	1998/99	\$169,400	\$108,360	\$277,760
	1999/2000	\$177,900	\$114,100	\$292,000
	2000/2001	\$186,800	\$120,150	\$306,950
	2001/2002	\$196,100	\$126,510	\$322,610

SECTION 12 - WATERMASTER OFFICE BUDGET 1997-98

A total Watermaster Budget of \$264,200 for the Water Year ending September 30, 1998, is shown below.

This budget includes \$161,300 for the Watermaster Office and \$102,900 for U.S.G.S. gaging station operations. The budgeted cost for gaging station operation is based on the annual renewal of an agreement between the Watermaster and the U. S. Geological Survey.

	APPROVED BUDGET CURRENT YEAR 1996-97 \$	PROPOSED BUDGET 1997-98 \$
Watermaster Office		
Rent	9,600	9,600
Accounting Services	4,000	4,000
Supplies	1,000	800
General Liability & Professional Insurance	3,400	3,200
Printing	1,300	1,300
Audit	2,700	3,200
Publications	800	800
Clerical/Data Management	41,500	43,000
Telephone	1,300	1,400
Miscellaneous Operating/Maintenance	1,000	1,500
Mileage/Travel	500	500
Office Equipment and Software	2,500	2,500
Watermaster		
Consulting Services	76,000	77,000
Automobile Expense	2,800	3,000
Travel Reimbursement	8,500	9,500
SUBTOTAL WATERMASTER OFFICE	\$ 156,900	\$ 161,300
USGS Gaging Station Operation and Maintenance	\$ 100,000	\$ 102,900
TOTAL	\$ 256,900	\$ 264,200

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 1995-96

APPENDIX A
WATER PRODUCTION AND USE
WATER YEAR 1995-96

JUNE 1997

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-1

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT
1995-96

Quantities in Acre Feet

MONTH YEAR	PRODUCTION					USE						RECLAIMED WASTEWATER				
	WELLS 1/	IMPORT	EXPORT FROM SMRW	NET IMPORT	TOTAL	AG 2/	COMM	DOM 3/	TOTAL	LOSS	TOTAL USE	REUSE IN SMRW	EXPORT	RELEASE TO RIVER	RECHARGE	TOTAL
1995																
OCT	50	732	775	(43)	7	17	0	561	578	(571)	7	221	263	0	0	484
NOV	30	822	628	194	224	16	0	457	473	(249)	224	311	151	0	0	462
DEC	51	1,037	603	434	485	2	0	431	433	52	485	169	239	0	0	428
1996																
JAN	55	1,153	947	206	261	2	0	354	356	(95)	261	101	45	0	0	146
FEB	15	1,276	466	810	825	3	0	282	285	540	825	14	8	0	0	22
MAR	0	1,488	399	1,089	1,089	1	0	220	221	868	1,089	30	14	0	0	44
APR	49	239	353	(114)	(65)	2	0	397	399	(464)	(65)	390	291	0	0	681
MAY	0	458	404	54	54	4	0	572	576	(522)	54	312	391	0	0	703
JUNE	7	1,879	397	1,482	1,489	7	0	588	595	894	1,489	301	322	0	0	623
JULY	6	1,660	507	1,153	1,159	4	0	633	637	522	1,159	352	287	0	0	639
AUG	0	528	755	(227)	(227)	5	0	716	721	(948)	(227)	407	296	0	0	703
SEPT	36	458	536	(78)	(42)	5	0	757	762	(804)	(42)	351	159	0	0	510
TOTAL	299	11,730	6,770	4,960	5,259	68	0	5,968	6,036	(777)	5,259	2,979	2,466	0	0	5,445

1/ Does not include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

2/ Figures are 95% of water pumped and imported to allow for 5% loss

3/ Figures are 95% of water pumped and imported to allow for 5% loss

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-2

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

1995-96
Quantities in Acre Feet

MONTH YEAR	PRODUCTION							USE					WASTEWATER					
	TOTAL WELLS IMPORT	DELUZ DISTRICT IMPORT	AREA AREA IMPORT	FALLBROOK AREA IMPORT	SMRW SMRW 1/ IMPORT	TOTAL SMRW IMPORT	TOTAL PRODUCTION	AG	COMM	DOM	TOTAL IN SMRW	LOSS*	TOTAL USE IN SMRW	FROM SMRW	FROM U.S.N.W.S.	EXPORTED FROM SMRW		
1995																		
OCT	0	1,551	277	1,274	586	863	863		477	48	303	828	35	863		89	0.4	89
NOV	0	1,099	232	867	399	631	631		385	43	215	643	(12)	631		103	0.4	103
DEC	0	753	149	604	278	427	427		270	32	216	518	(91)	427		106	0.4	105
1996																		
JAN	0	708	135	573	263	398	398		220	29	160	409	(11)	398		101	0.4	100
FEB	0	350	40	310	143	183	183		79	20	144	243	(60)	183		93	0.4	92
MAR	0	485	37	448	206	243	243		46	19	114	179	64	243		94	0.4	94
APR	0	1,100	213	887	408	621	621		267	31	148	446	175	621		85	0.3	85
MAY	0	1,415	290	1,125	517	807	807		451	53	212	716	91	807		85	0.4	85
JUNE	0	1,494	283	1,211	557	840	840		460	53	288	801	39	840		68	0.5	67
JULY	0	1,789	375	1,414	651	1,026	1,026		579	60	268	907	119	1,026		67	0.4	67
AUG	0	1,811	379	1,432	659	1,038	1,038		614	65	359	1,038	0	1,038		79	0.3	79
SEPT	0	1,613	323	1,290	593	916	916		563	68	299	930	(14)	916		70	0.3	69
TOTAL	0	14,168	2,733	11,435	5,260	7,993	7,993		4,411	521	2,726	7,658	335	7,993		1,040	5	1,035

1/ Approximately 46% of the Fallbrook area is within the Santa Margarita River Watershed

*Loss = Total production less total use

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE A-3

**SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE**

MURRIETA COUNTY WATER DISTRICT

1995-96

Quantities in Acre Feet

MONTH YEAR	PRODUCTION		USE					
	WELLS		AG	COMM	DOM	TOTAL DELIVERED	LOSS *	TOTAL USE
1995								
OCT	52		8	12	38	58	(6)	52
NOV	43		4	9	27	40	3	43
DEC	15		3	7	23	33	(18)	15
1996								
JAN	30		2	5	20	27	3	30
FEB	23		2	2	5	9	14	23
MAR	29		1	5	14	20	9	29
APR	38		6	8	26	40	(2)	38
MAY	84		9	10	35	54	30	84
JUNE	80		11	13	42	66	14	80
JULY	84		13	12	47	72	12	84
AUG	81		14	14	47	75	6	81
SEPT	70		15	13	49	77	(7)	70
TOTAL	629		88	110	373	571	58	629

* Loss = Total production less total delivered

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-4

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

1995-96
 Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE				
	LOCAL	IMPORT TO WATERSHED	TOTAL IN WATERSHED	AG	COMMERCIAL/ DOMESTIC	TOTAL DELIVERIES	LOSS*	TOTAL USE
1995								
OCT	0	239	239	200	17	217	22	239
NOV	0	149	149	123	13	136	13	149
DEC	0	128	128	104	12	116	12	128
1996								
JAN	0	98	98	80	9	89	9	98
FEB	0	61	61	48	7	55	6	61
MAR	0	45	45	35	6	41	4	45
APR	0	84	84	69	7	76	8	84
MAY	0	181	181	150	15	165	16	181
JUNE	0	181	181	148	17	165	16	181
JULY	0	199	199	163	18	181	18	199
AUG	0	226	226	184	21	205	21	226
SEPT	0	224	224	183	21	204	20	224
TOTAL	0	1,815	1,815	1,487	163	1,650	165	1,815

*Loss = 10% of use

TABLE A-5

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT

1995-96

Quantities in Acre Feet

MONTH YEAR	PRODUCTION				USE						RECLAIMED WASTEWATER			
	WELLS IN GWA	WELLS OUT GWA	VAIL RELEASE	IMPORT TOTAL	AG COMM	DOM RELEASE	SMR RELEASE (1)	VAIL RECHARGE	IMPORT RECHARGE	TOTAL USE	LOSS (2)	TOTAL	REUSE IN SMRW	EXPORT RECHARGED
1995														
OCT	3,546	0	1,489	1,780	4,220	281	1,806	293	1,489	0	8,089	(1,274)	6,815	0
NOV	3,227	0	1,549	698	2,893	223	1,302	16	1,549	0	5,983	(509)	5,474	0
DEC	2,596	0	1,826	286	2,581	197	1,092	0	1,826	0	5,696	(988)	4,708	0
1996														
JAN	2,115	0	1,163	320	1,579	188	840	0	1,163	0	3,770	(172)	3,598	0
FEB	1,176	0	1,280	0	1,134	142	801	0	1,280	0	3,357	(901)	2,456	0
MAR	1,978	0	609	0	494	118	639	0	809	0	2,060	727	2,787	0
APR	3,106	0	645	1,674	1,390	143	706	89	645	0	2,973	2,452	5,425	0
MAY	3,670	0	291	2,911	3,283	206	1,362	463	291	0	5,605	1,267	6,872	0
JUNE	3,831	0	334	3,857	3,943	265	1,752	424	334	0	6,718	1,304	8,022	0
JULY	3,486	0	33	4,412	4,411	303	1,823	260	33	0	6,830	1,101	7,931	0
AUG	3,458	0	28	4,098	4,705	325	2,092	295	28	0	7,445	139	7,584	0
SEPT	3,897	0	-20	3,564	5,279	361	2,115	309	-20	0	8,044	(603)	7,441	0
TOTAL	36,086	0	9,427	23,600	35,912	2,752	16,330	2,149	9,427	0	66,570	2,543	69,113	0

(1) 171 AF Into Temecula Creek from Wells 109 and 231; 1,569 AF into Murrieta Creek from Wells 101, 102, 106, 108 118, 121 and 135; and 389 AF from System River Meter

(2) Loss = Total production less total use

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-6

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON

1995-96

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE						RECLAIMED WASTEWATER		
	AG LOCAL	CAMP SUPPLY	TOTAL	AGRICULTURE 1/ IN OUT SMRW SMRW		CAMP SUPPLY 2/ IN OUT SMRW SMRW		TOTAL EXPORT	TOTAL 3/ IN SMRW	RECHARGED IN SMRW 4/	IMPORT 5/ RECHARGED IN SMRW	TOTAL RECHARGED IN SMRW
1995												
OCT	122	425	547	48	74	181	244	318	229	69	112	181
NOV	64	377	441	25	39	162	215	254	187	68	116	184
DEC	12	336	348	5	7	144	192	199	149	73	121	194
1996												
JAN	42	328	370	16	26	142	186	212	158	76	143	219
FEB	19	298	317	7	12	130	168	180	137	79	134	213
MAR	40	375	415	16	24	163	212	236	179	80	140	220
APR	56	434	490	22	34	186	248	282	208	79	116	195
MAY	70	508	578	27	43	218	290	333	245	74	120	194
JUNE	77	527	604	30	47	226	301	348	256	81	113	194
JULY	113	549	662	44	69	234	315	384	278	86	124	210
AUG	186	549	735	72	114	234	315	429	306	94	129	223
SEPT	199	493	692	78	121	212	281	402	290	92	125	217
TOTAL	1,000	5,199	6,199	390	610	2,232	2,967	3,577	2,622	951	1,493	2,444

1/ Agricultural water use is divided with 39% used inside the SMRW and 61% used outside

2/ Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, minus the NWS Import (SMRW CS = .44 {CS+NWS Imp} - NWS Imp.)

3/ Assumes no losses

4/ Discharge from Plant Nos. 3 plus 8 plus 29.17 acre feet per month from Plant No. 13

5/ Discharge from Plant No. 1 plus excess of Plant No. 13 over 29.17 acre feet per month

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-7

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

1995-96

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE				WASTEWATER
	LOCAL	IMPORT TO WATERSHED 1/	TOTAL	AG	COMMERCIAL/ DOMESTIC	LOSS 2/	TOTAL USE	EXPORTED
1995								
OCT	0.0	10.2	10.2	0.0	9.3	0.9	10.2	0.4
NOV	0.0	7.6	7.6	0.0	6.9	0.7	7.6	0.4
DEC	0.0	6.0	6.0	0.0	5.5	0.5	6.0	0.4
1996								
JAN	0.0	4.4	4.4	0.0	4.0	0.4	4.4	0.4
FEB	0.0	2.4	2.4	0.0	2.2	0.2	2.4	0.4
MAR	0.0	4.3	4.3	0.0	3.9	0.4	4.3	0.4
APR	0.0	9.7	9.7	0.0	8.8	0.9	9.7	0.3
MAY	0.0	9.7	9.7	0.0	8.8	0.9	9.7	0.4
JUNE	0.0	9.8	9.8	0.0	8.9	0.9	9.8	0.5
JULY	0.0	13.2	13.2	0.0	12.0	1.2	13.2	0.4
AUG	0.0	13.6	13.6	0.0	12.4	1.2	13.6	0.3
SEPT	0.0	8.6	8.6	0.0	7.8	0.8	8.6	0.3
TOTAL	0.0	99.5	99.5	0.0	90.5	9.0	99.5	4.7

1/ - Import via Fallbrook Public Utility District

2/ - Loss = 10% of Use

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-8

SANTA MARGARITA RIVER WATERSHED
MISCELLANEOUS WATER PRODUCTION AND IMPORTS

1995-96
Quantities in Acre Feet

MONTH YEAR	IMPORT		PRODUCTION		
	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER CO.	VACATION VALLEY RV RESORT ¹	BUTTERFIELD OAKS MOBILE HOME PARK	LAKE RIVERSIDE ESTATES
1995					
OCT	4.50	5.08	4.21	0.17	21.44
NOV	2.50	1.53	2.34	0.12	9.05
DEC	1.80	1.96	5.23	0.11	5.67
1996					
JAN	1.60	1.39	1.96	0.10	9.67
FEB	1.10	1.38	0.38	0.12	10.10
MAR	1.40	1.39	1.42	0.13	2.32
APR	2.30	1.96	2.53	0.16	4.71
MAY	3.20	5.04	10.07	0.19	13.82
JUNE	3.50	5.97	6.86	0.21	50.31
JULY	4.60	7.87	8.41	0.21	29.62
AUG	4.80	6.51	7.12	0.22	35.53
SEPT	3.80	5.45	8.06	0.20	27.49
SUBTOTAL				1.93 7.50 *	
TOTAL	35.10	45.53	58.59	9.43	219.73

¹ Formerly Thousand Trails

E indicates an estimate

* Estimated non-metered lawn watering

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 1995-96

APPENDIX B
WATER PRODUCTION AND USE
WATER YEAR 1965-66 TO WATER YEAR 1995-96

JUNE 1997

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE B-1

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

EASTERN MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION					USE						RECLAIMED WASTEWATER					
	WELLS	IMPORT 1/	EXPORT FROM SMRW	NET IMPORT	TOTAL	AG 2/	COMM	DOM 3/	TOTAL	LOSS	TOTAL USE	REUSE IN SMRW	EXPORT	RELEASE TO RIVER	RECHARGE	TOTAL	
1966	0	1,604	0	1,604	1,604	1,520	0	4	1,524	80	1,604	0	0	0	100	100	
1967	0	1,630	0	1,630	1,630	1,544	0	4	1,548	82	1,630	0	0	0	100	100	
1968	0	1,464	0	1,464	1,464	1,386	0	5	1,391	73	1,464	0	0	0	100	100	
1969	0	1,741	0	1,741	1,741	1,648	0	6	1,654	87	1,741	0	0	0	100	100	
1970	0	1,417	0	1,417	1,417	1,340	0	7	1,346	71	1,417	0	0	0	101	101	
1971	0	1,383	0	1,383	1,383	1,306	0	8	1,314	69	1,383	0	0	0	119	119	
1972	0	1,470	0	1,470	1,470	1,388	0	8	1,396	74	1,470	0	0	0	242	242	
1973	0	1,533	0	1,533	1,533	1,447	0	10	1,456	77	1,533	0	0	0	217	217	
1974	0	1,601	0	1,601	1,601	1,511	0	10	1,521	80	1,601	0	0	0	193	193	
1975	0	1,969	0	1,969	1,969	1,859	0	11	1,871	98	1,969	0	0	0	253	253	
1976	145	2,493	0	2,493	2,638	2,356	0	150	2,506	132	2,638	134	0	0	155	289	
1977	431	2,947	0	2,947	3,378	2,723	64	423	3,209	169	3,378	244	0	0	70	314	
1978	375	2,551	0	2,551	2,926	2,409	0	371	2,780	146	2,926	300	0	0	75	375	
1979	289	1,894	0	1,894	2,183	1,784	0	290	2,074	109	2,183	350	0	0	147	497	
1980	281	1,192	0	1,192	1,473	1,116	0	283	1,399	74	1,473	375	0	0	220	595	
1981	282	716	0	716	998	663	0	285	948	50	998	375	0	0	304	679	
1982	321	1,112	0	1,112	1,433	1,038	0	323	1,361	72	1,433	375	0	0	366	761	
1983	106	1,211	0	1,211	1,317	1,131	0	120	1,251	68	1,317	375	0	0	466	841	
1984	236	699	0	699	935	644	0	244	888	47	935	400	0	0	525	925	
1985	314	679	0	679	993	624	0	319	943	50	993	450	0	0	565	1,015	
1986	229	760	0	760	989	700	0	239	940	49	989	600	0	0	509	1,109	
1987	89	1,155	0	1,155	1,244	638	0	543	1,182	62	1,244	650	0	0	554	1,204	
1988	4	2,047	0	2,047	2,051	524	0	1,424	1,948	103	2,051	650	0	0	650	1,300	
1989	685	3,746	0	3,746	4,431	1,146	0	3,064	4,209	222	4,431	1,058	0	0	1,638	2,694	
1990	492	8,578	2,977	5,601	6,093	978	0	4,810	5,788	305	6,093	1,567	0	0	2,160	3,727	
1991	456	16,621	7,142	9,479	9,935	851	0	8,587	9,438	497	9,935	1,282	0	0	2,272	3,554	
1992	527	13,486	4,893	8,593	9,120	29	0	8,835	8,664	456	9,120	1,323	0	245	2,385	3,953	
1993	524	7,287	1,894	5,393	5,917	36	0	5,585	5,621	296	5,917	1,876	539	192	2,020	4,627	
1994	232	10,082	2,932	7,150	7,382	0	0	7,013	7,013	369	7,382	2,787	3,058	0	0	5,845	5,845
1995	182	11,539	6,914	4,625	4,807	16	0	4,551	4,567	240	4,807	2,154	3,908	0	0	6,062	6,062
1996	299	11,730	6,770	4,960	5,259	68	0	5,968	6,036	(777)	5,259	2,979	2,466	0	0	5,445	5,445

1/ Does not include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

2/ Figures are 95% of water pumped and imported to allow for 5% loss

3/ Figures are 95% of water pumped and imported to allow for 5% loss

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-2

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION							USE				
	WELLS	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	FALLBROOK AREA IMPORT	SMRW IMPORT 1/	TOTAL SMRW IMPORT	TOTAL PRODUCTION	AG	COMM/ DOM	TOTAL IN SMRW	LOSS /2	TOTAL USE IN SMRW
1966	176	11,169	0	11,169	3,351	3,351	3,404	2,735	328	3,063	341	3,404
1967	16	9,508	0	9,508	2,852	2,852	2,857	2,253	319	2,572	285	2,857
1968	13	11,411	0	11,411	3,423	3,423	3,427	2,554	531	3,085	342	3,427
1969	178	9,458	0	9,458	2,837	2,837	2,891	1,787	814	2,601	290	2,891
1970	305	11,794	0	11,794	3,538	3,538	3,630	2,649	617	3,266	364	3,630
1971	7	11,350	0	11,350	3,405	3,405	3,407	2,386	681	3,067	340	3,407
1972	0	13,054	0	13,054	3,916	3,916	3,916	2,749	775	3,524	392	3,916
1973	0	10,610	38	10,572	3,172	3,210	3,210	2,156	732	2,888	322	3,210
1974	0	12,911	134	12,777	3,833	3,967	3,967	2,703	868	3,571	396	3,967
1975	0	11,492	213	11,279	3,384	3,597	3,597	2,420	816	3,236	361	3,597
1976	0	13,147	431	12,716	4,196	4,627	4,627	3,200	965	4,165	462	4,627
1977	20	13,435	587	12,848	4,625	5,212	5,232	3,536	1,174	4,710	522	5,232
1978	97	12,626	651	11,975	4,551	5,202	5,299	3,504	1,265	4,769	530	5,299
1979	187	12,865	961	11,904	4,762	5,723	5,910	3,820	1,498	5,318	592	5,910
1980	192	13,602	1,191	12,411	5,213	6,404	6,596	4,258	1,678	5,936	660	6,596
1981	87	16,878	1,994	14,884	6,549	8,543	8,630	5,688	2,144	7,832	798	8,630
1982	0	13,270	1,805	11,465	5,274	7,079	7,079	4,614	1,862	6,476	603	7,079
1983	0	12,298	1,969	10,329	4,751	6,720	6,720	4,320	1,871	6,191	529	6,720
1984	0	15,429	2,609	12,820	5,897	8,506	8,506	5,814	2,077	7,891	615	8,506
1985	0	14,256	2,358	11,898	5,473	7,831	7,831	5,187	2,135	7,322	509	7,831
1986	0	15,383	2,794	12,589	5,791	8,585	8,585	5,698	2,319	8,017	568	8,585
1987	0	15,313	2,986	12,327	5,670	8,656	8,656	5,793	2,281	8,074	582	8,656
1988	28	14,460	2,559	11,901	5,474	8,033	8,061	5,181	2,348	7,529	532	8,061
1989	94	16,179	3,007	13,172	6,059	9,066	9,160	5,620	2,706	8,326	834	9,160
1990	15	17,568	3,745	13,823	6,358	10,103	10,118	6,275	2,878	9,153	965	10,118
1991	46	13,939	2,871	11,068	5,091	7,962	8,008	5,146	2,314	7,460	548	8,008
1992	45	13,698	2,950	10,748	4,943	7,893	7,938	5,285	2,201	7,486	452	7,938
1993	86	12,695	2,010	10,685	4,915	6,925	7,011	4,329	2,349	6,678	333	7,011
1994	83	13,124	2,246	10,878	5,004	7,250	7,333	4,282	2,666	6,948	385	7,333
1995	3	11,620	2,208	9,412	4,330	6,538	6,541	3,818	2,798	6,316	225	6,541
1996	0	14,168	2,733	11,435	5,260	7,993	7,993	4,411	3,247	7,658	335	7,993

/1 Total SMRW production equals SMRW Import plus 30% local (1966-1971)

/2 Loss = Total production less total use
 (Neglects change in Storage at Red Mtn After 1985)

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-3

SANTA MARGARITA RIVER WATERSHED
ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION
FALLBROOK PUBLIC UTILITY DISTRICT
Quantities in Acre Feet

WATER YEAR	TOTAL WASTEWATER PRODUCTION	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER FROM U.S.N.W.S.	WASTEWATER EXPORTED FROM SMRW	PERCENT WASTEWATER FROM SLR WATERSHED 1/	WASTEWATER IMPORTED FROM SLR WATERSHED
1966	395	81	320	0	0	19	75
1967	460	80	368	0	0	20	92
1968	524	80	419	0	0	20	105
1969	588	79	465	0	0	21	123
1970	652	78	509	0	0	22	143
1971	717	78	559	0	0	22	158
1972	782	77	602	0	0	23	180
1973	847	76	644	0	0	24	203
1974	912	75	684	0	0	25	228
1975	976	75	732	0	0	25	244
1976	1,040	74	770	0	0	26	270
1977	1,105	73	807	0	0	27	298
1978	1,170	72	842	0	0	28	328
1979	1,234	72	888	0	0	28	346
1980	1,298	71	922	0	0	29	376
1981	1,363	70	954	0	0	30	409
1982	1,428	69	985	0	0	31	443
1983	1,492	69	1,029	26 E	1,003	0	0
1984	1,556	68	1,058	26 E	1,032	0	0
1985	1,621	67	1,086	26 E	1,060	0	0
1986	1,685	66	1,112	18 P	1,094	0	0
1987	1,750	66	1,155	27	1,128	0	0
1988	1,815	65	1,180	25	1,155	0	0
1989	1,881	64	1,204	22	1,182	0	0
1990	1,952	66	1,298	27	1,271	0	0
1991	1,622	60	973	11	962	0	0
1992	1,730	63	1,090	7	1,083	0	0
1993	2,051	62	1,271	16	1,255	0	0
1994	1,834	58	1,073	5	1,068	0	0
1995	1,941	60	1,165	12	1,153	0	0
1996	1,799	58	1,040	5	1,035	0	0

NOTE: Measured quantities available for Total Wastewater in Water Year 1969 and July 1989
All other quantities are estimated (1966 - 1989)
Prior to 1983, Wastewater was discharged into Fallbrook Creek.
After 1983, Wastewater is discharged into an ocean outfall

1/ - San Luis Rey Watershed
E - Estimated
P - Partial Year Data

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE B-4

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

MURRIETA COUNTY WATER DISTRICT

Quantities in Acre Feet

PRODUCTION			USE					
WATER YEAR	WELLS		AG	COMM	DOM	TOTAL DELIVERED	LOSS *	TOTAL USE
1966	41		0	0	37	37	4	41
1967	45		0	0	41	41	4	45
1968	54		0	0	49	49	5	54
1969	54		0	0	49	49	5	54
1970	73		0	0	66	66	7	73
1971	83		3	0	72	75	8	83
1972	111		10	0	91	101	10	111
1973	92		11	0	72	84	8	92
1974	132		14	0	107	120	12	132
1975	153		18	0	121	139	14	153
1976	117		22	0	84	106	11	117
1977	170		21	0	134	155	15	170
1978	169		19	0	135	154	15	169
1979	197		19	0	160	179	18	197
1980	218		20	0	178	198	20	218
1981	265		30	0	211	241	24	265
1982	230		21	0	188	209	21	230
1983	216		14	0	182	196	20	216
1984	304		26	0	250	276	28	304
1985	308		19	0	261	280	28	308
1986	305		22	0	255	277	28	305
1987	326		23	0	273	296	30	326
1988	303		13	35	262	275	28	303
1989	286		11	72	262	344	(4)	340
1990	465		13	76	266	355	110	465
1991	459		15	88	250	353	106	459
1992	492		6	122	302	430	62	492
1993	508		4	105	323	432	76	508
1994	512		10	103	324	437	75	512
1995	521		12	86	312	420	101	521
1996	629		88	110	373	571	58	629

* Loss = Total production less total delivered

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-5

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION				USE				
	LOCAL	IMPORT TO WATERSHED	TOTAL IN WATERSHED 1/		AG 2/	COMMERCIAL/ DOMESTIC 3/	TOTAL DELIVERIES	LOSS 4/	TOTAL USE
1966	0	14,538	1,308		1,049	140	1,189	119	1,308
1967	0	12,167	1,095		878	117	995	100	1,095
1968	0	15,301	1,377		1,104	147	1,252	125	1,377
1969	0	13,917	1,253		1,005	134	1,139	114	1,252
1970	0	18,764	1,689		1,354	181	1,535	154	1,689
1971	0	18,338	1,650		1,324	177	1,500	150	1,650
1972	0	22,633	2,037		1,634	218	1,852	185	2,037
1973	0	17,955	1,616		1,296	173	1,469	147	1,616
1974	0	22,768	2,049		1,643	219	1,863	186	2,049
1975	0	13,856	1,247		1,000	133	1,134	113	1,247
1976	0	24,878	2,239		1,796	240	2,035	204	2,239
1977	0	26,038	2,343		1,879	251	2,130	213	2,343
1978	0	24,312	2,188		1,755	234	1,989	199	2,188
1979	0	26,084	2,348		1,883	251	2,134	213	2,347
1980	0	27,660	2,489		1,997	266	2,263	226	2,489
1981	0	35,036	3,153		2,529	337	2,866	287	3,153
1982	0	27,334	2,460		1,973	263	2,236	224	2,460
1983	0	24,957	2,190		1,735	256	1,991	199	2,190
1984	0	32,526	3,068		2,483	306	2,789	279	3,068
1985	0	28,612	3,410		2,798	302	3,100	310	3,410
1986	0	29,023	2,945		2,353	324	2,677	268	2,945
1987	0	29,449	3,390		2,765	317	3,082	308	3,390
1988	0	29,070	2,985		2,372	342	2,714	271	2,985
1989	0	32,034	3,003		2,385	345	2,730	273	3,003
1990	0	34,612	3,818		3,003	468	3,471	347	3,818
1991	0	27,754	2,904		2,276	364	2,640	264	2,904
1992	0	26,056	2,277		1,877	193	2,070	207	2,277
1993	0	23,766	1,965		1,655	132	1,787	178	1,965
1994	0	22,173	1,651		1,368	133	1,501	150	1,651
1995	0	20,935	1,661		1,398	112	1,510	151	1,661
1996	0	24,835	1,815		1,487	163	1,650	165	1,815

1/ 1966 through 1982 estimated to be 9% of total district imports

2/ 1966 through 1982 estimated to be 80.2% of total deliveries to watershed

3/ 1966 through 1982 estimated to be 10.7% of total deliveries to watershed

4/ Loss = 10% of use

TABLE B-6

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT

Quantities in Acre Feet

YEAR	PRODUCTION				USE				RECLAIMED WASTEWATER				
	WELLS IN GWA	WELLS OUT GWA	LOCAL VAIL RELEASE	VAIL IRRIGATION 1/	AG COMM DOM	SMR RELEASE	VAIL RECHARGE	IMPORT RECHARGE	TOTAL USE	LOSS 3/	TOTAL	REUSE EXPORT IN SMRW	RECHARGE
1966	0	0	0	185 *	0	0	0	0	0	0	5,424	0	0
1967	4,288	0	0	1,136 *	0	5,424	0	0	0	0	5,498	0	0
1968	5,100	0	0	398 *	0	5,498	0	0	0	0	4,314	0	0
1969	3,617	0	0	697 *	0	4,314	0	0	0	0	7,561	0	0
1970	6,721	0	0	840 *	0	7,561	0	0	0	0	9,501	0	0
1971	7,960	0	0	1,541 *	0	9,501	0	0	0	0	8,572	0	0
1972	8,369	0	0	203 *	0	8,572	0	0	0	0	8,250	0	0
1973	7,726	0	0	524 *	0	8,250	0	0	0	0	11,229	0	0
1974	10,163	0	0	1,066 *	0	11,229	0	0	0	0	10,726	0	0
1975	10,357	0	0	369 *	0	10,726	0	0	0	0	11,978	0	0
1976	11,809	0	0	50 *	119	11,978	0	0	0	0	12,367	0	0
1977	10,522	0	0	0	1,845	12,367	0	0	0	0	14,704	0	0
1978	8,930	0	0	0	5,774	14,704	0	0	0	0	18,380	0	0
1979	11,371	0	0	0	7,009	18,380	0	0	0	0	33,691	0	0
1980	12,621	0	10,944	0	10,126	33,691	0	0	0	0	37,696	0	0
1981	15,612	0	6,802	0	15,282	37,698	0	0	0	0	32,067	0	0
1982	12,631	0	6,068	0	13,378	32,067	0	0	0	0	35,255	0	0
1983	16,577	98	12,113	715	5,752	35,255	0	0	0	0	40,136	0	0
1984	25,660	4	6,812	1,144	6,716	40,136	0	0	0	0	37,759	0	0
1985	24,373	0	5,027	1,201	7,158	37,759	0	0	0	0	47,946	0	0
1986	26,997	0	8,722	1,053	11,174	47,946	0	0	0	0	49,661	0	0
1987	33,735	0	8,089	273	7,564	49,661	0	0	0	0	44,065	0	0
1988	21,367	0	4,844	0	17,854	44,065	0	0	0	0	45,193	0	0
1989	26,131	0	0	0	22,895	49,026	0	2,294	0	0	47,401	0	0
1990	33,241	0	0	0	22,030	55,271	0	0	0	0	54,207	0	0
1991	26,503	0	6,253	0	21,238	53,994	0	701	0	0	45,656	0	0
1992	29,968	0	2,244	0	16,931	49,143	0	0	0	0	74,247	0	0
1993	31,029	0	31,704	0	11,411	74,144	0	0	0	0	56,162	0	0
1994	32,725	0	8,469	0	16,366	57,580	0	0	0	0	60,008	0	0
1995	33,111	0	11,158 **	0	15,108	59,377	0	0	0	0	66,570	0	0
1996	36,088	0	9,427	0	23,600	69,113	0	0	0	0	2,543	0	0

1/ Figures from 1966 to 1972 supplied by USGS; 1972 to 1996 supplied by RCWD
 2/ Total production = Wells, Total Diversions and Import
 3/ Loss = Total production less total use
 * - Irrigation 1968 to 1976 by pumping from Vail Lake
 ** Revised

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE B-7

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

**U.S.M.C. - CAMP PENDLETON
EXCLUDING NAVAL WEAPONS STATION SHOWN ON B-8**

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE						RECLAIMED WASTEWATER		
	AG LOCAL	CAMP SUPPLY	TOTAL	AGRICULTURE 1/ IN SMRW	OUT SMRW	CAMP SUPPLY 2/ IN SMRW	OUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW	RECHARGED IN-SMRW 4/	IMPORT 5/ RECHARGED IN SMRW	TOTAL RECHARGED IN SMRW
1966	1,101	4,605	5,706	429	672	2,026	2,579	3,251	2,455	919	974	1,893
1967	796	4,811	5,607	310	486	2,117	2,694	3,180	2,427	914	1,243	2,156
1968	986	4,939	5,925	385	601	2,172	2,767	3,368	2,557	866	1,214	2,080
1969	940	4,821	5,761	367	573	2,058	2,763	3,276	2,485	1,019	1,170	2,189
1970	1,106	5,481	6,587	431	675	2,347	3,134	3,809	2,778	1,032	1,113	2,145
1971	819	5,291	6,110	319	500	2,264	3,028	3,527	2,583	921	1,090	2,011
1972	817	5,323	6,140	319	498	2,278	3,045	3,543	2,597	900	1,168	2,068
1973	1,003	5,121	6,124	391	612	2,189	2,932	3,544	2,580	949	1,187	2,137
1974	909	5,202	6,111	355	554	2,224	2,978	3,532	2,579	915	1,140	2,055
1975	757	4,593	5,350	295	462	1,957	2,636	3,098	2,252	989	1,530	2,519
1976	885	5,384	6,269	345	540	2,305	3,079	3,619	2,650	949	1,497	2,447
1977	994	4,506	5,500	388	606	1,918	2,588	3,194	2,306	942	1,416	2,358
1978	176	5,177	5,353	69	107	2,213	2,964	3,071	2,282	1,164	1,283	2,446
1979	1,070	7,213	8,283	417	653	3,109	4,104	4,756	3,527	1,065	1,427	2,493
1980	835	5,495	6,330	326	509	2,353	3,142	3,651	2,679	1,101	1,405	2,506
1981	1,464	5,240	6,704	571	893	2,241	2,999	3,892	2,812	1,119	1,249	2,368
1982	1,447	5,024	6,471	564	883	2,146	2,878	3,761	2,710	982	1,273	2,254
1983	942	4,215	5,157	367	575	1,790	2,425	3,000	2,157	1,252	1,242	2,494
1984	1,078	4,501	5,579	420	658	1,916	2,585	3,243	2,336	1,323	1,120	2,443
1985	1,069	4,764	5,833	417	652	2,039	2,725	3,377	2,456	1,419	1,200	2,619
1986	953	4,807	5,760	372	581	2,062	2,745	3,326	2,434	1,259	981	2,240
1987	1,098	4,838	5,936	428	670	2,064	2,774	3,444	2,492	1,367	1,799	3,166
1988	1,223	4,721	5,944	477	746	2,010	2,711	3,457	2,487	1,523	1,872	3,396
1989	856	5,044	5,900	334	522	2,148	2,896	3,418	2,482	1,301	1,446	2,747
1990	855	4,228	5,083	333	522	1,779	2,449	2,971	2,112	1,277	1,451	2,728
1991	554	3,159	3,713	216	338	1,329	1,830	2,168	1,545	1,070	1,219	2,289
1992	898	3,254	4,152	350	548	1,376	1,878	2,426	1,726	933	1,548	2,481
1993	1,067	2,879	3,946	416	651	1,201	1,878	2,329	1,617	1,049	1,926	2,975
1994	1,471	3,150	4,621	574	897	1,345	1,805	2,702	1,919	1,034	1,501	2,535
1995	985	3,768	4,753	384	601	1,588	2,180	2,781	1,972	980	1,473 *	2,453 *
1996	1,000	5,199	6,199	390	610	2,232	2,967	3,577	2,622	951	1,493	2,444

* Revised Data

1/ Agricultural water use is divided with 39% used inside the SMRW and 61% used outside.

2/ Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, less the NWS Import for years beginning 1969. Prior to 1969 44% was used inside the SMRW and 56% was used outside.

3/ Assumes No Losses

4/ Wastewater Recharged in SMRW equals effluent from Plants 3, 8 and 13 (partial).

5/ Wastewater Import Recharged in SMRW equals effluent from Plant 1 plus the portion of the effluent from Plant 2 returned to the SMRW via Pond 2 plus the portion of the effluent from Plant 13 not included in 4/.

No record available for effluent from Plant 2 returned to SMRW for 1966-1974 and 1982 - June 1990.

Calculation of import recharged in Santa Margarita River from Plant 2 is based on zero when no record is available.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-8

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE				WASTEWATER
	LOCAL	IMPORT TO WATERSHED 1/	TOTAL	AG	COMMERCIAL DOMESTIC	LOSS 2/	TOTAL USE	EXPORTS
1966	87	0	87	0	79	9	87	0
1967	92	0	92	0	83	9	92	0
1968	108	0	108	0	97	11	108	0
1969	138	0	138	0	113	25	138	0
1970	152	0	152	0	125	27	152	0
1971	39 P	76 E	115	0	100	15	115	0
1972	0	115 E	115	0	105	10	115	0
1973	0	115 E	115	0	105	10	115	0
1974	0	115 E	115	0	105	10	115	0
1975	0	115 E	115	0	105	10	115	0
1976	0	115 E	115	0	105	10	115	0
1977	0	115 E	115	0	105	10	115	0
1978	0	115 E	115	0	105	10	115	0
1979	0	115 E	115	0	105	10	115	0
1980	0	115 E	115	0	105	10	115	0
1981	0	115 E	115	0	105	10	115	0
1982	0	115 E	115	0	105	10	115	0
1983	0	115 E	115	0	105	10	115	26 E
1984	0	115 E	115	0	105	10	115	26 E
1985	0	102	102	0	93	9	102	26 E
1986	0	94	94	0	85	9	94	18 P
1987	0	116	116	0	105	11	116	27
1988	0	120	120	0	109	11	120	25
1989	0	128	128	0	116	12	128	22
1990	0	145	145	0	132	13	145	27
1991	0	109	109	0	99	10	109	11
1992	0	99	99	0	90	9	99	7
1993	0	117	117	0	106	11	117	16
1994	0	73	73	0	66	7	73	5
1995	0	125	125	0	114	11	125	12
1996	0	100	100	0	91	9	100	5

1/ - Estimate 1969-1984 - Records not available

2/ - Loss = 10% of Use

E - Estimate

P - Partial year data

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 1995-96

APPENDIX C

SUBSTANTIAL USERS OUTSIDE

ORGANIZED WATER SERVICE AREAS

JUNE 1997

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNDWATER AREA								
Clawson, Gary A.	43425 Sage Road Aguanga, Ca. 92536	917-050-009	309.74	Total				
		917-050-007	82.19					
		581-070-013	43.10	of				
		581-150-013	120.56					
		581-150-016	25.37					
		581-070-014	158.08	30.00	Alfalfa	8S/1E-7N(1) 8S/1E-7N(2) 8S/1E-7Q(1) 8S/1E-7Q(2)	Total of 90.00	
Cottle, Thomas C.	42551 Hwy 79 Aguanga, Ca. 92536	583-040-028	25.52	Total				
		583-040-029	19.89			8S/1E-19K	79.40	
		583-040-024	23.48			8S/1E-19G4		
		583-040-025	23.12	46.00	Oats			
		583-040-026	23.16	and				
		583-040-027	22.64	20.00	Pasture	8S/1E-29L Diversion	88.00	
Strange, Owen W. and Elizabeth G. Trustees, Strange Living Trust of 4-15-88	m/t P.O. Box 1974 Rancho Santa Fe, Ca. 92067 43023 Hwy 79 Aguanga, CA 92536	583-040-022	97.78	Total		8S/1E-19Q(1)	150.00	
		583-040-021	13.45		Oats,	Domestic		
		583-130-001-3	80.00	of	Bermuda,			
		583-120-001-2	120.00		Alfalfa, and			
		583-060-003-9	41.60	101.00	Permanent pasture	8S/1E-29L Diversion	250.00	
Twin Creek Ranch/ Chester M. Mason Family Trust	c/o Jim Holden P. O. Box 519 Corona, Ca. 91718 44201 Hwy 79 Aguanga 44735 Hwy 79 Aguanga	583-120-081	17.29	15.00	Small Grains			
		583-120-083	68.09	65.00	Small Grains	8S/1E-28N1 8S/1E-28N(2)	Total of 553.00	
		583-120-084	179.39	30.00	Small Grains	8S/1E-29H		
		583-150-001	80.00	15.00	Row Crops			
				15.00	Small Grains			
		583-140-014	48.03	15.00	Row Crops	8S/1E-33F		
		583-140-015	40.00	35.00	Row Crops	8S/1E-33G1		
		583-140-016	40.00	38.00	Small Grains	8S/1E-33B		
		583-140-018	10.09	0.00				
		583-140-020	10.15	0.00				
583-140-019	10.00	0.00						
Vrieling, Gerrit J. and Betty J.	m/t 15015 Cheshire La Mirada, Ca. 90638 45203 Hwy 371 Aguanga	583-240-022	10.00	9.00	Pistachios	8S/1E-23N	9.90	

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNDWATER AREA (Cont)								
Harris, Homer N. and Dolores G.	44444 Sage Road Aguanga, CA 92536	581-160-014	17.73	Total Of		8S/1E-18J(2)	Total	
				15.00		Citrus	8S/1E-18J(1)	
		581-160-015	7.42	5.00		Fruit and		
		581-150-009	7.00	10.00		Walnuts	8S/1E-18H(1)	of
		581-180-002	20.00	0.00			8S/1E-18H(2)	
		581-180-004	20.00	0.00				
		581-180-014	21.40	0.00		8S/1E-17M	45.00	
Riverside County	4080 Lemon Street Riverside, CA 92501	581-170-006	8.57	8.50	Grass	8S/1E-17E Used 8S/1E-17E	32.30 owned by Harris	
Missionary Foundation, Inc.	m/t 1625 Tonia Ct. Riverside, CA 92506-5346 44200 Sage Rd Aguanga, CA 92536	581-170-006	310.00	100.00	Row Crops	8S/1E-17B 8S/1E-17H		
		581-180-009	120.00	0.00				
		581-190-001	320.00	0.00				
		581-120-006	200.00	5.00		Citrus	8S/1E-8K2	98.00
				581-070-005	640.00	0.00	10.00 Deciduous Fruit 5.00 Row Crops and Grapes	8S/1E-9Q - Diversion
TOTAL AGUANGA GROUNDWATER AREA				592.50			1,057.60	340.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA								
Agri-Empire, Inc.	m/t P. O. Box 490 San Jacinto, CA 92383	113-090-01	377.07	Total				
		113-090-03	21.46					
		113-090-05	541.22					
		113-100-01	389.81			9S/2E-11B - Diversion (E)		0.00
		113-130-01	150.09			9S/2E-17		
E - Estimated		113-140-03	196.54	of		9S/2E-16N2	202.00	
						9S/2E-16M	115.00	
						9S/2E-16F1	38.00	
						9S/2E-16N1	0.00	
						9S/2E-16F2	383.00	
						9S/2E-16K - Diversion		99.00
		113-140-04	503.24					
		113-140-05	45.09					
		113-140-06	93.94					
		114-020-09	37.16	150.00	Potatoes			
		114-030-08	331.79		and	9S/2E-22	213.00	
		114-030-26	42.87	355.00	Grain and rape seed			
* Land leased from Arlie W. and Coral R. Bergman	37126 Hwy 79 Warner Springs, CA 92086	113-140-01 *	358.62	Total		9S/2E-16B(1)	Total	
				of		9S/2E-16B(2)	of	
						9S/2E-16G	200.00	
		113-140-02 *	38.75	80.00	Potatoes			
		114-020-12	108.78	0.00				
		114-030-10	41.51	0.00				
		113-130-03	115.75	0.00				
		113-130-04	39.65	0.00				
Ward, AMs A	m/t 2 Rue Biarritz Newport Beach, CA 92660	112-030-58	69.83	20.00	Pasture	9S/1E-1Q(1)	220.00	
	38790 Highway 79 Warner Springs, CA 92086	112-030-22	24.77	33.00	Grain/Grass	9S/1E-1Q(2)	Domestic	
		112-030-38	40.00	0.00				
				0.00		9S/1E-12A	Domestic	
Ward, Donald F.	38790 Highway 79 Warner Springs, CA 92086	112-030-67	67.41	10.00	Oats/Sudan	Used 9S/1E-1Q(1) on AMs Ward's Property		
		112-030-59	160.00	0.00	Pasture	9S/1E-1M - Diversion		0.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA (Cont)								
Papac, Andrew and Olga	m/1 2030 Santa Anita Ave South El Monte, CA 91733 38642 Highway 79 Wamer Springs, CA 92086	113-060-012	63.21	20.00	Bermuda Grass	9S/2E-7D 9S/2E-7E - Diversion	38.00	38.00
Templeton, Robert D. and Linda K.	35490 Highway 79 Wamer Springs, CA 92086	114-120-042	78.41	0.00		9S/2E-35D1 9S/2E-35D1		
		114-070-007	76.42	20.00	Pasture	9S/2E-27R1 9S/2E-27R2 9S/2E-27J	Total of 114.00	
		114-080-014	42.51	10.00	Pasture			
		114-080-013	21.30	0.00				
TOTAL TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA				698.00			1,523.00	137.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA ANZA VALLEY								
Greenwald, Amin G.	6010 Wilshire Blvd #500 Los Angeles, CA 90036	573-180-001 576-070-001	156.38 70.00	156.38 70.00	Pasture Pasture	7S/3E-17E 7S/3E-20N	625.52 266.00	
Agri-Empire, Inc.	P.O. Box 490 San Jacinto, CA 92383							
	Section 8	573-090-005 573-100-002	45.17 27.79	Total of 70.00	Potatoes			
* Land leased from Stewart C. Sale 22424 Poplar Court Murrieta, CA 92362		573-090-012* 573-090-013* 573-090-014* 573-090-015* 573-090-016* 573-090-017*	30.29 18.98 17.54 17.92 18.50 18.83	Total Grown on Sale Lease is 120.00	Grain			
	Section 10	575-050-044 575-050-045 575-060-002	14.36 14.36 113.49	0.00 0.00 0.00		7S/3E-11N4 7S/3E-11P3	243.00 93.00	
	Section 13	575-100-037	57.80	0.00				
	Section 14	575-110-021 575-110-027 575-310-002 575-310-011 575-310-012 575-310-013 575-310-027	143.75 54.45 39.09 80.00 80.00 17.46 17.46	100.00 0.00 0.00 0.00 0.00 0.00 0.00	Grain	7S/3E-14D1 7S/3E-14C2	193.00 201.00	
	Section 15	575-080-014 575-080-015 575-080-017 575-080-018 575-080-019 575-080-021 575-080-022 575-080-024 575-080-027 575-090-010	9.92 4.35 9.75 10.13 31.29 20.00 20.00 20.00 20.00 20.00 38.80	Total 160.00	Potatoes			

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA ANZA VALLEY (Cont)								
Agri-Empire, Inc. (Cont)								
	Section 17	573-180-011	39.74	30.00	Grain			
* Land leased from Linus W. & Helen M. Miller P. O. Box 602 Anza, CA 92306		573-200-004 *	18.24	Total				
		573-200-005 *	18.50	Grown				
		573-200-006 *	18.89	On				
		573-200-007 *	18.88	Miller				
		573-200-008 *	18.31	Lease				
		573-200-009 *	36.40	Is				
		573-200-010 *	18.68	125.00	Grain			
	Section 20	576-060-009	8.26	Total				
		576-060-031	16.09	of				
		576-060-033	79.45					
		576-060-037	41.41					
		576-070-003	80.00					
		576-070-005	116.57	90.00	Potatoes			
				and				
	Section 21	576-080-003	133.72	140.00	Grain			
		576-100-029	40.00	0.00				
* Land leased from Louise Phebe Hamilton Tr P. O. Box 102, Anza, CA 92306		576-110-001 *	160.00	40.00	Grain and Potatoes			
		576-110-002	28.00	0.00				
		576-110-004	50.00	0.00				
		576-110-006	19.29	Total		7S/3E-21R3	200.00	
		576-110-007	17.82					
		576-110-008	17.00					
		576-110-009	18.41	75.00	Potatoes			
	Section 22	575-120-012	88.03	Total of				
		575-130-003	19.55	of				
		575-130-006	40.89	70.00	Grain			
		575-130-008	18.56	Total				
		575-130-009	20.06	of				
		575-130-010	20.07					
		575-130-011	19.19	100.00	Grain			
		575-130-012	18.18					
		575-130-013	19.02	and				
		575-130-014	19.00					
		575-130-015	17.56	35.00	Potatoes			
	Section 23	575-140-019	105.04	90.00	Grain			

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
---------------	---------	------------------------	-------------------	-----------------------------	----------------------------	---	------------------------------	--------------------------------

**WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA
ANZA VALLEY (Cont)**

Agri Empire, Inc. (Cont)

Cahuilla Indian Reservation	Section 28	576-120-003 *	640.00	80.00 56.00	Potatoes Grain	7S/3E-28A2 (Formerly designated as 7S/3E-27D1)	308.00	
--------------------------------	------------	---------------	--------	----------------	-------------------	--	--------	--

* Land leased to
Agri-Empire, Inc.

Domestic and Commercial Wells Reported by Bureau of Indian Affairs						Total
Wells in Basement Complex	Wells out of Watershed	Wells with QYAL and/or QTOAL				of 22.00
7S/2E-14L1	8S/3E-2A1	7S/2E-14J1	7S/2E-28Q1	7S/3E-31F1		
7S/2E-25D1	8S/3E-2B1	7S/2E-14M1	7S/2E-33C1	7S/3E-31L1		
7S/2E-26B1	8S/3E-2D1	7S/2E-14M2	7S/2E-33E1	7S/3E-31L2		
7S/2E-26B2	8S/3E-2E1	7S/2E-14R1	7S/2E-33N1	7S/3E-34N1		
7S/2E-26B3	8S/3E-2G1	7S/2E-23A1	7S/3E-27C1	7S/3E-34Q1		
7S/2E-34E1	8S/3E-2H1	7S/2E-23D1	7S/3E-27C2	8S/2E-4D1		
7S/2E-36A1		7S/2E-23F1	7S/3E-27H1	8S/2E-4N1		
7S/2E-36J1		7S/2E-23G1	7S/3E-27M1	8S/2E-4N2		
7S/2E-36R1		7S/2E-23H1	7S/3E-28A1	8S/2E-4P1		
7S/3E-26A1		7S/2E-23K1	7S/3E-28A2	8S/2E-4R1		
7S/3E-29Q1		7S/2E-23M1	7S/3E-28D1	8S/2E-4R2		
7S/3E-30H1		7S/2E-23P1	7S/3E-29C1	8S/3E-5Q1		
7S/3E-31A1		7S/2E-23Q1	7S/3E-29M1	8S/3E-6J1		
7S/3E-31N1		7S/2E-25C1	7S/3E-30H1			
7S/3E-31Q1		7S/2E-25F1	7S/3E-30P1			
7S/3E-32D1		7S/2E-25R1	7S/3E-30Q1			
7S/3E-32D2		7S/2E-26E1	7S/3E-30R1			
8S/3E-6B1		7S/2E-26L1	7S/3E-30R2			
8S/3E-6B2		7S/2E-27A1	7S/3E-30R3			
8S/3E-6G1		7S/2E-27H1	7S/3E-31A1			
8S/3E-6R1		7S/2E-28N1	7S/3E-31C1			

SUBTOTAL ANZA VALLEY

1,647.38

2,161.52

0.00

**WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA
LEWIS VALLEY**

Green Shell Company	39850 Sage Road Hemet, CA 92343	571-080-012	80.00	50.00	Olive Trees	7S/1E-20Q	55.00	
---------------------	------------------------------------	-------------	-------	-------	-------------	-----------	-------	--

SUBTOTAL LEWIS VALLEY

50.00

55.00

0.00

**TOTAL WILSON CREEK
ABOVE AGUANGA GROUNDWATER AREA**

1,697.38

2,206.52

0.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEMECULA GROUNDWATER AREA								
Poyorena, Thomas J.	m/t 22145 Grand Ave Wildomar, CA 92395 21853 Palomar St.	369-510-022	18.79	14.00	Pasture	6S/4W-35P	53.20	
International Immunology, Inc.	m/t 25549 Adams Ave Murrieta, CA 92362	909-060-020 909-170-010 909-170-011	9.33 9.55 27.77	20.00	Pasture	7S/3W-21K	8.00	
Temecula Ranchos c/o Chester Rowell and Roger Rowell	m/t 2100 Tulare St #405 Fresno, CA 93271 45055 Rio Linda Road Rancho California Road La Serena Way Temecula, CA 92390	952-240-001 952-230-002 943-230-001 943-230-003 942-230-003 943-040-006 943-060-001 943-060-002	429.43 48.92 109.34 14.17 37.83 20.00 94.49 26.50	378.46 41.20 107.00 13.00 37.00 18.00 89.00 29.00	Citrus Citrus Citrus Citrus Citrus Citrus Citrus Citrus	8S/2W-14P1 8S/2W-14F 7S/2W-26L 7S/2W-28L	240.00 200.00 240.00 220.00	
Anza Grove	c/o McMillan Farm Mgt. 29379 Rancho Cal. Rd #201 Temecula, CA 92390	942-180-002 942-240-003 942-240-004 942-240-005	40.28 40.83 40.83 39.31	Total of 155.00 and 6.00	Citrus Grapes	7S/2W-26B1	255.00	
Bear Valley Vineyard Co., Ltd. AND Manley Bear Valley Partners	c/o McMillan Farm Mgt. 29379 Rancho Cal. Rd #201 Temecula, CA 92390	904-050-080 904-030-021 904-030-020 904-060-009 904-060-008 904-060-010	17.51 90.12 2.38 129.46 48.00 153.47	0.00 90.00 0.00 0.00 36.00 0.00	Wine Grapes Wine Grapes	7S/3W-18Q	139.00	
DiBernardo, Louis J.	m/t 35925 Rancho Cal. Rd Temecula, CA 92591 38695 Highway 79 Warner Springs, CA 92086	917-240-015-7 917-240-014-6 917-150-006-1 917-150-002-7	20.00 60.00 120.00 117.76	Total of 160.00 10.00	Citrus and Apples	8S/1W-21K(1) 8S/1W-21K(2) 8S/1W-21P(1) 8S/1W-21P(2)	Total of 323.00	
Boots, Clydene	P. O. Box 321 Murrieta, CA 92362 25555 Washington Ave Murrieta, Ca. 92564	909-090-019 909-100-017	16.66	14.00	Pasture	7S/3W-21P	60.00	

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
---------------	---------	------------------------	-------------------	-----------------------------	----------------------------	---	------------------------------	--------------------------------

MURRIETA-TEMECULA GROUNDWATER AREA (Cont)

Carson, David M. and Carol J.	25471 Hayes Ave Murrieta, CA 92362	909-260-036 909-260-042	8.87 4.31	7.00 3.50	Pasture Pasture	7S/3W-29G	39.90	
----------------------------------	---------------------------------------	----------------------------	--------------	--------------	--------------------	-----------	-------	--

Pechanga Indian Reservation

Domestic and Commercial Wells Reported by Bureau of Indian Affairs

Wells in <u>Basement Complex</u>	Wells out of <u>SMR Watershed</u>	Wells with <u>QYAL and/or QTOAL</u>	Total	
		8S/2W-28J1 8S/2W-34B4	of 	
		8S/2W-28P1 8S/2W-34C1		
		8S/2W-28Q2 8S/2W-34D1		
		8S/2W-28Q4 8S/2W-34E1		
		8S/2W-28Q6 8S/2W-34F1		
		8S/2W-28Q7 8S/2W-34F2		
		8S/2W-28R1 8S/2W-34F3		
		8S/2W-29A1 8S/2W-34F4		
		8S/2W-29B1 8S/2W-34F7		
		8S/2W-34B3 8S/2W-35D1		
		Domestic Use		100.00
		Commercial Use		45.00

TOTAL USE 145.00

TOTAL MURRIETA-TEMECULA GROUNDWATER AREA	1,228.16	1,923.10	0.00
---	-----------------	-----------------	-------------

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT	
SANTA MARGARITA RIVER BELOW GORGE									
DE LUZ CREEK									
Ezor, Albert E. and Sylvia L.	m/1 31421 Cavendish Dr. Los Angeles, CA 90064	101-271-17	47.79	8.00	Avocados	8S/4W-29D(1)	25.00		
				2.00	Vegetables	8S/4W-29D(2)	Total		
Bryant, Warren and Lori	40724 DeLuz Rd Fallbrook, CA 92028	101-271-19	19.08	Total		8S/4W-29E(1)	30.40		
		101-271-20	5.02	of					
		101-271-21	11.86	8.00	Pasture		8S/4W-29E(2)	Total	
		101-271-22	6.41						
Prestinanzi, Pete and Dorothy N.	2525 E. Mission Road Fallbrook, CA 92028 Richmond Truck Trail and DeLuz Murrieta Road	101-220-12	31.63	12.00	Avocados and Citrus	8S/4W-20A(1)	6.00		
		101-210-53	50.44			8S/4W-20H(1)	6.00		
						8S/4W-20H(2)	6.00		
						8S/4W-20A(2)			
						8S/4W-20H(3)			
		8S/4W-20A - Diversion		18.00					
Raley, Harold R. and Mary E.	41125 DeLuz Rd Fallbrook, CA 92028	101-210-11	15.23	8.50	Avocados	8S/4W-20Q(1)	21.60		
				0.50	Citrus	8S/4W-20Q(2)	Total		
Herbel, John and Jeraldine	41257 DeLuz Rd Fallbrook, CA 92028	101-210-12	30.28	10.00	Avocados	8S/4W-20Q(1)	Total		
				18.00	Citrus	8S/4W-20Q(2)	of		
				2.00	Row crops	8S/4W-20Q(3)	66.20		
Wagner, Wilbur A. and Shirley A.	m/1 14539 San Dieguito La Mirada, CA 90638 DeLuz Road, Fallbrook	101-210-23	17.19	11.00	Avocados				
		101-210-22	4.55	0.50	Citrus				
				3.00	Persimmons	8S/4W-20P(1)	5.00		
			3.00	Persimmons	8S/4W-20P(2)	0.00			
						8S/4W-20P(3)	25.00		
Chambers, Robert R. and Clytia M.	m/1 11439 Laurelcrest Dr. Studio City, CA 91604 40888 DeLuz-Murrieta Rd.	101-571-03	41.72	19.00	Flowers	8S/4W-28A	2.00		
						8S/4W-28A - Diversion		5.00	
Shirley, Robert G. and Bobbi J.	39948 DeLuz Road Fallbrook, CA 92028	101-561-06	18.43	10.00	Bermuda Grass	8S/4W-32E - Diversion		38.00	
		101-561-04	5.40						
Welbum, Douglas J. and Sue	40787 DeLuz Murrieta Rd. Fallbrook, CA 92028 40751 DeLuz Murrieta Rd	101-571-08	28.98	8.00	Row Crops	8S/4W-28G1	25.00		
Nezami, Mohammed Bluebird Ranch	2193 Calle Rociada Fallbrook, CA 92028	101-312-02	58.17	45.00	Flowers	8S/4W-31K(1)	Total		
		101-312-01	82.29	7.00	Avocados	8S/4W-31K(2)	of		
						8S/4W-31K(3)			
						8S/4W-31L	162.18		
		8S/4W-31L - Diversion		31.48					
SUBTOTAL DELUZ CREEK				217.50			380.38	92.48	

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARITA RIVER BELOW GORGE (Cont)								
SANDIA CREEK								
Cal June, Inc.	P. O. Box 9551 No. Hollywood, CA 91609 40376 Sandia Creek Fallbrook, CA 92028	101-360-40	126.32	50.00 75.00 1.00	Avocados Fruit Citrus	8S/4W-25P(1) 8S/4W-25P(2) 8S/4W-25P(3) 8S/4W-25P(4) 8S/4W-25P(5) 8S/4W-25P - Diversion	Total Well Production of 75.00	160.00
SUBTOTAL SANDIA CREEK				126.00			75.00	160.00
SANTA MARGARITA RIVER								
Henderson, Leland	m/t Margarita Land & Development PO Box 584 Fallbrook, CA 92088 47981 & 47991 Willow Glen Rd Temecula, CA 92390	918-040-10 918-060-17	120.00 40.00	Total of 20.00	Citrus and Avocados	8S/3W-33Q1 8S/3W-33Q(2) 8S/3W-33Q - Diversion	27.27 3.40	58.98
SUBTOTAL SANTA MARGARITA RIVER				20.00			30.67	58.98
TOTAL SANTA MARGARITA RIVER BELOW GORGE				363.50			486.05	311.46

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 95-96	IRRIGATED CROP 95-96	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
LOWER MURRIETA								
Robertson, Richard and Janice (Sage Ranch Nursery)	m/t P. O. Box 7060 Hemet, CA 92545 42525 E. Benton Rd.	571-020-046 571-020-047 571-020-048 571-020-049 571-520-007 571-520-008 571-520-009 571-520-010 470-210-007 470-220-004	81.09 40.80 36.75 148.86 109.50 99.43 80.23 78.20 53.62 121.00	0.00 0.00 0.00 Total of 40.00 400.00		7S/3E-7D Row Crops and Olive trees 7S/3E-7E - Diversion	4.00	105.00
Zamora, John and Linda	39800 E. Benton Rd. Temecula, CA 92390	915-120-18	37.74	10.00	Pasture	7S/1W-10R(1) 7S/1W-10R(2) 7S/1W-10R(3) 7S/1W-10R(4) 7S/1W-10R(5) 7S/1W-10R(6)	Total of 38.00 Domestic	
Ann Borel and A. Ray Borel	m/t 37623 Leon Road Murrieta, CA 92363	914-770-003	109.30	15.00	Pasture	7S-2W-8P - Diversion		57.00
TOTAL LOWER MURRIETA				465.00			42.00	162.00
GRAND TOTAL				5,044.54			7,238.27	950.46
GRAND TOTAL (Not including Indian Reservation Domestic and Commercial Use)				5,044.54			7,071.27	950.46

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 1995-96

APPENDIX D

WATER QUALITY DATA

JUNE 1997

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-2

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO	NO3
Temecula Creek	03/13/87	890	575	--	--	76	--	68	--	--	<.1 @N
At Hwy 79	05/08/87	1180	750	--	--	115	--	78	--	--	<.1 @N
	09/04/87	1350	895	--	--	134	--	110	--	--	.2 @N
	01/20/88	660	370	--	--	55	--	43	--	--	.2 @N
DeLuz Creek	08/21/86	1220	760	*94	44	92	2	193	165	204	17
At Dios Rio Road	11/25/86	1200	740	92	42	92	4	175	195	146	39
	03/13/87	1090	670	--	--	85	--	165	--	--	4 @N
	05/08/87	1130	700	--	--	94	--	200	--	--	9 @N
	09/04/87	1110	755	--	--	92	--	95	--	--	3.4 @N
	01/20/88	1250	775	--	--	100	--	142	--	--	11.7 @N
Sandia Creek at	08/21/86	1070	680	88	42	78	2	174	140	198	15
Buenos Campos	11/25/86	1130	685	92	44	73	2	165	150	207	16
	03/13/87	1130	660	--	--	73	--	160	--	--	2.7 @N
	05/08/87	1130	725	--	--	80	--	182	--	--	14 @N
	09/04/87	1110	690	--	--	75	--	90	--	--	3.4 @N
	01/20/88	1160	720	--	--	99	--	132	--	--	5.6 @N
Murrieta Creek	08/21/86	850	510	66	15	96	4	96	135	372	10
At Gaging Station	11/25/86	890	520	62	18	103	3	109	81	259	3
	04/02/87	870	515	--	--	99	--	104	--	--	.2 @N
	05/08/87	850	790	--	--	102	--	9	--	--	.2 @N
	09/04/87	730	445	--	--	84	--	45	--	--	.7 @N
	01/20/88	830	525	--	--	85	--	109	--	--	.7 @N

* - Laboratory reported as 940

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-2 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO	NO3
Santa Margarita River at	08/21/86	880	540	70	15	96	2	110	115	198	5
	11/25/86	1050	600	110	24	85	3	103	105	311	4
Gaging Station	04/02/87	1050	660	---	---	87	---	107	---	---	.7 @N
	05/08/87	1050	630	---	---	93	---	98	---	---	1.1 @N
	09/04/87	1000	640	---	---	88	---	100	---	---	<1 @N
	01/20/88	790	400	---	---	84	---	89	---	---	.7 @N
	06/29/94	---	---	---	---	---	---	---	---	---	0.3 @N
	07/06/94	---	---	---	---	---	---	---	---	---	0.3 @N
	07/13/94	---	---	---	---	---	---	---	---	---	<0.1 @N
	07/20/94	---	---	---	---	---	---	---	---	---	0.3 @N
	07/27/94	---	---	---	---	---	---	---	---	---	0.1 @N
	08/03/94	---	---	---	---	---	---	---	---	---	0.2 @N
	08/16/94	---	---	---	---	---	---	---	---	---	<0.1 @N
	08/24/94	---	---	---	---	---	---	---	---	---	0.6 @N
	08/31/94	---	---	---	---	---	---	---	---	---	0.4 @N
	09/07/94	---	---	---	---	---	---	---	---	---	0.3 @N
	09/14/94	---	---	---	---	---	---	---	---	---	0.9 @N
	09/21/94	---	---	---	---	---	---	---	---	---	0.7 @N
	09/27/94	---	---	---	---	---	---	---	---	---	0.4 @N
	10/06/94	---	---	---	---	---	---	---	---	---	<0.1 @N
	10/11/94	---	---	---	---	---	---	---	---	---	0.4 @N
	10/19/94	---	---	---	---	---	---	---	---	---	0.4 @N
	10/26/94	---	---	---	---	---	---	---	---	---	0.7 @N
	11/02/94	---	---	---	---	---	---	---	---	---	0.6 @N
	11/09/94	---	---	---	---	---	---	---	---	---	0.5 @N
	11/16/94	---	---	---	---	---	---	---	---	---	0.6 @N
	11/23/94	---	---	---	---	---	---	---	---	---	0.5 @N
	11/30/94	---	---	---	---	---	---	---	---	---	0.6 @N
	12/07/94	---	---	---	---	---	---	---	---	---	0.7 @N
	12/14/94	---	---	---	---	---	---	---	---	---	0.8 @N
12/21/94	---	---	---	---	---	---	---	---	---	1.0 @N	
12/29/94	---	---	---	---	---	---	---	---	---	0.8 @N	
01/04/95	---	---	---	---	---	---	---	---	---	0.6 @N	
01/11/95	---	---	---	---	---	---	---	---	---	0.7 @N	
01/18/95	---	---	---	---	---	---	---	---	---	4.8 @N	
01/26/95	---	---	390	---	---	---	---	---	---	0.5 @N	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-2 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO	NO3
Santa Margarita River at Gaging Station (cont'd)	02/01/95	--	750	--	--	--	--	--	--	--	1.0 @N
	02/08/95	--	940	--	--	--	--	--	--	--	1.5 @N
	02/15/95	--	440	--	--	--	--	--	--	--	1.1 @N
	02/22/95	--	765	--	--	--	--	--	--	--	0.9 @N
	03/01/95	--	765	--	--	--	--	--	--	--	1.1 @N
	03/08/95	--	575	--	--	--	--	--	--	--	1.3 @N
	03/15/95	--	625	--	--	--	--	--	--	--	1.1 @N
	03/22/95	--	600	--	--	--	--	--	--	--	0.8 @N
	03/29/95	--	680	--	--	--	--	--	--	--	0.9 @N
	04/05/95	--	715	--	--	--	--	--	--	--	0.3 @N
	04/12/95	--	645	--	--	--	--	--	--	--	0.9 @N
	04/19/95	--	550	--	--	--	--	--	--	--	1.0 @N
	04/26/95	--	765	--	--	--	--	--	--	--	1.2 @N
	05/03/95	--	735	--	--	--	--	--	--	--	1.0 @N
	05/10/95	--	760	--	--	--	--	--	--	--	0.7 @N
	05/17/95	--	760	--	--	--	--	--	--	--	0.9 @N
	05/24/95	--	835	--	--	--	--	--	--	--	1.1 @N
	05/31/95	--	910	--	--	--	--	--	--	--	1.2 @N
	06/07/95	--	950	--	--	--	--	--	--	--	1.7 @N
	06/14/95	--	900	--	--	--	--	--	--	--	0.8 @N
	06/21/95	--	1000	--	--	--	--	--	--	--	1.5 @N
	06/28/95	--	940	--	--	--	--	--	--	--	1.3 @N
	07/06/95	--	880	--	--	--	--	--	--	--	0.9 @N
	07/12/95	--	910	--	--	--	--	--	--	--	0.9 @N
	07/19/95	--	910	--	--	--	--	--	--	--	0.8 @N
	07/26/95	--	895	--	--	--	--	--	--	--	0.8 @N
	08/02/95	--	980	--	--	--	--	--	--	--	1.4 @N
	08/09/95	--	935	--	--	--	--	--	--	--	1.4 @N
	08/16/95	--	925	--	--	--	--	--	--	--	0.7 @N
	08/23/95	--	905	--	--	--	--	--	--	--	0.8 @N
	08/30/95	--	865	--	--	--	--	--	--	--	0.8 @N
	09/06/95	--	740	--	--	--	--	--	--	--	<0.2 @N
	09/13/95	--	870	--	--	--	--	--	--	--	1.0 @N
	09/20/95	--	885	--	--	--	--	--	--	--	0.5 @N
	09/27/95	--	900	--	--	--	--	--	--	--	0.7 @N

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-2 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO	NO3
Santa Margarita River at Gaging Station (cont'd)	10/04/95	---	875	---	---	---	---	---	---	---	<0.2 @N
	10/11/95	---	850	---	---	---	---	---	---	---	0.3 @N
	10/18/95	---	815	---	---	---	---	---	---	---	0.6 @N
	10/25/95	---	890	---	---	---	---	---	---	---	0.6 @N
	11/01/95	---	820	---	---	---	---	---	---	---	0.4 @N
	11/08/95	---	960	---	---	---	---	---	---	---	0.8 @N
	11/15/95	---	917	---	---	---	---	---	---	---	1.0 @N
	11/22/95	---	850	---	---	---	---	---	---	---	1.0 @N
	11/29/95	---	788	---	---	---	---	---	---	---	1.0 @N
	12/06/95	---	872	---	---	---	---	---	---	---	0.9 @N
	12/13/95	---	766	---	---	---	---	---	---	---	1.1 @N
	12/20/95	---	846	---	---	---	---	---	---	---	1.1 @N
	12/27/95	---	841	---	---	---	---	---	---	---	1.1 @N
	01/03/96	---	850	---	---	---	---	---	---	---	1.1 @N
	01/10/96	---	830	---	---	---	---	---	---	---	1.1 @N
	01/17/96	---	870	---	---	---	---	---	---	---	1.0 @N
	01/24/96	---	760	---	---	---	---	---	---	---	1.1 @N
	01/31/96	---	470	---	---	---	---	---	---	---	0.8 @N
	02/07/96	---	580	---	---	---	---	---	---	---	1.2 @N
	02/14/96	---	850	---	---	---	---	---	---	---	1.5 @N
	03/06/96	---	840	---	---	---	---	---	---	---	1.7 @N
	03/14/96	---	690	---	---	---	---	---	---	---	1.2 @N
	03/21/96	---	840	---	---	---	---	---	---	---	1.2 @N
	03/27/96	---	830	---	---	---	---	---	---	---	1.4 @N
	04/03/96	---	880	---	---	---	---	---	---	---	1.7 @N
	04/10/96	---	850	---	---	---	---	---	---	---	1.5 @N
	04/17/96	---	880	---	---	---	---	---	---	---	1.7 @N
	04/24/96	---	840	---	---	---	---	---	---	---	1.5 @N
	05/08/96	---	820	---	---	---	---	---	---	---	2.0 @N
	05/16/96	---	820	---	---	---	---	---	---	---	0.8 @N
	05/22/96	---	810	---	---	---	---	---	---	---	0.7 @N
	05/29/96	---	790	---	---	---	---	---	---	---	0.6 @N
	06/12/96	---	810	---	---	---	---	---	---	---	0.6 @N
	06/20/96	---	850	---	---	---	---	---	---	---	0.5 @N
	06/27/96	---	520	---	---	---	---	---	---	---	1.0 @N

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE D-2 (cont'd)

SANTA MARGARITA RIVER WATERSHED
 WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO	NO3
Santa Margarita River at Gaging Station (cont'd)	07/03/96	--	720	--	--	--	--	--	--	--	0.8 @N
	07/10/96	--	750	--	--	--	--	--	--	--	1.0 @N
	07/17/96	--	690	--	--	--	--	--	--	--	0.9 @N
	07/24/96	--	710	--	--	--	--	--	--	--	1.2 @N
	07/31/96	--	700	--	--	--	--	--	--	--	0.9 @N
	08/07/96	--	760	--	--	--	--	--	--	--	0.7 @N
	08/14/96	--	680	--	--	--	--	--	--	--	0.6 @N
	08/21/96	--	700	--	--	--	--	--	--	--	0.6 @N
	09/04/96	--	670	--	--	--	--	--	--	--	1.0 @N
	09/11/96	--	650	--	--	--	--	--	--	--	1.0 @N
	09/18/96	--	600	--	--	--	--	--	--	--	0.9 @N
	09/25/96	--	610	--	--	--	--	--	--	--	1.2 @N

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-3

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Holiday Well 7S/3W-20C09	06/16/89	1300	775	122	39	100	2	178	66	372	40
	10/18/91	---	---	---	---	---	---	---	---	---	25
	11/15/91	---	---	---	---	---	---	---	---	---	26
	12/13/91	---	---	---	---	---	---	---	---	---	28
	01/10/92	---	---	---	---	---	---	---	---	---	27
	02/07/92	---	---	---	---	---	---	---	---	---	27
	05/01/92	---	---	---	---	---	---	---	---	---	32
	05/29/92	---	---	---	---	---	---	---	---	---	28
	08/21/92	---	---	---	---	---	---	---	---	---	27
	01/22/93	960	605	83	29	83	2	130	84	278	33
	10/15/93	---	---	---	---	---	---	---	---	---	32
	03/30/94	---	---	---	---	---	---	---	---	---	44
	06/22/94	---	---	---	---	---	---	---	---	---	35
	09/14/94	---	---	---	---	---	---	---	---	---	31
	12/07/94	---	---	---	---	---	---	---	---	---	30
	03/01/95	---	---	---	---	---	---	---	---	---	32
	06/21/95	---	---	---	---	---	---	---	---	---	11
	09/13/95	---	---	---	---	---	---	---	---	---	27
	12/06/95	---	---	---	---	---	---	---	---	---	26
	03/27/96	---	---	---	---	---	---	---	---	---	15
06/06/96	---	---	---	---	---	---	---	---	---	24	
09/11/96	---	---	---	---	---	---	---	---	---	22	
House Well 7S/3W-20G06	06/16/89	660	345	34	3	95	2	87	60	153	<1
	02/27/91	770	---	---	---	---	---	110	65	168	<1
	03/01/91	730	---	---	---	---	---	110	---	---	<1
	03/08/91	680	420	42	5	90	2	110	68	122	<1
	05/10/91	750	---	---	---	---	---	---	---	---	<1
	10/11/91	---	---	---	---	---	---	---	---	---	<1
	11/08/91	---	---	---	---	---	---	---	---	---	<1
	05/22/92	---	---	---	---	---	---	---	---	---	<1
	08/14/92	---	---	---	---	---	---	---	---	---	<1
	01/22/93	720	415	40	5	106	2	100	68	168	<1
	09/07/94	---	---	---	---	---	---	---	---	---	<1
	12/27/95	---	---	---	---	---	---	---	---	---	<1
	03/22/95	---	---	---	---	---	---	---	---	---	<1
	06/14/95	---	---	---	---	---	---	---	---	---	<1
	09/06/95	---	---	---	---	---	---	---	---	---	<1
	12/27/95	---	---	---	---	---	---	---	---	---	<1
	03/20/96	---	---	---	---	---	---	---	---	---	<2
	06/12/96	---	---	---	---	---	---	---	---	---	<2
	09/04/96	---	---	---	---	---	---	---	---	---	<2

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-3 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Lynch Well 7S/3W-17R02	06/16/89	760	410	70	17	55	1	86	30	262	8
North Well 7S/3W-18J02	06/16/89	730	390	40	7	98	2	98	45	201	<1
	10/25/91	---	---	---	---	---	---	---	---	---	<1
	11/22/91	---	---	---	---	---	---	---	---	---	<1
	05/08/92	---	---	---	---	---	---	---	---	---	<1
	08/28/92	---	---	---	---	---	---	---	---	---	<1
	01/22/93	680	405	39	8	99	2	100	51	183	<1
	10/22/93	---	---	---	---	---	---	---	---	---	<1
	07/08/94	810	520	---	---	87	---	130	53	---	<1
	09/21/94	---	---	---	---	---	---	---	---	---	<1
	12/14/94	---	---	---	---	---	---	---	---	---	<1
	03/08/95	---	---	---	---	---	---	---	---	---	<1
	06/28/95	---	---	---	---	---	---	---	---	---	<1
	09/20/95	---	---	---	---	---	---	---	---	---	<1
	12/13/95	---	---	---	---	---	---	---	---	---	<1
	03/06/96	---	---	---	---	---	---	---	---	---	<2
	06/26/96	---	---	---	---	---	---	---	---	---	<2
09/18/96	---	---	---	---	---	---	---	---	---	<2	
South Well 7S/3W-20D	09/07/90	690	405	62	17	68	2	83	56	229	4
	10/04/91	---	---	---	---	---	---	---	---	---	2
	11/01/91	---	---	---	---	---	---	---	---	---	3
	11/26/91	---	---	---	---	---	---	---	---	---	2
	05/15/92	---	---	---	---	---	---	---	---	---	<1
	10/01/93	---	---	---	---	---	---	---	---	---	2
	09/28/94	---	---	---	---	---	---	---	---	---	1
	12/21/94	---	---	---	---	---	---	---	---	---	3
	03/15/95	---	---	---	---	---	---	---	---	---	2
	06/07/95	---	---	---	---	---	---	---	---	---	2
	09/27/95	---	---	---	---	---	---	---	---	---	2
	12/20/95	---	---	---	---	---	---	---	---	---	3
	03/13/96	---	---	---	---	---	---	---	---	---	2
	06/15/96	---	---	---	---	---	---	---	---	---	3
09/25/96	---	---	---	---	---	---	---	---	---	3	
Alson Well 7S/3W-7M	06/06/90	1520	915	138	46	110	1	250	81	433	31
Morris Well 7S/3W-19R	09/07/90	530	280	38	7	68	3	50	49	168	3

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 101 7S/3W-34G1	06/01/88	810	495	76	15	79	8	116	16	314	—
	08/05/88	—	—	—	—	—	—	—	—	—	<1
	05/23/90	630	365	30	6	91	2	101	35	107	3
	08/04/93	860	465	76	14	78	2	120	22	275	<1
	08/09/96	820	480	69	14	83	2	110	15	310	<2
No. 102 8S/3W-2Q1	01/04/89	695	370	9	2	134	1	101	25	195	<1
	01/15/92	930	615	38	4	160	3	160	55	250	<1
	05/17/95	850	475	21	1	144	1	120	130	98	<1
	06/20/95	1190	700	26	2	207	2	150	220	131	<1
No. 105 7S/3W-25M1	07/06/89	500	280	30	6	66	2	71	22	134	14
	03/17/93	480	310	17	2	80	2	67	22	110	14
No. 106 7S/3W-26R1	06/29/88	920	485	38	5	143	3	182	66	70	16
	05/13/92	880	515	35	4	142	2	180	72	110	17
	05/16/95	870	495	32	3	138	2	160	57	116	14
No. 107 7S/3W-26J1	04/11/88	490	365	19	4	73	2	69	22	116	15
	05/29/91	950	535	63	15	104	3	130	120	171	11
No. 108 7S/3W-25E1	05/25/88	780	455	51	11	96	2	120	68	153	14
	05/29/91	930	500	59	14	104	3	130	110	153	10
	05/13/94	640	395	23	5	100	2	120	51	104	7
	05/16/95	—	—	—	—	—	—	—	—	—	5
No. 109 8S/2W-17J1	06/01/88	1400	920	136	35	120	4	100	300	296	—
	08/05/88	—	—	—	—	—	—	—	—	—	10
	06/12/91	1330	800	110	26	120	5	120	270	275	9
	06/22/94	1370	1010	138	32	124	5	140	320	287	7
	06/06/95	—	—	—	—	—	—	—	—	—	8
No. 110 8S/1W-06K1	03/31/88	1100	630	70	23	132	6	115	163	268	3
	03/11/93	1010	610	60	21	124	5	110	200	201	3
	04/27/95	—	—	—	—	—	—	—	—	—	1
No. 113 7S/2W-25H01	03/28/88	700	400	41	12	87	2	11	20	192	18
	03/21/91	570	290	21	5	79	2	88	17	119	11
	03/03/94	700	410	46	13	86	2	120	25	189	19
	04/27/95	—	—	—	—	—	—	—	—	—	24

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 118 8S/3W-11B	08/08/90	715	480	14	1	162	1	120	79	101	1
	09/26/90	—	—	—	—	—	—	—	—	—	1
	09/10/93	860	525	19	1	178	1	130	94	198	<1
	06/20/95	—	—	—	—	—	—	—	—	—	<1
	09/16/96	970	560	33	2	180	2	120	120	230	<2
No. 119 8S/2W-19J	07/16/96	450	280	44	9	35	<1	39	18	180	15
No. 120 8S/2W-17G	06/20/90	570	330	6	1	116	1	82	31	113	11
	06/10/93	590	340	6	<1	122	1	85	35	104	12
	07/19/96	630	360	6	<1	120	1	88	42	120	14
No. 121 7S/3W-34J	10/27/89	900	475	63	14	99	2	109	28	290	<1
	05/19/92	1000	560	72	17	120	3	170	56	270	<1
No. 123 8S/1W-7B	06/06/90	1100	690	69	27	132	6	130	170	281	4
	06/10/93	1120	690	74	25	136	6	120	190	250	5
No. 124 8S/2W-11R1	06/20/90	660	380	38	4	92	3	97	48	153	13
	07/22/93	690	430	42	5	89	3	90	57	159	17
	07/18/95	—	—	—	—	—	—	—	—	—	11
No. 125 8S/2W-12H	06/20/90	740	425	17	5	132	3	99	54	186	4
	06/10/93	770	450	18	5	140	3	150	60	131	3
	06/20/95	—	—	—	—	—	—	—	—	—	2
No. 126 8S/2W-15H	05/04/88	480	290	4	<1	106	<1	53	14	64	<1
	07/06/89	500	270	2	1	108	<1	55	11	98	<1
	07/18/95	540	315	1	<1	122	<1	72	11	122	<1
No. 128 7/3W-36M	07/06/89	400	230	27	3	54	2	59	7	101	25
	07/08/92	390	230	21	2	59	2	55	1	110	24
	07/20/95	380	275	16	2	66	1	65	10	101	19
No. 129 7S/2W-20L	11/29/89	430	260	16	3	66	2	71	16	92	9
	08/08/90	440	280	20	5	64	2	72	14	119	10
	04/01/92	—	—	—	—	—	—	—	—	—	12
	09/10/93	470	275	24	6	60	2	74	16	110	13
	08/09/96	460	270	19	3	67	2	70	15	100	11

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 130 8S/2W-11R	02/17/88	650	365	16	1	132	1	69	64	0	4
	02/14/91	640	365	4	<1	132	1	68	56	122	—
	04/24/91	—	—	—	—	—	—	—	—	—	3
	02/09/94	650	410	3	<1	148	1	81	72	146	4
	05/16/95	—	—	—	—	—	—	—	—	—	4
No. 131 8S/1W-12J	03/10/88	530	270	4	<1	108	1	57	52	31	1
	03/21/91	630	335	7	<1	120	1	74	65	98	3
	03/03/94	660	345	9	<1	124	2	86	73	119	2
	03/30/95	—	—	—	—	—	—	—	—	—	2
No. 132 8S/1W-07D	04/18/88	1000	620	94	13	103	6	109	153	235	2
	05/08/91	920	590	64	19	110	5	100	160	201	<1
	05/13/94	730	460	50	15	78	5	73	110	195	1
	05/16/95	—	—	—	—	—	—	—	—	—	<1
	07/18/95	860	520	59	17	100	4	90	130	223	1
No. 133 8S/1W-7C	03/28/90	970	605	50	20	112	5	120	131	235	3
	03/11/93	970	580	48	19	120	4	110	140	204	3
	06/06/95	—	—	—	—	—	—	—	—	—	2
	07/18/95	850	680	26	10	142	2	120	100	174	2
No. 135 7S/3W-27M	05/24/89	2450	1390	122	65	300	2	410	225	464	33
	06/06/90	1540	945	73	36	215	1	250	150	323	13
	12/11/90	4400	2670	270	109	480	4	1030	380	314	<1
No. 138 8S/2W-6F	10/30/90	460	240	19	2	74	2	71	13	113	18
	10/06/93	420	240	11	<1	70	1	56	10	92	14
No. 139 7S/2W-32G	12/29/87	460	295	24	7	65	1	60	11	104	7
	11/23/92	450	275	32	9	46	2	60	13	134	20
	12/19/95	500	298	36	12	50	2	72	12	156	2.8

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 140 7S/2W-33F	02/18/88	560	325	33	10	65	2	77	14	153	13
	01/15/92	450	235	11	2	88	1	68	18	107	2
	02/28/95	560	325	36	11	58	2	94	14	140	12
No. 141 8S/2W-11P	01/06/88	780	440	64	11	82	3	65	91	217	13
	01/30/92	820	500	63	13	95	3	79	110	238	19
	03/30/95	840	490	58	11	100	3	70	97	241	14
No. 143 8S/2W-17J	01/15/88	670	345	8	2	134	1	91	57	95	11
	10/17/90	660	345	25	4	112	2	89	62	140	12
	03/03/94	690	370	24	3	114	2	93	68	131	11
	03/30/95	—	—	—	—	—	—	—	—	—	11
No. 144 7S/3W-27D3	09/14/88	610	335	8	<1	114	1	95	33	92	<1
	12/19/95	730	420	34	1	124	1	120	33	186	<1
No. 145 7S/3W-28C	10/04/90	800	490	43	8	110	2	110	78	171	<1
	10/06/93	650	375	23	3	106	1	85	58	146	<1
No. 149 8S/1W-2C	06/15/93	—	—	—	—	—	—	—	—	—	5
No. 149A 7S/3W-28A	08/26/88	950	540	71	211	96	1	115	47	302	18
	10/31/91	800	480	36	13	122	3	93	110	195	—
No. 150 7S/3W-27P	09/29/88	1950	1235	134	29	225	2	290	220	390	15
	12/21/91	1000	590	74	17	108	4	130	110	207	—
No. 151 7S/3W-34B Abandoned	09/20/88	5780	3410	280	114	840	5	1660	670	369	<1
No. 151 8S/2W-2G	07/25/91	860	485	53	16	103	4	90	130	183	—
	07/28/91	730	400	39	12	100	3	91	58	177	—
	07/29/91	600	340	9	2	122	5	63	34	204	—
	10/17/91	510	295	3	<1	118	1	45	10	137	—
	08/10/94	550	340	3	<1	110	1	59	22	119	<1

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 153 8S/1W-5K3	12/29/93	804	485	53	18	92	5	86	120	214	<1
No. 154 8S/1W-5L2	01/28/94	930	530	46	20	106	6	89	130	214	3
No. 155 7S/3W-28C	09/16/93	680	355	22	2	108	1	90	64	104	<1
	02/23/95	760	445	30	3	126	1	120	82	140	4
	06/06/95	—	—	—	—	—	—	—	—	—	5
No. 158	06/21/94	1090	620	67	23	124	7	120	170	259	—
No. 201 7S/2W-27J	03/28/91	530	315	19	6	83	2	83	16	110	2
	03/11/93	460	300	8	2	87	1	51	20	146	<1
No. 202 7S/2W-36J1	12/11/88	740	440	47	18	84	3	97	48	223	17
No. 203 8S/1W-6P1	05/18/88	960	580	50	39	110	4	96	115	275	—
	06/29/88	970	530	44	36	112	4	120	123	250	5
	06/12/91	800	415	21	17	108	3	91	90	174	2
	06/22/94	980	645	59	38	99	4	130	130	256	4
	06/07/95	—	—	—	—	—	—	—	—	—	5
No. 204 7S/2W-26G	05/22/91	740	425	50	12	85	3	120	18	198	19
	05/13/94	690	375	37	7	85	3	130	19	125	19
No. 205 7S/3W-35A	03/28/88	500	290	23	3	81	2	83	27	107	21
	03/13/91	490	275	22	3	75	2	62	23	113	21
	03/03/94	510	275	20	2	72	2	72	24	104	20
	04/26/95	—	—	—	—	—	—	—	—	—	22

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 207	09/01/88	510	245	1	<1	108	<1	54	26	82	<1
8S/2W-14B	09/14/88	480	305	3	<1	106	<1	58	23	24	1
	08/14/91	480	245	1	<1	100	<1	52	28	55	<1
	08/10/94	440	285	2	<1	91	1	56	29	76	2
No. 208	09/01/88	680	415	44	15	77	3	119	14	186	18
7S/2W-35M	09/14/88	690	440	44	14	77	3	129	14	183	16
	08/14/91	600	340	23	7	89	2	85	18	162	4
	08/10/94	560	370	22	6	89	2	93	20	156	5
	06/06/95	—	—	—	—	—	—	—	—	—	4
	08/12/96	—	—	—	—	—	—	—	—	—	2
No. 209	05/22/91	790	435	40	14	105	2	150	35	162	8
7S/2W-28J	05/13/94	760	525	64	22	48	3	150	15	153	25
	06/20/95	—	—	—	—	—	—	—	—	—	5
No. 210	03/28/88	1030	575	76	22	93	5	99	143	247	4
8S/2W-12K	09/25/91	1040	600	74	20	120	5	120	160	238	5
	09/19/94	645	460	52	14	79	4	70	100	198	2
	09/16/96	—	—	—	—	—	—	—	—	—	3
No. 212	03/28/88	640	330	42	2	74	3	81	33	146	14
8S/2W-11N	09/25/91	600	320	41	2	82	4	86	35	146	14
No. 215	08/15/90	650	380	40	13	71	3	100	14	162	11
7S/2W-34M	09/26/90	—	—	—	—	—	—	—	—	—	13
	06/22/94	630	400	41	13	67	2	110	16	159	11
No. 216	06/01/88	480	280	25	4	65	2	71	11	134	—
8S/2W-7W	06/29/88	480	275	29	5	59	3	81	7	110	26
	06/12/91	500	285	30	5	59	2	76	9	113	23
	05/27/92	470	285	33	6	53	2	72	10	119	20
No. 217	03/28/88	580	285	8	1	108	1	81	20	113	15
8S/2W-17M1	08/10/88	570	280	8	1	105	1	82	20	55	13
	08/14/91	570	305	17	2	99	2	74	28	134	16
	08/10/94	610	365	20	3	97	2	82	38	134	16

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 231 8S/2W-20B6	08/15/90	1280	805	126	18	120	5	100	310	244	9
	09/26/90	---	---	---	---	---	---	---	---	---	6
	03/04/92	1700	1270	180	51	160	6	140	510	332	5
	06/20/95	1640	1300	171	44	124	6	75	520	287	5.3
No. 232 8S/2W-11J3	08/15/90	960	590	71	19	110	5	98	130	235	30
	09/26/90	---	---	---	---	---	---	---	---	---	35
	09/25/91	980	565	74	19	106	5	98	120	244	37
	09/19/94	805	495	54	14	92	4	80	110	207	15
	09/13/96	---	---	---	---	---	---	---	---	---	22
No. 233 (Old 112) 8S/2W-12K2	06/15/88	900	535	71	21	100	5	96	136	247	4
	03/27/91	1020	580	66	19	114	5	95	140	247	12
	03/03/94	740	425	50	14	75	4	71	100	186	2
	04/27/95	---	---	---	---	---	---	---	---	---	6
No. 234 (Old 114) 8S/2W-11P	03/31/88	840	480	54	15	100	4	61	109	241	18
	03/27/91	1020	605	69	19	114	5	77	138	256	37
	06/20/95	---	---	---	---	---	---	---	---	---	11
	09/26/96	---	---	---	---	---	---	---	---	---	9
No. 235 (Old 137) 8S/3W-1Q1	06/24/88	460	310	40	10	41	2	58	10	140	15
	06/20/90	420	230	22	4	56	2	50	6	128	18
	06/10/93	370	235	15	2	65	2	51	9	113	17
	07/16/96	410	230	16	2	60	1	48	8.9	110	20
No. 301 7S/3W-18Q1	07/29/92	500	290	20	6	80	1	45	56	143	<1
No. 302 7S/3W-18H	04/11/88	690	360	36	6	100	1	77	65	192	<1
	05/15/91	760	425	58	9	87	2	83	72	220	<1
	05/14/92	---	270	12	2	90	<1	48	48	---	---
	05/05/94	870	530	69	16	84	2	110	88	238	<1
	05/16/95	---	---	---	---	---	---	---	---	---	<1
	07/16/96	530	320	---	---	---	---	60	54	---	2
No. 309 7S/3W-27H	08/15/90	690	370	19	3	119	2	140	25	73	5
	04/11/91	---	---	---	---	---	---	---	---	---	<.001
	09/25/91	730	365	19	2	122	2	150	27	82	5
	08/11/94	730	430	20	2	120	2	160	30	73	5
	02/16/95	---	---	---	---	---	---	---	---	---	18

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-5

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation											
8S/2W-28R01	08/03/89	495	286	41	4.0	60	0.9	37	13	177	1.1 @N
	07/26/90	525	296	48	4.8	54	1.0	45	14	191	1.5 @N
	07/17/91	462	261	31	3.2	66	0.8	44	12	155	.8 @N
	07/27/93	445	269	44	4.4	43	0.5	28	14	170	1.9 @N
	08/15/94	421	232	32	3.3	55	0.9	28	11	156	1.5 @N
	08/30/95	375	200	21	2.2	55	0.6	31	11	129	.7 @N
	08/27/96	---	---	---	---	---	---	---	---	---	---
8S/2W-35D01	08/03/89	660	358	43	5.5	87	1.2	78	35	169	.35 @N
	07/26/90	669	384	41	4.9	92	1.5	82	36	176	.40 @N
	07/17/91	641	371	40	4.4	98	1.7	81	36	175	.39 @N
	07/27/93	638	374	49	5.9	79	1.8	71	27	199	.34 @N
	08/16/94	601	334	30	3.2	95	1.5	71	29	163	.16 @N
	08/30/95	587	322	33	4	81	1.5	68	25	178	.11 @N
	08/27/96	596	352	28	3.3	92	1.4	72	29	167	.10 @N
8S/2W-29A01	08/02/89	346	207	31	11	24	0.4	18	7.0	131	2.0 @N
	07/24/90	354	193	32	11	25	0.4	24	6.7	133	2.0 @N
	07/18/91	361	194	32	10	26	0.4	25	6.0	134	1.8 @N
	08/15/94	363	216	33	12	25	0.5	24	7.7	132	2.6 @N
	08/31/95	363	208	32	11	23	0.4	21	8.1	137	2.6 @N
	08/28/96	---	---	---	---	---	---	---	---	---	2.9 @N
8S/2W-34B04	10/05/89	617	371	51	8.2	67	1	58	30	192	.47 @N
	07/26/90	605	341	50	8	65	1	61	31	194	.50 @N
	07/18/91	564	339	46	7.4	67	1	53	27	185	.87 @N
	07/27/93	267	170	18	2.8	34	0.5	14	9.7	96	1.10 @N
8S/2W-28Q02	10/05/89	629	378	48	19	49	0.7	76	14	169	4.2 @N
	07/26/90	613	383	48	18	47	0.6	75	12	171	3.9 @N
	07/18/91	618	379	49	18	49	0.7	83	14	172	3.0 @N
	07/28/93	620	400	51	20	47	0.7	63	15	174	9.6 @N
	08/17/94	641	396	51	21	50	0.8	60	17	179	11.0 @N
	08/31/95	653	396	53	21	48	0.7	60	19	184	12.0 @N
	08/28/96	---	---	---	---	---	---	---	---	---	11.0 @N
8S/2W-28Q06	09/17/93	312	200	19	2.9	43	1	16	2.8	126	1.0 @N
	08/30/95	310	174	16	3.4	46	0.6	16	3.8	131	1.4 @N
8S/2W-20J01	08/15/90	1130	596	100	22	110	2.3	110	200	236	1.3 @N
	12/20/93	868	---	80	16	76	1.4	86	110	---	3.6 @N

* - Alkalinity as CaCO3

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-5 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation (Continued)											
8S/2W-20J02	08/15/90	404	216	42	6.3	38	0.8	27	12	159	1.2 @N
	12/20/93	408	---	42	6.0	35	0.8	29	12	---	1.2 @N
8S/2W-29B02	03/01/90	456	257	5.5	0.14	89	0.8	66	22	100	---
	03/06/90	456	256	5.9	0.13	90	0.7	66	20	99	<0.1 @N
8S/2W-29B03	03/06/90	478	275	14	1.9	84	0.8	65	16	123	<0.1 @N
8S/2W-29B05	03/02/90	397	229	29	9.5	43	1.2	35	4.9	141	1.8 @N
8S/2W-29B06	03/02/90	406	259	34	11	38	0.8	38	10	143	---
	03/06/90	427	240	32	11	40	1.0	40	8.1	148	1.2 @N
8S/2W-29B07	03/07/90	396	230	8.6	2.5	71	0.9	51	11	102	<0.1 @N
	08/16/90	371	199	8.4	1.8	69	0.8	50	14	106	<0.1 @N
8S/2W-29B08	03/07/90	464	272	31	9.4	52	1.2	58	12	134	0.45 @N
	08/16/90	458	261	34	9.1	48	1.1	59	17	135	0.4 @N
8S/2W-29B09	03/07/90	343	210	21	9.2	39	1.0	24	6.7	131	1.3 @N
	08/17/90	317	197	26	10	26	1.1	22	3.4	130	1.6 @N
Cahuilla Indian Reservation											
8S/3E-2K01	07/20/89	531	323	46	11	41	3.4	60	22	136	3.6 @N
	08/01/90	508	310	46	11	38	3.3	60	19	134	3.8 @N
	07/16/91	522	306	50	10	39	3.3	61	21	139	3.7 @N
7S/3E-21L01	08/02/89	1050	675	90	19	100	3.5	84	190	216	3.1 @N
	08/01/90	1020	610	87	18	100	3.4	85	180	217	3.0 @N
	07/17/91	995	636	93	18	100	3.7	95	180	206	2.5 @N
7S/2E-33N	08/02/89	355	206	16	2.1	53	3.5	48	15	78	.73 @N
7S/3E-34E01	07/20/89	338	204	30	5.6	26	5.0	29	7.0	98	3.3 @N
	07/31/91	337	109	31	5.5	25	4.5	31	6.3	99	3.5 @N
	07/16/91	335	209	31	5.9	26	4.7	32	6.3	99	3.5 @N

* - Alkalinity as CAC03

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-26C1 (Bldg 2201)	06/89	1302	734	78.1	23.0	85.9	—	136	145	212	<0.4
	01/91	1271	—	81.0	36.1	152.0	—	166	—	—	<0.04
	06/91	1290	752	99.0	32.4	133.0	—	167	136	237	<0.4
	03/92	1210	792	91.0	29.8	146.0	—	159	135	279	<0.4
	06/93	1290	764	68.3	27.5	149.0	—	168	130	265	<0.4
	03/94	1210	783	100.0	37.1	100.0	—	145	167	—	2.2
	08/94	1160	741	87.5	35.5	96.1	—	141	187	—	4.23
	06/95	1330	806	97.7	37.4	142.0	—	207	166	—	<0.04
	01/96	1300	764	91.0	33.0	140.0	—	177	142	363	<0.0
06/96	1300	751	93.0	30.0	130.0	—	164	156	252	<0.0	
10S/5W-23J1 (Bldg 2301)	06/89	1139	662	71.5	21.7	80.8	—	117	128	209	<0.4
	01/90	1150	632	90.6	32.4	102.0	—	160	170	214	<0.5
	01/91	1112	—	73.7	32.0	128.0	—	136	136	—	<0.04
	06/91	1090	662	87.4	29.7	117.0	—	140	121	204	<0.4
	03/92	1080	644	74.2	25.8	133.0	—	127	118	282	1.3
	03/93	1210	674	72.8	24.5	117.0	—	127	124	261	<0.4
	06/93	1090	670	63.9	25.7	119.0	—	117	128	237	<0.4
	03/94	1120	683	73.9	27.0	121.0	—	141	130	—	<0.4
	08/94	1160	707	78.9	28.2	129.0	—	139	153	—	<0.44
06/95	1160	742	88.2	28.8	131.0	—	165	147	—	<0.04	
01/96	1300	690	79.0	29.0	140.0	—	147	131	292	<0.0	
06/96	1020	674	82.0	29.0	120.0	—	134	129	204	<0.0	
10S/4W-18M4 (Bldg 2373)	06/89	1156	688	74.6	24.4	67.9	—	130	138	197	8.9
	01/90	1120	630	86.4	32.3	101.0	—	156	166	210	<0.05
	04/90	1160	720	98.8	34.8	107.0	—	152	146	218	1.4
	01/91	1202	—	84.1	40.5	117.0	—	162	153	—	<0.04
	06/91	1180	736	102.0	37.1	106.0	—	163	138	197	<0.4
	03/94	1020	658	69.6	27.8	104.0	—	135	140	—	0.89
	08/94	1110	684	81.4	32.2	178.0	—	144	157	—	<0.44
	06/95	1170	679	95.3	35.2	113.0	—	145	116	—	13.8
	06/96	1100	682	86.0	32.0	95.0	—	155	261	210	<0.0
10S/4W-18E3 (Bldg 2393)	06/89	1166	758	80.5	28.1	67.4	—	132	157	198	9.5
	01/90	1230	748	97.4	39.7	106.0	—	178	179	226	<0.05
	04/90	1190	733	99.6	37.5	112.0	—	159	156	207	2.5
	06/91	1130	680	97.6	37.6	100.0	—	139	142	166	2.7
	02/94	1180	731	83.3	35.5	104.0	—	142	159	—	11.1
	08/94	1150	725	84.3	35.2	102.0	—	147	164	—	1
	06/95	932	636	75.4	29.1	86.6	—	102	140	—	14
	06/96	1117	710	92.0	36.0	93.0	—	180	297	206	<0.0
10S/4W-7R2 (Bldg 2603)	06/89	1281	765	76.5	25.1	82.4	—	149	153	209	10.3
	04/89	1270	788	104.0	36.5	126.0	—	173	161	215	2.6
	06/91	1400	836	111.0	41.1	130.0	—	195	155	215	0.04
	02/94	1260	738	83.3	32.0	131.0	—	169	155	—	<0.04
	08/94	1260	738	84.3	33.7	129.0	—	166	149	—	<0.44
	06/95	1290	897	93.6	35.2	129.0	—	202	164	—	0.69


WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7H2 (Bldg 2671)	06/89	1137	826	79.1	28.5	85.5	--	157	158	246	12.6
	01/90	1290	772	96.3	38.6	116.0	--	184	179	252	0.9/1.2
	04/90	1320	817	109.0	42.1	128.0	--	177	167	249	5.4
	01/91	401	--	87.3	44.4	103.1	--	20.5	179	--	1.07
	03/93	1500	824	92.6	33.1	136.0	--	194	154	277	1.8
	03/94	1370	827	103.0	36.4	135.0	--	163	145	--	0.9
	08/94	1270	762	91.1	35.5	129.0	--	162	172	--	5.64
	06/95	1260	771	100.0	35.8	127.0	--	197	178	--	2.8
	06/96	1300	751	96.0	36.0	120.0	--	162	174	247	1.1
10S/4W-7A2 (Bldg 2673)	06/89	1073	688	72.1	23.9	59.6	--	120	140	184	15.9
	01/89	1080	572	91.2	34.2	80.2	--	151	178	174	1.4
	04/90	1130	718	111.0	42.1	91.0	--	148	167	175	9.1
	06/91	1190	718	113.0	40.3	93.8	--	173	180	160	7.5
	03/93	1370	708	86.9	32.8	93.3	--	147	93.3	200	4.9
	03/94	1210	783	100.0	37.1	100.0	--	145	167	--	2.2
	08/94	1160	741	87.5	35.5	96.1	--	141	184	--	4.23
	06/95	1200	788	99.4	37.5	101.0	--	173	200	--	2.9
	06/96	1129	739	91.0	37.0	90.0	--	188	312	206	<0.0
10S/5W-23K2 (Bldg 33924)	06/89	1207	698	75.6	22.8	84.0	--	138	137	231	<0.4
	04/89	1240	728	100.0	32.9	129.0	--	158	148	245	1.3
	01/91	1193	--	80.6	35.2	131.0	--	21.3	146	--	<0.04
	06/91	1160	676	88.1	29.6	118.0	--	141	129	224	<0.04
	03/92	1130	705	76.7	26.0	126.0	--	149	125	279	<0.4
	06/92	1130	717	66.8	26.7	124.0	--	146	140	232	<0.4
	03/93	1285	331	72.1	23.8	115.0	--	131	122	273	<0.4
10S/5W-13R2 (Bldg 2363)	01/90	1030	540	*96	26.6	94.8	--	141	130	200	0.7
	06/91	1150	702	98.7	32.0	109.0	--	149	125	288	1.3
	06/93	1130	705	72.0	28.4	107.0	--	140	139	262	0.9
	03/94	1020	658	69.6	27.8	104.0	--	135	140	--	0.89
	06/95	1140	636	92.5	30.7	115.0	--	149	151	--	14.2
	06/96	1103	680	91.0	31.0	100.0	--	148	251	233	<0.0
10S/5W-23G3 (Bldg 33926)	06/91	1160	684	83.4	28.3	125.0	--	145	124	223	<0.04
	03/92	1060	674	75.9	24.1	127.0	--	139	111	269	<0.4
	03/93	1182	584	67.8	21.1	110.0	--	135	101	274	<0.4
	06/93	1020	623	60.5	22.4	116.0	--	125	107	225	<0.4
	03/94	1120	665	80.0	25.0	122.0	--	129	117	--	1.8
	08/94	1150	699	78.7	26.4	125.0	--	141	118	--	<0.44
	06/95	1060	673	75.9	23.1	118.0	--	158	114	--	<0.04
	01/96	1200	619	71.0	24.0	120.0	--	139	107	262	<0.0
07/96	--	--	--	--	--	--	--	--	--	--	<0.0

* - Reported as .96



EASTERN MUNICIPAL WATER DISTRICT

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

MURRIETA COUNTY WATER DISTRICT

RANCHO CALIFORNIA WATER DISTRICT

PECHANGA INDIAN RESERVATION

FALLBROOK PUBLIC UTILITY DISTRICT

WESTERN MUNICIPAL WATER DISTRICT

RAINBOW MUNICIPAL WATER DISTRICT


RAMONA INDIAN RESERVATION

CAHULLA INDIAN RESERVATION

RIVERSIDE COUNTY SAN DIEGO COUNTY



Statute Miles



LEGEND

— Santa Margarita River Watershed Boundary

▲ Stream Gaging Stations

SANTA MARGARITA RIVER WATERSHED WATERMASTER

MAJOR WATER PURVEYORS

NOTE:
 The Western Municipal Water District Service Area also includes Elsinore Valley Municipal Water District and portions of Rancho California Water District and Murrieta County Water District.
 The Eastern Municipal Water District Service Area also includes portions of Rancho California Water District and Murrieta County Water District.