SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1997-98

UNITED STATES OF AMERICA
V.
FALLBROOK PUBLIC UTILITY DISTRICT, ET AL

CIVIL NO. 1247 - SD-T

JAMES S. JENKS WATERMASTER P. O. BOX 631 FALLBROOK, CA. 92088 (760) 728-1028 FAX (760) 728-1990

AUGUST 1999

TABLE OF CONTENTS

	<u>Page</u>	<u> No.</u>
1.	Summary	1
2.	Introduction 2.1 Background	5
3.	Surface Water Availability and Use 3.1 Surface Flow	7 10 13
4.	Subsurface Water Availability 4.1 General	15 15 17 22
5.	Imports/Exports 5.1 General 5.2 Water Year 1997-98 5.3 Water Years 1966-98 5.4 Lake Skinner 5.5 Eastside Reservoir Project	28 28
6.	Water Rights 6.1 General 6.2 Appropriative Surface Water Rights	33 35
7.	Water Production and Use 7.1 General	

	<u>Page</u>	NO.
8.	8.2 Unauthorized Small Storage Ponds	65 65 65 67
9.	9.2 High Nitrate Concentrations	69 69 70 71
10.		73 73
11.	11.2 Normal Tasks	ents 77 77 77 77 78
12.	Watermaster Office Budget 1999-2000.	79

LIST OF TABLES

<u> P</u>	<u>age No.</u>
3.1 - Stream Gaging Stations	8
3.2 - Measured Surface Water Flow 1997-98	9
3.3 - Surface Water Diversions to Storage	11
3.4 - Surface Water Diversions to Irrigation	12
3.5 - Water in Storage	14
4.1 - Water Production by Substantial Users	16
5.1 - Storage in State Water Project and Colorado River Reservoirs	24
5.2 - Imports/Exports 1997-98	27
5.3 - Total Dissolved Solids Concentration of Imported Water 1997-98	29
5.4 - Imports/Exports 1966-98	30
6.1 - Appropriative Water Rights Permits & Licenses	36
6.2 - Pre-1914 Appropriative Water Rights	38
7.1 - Water Production and Use	43
7.2 - Definitions of Water Use by Municipal Water Purveyors	44
7.3 - Water Deliveries to Temecula Valley Regional Water Reclamation Facility	47
7.4 - Rancho California Water District, Permit 7032 Area Use	52
7.5 - Rancho California Water District, Rancho Division Return Flow Credit 1997-98	54
7.6 - Rancho California Water District, Santa Rosa Division Return Flow Credit 1997-98	55
7.7 - Depth of Younger Alluvium in Rancho California Water District Wells	58
7.8 - Rancho California Water District Well Production from Younger and Older Alluvium	59

LIST OF FIGURES

1.1 - Local Production 1989 - 1998	1
1.2 - Imports 1989 - 1998	2
1.3 - Total Production 1990 - 1998	3
4.1 - Water Level Elevations Well No. 8S/2W-12H1	14
4.2 - Water Level Elevations Well No. 10S/4W-7J1	15
4.3 - Water Level Elevations Well No. 7S/3W-20C9	16
4.4 - Water Level Elevations Well No. 7S/3E-21G1	17
4.5 - Water Level Elevations Well No. 8S/2W-29G1	18
5.1 - Storage in State Water Project 1989 - 1998	25
5.2 - Storage in Colorado River Reservoirs 1989 - 1998	25
10.1 - Total Dissolved Solids Concentration RCWD Well 8S/2W-12K	74
10.2 - Total Dissolved Solids Concentration Camp Pendleton Well 10S/4W-7A2	75
10.3 - Nitrate Concentration Camp Pendleton Well 10S/4W-7A2	76

APPENDICES

Appendix A - Production and Use Water Year 1997-98

Table A-1	Eastern Municipal Water District
Table A-2	Fallbrook Public Utility District
Table A-3	Murrieta County Water District
Table A-4	Rainbow Municipal Water District
Table A-5	Rancho California Water District
Table A-6	U.S.M.C Camp Pendleton
Table A-7	U. S. Naval Weapons Station, Fallbrook Annex
Table A-8	Miscellaneous Water Production and Import

Appendix B - Production and Use Water Years 1965-66 To 1997-98

Table B-1	Eastern Municipal Water District
Table B-2	Fallbrook Public Utility District
Table B-3	Fallbrook Public Utility District (Wastewater)
Table B-4	Murrieta County Water District
Table B-5	Rainbow Municipal Water District
Table B-6	Rancho California Water District
Table B-7	U.S.M.C Camp Pendleton
Table B-8	U. S. Naval Weapons Station, Fallbrook Annex

Appendix C - Substantial Water Users 1997-98

Appendix D - Water Quality Data

Last Published

Table D-1	Surface Streams Sampled by Camp Pendleton	1992-93
Table D-2	Surface Streams Sampled by Rancho CWD	1997-98
Table D-3	Wells in Murrieta County Water District	1997-98
Table D-4	Wells in Rancho California Water District	1997-98
Table D-5	Wells on Indian Reservations	1997-98
Table D-6	Wells on Camp Pendleton	1997-98
Table D-7	Eastern Municipal Water District	1992-93
Table D-8	Eastern Municipal Water District	1992-93
Table D-9	Eastern Municipal Water District	1992-93
Table D-10	Eastern Municipal Water District	1993-94
Table D-11	Wells in Domenigoni Valley	1994-95

MAP

Major Water Purveyors

Bound at back of report

SECTION 1 - SUMMARY

Section 1 - A summary of the Santa Margarita River Watershed Annual Watermaster Report for the 1997-98 Water Year.

Section 2 - This Annual Watermaster Report is prepared pursuant to Section II of the U. S. District Court Order dated March 13, 1989. The Court has retained jurisdiction over all surface flows of the Santa Margarita River Watershed and all underground waters determined by the Court to be subsurface flow of streams or creeks or which is determined by the Court to add to, support or contribute to the Santa Margarita River stream system. Thus imported waters, whether in storage in Lake Skinner or being transported through the Watershed, are outside Court jurisdiction, along with local, vagrant groundwaters that do not support the Santa Margarita River stream system.

Section 3 - Surface water flows were well above normal in 1997-98, with flows for long-term stations ranging from 164% to 458% of the long-term average flow. Surface diversions to irrigation use totaled 1,022 acre feet compared with 1,102 acre feet in 1996-97. The total quantity of water in storage in the Watershed on September 30, 1998, was 63,243 acre feet, of which 24,706 acre feet was Santa Margarita River water and 38,537 acre feet was imported water.

Section 4 - Groundwater extractions were 46,613 acre feet compared to 49,579 acre feet in 1996-97. Water purveyors pumped 39,655 acre feet and 6,958 acre feet were pumped by other substantial users. Total annual local production including surface diversions for use for the period 1989-1998 is shown below on Figure 1.1.




FIGURE 1.1

Section 5 - During 1997-98, 42,935 acre feet of water were imported and distributed in the Santa Margarita River Watershed by eight purveyors. This compares with 47,542 acre feet in 1996-97 and represents a 10 percent decrease from 1996-97. Net exports, including wastewater, were 7,919 acre feet. Annual imports for the period 1989-1998 are shown below on Figure 1.2.




FIGURE 1.2

Section 6 - Water rights during the 1950's and 1960's consisted primarily of riparian and overlying rights. Other rights included appropriative rights and federal reserved rights. More recently, water purveyors in the Watershed have begun exercising groundwater appropriative rights. Perfected appropriative surface water rights on file with the State Water Resources Control Board (SWRCB) amount to 906,892 gallons per day which corresponds to 1.4 cfs or 2.78 acre feet per day of direct diversion rights and 44,315.5 acre feet of active storage rights.

Section 7 - Total imported supplies plus local production totaled 90,570 acre feet compared to 99,928 reported in 1996-97. Of that quantity, 41,413 acre feet were used for agriculture; 7,922 acre feet were used for commercial purposes; and 31,291 acre feet were used for domestic purposes; 459 acre feet were discharged to Murrieta and Temecula Creeks; 3,742 acre feet of fresh water were exported; 3,212 acre feet were recharged resulting in an overall system loss of 2,531 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Total annual production for the period 1990-1998 is shown below on Figure 1.3.




FIGURE 1.3

Section 8 - Unauthorized water use includes Rancho California WD use of 1,362 acre feet of water from Vail Lake for purposes and in locations not in accord with the terms of Permit 7032. In addition, the United States has raised a number of other issues regarding unauthorized water use by Rancho California WD including violation of the 1940 Stipulated Judgment. During 1997-98, representatives of Rancho California WD and the United States continued negotiations to resolve the issues.

Section 9 - Threats to water supply include high nitrate levels in Rainbow Creek and Anza Valley in past years, potential overdraft conditions in the Murrieta-Temecula and Anza groundwater basins, and salt balance issues in the upper Watershed.

Section 10 - Water quality data in the Watershed for 1997-98 are presented in Appendix D.

Section 11 - Projected Watermaster tasks for the next five years are listed.

Section 12 - A total Watermaster budget of \$273,225 is proposed for the 1999-2000 Water Year. This budget includes \$166,000 for the Watermaster Office and \$107,225 for operation of gaging stations by the U. S. Geological Survey (U.S.G.S.).

SECTION 2 - INTRODUCTION

2.1 Background

On January 25, 1951, the United States of America filed Complaint No. 1247 in the United States District Court for the Southern District of California to seek a judicial determination of all respective water rights within the Santa Margarita River Watershed. The Final Judgment and Decree was entered on May 8, 1963, and appealed to the U. S. Court of Appeals. A Modified Final Judgment and Decree was entered on April 6, 1966. Among other things, the Decree provided that the Court:

. . . retains continuing jurisdiction of this cause as to the use of all surface waters within the watershed of the Santa Margarita River and all underground or sub-surface waters within the watershed of the Santa Margarita River, which are determined in any of the constituent parts of this Modified Final Judgment to be a part of the sub-surface flow of any specific river or creek, or which are determined in any of the constituent parts of this Modified Final Judgment to add to, contribute to, or support the Santa Margarita River stream system.

In March 1989, the Court appointed James S. Jenks as Watermaster to administer and enforce the provisions of the Modified Final Judgment and Decree and subsequent orders of the Court. The appointing Order described the Watermaster's Powers and Duties as well as procedures for funding and operating the Watermaster's Office. Also in 1989, the Court appointed a Steering Committee which at the conclusion of 1997-98 was comprised of representatives from the United States, Eastern Municipal Water District, Fallbrook Public Utility District, Metropolitan Water District of Southern California, Pechanga Tribe, and Rancho California Water District. The purpose of the Steering Committee is to assist the Court, to facilitate litigation, and to assist the Watermaster.

2.2 Authority

Section II of the appointing Order requires that the Watermaster submit a written report containing his findings and conclusions to the Court promptly after the end of each water year.

2.3 Scope

The subjects addressed in this report are responsive to Section II of the appointing order. Information and data contained in this report are based on information reported to the Watermaster by others. Therefore, the Watermaster does not guarantee the completeness and accuracy of the information presented in this report although most of the data presented are based on measurements. Estimates by the Watermaster are so noted.

SECTION 3 - SURFACE WATER AVAILABILITY AND USE

3.1 Surface Flow

Over the years, flows in the Santa Margarita River Watershed have been measured at the stations listed on Table 3.1. A number of these stations have been discontinued. During Water Year 1997-98 the U.S.G.S. operated 12 stations under an agreement with the Watermaster and operated one station (Fallbrook Creek) under an agreement with Camp Pendleton. The U.S.G.S. also operated a station on Murrieta Creek at Tenaja Road in cooperation with the Watermaster and Riverside County Flood Control District. In addition to stream flows, the U.S.G.S. also measures water elevation at Vail Lake.

In considering the historical record of flow at these stations, it should be recognized that the long term average flows are subject to variations in watershed conditions including level of development, groundwater production, return flows, impoundments and vegetative use as well as hydrologic conditions, changes in gaging station locations and other factors. Descriptions of the various historical locations of gaging stations may be found in the publication, *Water Resources Data - California*, which is published annually by the U.S.G.S.

Monthly flows for stations in Water Year 1997-98 are shown on Table 3.2. Those flows consist of U.S.G.S. discharge determinations available at the time this report is published. Official U.S.G.S. discharges for 1997-98 will be published by the U.S.G.S. in its annual Water Resources Data report.

Total flows at four long-term stations for Water Years 1996-97 and 1997-98 are compared with the average for the stations in the tabulation below. Average flows for the Santa Margarita River stations near Temecula and near Ysidora are shown for two periods: before and after Vail Dam was constructed (1923 to 1948, and 1949 to 1997).

	TOTAL 1996-97 Acre Feet	1997-98	AVERAGE FLOW Through 1997 Acre Feet
Temecula Creek Near Aguanga	3,315	9,977	6,070 (1957-97)
Murrieta Creek At Temecula	5,325	42,355	9,241 (1925-97)
Santa Margarita River Near Temecula	7,725	48,003	13,924 (1949-97) 20,390 (1923-48)
Santa Margarita River Near Ysidora (various lo	26,454 cations)	110,193	27,817 (1949-97) 31,390 (1923-48)

TABLE 3.1

SANTA MARGARITA RIVER WATERSHED STREAM GAGING STATIONS

1997-98

STATION NAME	STATION AREA RECORDED NO. SQ MI BY		PERIOD OF RECO 1920 1930 1940 1950 1960								
							T				
Temecula Creek Near Aguanga	11042400	131	USGS		8/57		00	00000000	000000000	00000000	00000000
Wilson Creek Above Vali Lake	11042490	122	USGS							10/89	10/94 00000
emecula Creek At Vail Dam	11042520	320	USGS	2/23 0000000	00000000			000000000	10/77 06900000		
/ail Lake at Temecula (Reservoir Storage)	11042510	320	USGS			10/48 G		00000000	000000000	000000000	0000000
Pechanga Creek Near Temecula	11042631	13.8	USGS							10/87 EO	00000000
Varm Springs Creek Near Murrieta	11042800	55.4	USGS							10/87 00	00000000
anta Gertrudis Creek Near Temecula	11042900	90.1	USGS							10/87	00000
furrieta Creek At Tenaja Road	11042700	30	USGS							10/97	
furrieta Creek At Temecula	11043000	222	USGS	10/25 0000	000000000	aaaaaaaaa	000000000	000000000	000000000	000000000	0000000
anta Margarita River Near Temecula	11044000	588	USGS	2/23 0000000	000000000	000000000	00000000	00000000	00000000	00000000	
tainbow Creek Near Falibrook	11044250	10.3	USGS								00000000
andia Creek Near Fallbrook	11044350	21.1	USGS								0000000 9/89
anta Margarita River At FPUD Sump	11044300	620	USGS	10/24 00000	0000000000	00000000	000000000		00000000	9/80	0.000000000000000000000000000000000000
anta Margarita River Tributary Near Falibrook	11044600	0.52	USGS					10/61 9/65 0000			
DeLuz Creek Near DeLuz 1/	11044800	33	USGS/ USMC				2/51 Gaaaaaaaa	67 6 aaaaaaaaa o	77 00000000		9/89
anta Margarita River Near DeLuz Station	11045000	705	USGS	10/24 - 9/26 00							
allbrook Creek 2/ Near Fallbrook	11045300	6.97	USGS/ USMC					10/64 00000	976 0000000	12/88	000000
anta Margarita River At Ysidora	11046000	723	USGS	3/23 0000000	000000000	00000000	000000000	00000000	000000000	000000000	000000

All Stations Recorded by USGS

^{1/} Recorded by USMC, Camp Pendleton October 1966 to 1977 2/ Recorded by USMC, Camp Pendleton prior to October 1993

TABLE 3.2

SANTA MARGARITA RIVER WATERSHED

MEASURED SURFACE WATER FLOW

1997-98

Quantities in Acre Feet

	DRAINAG						MON	TH						WATER	ANNUAL	YEARS OF
gaging Etayion	AREA SQ MI	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	\$E P	YEAR TOTAL	AVERAGE THRU 1997	RECORD THRU 1997
Temecula Creek																
Near Aguanga	131	131	161	245	399	2,920	1,430	1,890	1,570	723	255	120	133	9,977	6,070	40
Pechanga Creek																
Near Temecula	13.8	0	0	2	5	609	165	157	55	1	0	0	0	994	602	10
Warm Springs Cree	k															
Near Murrieta	55.4	0	6	113	131	6,470	771	368	184	174	44	0	0	8,261	3,390	10
Santa Gertrudis Cre	ek															
Near Temecula	90.2	1	66	303	421	4,320	1,260	357	198	0	0	0	0	6,926	3,250	10
Murrieta Creek																
At Tenaja Road	30	0	0	210	177	5,410	823	533	578	20	0	0	0	7,751	i N/A	N/A
Murrieta Creek																
, At Temecula	222	109	77	1,760	1,560	31,280	3,500	2,010	1,460	133	148	160	158	42,355	9,241	73
Santa Margarita Riw																
Near Temecula	588	187	172	1,990	2,000	32,780	4,710	2,770	2,430	266	260	209	229	48,003	13,924 20,390	49 (1949-9 26 (1923-4
Rainbow Creek	<i>~</i> ,															25 (1020 4
Near Failbrook	10.3	59	82	122	195	3,270	784	548	352	123	43	18	46	5,642	3,410	8
Sandia Creek																
Near Fallbrook	21.1	41	129	340	650	6,020	1,970	1,370	1,130	565	332	166	191	12,906	8,080	8
Santa Margarita Rive																
At FPUD Sump	620	318	3/0	2,280	3,040	42,590	6,550	3,730	3,580	796	483	255	305	64,297	38,630	8
DeLuz Creek				474		44300								** ***		
Near DeLuz	33	0	1	171	3/2	14,000	3,340	2,220	2,270	608	308	147	50	23,487	3,770	25 (1951-7 Except 1968
															N/A	(1989-9
Santa Margarita Rive	er														15,040	5 (1992-9
At Ysidora	723	0	406	2,600	3,910	66,270	14,730	11,330	7,450	2,180	620	281	416	110,193	•	49 (1949-9
Fallbrook Creek															31,390	26 (1923-4
Neer Fallbrook	6.97	6	61	136	152	2,000	403	335	202	68	50	. 24	24	3,461	2,080 *	13 (1965-7
																8 (1990-9

* Includes wastewater flows N/A - Not Applicable The foregoing tabulation indicates that, while flows in 1996-97 were less than the long term average, flows in 1997-98 were much greater than the long term averages, ranging from 164% of average for Temecula Creek at Aguanga to 458% of the long term average for Murrieta Creek near Temecula.

Monthly flows shown in Table 3.2 consist primarily of naturally occurring surface runoff except for Rancho California WD discharges into Temecula and Murrieta Creeks. These discharges are pursuant to Section Eleventh of the 1940 Stipulated Judgment which requires maintenance of three cubic feet per second (cfs) flow at the Santa Margarita River near Temecula station between May 1 and October 31 of each year. Total flow at that station for October 1997 and May through September 1998 are shown below:

	Monthly	Average Daily
	Discharge	Flow
<u>Month</u>	Acre Feet	<u>CFS</u>
October 1997	187	3.0
May 1998	2,430	39.6
June 1998	266	4.5
July 1998	260	4.2
August 1998	209	3.4
September 1998	<u>229</u>	<u>3.8</u>
TOTAL	3,581	9.9

During 1997-98, Rancho California WD released 459 acre feet into Murrieta and Temecula Creeks of which 433 acre feet were released between October 1 and 31, 1997, and between May 1 and September 30, 1998. Of the 433 acre feet released in October 1997 and May through September 1998, 10 acre feet were from wells and 423 acre feet were from the System River Meter. The System River Meter refers to discharges directly from Rancho California WD's distribution system into Murrieta Creek at a location just upstream from the Murrieta Creek gaging station.

3.2 Surface Water Diversions

Surface diversions to surface water storage and groundwater storage during 1996-97 and 1997-98 are shown in Table 3.3. Diversions to surface storage at Vail Lake and Lake O'Neill are computed as being equal to inflow less spill. In addition, diversion to surface storage at Vail Lake excludes inflow during the period from May 1 through October 31 when Permit 7032 does not allow such diversions. Inflow to Vail is calculated as the sum of evaporation, spill, releases and change of storage. Inflow into Vail Lake during the period when diversions are not permitted is released and not credited to groundwater storage. Representatives of the United States do not agree with this method of calculation.

Surface diversions to irrigation, estimated consumptive use, losses and returns for 1997-98 are shown in Table 3.4.

TABLE 3.3

SANTA MARGARITA RIVER WATERSHED SURFACE WATER DIVERSIONS TO STORAGE 1997-98

Quantities in Acre Feet

Surface Water Storage

	<u>Vail L.</u> 1996-97	<u>ake</u> 1997-98	<u>Lake O'Neill</u> 1996-97 1997-98
Storage end of prior year	19,790	18,870	600 651
inflow - Total	4,957	17,842	1,588 ¹ 4,520 ²
Inflow to be Bypassed	787	4,464	0 0
Spill	0	0	0 1,661
Diversions to Surface Storage	4,170 ³	13,378 ³	,1,588 ⁴ 2,859 ⁴
Annual Evaporation	3,365	3,784	370 356
Releases - Total	2,512	8,978	786 434
Release to GW Storage	1,725⁵	4,514 ⁵	786 434
Apparent Seepage to GW	0	0	283 1,964 ⁶
Change of Storage	- 920	+ 5,080	+ 51* + 105
Storage End of Year	18,870	23,950	651* 756
•	<u>Ground</u>	water Stor	age
Recharge Release from Storage Facility	1,725	4, 514	786 434
Direct Recharge	0	0	3,637 4,338

^{*} Revised from 1996-97

O AF diverted from the Santa Margarita River and 1,588 acre feet inflow from Fallbrook Creek

²⁹¹ AF diverted from the Santa Margarita River and 4,229 AF estimated inflow from Fallbrook Creek drainage area

Inflow less Spill less Inflow (Oct 1 to Oct 31 and May 1 to Sept 30)

Inflow less Spill

⁵ Total Release less Inflow to be bypassed

Includes seepage losses, leakage through flashboards and unaccounted for water

TABLE 3.4

SANTA MARGARITA RIVER WATERSHED SURFACE WATER DIVERSIONS TO IRRIGATION 1997-98

Quantities in Acre Feet

	Surface <u>Diversions</u>	Consumptive <u>Use¹</u>	Losses ²	Returns ³
Pechanga Indian Res.	4	2.7	0.4	0.9
Prestininzi	18	12	2	4
Blue Bird Ranch	31	21	3	7
Chambers	3	2	0.3	0.7
Cal June, Inc.	200	135	20	45
Cottle/Strange	338	228	34	76
Missionary Foundation	200	135	20	45
Agri-Empire, Inc. Kohler Canyon	59	40	6	13
Papac	38	26	4	8
Sage Ranch Nursery	100	68	10	22
Daly Family Trust	9	6	1	2
San Diego State University Foundation	1 <u>22</u>	<u>15</u>	2	5_
TOTAL	1,022	690.7	102.7	228.6

Consumptive use equals 75% of Diversions less Losses Losses equal 10% of Diversions

²

³ Returns equal 25% of Diversions less Losses

3.3 Water Storage

Major water storage facilities in the Santa Margarita River Watershed are listed on Table 3.5, together with the water in storage on September 30, 1997 and September 30, 1998. Total Santa Margarita River stream system water in storage at the end of Water Year 1997-98 totaled 24,706 acre feet, compared to 19,619 acre feet at the end of the previous year. Imported water in storage in Lake Skinner operated by Metropolitan Water District of Southern California (MWD) is also shown on Table 3.5. Imported water is not under Court jurisdiction.

TABLE 3.5

SANTA MARGARITA RIVER WATERSHED

WATER IN STORAGE

1997-98

Quantities in Acre Feet

Santa Margarita River Storage	Total <u>Capacity</u>	Water in Sto 9/30/97	orage 9/30/98
Dunn Ranch Dam	90	0	0
Upper Chihuahua Creek Reservoir	± 47	0	0
Vail Lake	49,370	18,870	23,950
Lake O'Neill	_1,200	749	756
Subtotal	50,707	19,619	24,706
Imported Water Storage Lake Skinner	44,000	40,713	38,537
TOTAL STORAGE	94,707	60,332	63,243

SECTION 4 - SUBSURFACE WATER AVAILABILITY

4.1 General

Much of the water from the Santa Margarita River stream system is obtained by pumping subsurface water. The Court has identified two basic types of subsurface water in its interlocutory judgments. One type is vagrant, local, percolating waters that do not add to, support or contribute to the Santa Margarita River or its tributaries. Such waters have been determined to be outside the continuing jurisdiction of the Court. These waters are typically found in the basement complex and/or residuum deposits in the Watershed. Wells tapping these deposits typically have low yields.

Other subsurface waters were found by the Court to add to, contribute to and support the Santa Margarita River and/or its tributaries. Aquifers containing such waters have been designated by the Court as younger alluvium and older alluvium. Younger alluvial deposits are commonly exposed along streams and in valleys. Older alluvium may be found underneath younger alluvium and is not limited to areas along stream channels. Older alluvium may or may not be exposed at ground surface. The use of subsurface water found in younger and older alluvium is generally under the continuing jurisdiction of the Court and is reported upon in this report.

4.2 Extractions

Production of Santa Margarita River water by substantial water users in the Watershed from all sources is listed on Table 4.1 by hydrologic area along with estimated consumptive use and return flows. Substantial water users include water purveyors as well as private irrigators who irrigate eight acres or more or use an equivalent quantity of water.

In 1997-98 production by purveyors totaled 39,655 acre feet, compared to 43,042 acre feet in 1996-97. Monthly quantities are shown in Appendix A and annual production for water years between 1966 and 1998 is shown in Appendix B.

Subsurface extractions by private irrigators are based on the irrigated acreage and reported in Appendix C. These groundwater extractions were 6,958 acre feet in 1997-98. Of the subsurface extractions, 75 percent is estimated to have been consumed and 25 percent to have been return flow. Return flow is that portion of the total deliveries that is not consumed.

In addition to groundwater production by water purveyors and private irrigators, surface diversions are also listed on Table 4.1 as well as total production of Santa Margarita River water.

TABLE 4.1

SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATER PRODUCTION BY SUBSTANTIAL USERS

1997-98

HYDROLOGIC AREA	WATER PURVEYOR PRODUCTION ACRE FEET	OTHER IRRIGATED ACRES	IRRIGATION PRODUCTION ACRE FEET	TOTAL GROUNDWATER PRODUCTION ACRE FEET	SURFACE WATER DIVERSIONS ACRE FEET	TOTAL PRODUCTION ACRE FEET	ESTIMATED CONSUMPTIVE USE ACRE FEET ^{1/}	ESTIMATED RETURN FLOW ACRE FEET
Wilson Creek Above Aguanga GWA Includes Anza Vailey		1,752 ² /	2,478	2,678	0	2,678	2,009	669
Temecula Creek Above Aguanga GWA	10 (Butterfield Oaks MHI	718 9	1,218	1,228	97	1,325	986	339
Aguanga GWA	87 (Outdoor Resorts)	595	960	1,047	538	1,585	1,148	437
Upper Murrieta Creek	0	0	0	0	0	0	0	0
Lower Murrieta Creek	0	410	42	42	100	142	99	43
Murrieta-Temecula GW	32,864 (RCWD, MCWD, EMWD, Pechanga)	1,358	1,769	34,633	4	34,637	25,977	8,660
Santa Margarita River B	elow the Gorge							
Deluz Creek	О	204	457	457	61	518	384	134
Sandia Creek	0	50	10	10	200	210	143	67
Rainbow Creek	0	0	0	0	0	0	0	0
Santa Margarita River	6,494 (USMC)	20	24	6,518	22	6,540	1,546	3,325
TOTAL	39,665	6,107	6,958	46,613	1,022 ³	47,635	32,292	13,673

^{1/} Estimated consumptive use is equal to 75% of groundwater production plus 75% of surface divarsions less 10% except for Camp Pendleton where net export of 1,669 acre feet is excluded and return flows include measured wastewater returns

^{2/} Includes lands overlying deep aquifer in Anza Valley

^{3/} Includes surface diversion for irrigation, commercial and domestic use.

4.3 Water Levels

Water levels in selected wells in the Watershed are measured periodically by various entities. Historical water levels in five wells at various locations in the Watershed are shown in this report on Figures 4.1, 4.2, 4.3, 4.4 and 4.5. Figure 4.1 shows water levels in Well No. 8S/2W-12H1 (Windmill Well) located in the Rancho California WD service area downstream from Vail Lake. Note the extended drawdown from 1945 to 1978, the major recoveries during the wet years in 1980 and 1993, and the effect of relatively dry years after 1980 and after 1993. After reaching an elevation of 1198.1 feet at the end of 1993, levels declined 60.3 feet by the end of 1997-98 (an elevation of 1137.8 feet). The decline in 1997-98 was 3.5 feet.




FIGURE 4.1

Collar El. 1216.7 Feet; Depth 515 Feet; Drilled in Alluvium Ref: RCWD reports (1920-98)

Figure 4.2 shows water levels at Well No. 10S/4W-7J1 at Camp Pendleton, a monitoring well located in the Upper Sub-basin. Fluctuations in recent years illustrate recharge during the winter months and drawdown each summer, with the water levels generally between 82 and 90 feet in elevation. Water levels in Well 7J1 rose 1.3 feet between the fall of 1997 and the fall of 1998.

WATER LEVEL ELEVATIONS 10S/4W-7J1 - CAMP PENDLETON W Α Т E 125 R Е L F E E V E 100 A T О 75 N 1 N 50 1990 1940 1950 1960 1970 1980 2000 YEAR

FIGURE 4.2

Ground El. 93 Feet; Depth 138.8 Feet; Perf. Unknown; Drilled in Alluvium Camp Pendleton Records (1950-72) (1988-98); Leeds Hill Study (1973-85) Dates Estimated

Figure 4.3 shows water levels from production Well No. 7S/3W-20C9 (Holiday Well) in the Murrieta County Water District service area. Water levels in this well rose 13.4 feet since the fall of 1997. Water levels in the Lynch Well, 7S/3W-17R2, which serves as a monitoring well and had no production in 1997-98, declined 6 feet.

WATER LEVEL ELEVATIONS 7S/3W-20C9 - MCWD HOLIDAY WELL 1100 A T Ε 1050 L F 1000 VE A T 950 0 N 900 1950 1980 1940 1970 1980 1990 2000 YEAR

FIGURE 4.3

Ground El. 1090 Feet; Depth 307 Feet; Perf. 60 - 307 Feet Murrieta County Water District Records

Figure 4.4 shows water levels for Well No. 7S/3E-21G1, Anza Mutual Water Company's Well No. 1, a production well located in the Anza Valley. Water levels in this well declined 31 feet this year. As may be noted from Figure 4.4, recent measurements show annual 50 foot fluctuations in groundwater levels at this well, partly in response to the operation of nearby irrigation wells. The year end measurement for 1996-97 occurred three days after a tropical storm passed through the area. This storm reduced the need for irrigation pumping in nearby wells, thus it was not surprising that the groundwater levels were near the upper part of the fluctuation range last year. Similarly, it is not surprising to see water levels in the lower part of the range this year since there was no significant rainfall this year in September.




FIGURE 4.4

Ground El. 3862.6 Feet; Depth 260 Feet; Perf. 20 - 260 Feet; Drilled in Alluvium Anza Mutual Water Co. Well No. 1 (1987-98); DWR Bulletin 91-22 (1950-73)

Figure 4.5 shows water levels at Well No. 8S/2W-29G1, located in Wolf Valley on the Kelsey Tract of the Pechanga Indian Reservation. The well is not used for water production and its depth as measured in 1972 was 159 feet. Water levels collected since 1925 reflect unconfined groundwater levels. As shown on Figure 4.5 the groundwater levels have fluctuated within a 44 foot range above and below elevation 1050 feet in response to wet years and dry periods. Water levels in this well rose 5.3 feet in 1997-98.

WATER LEVEL ELEVATIONS 8S/2W-29G1 - PECHANGA INDIAN RESERVATION WELL W 1100 A т Ε R 1050 Ε LF E E V E 1000 A T Т 950 0 N ı 900 Ν 1930 1940 1960 1970 1920 1950 1980 1990 2000 YEAR

FIGURE 4.5

Ground El. 1091.1 Feet; Depth 159.1 Feet U.S. Geological Survey Records

Changes in water levels in the above noted wells between the end of the previous water year and the end of the 1998 water year are shown below:

<u>Well</u>	Water Elevation 1997 <u>Feet</u>	Water Elevation 1998 <u>Feet</u>	Change in Water Level Feet
8S/2W-12H1	1141.3	1137.8	Down 3.5
10S/4W-7J1	84.8	86.1	Up 1.3
7S/3W-20C9	1003.8	1017.2	Up 13.4
7S/3E-21G1	3806.6	3775.6	Down 31.0
8S/2W-29G1	1047.6	1052.9	Up 5.3

4.4. Changes in Groundwater Storage

During 1997-98, Rancho California WD continued working with a joint Camp Pendleton-Rancho California WD Technical Advisory Committee to develop, calibrate and verify a groundwater model of the Murrieta-Temecula Groundwater Area. During the verification stage, the model will be used to help depict historical conditions including historical changes in groundwater storage. When completed, it is hoped the model will be capable of estimating groundwater conditions under various operating scenarios.

SECTION 5 - IMPORTS/EXPORTS

5.1 General

1:5

Court Orders require the Watermaster to determine the quantities of imported water used in the Watershed. Most of the water imported into the Santa Margarita River Watershed is delivered by MWD to local districts. MWD obtains its water from the State Water Project (SWP) and the Colorado River. Both the SWP and the Colorado River system have major storage reservoirs to provide long-term carryover storage. The quantities of water in storage at the end of the water year in the major reservoirs in each system are shown on Table 5.1. It may be seen that during Water Year 1997-98 water in storage in the SWP increased from 3.18 million acre feet on September 30, 1997, to 4.39 million acre feet on September 30, 1998. Storage on September 30, 1998, corresponds to about 83 percent of the total SWP storage capacity.

Water in storage in the Colorado River system increased from 54.7 million acre feet on September 30, 1997, to 55.4 million acre feet on September 30, 1998. On September 30, 1998, those reservoirs contained 86 percent of their total capacity, the most in storage on that date in recent years.

Storage at the end of water years 1989-1998 in the State Water Project and Colorado River system for years 1989-1998 is shown on Figure 5.1 and Figure 5.2.

Projections of water availability on the SWP for the coming year (1999) are prepared by the State Department of Water Resources on a monthly basis from February through May. The May 1, 1999, report indicates that statewide October 1 through May 1 precipitation was 100 percent of average. However, it might be noted that in coastal southern California precipitation was only 60 percent of average suggesting relatively high demand for imported supplies during 1998-99. The SWP has approved delivery of 100 percent of the 1999 requests.

The following entities imported water directly or indirectly from MWD into the Santa Margarita River Watershed:

Eastern Municipal Water District
Elsinore Valley Municipal Water District
Fallbrook Public Utility District
Rainbow Municipal Water District
Rancho California Water District
U. S. Naval Weapons Center
Western Municipal Water District

SANTA MARGARITA RIVER WATERSHED
STORAGE IN STATE WATER PROJECT
AND COLORADO RIVER RESERVOIRS

Thousands of Acre Feet

	_									
	Total			Water	r in Stora	ige - Sep	tember 3	10		
Reservoir	Capacity	1990	1991	1992	1993	1994	1995	1996	1997	1998
Oroville	3,540	1,163	1,399	1,317	2,666	1,683	2,897	2,736	2,140	2,832
San Luis (State Share	1,060 e)	100	385	381	944	394	1,067	740	462	900
Pyramid	171	163	164	159	156	160	168	158	163	161
Castaic	324	268	296	257	263	237	297	284	237	306
Silverwood	73	67	68	68	68	68	54	40	73	71
Perris	132	116	120	117	120	110	126	126	105	124
Total	5,300	1,877	2,432	2,299	4,217	2,652	4,609	4,084	3,180	4,394
Percent of Ca	pacity	35%	46%	43%	80%	50%	87%	77%	60%	83%

MAJOR COLORADO RIVER RESERVOIRS

	Total			Wate	r in Stor	age - Sep	tember	30		
Reservoir	Capacity	1990	1991	1992	1993	1994	1995	1996	1997	1998
Flaming Gorge	3,789	3,082	3,391	3,106	3,471	2,887	3,488	3,364	3,599	3,580
Blue Mesa	941	618	700	604	720	615	782	686	761	624
Navajo	1,709	1,361	1,586	1,579	1,625	1,400	1,556	1,203	1,543	1,380
Powell	27,000	16,252	14,699	14,085	18,825	17,772	22,311	21,155	22,802	22,404
Mead	28,537	20,144	19,233	19,416	21,379	19,930	20,714	21,614	23,769	25,126
Mohave	1,818	1,488	1,571	1,623	1,375	1,467	1,635	1,578	1,674	1,729
Havasu	648	562	556	548	579	571	588	597	580	565
Tota!	64,442	43,507	41,736	40,961	47,974	44,642	51,074	50,197	54,728	55,408
Percent of Cap	acity	68%	65%	64%	74%	69%	79%	78%	85%	86%

FIGURE 5.1





FIGURE 5.2



In addition to deliveries through member agencies, MWD, pursuant to a Court Order, delivered 193 acre feet of water for irrigation of lands in Domenigoni Valley within the Santa Margarita Watershed during 1997-98. MWD also imported 4,403 acre feet for use as construction water for the Eastside Reservoir Project, and 427 acre feet for groundwater recharge.

Water is also imported into the Santa Margarita River Watershed from adjacent watersheds. Such importation occurs from the Santa Ana Watershed where Elsinore Valley MWD pumps water from wells outside the Santa Margarita River Watershed but delivers water to a portion of its service area that is inside the Santa Margarita River Watershed.

At Camp Pendleton, there is a pipeline connection to wells located in the Las Flores Creek Watershed to the north of the Santa Margarita River Watershed. Water can be either imported or exported through that line, depending on relative water demands and pumping capacities.

Exportations from the Santa Margarita River Watershed include water pumped at Camp Pendleton that is used in the San Luis Rey River Watershed to the south or in the Las Flores Creek Watershed to the north. Some of the water exported at Camp Pendleton is returned to the Watershed as wastewater. Wastewater from the Fallbrook area and the Naval Weapons Station located on Camp Pendleton is exported by the Fallbrook Public Utility District and wastewater in the Elsinore Valley MWD is exported by that district.

Eastern MWD uses a 24-inch pipeline along Winchester Road to transport wastewater from the Temecula Valley Regional Water Reclamation Facility to areas within the Watershed for reuse as well as for export of up to 10 MGD from the Watershed. A total of 2,139 acre feet of treated wastewater was exported by Eastern MWD for reuse outside the watershed in 1997-98, as compared to 2,319 acre feet exported in 1996-97, a decrease of 8 percent.

The following paragraphs of this report describe imports during Water Year 1997-98 and during the 1966-1998 period. There is also discussion of MWD's existing Lake Skinner operations as well as proposed operations of the Eastside Reservoir Project.

5.2 Water Year 1997-98

During 1997-98, 42,935 acre feet of water were imported and distributed in the Santa Margarita River Watershed by eight purveyors. This compares with 47,542 acre feet in 1996-97 and represents a 10 percent decrease. Water quantities imported into and exported from the Santa Margarita River Watershed for months during Water Year 1997-98 are listed on Table 5.2.

TABLE 5.2

SANTA MARGARITA RIVER WATERSHED IMPORTS/EXPORTS

1997-98

Quantities in Acre Feet

IMPORTS

EXPORTS

YEAR	EASTERN MWD	ELSINORE VALLEY MWD	ELSINORE VALLEY FALLBROOK MWD PUD	MWD 1/	RAINBOW MWD	CAL WD	U.S. NAVAL WS	WESTERN MWD 2/	TOTAL	EXPORTS	CAMP PENDLETON WASTEWATER NET	N NET EXPORT	U.S. NAVAL WS	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK	TOTAL
1997																	
OCT	792	362	853	828	202	2,142	£	4	5,194	348	178	170	0.2	331	ង	115	83
Š	974	302	502	9	ន	88	ß	8	3,315	279	210	8	0.2	345	19	117	220
DEC	139	8	305	83	6	0	7	7	1,360	194	22	62)	0.3	205	83	115	610
1998																	
ZAN	15	8	215	442	8	1	4	-	1,115	502	23	(18)	0.2	481	ឌ	117	803
띮	88	424	109	23 28	S	0	თ	-	1,077	211	83	8	0.4	55	8	128	578
MAR	270	548	241	378	37	0	ო	~	1,179	8	218	ω	3.3	426	ଯ	137	594
APR	<u>‡</u>	8	303	277	9	187	ო	7	1,216	228	8	86	6.0	382	ß	130	833
MAY	351	338	416	929	121	213	4	7	2,071	304	135	169	0.5	₹ 2	18	133	23
SUNE	697	809	714	155	S	1,779	9	ო	4,029	%	127	217	0.5	% 78	ଷ	114	848
JULY	<u>8</u>	965	957	292	155	4,828	15	4	7,607	463	133	330	0.2	88	2	135 251	845
AUG	88	896	872	272	23	5,735	16	4	8,701	436	136	8	0.4	281	19	128	728
SEPT	171	675	895	88	240	3,868	12	4	6,073	207	130	377	0.4	247	19	133	766
TOTAL	5,117	5,100	6,382	5,023	1,601	19,584	97	હ	42,935	3,742	2,073	1,669	ω	4,513	247	1,482	7,919

1/ Metropolitan Water District direct deliveries in Domenlgoni Valley 2/ Improvement District A - Rainbow Canyon Only (WR-13)

Water quality of the imported supplies in 1997-98 as reflected by measurements in the average monthly total dissolved solids at the Skinner Treatment Plant effluent line is shown on Table 5.3, together with the percent of imported water obtained from the SWP.

5.3 Water Years 1966-1998

Water quantities imported by districts into the Santa Margarita River Watershed during Water Years 1966-1998 are shown on Table 5.4. Total imports to these districts are measured, however some districts serve lands outside the Watershed. For these districts, which include Eastern MWD, Elsinore Valley MWD, Fallbrook PUD and Rainbow MWD, the portion delivered in the Santa Margarita River Watershed must be estimated.

Review of the historical trend of total imports shown on Table 5.4 indicates significant year to year variations with relatively low imports in wet years and higher imports in dry years, combined with an underlying growth rate to serve increasing municipal water demands in the Murrieta-Temecula area.

Exports over the 1966-1998 period are also shown on Table 5.4. These include estimated water exports on Camp Pendleton less estimated wastewater returns, as well as an estimate of exports by the Fallbrook Public Utility District and the Naval Weapons Station after 1983, and Elsinore Valley MWD after 1986. Exports by Eastern MWD were initiated in 1992-93. Exports do not include water that naturally flows from the Santa Margarita River into the Pacific Ocean.

5.4 Lake Skinner

Lake Skinner is a 44,000 acre foot reservoir constructed by MWD on Tucalota Creek, within the Santa Margarita River Watershed. The purpose of Lake Skinner is to provide regulatory and emergency storage capacity for water imported to southern California. A Memorandum of Understanding and Agreement on Operation of Lake Skinner (MOU), dated November 12, 1974, approved by the Court on January 16, 1975, contains provisions to protect Santa Margarita River Watershed water users from potential effects of Lake Skinner on either subsurface or surface flows.

Protection against a decrease in subsurface flows caused by the dam is afforded by a provision in the MOU that requires that MWD release water from Lake Skinner into Tucalota Creek if groundwater levels in Well AV-28B fall below an elevation of 1356.64 feet. During August 1997, water levels in Well AV-28B reached a low of 1355.98 feet, 0.66 feet below the minimum elevation. As a result, MWD released a total of 10.60 AF in 1996-97, and an additional 50 acre feet in 1997-98 to maintain groundwater levels.

TABLE 5.3
SANTA MARGARITA RIVER WATERSHED

TOTAL DISSOLVED SOLIDS CONCENTRATION OF IMPORTED WATER

1997-98

YEAR MONTH	TOTAL DISSOLVED SOLIDS /1 MG/L	PERCENT STATE PROJECT WATER %
	MG/L	70
1997		
OCT	591	7
NOV	592	2
DEC	600	0
1998		
JAN	608	0
FEB	595	0
MAR	588	0
APR	503	30
MAY	442	46
JUNE	430	44
JULY	497	22
AUG	497	20
SEPT	527	15

^{1/} As measured in the Skinner Treatment Plant Effluent line.

TABLE 5.4

SANTA MARGARITA RIVER WATERSHED MPORTS/EXPORTS

Quantities in Acre Feet

EXPORTS

MPORTS

TOTAL EXPORTS 2,277 1,937 2,154 2,106 2,686 2,337 2,337 1,788 3,329 2,246 2,246 2,246 3,329 3,329 3,329 2,246 2,643 3,329 2,246 2,787 E - Estimate P - Partial year data FALLBROOK PUD 1,083 1,255 1,068 1,153 1,035 1,021 1,021 1,003 1,032 1,080 1,129 1,154 1,154 1,154 8 ELSINORE VALLEY MWD N/R - Not Reported - - Revised 150 170 213 228 24 8 <u>4</u> EASTERN MWD 4 705 3,159 3,908 2,993 3,201 4,513 шшша U.S. NAVAL WS 0000000000000000 26 26 26 26 26 27 27 27 27 S 3/ Improvement District A - Rainbow Canyon Only (WR-13) 4/ Revised to Include Unaccounted For Wastewater NET EXPORT -----CAMP PENDLETON ----2,277 1,937 1,937 1,538 1,738 EXPORT RETURNS 1,113 1,090 1,168 1,187 1,140 1,140 1,140 1,243 1,219 1,548 1,926 1,501 ,611 3,251 3,180 3,286 3,276 3,527 3,543 3,544 3,543 3,544 3,543 3,544 3,544 3,544 3,544 3,544 3,544 3,644 3,243 3,377 3,326 3,444 3,457 3,418 2,971 2,168 2,426 2,329 2,702 2,781 3,577 3,643 3,742 4,756 3,651 3,892 3,761 3,000 TOTAL 6,287 5,597 6,291 6,291 6,675 6,675 6,504 7,572 6,962 9,628 12,485 11,824 11,824 11,824 21,047 28,642 24,856 16,672 19,946 24,474 21,855 32,108 40,203 43,974 44,133 WESTERN MWD 3/ 2 2 2 2 3 3 3 3 5 5 5 7 3 3 5 5 7 3 3 5 5 7 3 3 5 5 7 3 0 E 76 E 115 115 E 115 E 115 E 115 E 115 E 115 E ₹ <u>8</u> 8 5 2 2 2 5 8 U.S. NAVAL WS 8 RANCHO CAL WD 7,009 10,126 13,378 13,378 5,752 6,716 7,158 11,174 7,564 17,854 22,895 22,030 21,238 16,931 11,411 16,386 15,108 1,308 1,095 1,095 1,155 1,155 1,155 1,155 2,049 2,146 2,146 3,140 RAINBOW 547 1,005 3,521 5,023 1/ Includes DeLuz Heights MWD prior to 1991 Z Z FALLBROOK PUD 1/ 3,351 2,852 3,423 3,538 3,405 3,201 3,201 3,201 2,202 5,723 6,720 6,720 6,720 6,720 6,720 6,723 8,506 ELSINORE VALLEY MWD 712 696 798 678 658 1,032 1,341 2,255 2,421 2,190 1,914 3,221 3,117 1,601 1,969 2,493 2,551 1,894 1,192 716 1,112 1,211 699 679 760 1,155 2,047 3,746 5,601 9,479 8,593 5,393 7,150 4,625 1,383 1,533 4,960 3,284 5,117 1,417 EASTER ě 994 993 YEAR 975 1976 1978 1978 980 1983 1983 1984 1985 1986 1988 1989 1989 992

2/ Metropolitan Water District direct deliveries in Domenigoni Valley

The MOU also provides that all local surface inflow that enters Lake Skinner will be released into Tucalota Creek. In its 1980 modification the MOU provides that local surface inflow is to be determined by using the hydrologic equation for Lake Skinner that is specified in the MOU. That equation is used to determine inflow and the related release for large flood events. However, in many years the local inflow is small compared to the large quantities of imported water inflow and outflow at Lake Skinner. The error of measurement for these large inflows and outflows is larger than the local inflow in many instances. Accordingly, MWD also monitors the flow in Tucalota Creek, Rawson Creek and Middle Creek during storms and uses those observations to supplement the hydrologic equation.

During 1997-98, local runoff into and the related releases from Lake Skinner totaled 1,745.7 acre feet as follows:

<u>Mor</u>	n <u>th</u>	Release <u>Acre Feet</u>
February 1 March April May	998	351.8 1,208.1 125.5 <u>60.3</u>
TOTAL	(1997-98)	1,745.7

In addition to releases of water mandated by the MOU, MWD also released 7.3 acre feet of water for maintenance and/or operational purposes during 1997-98.

5.5 Eastside Reservoir Project

During 1997-98, MWD continued with construction of the Eastside Reservoir Project located in Diamond and Domenigoni Valleys within the Santa Margarita River Watershed. The project will consist of three dams, one each at the east and west ends of Domenigoni/Diamond Valley and a saddle dam at the low point on the north rim. The east dam will divert surface and groundwater flows from a 4.2 square mile drainage area in the Santa Margarita River Watershed, known as Goodhart Canyon, into the Santa Ana River Watershed. The west dam will intercept existing westward surface and subsurface flows from an additional 13.19 square mile area. These intercepted subsurface flows may or may not be offset by seepage losses from the reservoir when filled.

MWD does not have a water right to store local waters in the reservoir, so a Memorandum of Understanding and Agreement on Operation of Domenigoni Valley Reservoir (MOU) was developed which was approved by the Court on January 19, 1995. Among other things, the MOU provides:

The quantity and quality of surface runoff that would flow past the West Dam in the absence of the Reservoir will be determined and a like quantity of water of similar quality will be released from the Reservoir or San Diego Canal (SDC) into Warm Springs Creek.

The MOU indicates that the required releases would be determined by measuring the surface inflows into a detention basin to be constructed near the East Dam. A quantity equal to 4.1 times the measured flow will be released from the West Dam into Warm Springs Creek.

Prior to construction of the detention basin, surface runoff was measured at a diversion dike in Domenigoni Valley near the west dam. The water was then conveyed past the west dam construction site and released into the downstream drainage system that has been improved by MWD.

In late 1997, the Goodhart Canyon Detention Basin became operational and available for use in computing required downstream releases from the project. Total required releases into Warm Springs Creek during 1997-98 were 262.2 acre feet. However, the project released 1,474.7 acre feet into Warm Springs Creek during 1997-98 because of a need to dispose of groundwater pumped to dewater construction areas.

Although all surface waters within the Santa Margarita River Watershed in Domenigoni and Diamond Valley are subject to the continuing jurisdiction of the Court, groundwater contained within the younger alluvium, north of the south line of Section 9, Township 6 South, Range 2 West, SBM is not considered by the Court to be a part of the Santa Margarita River system as long as groundwater levels are below an elevation of 1400 feet. During 1997-98 groundwater elevations in Well MO-6, which is located along the south line of Section 9, rose from 1355.3 feet at the beginning of the water year to 1358.7 feet on October 1, 1998.

SECTION 6 - WATER RIGHTS

6.1 General

Water is used in the Santa Margarita River Watershed under a variety of water rights. In the early 1960's, the U. S. District Court in its Interlocutory Judgments described water rights in the Watershed as primarily riparian rights and overlying rights. Riparian rights belong to owners of land parcels located adjacent to streams in the Watershed or overlying younger alluvium deposits generally along the stream channels. Overlying rights were divided by the Court into two categories based on the location where the water is obtained and used. Water extracted from lands where subsurface waters add to, contribute to and support the Santa Margarita River stream system was found to be subject to the continuing jurisdiction of the Court. Lands in this category were identified by the Court and listed in Interlocutory Judgments. In general, these parcels of land overlie younger or older alluvium deposits.

The other category of overlying use applies to parcels of land where subsurface flows do not add to, contribute to or support the Santa Margarita River stream system. These parcels were also identified by the Court and found to be outside the continuing jurisdiction of the Court. In general, these lands overlie basement complex or residuum deposits.

The Court also described a number of other rights in the Watershed. These included surface water appropriative water rights that have been administered by the State of California since 1914. These rights are discussed in the following subsection of this report.

In Interlocutory Judgment No. 41, the Court found that the United States reserved rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Cahuilla, Pechanga and Ramona Indian Reservations, including rights to the use of groundwaters sufficient for the present and future needs of the Indians residing thereon. In Interlocutory Judgment No. 44, the Court recognized and reserved water rights for lands within the Cleveland and San Bernardino National Forests and for lands being administered pursuant to the Taylor Grazing Act.

Since the early 1960's there have been substantial changes in water use in the Watershed, especially in the Murrieta-Temecula Groundwater Area. During the 1950's and early 1960's when this case was under active litigation, most of the water use in the Murrieta-Temecula area consisted of individual property owners pumping water for use on their own properties. However, in 1965, the Rancho California WD was formed. The District developed Agency Agreements with most of the landowners within the District. In these Agency Agreements, the landowners "...without transferring any water rights and

privileges pertaining to said land...." designated the District as their exclusive agent for the development and management of their water supply.

Thus, many landowners within the Rancho California WD are now not exercising their overlying rights. Instead, Rancho California WD pumps groundwater and uses it throughout the District area under an appropriative groundwater right, with the consent of most of the overlying landowners.

A number of other water purveyors, including Murrieta CWD and Eastern MWD, also pump under groundwater appropriative rights.

Another change from the early 1960's is the large scale importation of water into the Santa Margarita River Watershed by Rancho California WD. A portion of such importation finds its way into the groundwater aquifers. The legal status of return flows from imported supplies as well as direct recharge of imported water was clarified by the final judgment in City of Los Angeles v. City of San Fernando, et al., 1975 14 Cal. 3rd 199. This decision in the Supreme Court of the State of California made two major findings with respect to imported water.

The first was that agencies have the right to recharge and store imported water in a groundwater basin and to extract the imported water for use, subject to applicable state and federal laws. In addition, agencies that import and deliver water to lands overlying a groundwater basin have a continuing right to extract the return flow from such water. The return flow is that portion of the imported supply that percolates into the groundwater basin. In the San Fernando case this portion was found to range from 20 percent to 35.7 percent of the imported supplies.

The Rancho Division of the Rancho California WD overlies the Murrieta-Temecula Groundwater Area. Thus a portion of the import supply delivered to the Rancho Division of Rancho California WD percolates into the underlying aquifers. The first water pumped by Rancho California WD in the ensuing year constitutes recapture of such return flows.

Imported water is also supplied to the Santa Rosa Division within Rancho California WD, however only a relatively small part of this division overlies the Murrieta-Temecula Groundwater Area. Thus there is less imported water return flow from the Santa Rosa Division.

Classification of Rancho California WD supplies into various water right categories is discussed in Section 7 of this Report.

6.2 Appropriative Surface Water Rights

Another broad category of water rights used in the Watershed is surface water appropriative rights. Since 1914, these rights have been administered by the SWRCB.

A list of current permits, licenses and other active rights obtained from the SWRCB is shown on Table 6.1. A permit by the SWRCB authorizes construction of a project, sets terms for the project's completion and development of water use and may impose other conditions. After the permittee demonstrates that construction is complete, water is being put to use and the permit conditions have been met, the SWRCB can issue a license. The license remains in effect as long as the license conditions are met and the water is put to beneficial use.

Perfected direct diversion rights and active storage rights from creeks in the Watershed are summarized below:

	Direct Diversions Gallons Per Day	Storage <u>Acre Feet</u>
Cahuilla Valley	720	5
Cottonwood Creek	485,000	60
Cutea Creek	5,825	
Delguz Creek	4,700	100
Fern: Creek	213,000	100
Kohler Canyon	158,000	40
Long Canyon Spring	89	
Rainbow Creek		0.5
Rattlesnake Canyon	12,000	
Temecula Creek	25,820	40,000
Sandia Canyon		8
Sourdough Spring	55	
Santa Margarita River	133	4,000
Nelson Creek	<u>1,550</u>	
TOTAL	906,892	44,313.5

These direct diversion rights of 906,892 gallons per day correspond to 1.4 cfs or 2.78 acre feet per day.

TABLE 6.1 SANTA MARGARITA RIVER WATERSHED APPROPRIATIVE WATER RIGHTS

PERMITS AND LICENSES

i.D. NO.	OWNER	FILING DATE	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE	STATUS
6629	William H. & Sandra J. Cyrus	4/9/30	Coahuila Valley	Sec. 4, 7S, 3E	DD-720 gpd	D	License
6893	Earl C. & Mamie LaBine	2/13/31	Ternocula Creek	Sec. 20, 9S, 2E	DD-820 gpd	D/I	License
7035	Nvla Lawler	8/10/31	Cutca Creek	Sec. 29, 9S, 1E	DD-5725 gpd	D/I	License
7731	Earl C. & Mamie LaBine		Temecula Creek	Sec. 20, 9S, 2E	DD-7200 gpd	D/I	License
9137	Goodarz Irani	10/07/37		Sec. 12, 9S, 1E	DD-400 gpd	Ð	License
9291	Luis Olivos	5/13/38	Nelson Creek	Sec. 23, 8S, 5W		D	License
10806	James R., Phyllis & Bruce Grammer		Ternecula Creek	Sec. 34, 9S, 2E	DD-2880 gpd	ם	License
11161	Roy C. Pursche & J. Zink	9/26/45	Rattlesnake Canyon	Sec. 28, 9S, 2E	DD-12,000 gpd	D/I	License
11518	Rancho California Water District	8/16/46	Temecula Creek	Sec. 10, 8S, 1W		D/I/R	Permit
11587	U. S. Bureau of Reclamation		Santa Margarita River	Sec. 12, 9S, 4W	•	D/I/M	Permit
12178	U. S. Bureau of Reclamation		Santa Margarita River	Sec. 12, 9S, 4W	•	D/I/M	Permit
12179	U. S. Bureau of Reclamation		Santa Margarita River	Sec. 12, 9S, 4W	•	D/I/M	Permit
13505	David H. & Kathleen C. Lypps		Cottonwood Creek	Sec. 30, 8S, 4W	•	R/S	License
17239	Ward Family Trust	8/15/56	Ternecula Creek	Sec. 20, 9S, 2E	DD-120 gpd	D/E	License
20507	David H. & Kathleen C. Lypps	11/24/61	Cottonwood Creek	Sec. 19, 8S, 4W Sec. 30, 8S, 4W	ST-18 AF	I/R	License
20608	Richard F. & Rosabel L. Matthews	2/13/62	DeLuz Creek	Sec. 20, 8S, 4W	ST-100 AF	D/I/R	License
20742	U. S. Cleveland National Forest	4/24/62	Sourdough Spring	Sec. 25, 9S, 1E	DD-55 gpd	Ė	License
21074	U. S. Cleveland National Forest	12/07/62	Cutca Spring	Sec. 17, 9S, 1E	DD-100 gpd	s/W	License
21471A	U. S. Department of Navy	9/23/63	Santa Margarita River	Sec. 5, 10S, 4W Sec. 2, 11S, 5W	ST-4,000 AF	D/I/M/Z	License
21471B	U. S. Bureau of Reclamation	9/23/63	Santa Margarita River	Sec. 32, 9S, 4W	ST-165,000 AF	D/I/M/Z	Permit
27756	James R. Grammer	5/23/83	Temecula Creek	Sec. 3, 10S, 2E	DD-14,400 gpd	I/S	Permit
28133	Charles F. Ruggles	5/14/84	Cahuilla Creek	Sec. 15, 8S, 2E	ST-5AF	E/H/I/R/9	S Permit
		c	THER RIGHTS				
05751S/Federal	U. S. Cleveland National Forest	1/01/70	Long Canyon Spring	Sec. 16, 9S, 1E	DD-89 gpd	E/R/S/W	•
000024/State	Judge Dial Perkins	12/26/86	Santa Margarita River	Sec. 12, 9S, 4W	DD-133.3 gpd	Ð	
000751/State	Lawrence Butler	5/31/67	Fern Creek	Sec. 31, 8S, 4W	DD-0.33 cfs ST-100 AF	I	
011411/State	Agri Empire, Inc.	5/16/84	Kohler Canyon	Sec. 33, 9S, 2E	DD-0.245 cfs ST-40 AF	I/S	
012235/State	William A. & Lois D. Cunningham	8/27/85	DeLuz Creek	Sec. 4, 9S, 4W	DD-4700 gpd	D/I	
001583/Stock	George F. Yackey	12/27/77	Sandia Canyon	Sec. 25, 8S, 4W	ST-8.0 AF	S	
002380/Stock	Chris R. & Jeanette L. Duarte	12/16/77	Rainbow Creek	Sec. 12, 9S, 3W	ST-0.5 AF	s	
KEY TO USE:	DD - Direct Diversion D - Dom	estic	R - Recreation E - I	Fire Protection	H - Fish Cultu	ıre	
	ST - Diversion to Storage 1 - Irrigat	tion	M - Municipal S - S	Stockwatering	Z - Other		

W - Fish & Wildlife Protection and/or Enhancement

Storage rights shown in Table 6-1 include 195,000 acre feet of storage rights on the Santa Margarita River held by the U. S. Bureau of Reclamation (ID Nos. 11587, 12178, 12179, and 21471B) which have not been exercised. The time period during which these rights must be exercised has recently been extended by the SWRCB to December 31, 2008.

Table 6.1 also lists other rights recognized by the SWRCB. These rights generally are based on Statements of Water Diversion and Use that have been filed with the SWRCB. Such statements include one by the United States on behalf of the Cleveland National Forest, which states that the diversion and use of water from Long Canyon Spring is made pursuant to a withdrawal and reservation of the land and resources for National Forest System purposes as of February 14, 1907.

Besides the federal filing, there are also Statements of Water Diversion and Use filed by individuals. Three of these statements represent riparian or pre-1914 appropriative diversions from DeLuz Creek, Fern Creek and Santa Margarita River that have been reported to the SWRCB. The other statement represents a pre-1914 appropriative right to divert water from a spring in Kohler Canyon into a 40 acre foot reservoir.

The last two rights noted on Table 6.1 represent filings made in 1977 pursuant to Subchapter 2.5 to Chapter 3 of Title 23 of the California Code of Regulations. That subchapter deals with Water Rights for Stockponds.

In addition to appropriative rights under SWRCB jurisdiction, there are a number of nonstatutory appropriative rights that were established prior to 1914. These rights continue to be used to support diversions of water from the Santa Margarita River stream system. Such rights, which are listed in the various Interlocutory Orders developed in this litigation, are shown on Table 6.2.

In 1990-91, in Order No. 91-07, the SWRCB revised its Order No. 89-25 entitled, "Order Adopting Declaration of Fully Appropriated Stream Systems and Specifying Conditions for Acceptance of Applications and Registrations." These Orders list the Santa Margarita River stream system as fully appropriated "from the confluence of the Santa Margarita River and the Pacific Ocean upstream including all tributaries where hydraulic continuity exists."

The consequences of this Order are as follows:

1. The Board is precluded from accepting any application to appropriate water from the Santa Margarita River System except where the proposed appropriation is consistent with conditions contained in the Declaration.

TABLE 6.2

SANTA MARGARITA RIVER WATERSHED

PRE - 1914 APPROPRIATIVE WATER RIGHTS Listed in Interlocutory Decrees

LISTED OWNER	CURRENT	DATE OF APPROPRIATION	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE
Anderson, Nina B.	Nezami, Mohammed	April 11, 1892	Fem Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	32 gpm	Irrigation
Butler, Lawrence W. and Mary C.	Vanginkel, Norman Tr and Vanginkel, Deboral San Diego Gas & Electric		Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	Capacity of 8 inch pipe	Irrigation
Wilson, Samuel M. and Hazel A.	Shirley, Robert G. and Bobbi J.	Aug. 3, 1911	DeLuz Creek	NW 1/4 Of SW 1/4 Sec 32, T8S, R4W	50 miner's inches 65 AF/Yr	Irrigation
United States	United States	1883	Santa Margarita River	Sec 5, T10S, R4W	20 cfs 1200 AF/Yr	Domestic Irrigation Stock Water

- Initiation of a water right pursuant to the Water Rights Permitting Reform Act of 1988 (Water code Section 1228 et seq.)—that is, by registering small use domestic appropriations—is precluded, except where the proposed appropriation is consistent with conditions contained in the Declaration. Small use domestic appropriations refer to uses which do not exceed direct diversions of 4,500 gallons per day or diversion by storage of 10 acre feet per year for incidental aesthetic, recreational, or fish and wildlife purposes.
- Pursuant to Water Code Section 1206(a) the Board is authorized, but not required, to cancel pending applications where inconsistent with conditions contained in the Declaration; previous Orders implement a procedure for disposition of such applications pending on the effective date of the Declaration.

The Order provides for reconsideration of the Order either upon petition of an interested party or upon the Board's own motion.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 7 - WATER PRODUCTION AND USE

7.1 General

Water production and use data were obtained from several types of substantial users including water purveyors, Indian Reservations, mobile home parks and private landowners. Substantial water users are those who irrigate eight or more acres or who produce or use an equivalent quantity of water.

Major water purveyors who reported production and use data in 1997-98 Water Year are listed as follows:

Anza Mutual Water Company
Eastern Municipal Water District
Elsinore Valley Municipal Water District
Fallbrook Public Utility District
Lake Riverside Estates
Metropolitan Water District of Southern California
Murrieta County Water District
Rainbow Municipal Water District
Rancho California Water District

U. S. Marine Corps, Camp Pendleton including U.S. Naval Weapons Station, Fallbrook Annex

Western Municipal Water District

Lake Riverside Estates is listed with major water purveyors although it produces make-up water for losses from Lake Riverside and does not deliver water to customers.

In addition to the major purveyors, there are a number of smaller water systems in the Watershed. Of these, Butterfield Oaks Mobile Home Park, and Outdoor Resorts Rancho California, Inc. are substantial users.

Three Indian Reservations, the Cahuilla, Pechanga and Ramona, are noted in Interlocutory Judgment No. 41, the Judgment that deals with Water Rights on Indian Reservations in the Watershed. Estimates and/or measurements of water production and use are reported for the Cahuilla and Pechanga Indian Reservations; the Ramona Reservation has no reported water use.

A portion of a fourth Reservation, the Pauma Mission Reserve Tract of the Pauma Yuima Band of Mission Indians, is also located within the Watershed. However, these lands overlie basement complex, which waters have been found by the Court to not add to, support or contribute to the Santa Margarita River stream system.

The final category of water users are private landowners who use water primarily for irrigation.

The water use data collected for the 1997-98 Water Year are summarized on Table 7.1. Total imported supplies plus local production totaled 90,570 acre feet compared to 99,928 reported in 1996-97. Of that quantity, 41,413 acre feet were used for agriculture; 7,922 acre feet were used for commercial purposes; and 31,291 acre feet were used for domestic purposes; 459 acre feet were discharged to Murrieta and Temecula Creeks; 3,742 acre feet of fresh water were exported; 3,212 acre feet were recharged resulting in an overall system loss of 2,531 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Monthly production and use data for major water purveyors are attached to this report as Appendix A. Uses are listed under agricultural, commercial and domestic categories. The definition of what constitutes agricultural, commercial and domestic use varies for the different purveyors in the Watershed. Accordingly definitions of these uses for major water purveyors are shown on Table 7.2. It is noted also that much of the non-agricultural water use in the Watershed can also be considered municipal use, which includes both the domestic and commercial uses shown in tables in this report. Similar data for Water Years 1966-1998 are summarized in tables presented in Appendix B. Appendix C presents information on substantial users outside purveyor service areas.

7.2 Water Purveyors

Anza Mutual Water Company

Anza Mutual Water Company's service area is in the eastern part of the Watershed in the Anza Valley. Production is from two wells: Well No. 1 drilled in 1951 and perforated from 20 feet to 260 feet; and Well No. 2 drilled later to a depth of 287 feet and perforated in the bottom 130 feet. Production for 1997-98 was 17 acre feet from Well No. 1 and 22.5 acre feet from Well No. 2 for a total production of 39.5 acre feet. The depth of water in Well No. 1 ranged from 44 feet to 95 feet.

Interlocutory Judgment No. 33 divides aquifers in Anza Valley at this location into two categories: the shallow aquifer and the deep aquifer. Based on information available to the Court the shallow aquifer was determined to include the younger and older alluvial deposits in the Anza Groundwater Basin and extend to a maximum but variable depth of approximately 100 feet. The deep aquifer underlies the shallow aquifer in an area about one-half mile in width and two miles in length, within portions of Sections 16, 17, 21, 22, 27 and 28 of Township 7 South, Range 3 East, SBM. Anza Mutual Water Company's wells are within the area of the deep aquifer. From the perforated intervals in the wells, it may be concluded that most of the production from Well No. 1 and all of the production from Well No. 2 are from the deep aquifer. Interlocutory Judgment No. 33 concluded that waters

TABLE 7.1

SANTA MARGARITA RIVER WATERSHED WATER PRODUCTION AND USE

1997-98

Quantities in Acre Feet

	P	RODUCT	ON		USE				
	LOCAL	IMPORT	TOTAL	AG	сомм	ром	LOSS	TOTAL	WATER RIGHT
WATER PURVEYORS									
Anza Mikual Weter Company	49	0	40	0	0	36	4 1/	40	Appropriative
Eastern MWD	240	5,117	5,357	0	0	5,090	267	5,357	Appropriative
Elsinore Valley MWD	0	5,100	5,100	0	0	4,590	510 1/	5,100	
Fallbrook PUD	0	6,382	6,382	3,245	464	2,334	339	6,382	Appropriative
Lake Riverside Estates	135	0	135	0	135 2/	0	0	135	Appropriative
Metropolitan Water District	0	5,023	5,023	193	4,403	0	427 3/	5,023	
Murrieta CWD	603	0	603	79	87	349	88	603	Appropriative
Rainbow MWD	0	1,601	1,601	1,315	0	141	145	1,601	
Rancho California WD	31,846	19,584	51,430	28,307	2,805	16,273	4,045 4/	51,430	Various.
U.S.M.C Camp Pendleton	6,494	0	6,494	400	5/	2,117	3,977 1/	6,494	Appropriative.
U.S. Naval Weapons Station	0	97	97	0	<i>5</i> ⁄	88	6/ 9 1/	97	Riparian —
Western MWD	0	31	31	0	28	0	3 1/	31	
INDIAN RESERVATIONS									
Cahuilla	242	0	242	217	0	25	0	242	Overlying/ Reserved
Pechanga	179	0	179	0	5/	181	18 1/	179	Overlying/
MOBILE HOME PARKS/CAMPG	ROUNDS								Reserved
Butterfield Oaks Mobile Home Park	10	0	10	0	0	9	1 1/	10	Riparian/ Overlying
Outdoor Resorts Rancho California, Inc.	87	0	87	0	0	78	9 1/	87	Overlying
OTHER SUBSTANTIAL USERS	7,759 7/	0	7,759	7,657	0	0	102 8/	7,759	
TOTAL	47,635	42,935	90,570	41,413	7,922	31,291	9,944	90,570	

^{1/} Assumes 10% loss

^{2/} Recreation Use

^{3/} Groundwater recharge at Eastside Reservoir

^{4/} Includes 459 acre feet discharged into Murrieta and Ternecula Creeks, 2,785 acre feet used for direct recharge, and a system loss of 801 acre feet

^{5/} Listed with Domestic uses

^{6/} Includes exports of 3,742 acre feet

^{7/ 1,022} acre feet for surface diversion plus 7,158 acre feet from groundwater as shown in Appendix C minus 242 ecre feet on the Cahuilla Reservation and minus 179 acre feet on the Pechanga Reservation

^{8/ 10%} of surface diversions

TABLE 7.2

SANTA MARGARITA RIVER WATERSHED

DEFINITIONS OF WATER USE BY MUNICIPAL WATER PURVEYORS

1997-98

DISTRICT	AGRICULTURAL	DOMESTIC	COMMERCIAL
EASTERN MUNICIPAL WATER DISTRICT	A commercial enterprise producing a crop/livestock on at least 5 acres and able to accept a delivery of at least 24 consecutive hours	Single family, multiple units and agricultural uses of less than 5 acres	Not reported
FALLBROOK PUBLIC UTILITY DISTRICT	AG - A commercial enterprise producing a crop/livestock/fowl on at least 1 acre fully used for ag purposes; can include incidental domestic use related to residency AG/DOM - Water used for both ag and domestic purposes	Single family, multi-unit and large domestic residences and the first 20,000 gallons used by an ag/domestic meter	Offices, businesses, schools and hydrants
;			
RAINBOW MUNICIPAL WATER DISTRICT	AG- 1 acre or more of plantable, resalable products DOM/AG - Same as Ag with a house on the parcel	DOMESTIC - Homes	Generally no commercial use in district
RANCHO CALIFORNIA WATER DISTRICT	AG - 1 ac.e or more of plantable, resalable products GOLF - Outside water use at golf courses VINEYARDS - Outside irrigation for vineyards	DOMESTIC - Homes MULTIPLE - Apartments and Condominiums	COMMERCIAL - Office buildings, industrial users other than agri-businesses FLOATING - Fire hydrants used during construction CONSTRUCTION - Other fire hydrants used for grading
	LANDSCAPE - Landscaping around freeways, parking lots, office buildings, median strips,		UNMETERED - Construction accounts used for finish construction work MISCELLANEOUS - Schools, fire departments, parks, government agencies DETECTOR CK. METERS - Only used when there is a fire
MURRIETA COUNTY WATER DISTRICT	Agricultural uses and irrigation for crops	Homes and multiple units	Businesses, public agencies, schools and construction
USMC, CAMP PENDLETON	Irrigation - Water used for ag purposes, not landscaping, golf courses or parks	Camp Supply - Includes landscaping, golf courses parks and commercial use	Reported under Camp Supply

contained in the deep aquifer did not add to, support or contribute to the Santa Margarita River stream system and were, therefore, declared to be outside the Court's jurisdiction.

Thus, most of the water produced by the Anza Mutual Water Company is outside the Court's jurisdiction. The relatively small portion pumped from the shallow aquifer in Well No. 1 is pumped under a groundwater appropriative right.

Eastern Municipal Water District

Eastern MWD is a member agency of MWD and its service area includes a portion of the Rancho California WD. Within the Watershed, the District wholesales water to Rancho California WD and also sells water directly to consumers. Water sold to Rancho California WD is listed in this report as imported water to the Rancho California WD service area.

Eastern MWD's service area outside Rancho California WD is located in the northern part of the Watershed. Water for their service area is imported or produced locally from groundwater.

Imports, not including water wholesaled to Rancho California WD or delivered to Elsinore Valley MWD, totaled 6,609 acre feet. A portion of that import amounting to 1,492 acre feet was exported from the Santa Margarita River Watershed resulting in net import to the watershed of 5,117 acre feet. These data are shown in Appendix A.

Groundwater production for the 1997-98 Water Year in the Santa Margarita River Watershed totaled 240 acre feet from Well 7S/3W-15N which is 345 feet deep. The well is generally perforated between the depths of 106 and 333 feet. Recent static water levels in Eastern MWD's well have varied from a depth of 102 feet in December 1987, to as low as 170 feet in March, 1998. The most recent static depth measurement is 144 feet in September, 1998. The well is located within the Murrieta-Temecula Groundwater Area where the older alluvium is at ground surface. Thus the well produces water from the older alluvium under groundwater appropriative rights.

In addition to producing fresh water, Eastern MWD also reclaims wastewater at its Temecula Valley Regional Water Reclamation Facility. Because of concerns about exports from the watershed, the disposition of the wastewater is reported.

Disposition of wastewater from the Temecula Valley Regional Water Reclamation Facility (Facility) service area for Water Years 1996-97 and 1997-98 is shown below:

	1996	6 - 97	1997	7-98
	Quantity	<u>Percent</u>	Quantity	<u>Percent</u>
	AF	%	AF	%
Used in Santa Margarita	3,126	49	2,949	40
Used outside Santa Margarita	<u>2,319</u>	<u>37</u>	<u>2,139</u>	<u>29</u>
Reuse	5,445	86	5,088	69
Unaccounted for Production	882	<u>.14</u>	<u>2,374</u>	<u>31</u>
TOTAL PRODUCTION	6,327	100	7,462	100

It can be noted that the quantities of reclaimed wastewater used within the Santa Margarita River Watershed decreased from 3,126 acre feet in 1996-97 to 2,949 acre feet in 1997-98. During the same period reuse outside the Santa Margarita River Watershed decreased from 2,319 acre feet to 2,139 acre feet. From the foregoing it may be concluded that 40 percent of the wastewater is reused in the watershed. Unaccounted for production increased substantially from 882 acre feet to 2,374 acre feet. Unaccounted for production includes changes of storage in Winchester and Sun City storage ponds (172 acre feet), evaporation and percolation losses (1,413 acre feet) and discharges to the Santa Ana Watershed (789 acre feet). The decline in use and the large unaccounted for production is related to the heavy rains in February 1998.

Because of concerns about the potential export of native Santa Margarita water, the sources of water supply to the Facility service area were determined and are shown on Table 7.3 for years since 1991. In 1997-98, the proportion of groundwater being supplied to the service area was about 54 percent. However in 1997-98, the proportion of wastewater production reused in the watershed was 40% which is less than the proportion of native groundwater in the supply to the service area. At current production levels, annual reuse in the watershed needs to be at least 4,029 acre feet to avoid exporting native waters.

Estimates of water production and use for the period 1966-1998 are shown in Appendix B.

TABLE 7.3

WATER DELIVERIES TO TEMECULA VALLEY REGIONAL WATER RECLAMATION FACILITY SERVICE AREA SANTA MARGARITA RIVER WATERSHED

	1991	_	1992	2	1993	_	1994	4	1995	20	1996	9	1997*	7.	1998	82
Eastern MWD	ΑF	ጽ	ΑF	ጽ	ΑF	%	Ą	ጽ	ΑF	%	ΑF	%	ΑF	*	ΑF	%
Deliveries to TVRWRF																
Service Area 1. Groundwater	456		527		524		232		182		280		408		240	
2. Import	4,249		3,499		_(C)		4,145		4,017		4,960		3,284		5,117	
3. Total	4,705		4,026	l	4,334	ı	4,377	'	4,199	ı	5,259	ı	3,692	ı	5,357	
Rancho California WD																
Deliveries to TVRWRF																
Service Area																
 Groundwater 	2,470		3,469		4,920		6,320		7,041		8,629		9,038		8507	
2. Import	3,231		2,656				1,926		1,806		2,377		2,591		2,344	
3. Totaľ	5,701		6,125	l	7,065	I	8,246	•	8,847	ı	11,006	I	11,629	•	10,851	
Total Deliveries to TVRWRF Service Area	WRF Servic	e Area														
1. Groundwater	2,926	2,926 28.1%	3,996	3,996 39.4%	5,444	47.8%	6,552	51.9%	7,223	55.4%	8,928	54.9%	9,446	61.7%	8,747	54.0%
2. Import	7,480	7,480 71.9%	6,155	6,155 60.6%	5,955	52.2%	6,071	6,071 48.1%	5,823	44.6%	7,337	45.1%	5,875	38.3%	7,461	46.0%
3. Total	10,406 100.0%	100.0%	10,151 100.0%	ı	11,399 100.0%	%0.00	12,623	12,623 100.0%	13,046	100.0%	16,265	100.0%	15,321	100.0%	16.208	100.0%

NOTE: Prior to 1996, EMWD imports are based on sales data; 1996 and following years are based on discharges from EM-17. * Revised

Elsinore Valley Municipal Water District

Elsinore Valley MWD provides water to its service area around Lake Elsinore, a portion of which is within the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from ten wells, all located outside the Santa Margarita River Watershed, and also imports MWD water through Eastern MWD and Western MWD.

The District reports that 5,100 acre feet were imported into the portion of their service area that is inside the Santa Margarita River Watershed in 1997-98. Also during 1997-98, approximately 247 acre feet of wastewater were exported from that same area.

Fallbrook Public Utility District

In 1997-98, Fallbrook PUD imported 11,757 acre feet through its contract with the San Diego County Water Authority as shown in Appendix A. Of this quantity, 1,803 acre feet were delivered to the former DeLuz Heights Water District service area that is entirely within the Santa Margarita River Watershed. Of the remaining importations it is estimated that 46 percent, or 4,579 acre feet, were delivered to lands inside the Santa Margarita River Watershed. The remainder was delivered to lands in the adjacent San Luis Rey River Watershed. Thus, imports to the Watershed totaled 6,382 acre feet in 1997-98.

In addition to importations, the District has three wells; however, in 1997-98, there was no pumpage from these wells.

Production during the period 1966 to 1998 included direct diversions from the Santa Margarita River for water years before 1972 as well as imported water and well production as shown in Appendix B.

Lake Riverside Estates

Lake Riverside Estates pumps water from Well No. 7S/2E-32C1, into Lake Riverside to make up evaporation losses. Production for 1997-98 was 135 acre feet. The production well was drilled in 1962 and is located in an area of younger alluvium in the Cahuilla Groundwater Basin. The driller's log shows sand and clay for the entire well depth of 338 feet.

Interlocutory Judgment No. 33 indicates that the owners of lands in the Cahuilla Groundwater Basin have correlative overlying rights to the use of the groundwater that is the basis for this production.

Metropolitan Water District of Southern California

Pursuant to a Court Order, MWD delivered 193 acre feet of imported water for irrigation of lands in Domenigoni Valley during 1997-98. MWD also imported 4,403 acre feet for use as construction water for the Eastside Reservoir Project and 427 acre feet for groundwater recharge.

Murrieta County Water District

Murrieta CWD serves the area in the vicinity of the town of Murrieta in Riverside County. In Water Year 1997-98, Murrieta CWD produced 603 acre feet of water as shown in the following tabulation and in Appendix A.

Well Designation	Well Name	1997-98 Production Acre Feet	Casing Depth Feet	Water Depth Feet	Well Depth Feet	Perforated Interval Feet
7S/3W-20C9	Holiday	185	25	73 - 88	307	60 - 307
7S/3W-20G5	House	99	50	123 - 139	298	120 - 252
7S/3W-17R2	Lynch	0	26	42 - 58	212	172 - 212
7S/3W-18J2	North	125	50	142 - 165	650	240 - 260
						500 - 640
7S/3W-20D	South	194	50	125 - 142	446	120 - 446

All of these wells are located in the Murrieta-Temecula Groundwater Area. Interlocutory Judgment No. 30 indicates that in Murrieta Valley the younger alluvium deposits extend in various depths to a maximum of approximately 30 feet from the ground surface.

The Court noted that it was impossible, based on evidence available in 1962, to determine with exactness the depth of the younger alluvial deposits throughout the Valley. However, it did decide that subsequent findings could be made, if needed, because the Court would retain continuing jurisdiction. Older alluvial deposits are found below the younger alluvium.

Four of the five Murrieta CWD wells are perforated at depths of 120 feet or more. One of the Murrieta CWD wells has perforations beginning at a depth of 60 feet. This depth is well below the maximum depth of younger alluvium found by the Court in 1962. In addition, water depths in the well with perforations at 60 feet ranged from 73 to 88 feet in 1997-98. Accordingly all of Murrieta CWD well production is from the older alluvium under a groundwater appropriative right.

Production for the period between 1966 and 1998 is shown in Appendix B.

Rainbow Municipal Water District

Rainbow MWD is located in San Diego County in the south-central part of the Watershed. In recent years about ten percent of the District's imported supply is delivered to the portion of the District's service area inside the Watershed. Most of the District is in the San Luis Rey River Watershed. As shown in Appendix A, total deliveries of imported water in the Watershed in 1997-98 amounted to 1,601 acre feet.

Total imports to the District for years between 1966 and 1998 as well as the estimated portion served inside the Santa Margarita River Watershed, are shown in Appendix B.

Rancho California Water District

Rancho California WD serves water to a 99,600 acre service area in the central portion of the Watershed. The District produced water from 42 wells in 1997-98 and also imported water, as shown in Appendix A. Use is shown in Appendix A under the categories of agriculture, commercial and domestic. In Water Year 1997-98, 31,846 acre feet of local supplies were pumped from the Murrieta-Temecula Groundwater Area and 19,584 acre feet were imported for total production of 51,430 acre feet not including 8,978 acre feet of water released from Vail Dam for recharge. During 1997-98, 458 acre feet were released into Murrieta Creek and 1 acre foot into Temecula Creek.

The District reclaimed and reused 1,376 acre feet of wastewater during the year, in addition to 1,119 acre feet obtained from Eastern MWD for reuse.

In addition the District treated and discharged 1,179 acre feet of reclaimed wastewater to Murrieta Creek as part of its 2 MGD Demonstration Project.

Rancho California WD produces groundwater under a variety of rights as follows:

- 1. Recovery of water appropriated at Vail Lake
- 2. Recovery of import return flows and recharged imported water
- 3. Groundwater appropriative rights

Vail Appropriation

Rancho California WD's Vail Dam appropriative rights are described in Application No. 11518 as amended on June 17, 1947, and in Permit 7032. That right provides that the District may store up to 40,000 acre feet in Vail Reservoir each year between November 1 and April 30, subject to applicable limitations, and that the water so stored may be used for irrigation and domestic uses incidental to farming operations on 3,797 acres of land between May 1 and October 31. Such use may be by direct diversion from Vail Lake or by recovery with wells of water released from Vail and spread downstream in Pauba Valley.

The place of use for irrigation and domestic use is described as follows:

Sections 5, 6, 7 and 18; T8S, R1W Sections 1, 10 through 21, 28 and 29; T8S, R2W Sections 13 and 24; T8S, R3W.

In 1971, the Permit was amended to add recreational use at Vail Reservoir within Section 10, T8S, R1W.

As previously mentioned, a total of 8,978 acre feet were released from Vail during 1997-98 of which 4,514 acre feet were released to groundwater storage and 4,464 acre feet were bypassed. Releases from Vail for groundwater recharge for the period 1980 to 1998 are shown on Table B-6.

Water use in the Permit 7032 service area is shown on Table 7.4. This use will be compared with well production from the younger alluvium in a later section of this report.

Representatives of the United States contend that storage of water in Vail Lake, and the related recharge and rediversion operations, may exceed Rancho California WD's share of the Santa Margarita River flow as allocated under the 1940 Stipulated Judgment.

TABLE 7.4

SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT

PERMIT 7032 AREA WATER USE

1997-98

Quantities in Acre Feet

MONTH YEAR	AG	сомм	DOM	TOTAL
1997				
OCT	73	9	86	168
NOV	70	7	80	157
DEC	47	8	57	111
1998				
JAN	21	4	39	64
FEB	12	3	27	42
MAR	14	3	24	40
APR	33	4	33	69
MAY	65	6	56	127
JUNE	66	6	55	126
JULY	128	8	83	219
AUG	244	15	138	398
SEPT	146	10	104	261
OLI 1	140	10	104	201
TOTAL	921	82	781	1,784

Imported Water Return Flows

During 1997-98, Rancho California WD imported 16,799 acre feet of water for direct use compared to 25,677 acre feet in 1996-97. Quantities of imported water delivered to the Rancho Division and the Santa Rosa Division are shown below for Water Years 1996-97 and 1997-98.

	Rancho Di Imp		Santa Rosa Impo		Tota Impo	
<u>Month</u>	1997	1998	1997	1998_	1997	<u>1998</u>
October	502	539	1,942	1,596	2,444	2,135
November	84	178	370	510	454	688
December	0	0	63	0	63	0
January	0	0	0	144	0	144
February	0	0	143	0	143	0
March	50	0	1,068	0	1,118	0
April	241	0	1,247	187	1,488	187
May	674	0	1,952	213	2,626	213
June	1,089	470	2,193	1,309	3,282	1,779
July	1,388	1,172	2,642	2,763	4,030	3,935
August	1,939	1,368	3,571	3,392	5,510	4,760
September	<u>1,295</u>	<u>737</u>	<u>3,224</u>	<u>2,221</u>	<u>4,519</u>	2,958
Total	7,262	4,464	18,415	12,335	25,677	16,799

Return flows for 1997-98 based on imported water use in the Rancho Division and Santa Rosa Division are shown on Table 7.5 and on Table 7.6.

In those tables, imported water is allocated to agricultural, commercial and domestic uses in each of eight hydrogeologic areas in the Rancho Division service area. This allocation is the proportion of the total deliveries to each use that is made up of imported water. In 1997-98, 21.60 percent of the supply to the Rancho Division was imported and 61.10 percent of the supply to the Santa Rosa Division was imported.

In general the Santa Rosa Division does not overlie the groundwater area. However there are several areas classified as being in the Santa Rosa Division that do overlie the groundwater area and generate return flows from imported supplies. Data from most of these lands have been reported since December 1991.

TABLE 7.5

SANTA MARGARITA RIVER WATERSHED RANCHO CALIFORNIA WATER DISTRICT RETURN FLOW CREDIT

1997-1998
RANCHO DIVISION
Quantities in Acre Feet

HYDROGEOLOGIC AREAS

									_
	0 NO HYDRO-	1 MURRIETA	2 SANTA	3 LOWER	4 PAUBA	5 SOUTH	6 UPPER	7 PALOMAR	TOTAL
	GEO CODE	WOLF 1/2 QYAL 1/2 QTOAL	GERTRUDIS QYAL	MESA QTOAL	QYAL	MESA QTOAL	MESA QTOAL	QTOAL	
		1/2 QTOAL							
AGRICULTUI	RAL*								
Total Use	3,131.29	726.12	250.41	1,900.81	559.78	562.30	1,586.10	1,305.88	10,024.70
% Import	21.60	21.60	21.60	21.60	21.60	21.60	21 60	21.60	21.60
Import Use	676.26	157.25	54.08	410.52	120.90	121,44	342.55	282.03	2,165.03
% Credit	33.00	33.00	33.00	33.00	33.00	33.00	33.00	33.00	33.00
Credit	223.17	51.89	17.85	135.47	39.90	40.08	113.04	93.07	714.46
COMMERCIA	L								
Total Use	8,94	902.35	428.53	805.12	14.95	108.78	41.98	0.20	2,310.83
% Import	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21,60
Import Use	1.93	194.88	92.55	173.88	3.23	23.49	9.06	0.04	499.07
% Credit	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
Credit	0.19	19.49	9.25	17.39	0.32	2.35	0.91	0.00	49.91
DOMESTIC									
Total Use	614.17	1,732.85	393.48	7,634.61	231.10	1,909.99	721.88	272.94	13,511.03
% Import	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60	21.60
import Use	132.64	374.24	84.98	1,648.85	49.91	412.50	155.90	58.95	2,917.97
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
Credit	33.16	93.56	21.25	412.21	12.48	103.13	38.98	14.74	729.49
TOTAL USE	3,754.41	3,363.33	1,072.42	10,340.54	805.84	2,561.07	2,349.95	1,579.02	25,846.56
TOTAL									
Total Import	810.84	726.38	231.61	2,233.24	174.04	557.43	507.52	341.02	5,582.08
Total Credit	256.52 **	164.94	48.35	565.07	52.70	145.55	152.92	107.81	1,493.86
Total Credit	Qyal	82.47	48.35		52.70				183.51
Total Credit	Qtoal	82.47		565.07		145.55	152.92	107.81	1,053.83

^{*} Includes golf course and landscape irrigation

^{**} This credit not applied to either Qyal or Qtoal

TABLE 7.6

SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT RETURN FLOW CREDIT

1997-1998

SANTA ROSA DIVISION

Quantities in Acre Feet

HYDROGEOLOGIC AREAS				
	1 MURRIETA	3 LOWER	8 RTS 279,	TOTAL
	WOLF	MESA	280 & 285	TOTAL
	1/2 QYAL	QTOAL	1/4 QYAL	
	1/2 QTOAL		3/4 QTOAL	
AGRICULTURAL *				
Total Use	0.00	0.00	1,276.77	1,276.77
% import	61.10	. 61.10	61.10	
Import Use	0.00	0.00	780.09	780.09
% Credit	33.00	33.00	33.00	
Credit	0.00	0.00	257.43	257.43
COMMERCIAL				
Total Use	0.03	0.00	344.21	344.25
% Import	61.10	61.10	61.10	
Import Use	0.02	0.00	210.31	210.33
% Credit	10.00	10.00	10.00	
Credit	0.00	0.00	21.03	21.03
DOMESTIC				
Total Use	0.00	0.00	1,127.44	1,127.44
% Import	61.10	61.10	61.10	
Import Use	0.00	0.00	688.85	688.85
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	172.21	172.21
TOTAL USE	0.03	0.00	2,748.42	2,748.46
TOTAL				
Total Import Use	0.02	0.00	1,679.24	1,679.26
Total Credit	0.00	0.00	450.67	450.67
Total Credit Qyal	0.00		112.67	112.67

0.00

Total Credit Qtoal

0.00

338.00

338.00

^{*} Includes golf course and landscape irrigation

WATERMASTER SANTA MARGARITA RIVER WATERSHED

The percentage of imported water that becomes return flow varies according to the use as follows:

Agricultural Use	33%
Commercial Use	10%
Domestic Use	25%

Based on the foregoing factors, the return flow credit for 1997-98 is computed to be 1,493.86 acre feet for the Rancho Division and 450.67 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Some of the hydrogeologic areas overlie older alluvium and some overlie younger alluvium. Comparison of exposures of younger alluvium with maps of the District's hydrogeologic areas indicates that the Santa Gertrudis, Pauba and half of the Murrieta-Wolf areas overlie younger alluvium. The area of the Santa Rosa Division that overlies the groundwater area is one-fourth in the younger alluvium and three-fourths in the older alluvium. Import return flows in these areas can be credited against pumping from the younger alluvium. These credits for 1997-98 are 183.51 acre feet for the Rancho Division and 112.67 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Rancho California WD imported an additional 2,785 acre feet of water for groundwater recharge in 1997-98.

Division of Local Water

During 1997-98, Rancho California WD pumped 31,846 acre feet of groundwater. Some of this water was pumped from the younger alluvium and some from the older alluvium. The Court determined that water in both the younger alluvium and older alluvium add to, contribute to and support the Santa Margarita River stream system. The primary reason for differentiating between younger alluvium and older alluvium production is that, in California, production from the younger alluvium is generally considered to be governed by water rights that apply to the regulation of surface waters. Production from the older alluvium is generally considered to be governed by regulations that apply to groundwater.

In 1995 well logs and geophysical logs of all Rancho California WD wells were reviewed by representatives of the United States and Rancho California WD to determine the depths of the younger alluvium. There was general agreement between the parties about the depth of the younger alluvium in production wells, except for ten wells shown on Table 7.7 of the 1994-95 report. The remaining disagreements relate to differences about the magnitude of the clay layer needed to define the base of the younger alluvium, the importance of neighboring well logs, and general concepts about the overall geologic setting.

During joint development of a groundwater model of the area it was necessary to develop estimates of the transmissivity for each aquifer. These estimates were based on pump tests. The resulting transmissivity values were then used to estimate the relative groundwater production from each aquifer. For Rancho California WD wells, the percent production estimated to originate in the younger alluvium is shown in Table 7.7.

Production from the younger alluvium and older alluvium for 1997-98 using the percentages noted in Table 7.7 is presented in Table 7.8. It may be noted that 5,916 acre feet were pumped from the younger alluvium and 25,930 acre feet were pumped from the older alluvium in 1997-98.

The production of 5,916 acre feet from the younger alluvium as shown on Table 7.8 is first adjusted to reflect the recovery of import return flows shown on Tables 7.5 and 7.6, and direct recharge of imported water. The remaining quantity is compared with authorized uses in the Permit 7032 service area.

In 1997-98 there were total return flow credits of 296 acre feet and direct recharge of 2,785 acre feet of imported water in addition to an import carry over of 552 acre feet from 1996-97, leaving 2,283 acre feet of production under Permit 7032. In 1997-98, 4,514 acre feet were released from Vail and recharged to groundwater storage. That recharge is sufficient to provide for the use of 2,283 acre feet. However, only the 921 acre feet of water used for agricultural purposes within the Permit 7032 place of use and shown on Table 7.4 is authorized under the permit. The remaining 1,362 acre feet was used for domestic or commercial purposes or was used outside the 7032 place of use. Those uses are not authorized under Permit 7032.

Total production from younger alluvium	5,916
Less import return flow credit	296
Less import direct recharge	2,785
Less Import Carryover from 1996-97	<u>552</u>
Subtotal	2,283
Less authorized Vail agricultural use	<u>921</u>
Unauthorized Use	1,362

SANTA MARGARITA RIVER WATERSHED

PERCENT PRODUCTION FROM YOUNGER ALLUVIUM IN RANCHO CALIFORNIA WATER DISTRICT WELLS

TABLE 7.7

RCWD WELL NO.	LOCATION TOWNSHIP! RANGE! SECTION	SEAL DEPTH FEET	PERFORATED INTERVAL FEET	DEPTH YOUNGER ALLUVIUM FEET	PERCENT YOUNGER ALLUVIUM %		REMARKS
106	7S/3W-26R1	55	130-210; 250-310; 340-440; 700-740; 780-980	0	0.0%	Murrieta	No. 108 Winchester, clay 0'-40'
107	7S/3W-26J1	55	60-120; 190-260; 280-300; 390-590	58	0.0%	Murrieta	No. 105 - gravel & clay 58'-84'
108	7S/3W-25E1		60-110; 190-280; 350-410; 430-450; 470-490; 530-590	55	0.0%	Murrieta	Formerly No. 109 gravel/sandy clay 55'-70'
109	8S/2W-17J1	52	70-150; 170-210	75	84:0%		Brown clay and gravel 75' to 105'
110	8S/1W-6K1	54	75-155	165	97.0%		Clay 165'-190'. Prior to 10/23/97 perf int. 70-150; 200-240; 320-380; 420-460
113	7S/2W-25H1	52	96-136; 275-462; 482-542	Shallow	0.0%		
116	8S/1W-6J	Unknown	60-120; 140-200; 220-260; 270-330; 370-390	150	94.0%		Clay 150'-170'
119	85/2W-19J	55	170-260; 300-470		0.0%	Wolf Valley	Perforated below 170*
123	8S/1W-7B	55	100-260; 300-380; 420-500	135	65.0%	-	Brown Sarid Clay 135'-210'
129	7S/2W-20L	Unknown	180-290; 416-480; 520-600	Shallow	0.0%	Santa Gertrudis Creek	Gyal very shallow along Santa Gertrudis Creek
132	8\$/1W-7D	55	70-390; 430-500	135	82.0%		Brown Clay Streaks 135'-175'
135	7S/3W-27M10	55	70-170	50	0.0%	Murrieta Valley	Sitty clay 50'-69'
141	8S/2W-11P	55	120-190; 215-235; 270-380; 430-510	104	0.0%		Silt & sand 104'-185'; Well 11L1 is 112'
144	7\$/3W-27D	55	983-1123; 1143-1283; 1343- 1483; 1503-1743	25	0.0%	Murrieta Valley	Sand with silty clay 25'-45'
205	7S/3W-35A	96	150-1000	10	0.0%	Santa Gertrudis/ Murrieta Valley	Sandy clay 10'-20'
210	8S/2W-12K	None	48-228	140	94.0%		Clay cobblestones 160'-167', 175'-227'
218	8S/2W-20B5	27	48-289	40	0.0%		Old 28; clay with sand layer 40'- 60'; now monitoring wells 427, 428 and 429
466	8S/3W-1P2	Unknown	106-822	49	0.0%	Long Canyon	Old 219, Cantarini, hard clay 49'- 60'
220	7S/3W-26Q1	34	114-450	58	0.0%		Clay 58' - 73'
467	8S/2W-12K1	Unknown	50-100; 100-140	140	100.0%		Old 221, JK, Exh. 16, Monitoring well since 1983
223	8S/2W-20C1	Unknown	48-250	60	94.0%	Wolf Valley	CAT Well; east of Wildomar Fault, nearby Exh 16 wells 17Q @62' & 17M @55' are also east of the Wildomar Fault
224	8S/2W-15D	Unknown	48-250	106	68.0%		Old Well 50, clay 106'-138'
230	8S/2W-11J1	Unknown	24-31; 32.5-34; 35-40; 61- 65; 70-76; 80-85; 86.5-91; 92.5-98.5	>119	100.0%		Old Well 30, depth of well is 119
231	8S/2W-20B6	55	80-120; 150-270	35	0.0%		Old 104, P-34, Clay 20'-23'; 35'- 41'; East of Wildomar Fault
232	8S/2W-11J3	51	95-135; 175-215; 235-295	135	92.0%		Old 111, 105, P-31; coarse sand & clay 135' - 155'
233	8S/2W-12K2	51	95-135; 175-215; 235-295	145	88.0%		Old 112, P32, sand and clay at 145'-220'
234	8S/2W-11P1	52	80-100; 120-140; 200-240; 280-320; 340-400	125	74.0 %		Brown Clay et 125'; sand and clay at 125'-140'
235	8S/3W-1Q1	55	Unknown	Shallow	0.0%	Long Canyon	
240	8S/2W-11L1	Unknown		112	86.0%		Old Well No. 40; clay 112-136
301	7S/3W-18Q1	93	140-280; 280-520; 540-640	26	0.0%	Murrieta	Old JR1; blue clay 26'-32'

TABLE 7.8
SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT WELL PRODUCTION FROM YOUNGER AND OLDER ALLUVIUM

1997-98 Quantities in Acre Feet

101 102 105			
	0.00	172.00	172.00
105	0.00	329.00	329.00
	0.00	0.00	0.00
106	0.00	650.00	650.00
108	0.00	613.00	613.00
109	563,64	107,36	671.00
110	878.82	27.18	906.00
113	0.00	435.00	435.00
117	0.00	0.00	0.00
118	0.00	1,368.00	1,368.00
119	0.00	710.00	710.00
120	0.00	1,068.00	1,068.00
121	0.00	0.00	0.00
122	0.00	453,00	453.00
123	0.00	0.00	0.00
	0.00		0.00
124		0.00	
125	0.00	718.00	718.00
126	0.00	1,213.00	1,213.00
128	0.00	844.00	844.00
129	0.00	0.00	0.00
130	0.00	692.00	692.00
131	0.00	741.00	741.00
132	698.64	153.36	852.00
133	0.00	543.00	543.00
135	0.00	12.00	12.00
138	0.00	1,753.00	1,753.00
139	0.00	1,663.00	1,663.00
140	0.00	863.00	863.00
141	0.00	441.00	441.00
143	0.00	310,00	310.00
144	0.00	104.00	104.00
145	0.00	846.00	846.00
149	0.00	0.00	0.00
151	0.00	473.00	473.00
155	0.00	322.00	322.00
201	0.00	0.00	0.00
203	0.00	125.00	125.00
204	0.00	0.00	0.00
205	0.00	3.00	3.00
207	0.00	8.00	8.00
208	0.00	65.00	65.00
209	0.00	0.00	0.00
210	1,206.96	77.04	1,284.00
211	0.00	1,191.00	1,191.00
212	0.00	0.00	0.00
215	0.00	0,00	0.00
216	0.00	0.00	0.00
217	0.00	593.00	593.00
224	0.00	0.00	0.00
231	0.00	903.00	903.00
232	629,28	54,72	684.00
232		263.52	
	1,932.48		2,196.00
234	6.66	2.34	9.00
235	0.00	1,940.00	1,940.00
301	0.00	0.00	0.00
302	0.00	421,00	421.00
309	0.00_	2,659.00_	2,659.00

Western Municipal Water District

Western MWD wholesales imported water to Rancho California WD and also serves water to its Improvement District A near the southern boundary of Riverside County along I-15 freeway. Deliveries to Rancho California WD are included under Rancho California WD.

In Water Year 1997-98, imports to improvement District A amounted to approximately 31 acre feet.

Deliveries to Improvement District A through turnout WR-13 for the period 1966 to 1998 are shown in Table 5.4.

U. S. Marine Corps - Camp Pendleton

Camp Pendleton is located on the coastal side of the Santa Margarita River Watershed. Water is provided by 9 wells that produced 6,494 acre feet in Water Year 1997-98. This production is from the younger alluvium and is based on riparian and appropriative rights. Of this quantity, 3,742 acre feet were exported out of the Watershed as shown in Appendix A.

A portion of the exported water amounting to 2,073 acre feet was returned to the Santa Margarita River Watershed as wastewater.

Production and estimated use inside and outside the Watershed, as well as wastewater returns, are shown in Appendix B for the period 1966-1998.

In addition to the operations at Camp Pendleton involving diversions from the Santa Margarita River, water is also imported by the Naval Weapons Station (NWS). The NWS occupies about 9,148 acres in the north eastern part of Camp Pendleton. Since 1969 the NWS has relied on imported water delivered via Fallbrook PUD for its supply. Wastewater is exported from the NWS and the Watershed via an outfall line also used by the Fallbrook Public Utility District. In 1997-98, 97 acre feet were imported of which 8 acre feet of wastewater were exported, as shown in Appendix A. Imports and use between 1966 and 1998 are shown in Appendix B.

7.3 Indian Reservations

Water use information about the three Indian Reservations in the Watershed is described in the following sections:

Cahuilla Indian Reservation

In general, domestic water use on the Cahuilla Indian Reservation is not measured, however reports indicate that 180 people reside on the Reservation. These residents use water primarily for domestic purposes as well as for livestock watering and grazing. Annual domestic water use, based on 125 gallons per capita per day, amounts to a total annual use of about 25 acre feet from wells listed in Appendix C.

The foregoing estimate is for total domestic water use on the Reservation. A portion of this use may not be under Court jurisdiction, but the estimate will be used until individual well production quantities are available to allow determination of the portion under Court jurisdiction. The estimated domestic use is included on Table 4.1 under water purveyor production.

An additional 5 acre feet was put to commercial use at a casino. This water was pumped from well 7S/2E-26B3 which overlies basement complex and is outside court jurisdiction.

In 1997-98, 160 acres were leased for irrigation use. Crops included 80 acres of oats and 80 acres of potatoes. Water was supplied from the Agri-Empire, Inc. water system that includes six wells at various locations in the Anza Valley based on overlying and reserved rights. One of the wells in the Agri-Empire water system (7S/3E-28A2) is located on the Reservation.

Pechanga Indian Reservation

During 1997-98, water well production by the Pechanga Water System amounted to 175.18 acre feet. In addition, it is estimated that a spring produced about 4 acre feet during the year for a total production of 179.18 acre feet. Information about system wells and the spring is shown in the following tabulation:

Well/Spring <u>Designation</u>	<u>Name</u>	Water Depth <u>Feet</u>	Well Depth <u>Feet</u>	Perf. Interval * <u>Feet</u>
28R1	Ball Park	141 - 156	1,000	130 - 220
28Q6	Sea Bee	252 - 277	610	<u> </u>
29A1	Kelsey Tract	44 - 50	348	
36	Spring	N/A	N/A	N/A
29B10	Eduardo			

^{*} Information about construction of some of the wells is not available.

The wells listed above are in areas of younger alluvium at ground surface. The depth of the younger alluvium in Wolf Valley was estimated by representatives of Rancho California WD and the United States for Rancho California WD Wells No. 117 (8S/2W-20E) and No. 119 (8S/2W-19J) to be in the range of 120 to 170 feet in depth. Thus, based on available well construction data, some of the production is from the younger alluvium and some from the older alluvium. Under state law production from the wells that originate in the older alluvium can be considered to be under a groundwater appropriative right or an overlying right, depending on the circumstances at each well.

Under federal law, production from wells that originate in either the younger or older alluvium can be considered to be under a federal reserved right, in accordance with Interlocutory Judgment No. 41 which provides as follows in Order No. 7:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Pechanga Indian Reservation, including rights to the use of ground waters sufficient for the present and future needs of the Indians residing thereon with priority dates

of June 27, 1882, for those lands established by the Executive Order of that date; January 9, 1907, for those lands transferred by the Executive Order of that date; August 29, 1893, for those lands added to the Reservation by Patent on that date; and May 25, 1931, for those lands added to the Reservation by Patent of that date.

Ramona Indian Reservation

The Ramona Indian Reservation occupies 560 acres of land of which 321 acres are inside the Watershed. The Ramona Reservation has no reported water use or residents.

7.4 Mobile Homes/Campgrounds

There are a number of mobile home parks in the Watershed. These range from relatively permanent structures, to those catering to recreational vehicles and campgrounds. Water production from wells is shown on Table 7.1 for Butterfield Oaks Mobile Home Park, and Outdoor Resorts Rancho California, Inc.

7.5 Irrigation Water Use

Estimated water production reported by substantial users for irrigation in the Santa Margarita River Watershed is shown on Table 7.1 to be 7,759 acre feet. This estimate was based on reported irrigated acreage and includes 1,022 acre feet of surface diversions as shown in Appendix C.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 8 - UNAUTHORIZED WATER USE

8.1 General

From time to time there are complaints of unauthorized water uses of various types in the Watershed. Such complaints are investigated when they are brought to the attention of the Watermaster. The status of the current list of unauthorized uses is described as follows:

8.2 <u>Unauthorized Small Storage Ponds</u>

Many small dams and reservoirs have been constructed on streams in the Watershed. The legal basis for these ponds is described in the 1988-89 Watermaster Report. Basically, the Court has held that storage of water in ponds less than 10 acre feet in capacity and used for stock watering is a valid use of riparian water. The Court has also held that:

The temporary or non-seasonal impoundment by riparian owners for the purpose of providing a head for irrigation or for the purpose of temporarily accumulating sufficient water to make possible efficient irrigation is a proper riparian use of water.

Criteria for determining non-seasonal storage of irrigation water have yet to be developed.

8.3 Rancho California Water District Water Use

A number of unauthorized water use issues have been raised by the United States. These issues and action to investigate and/or correct the issues are as follows:

- Violation of the 1940 Stipulated Judgment United States' representatives have indicated their belief that the provisions of the 1940 Stipulated Judgment have been violated in two respects by Rancho California WD:
 - A. Storage of water in Vail Lake and the related recharge and rediversion operations exceed the portion of the Santa Margarita River flow allocated to Rancho California WD by the Stipulated Judgment.
 - B. Production of water by Rancho California WD from the older alluvium should be included with surface water in determining whether water use by Rancho California WD exceeds that portion allocated to Rancho California WD by the Stipulated Judgment.

Rancho California WD disagrees with each of these contentions.

During 1997-98 representatives of Rancho California WD and the United States continued to discuss these issues in meetings of an Attorneys' Group and a Technical Committee. The purpose of the Attorneys' Group is to develop solutions to the water right issues that have divided the two parties. The Technical Committee is to agree on technical facts that can assist the Attorneys' Group in resolving issues related to the 1940 Stipulated Judgment, as well as Permit 7032 issues described in the following section.

 Rediversion and Use Not in Accord with Terms of Permit 7032 - As noted in Section 7 of this report, the place of use, rediversion facilities and the type of use of water appropriated under Rancho California WD's Application No. 11518 and Permit 7032 have changed since the Application was filed in 1947.

Use of water under Permit 7032 is limited to irrigation, domestic use incidental to farming operations and recreation. Such use for municipal and industrial purposes represents an unauthorized use.

As noted in the previous section of this report, unauthorized use of water under Permit 7032 amounted to 1,362 acre feet in 1997-98. This water appropriated under Permit 7032 was either used outside the designated place of use or partially used within the designated service area for commercial and/or domestic use, neither of which is authorized under Permit 7032.

Rancho California WD initiated the process of changing Permit 7032 on September 1, 1992, by filing a Notice of Intent to Adopt a Negative Declaration for a Petition for Change to the SWRCB, Division of Water Rights, relative to Appropriations Water Permit 7032.

On January 15, 1993, the United States in a petition filed with the Superior Court of the State of California for Riverside County alleged that the District had violated the California Environmental Quality Act (CEQA) by adopting the Negative Declaration. On April 12, 1994, the Court denied the United States' petition and declared that Rancho California WD had complied with CEQA by adopting the Negative Declaration. On August 11, 1994, the parties jointly requested an extension of time for the filing of an appeal pending current settlement negotiations. The appellate Court granted an extension of the process which has subsequently been extended to August 17, 1999.

On January 13, 1993, the District filed a Petition for Change in the points of rediversion, the place of use and the purpose of use with the SWRCB. The Petition for Change was protested by Camp Pendleton, U. S. Fish and Wildlife Service, the U. S. Bureau of Indian Affairs, and the California Sportfishing Alliance.

In March 1993, Camp Pendleton filed a Complaint with the SWRCB that Rancho California WD was violating the terms of Permit 7032 regarding place, season and purpose of use. On May 25, 1993, the SWRCB advised that it would process the Complaint prior to acting on the District's Petition for Change.

A representative from the SWRCB visited the area in July 1993, and completed a draft staff Report of Investigation. Prior to release of the staff report the SWRCB agreed to a joint request by the parties that the issuance of the report be deferred to allow the parties to continue to negotiate a settlement of the issues. Upon request by the parties, the SWRCB has subsequently extended the process to August 20, 1999.

8.4 Other Potential Unauthorized Uses

United States' representatives also contend that water is being pumped from the younger alluvium without permit outside Pauba Valley and that there is pumping in violation of Court adjudications from the older alluvium.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 9 - THREATS TO WATER SUPPLY

9.1 General

General threats to the long-term water supply in the Santa Margarita River Watershed, which have been described in previous Watermaster Reports, are as follows:

- 1. High nitrate concentrations in Rainbow Creek and in Anza Valley.
- Potential overdraft conditions at various locations in the Santa Margarita River Watershed.
- 3. Potentially adverse salt balance conditions in the upper Santa Margarita River area.

9.2 High Nitrate Concentrations

In past years high concentrations of nitrate have been measured in Anza Valley and on Rainbow Creek. However no measurements from Anza Valley are available for the 1997-98 period.

In 1995, Mission Resource Conservation District, using funding from a 319h grant, began collecting specific conductance, pH, nitrate and phosphorus data from five sampling stations along Rainbow Creek. Nitrate data collected between October 1995 and September 1996 were summarized in the 1995-96 report. Those data, as well as data collected after 1996 from the five original sampling stations plus two additional stations are summarized below:

		<u>Concentration</u>	ns - mg/l NO₃
Sampling Site	Range of Nitrate	Oct -June	July - Sept
	1995-96	<u> 1996-97</u>	1998
Jubilee Way in Rainbow Valley	6.66 - 50.6	0 - 60	0-2
Hines Nursery	35.2 - 154	0 - 118	12 - 37
Oak Crest Estates	0 - 118.8	0 - 180	7 - 27
Willow Glen Road	0 - 45	0 - 96	4-9
River House	N/A	N/A	8 - 24
Stagecoach	N/A	19 - 100	9 - 26
FPUD Sump (on Rainbow Creek 100	24 - 57	N/A	9 - 25
feet upstream from mouth)			
Annual Flow Rainbow Creek at	745	1,613	5,640
Willow Glen - Acre Feet			·

Sampling conducted under the initial 319h grant identified a reach of increasing nitrate concentrations along Rainbow Creek, between the Willow Glen sampling site and the FPUD sampling site. The District is now using a subsequent 319h grant to more closely identify areas of non-point source nitrate discharges, measurably improve the water quality in the lower reaches of Rainbow Creek and actively involve the community in understanding and implementing measures necessary to achieve the above noted goal.

Data shown in the foregoing tabulation indicate high nitrate concentrations in 1995, 1996 and 1997, but in 1998 concentrations did not exceed the drinking water standard of 45 mg/l.

Some of these variations are attributable to the type of year. The annual flow during the 1996, 1997 and 1998 water years which is also shown in the tabulation, indicates that 1998 was far wetter than the two earlier years. The concentrations, in part, depend on how much water is flowing in Rainbow Creek.

9.3 Potential Overdraft Conditions

Previous Watermaster reports have noted concerns about overdraft conditions in Anza Valley and in the Murrieta-Temecula area. The 1989-90 Watermaster Report described a water supply study, conducted by a consultant to Riverside County, which concluded that Anza Valley water use in 1986 was approximately equal to the perennial yield and that as of 1986 useable groundwater in storage approximated 56,000 acre feet. No further studies relative to groundwater use in Anza Valley are available. Historical groundwater levels for Anza Mutual Water Company's Well No. 1 (7S/3E-21G1) located in Anza Valley are included in this Report as Figure 4.4. It can be noted that water levels declined 31 feet between October 1997 and October 1998 to a water elevation of 3775.6 feet which is within the general range observed since the early 1970's.

No recent published studies of safe yield are available for the Murrieta-Temecula area. Groundwater resources in much of the area are being managed by Rancho California WD. The District prepares an annual groundwater production program with the goal of developing the maximum perennial yield from the basin. The District monitors historical water levels and well production in each of several hydrogeologic subareas. Each year that data, combined with other information including water quality, natural and artificial recharge, pump settings, and well construction factors, are used to develop a recommended production program. Production rates are commonly lowered in subareas where water levels have declined over several years, and production rates are increased in areas where decline has not occurred. As a final check the recommended production rates are checked using the latest version of the RCWD groundwater model.

Groundwater level data for three wells in the Murrieta-Temecula Groundwater Area are included in this report as Figures 4.1, 4.3 and 4.5. Water levels in the Windmill Well (8S/2W-12H1) located at the eastern part of Pauba Valley declined 3.5 feet in 1997-98. Water levels in Well 7S/3W-20C9 in the Murrieta CWD area rose 13.4 feet from last year, and those in Well 8S/2W-29G1 on the Pechanga Indian Reservation in Wolf Valley were up 5.3 feet from last year. As can be seen from the long term hydrographs, groundwater levels have fluctuated within broad limits in recent years.

9.4 Salt Balance

A key issue in management of a groundwater basin is potential build up of salts that decreases the usability of waters in a basin. Thus consideration must be given to measures that allow export of salts from a basin to offset the salt load in water entering the groundwater basin.

A 2 MGD Demonstration Project involving discharge of treated wastewater into the Santa Margarita River system by Rancho California Water District was implemented in late 1997. This project provides cost-effective disposal of wastewater from the upper Santa Margarita River area, assists in controlling salt balance in the Murrieta-Temecula Groundwater Area, and supplements water supplies to the Santa Margarita River system downstream of Temecula.

In a separate project, Eastern MWD exported 2,139 acre feet of treated wastewater from the watershed in 1997-98 for reuse. An additional 2,374 acre feet was exported for operational reasons. At an average total dissolved solids concentration of 650 mg/l there are approximately 1,768 pounds of salt in every acre foot of wastewater. Thus in 1997-98, approximately 3,989 tons of salt were exported by EMWD.

In addition to export of treated wastewater, the salt balances of the Murrieta-Temecula groundwater area and the lower Santa Margarita River groundwater area are affected by discharges from wells into Murrieta Creek. In 1997-98 wells discharged 36 acre feet, as shown below, together with estimated total dissolved solids in the water.

Well No.	Release Acre Feet	TDS mg/l	Sample Date
101	5	480	8/9/96
102	4	700	6/20/95
106	3	495	5/16/95
109	1	1010	6/13/97
118	11	560	9/16/96
135	<u>12</u>	1155*	5/6/97 & 9/17/97
Total	36		2,2,2, 2, 2, 1, , 2,

^{*} Average of May and September concentrations

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 10 - WATER QUALITY

10.1 Surface Water Quality

During 1997-98 there was extensive sampling of surface water quality by Rancho California WD. Portions of these data are shown in Appendix Table D-2. Weekly samples were collected from the Santa Margarita River at the Temecula gaging station and analyzed for total dissolved solids (TDS) and nitrate. TDS concentrations ranged from a low of 330 mg/l to as much as 1200 mg/l depending primarily on flow.

Nitrate concentrations as nitrogen at the Temecula gaging station ranged from a low of 0.8 mg/l measured on several occasions, to a high of 3.9 mg/l on April 8, 1998. All measurements of nitrate were well below the drinking water standard of 10 mg/l as N.

Rancho California WD also collected samples at four additional locations in the Santa Margarita River system including Murrieta Creek, Willow Glen, DeLuz Crossing and the Estuary. Among other things, these samples were also analyzed for TDS and Nitrate as N, as shown in Table D-2.

Surface water quality data collected in prior years by Camp Pendleton and Eastern MWD are listed in earlier Watermaster reports.

The U. S. Geological Survey has published water quality data including specific conductance, pH, temperature and dissolved oxygen for the Santa Margarita River at the mouth near Oceanside and in the Estuary since 1993-94.

10.2 Groundwater Quality

During 1997-98 water quality data were collected from wells by Murrieta County WD, Rancho California WD, the U.S.G.S. for wells on Indian Reservations, and the U.S.M.C. at Camp Pendleton.

Water quality samples were collected from four wells in Murrieta County Water District as shown in Appendix Table D-3. One sample from each well was subjected to standard chemical analysis. Other samples were tested for nitrate only. Concentrations were consistent with past results with total dissolved solids ranging from 360 to 680 mg/l. Nitrate of four samples from the Holiday well ranged from 18 - 23 mg/l of NO₃ as compared to a drinking water standard of 45 mg/l as NO₃.

Water quality data for Rancho California WD wells are shown in Appendix Table D-4. New data were collected from 24 wells during 1997-98. Of the 24 wells, 11 wells were analyzed for nitrates only. In these wells, nitrate concentrations ranged up to 23 mg/l as NO₃, with the drinking water standard being 45 mg/l as NO₃. Samples from the remaining 13 wells were subjected to standard chemical analysis: TDS concentrations increased in eight wells, decreased in four wells, and one well showed concentrations both higher and lower in two samples. The increases in concentrations ranged from 20 to 165 mg/l and averaged 79 mg/l. Decreases ranged from 10 to 180 mg/l and averaged 57 mg/l.

Historical total dissolved solids concentrations for RCWD Well 210 are shown on Figure 10.1 for samples collected since 1957 when the well was constructed. The figure shows a decline in TDS from approximately 900 mg/l for the first two samples collected to the 500-600 mg/l range in recent years. No additional sampling was conducted at this well in 1997-98.




FIGURE 10.1

Appendix Table D-5 shows water quality data collected by the U.S.G.S. from wells on Indian Reservations. In 1997-98 samples were collected from six wells on the Pechanga Indian Reservation and subjected to standard chemical analysis. Concentrations of the various constituents were consistent with historical results, it being noted that nitrate concentrations in Well No. 8S/2W-28Q2 were 8.9 and 9.85 mg/l as N, as compared to a drinking water standard of 10 mg/l as N .

During 1997-98 samples of groundwater were collected from eight wells at Camp Pendleton as shown on Appendix Table D-6. These wells were subjected to standard chemical analysis, with results generally consistent with the historical results.

Historical total dissolved solids concentrations for Camp Pendleton Well 7A2 are shown on Figure 10.2 for samples collected since the mid-1950's. The figure shows a decline between the mid-1950's and 1970, then a period of increasing concentration to the current levels in the 700-800 mg/l range. The sample collected in 1997-98 indicated a total dissolved solids concentration of 690 mg/l.





FIGURE 10.2

Historical nitrate concentrations for the same well (7A2) are shown on Figure 10.3 to fluctuate widely between zero and as much as 16 mg/l for the period since about 1960. The sample collected in 1997-98 indicated non detect for nitrate at a detection limit of 0.9 mg/l as NO₃.

FIGURE 10.3



SECTION 11 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE TASKS, EXPENDITURES AND REQUIREMENTS

11.1 General

Projected tasks over the next five years are listed below in two categories: normal tasks, which are part of the usual Watermaster office operation; and additional tasks, which are foreseen but are not part of the normal office operations.

11.2 Normal Tasks

Tasks that are normally part of the Watermaster Office operation are as follows:

- Update List of Substantial Users
- 2. Collect Water Production, Use, Import and Availability Data
- 3. Collect Well Location, Construction and Water Level Data
- 4. Administer Water Rights
- Collect Water Quality Data
- 6. Monitor Water Quality and Water Right Activities
- 7. Administer Lake Skinner and Eastside Reservoir MOU's
- Administer Steering Committee Matters
- Prepare Court Reports/Budgets
- Monitor Streamflow and Water Quality Measuring
- Data Management

11.3 Additional Tasks

Tasks that have been identified but which are not part of normal operations are as follows:

- Assist with Resolution of RCWD/Camp Pendleton Water Rights Issues
- Determine Changes in Subsurface Storage
- Determine Salt Balance
- Prepare List of All Water Users Under Court Jurisdiction
- Prepare Inventory of Ponds and Reservoirs

WATERMASTER SANTA MARGARITA RIVER WATERSHED

11.4 Projected Expenditures

Projected expenditures for the current year and over the next five years are listed as follows:

		Watermaster Office	Gaging Station	Total_
Current Year	1998/1999	\$162,300	\$103,650	\$265,950
Projected Years	1999/2000	\$166,000	\$107,225	\$273,225
	2000/2001	\$174,300	\$112,600	\$286,900
	2001/2002	\$183,000	\$118,200	\$301,200
	2002/2003	\$192,200	\$124,100	\$316,300
	2003/2004	\$201,800	\$130,300	\$332,100

SECTION 12 - WATERMASTER OFFICE BUDGET 1999-2000

A total Watermaster Budget of \$273,225 for the Water Year ending September 30, 2000, is shown below.

This budget includes \$166,000 for the Watermaster Office and \$107,225 for U.S.G.S. gaging station operations. The budgeted cost for gaging station operation is based on the annual renewal of an agreement between the Watermaster and the U.S. Geological Survey.

	APPROVED	PROPOSED
	BUDGET	BUDGET
	CURRENT YEAR	
	1998-1999	1999-2000
	\$	\$
Watermaster Office		
Rent	9,600	9,600
Accounting Services	4,000	4,000
Supplies	1,000	1,000
General Liability & Professional Insurance	3,200	3,400
Printing	1,300	1,400
Audit	3,200	3,200
Publications	2,000	2,000
Clerical/Data Management	43,000	44,000
Telephone	1,400	1,400
Miscellaneous Operating/Maintenance	1,500	1,500
Mileage/Travel	500	500
Office Equipment and Software	2,000	3,000
Watermaster		
Consulting Services	77,000	78,000
Automobile Expense	3,000	3,200
Travel Reimbursement	9,500	9,800
SUBTOTAL WATERMASTER OFFICE	¢ 462 200	£ 466 000
SUBTOTAL WATERWASTER OFFICE	\$ 162,300	\$ 166,000
USGS Gaging Station Operation and Maintenance	\$ 103,650	\$ 107,225
TOTAL	\$ 265,950	\$ 273,225

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT WATER YEAR 1997-98

APPENDIX A WATER PRODUCTION AND USE WATER YEAR 1997-98

AUGUST 1999

TABLE A-1

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

1997-98

	PRODUCTION USE									RECLAIMED WASTEWATER								
MONTH YEAR	WELLS	IMPORT 1/	EXPORT FROM SMRW	NET IMPORT	TOTAL	A(3/ 3/	TOTAL	LOSS	TOTAL USE		REUSE IN SMRW 4/		OE SMRW OTHER EXPORT 5/	RELEASE TO RIVER	RECHARGE	TOTAL
1997					1	ŀ						Н						
OCT	6	870	78	792	798	1 (0 0	758	758	40	798	- 11	222	238	93	0	0	553
NOV	0	1,065	91	974	974	1 (0	926	926	48	974	11	203	332	13	0	0	548
DEC	0	198	59	139	139	1 (0	133	133	6	139	11	76	19	483	0	0	580
					I	1						- 11						
1998					- 1	ı						11						
JAN	7	270	255	15	22	1 (0	21	21	1	22	11	94	36	445	0	0	575
FEB	55	274	86	188	243	(0	231	231	12	243	- 11	192	6	444	0	0	642
MAR	45	347	77	270	315	(0	299	299	16	315	- 11	257	29	397	0	0	683
APR	0	203	59	144	144	(0	137	137	7	144	- 11	265	47	335	0	0	647
MAY	0	396	45	351	351	(0	334	334	17	351	- 11	238	109	294	0	0	641
JUNE	9	755	58	697	706	(0	671	671	35	706	- 11	337	255	41	0	0	633
JULY	2	769	78	691	693	0	0	656	656	35	693	- 11	274	285	84	0	0	643
AUG	102	1,118	433	685	787	1 (0	746	746	41	787	- 11	393	410	(129)	0	0	674
SEPT	14	344	173	171	185	[(0	176	176	9	185	- 11	396	373	(126)	0	0	643
					ĺ	1						!!						
TOTAL	240	6,609	1,492	5,117	5,357	j (0 0	5,090	5,090	267	5,357	11	2,949	2,139	2,374	0	0	7,462

^{1/} Does not Include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

^{2/} Figures are 95% of water pumped and imported to allow for 5% loss

^{3/} Figures are 95% of water pumped and imported to allow for 5% loss

^{4/} Includes 905 AF of sewage diverted to RCWD

^{5/} Unaccounted for Export

TABLE A-2

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

_				PRODU	JCTION			USE							WASTEWATER			
MONTH YEAR	WELLS	TOTAL DISTRICT IMPORT		AREA	BROOK SMRW IMPORT 1/	TOTAL SMRW IMPORT	TOTAL PRODUCTION		AG	COMM	DOM	TOTAL IN SMRW	LOSS*	TOTAL USE IN SMRW		FROM SMRW	FROM U.S.N.W.S.	EXPORTED FROM SMRW
1997								,,							11			
OCT	0	1,509	295	1,214	558	853	853	11	475	53	293	821	32	853	11	115	0.23	115
NOV	ō	876	184	692	318	502	502	11	370	49	217	636	(134)	502	ii	117	0.24	117
DEC	ō	603	51	552	254	305	305	ii	92	21	164	277	28	305	ii	115	0.32	115
	_							ii							ii			
1998	0							ii							ii			
JAN	0	413	46	367	169	215	215	11	87	23	120	230	(15)	215	П	117	0.22	117
FEB	0	222	13	209	96	109	109	ΪÌ	20	16	119	155	(46)	109	11	129	0.44	128
MAR	0	457	57	400	184	241	241	11	58	18	92	168	73	241	- 11	140	3.30	137
APR	0	573	73	500	230	303	303	П	91	19	118	228	75	303	П	131	0.90	130
MAY	0	753	129	624	287	416	416	П	187	34	139	360	56	416	П	134	0.49	133
JUNE	0	1,252	255	997	459	714	714	П	334	37	207	578	136	714	-11	115	0.52	114
JULY	0	1,723	304	1,419	653	957	957	Н	489	55	229	773	184	957	11	125	0.21	125
AUG	0	1,870	22	1,848	850	872	872	11	422	67	345	834	38	872	11	129	0.40	128
SEPT	0	1,506	374	1,132	521	895	895	П	620	72	291	983	(88)	895	П	123	0.36	123
								П							П			
TOTAL	. 0	11,757	1,803	9,954	4,579	6,382	6,382	11	3,245	464	2,334	6,043	339	6,382	П	1,490	8	1,482

^{1/} Approximately 46% of the Fallbrook area is within the Santa Margarita River Watershed

^{*}Loss = Total production less total use

TABLE A-3

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

MURRIETA COUNTY WATER DISTRICT

1997-98

PRODUCTION	USE
PRODUCTION	USE

		_						
MONTH YEAR	WELLS		AG	СОММ	DOM	TOTAL DELIVERED	Loss	TOTAL USE
1997								
		ii -	_	•		40	_	
OCT	55	Ш	7	8	34	49	6	55
NOV	49	П	10	9	30	49	0	49
DEC	31	П	3	6	18	27	4	31
		Ш						
1998		11						
JAN	35	11	5	6	19	30	5	35
FEB	29	П	2	3	5	10	19	29
MAR	24	ΪĹ	1	4	13	18	6	24
APR	31	ΪĹ	2	2	14	18	13	31
MAY	41	ΪĹ	5	6	24	35	6	41
JUNE	55	Ϊİ	7	7	32	46	9	55
JULY	67	ΪĹ	9	10	57	76	-9	67
AUG	91	ii	14	12	53	79	12	91
SEPT	95	ii	14	14	50	78	17	95
	_	ii						
TOTAL	603	ii	79	87	349	515	88	603

^{*} Loss = Total production less total delivered

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

1997-98

		PRODUCTIO	ONN	_			USE		
MONTH YEAR	LOCAL	IMPORT TO WATERSHED	TOTAL IN WATERSHED		AG	COMMERCIAL/ DOMESTIC	TOTAL DELIVERIES	LOSS*	TOTAL USE
1997				 					
OCT	0	202	202	ii	168	16	184	18	202
NOV	0	231	231	ΪÌ	196	14	210	21	231
DEC	0	100	100	ΪĹ	82	9	91	9	100
				Π					
1997				П					
JAN	0	90	90	П	73	9	82	8	90
FEB	0	49	49	П	40	5	45	4	49
MAR	0	37	37	П	29	5	34	3	37
APR	0	91	91	Π	76	7	83	8	91
MAY	0	121	121	11	102	8	110	11	121
JUNE	0	63	63	П	48	9	57	6	63
JULY	0	155	155	11	127	14	141	14	155
AUG	0	221	221	П	178	23	201	20	221
SEPT	0	240	240	П	196	22	218	22	240
				П					
TOTAL	0	1,601	1,601	Ш	1,315	141	1,456	145	1,601

^{*}Loss = 10% of use

TABLE A-5

u.

MONTHLY WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT

1997-98

Quantities in Acre Feet

RECLAIMED

WASTE WATER	MURRIETA CREEK DISCHARGE (5)	0	0	120		103	109	1 84	157	174	5	98	72	141	1,179	
WASTE	REUSE IN SMRW (4)	124	R	1		80	-	15	83	2	297	88	212	130	1,376	
	TOTAL	5,816	3,476	1,540	= =							9,865			60,408	
	(£)	9/	1,887	(283)		8	(216)	89	927	(S)	1,978	1709	(531)	(1 077)	80	
	TOTAL USE	5,740	5,283	2,133		1,898	1,727	1,490	2,140	5,149	5,283	8,156	11,250	9,358	59,607	
	IMPORT RECHARGE	7	0	0		0	0	0	0	0	0	893	975	910	2,785	
USE	VAIL	86	0	0		0	73	591	826	2,161	1,488	1,255	902	893	8,978	
	SMR VAIL RELEASE RECHARGE (2)	135	4	~		15	-	7	7	-	ო	29	90	129	459	
	DOM	1,702	1,610	1,026		862	292	225	707	1,229	1,275	1,790	2,773	2,182	2,805 16,273	
	СОМ	328	28	210		174	118	8	124	194	8	588	420	986	2,805	
	AG	3,470	3,385	895		847	279	276	451	1,564	2,317	3,871	6,074	4,878	28,307	
	TOTAL	5,816	3,476	1,540		1,808	1,511	2,184	3,067	4,880	7,261	9,865	10,719	8,281	60,408	
	IMPORT TOTAL	2,142	889	0		<u>4</u>	0	0	187	213	1,779	4,828	5,735	3,868	19,584	
PRODUCTION	SAL S VAIL RELEASE	86	0	0		0	734	591	826	2,161	1,488	1,255	905	893	8,978	
	WELLS OUT F	0	0	0		0	0	0	0	0	0	0	0	0	0	
	WELLS IN GWA	3,576	2,788	1,540		1,664	111	1,593	2,024	2,506	3,994	3,782	4,082	3,520	31,846	
	MONTH	1997 OCT	NOV NOV	DEC	1998	NAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL	

(1) Vail releases and the related Vail recharge are computed as Total Release less Inflow to be bypassed
(2) 1 AF into Temecula Creek and 35 AF into Murrieta Creek from Wells 101, 102, 106, 109, 118, and 135; and 423 AF from System River Meter
(3) Loss = Total production less total use
(4) Does not include EMWD reclaimed wastewater production
(5) Discharge from 2 MGD Demonstration Project

TABLE A-6

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON

1997-98

	PR	ODUÇTIO	N				ı	JSE		RECLAIMED WASTEWATER				
MONTH YEAR	AG LOCAL	CAMP SUPPLY	TOTAL		AGRICUI IN SMRW	LTURE 1/ OUT SMRW	CAMP S IN SMRW	SUPPLY 2/ OUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW		RECHARGED IN SMRW 4/	IMPORT 5/ RECHARGED IN SMRW	TOTAL RECHARGED IN SMRW
1997				- 							-			
OCT	123	476	599	ii	48	75	203	273	348	251	ii	75	178	253
NOV	113	371	484	Ϊi	44	69	161	210	279	205	П	70	210	280
DEC	5	328	333	11	2	3	140	188	191	142	П	69	220	289
				11							Ħ			
1998				ΞĤ							-11			
JAN	4	358	362	Ш	1	2	156	203	205	157	11	73	223	296
FEB	12	355	367	Ш	5	7	151	204	211	156	П	91	233	324
MAR	3	397	400	Ш	1	2	173	224	226	174	П	83	218	301
APR	21	381	402	Ϊİ	8	13	166	215	228	174	П	78	130	208
MAY	70	463	533	П	27	43	202	261	304	229	П	75	135	211
JUNE	82	515	597	Ϊi	32	50	221	294	344	253	П	77	127	204
JULY	182	614	796	Ιi	71	111	262	352	463	333	П	82	133	215
AUG	125	627	752	ii	49	76	267	360	436	316	П	89	136	225
SEPT	286	583	869	ii H	112	175	250	332	507	362	Ш	73	130	203
TOTAL	1,026	5,468	6,494	ii	400	626	2,352	3,116	3,742	2,752	ii	935	2,073	3,008

^{1/} Agricultural water use is divided with 39% used inside the SMRW and 61% used outside

^{2/} Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, minus the NWS Import (SMRW CS = .44 {CS+NWS Imp} - NWS Imp.)

^{3/} Assumes no losses

^{4/} Discharge from Plant Nos. 3 plus 8 plus 29.17 acre feet per month from Plant No. 13

^{5/} Discharge from Plant No. 1, plus discharge from Pond 2, plus excess of Plant No. 13 over 29.17 acre feet per month

TABLE A-7

SANTA MARGARITA RIVER WATERSHED

MONTHLY WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

	PRO	DUCTION				USE			_	WASTEWATER
MONTH YEAR	LOCAL	IMPORT TO WATERSHED 1/	TOTAL		AG	COMMERCIAL/ DOMESTIC	LOSS 2/	TOTAL USE		EXPORTED
1997				Ш					Ш	
ОСТ	0.0	10.9	10.9	Ш	0.0	9.9	1.0	10.9	ΞĤ	0.2
NOV	0.0	4.5	4.5	Ш	0.0	4.1	0.4	4.5	Ш	0.2
DEC	0.0	7.1	7.1	11	0.0	6.5	0.6	7.1		0.3
1998				\parallel					H	
JAN	0.0	3.5	3.5	Ш	0.0	3.2	0.3	3.5	Π	0.2
FEB	0.0	8.6	8.6	Ш	0.0	7.8	8.0	8.6	Ш	0.4
MAR	0.0	3.0	3.0	\parallel	0.0	2.7	0.3	3.0	Ш	3.3
APR	0.0	3.1	3.1		0.0	2.8	0.3	3.1	Ш	0.9
MAY	0.0	4.3	4.3	Ш	0.0	3.9	0.4	4.3	Ш	0.5
JUNE	0.0	9.5	9.5	П	0.0	8.6	0.9	9.5		0.5
JULY	0.0	14.7	14.7	11	0.0	13.4	1.3	14.7	11	0.2
AUG	0.0	15.9	15.9	П	σ.0	14.5	1.4	15.9	11	0.4
SEPT	0.0	11.5	11.5	П	0.0	10.5	1.0	11.5	\mathbb{H}	0.4
				Π					$ \cdot $	
TOTAL	0.0	96.6	96.6	Ħ	0.0	87.8	8.8	96.6	Ш	7.6

^{1/ -} Import via Fallbrook Public Utility District

^{2/ -} Loss = 10% of Use

SANTA MARGARITA RIVER WATERSHED

MISCELLANEOUS WATER PRODUCTION AND IMPORTS

1997-98 Quantities in Acre Feet

	IMPORT_			PRODUCTION		
MONTH YEAR	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	OUTDOOR RESORTS RANCHO CALIFORNIA, INC.	BUTTERFIELD OAKS MOBILE HOME PARK	LAKE RIVERSIDE ESTATES	PECHANGA INDIAN RESERVATION
1997						
OCT	3.40	4.70	7.89	0.19	14.80	15.66
NOV	2.30	3.43 E	9.85	0.12	11.98	15.05
DEC	1.90	3.43 E	3.73	0.13	5.24	6.79
1998						
JAN	1.40	1.05	5.25	0.19	1.50	11.44
FEB	1.30	0.95	1.59	0.19	0.57	11.83
MAR	1.70	1.24 E	1.70	0.16	0.02	9.95
APR	2.20	1.24 E	3.05	0.19	0.01	11.86
MAY	2.20	2.66	9.77	0.20	2.69	16.55
JUNE	2.80	3.46	9.82	0.20	10.79	19.20
JULY	4.20	6.04	15.36	0.22	23.75	18.10
AUG	4.20	5.34	9.03	0.24	37.46	21.61
SEPT	3.40	6.00	10.38	0.23	26.15	17.14
SUBTOTA	L			2.26		175.18
				7.50 *		4.00 **
TOTAL	31.00	39.54	87.42	9.76	134.96	179.18

E - Estimate

^{*} Estimated non-metered lawn watering

^{**} Surface Diversion

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1997-98

APPENDIX B WATER PRODUCTION AND USE WATER YEAR 1965-66 TO WATER YEAR 1997-98

AUGUST 1999

TABLE B-1

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

		PR	ODUCT	ON						USE			_			RE	CLAIMED	WASTEWA	TER	
WATER YEAR	WELLS	IMPORT 11	EXPORT FROM SMRW	NET IMPORT	TOTAL		AG 21	COMM	DOM 3/	TOTAL	LOSS	TOTAL USE		REUSE IN SMRW		OUTSID REUSE	E SMRW OTHER EXPORT 4	RELEASE TO RIVER	RECHARGE	TOTAL
1966	0	1,604	0	1,604	1,604	11	1,520	0	4	1,524	80	1,604	I	0		0		0	100	100
1967	0	1,630	0	1,630	1,630	П	1,544	0	4	1,548	82	1,630	1	0		0		0	100	100
1968	0	1,464	0	1,464	1,464	11	1,386	0	5	1,391	73	1,464	1	0		0		0	100	100
1969	0	1,741	0	1,741	1,741	H	1,648	0	6	1,654	87	1,741	1	. 0		0		0	100	100
1970	0	1,417	0	1,417	1,417	П	1,340	0	7	1,346	71	1,417	1	0		0		0	101	101
1971	0	1,383	0	1,383	1,383	П	1,306	0	8	1,314	69	1,383	1	0		0		0	119	119
1972	0	1,470	0	1,470	1,470	П	1,388	0	8	1,396	74	1,470	- 1	0		0		0	242	242
1973	0	1,533	0	1,533	1,533	П	1,447	0	10	1,456	77	1,533	- 1			0		0	217	217
1974	0	1,601	0	1,601	1,601	Н	1,511	0	10	1,521	80	1,601	- 1			0		0	193	193
1975	0	1,969	0	1,969	1,969	П	1,859	0	11	1,871	98	1,969	H			0		0	253	253
1976	145	2,493	0	2,493	2,638	П	2,356	0	150	2,506	132	2,638	П			0		0	155	289
1977	431	2,947	0	2,947	3,378	П	2,723	64	423	3,209	169	3,378	E			0		0	70	314
1978	375	2,551	0	2,551	2,926	11	2,409	0	371	2,780	146	2,926	ŀ			0		0	75	375
1979	289	1,894	0	1,894	2,183	Ш	1,784	0	290	2,074	109	2,183	1			0		0	147	497
1980	281	1,192	0	1,192	1,473	11	1,116	0	283	1,399	74			-		0		0	220	595
1981	282	716	0	716	998	П	663	0	285	948	50	998	- 1			0		0	304	679
1982	321	1,112	0	1,112	1,433	П	1,038	0	323	1,361	72		- 1			0		0	386	761
1983	106	1,211	0	1,211	1,317	н	1,131	0	120	1,251	66	1,317	- 1	375		0		0	466	841
1984	236	699	0	699	935	П	644	0	244	888	47	935	1	400		0		0	525	925
1985	314	679	0	679	993	П	624	0	319	943	50	993	1	450		0		0	565	1,015
1986	229	760	0	760	989	П	700	0	239	940	49	989	1	600		0		0	509	1,109
1987	89	1,155	0	1,155	1,244	Н	638	0	543	1,182	62	1,244	- 1.	650		0		0	554	1,204
1988	4	2,047	0	2,047	2,051	H	524	0	1,424	1,948	103	2,051	- 1.			0		0	650	1,300
1989	685	3,746	0	3,746	4,431	Ħ	1,146	0	3,064	4,209	222	4,431	- 1	1,058		0		0	1,636	2,694
1990	492	8,578	2,977	5,601	6,093		978	0	4,810	5,788	305	6,093	П	1,567		0		0	2,160	3,727
1991	456	16,621	7,142	9,479	9,935	11	851	0	8,587	9,438	497	9,935	1	1,282		0		0	2,272	3,554
1992	527	13,486	4,893	8,593	9,120	11	29	0	8,635	8,664	456	9,120	ı	1,323		0		245	2,385	3,953
1993 *	524	7,287	1,894	5,393	5,917	11	36	0	5,585	5,621	298	5,917	1	1,709		990	(285)	192	2,020	4,626
1994 *	232	10,082	2,932	7,150	7,382	П	0	0	7,013	7,013	369	7,382	- 1	2,687		2,465	694	0	0	5,846
1995 *	182	11,539	6,914	4,625	4,807	П	16	0	4,551	4,567	240	4,807	- 1	2,154		1,357	2,551	0	0	6,062
1996 *	299	11,730	6,770	4,960	5,259	H	0	0	4,996	4,996	263	5,259	-	2,979		2,473	520	0	0	5,972
1997 *	408	5,093	1,809	3,284	3,692	ii	0	0	5,226	5,226	(1,534)	3,692	1	3,126		2,319	882	0	0	6,327
1998	240	6,609	1,492	5,117	5,357	П	0	0	5,090	5,090	267	5,357	1	2,949	5/	2,139	2,374	0	0	7,462

Revised

^{1/} Does not include deliveries to Rancho California Water District or Elsínore Valley Municipal Water District

^{2/} Figures are 95% of water pumped and imported to allow for 5% loss

^{3/} Figures are 95% of water pumped and imported to allow for 5% loss

^{4/} Unaccounted for Export

^{5/} Includes 905 AF of sewage diverted to RCWD

TABLE B-2

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

PRODUCTION

USE

				* * * * * * *									
WATER YEAR	WELLS	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	AREA	BROOK SMRW IMPORT 1/	TOTAL SMRW IMPORT	TOTAL PRODUCTION		AG	COMM/ DOM	TOTAL IN SMRW	LOSS /2	TOTAL USE IN SMRW
1966	176	11,169	0	11,169	3,351	3,351	3,404	Н	2,735	328	3,063	341	3,404
1967	16	9,508	0	9,508	2,852	2,852	2,857	H	2,253	319	2,572	285	2,857
1968	13	11,411	0	11,411	3,423	3,423	3,427	Ħ	2,554	531	3,085	342	3,427
1969	178	9,458	0	9,458	2,837	2,837	2,891	П	1,787	814	2,601	290	2,891
1970	305	11,794	0	11,794	3,538	3,538	3,630	II	2,649	617	3,266	364	3,630
1971	7	11,350	0	11,350	3,405	3,405	3,407	П	2,386	681	3,067	340	3,407
1972	0	13,054	0	13,054	3,916	3,916	3,916	П	2,749	775	3,524	392	3,916
1973	0	10,610	38	10,572	3,172	3,210	3,210	ΪĹ	2,156	732	2,888	322	3,210
1974	0	12,911	134	12,777	3,833	3,967	3,967	П	2,703	868	3,571	396	3,967
1975	0	11,492	213	11,279	3,384	3,597	3,597	H	2,420	816	3,236	361	3,597
1976	0	13,147	431	12,716	4,196	4,627	4,627	11	3,200	965	4,165	462	4,627
1977	20	13,435	587	12,848	4,625	5,212	5,232	П	3,536	1,174	4,710	522	5,232
1978	97	12,626	651	11,975	4,551	5,202	5,299	ii.	3,504	1,265	4,769	530	5,299
1979	187	12,865	961	11,904	4,762	5,723	5,910	ii.	3,820	1,498	5,318	592	5,910
1980	192	13,602	1,191	12,411	5,213	6,404	6,596	ΪĹ	4,258	1,678	5,936	660	6,596
1981	87	16,878	1,994	14,884	6,549	8,543	8,630	ii.	5,688	2,144	7,832	798	8,630
1982	0	13,270	1,805	11,465	5,274	7,079	7,079	П	4,614	1,862	6,476	603	7,079
1983	0	12,298	1,969	10,329	4,751	6,720	6,720	Ш	4,320	1,871	6,191	529	6,720
1984	0	15,429	2,609	12,820	5,897	8,506	8,506	ΪĹ	5,814	2,077	7,891	615	8,506
1985	0	14,256	2,358	11,898	5,473	7,831	7,831	П	5,187	2,135	7,322	509	7,831
1986	0	15,383	2,794	12,589	5,791	8,585	8,585	П	5,698	2,319	8,017	568	8,585
1987	0	15,313	2,986	12,327	5,670	8,656	8,656	П	5,793	2,281	8,074	582	8,656
1988	28	14,460	2,559	11,901	5,474	8,033	8,061	П	5,181	2,348	7,529	532	8,061
1989	94	16,179	3,007	13,172	6,059	9,066	9,160	11	5,620	2,706	8,326	834	9,160
1990	15	17,568	3,745	13,823	6,358	10,103	10,118	11	6,275	2,878	9,153	965	10,118
1991	46	13,939	2,871	11,068	5,091	7,962	8,008	H	5,146	2,314	7,460	548	8,008
1992	45	13,698	2,950	10,748	4,943	7,893	7,938	П	5,285	2,201	7,486	452	7,938
1993	86	12,695	2,010	10,685	4,915	6,925	7,011	ΪĹ	4,329	2,349	6,678	333	7,011
1994	83	13,124	2,246	10,878	5,004	7,250	7,333	ΪĹ	4,282	2,666	6,948	385	7,333
1995	3	11,620	2,208	9,412	4,330	6,538	6,541	ΪĹ	3,818	2,798	6,316	225	6,541
1996	0	14,168	2,733	11,435	5,260	7,993	7,993	Ϊİ	4,411	3,247	7,658	335	7,993
1997	0	14,005	2,688	11,317	5,206	7,894	7,894	ÌÌ	4,351	3,249	7,600	294	7,894
1998	0	11,757	1,803	9,954	4,579	6,382	6,382	ΪÌ	3,245	2,798	6,043	339	6,382

^{/1} Total SMRW production equals SMRW Import plus 30% local (1966-1971)

^{/2} Loss = Total production less total use (Neglects change in Storage at Red Mtn After 1985)

TABLE B-3

SANTA MARGARITA RIVER WATERSHED ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	TOTAL WASTEWATER PRODUCTION	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER FROM U.S.N.W.S.	WASTEWATER EXPORTED FROM SMRW	PERCENT WASTEWATER FROM SLR WATERSHED 1/	WASTEWATER IMPORTED FROM SLR WATERSHED
1966	395	81	320	0	0	19	75
1967	460	80	368	0	0	20	92
1968	524	80	419	0	0	20	105
1969	588	79	465	0	0	21	123
1970	652	78	509	0	0	22	143
1971	717	78	559	0	0	22	158
1972	782	77	602	0	0	23	180
1973	847	76	644	0	0	24	203
1974	912	75	684	0	0	25	228
1975	976	75	732	0	0	25	244
1976	1,040	74	770	0	0	26	270
1977	1,105	73	807	0	0	27	298
1978	1,170	72	842	0	0	28	328
1979	1,234	72	888	0	0	28	346
1980	1,298	71	922	0	0	29	376
1981	1,363	70	954	0	0	30	409
1982	1,428	69	985	0	0	31	443
1983	1,492	69	1,029	26 E	1,003	0	0
1984	1,556	68	1,058	26 E	1,032	0	0
1985	1,621	67	1,086	26 E	1,060	0	0
1986	1,685	66	1,112	18 P	1,094	0	0
1987	1,750	66	1,155	27	1,128	0	0
1988	1,815	65	1,180	25	1,155	0	0
1989	1,881	64	1,204	22	1,182	0	0
1990	1,952	66	1,298	27	1,271	0	0
1991	1,622	60	973	11	962	0	0
1992	1,730	63	1,090	7	1,083	0	0
1993	2,051	62	1,271	16	1,255	0	0
1994	1,834	58	1,073	5	1,068	0	0
1995	1,941	60	1,165	12	1,153	0	0
1996	1,799	58	1,040	5	1,035	0	0
1997	1,780	58	1,027	6	1,021	0	0
1998	2,297	65	1,490	8	1,482	0	0

NOTE: Measured quantities available for Total Wastewater in Water Year 1969 and July 1989 All other quantities are estimated (1966 - 1989)

Prior to 1983, Wastewater was discharged into Fallbrook Creek. After 1983, Wastewater is discharged into an ocean outfall

^{1/ -} San Luis Rey Watershed

E - Estimated

P - Partial Year Data

TABLE 8-4

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

MURRIETA COUNTY WATER DISTRICT

	PRODUCTION	<u> </u>				USE		
WATER YEAR	WELLS		AG	сомм	DOM	TOTAL DELIVERED	LOSS	TOTAL USE
1966	41	П	0	0	37	37	4	41
1967	45	П	0	0	41	41	4	45
1968	54	Ш	0	0	49	49	5	54
1969	54	11	0	0	49	49	5	54
1970	73		0	0	66	86	7	73
1971	83	1	3	0	72	75	8	83
1972	111	1	10	0	91	101	10	111
1973	92	П	11	0	72	84	8	92
1974	132	11	14	0	107	120	12	132
1975	153	11	18	0	121	139	14	153
1976	117	П	22	0	84	106	11	117
1977	170	П	21	0	134	155	15	170
1978	169	П	19	0	135	154	15	169
1979	197	Н	19	0	180	179	18	197
1980	218	11	20	0	178	198	20	218
1981	265	П	30	0	211	241	24	265
1982	230	11	21	0	188	209	21	230
1983	216	11	14	0	182	196	20	216
1984	304	П	26	0	250	276	28	304
1985	308	П	19	0	261	280	28	308
1986	305	[]	22	0	255	277	28	305
1987	326	H	23	0	273	296	30	326
1988	303	1	13	35	262	275	28	303
1989	286	П	11	72	262	344	(4)	340
1990	465	11	13	76	266	355	110	465
1991	459	- 11	15	88	250	353	106	459
1992	492	11	6	122	302	430	62	492
1993	508	П	4	105	323	432	76	508
1994	512	H	10	103	324	437	75	512
1995	521	11	12	86	312	420	101	521
1996	629	П	88	110	373	571	58	629
1997	638	11	76	96	379	551	87	638
1998	603	11	79	87	349	515	88	603

^{*} Loss = Total production less total délivered

TABLE B-5

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

PRODUCTION USE

		PRODUC	TION				<u> </u>		
WATER YEAR	LOCAL	IMPORT TO DISTRICT	TOTAL IN WATERSHED 1/		AG 2/	COMMERCIAL/ DOMESTIC 3/	TOTAL DELIVERIES	LOSS 4/	TOTAL USE
1966	0	14,538	1,308	П	1,049	140	1,189	119	1,308
1967	0	12,167	1,095	П	878	117	995	100	1,095
1968	0	15,301	1,377	П	1,104	147	1,252	125	1,377
1969	0	13,917	1,253	П	1,005	134	1,139	114	1,252
1970	0	18,764	1,689	П	1,354	181	1,535	154	1,689
1971	0	18,338	1,650	П	1,324	177	1,500	150	1,650
1972	0	22,633	2,037	ΪÌ	1,634	218	1,852	185	2,037
1973	0	17,955	1,616	II	1,296	173	1,469	147	1,616
1974	0	22,768	2,049	П	1,643	219	1,863	186	2,049
1975	0	13,856	1,247	[]	1,000	133	1,134	113	1,247
1976	0	24,878	2,239	11	1,796	240	2,035	204	2,239
1977	0	26,038	2,343	П	1,879	251	2,130	213	2,343
1978	0	24,312	2,188	П	1,755	234	1,989	199	2,188
1979	0	26,084	2,348	П	1,883	251	2,134	213	2,347
1980	0	27,660	2,489	ŦĹ	1,997	266	2,263	226	2,489
1981	0	35,036	3,153	11	2,529	337	2,866	287	3,153
1982	0	27,334	2,460	11	1,973	263	2,236	224	2,460
1983	0	24,957	2,190	11	1,735	256	1,991	199	2,190
1984	0	32,526	3,068	11	2,483	306	2,789	279	3,068
1985	0	28,612	3,410	П	2,798	302	3,100	310	3,410
1986	0	29,023	2,945	11	2,353	324	2,677	268	2,945
1987	0	29,449	3,390	П	2,765	317	3,082	308	3,390
1988	0	29,070	2,985	Н	2,372	342	2,714	271	2,985
1989	0	32,034	3,003	Н	2,385	345	2,730	273	3,003
1990	0	34,612	3,818	П	3,003	468	3,471	347	3,818
1991	0	27,754	2,904	11	2,276	364	2,640	264	2,904
1992	0	26,056	2,277	11	1,877	193	2,070	207	2,277
1993	0	23,766	1,965	11	1,655	132	1,787	178	1,965
1994	0	22,173	1,651	П	1,368	133	1,501	150	1,651
1995	0	20,935	1,661	П	1,398	112	1,510	151	1,661
1996	0	24,835	1,815	П	1,487	163	1,650	165	1,815
1997	0	24,638	1,429	П	1,139	160	1,299	130	1,429
1998	0	19,693	1,601	П	1,315	141	1,456	145	1,601

^{1/ 1966} through 1982 estimated to be 9% of total district imports

^{2/ 1966} through 1982 estimated to be 80.2% of total deliveries to watershed

^{3/ 1966} through 1982 estimated to be 10.7% of total deliveries to watershed

^{4/} Loss = 10% of use

TABLE B-6

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT

| IRRIETA
SREEK
CHARGE
4/ | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 (| 0 (| -
 | 0 (| 0 (| 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 1,179
 | |
|----------------------------------|---|---|---|--|--|---|---|--|---
--|--|--|---|---|--|---
---	--	---	--
---	--	---------	--
---	--	--	--
--			
MU REUSE C IN DISC SMRW		0	. 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 ; | 84 6 | 28 5
 | 28 5 | £ 3 | 352 | 374 | 378 | 1,936
 | 1,753 | | |
 | |
| A.L. | , <u>=</u> | 54 | :=
:8 | = | == | = | = 2 | =
8 | =
53 | =
20
 | 18 | | 동
동 | 8
= | 91 | =
8 | 9 | 22
 | =
8 | =
8 | 9 7 | = : | 2 S
 | 9: | = | 26
== | £3
= | 4
= | 8
=
 | 23 | ₽
= | 48 | =
 | |
| S TOT | | 5.4 | , ro | 4.3 | 7,5 | 9,5 | 8,5 | 8,2 | 11.2 | 10,7
 | 11,9 | 12,3 | 14.7 | 18,3 | 33,6 | 37,6 | 32,0 | 35,2
 | 6 | 37.7 | 47,9 | 49,6 | |
 | | | | | |
 | | | |
 | |
 | | | | | | | |
 | | | | |
 | | | | | |
 | | | |
 | |
| TOTA | | | | | | | | | |
 | | | | | | | |
 | | | | | ,
 | 45 19 | 47.40 | 54,20 | 45,65 | 74.24 | 56.16
 | 63,75 | 66,57 | 66.29 | 29,60
 | |
| IMPORT
RECHARGE | c | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 (| 0
 | 2,294 | 0 | 701 | 0 | 0 | 0
 | 0 | 0 | 1,315 | 2,785
 | |
| VAIL
RECHARGE | , c | · c | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 10,944 | 6,802 | 6,058 | 12,113
 | 6,612 | 5,027 | 8,722 | 8,089 | 4,844
 | 0 (| 0 | 6,253 | 2,244 | 31,704 | 8,469
 | 11,158 | 9,427 | 1,725 | 8,978
 | |
| SMR
RELEASE | | | | | | | | | |
 | | | | | | | |
 | | | | | į
 | 852 | 905 | 785 | 683 | 519 | 467
 | 1,464 | 2,149 | 2,978 | 459
 | |
DOM									
 | | | | | | | |
 | | | | |
 | | | | 9,672 | 10,618 | 12,370
 | 13,779 | 16,330 | 18,635 | 16,273
 | |
MMOS									
 | | | | | | | |
 | | | | |
 | 3,316 | 3,940 | 2,941 | 2,406 | 2,141 | 2,322
 | 2,526 | 2,752 | 3,350 | 2,805
 | |
AG									
 | | | | | | | |
 | | | | |
 | 25,533 | 27,843 | 32,924 | 30,651 | 29,265 | 32,534
 | 31,081 | 35,912 | 38,287 | 28,307
 | |
| JA Z |] | 424 | 498 | 314 [] | 561 | 원
= | 572 | 250 | ,229 | 726 11
 | 978 | 387 | 78 | 380 | -
169 | | 1 /90 | 1255
 | 136 | .759 | 946 | 18 | 200
 | 926 | 271 | <u>8</u> | 143 | 144 | 86
=
 | 377 | 113 [] | 848 | 408
 | |
	_ c								
 | | | | | | | |
 | | | | |
 | | | | | |
 | | | |
 | |
| IMPORT | | | | | | | | | |
 | - | 1,8 | 5,7 | 7,0 | 1,0 | 15,2 | 13,3 | 5,7
 | 6.7 | 7 | = | 2 | P'
 | 22,8 | 22,0 | 21.2 | 16,9 | 1. | 16.3
 | 15. | 23.6 | 26.9 | 19,5
 | |
| | 185 • | 1.136 | 388 | • 269 | 840 | 1,541 | 203 | 524 | 1,086 | • 69E
 | ያ
• | 0 | 0 | 0 | 0 | 0 | 0 | 715
 | 1,144 | 1,201 | 1,053 | 273 | o (
 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0
 | |
| | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 10,944 | 6,802 | 6,058 | 12,113
 | 6,612 | 5,027 | 8,722 | 8,089 | 4,844
 | 0 | 0 | 6,253 | 2,244 | 31,704 | 8,469
 | 11,158 | 9,427 | 1,725 | 8,978
 | |
| 4 | · | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 86
 | 4 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0 | 0 | 0
 | 0 | 0 | 0 | 0
 | |
| WELLS V
IN
GWA | | 4 788 | 5,100 | 3,617 | 6,721 | 2,960 | 8,369 | 7,726 | 10,163 | 10,357
 | 11,809 | 10,522 | 8,930 | 11,371 | 12,621 | 15,612 | 12,631 | 16,577
 | 25,660 | 24,373 | 26,997 | 33,735 | 21,367
 | 26,131 | 33,241 | 26,503 | 29,968 | 31,029 | 32,725
 | 33,111 | 36,086 | 35,131 | 31,846
 | |
| YEAR | 966 | 1967 | 1968 | 1969 | 1970 | 1971 | 1972 | 1973 | 1974 | 1975
 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983
 | 1984 | 1985 | 1986 | 1987 | 1988
 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994
 | 1995 | 1996 | 1997 | 1998
 | |
| | WELLS WELLS VAIL VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL REUSE CR IN OUT RELEASE IRRIGATION 2 IN DISCISON GWA GWA 11 | WELLS WELLS VAIL WALL WAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL REUSE IN OUT RELEASE IRRIGATION 21 SMRW GWA GWA 11 SMRW | WELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL REUSE IN OUT RELEASE IRRIGATION 21 SMRW SMRW GWA GWA 1/4 SMRW VELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL IN SMRW | VELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL IN IN OUT RELEASE IRRIGATION 21 IN SMRW | VELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL IN OUT RELEASE IRIGATION 2/4 | VELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL IN OUT RELEASE RECHARGE USE 3/1 SMRW AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL RELEASE RECHARGE RECHARGE USE 3/1 REUSE NELLS WELLS VAIL MPORT TOTAL LOSS TOTAL REUSE NELLS WELLS VAIL MPORT TOTAL LOSS TOTAL NELLS WELLS WELLS VAIL NELLS VAIL MPORT TOTAL LOSS TOTAL NELLS WELLS VAIL NELLS VAIL MPORT TOTAL LOSS TOTAL NELLS WELLS NELLS VAIL NELLS V | VELLS VALLE VAIL IMPORT TOTAL IMPORT TOTAL LOSS VELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL INDORT TOTAL IMPORT TOTAL IMPORT TOTAL IMPORT TOTAL LOSS TOTAL INDORT TOTAL LOSS TOTAL LOSS TOTAL INDORT TOTAL LOSS TOTAL INDORT TOTAL LOSS TOTAL LOSS TOTAL INDORT TOTAL LOSS TOTAL LOSS TOTAL INDORT TOTAL LOSS TOTAL LOS | ACCOMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL INCRETA INCREEK INCREMENTATION 27 IN IN IN IN IN IN IN I | WELLS WELLS VAIL MIPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL IN SMRW | VELLS VAIL VAIL WELLS WELLS WELLS VAIL WELLS WELLS WELLS WELLS VAIL WELLS VAIL WELLS VAIL WELLS WELLS WELLS WAIL WAIL IMPORT TOTAL LOSS TOTAL INPORT TOTAL LOSS TOTAL REUSE CREEK | WELLS WELLS WAIL IMPORT TOTAL WAIL IMPORT TOTAL LOSS TOTAL WELLS WELLS WAIL WELLS WELLS VAIL WALL WAIL WALL WAIL WALL WELLS WELLS WELLS WELLS WELLS WELLS WELLS WELLS WELLS WELLS WELLS | WELLS WELLS VAIL WALL IMPORT TOTAL MADORT WELLS WELLS VAIL IMPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL REUSE CREEK CHARGE US 3/4 NIN DISCHARGE CREEK C | Name Name | WELLS WELLS VAIL WAIL MPORT TOTAL AG COMM DOM SMR VAIL IMPORT TOTAL LOSS TOTAL NURRIERA NUMERIE NAIL NURRIERA NAIL IMPORT TOTAL MACRILLS WELLS NAIL IMPORT TOTAL LOSS TOTA | Name Common Com | No. Cocol WELLS WELLS WALL Court Cour | Auto | NELLS WELLS VAIL NAL IMPORT TOTAL NAL IMPORT TOTAL LOSS TO | NELLS WELLS VAIL WARL WA | Well Well | Viel S Viel S Viel Nation Viel Natio | NUTRICAL NAIL NAI | MURIN MULL MULL MUCK MULL MUCK MULL MUCK NAME MANUEL MAN |

^{1/} Figures from 1966 to 1972 supplied by USGS; 1972 to 1996 supplied by RCWD 2/ Total production = Wells, Total Diversions and Import 3/ Loss = Total production less total use

^{4/} Discharge from 2 MGD Demonstration Project 5/ Does not include EMWD reclaimed wastewater production • - Irrigation 1966 to 1976 by pumping from Vail Lake

TABLE B-7

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON EXCLUDING NAVAL WEAPONS STATION SHOWN ON B-8

	PR	ODUCTIO	N	_				USE			_	RECL	AIMED WAST	EWATER
WATER YEAR		CAMP SUPPLY	TOTAL		AGRICUI IN SMRW	LTURE 1 OUT SMRW	CAMP S IN SMRW	SUPPLY 2/ OUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW		RECHARGE IN-SMR 4/	IMPORT 5/ RECHARGEI IN SMRW	TOTAL D RECHARGED IN SMRW
1966	1,101	4,605	5,706	11	429	672	2,026	2,579	3,251	2,455	П	919	974	1,893
1967	796	4,611	5,607	П	310	486	2,117	2,694	3,180	2,427	İ	914	1,243	2,156
1968	986	4,939	5,925	П	385	601	2,172	2,767	3,368	2,557	İ	866	1,214	2,080
1969	940	4,821	5,761	П	367	573	2,058	2,783	3,276	2,485	11	1,019	1,170	2,189
1970	1,106	5,481	6,587	П	431	675	2,347	3,134	3,809	2,778	П	1,032	1,113	2,145
1971	819	5,291	6,110	11	319	500	2,264	3,028	3,527	2,583	П	921	1,090	2,011
1972	817	5,323	6,140	H	319	498	2,278	3,045	3,543	2,597	I	900	1,168	2,068
1973	1,003	5,121	6,124	П	391	612	2,189	2,932	3,544	2,580	F	949	1,167	2,137
1974	909	5,202	6,111	П	355	554	2,224	2,978	3,532	2,579	Ī.	915	1,140	2,055
1975	757	4,593	5,350	11	295	462	1,957	2,636	3,098	2,252	H	989	1,530	2,519
1976	885	5,384	6,269	11	345	540	2,305	3,079	3,619	2,650	Ï	949	1,497	2,447
1977	994	4,506	5,500	П	388	606	1,918	2,588	3,194	2,306	1	942	1,416	2,358
1978	176	5,177	5,353	П	69	107	2,213	2,964	3,071	2,262	П	1,164	1,283	2,446
1979	1,070	7,213	8,283	П	417	653	3,109	4,104	4,756	3,527	İ	1,065	1,427	2,493
1980	835	5,495	6,330	Н	326	509	2,353	3,142	3,651	2,679	П	1,101	1,405	2,506
1961	1,464	5,240	6,704	11	571	893	2,241	2,999	3,892	2,612	1	1,119	1,249	2,368
1962	1,447	5,024	6,471	П	564	883	2,146	2,878	3,761	2,710	1	982	1,273	2,254
1983	942	4,215	5,157	Ш	367	575	1,790	2,425	3,000	2,157	1.	1,252	1,242	2,494
1984	1,078	4,501	5,579	П	420	658	1,916	2,585	3,243	2,338	li	1,323	1,120	2,443
1985	1,069	4,764	5,833	П	417	652	2,039	2,725	3,377	2,456	П	1,419	1,200	2,619
1986	953	4,807	5,760	П	372	581	2,062	2,745	3,326	2,434	i	1,259	981	2,240
1987	1,098	4,638	5,936	11	428	670	2,064	2,774	3,444	2,492	П	1,387	1,799	3,166
1988	1,223	4,721	5,944	11	477	746	2,010	2,711	3,457	2,487	П	1,523	1,872	3,396
1989	856	5,044	5,900	П	334	522	2,148	2,896	3,418	2,482	[]	1,301	1,446	2,747
1990	855	4,228	5,083	11	333	522	1,779	2,449	2,971	2,112	H	1,277	1,451	2,728
1991	554	3,159	3,713	11	216	338	1,329	1,830	2,168	1,545	П	1,070	1,219	2,289
1992	898	3,254	4,152	11	350	548	1,376	1,678	2,426	1,726	Ш	933	1,548	2,481
1993	1,067	2,879	3,946	П	416	651	1,201	1,678	2,329	1,617	П	1,049	1,926	2,975
1994	1,471	3,150	4,621	П	574	897	1,345	1,805	2,702	1,919	Ì		1,501	2,535
1995	985	3,768	4,753	ÌÌ	384	601	1,588	2,180	2,761	1,972	II	980	1,473	2,453
1996	1,000	5,199	6,199	11	390	610	2,232	2,967	3,577	2,622	11	951	1,493	2,444
1997	1,066	5,238	6,304	II	416	650	2,244	2,994	3,644	2,660	Ï	988	1,932	2,920
1998	1,026	5,468	6,494	П	400	626	2,352	3,116	3,742	2,752	II	935	2,073	3,008

^{1/} Agricultural water use is divided with 39% used inside the SMRW and 61% used outside.

^{2/} Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, less the NWS Import for years beginning 1969. Prior to 1969 44% was used inside the SMRW and 56% was used outside.

^{3/} Assumes No Losses

^{4/} Wastewater Recharged in SMR equals effluent from Plants 3, 8 and 13 (partial).

^{5/} Wastewater Import Recharged in SMRW equals effluent from Plant 1 plus the portion of the effluent from Plant 2 returned to the SMRW via Pond 2 plus the portion of the effluent from Plant 13 not included in 4/.
No record available for effluent from Plant 2 returned to SMRW for 1966-1974 and 1982 - June 1990.
Calculation of import recharged in Santa Margarita River from Plant 2 is based on zero when no record is available.

TABLE B-8

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

		PRODUCTION				US	<u> </u>			WASTEWATER
WATER YEAR	LOCAL	IMPORT TO WATERSHED 1/	TOTAL		AG	COMMERCIAL DOMESTIC	LOSS 2/	TOTAL USE		EXPORTS
				•					•	
1966	87	0	87	П	0	79	9	87	П	0
1967	92	0	92	ii	0	83	9	92	ii	0
1968	108	0	108	ii	0	97	11	108	ii	o
1969	138	0	138	ii	0	113	25	138	ii	0
1970	152	0	152	ii	0	125	27	152	11	0
1971	39 P	76 E	115	ij	0	100	15	115	11	0
1972	0	115 E	115	ii	0	105	10	115	ΪΪ	0
1973	0	115 E	115	ii	0	105	10	115	ii	0
1974	0	115 E	115	ΪÌ	0	105	10	115	ΪÌ	0
1975	0	115 E	115	П	0	105	10	115	П	0
1976	0	115 E	115	П	0	105	10	115	Ш	0
1977	0	115 E	115	П	0	105	10	115	П	0
1978	0	115 E	115	Ш	0	105	10	115	П	0
1979	0	115 E	115	П	0	105	10	115	11	0
1980	0	115 E	115	11	0	105	10	115	11	0
1981	0	115 E	115	П	0	105	10	115	11	0
1982	0	115 E	115	П	0	105	10	115	П	0
1983	0	115 E	115	П	0	105	10	115	Н	26 E
1984	0	115 E	115	Ш	0	105	10	115	Н	26 E
1985	0	102	102	П	0	93	9	102	Ш	26 E
1986	0	94	94	П	0	85	9	94	П	18 P
1987	0	116	116	П	0	105	11	116	П	27
1988	0	120	120	11	0	109	11	120	H	25
1989	0	128	128	11	0	116	12	128	H	22
1990	0	145	145	11	0	132	13	145	Ш	27
1991	0	109	109	Ш	0	99	10	109	Ш	11
1992	0	99	99	П	0	90	9	99	П	7
1993	0	117	117	Ш	0	106	11	117	П	16
1994	0	73	73	Ш	0	66	7	73	П	5
1995	0	125	125	11	0	114	11	125	H	12
1996	0	100	100	11	0	91	9	100	H	5
1997	0	109	109	П	0	99	10	109	П	6
1998	0	97	97	Ш	0	88	9	97	Ш	8

^{1/ -} Estimate 1969-1984 - Records not available

^{2/ -} Loss = 10% of Use

E - Estimate

P - Partial year data

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1997-98

APPENDIX C SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

AUGUST 1999

APPENDIX C

SANTA MARGARITA RIVER WATERSHED SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROU	NDWATER AREA							
Clawson, Gary A.	43425 Sage Road	917-050-009	309.74	Total				
	Aguanga, Ca. 92536	917-050-007	82.19	1				
		581-070-013	43.10	of				
		581-150-013	120.56	1				
		581-150-016	25.37	1				
		581-070-014	158.08	30.00	Alfalfa	8S/1E-7N(1)	Total	
						8S/1E-7N(2)	of	
						8S/1E-7Q(1)	1	
						8S/1E-7Q(2)	90.00	
Cottle, Thomas C.	42551 Hwy 79	583-040-028	25.52	Total				
obtact Themas of	Aguanga, Ca. 92536	583-040-029	19.89	1		8S/1E-19K	79.40	
	, iguaga, aa aa	000 0 10 020		of		8S/1E-19G4		
		583-040-024	23.48	i				
		583-040-025	23.12	46.00	Oats			
		583-040-026	23.16	and				
		583-040-027	22.64	20.00	Pasture			
						8S/1E-29L Divers	ion	88.00
Strange, Owen W.	m/t P.O. Box 1974	583-040-022	97.78	Total		8S/1E-19Q(1)	150.00	
and Elizabeth G.	Rancho Santa Fe,	583-040-021	13.45	10.2.	Oats,		Domestic	
Trustees, Strange	Ca. 92067	583-130-001-3	80.00	of	Bermuda,			
Living Trust	43023 Hwy 79	583-120-001-2	120.00	1	Alfalfa, and			
of 4-15-88	Aguanga, CA 92536	583-060-003-9	41.60	101.00 8	Permanent pastur	е		
0.11000	rigatings, oil care					8S/1E-29L Divers	ion	250.00
Turin Canali Banahi	c/o Jim Holden	583-120-081	17,29	15.00	Small Grains			
Twin Creek Ranch/	P. O. Box 519	583-120-083	68.09	65.00	Small Grains	8S/1E-28N1	Total	
Chester M. Mason	Corona, Ca. 91718	303-120-003	00.09	03.00	Onali Graits	8S/1E-28N(2)	l	
Family Trust	44201 Hwy 79 Aguanga					00/1E-2014(2)		
	44735 Hwy 79 Aguanga	583-120-084	179.39	30.00	Small Grains	8S/1E-29H	of	
	44155 Hwy 15 Aguanga	583-150-001	80.00	15.00	Row Crops	00/1E-23/1	ı	
		303-130-001	00.00	15.00	Small Grains		1	
		583-140-014	48.03	15.00	Row Crops	8S/1E-33F		
		583-140-015	40.00	35.00	Row Crops	8S/1E-33G1	l	
		583-140-016	40.00	38.00	Small Grains	8S/1E-33B	553.00	
		583-140-018	10.09	0.00	oman oranio	10/1L 00D	555.00	
		583-140-020	10.05	0.00				
		583-140-019	10.00	0.00				
Vrieling, Gerrit J. and Betty J.	m/t 15015 Cheshire La Mirada, Ca. 90638 45203 Hwy 371 Aguanga	583-240-022	10.00	9.00	Pistachios	8S/1E-23N	9.90	

APPENDIX C

SANTA MARGARITA RIVER WATERSHED SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROU	NDWATER AREA (Con	t)						
Harris, Homer N.	44444 Sage Road	581-160-014	17.73	Total Of		8S/1E-18J(1)	0.20	
and Dolores G.	Aguanga, CA 92536			15.00	Citrus	8S/1E-18J(2)	0.25	
		581-160-015	7.42	5.00	Fruit and			
		581-150-009	7.00	10.00	Walnuts	8S/1E-18H(1)	2.00	
						8S/1E-18H(2)	0.20	
		581-180-022	30.00	0.00				
		581-180-004	20.00	0.00				
		581-180-020	20.00	0.00		8S/1E-17M		
		581-180-021	2.15			8S/1E-17E	15.00	
Valeywide Recreation and Parks District	901 W. Esplanade Ave San Jacinto, CA 92582	581-170-009	7.82	7.82	Grass	Used 8S/1E-17E	owned by Harris	
Missionary Foundation,	44350 Sage Road	581-170-011	290.03	100.00	Row Crops	8S/1E-17B	0.00	
Inc.	Aguanga, CA 92536			(Irrigated by Dive	ersion)	8S/1E-17H	Domestic	
		581-180-009	120.00	0.00				
		581-190-001	320.00	0.00				
		581-070-005	640.00	0.00		8S/1E-9Q - Dive	rsion	200.00
California Golf	43590 Sage Road	581-120-006	200.00	5.00	Citrus	8S/1E-8K2	60.00	
Academy	Aguanga, CA 92536			10.00	Deciduous Fruit			
-	m/t 8762 Garden Grove Blvd Suite #204	í.		8.00.8	Row Crops and G	Grapes		
	Garden Grove, CA 92844							

TOTAL AGUANGA GROUNDWATER AREA

594.82

959.95 538.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREE	K ABOVE AGUANGA (GROUNDWAT	TER AREA					
Agri-Empire, Inc.	m/t P. O. Box 490	113-090-01	377.07	Total				
	San Jacinto, CA 92383	113-090-03	21.46	1				
	•	113-090-05	541.22	i				
		113-100-01	389.81	i		9S/2E-11B - Dive	ersion	0.00
		113-130-01	150.09	i		9S/2E-17		
E - Estimated		113-140-03	196.54	of		9S/2E-16N2	250.00	
E Edulidad				i		9S/2E-16M	190.00	
				i		9S/2E-16F1	84.00	
				i		9S/2E-16N1	0.00	
				i		9S/2E-16F2	40.00	
				i		9S/2E-16K - Dive		59.00
		113-140-04	503.24	i				33.00
		113-140-05	45.09	i				
		113-140-06	93.94	i				
		114-020-09	37.16	245.00	Potatoes			
		114-030-08	331.79	1	and	9S/2E-22	62.00	
		114-030-26	42.87	280.00	Oats			
* Land leased from	37126 Hwy 79	113-140-01 *	358.62	Total		9S/2E-16B(1)	Total	
Arlie W. and	Warner Springs, CA 92086			of		9S/2E-16B(2)	of	
Coral R. Bergman				I		9S/2E-16G	200.00	
		113-140-02 *	38.75	80.00	Potatoes			
		114-020-12	108.78	0.00				
		114-030-10	41.51	0.00				
		113-130-03	115.75	0.00				
		113-130-04	39.65	0.00				
Ward, Alvis A	m/l 2 Rue Biarritz	112-030-58	69.83	20.00	Pasture	9S/1E-1Q(1)	240.00	
	Newport Beach, CA 92660			33.00	Grain/Grass	9S/1E-1Q(2)	Domestic	
	38790 Highway 79	112-030-22	24.77	0.00				
	Warner Springs, CA 92086	112-030-38	40.00	0.00		9S/1E-12A	Domestic	
Ward, Donald F.	38790 Highway 79 Warner Springs, CA 92086	112-030-67	67.41	10.00	Oats/Sudan	Used 9S/1E-1Q(Alvis Ward's Pro		
	. •	112-030-58	160.00	0.00	Pasture	9S/1E-1M - Dive	rsion	0.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION P TWP/RNG/SEC	WELL RODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREE	EK ABOVE AGUANGA (ROUNDWA	TER AREA (Cont)				
Papac, Andrew and Olga	m/t 2030 Santa Anita Ave South El Monte, CA 91733 38642 Highway 79 Warner Springs, CA 92086	113-060-012	63.21	20.00	Bermuda Grass	9S/2E-7D 9S/2E-7E - Diversio	38.00 on	38.00
Templeton, Robert D. and Linda K.	35490 Highway 79 Warner Springs, CA 92086	114-120-042	78.41	0.00		9S/2E-35D1 9S/2E-35D1		
	, ,	114-070-007	76.42	20.00	Pasture	9S/2E-27R1 9S/2E-27R2 9S/2E-27J	Total of 114.00	
		114-080-014 114-080-013	42.51 21.30	10.00 0.00	Pasture			
TOTAL TEMECUL ABOVE AGUA	LA CREEK INGA GROUNDWATER	AREA		718.00			1,218.00	97.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK A	ABOVE AGUANGA GR	OUNDWATER	AREA					_
Greenwald, Alvin G.	6010 Wilshire Blvd #500	573-180-001	156.38	156.38 156.00 (Row Crops Grain Grown by A	7S/3E-17E	625.52	
	Los Angeles, CA 90036	576-070-001	70.00	70.00	Pasture	7S/3E-20N	266.00	
Agri-Empire, Inc.	P.O. Box 490 San Jacinto, CA 92383							
	Section 8	573-090-005	45.17	0.00				
	GECHOII O	573-100-002	27.79	0.00				
	Section 10	575-050-044	14.36	0.00				
		575-050-045	14.36	0.00				
		575-060-002	113.49	0.00		7S/3E-11N4	297.00	
	Section 13	575-100-037	57.80	0.00		7S/3E-11P3	266.00	
	0.11-14	575 440 004	440.75	400.00	D-1-1	7005 4454		
	Section 14	575-110-021	143.75	100.00	Potatoes	7S/3E-14D1	227.00	
		575-110-027	54.45	100.00	Grain	70/0E 4400	220.00	
		575-310-002 575-310-011	39.09 80.00	0.00 0.00		7S/3E-14C2	238.00	
		575-310-011	80.00	0.00				
		575-310-013	17.46	0.00				
		575-310-027	17.46	0.00				
	Section 15	575-080-014	9.92	0.00				
	OCCUPATION TO	575-080-015	4.35	0.00				
		575-080-017	9.75	0.00				
		575-080-018	10.13	0.00				
		575-080-019	31.29	0.00				
		575-080-021	20.00	0.00				
		575-080-022	20.00	0.00				
		575-080-024	20.00	0.00				
		575-080-027	20.00	0.00				
		575-090-010	38.80	0.00				
	Section 17	573-180-011	39.74	0.00				
* Land leased from		573-200-004 *	18.24	Total				
Linus W. & Helen I	И. Miller	573-200-005 *	18.50	Grown				
P. O. Box 602		573-200-006 *	18.89	On				
Anza, CA 92306		573-200-007 *	18.88	Miller				
		573-200-008	18.31	Lease				
		573-200-009 *	36.40	Is				
		573-200-010 *	18.68	125.00	Potatoes			

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK ABOY ANZA VALLEY (Cont)	/E AGUANGA GR	OUNDWATER	AREA				_	
Agri-Empire, Inc. (Cont)								
	Section 20	576-060-009	8.26	Total				
		576-060-031	16.09	of				
		576-060-033	79.45	ı				
		576-060-037	41.41	i				
		576-070-003	80.00	i				
		576-070-005	116.57	160.00	Grain			
	Section 21	576-080-003	133.72	Total of				
		576-100-029	40.00	140.00	Potatoes			
* Land leased from		576-110-001 *	160.00	40.00	Grain and			
Louise Phebe Hamilton 1	Гг			40.00	Potatoes			
P. O. Box 102, Anza, CA	92306							
		576-110-002	28.00	0.00				
		576-110-004	50.00	0.00				
		576-110-006	19.29	Tota!		7S/3E-21R3	286.00	
		576-110-007	17.82	of				
		576-110-008	17.00	ı				
		576-110-009	18.41	75.00	Grain			
	Section 22	575-120-012	88.03	Total				
		575-130-003	19.55	of				
		575-130-006	40.89	70.00	Grain			
		575-130-008	18.56	Total				
		575-130-009	20.06	of				
		575-130-010	20.07	1				
		575-130-011	19.19	70.00	Grain			
		575-130-012	18.18	and				
		575-130-013	19.02	1				
		575-130-014	19.00	1				
		575-130-015	17.56	80.00	Potatoes			
* Leased from Emil & Anr	na Caldwell	575-120-018*	20.45	Total				
and Laurine Silver		575-120-019*	20.45	1				
56925 Yucca Trl, Yucca V	ly, CA 92284	575-120-032*	4.69	l				
		575-120-033*	4.68	of				
		575-120-034*	4.68	F				
		575-120-035*	4.28	60.00	Potatoes			
Leased from Dionisios &	Irini Argyros	575-120-028	4.68	Total				
2813 Monogram Ave, Lon	g Beach, CA 90815	575-120-029*	4.68	of				
		575-120-030*	4.68	I				
		575-120-031*	4.23	20.00	Potatoes			

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC, FT	SURFACE DIVERSION AC. FT
WILSON CREEK A ANZA VALLEY (Cor	BOVE AGUANGA GR	OUNDWATER	RAREA					
Agri Empire, Inc. (Cont)								
Cahuilla Indian	Section 27	576-130-001*	640.00	80.00	Potatoes			
Reservation * Land leased to	Section 28	576-120-003*	640.00	80.00	Oats	7S/3E-28A2 (Formerly designa (as 7S/3E-27D1)	217.00 led	
Agri-Empire, Inc.						(
• •	Domestic and	Commercial Well	s Reported by E	Bureau of Indian A	Affairs		Total	
	Wells in	Wells out of					1	
	Basement Complex	Watershed	Wells	with QYAL and/o	or QTOAL		1	
	7S/2E-14L1	8S/3E-2A1	7S/2E-14J1	7S/2E-28Q1	7\$/3E-31L2		l	
	7S/2E-25D1	8S/3E-2B1	7S/2E-14M1	7S/2E-33C1	7S/3E-34N1			
	7\$/2E-26B1	8S/3E-2D1	7S/2E-14M2	7S/2E-33E1	7S/3E-34Q1		i	
	7S/2E-26B2	8\$/3E-2E1	7S/2E-14R1	7S/2E-33N1	8S/2E-4D1		i	
	7S/2E-26B3	8S/3E-2G1	7S/2E-23A1	7S/3E-27C1	8S/2E-4N1		i	
	7S/2E-34E1	8S/3E-2H1	7S/2E-23D1	7S/3E-27C2	8S/2E-4N2		i	
	7S/2E-38A1		7S/2E-23F1	7S/3E-27H1	8S/2E-4P1		i	
	7S/2E-36J1		7S/2E-23G1	7S/3E-27M1	8S/2E-4R1		ĺ	
	7S/2E-36R1		7S/2E-23H1	7S/3E-28A1	8S/2E-4R2		i	
	7S/3E-26A1		7S/2E-23K1	7S/3E-28A2	8S/3E-5Q1		Ī	
	7S/3E-29Q1		7S/2E-23M1	7S/3E-28D1	8S/3E-6J1		of	
	7S/3E-30H1		7S/2E-23P1	7S/3E-29C1			1	
	7S/3E-31A1		7S/2E-23Q1	7S/3E-29M1			1	
	7S/3E-31N1		7S/2E-25C1	7S/3E-3OP1			1	
	7S/3E-31Q1		7S/2E-25F1	7S/3E-3OQ1			1	
	7S/3E-32D1		7S/2E-25R1	7S/3E-3OR1			1	
	7S/3E-32D2		7S/2E-26E1	7\$/3E-3OR2			1	
	8S/3E-6B1		7S/2E-26L1	7\$/3E-3OR3				
	8\$/3E-6B2		7S/2E-27A1	7S/3E-31C1				
	8S/3E-6G1		7S/2E-27H1	7S/3E-31F1				
	8S/3E-6R1		7S/2E-28N1	7S/3E-31L1			25.00	
SUBTOTAL ANZA V	/ALLEY			1,702.38			2,447.52	0.0
WILSON CREEK A	BOVE AGUANGA GR	OUNDWATER	RAREA			_	_	
Green Shell Company	39850 Sage Road Hemet, CA 92343	571-080-012	80.00	50.00	Olive Trees	7\$/1E-20Q	55.00	
SUBTOTAL LEWIS	SUBTOTAL LEWIS VALLEY			50.00			55.00	0.0
	VALLEY	571-080-012	80.00		Olive frees	75/16-200		

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEME	CULA GROUNDWATER	RAREA						
Poyorena, Thomas J.	m/t 22145 Grand Ave Wildomar, CA 92395 21853 Palomar St.	369-510-022	18.79	14.00	Pasture	6S/4W-35P	53.20	
Temecula Ranchos	m/t 2100 Tulare St #405	952-240-001	429,43	378.46	Citrus	8S/2W-14P1	225.00	
c/o Chester Rowell	Fresno, CA 93271	952-230-002	48.92	41.20	Citrus	8S/2W-14F	180.00	
and Roger Rowell	45055 Rio Linda Road	943-230-001	109.34	107.00	Citrus	7S/2W-26L	200.00	
•	Rancho California Road	943-230-003	14.17	13.00	Citrus			
	La Serena Way	942-230-003	37.83	37.00	Citrus			
	Temecula, CA 92390	943-040-006	20.00	18.00	Citrus	7S/2W-28L	170.00	
		943-060-001	94.49	89.00	Citrus			
	_	943-060-002	26.50	29.00	Citrus			
Anza Grove	c/o McMillan Farm Mgt.	942-180-002	40.28	Total of				
	29379 Rancho Cal. Rd	942-240-003	40.83	155.00	Citrus			
	#201	942-240-004	40.83	and				
	Temecula, CA 92390	942-240-005	39.31	6.00	Grapes	7S/2W-26B1	181.00	
Bear Valley	c/o McMillan Farm Mgt.	904-050-080	17.5 1	0.00				
Vineyard Co., Ltd.	29379 Rancho Cal. Rd	904-030-021	90.12	90.00	Wine Grapes	7S/3W-18Q	139.00	
AND	#201	904-030-020	2.38	0.00				
Manley Bear Valley	Temecula, CA 92390	904-060-009	129.46	0.00				
Partners		904-060-008	48.00	36.00	Wine Grapes			
		904-060-010	153.47	0.00		_		
DiBernardo, Louis J.	m/t 35925 Rancho Cal. Rd	917-240-015-7	20.00	Total				
	Temecula, CA 92591	917-240-014-6	60.00	of				
	38695 Highway 79	917-150-006-1	120.00	160.00	Citrus and	8S/1W-21K(1)	Total	
	Warner Springs, CA 92086	917-150-002-7	117.76	10.00	Apples	8S/1W-21K(2)	of	
						8S/1W-21P(1)	- 1	
					_	8S/1W-21P(2)	343.00	
Boots, Clydene	P. O. Box 321	909-090-019	16.66	14.00	Pasture			
	Murrieta, CA 92362 25555 Washington Ave Murrieta, Ca. 92564	909-100-017				7S/3W-21P	60.00	

SANTA MARGARITA RIVER WATERSHED SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL PARCEL NO. ACREAGE		ACRES IRRIGATED IRRIGATED CROP 97-98 97-98		WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEME	CULA GROUNDWATE	R AREA (Con	t)					
Regency Properties	44051 Rainbow Cyn Rd.	922-220-002	86.11	Total		8S/2W-19(D)	177.87	
	Temecula, CA 92592	922-220-003	5.75	- 1				
		922-220-004	52.18	- 1				
		922-220-007	14.36	- 1				
		922-220-008	3.99	of				
		922-230-002	59.29	- 1				
		922-230-003	1.00	1				
		922-230-004	40.00	Į.				
		922-230-007	25.00	1				
		922-230-008	16.11	150.00	Grass			_
Carson, David M.	25471 Hayes Ave	909-260-036	8.87	7.00	Pasture	7S/3W-29G	39.90	
and Carol J.	Murrieta, CA 92362	909-260-042	4.31	3.50	Pasture			
	Domestic and	Commercial Wells	s Reported by I	Bureau of Indian	Affairs		Total	
	Domestic and Wells in	Commercial Wells Wells out of	s Reported by I		Affairs Ils with		Total	
				We			Total } I	
	Wells in	Wells out of		We <u>QYAL an</u>	lls with dior QTOAL		Total] 	
	Wells in	Wells out of		We QYAL an 8S/2W-28J1	lls with Id/or QTOAL 8S/2W-34B3		Total] 	
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2	lls with Id/or QTOAL 8S/2W-34B3 8S/2W-34B4		Total 	
	Wells in	Wells out of		We QYAL an 8S/2W-28J1	lls with Id/or QTOAL 8S/2W-34B3 8S/2W-34B4 8S/2W-34C1		Total	
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1	lls with Id/or QTOAL 8S/2W-34B3 8S/2W-34B4]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34D1]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34C1 8S/2W-34D1 8S/2W-34E1]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2 8S/2W-28Q4	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34D1 8S/2W-34E1 8S/2W-34F1]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2 8S/2W-28Q4 8S/2W-28Q6	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34D1 8S/2W-34E1 8S/2W-34F1 8S/2W-34F1]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2 8S/2W-28Q4 8S/2W-28Q6 8S/2W-28Q7	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34C1 8S/2W-34D1 8S/2W-34E1 8S/2W-34F1 8S/2W-34F2 8S/2W-34F3]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2 8S/2W-28Q4 8S/2W-28Q6 8S/2W-28Q7 8S/2W-28R1	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34C1 8S/2W-34D1 8S/2W-34E1 8S/2W-34F1 8S/2W-34F2 8S/2W-34F3 8S/2W-34F3]]] [
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2 8S/2W-28Q4 8S/2W-28Q6 8S/2W-28Q7 8S/2W-28R1 8S/2W-29A1	8S/2W-34B3 8S/2W-34B4 8S/2W-34C1 8S/2W-34C1 8S/2W-34C1 8S/2W-34E1 8S/2W-34F1 8S/2W-34F2 8S/2W-34F3 8S/2W-34F4	113.50		
	Wells in	Wells out of		We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1 8S/2W-28Q1 8S/2W-28Q2 8S/2W-28Q4 8S/2W-28Q6 8S/2W-28Q7 8S/2W-28R1 8S/2W-29A1	85/2W-34B3 85/2W-34B4 85/2W-34B1 85/2W-34C1 85/2W-34E1 85/2W-34E1 85/2W-34F1 85/2W-34F3 85/2W-34F3 85/2W-34F4 85/2W-34F7	113.50 61.68		

TOTAL MURRIETA-TEMECULA GROUNDWATER AREA

1,358.16

1,944.15

4.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION P TWP/RNG/SEC	WELL PRODUCTION AC, FT	SURFACE DIVERSION AC. FT
SANTA MARGARI	ITA RIVER BELOW GO	RGE						
DE LUZ CREEK								
Ezor, Albert E. and Sylvia L.	m/t 31421 Cavendish Dr. Los Angeles, CA 90064	101-271-17	47.79	8.00 2.00	Avocados Vegetables	8S/4W-29D(1) 8S/4W-29D(2)	25.00 Total	
Bryant, Warren and Lori	40724 DeLuz Rd Fallbrook, CA 92028	101-271-19 101-271-20	19.08 5.02	Total of		8S/4W-29E(1)	30.40	
		101-271-21 101-271-22	11.86 6.41	8.00	Pasture	8S/4W-29E(2)	Totel	
Prestininzi, Pete	2525 E. Mission Road	101-220-12	31.63					
and Dorothy N.	Fallbrook, CA 92028 Richmond Truck Trail	101-210-53	50.44	12.00	Avocados and Citrus	8S/4W-20A(1) 8S/4W-20H(1)	6.00 6.00	
	and DeLuz Murrieta Road					8S/4W-20H(2) 8S/4W-20A(2) 8S/4W-20H(3)	6.00	
						8S/4W-20A - Divers	sion	18.00
SJH Trust	41125 DeLuz Rd Fallbrook, CA 92028	101-210-11	15.23	8.50 0.50	Avocados Citrus	8S/4W-20Q(1) 8S/4W-20Q(2)	21.35 Total	
Herbel, John and Jeraldine	41257 DeLuz Rd Falibrook, CA 92028	101-210-12	30.28	10.00 18.00	Avocados Citrus	8S/4W-20Q(1) 8S/4W-20Q(2)	Total of	
			_	2.00	Row crops	8S/4W-20Q(3)	66.20	
Wagner, Wilbur A.	41128 DeLuz	101-210-23	17.19	11.00 3.00	Avocados Persimmons			
		101-210-22	4.55	3.00	Persimmons	8S/4W-20P(1) 8S/4W-20P(2) 8S/4W-20P(3)	5.00 0.00 25.00	
Chambers, Robert R. and Clytia M.	m/t 11439 Laurelcrest Dr. Studio City, CA 91604 40888 DeLuz-Murrieta Rd.	101-571-03	41.72	19.00	Flowers	8S/4W-28A 8S/4W-28A - Diver	40.00 sion	3.00
Welburn, Douglas J. and Sue	40787 DeLuz Murrieta Rd. Fallbrook, CA 92028 40751 DeLuz Murrieta Rd	101-571-08	26.98	7.00	Row Crops	8S/4W-28G1	30.00	
Nezami, Mohammed Bluebird Ranch	2193 Calle Rociada Fallbrook, CA 92028	101-312-02	58.17	45.00 5.00	Flowers Avocados	8S/4W-31K(1) 8S/4W-31K(2) 8S/4W-31K(3)	Total of I	
		101-312-01	82.29	42.00	Flowers	8S/4W-31L 8S/4W-31L - Divers	162.18 sion	31.48

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION PI TWP/RNG/SEC	WELL RODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARI	TA RIVER BELOW GO	RGE (Cont)						
DE LUZ CREEK (Co	ont)							
Vanginkel, Norman and Deborah	39452 DeLuz Road Fallbrook, CA 92028	101-312-03	80.00	15.00	Nursery Stock	8S/4W-31J(2)	30.00	
		102-052-04	22.04			6S/4W-6A	4.00	
	m/t 20664 Calle De La Lade		4.26					
	Yorba Linda, CA 92887	102-731-02	4.20	<u></u>				
Daily Family Trust	40555 Ross Road	101-430-27	2.73	Total of				
	Fallbrook, CA 92028	101-430-30	16.39	5.00	Avocados			
		101-500-01	16.62	5.00	Limes			
		101-480-14	13.20	5.00	Persimmons	8S/4W-34- Lake Div	ersion/	9.00
SUBTOTAL DELUZ	CREEK			204.00			457.13	61.4
SANDIA CREEK								
Cal June, Inc.	P. O. Box 9551 No. Hollywood, CA 91609 40376 Sandia Creek Fallbrook, CA 92028	101-360-40	126.32	50.00	Avocados	8S/4W-25P(1) 8S/4W-25P(2) 8S/4W-25P(3) 8S/4W-25P(4) 8S/4W-25P(5) 8S/4W-25P - Divers	10.00 sion	200.0
SUBTOTAL SANDIA	A CREEK			50.00			10.00	200.00
SANTA MARGARIT	A RIVER							
San Diego State University Foundation	47981 Willow Glen Rd. Temecula, CA - m/t Louis Haberkern, Direct SDSU Foundation 5250 Campanile Dr., 4th Fl San Diego, CA 92182-198	r.	120.00 40.00	Total of 20.00	Citrus and Avocados	8S/3W-33Q1 8S/3W-33Q(2) 8S/3W-33Q - Divers	21.50 3.00 sion	
SUBTOTAL SANTA	MARGARITA RIVER	-		20.00		-	24.50	21.5
	MARGARITA RIVER ARGARITA RIVER BEL	OW GORGE		20.00			491.63	

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 97-98	IRRIGATED CROP 97-98	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
LOWER MURRIET	TA .							
Robertson, Richard	m/t P. O. Box 7060	571-020-046	81.09	0.00				
and Janice	Hemet, CA 92545	571-020-047	40.80	0.00				
(Sage Ranch Nursery)	42525 E. Benton Rd.	571-020-048	36.75	0.00				
		571-020-049	148.86	0.00		7S/3E-7D	4.00	
		571-520-007	109.50	Total				
		571-520-008	99.43	I				
		571-520-009	80.23	of				
		571-520-010	78.20	ı				
		470-210-007	53.62	i				
		470-220-004	121.00	400.00	Olive trees	7S/3E-7E - Diver	E-7E - Diversion	
Zamora, John	39800 E. Benton Rd.	915-120-18	37.74	10.00	Pasture	7S/1W-10R(1)	Total	
and Linda	Temecula, CA 92390					7S/1W-10R(2)	of	
2.10 2.1102						7S/1W-10R(3)	ı	
						7S/1W-10R(4)	38.00	
						7S/1W-10R(5)	Domestic	
						7S/1W-10R(6)		_
TOTAL LOWER M	URRIETA			410.00			42.00	100.00
GRAND TOTAL				5,107.36			7,158.25	1,021.98
GRAND TOTAL	(Not including Indian Res			5,107.36			6,958.07	1,017.98

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1997-98

APPENDIX D
WATER QUALITY DATA

AUGUST 1999

TABLE D-2

SANTA MARGARITA RIVER WATERSHED

WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO	NO3
Temecula Creek	03/13/87	890	575			76		68			<.1 @N
At Hwy 79	05/08/87	1180	750			115		78			<.1 @N
	09/04/87	1350	895			134		110			.2 @N
	01/20/88	660	370			55		43			.2 @N
DeLuz Creek	08/21/86	1220	760	*94	44	92	2	193	165	204	17
At Dios Rio Road	11/25/86	1200	740	92	42	92	4	175	195	146	39
	03/13/87	1090	670			85		165			4 @N
	05/08/87	1130	700	_		94		200		_	9 @N
	09/04/87	1110	755			92		95			3.4 @N
	01/20/88	1250	775			100		142			11.7 @N
Sandia Creek at	08/21/86	1070	680	88	42	78	2	174	140	198	15
Buenos Campos	11/25/86	1130	685	92	44	73	2	165	150	207	16
	03/13/87	1130	660			73		160			2.7 @N
	05/08/87	1130	725			80		182			14 @N
	09/04/87	1110	690			75		90			3.4 @N
	01/20/88	1160	720			99		132			5.6 @N
Murrieta Creek	08/21/86	850	510	66	15	96	4	96	135	372	10
At Gaging Station	11/25/86	890	520	62	18	103	3	109	81	259	3
	04/02/87	870	515			99		104			.2 @N
	05/08/87	850	790			102		9			.2 @N
	09/04/87	730	445			84		45			.7 @N
	01/20/88	830	525	_	_	85		109			.7 @N

^{* -} Laboratory reported as 940

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/i	
	Tested	umhos	(mg/l)	Ca	Mg	Na 	K	CI	SO4	нсо	NO3
Santa Margarita	08/21/86	880	540	70	15	96	2	110	115	198	5
River at	11/25/86	1050	600	110	24	85	3	103	105	311	4
Gaging Station	04/02/87	1050	660			87		107			.7 @N
	05/08/87	1050	630		_	93		98			1.1 @N
	09/04/87	1000	640			88		100			<1 @N
	01/20/88	790	400			84		89			.7 @N
	06/29/94										0.3 @N
	07/06/94		_								0.3 @N
	07/13/94										<0.1 @N
	07/20/94	_									0.3 @N
	07/27/94		_	_			_		_		0.1 @N
	08/03/94									_	0.2 @N
	08/16/94										<0.1 @N
	08/24/94										0.6 @N
	08/31/94		_								0.4 @N
	09/07/94										0.3 @N
	09/14/94										0.9 @N
	09/21/94	_									0.7 @N
	09/27/94		_			_				_	0.4 @N
	10/06/94	_									<0.1 @N
	10/11/94		_							_	0.4 @N
	10/19/94				_						0.4 @N
	10/26/94		_	_						_	0.7 @N
	11/02/94				_						0.6 @N
	11/09/94					_					0.5 @N
	11/16/94	_									0.6 @N
	11/23/94		_								0.5 @N
	11/30/94		_								0.6 @N
	12/07/94										0.7 @N
	12/14/94										0.8 @N
	12/21/94			_					_		1.0 @N
	12/29/94	_	_	_							0.8 @N
	01/04/95	_								_	0.6 @N
	01/11/95		-								0.7 @N
	01/18/95		_			_				_	4.8 @N
	01/26/95		390								0.5 @N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids	ed Chemical Constituents - mg/l							
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсо	NO3
Santa Margarita	02/01/95	-	750								1.0 @N
River at	02/08/95		940							_	1.5 @N
Gaging Station	02/15/95		440		_						1.1 @N
(cont'd)	02/22/95		765				_				0.9 @N
	03/01/95		765		_						1.1 @N
	03/08/95		575				_				1.3 @N
	03/15/95	_	625								1.1 @N
	03/22/95		600								0.8 @N
	03/29/95	_	680								0.9 @N
	04/05/95		715								0.3 @N
	04/12/95	-	645								0.9 @N
	04/19/95		550								1.0 @N
	04/26/95		765			_					1.2 @N
	05/03/95		735	_							1.0 @N
	05/10/95		760			_					0.7 @N
	05/17/95		760								0.9 @N
	05/24/95		835								1.1 @N
	05/31/95		910		_						1.2 @N
	06/07/95		950		_						1.7 @N
	06/14/95		900								0.8 @N
	06/21/95	-	1000		-						1.5 @N
	06/28/95	_	940	_							1.3 @N
	07/06/95		880								0.9 @N
	07/12/95	-	910			_					0.9 @N
	07/19/95	_	910	_							0.8 @N
	07/26/95		895	_		_					0.8 @N
	08/02/95	_	980		_						1.4 @N
	08/09/95		935				-				1.4 @N
	08/16/95		925			_	_				0.7 @N
	08/23/95		905		_						0.8 @N
	08/30/95		865		_				_		0.8 @N
	09/06/95		740		_						<0.2 @N
	09/13/95	_	870								1.0 @N
	09/20/95		885								0.5 @N
	09/27/95		900								0.7 @N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
One Levanier.	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	НСО	NO3
Santa Margarita	10/04/95		875								<0.2 @N
River at	10/11/95		850		_					_	0.3 @N
Gaging Station	10/18/95		815						_		0.6 @N
(cont'd)	10/25/95		890					_			0.6 @N
	11/01/95		820								0.4 @N
	11/08/95		960						_		0.8 @N
	11/15/95		917								1.0 @N
	11/22/95		850	_		_					1.0 @N
	11/29/95		788			_					1.0 @N
	12/06/95		872								0.9 @N
	12/13/95		766								1.1 @N
	12/20/95		846				_				1.1 @N
	12/27/95		841						_		1.1 @N
	01/03/96		850								1.1 @N
	01/10/96		830	_							1.1 @N
	01/17/96		870			_					1.0 @N
	01/24/96		760								1.1 @N
	01/31/96		470								0.8 @N
	02/07/96	_	580								1.2 @N
	02/14/96		850							_	1.5 @N
	03/06/96	_	840								1.7 @N
	03/14/96		690								1.2 @N
	03/21/96		840								1.2 @N
	03/27/96		830								1.4 @N
	04/03/96		880								1.7 @N
	04/10/96		850								1.5 @N
	04/17/96		880								1.7 @N
	04/24/96		840								1.5 @N
	05/08/96		820			_					2.0 @N
	05/16/96	_	820		_						0.8 @N
	05/22/96		810								0.7 @N
	05/29/96		790					_	_		0.6 @N
	06/12/96		810		_						0.6 @N
	06/20/96		850	_		_			_		0.5 @N
	06/27/96	_	520		_			_		_	1.0 @N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	нсо	NO3
Santa Margarita	07/03/96		720	_							0.8@N
River at	07/10/96		750			_			_		1.0 @N
Gaging Station	07/17/96	_	690								0.9 @N
(cont'd)	07/24/96		710			_					1.2 @N
	07/31/96		700							_	0.9 @N
	08/07/96		760	_				_			0.7 @N
	08/14/96		680						-		0.6 @N
	08/21/96		700	\rightarrow							0.6 @N
	09/04/96		670		_		_				1.0 @N
	09/11/96		650								1.0 @N
•	09/18/96		600		_						0.9 @N
	09/25/96	-	610								1.2 @N
	10/02/96		640								0.9 @N
	10/09/96		630								1.2 @N
	10/16/96		630	_							1.0 @N
	10/23/96		650								1.4 @N
	10/31/96		690		_					_	1.5 @N
	11/06/96		820							_	1.0 @N
	11/13/96		800			_					1.0 @N
	11/20/96	_	830								1.0 @N
	11/27/96		790			_					1.4 @N
	12/04/96		870								1.3 @N
	12/18/96		830								1.5 @N
	12/26/96		780								1.5 @N
	01/02/97		790		_		_				1.1 @N
	01/17/97		590			_			_		0.9 @N
	01/22/97	_	810								1.6 @N
	01/29/97		670		_						1.2 @N
	02/05/97		830								1.7 @N
	02/12/97		650						_		1.1 @N
	02/19/97		850						_		1.4 @N
	02/26/97	_	830		_						1.6 @N
	03/05/97		900						_		1.6 @N
	03/12/97		850	_		_			_		1.4 @N
	03/19/97		830	-		_					1.4 @N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Total Specific Dissolved Che Date Conductance Solids						Chemical Constituents - mg/l					
	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	НСО	NO3	
Santa Margarita	03/26/97	_	800								1.2 @N	
River at	04/02/97		670								1.3 @N	
Gaging Station	04/09/97		730						_		1.0 @N	
(cont'd)	04/16/97		680								1.3 @N	
	04/23/97		570								1.0 @N	
	05/07/97		600							_	1.4 @N	
	05/14/97		630								0.9 @N	
	05/21/97		650	_							0.7 @N	
	05/28/97		690								0.7 @N	
	06/04/97		580								0.8 @N	
	06/11/97		640			_					0.9 @N	
	06/18/97		730		_						0.6 @N	
	06/25/97		760								0.5 @N	
	07/02/97		710								0.8 @N	
	07/09/97		630								0.4 @N	
	07/16/97		670								0.3 @N	
	07/23/97		630								0.3 @N	
	07/30/97		630		_						0.4 @N	
	08/06/97	_	630								0.4 @N	
	08/13/97		600								0.4 @N	
	08/20/97	_	650	_	_						0.5 @N	
	08/27/97		630								0.4 @N	
	09/03/97		630			_					0.4 @N	
	09/10/97		730			_		_	-		0.4 @N	
	09/17/97		640								0.5 @N	
	09/24/97		660								0.5 @N	
	10/15/97		600	_						_	1.7@N	
	10/22/97	_	680			_				_	1.6@N	
	10/29/97		650	_					_		1.7@N	
	11/05/97		810		_	_			_		1.5@N	
	11/12/97	-	770				_			_	1.4@N	
	11/20/97	_	750							_	1.5@N	
	12/03/97		670								1.5@N	
	12/11/97		650		_			_			1.3@N	
	12/17/97		770						_		1.7@N	
	12/31/97		770				_			_	1.6@N	

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	Constitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсо	NO3
Santa Margarita	01/07/98		750								1.5@N
River at	01/14/98		770								1.4@N
Gaging Station	01/21/98		750								1.4@N
(cont'd)	01/29/98		ND	_	_						1.3@N
	02/04/98		330			_	_		_	_	.9@N
	02/11/98		500	_	_						1.3@N
	02/18/98		330				_				1.0@N
	02/25/98	_	390								1.6@N
	03/04/98		680		_				_		1.2@N
•	03/18/98		680				_				0.8@N
	03/25/98		840		_				_		1.6@N
	04/01/98		410	_							1.1@N
	04/08/98		680			_					3.9@N
	04/15/98		750								3.6@N
	04/22/98		790				_			_	1.7@N
	04/29/98		820			_					1.7@N
	05/06/98		330								0.8@N
	05/13/98		380			_					0.8@N
	05/20/98		730								3.2@N
	05/27/98		820				_				1.4@N
	06/03/98		840								0.9@N
	06/10/98		920								0.8@N
	06/15/98		960		_						2.2@N
	06/24/98	_	1130								3.0@N
	07/01/98		680	_	_						1.2@N
	07/08/98		830	_						_	1.3@N
	07/15/98		800	_							1.0@N
	07/20/98		780				_				1.2@N
	07/29/98		650						_		0.8@N
	08/05/98		630								0.8@N
	08/12/98		660			_	_				1.4@N
	08/19/98		630				_		_		1.6@N
	08/26/98		620						_		1.0@N
	09/02/98		700	_							0.8@N
	09/09/98	_	1200								1.5@N
	09/16/98	_	610					_		_	1.3@N
	09/23/98		590				-				1.9@N
	09/30/98		580						_	_	1.5@N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids	ed Chemical Constituents - mg/l							
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	504	нсо	NO3
Murrieta River	08/20/97		ND ND								ND
Meter	09/03/97		ND	_							ND
	09/17/97		ND					_		_	0.9 @N
	10/01/97		ND					_			2.1@N
	10/08/97		ND			_		_			2.7@N
	10/15/97		ND								ND
	10/22/97		ND								2.5@N
	10/29/97		ND	_			_				2.0@N
	08/05/98	_	520	_							2.2@N
	08/12/98		580								2.2@N
	08/19/98		550					_			2.1@N
	08/26/98		720								2.4@N
	09/02/98		800								ND
	09/09/98		1200								1.5@N
	09/16/98		540					_			0.4@N
	09/23/98		540								1.2@N
	09/30/98		530	-			-				0.5@N
Willow Glen	07/22/97		780								0.2 @N
	08/19/97		720								0.2 @N
	09/23/97		730								0.4 @N
	12/18/97		980								3.3@N
	03/17/98		780			_		_			1.5@N
	05/05/98		940	_	-						2.5@N
	06/16/98		890								1.5@N
	07/07/98		980								6.0@N
	08/11/98		770								1.1 @N
	09/22/98		600	_							1.8 @N
DeLuz Crossing	07/22/97		760				_			_	ND
	08/19/97		770								ND
	09/23/97		810					-			ND
	12/18/97		890				_				1.7@N
	03/17/98	_	810			_		_		_	3.5@N
	05/05/98	_	790			_				_	3.4@N
	06/16/98	_	880			_	_			_	3.0@N
	07/07/98		860				_			_	1.9@N
	08/11/98		820								0.7 @N
	09/22/98		730	-							0.6@N

*ND- None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсо	NO3
Estuary	07/22/97		13,200								4.3 @N
	08/19/97		16,200							_	2.4 @N
	09/23/97		12,600	_						_	3.2 @N
	12/18/97		7,220				_				2.1@N
	03/17/98		700								2.7@N
	05/05/98		710								1.9@N
	06/16/98		840								1.8@N
	07/07/98		870		_						0.4@N
	08/11/98		5980								2.2@N
	09/22/98		22100								11.0@N
Upstream SBR	03/17/98		630								1.1@N
Plant #1	05/05/98		300								0.8@N
	06/10/98		490			_					0.5@N

WATERMASTER SANTA MARGARITA RIVER WATERSHED

TABLE D-3

SANTA MARGARITA RIVER WATERSHED

WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date	Specific Conductance	ductance Solids				Chemical Constituents - mg/				
	Tested	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3	NO3
Holiday Well	06/16/89	1300	775	122	39	100	2	178	66	372	40
7S/3W-20C09	10/18/91				_						25
10/011-20000	11/15/91						_				26
	12/13/91					_		_			28
	01/10/92						_				27
	02/07/92										27
	05/01/92						_				32
	05/29/92										28
	08/21/92										27
	01/22/93	960	605	83	29	83	2	130	84	278	33
	10/15/93				_	_				_	32
	03/30/94				_	_				_	44
	06/22/94			_	_						35
	09/14/94										31
	12/07/94										30
	03/01/95										32
	06/21/95										11
	09/13/95		-								27
	12/06/95	_								_	26
	03/27/96				_				_		15
	06/06/96										24
	09/11/96				_				_		22
	11/08/96			_	_				_		55
	11/14/96										25
	12/05/96								_		24
	03/27/97		_				_				20
	06/18/97	_		_		_		_			21
	12/03/97				_						18
	03/25/98			_					_		21
	04/22/98	1090	680	89	29	85	1	150	76	290	22
	06/17/98				_	_					23

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date	Total Specific Dissolved Conductance Solids			Chemical Constituents - mg/l						
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
House Well	06/16/89	660	345	34	3	95	2	87	60	153	<1
7S/3W-20G06	02/27/91	770			_			110	65	168	<1
	03/01/91	730				_		110			<1
	03/08/91	680	420	42	5	90	2	110	68	122	<1
	05/10/91	750					_				<1
	10/11/91		_		-				_		<1
	11/08/91			_	-					_	<1
	05/22/92										<1
	08/14/92				_						<1
	01/22/93	720	415	40	5	106	2	100	68	168	<1
	09/07/94										<1
	12 <i>1</i> 27 <i>1</i> 95		_								<1
	03/22/95										<1
	06/14/95			_		_					<1
	09/06/95										<1
	1 <i>2/</i> 27 <i>/</i> 95										<1
	03/20/96			_							<2
	06/12/96		-		-				_		<2
	09/04/96										<2
	12/26/96			_	_						<2
	03/19/97				-				_		<2
	06/12/97				_			_			<2
	12/30/97									_	<2
	03/18/98										<2
	04/15/98	660	360	30	3	94	1	91	62	130	<2
	06/10/98	_					_				<2
Lynch Well 7S/3W-17R02	06/16/89	760	410	70	17	55	1	86	30	262	8
Alson Well	06/06/90	1520	915	138	46	110	1	250	81	433	31
7S/3W-7M	07/21 <i>/</i> 98		880	100	37	120	<1	180	92	330	23
	09/09/98	1200	850	110	39	120	<1	180	100	320	23
Morris Well 7S/3W-19R	09/07/90	530	280	38	7	68	3	50	49	168	3

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids		ved Chemical Constituents						
One Location	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	HCO3	NO3
South Well	09/07/90	690	405	62	17	6 8	2	83	56	229	4
7\$/3W-20D	10/04/91				_						2
	11/01/91					_					3
	11/26/91		_								2
	05/15/92		_								<1
	10/01/93	-									2
	09/28/94				-	_		_		_	1
	12/21/94		_				_				3
	03/15/95										2
	06/07/95										2
	09/27/95		_								2
	12/20/95										3
	03/13/96	_				_					2
	06/15/96					_		_			3
	09/25/96									_	3
	12/18/96										3
	04/09/97					_					2
	06/04/97										2
	03/11/98										<2
	04/08/98	820	500	73	18	67	2	92	73	250	3
											3
North Well	06/16/89	730	390	40	7	98	2	98	45	201	<1
7S/3W-18J02	10/25/91										<1
	11/22/91			_							<1
	05/08/92			_							<1
	08/28/92										<1
	01/22/93	680	405	39	8	99	2	100	51	183	<1
	10/22/93		_								<1
	07/08/94	810	520			87		130	53		<1
	09/21/94		_	_				_			<1
	12/14/94		_					_			<1
	03/08/95		_					_			<1
	06/28/95									-	<1
	09/20/95				_				-		<1
	12/13/95				_				_		<1
	03/06/96		_						_		<2
	06/26/96				_						<2
	09/18/96		_			_	-				<2
	12/11/96	_	_	-				_	_		<2
	06/25/97										<2
	07/08/98	760	460	49	9	100	2	110	51	220	<2

WATERMASTER SANTA MARGARITA RIVER WATERSHED

TABLE D-4
SANTA MARGARITA RIVER WATERSHED

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Con	stituents	- mg/l		
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	S O4	нсоз	NO3
No. 101	06/01/88	810	495	76	15	79	8	116	16	314	
7S/3W-34G1	08/05/88										<1
	05/23/90	630	365	30	6	91	2	101	35	107	3
	08/04/93	860	465	76	14	78	2	120	22	275	<1
	08/09/96	820	480	69	14	83	2	110	15	310	<2
	10/16/97		_							_	<2
No. 102	01/04/89	695	370	9	2	134	1	101	25	195	<1
8S/3W-2Q1	01/15/92	930	615	38	4	160	3	160	55	250	<1
	05/17/95	850	475	21	1	144	1	120	130	98	<1
	06/20/95	1190	700	26	2	207	2	150	220	131	<1
	06/09/97			_	_						<2
No. 105	07/06/89	500	280	30	6	66	2	71	22	134	14
7S/3W-25M1	03/17/93	480	310	17	2	80	2	67	22	110	14
No. 106	06/29/88	920	485	38	5	143	3	182	66	70	16
7S/3W-26R1	05/13/92	880	515	35	4	142	2	180	72	110	17
	05/16/95	870	495	32	3	138	2	160	57	116	14
	07/07/97						_				8
	07/20/98	_									9
No. 107	04/11/88	490	365	19	4	73	2	69	22	116	15
7S/3W-26J1	05/29/91	950	535	63	15	104	3	130	120	171	11
No. 108	05/25/88	780	455	51	11	96	2	120	68	153	14
7S/3W-25E1	05/29/91	930	500	59	14	104	3	130	110	153	10
	05/13/94	640	395	23	5	100	2	120	51	104	7
	05/16/95		_	_							5
	05/13/97	540	300	7	<1	110	<1	110	15	85	4
No. 109	06/01/88	1400	920	136	35	120	4	100	300	296	_
8S/2W-17J1	08/05/88	-									10
	06/12/91	1330	800	110	26	120	5	120	270	275	9
	06/22/94	1370	1010	138	32	124	5	140	320	287	7
	06/06/95						_		_		8
	06/13/97	1440	1010	130	31	140	4	140	330	280	10
	07/16/97									-	2.2 @N
No. 110	03/31/88	1100	630	70	23	132	6	115	163	268	3
8S/1W-06K1	03/11/93	1010	610	60	21	124	5	110	200	201	3
	04/27/95		-					_			1

è

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Co	nstituents	s - mg/	I	
One Legation	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	S04	нсоз	NO3
No. 113	03/28/88	700	400	41	12	87	2	11	20	192	18
7S/2W-25H01	03/21/91	570	290	21	5	79	2	88	17	119	11
	03/03/94	700	410	46	13	86	2	120	25	189	19
	04/27/95		_								24
	03/20/97	880	500	53	15	96	2	140	33	200	22
	07/20/98				_			-			23
	09/16/98		_	-							22
No. 118	08/08/90	715	480	14	1	162	1	120	79	101	1
8S/3W-11B	09/26/90		_	_							1
	09/10/93	860	525	19	1	178	1	130	94	198	<1
	06/20/95										<1
	09/16/96	970	560	33	2	180	2	120	120	230	<2
	07/23/97										0.2 @N
	09/16/98	_				_					2
No. 119	07/16/96	450	280	44	9	35	<1	39	18	180	15
8S/2W-19J	08/14/97										12
	12/24/97		320								_
	03/04/98		380				_				3.3@N
	06/04/98				_	_					3.8@N
	06/12/98		400	_			_				
	09/16/98	_									3.7@N
No. 120	06/20/90	570	330	6	1	1 1 6	1	82	31	113	11
8S/2W-17G	06/10/93	590	340	6	<1	122	1	85	35	104	12
	07/19/96	630	360	6	<1	120	1	88	42	120	14
	06/16/97	_					_				10
	08/14/97	_					_		-	·	9
No. 121	10/27/89	900	475	63	14	99	2	109	28	290	<1
7S/3W-34J	05/19/92	1000	560	72	17	120	3	170	56	270	<1
	07/18/97						_		-	. –	ND
	07/24/97		640							-	ND
	08/20/97	_		_	_	_		_			ND
	09/03/97		_		-						ND

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	ılcal Cor	nstituents	- mg/l		
One Location	Tested	umhos	(mg/l)	Ca	Mg	Na	ĸ	CI	SO4	нсоз	NO3
No. 122	06/23/97										6
8S/2W-20P1	07/25/97	660	460	64	13	44	1	61	65	190	8
	10/10/97			_	_	-		_			9
	12/23/97		400	_							1.8@N
	03/25/98	_	450				-				2.2@N
	06/03/98	-									2.4@N
	06/05/98		460					_			
	09/17/98							_			2.2@N
No. 123	06/06/90	1100	690	69	27	132	6	130	170	281	4
8S/1W-7B	06/10/93	1120	690	74	25	136	6	120	190	250	5
	02/05/97	930	550	55	18	110	5	83	130	250	1.3
No. 124	06/20/90	660	380	38	4	92	3	97	48	153	13
8S/2W-11R1	07/22/93	690	430	42	5	89	3	90	57	159	17
	07/18/95		_			_					11
No. 125	06/20/90	740	425	17	5	132	3	99	54	186	4
8S/2W-12H	06/10/93	770	450	18	5	140	3	150	60	1 31	3
	06/20/95										2
	06/09/97				_						2
	09/17/98										3
No. 126	05/04/88	480	290	4	<1	106	<1	53	14	64	<1
8S/2W-15H	07/06/89	500	270	2	1	108	<1	55	11	98	<1
	07/18/95	540	315	1	<1	122	<1	72	11	122	<1
	07/07/97		_	_					_		<2
	07/16/97										0.2@N
	07/23/97	_			_	_	_				0.2@N
	08/20/97		_	_						-	0.4@N
	09/03/97		_						_		0.2@N
	09/17/97	-	_					_	_		0.2@N
	07/20/98	520	330	2	<1	120	<1	56	11	130	<2
	09/16/98		300				-				0.4@N

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Co	nstituents	- mg/l		
One Location	Tested	umhos	(mg/l)	Са	Mg	Na	К	CI	S04	НСОЗ	NO3
No. 128	07/06/89	400	230	27	3	54	2	59	7	101	25
7/3W-36M	07/08/92	390	230	21	2	59	2	55	1	110	24
	07/20/95	380	275	16	2	66	1	65	10	101	19
	07/07/97	_			_	_					15
	07/20/98	370	260	12	<1	71	1	48	11	110	14
No. 129	11/29/89	430	260	16	3	66	2	71	16	92	9
7S/2W-20L	08/08/90	440	280	20	5	64	2	72	14	119	10
	04/01/92										12
	09/10/93	470	275	24	6	60	2	74	16	110	13
	08/09/96	460	270	19	3	67	2	70	15	100	11
	02/04/97		-						_		53
No. 130	02/17/88	650	365	16	1	132	1	69	64	0	4
8S/2W-11R	02/14/91	640	365	4	<1	132	1	68	56	122	
	04/24/91										3
	02/09/94	650	410	3	<1	148	1	81	72	146	4
	05/16/95										4
	02/05/97	780	450	4	<1	170	170	78	82	150	5
	05/14/97						_			. –	4
No. 131	03/10/88	530	270	4	<1	108	1	57	52	31	1
8S/1W-12J	03/21/91	630	335	7	<1	120	1	74	65	98	3
	03/03/94	660	345	9	<1	124	2	86	73	119	2
	03/30/95									· —	2
	03/20/97	660	370	6	<1	125	1	81	73	100	2
	07/07/97		<u> </u>							. 	<2
	07/27/98					_					2
No. 132	04/18/88	1000	620	94	13	103	6	109	153	235	2
8S/1W-07D	05/08/91	920	590	64	19	110	5	100	160	201	<1
	05/13/94	730	460	50	15	78	5	73	110	195	1
	05/16/95			_							<1
	07/18/95	860	520	59	17	100	4	90	130	223	1
	07/20/98	900	590	69	20	110	5	89	150	230	2

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Coi	nstituents	- mg/l		
oke podujon	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	HCO3	NO3
No. 133	03/28/90	970	605	50	20	112	5	120	131	235	3
8S/1W-7C	03/11/93	970	580	48	19	120	4	110	140	204	3
	06/06/95		_	_	_	_			_		2
	07/18/95	850	680	26	10	142	2	120	100	174	2
	06/23/97			_		_					3
	07/20/98	790	500	24	9	140	2	96	93	170	2
No. 135	05/24/89	2450	1390	122	65	300	2	410	225	464	33
7S/3W-27M	06/06/90	1540	945	73	36	215	1	250	150	323	13
	12/11/90	4400	2670	270	109	480	4	1030	380	314	<1
	08/06/92	1800	810	63	33	170	1	200	160	281	
	01/16/97										3.7 @N
	02/04/97										3.5 @N
	02/12/97										4.0 @N
	02/20/97										3.4 @N
	02 <i>1</i> 25 <i>1</i> 97										3.4 @N
	03/04/97						_				3.7 @N
	03/18/97										3.3 @N
	03/25/97	_									3.5 @N
	04/08/97										3.4 @N
	04/15/97				-						3.4 @N
	04 <i>1</i> 22 <i>1</i> 97							-			3.5 @N
	05/06/97	1930	1050	97	48	220	2	340	190		3.3 @N
	05/14/97					_					3.4 @N
	05/21/97					_		_		_	3.3 @N
	06/04/97						-				3.3 @N
	06/11 <i>/</i> 97	_							_		3.3 @N
	06/18/97	_								· –	3.3 @N
	06 <i>1</i> 25 <i>1</i> 97		-	_							3.3 @N
	07/02/97		·								3.3 @N
	09/17/97	1960	1260	_				430	220		13
No. 138	10/30/90	460	240	19	2	74	2	71	13	113	18
8S/2W-6F	10/06/93	420	240	11	<1	70	1	56	10	92	14
	10/11/96	430	270	9	<1	78	1	55	8.9	100	15
No. 139	12/29/87	460	295	24	7	65	1	60	11	104	7
7S/2W-32G	11/23/92	450	275	32	9	46	2	60	13	134	20
	12/19/95	500	298	36	12	50	2	72	12	156	2.8
	03/25/97	-	_					_		. –	10

:::

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Sollds			Chen	nical Con	stituents	- mg/l			
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3	
No. 140	02/18/88	560	325	33	10	65	2	77	14	153	13	
7S/2W-33F	01/15/92	450	235	11	2	88	1	68	18	107	2	
	02/28/95	560	325	36	11	58	2	94	14	140	12	
	03/25/97							_			8	
	02/27/98	650	360	31	11	76	2	95	16	130	5	
	09/17/98	_		_	_						8	
No. 141	01/06/88	780	440	64	11	82	3	65	91	217	13	
8S/2W-11P	01/30/92	820	500	63	13	95	3	79	110	238	19	
	03/30/95	840	490	58	11	100	3	70	97	241	14	
	03/25/97			_							15	
	03/26/98	760	480	62	12	90	3	69	86	230	16	
No. 143	01/15/88	670	345	8	2	134	1	91	57	95	11	
8S/2W-17J	10/17/90	660	345	25	4	112	2	89	62	140	12	
	03/03/94	690	370	24	3	114	2	93	68	131	11	
	03/30/95				—						11	
	03/25/97	600	330	15	2	110	1	87	44	89	9	
	07/18/97										2.0 @N	
	07/23/97			_							2.0 @N	
	08/20/97	_									2.3 @N	
	09/03/97		_								2.2 @N	
	09/17/97					_			_		2.0 @N	
	09/17/98		350					_			2.3 @N	
No. 144	09/14/88	610	335	8	<1	114	1	95	33	92	<1	
7S/3W-27D3	12/19/95	730	420	34	1	124	1	120	33	186	<1	
No. 145	10/04/90	800	490	43	8	110	2	110	78	171	<1	
7S/3W-28C	10/06/93	650	375	23	3	106	1	85	58	146	<1	
	11/27/96	650	340	26	2	110	1	87	48	150	<2	
	02/04/97	670	370	24	2	110	1	87	55	160	<2	
	01/28/98							-			<2	
No. 149 8S/1W-2C	06/15/93						_				5	
No. 149A	08/26/88	950	540	71	211	96	1	115	47	302	18	
7S/3W-28A	10/31/91	800	480	36	13	122	3	93	110	195		

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chemical Constituents - mg/l					
Oile Education	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	HCO3	NO3
No. 150	09/29/88	1950	1235	134	29	225	2	290	220	390	15
7S/3W-27P	12/21/91	1000	590	74	17	108	4	130	110	207	
No. 151 7S/3W-34B Abandoned	09/20/88	5780	3410	280	114	840	5	1660	670	369	<1
No. 151	07/25/91	860	485	53	16	103	4	90	130	183	
8S/2W-2G	07/28/91	730	400	39	12	100	3	91	58	177	
	07/29/91	600	340	9	2	122	5	63	34	204	
	10/17/91	510	295	3	<1	118	1	45	10	137	
	08/10/94	550	340	3	<1	110	1	59	22	119	<1
	06/16/97										<2
	08/14/97	540	300	2	<1	110	<1	44	10	160	<2
	09/16/98	_									<2
No. 153 8S/1W-5K3	12/29/93	804	485	53	18	92	5	86	120	214	<1
No. 154 8S/1W-5L2	01/28/94	930	530	46	20	106	6	89	130	214	3
No. 155	09/16/93	680	355	22	2	108	1	90	64	104	<1
7S/3W-28C	02/23/95	760	445	30	3	126	1	120	82	140	4
	06/06/95						_		_		5
	08/14/97						_				4
	02/25/98	880	540	43	5	130	1	100	100	190	5
	07/27/98		_		_	_	_				3
No. 158	06/21/94	1090	620	67	23	124	7	120	170	259	
No. 201	03/28/91	530	315	19	6	83	2	83	16	110	2
7S/2W-27J	03/11/93	460	300	8	2	87	1	51	20	146	<1
No. 202 7S/2W-36J1	12/11/88	740	440	47	18	84	3	97	48	223	17

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	- mg/l				
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	НСОЗ	NO3
No. 203	05/18/88	960	580	50	39	110	4	96	115	275	_
8S/1W-6P1	06/29/88	970	530	44	36	112	4	120	123	250	5
	06/12/91	800	415	21	17	108	3	91	90	174	2
	06/22/94	980	645	59	38	99	4	130	130	256	4
	06/07/95		_								5
	06/23/97	880	530	31	26	120	3	100	110	230	4
	08/14/97				_	_					3
No. 204	05/22/91	740	425	50	12	85	3	120	18	198	19
7S/2W-26G	05/13/94	690	375	37	7	85	3	130	19	125	19
No. 205	03/28/88	500	290	23	3	81	2	83	27	107	21
7S/3W-35A	03/13/91	490	275	22	3	75	2	62	23	113	21
	03/03/94	510	275	20	2	72	2	72	24	104	20
	04/26/95										22
	03/25/97	480	270	20	2	75	2	66	18	110	21
No. 207	09/01/88	510	245	1	<1	108	<1	54	26	82	<1
8S/2W-14B	09/14/88	480	305	3	<1	106	<1	58	23	24	1
	08/14/91	480	245	1	<1	100	<1	52	28	55	<1
	08/10/94	440	285	2	<1	91	1	56	29	76	2
	08/15/97	510	280	2	<1	97	<1	52	25	98	<2
	07/27/98	_						_		-	2
No. 208	09/01/88	680	415	44	15	77	3	119	14	186	18
7S/2W-35M	09/14/88	690	440	44	14	77	3	129	14	183	16
	08/14/91	600	340	23	7	89	2	85	18	162	4
	08/10/94	560	370	22	6	89	2	93	20	156	5
	06/06/95							-			4
	08/12/96		-				_				2
No. 209	05/22/91	790	435	40	14	105	2	150	35	162	8
7S/2W-28J	05/13/94	760	525	64	22	48	3	150	15	153	25
	06/20/95				_	_					5
	05/15/97	690	390	10	3	130	<1	110	56	130	1.3

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids								
	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	нсоз	NO3
No. 210	04/15/59	1366		101	23	150	10	149	200	275	3
8S/2W-12K	01/18/63	400	926	99	30	17.5	4.5	145	255	329	4
	11/30/67	1415	890	136	5	152	10	146	230	305	3
	07/26/68	1250	825	96	22	144	8	130	190	290	5
	09/06/68	1310	840	82	26	132	5	142	222	276	12
	07/19/73	1200	579	84	21.4	149	6.8	122	237	301	19.7
	08/08/75	1140	695	84	14	150	6	101	190	287	15
	06/22/76	1240	675	76	26	142	7	101	205	278	36
	10/13/76	1120	640	92	22	100	6	110	170	262	5
	06/16/77	1130	610	84	18	114	6	110	170	259	11
	05/20/80	580	340	30	8	75	4	51	67	152	9
	04/03/86	800	540	65	17	86	4.5	75	112	235	3.5
	07/15/86	830	560	72	19	86	4	87	118	250	4
	03/28/88	1030	575	76	22	93	5	99	143	247	4
	09/25/91	1040	600	74	20	120	5	120	160	238	5
	09/19/94	645	460	52	14	79	4	70	100	198	2
	09/16/96										3
	09/16/98										3
No. 211	04/08/97	720	400	67	14	54	1	59	65	220	13
8S/2W-20R1	12/23/97		410		_						3.1@N
	03/25/98		620								3.6@N
	06/03/98		_								3.4@N
	06/05/98		480							_	
	09/17/98	_	-	-		-		_		_	3.3@N
No. 212	03/28/88	640	330	42	2	74	3	81	33	146	14
8S/2W-11N	09/25/91	600	320	41	2	82	4	86	35	146	14
No. 215	08/15/90	650	380	40	13	71	3	100	14	162	11
7S/2W-34M	09/26/90							_		_	13
	06/22/94	630	400	41	13	67	2	110	16	159	11
	06/16/97	630	370	29	9	81	2	110	16	160	6
	08/15/97	_									7

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Con	stituents	- mg/l		
	Tested	umhos	(mg/l)	Са	Mg	Na	K	CI	S04	нсоз	NO3
No. 216	06/01/88	480	280	25	4	6 5	2	71	11	134	
8S/2W-7W	06/29/88	480	275	29	5	59	3	81	7	110	26
	06/12/91	500	285	30	5	59	2	76	9	113	23
	05/27/92	470	285	33	6	53	2	72	10	119	20
No. 217	03/28/88	580	285	8	1	108	1	81	20	113	15
8S/2W-17M1	08/10/88	570	280	8	1	105	1	82	20	55	13
	08/14/91	570	305	17	2	99	2	74	28	134	16
	08/10/94	610	365	20	3	97	2	82	38	134	16
	08/15/97	660	370	20	3	107	1	80	41	130	13
No. 231	08/15/90	1280	805	126	18	120	5	100	310	244	9
8S/2W-20B6	09/26/90							_			6
	03/04/92	1700	1270	180	51	160	6	140	510	332	5
	06/20/95	1640	1300	171	44	124	6	75	520	287	5.3
	02/27/98										3
No. 232	08/15/90	960	590	71	19	110	5	98	130	235	30
8S/2W-11J3	09/26/90										35
	09/25/91	980	565	74	19	106	5	98	120	244	37
	09/19/94	805	495	54	14	92	4	80	110	207	15
	09/13/96										22
	11/04/97	1000	660	76	20	110	4	97	130	230	29
	07/27/98					_	_				38
No. 233 (Old 112)	06/15/88	900	535	71	21	100	5	96	136	247	4
8S/2W-12K2	03/27/91	1020	580	66	19	114	5	95	140	247	12
	03/03/94	740	425	50	14	75	4	71	100	186	2
	04/27/95			_	_						6
	03/27/97	880	510	57	15	100	4	81	120	220	4
No. 234 (Old 114)	03/31/88	840	480	54	15	100	4	61	109	241	18
8S/2W-11P	03/27/91	1020	605	69	19	114	5	77	138	256	37
	06/20/95	_						_		- -	11
	09/26/96				_		_				9
	02/04/97										12
	04/25/97	840	500	56	15	95	4	77	120	230	8

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Co	- mg/l			
Olio Essello	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	\$04	НСОЗ	NO3
No. 235 (Old 137)	06/24/88	460	310	40	10	41	2	58	10	140	15
8S/3W-1Q1	06/20/90	420	230	22	4	56	2	50	6	128	18
	06/10/93	370	235	15	2	65	2	51	9	113	17
	07/16/96	410	230	16	2	60	1	48	8.9	110	20
	06/09/97						_				17
No. 301	07/29/92	500	290	20	6	80	1	45	56	143	<1
7S/3W-18Q1	02/27/97	580	350	45	16	48	2	49	54	200	4
	08/15/97		_		_	_					6
No. 302	04/11/88	690	360	36	6	100	1	77	65	192	<1
7S/3W-18H	05/15/91	760	425	58	9	87	2	83	72	220	<1
	05/14/92		270	12	2	90	<1	48	48		
	05/05/94	870	530	69	16	84	2	110	88	238	<1
	05/16/95					_		_			<1
	07/16/96	530	320			_		60	54		2
	05/13/97	560	500	73	14	94	2	110	86	240	<2
No. 309	08/15/90	690	370	19	3	119	2	140	25	73	5
7S/3W-27H	04/11/91	-							-		<.001
	09/25/91	730	365	19	2	122	2	150	27	82	5
	08/11/94	730	430	20	2	120	2	160	30	73	5
	02/16/95				_	_			_		18
	07/16/97				_						1.1@N
	07/23/97						-			· –	1.2@N
	08/20/97	_				_			-		1.1@N
	09/03/97			_					_		1.1@N
	09/18/97				_		_				1.1@N
	10/03/97	790	520	21	2	130	2	170	33	85	6
	08/06/98	_	-	-			_				6
	09/16/98		460		_					· -	1.4@N

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-5

SANTA MARGARITA RIVER WATERSHED

WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	emical C	onstitu	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na ———	K	CI	\$04	CO3	NO3
Pechanga Indian	Reservation	n									
8S/2W-28R01	08/03/89	495	286	41	4.0	60	0.9	37	13	177	1.1 @N
	07/26/90	525	296	48	4.8	54	1.0	45	14	191	1.5 @N
	07/17/91	462	261	31	3.2	66	8.0	44	12	155	.8 @N
	07/27/93	445	269	44	4.4	43	0.5	28	14	170	1.9 @N
	08/15/94	421	232	32	3.3	55	0.9	28	11	156	1.5 @N
	08/30/95	375	200	21	2.2	55	0.6	31	11	129	.7 @N
	08/27/96		_					_			1.5 @N
	08/13/97	398	241	20	2.1	59	0.62	37	11	130	.572 @N
	08/20/98	481	282	36	3.9	60	0.85	38	14	167	1.1 @N
8S/2W-35D01	08/03/89	660	358	43	5.5	87	1.2	78	35	169	.35 @N
	07/26/90	669	384	41	4.9	92	1.5	82	36	176	.40 @N
	07/17/91	641	371	40	4.4	98	1.7	81	36	175	.39 @N
	07/27/93	638	374	49	5.9	79	1.8	71	27	199	.34 @N
	08/16/94	601	334	30	3.2	95	1.5	71	29	163	.16 @N
	08/30/95	587	322	33	4	81	1.5	68	25	178	.11 @N
•	08/27/96	596	352	28	3.3	92	1.4	72	29	167	.10 @N
8S/2W-29A01	08/02/89	346	207	31	11	24	0.4	18	7.0	131	2.0 @N
	07/24/90	354	193	32	11	25	0.4	24	6.7	133	2.0 @N
	07/18/91	361	194	32	10	26	0.4	25	6.0	134	1.8 @N
	08/15/94	363	216	33	12	25	0.5	24	7.7	132	2.6 @N
	08/31/95	363	208	32	11	23	0.4	21	8.1	137	2.6 @N
	08/28/96		_	_			-				2.9 @N
	08/12/97	368	238	32	12	24	0.44	22	7.4	138	3.05 @N
	08/19/98	411	246	36	11	31	0.45	25	8.2	153	2.94@N
8S/2W-34B04	10/05/89	617	371	51	8.2	67	1	58	30	192	.47 @N
	07/26/90	605	341	50	8	65	1	61	31	194	.50 @n
	07/18/91	564	339	46	7.4	67	1	53	27	185	.87 @N
	07/27/93	267	170	18	2.8	34	0.5	14	9.7	96	1.10 @N

^{* -} Alkalinity as CAC03

_i:

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Co	nstituents	s - mg/	1	
Site Education	Tested	umhos	(mg/l)	Са	Mg	Na	К	CI	SO4	HCO3*	NO3
Pechanga Indi	an Reser	vation (Continued)							•	
8S/2W-28Q02	10/05/89	629	378	48	19	49	0.7	76	14	169	4.2 @N
	07/26/90	613	383	48	18	47	0.6	75	12	171	3.9 @N
	07/18/91	618	379	49	18	49	0.7	83	14	172	3.0 @N
	07/28/93	620	400	51	20	47	0.7	63	15	174	9.6 @N
	08/17/94	641	396	51	21	50	0.8	60	17	179	11.0 @N
	08/31/95	653	396	53	21	48	0.7	60	19	184	12.0 @N
	08/28/96					_					11.0 @N
	08/12/97	614	411	47	19	47	0.7	63	15	176	8.9 @N
	08/19/98	625	402	47	20	47	0.67	60	14		9.85@N
8S/2W-28Q06	09/17/93	312	200	19	2.9	43	1	16	2.8	126	1.0 @N
	08/30/95	310	174	16	3.4	46	0.6	16	3.8	131	1.4 @N
	08/13/97	300	186	11	1.4	55	0.59	17	2.7	122	1.16 @N
	08/20/98	434	247	12	0.7	79	0.6	57	15	111	<.05@N
8S/2W-28Q07	08/20/98	367	223	13	1.4	66	0.57	32	10	121	.731@N
8S/2W-20J01	08/15/90	1130	596	100	22	110	2.3	110	200	236	1.3 @N
	12/20/93	868		80	16	76	1.4	86	110	-	3.6@N
8S/2W-20J02	08/15/90	404	216	42	6.3	38	0.8	27	12	159	1.2 @N
	12/20/93	408	_	42	6	35	0.8	29	12	-	1.2 @N
8S/2W-29B01	08/19/98	367	223	12	0.64	75	0.62	50	10	121	<.05@N
8S/2W-29B02	03/01/90	456	257	5.5	0.14	89	0.8	66	22	100	
	03/06/90	456	256	5.9	0.13	90	0.7	66	20	99	<0.1 @N
8S/2W-29B03	03/06/90	478	275	14	1.9	84	0.8	65	16	123	<0.1 @N
8S/2W-29B05	03/02/90	397	229	29	9.5	43	1.2	35	4.9	141	1.8 @N
8S/2W-29B06	03/02/90	406	259	34	11	38	0.8	38	10	143	
	03/06/90	427	240	32	11	40	1.0	40	8.1	148	1.2 @N

^{* -} Alkalinity as CAC03

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date	Specific Conductance	Total Dissolved Solids	solved Chemical Constituents - mg/l							
	Tested	umhos	(mg/l)	Ca	Mg	Na 	K	CI	S04	HCO3*	NO3
Pechanga Ind	ian Reser	vation (Continue	d)								
8S/2W-29B07	03/07/90	396	230	8.6	2.5	71	0.9	51	11		<0.1 @N
	08/16/90	371	199	8.4	1.8	69	8.0	50	14	106	<0.1 @N
8S/2W-29B08	03/07/90	464	272	31	9.4	52	1.2	58	12	134	0.45 @N
	08/16/90	458	261	34	9.1	48	1.1	59	17	135	0.4 @N
8S/2W-29B09	03/07/90	343	210	21	9.2	39	1.0	24	6.7	131	1.3 @N
	08/17/90	317	197	26	10	26	1.1	22	3.4	130	1.6 @N
Cahuilla India	n Reserva	ation									
8S/3E-2K01	07/20/89	531	323	46	11	41	3.4	60	22	136	3.6 @N
	08/01/90	508	310	46	11	38	3.3	60	19	134	3.8 @N
	07/16/91	522	306	50	10	39	3.3	61	21	139	3.7 @N
7S/3E-21L01	08/02/89	1050	675	90	19	100	3.5	84	190	216	3.1 @N
	08/01/90	1020	610	87	18	100	3.4	85	180	217	3.0 @N
	07/17/91	995	636	93	18	100	3.7	95	180	206	2.5 @N
7S/2E-33N	08/02/89	355	206	16	2.1	53	3.5	48	15	78	.73 @N
7S/3E-34E01	07/20/89	338	204	30	5.6	26	5.0	29	7.0	98	3.3 @N
	07/31/91	337	109	31	5.5	25	4.5	31	6.3	99	3.5 @N
	07/16/91	335	209	31	5.9	26	4.7	32	6.3	99	3.5 @N

^{* -} Alkalinity as CAC03

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

. TABLE D-6
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical	Constituents - mg/l		
One Location	Tested		(mg/l)	Ca	Mg	Na	К	CI SO4	HCO3	NO3
10S/5W-26C1	10/60	1060	639	66.5	24.0	116.0	4.5	160 110.0		trace
(Bldg 2201)	06/62	1190	718	60.0	33.2	123.0	3.8	190 124.0		1.4
	07/64	1217	734	79.2	27.8	144.0	1.6	180 150.0		
	05/65	1485	896	75.2	30.3	158.0	2.4	180 120.0		0
	01/66			76.8	33.2	157.0	3.4	170 180.0		0.62
	06/66	_	684	75.2	26.8	112.0	2.4	128 148.0		3.9
	01/67		856	81.6	26.3	138.0	3.5	162 140.0		3
	08/67		· 880 · 768	99.2 65.6	38.1 25.4	156.0 156.0	3.6	160 230.0 160 164.0		5.3
	02/68 04/69		852	66.0	32.0	162.0	3.4 3.2	166 210.0		0 0
	11/69		844	87.0	31.0	140.0	3.6	164 180.0		0
	07/70			99.0	32.0	139.0	3.0	158 205.0		2.7
	12/70	1180	712	83.0	28.0	138.0	3	166 170.0		0
	09/71	1062	640	83.0	27.0	128.0	2.8	136 175.0		0.4
	05/72	1130	681	56.0	24.0	140.0	2.8	136 165.0		0.4
	10/72	1165	703	64.0	27.0	159.0	3.6	132 180.0		1.8
	10/73	1140	688	72.0	27.0	131.0	3.8	144 190.0		0.3@N
	02/76	1140	688	70.4	28.3	143.0	3.1	132 182.0		1.8@N
	09/76	1100	663	67.0	25.0	152.0	2.5	152 131.0		2.8@N
	03/77	1080	651	67.0	28.0	173.0	3.1	128 160.0		4.4@N
	10/78	1150	694	70.0	25.0	120.0	3.5	139 145.0	253.8	<1@N
	06/79	1100	663	72.0	27.3	125.0	3	134 142.0	258.6	<1@N
	10/80	1200	693	78.8	23.7	136.0	3.3	172 136.0	273.3	0.2@N
	04/81	1160	737	82.4	22.4	126.0	3.6	140 134.0	268.4	<0.5@N
	11/81	1300	863	97.6	31.5	169.0	2.2	204 209.0	248.9	0.8@N
	11/81	950	573	74.0	18.3	120.0	2.1	144 130.0		0.3@N
	05/82	1100	663	8.08	26.6	140.0	1.5	181 138.0	268.4	<0.5@N
	03/83	1000	603	84.0	20.5	144.0	3.2	152 143.0		<0.5@N
	05/84	1150	694	80.0	27.6	126.0	3.1	133 150.0		0.2@N
	06/85	1100	680	89.0	26.0	140.0	3	150 64.0		<0.4
	09/85	1242	724	78.0	28.0	122.0	6	154 149.1	244.4	<0.4
,	05/86	1387	750	85.2	29.1	130.7	4.3	166 130.8	242.6	<1

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

			Total							
		Specific	Dissolved			Cher	nical	Constituents - mg/l		
Site Location	Date	Conductance	Solids							_
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI SO4	HCO3	NO3
										-
10S/5W-26C1	06/89	1302	734	78.1	23.0	85.9		136 145.0	212.0	<0.4
(Bldg 2201)	01/91	1271		81.0	36.1	152.0		166		<0.04
(Continued)	06/91	1290	752	99.0	32.4	133.0	_	167 136.0	237.0	<0.4
(03/92	1210	792	91.0	29.8	146.0		159 135.0	279.0	<0.4
	06/93	1290	764	68.3	27.5	149.0		168 130.0		<0.4
	03/94	1210	783	100.0	37.1	100.0		145 167.0		2.2
	08/94	1160	741	87.5	35.5	96.1		141 187.0		4.23
	06/95	1330	806	97.7	37.4	142.0		207 166.0		<0.04
	01/96	1300	764	91.0	33.0	140.0		177 142.0	363.0	<0.0
	06/96	1300	751	93.0	30.0	130.0		164 156.0	252.0	<0.0
	06/97	1215	758	88.0	29.0	130.0	<2	151 148.0	292.0	<2@N
	12/97	1200	690	81.0	29.0	140.0	3	155 150.0	250.0	ND
	04/98	1200	790	83.0	31.0	101.0	3	170 156.0	240.0	ND
	06/98	1230	714	85.0	30.0	136.0	3	163 ND	293.0	ND
10S/4W-18M4	06/89	1156	688	74.6	24.4	67.9		130 138.0	197.0	8.9
(Bldg 2373)	01/90	1120	630	86.4	32.3	101.0		156 166.0	210.0	<0.05
	04/90	1160	720	98.8	34.8	107.0	_	152 146.0	218.0	1.4
	01/91	1202		84.1	40.5	117.0	_	162 153.0	_	<0.04
	06/91	1180	736	102.0	37.1	106.0		163 138.0	197.0	<0.4
	03/94	1020	658	69.6	27.8	104.0		135 140.0		0.89
	08/94	1110	684	81.4	32.2	178.0	_	144 157.0		<0.44
	06/95	1170	679	95.3	35.2	113.0		145 116.0		13.8
	06/96	1100	682	86.0	32.0	95.0		155 261.0	210.0	<0.0
	02/97	1180	640	79.0	32.0	110.0		142 162.0	190.0	<2@N
	06/97	1117	709	85.0	33.0	110.0	<5	150 164.0	223.0	<2@N
	12/97	1100	700	82.0	33.0	110.0	3	141 157.0	220.0	ND
	03/98	1100	710	83.0	33.0	100.0	3	182 158.0	150.0	ND
	06/98	1200	720	85.0	34.0	119.0	4	159 154.0	281.0	ND

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

			Total								
		•	Dissolved			Che	mical	Constituents	s - mg/l		
Site Location	Date	Conductance	Solids								
	Tested	umhos	(mg/l)	Ca	Mg ——	Na 			S04	HCO3	NO3
10S/5W-23J1	05/56	1090	685	61.5	24.3	142.0		142	110.0	293.0	0.06
(Bldg 2301)	12/56	1060	666	67.0	27.0	96.0		124	85.0	274.0	
,	12/57		780	66.3	23.9	159.0		138	155.0	308.0	10.6
	05/59	1100	691	75.2	25.3	112.0		136	152.0	297.7	_
	01/60	1120	704	72.7	27.3	116.5		112	144.0	291.0	
	10/60	1045	657	63.2	21.4	99.0	3.6	140	112.0	242.0	0
	05/61	1280	770	76.0	36.5	136.0	3	124	195.0	299.6	0
	05/62	1133	712	68.8	30.3	136.0	2	128	175.0	275.7	
	01/63	1111	698	72.9	35.1	127.0	2.8	128	199.0	268.4	
	06/63	1108	696	78.4	25.4	118.0	2.9	148	130.0	258.6	0@N
	07/64	1165	732	74.4	27.8	128.0	1.2	139	160.0	268.4	
	05/65	1130	710	80.0	26.4	145.0	2.1	148	120.0	268.4	0.14
	01/66		736	88.0	18.1	142.0	2.8	124	155.0	263.5	1.8
	06/66		736	75.2	29.3	138.0	2.7	145	175.0	295.2	4.8
	01/67		744	76.8	25.9	118.0	3	136	125.0	287.9	2.2
	08/67	_	680	70.4	28.3	128.0	2.3	140	100.0	292.8	8.4
	02/68		660	48.0	19.5	130.0	2.8	124	119.0	234.0	6.1
	04/69		708	70.0	28.0	126.0	2.5	128	170.0	278.0	0
	11/69		684	73.0	28.0	126.0	2.8	138	165.0	273.0	0
	05/70		716	74.0	25.0	122.0	0.1	134	170.0	210.0	4.4
	12/70	1090	385	78.0	25.0	126.0	2.6	142	170.0	250.0	3.1
	09/71	1025	644	75.0	38.0	120.0	2.7	124	190.0	229.0	0.9
	05/72	1050	660	75.0	21.0	124.0	2.3	124	155.0	244.0	2.2
	10/73	1140	716	74.0	22.0	128.0	2.8	136	160.0	220.0	0.5@N
	06/74	1060	680	74.0	13.0	131.0	2.9	158	138.0		0.01@N
	02/76	1050	660	73.6 58.0	25.4 32.0	136.0 146.0	2.9 2.6	119 140	170.0	248.9	2.0@N
	09/76	1100	691 679	69.0	29.0	110.0	3	128	148.0 155.0	321.8 259.0	2.6@N
	03/77 01/78	1080 1100	691	70.0	23.0	147.0	3	140	135.0	259.0	4.3@N
	10/78	1150	723	74.0	22.0	120.0	2.9	134	149.0	248.9	4.4@N <1@N
	04/79	1000	628	70.4	22.4	118.0	2.6	122	138.0	239.1	<1@N
	10/80	1150	745	74.0		128.0	3		138.0	239.1	0.2@N
	05/81	1020	580	67.2	17.3	116.0	3.1	132	111.0		<0.5@N
	03/83	900	599	65.6	19.5	129.0	2.8	136	129.0		<0.5@N
	12/83	1000	628	72.4	22.4	127.0	2.6	140	150.0		<0.1@N
	05/84	1100	691	78.8	25.9	120.0	2.8	130	150.0	254.0	0.2@N
	06/85	1100	691	59.0	26.0	130.0	3	140	70.0	440.0	3.5
	09/85	1203	705	66.0	26.0	110.0	6	150	144.0	226.6	<0.4
	06/89	1139	662	71.5	21.7	80.8		117	128.0	209.0	<0.4
	00/09	1103	002	, 1.0	_ 1.7	55.5			.20.0	200.0	-0.4

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical	Constituents	- mg/l		
	Tested		(mg/l)	Ca	Mg	Na	K	CI	S O 4	HCO3	NO3
10S/5W-23J1	01/90	1150	632	90.6	32.4	102.0		160	170.0	214.0	-0.5
(Bidg 2301)	01/90	1112	- 032	73.7	32.4	128.0		136	136.0	214.0 —	<0.5 <0.04
(Continued)	06/91	1090	662	87.4	29.7	117.0		140	121.0	204.0	<0.04
(Continued)	03/92	1080	644	74.2	25.8	133.0		127	118.0	282.0	1.3
	03/93	1210	674	72.8	24.5	117.0		127	124.0	261.0	<0.4
	06/93	1090	670	63.9	25.7	119.0	_	117	128.0	237.0	<0.4
	03/94	1120	683	73.9	27.0	121.0		141	130.0		<0.4
	08/94	1160	707	78.9	28.2	129.0		139	153.0		<0.44
	06/95	1160	742	88.2	28.8	131.0	 -	165	147.0		<0.04
	01/96	1300	690	79.0	29.0	140.0		147	131.0	292.0	<0.0
	06/96	1020	674	82.0	29.0	120.0		134	129.0	204.0	<0.0
	02/97	1100	650	74.0	27.0	150.0		126	172.0	245.0	<2@N
	03/97	1073	630	77.0	28.0	130.0		142	134.0	254.0	<2@N
10S/4W-18E3	06/89	1166	758	80.5	28.1	67.4		132	157	198.0	9.5
(Bldg 2393)	01/90	1230	748	97.4	39.7	106.0		178	179	226.0	<0.05
	04/90	1190	733	99.6	37.5	112.0		159	156	207.0	2.5
	06/91	1130	680	97.6	37.6	100.0		139	142	166.0	2.7
	02/94	1180	731	83.3	35.5	104.0		142	159		11.1
	08/94	1150	725	84.3	35.2	102.0		147	164		1
	06/95	932	636	75.4	29.1	86.6		102	140		14
	06/96	1117	710	92.0	36.0	93.0		180	297	206.0	<0.0
	02/97	1100	686	89.0	38.0	110.0		157	166	220.0	<2@N
	03/97	1116	673	87.0	36.0	110.0		147	113	213.0	<2@N
	06/97	1131	779	90.0	37.0	99.0	<5	151	177	199.0	<2@N
	09/98	1160	727	83.0	36.0	90.0	3	160	181	232.0	ND

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical (Constituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
10S/4W-7R2	06/89	1281	765	76.5	25.1	82.4		149	153	209.0	10.3
(Bldg 2603)	04/89	1270	788	104.0	36.5	126.0		173	161	215.0	2.6
	06/91	1400	836	111.0	41.1	130.0		195	155	215.0	0.04
	02/94	1260	738	83.3	32.0	131.0		169	155		<0.04
	08/94	1260	738	84.3	33.7	129.0		166	149	_	<0.44
	06/95	1290	897	93.6	35.2	129.0		202	164		0.69
	02/97	1200	720	84.0	36.0	130.0		150	152	240.0	<1@N
	03/97	1143	708	83.0	35.0	130.0	_	152	137	240.0	<2@N
	06/97	1227	831	94.0	34.0	120.0	<5	185	147	247.0	<2@N
	12/97	1200	700	84.0	36.0	120.0	3	150	173	240.0	ND
	03/98	1200	780	85.0	36.0	110.0	3	187	162	180.0	ND
	06/98	1190	734	ND	ND	ND	ND	ND	ND	ND	ND
10S/4W-7H2	08/56	1060	882	78.0	30.0	112		150	82	326.0	
(Bldg 2671)	01/60	820	500	55.2	14.7	85.0		76	98	224.0	
	10/60	1300	793	74.5	20.5	126.0	4.3	182	116	320.0	
	05/61	1390	840	100.0	29.2	170.0	3.3	170	135	362.0	
	05/62	1220	744	70.4	39.0	142.0	2.4	184	86	312.3	
	01/63	1300	740	65.6	26.4	162.0	2.4	166	153	259.0	0.7
	07/63	1100	671	64.0	25.4	118.0	2.7	148	97	280.6	0.0@N
	01/64	1020	622	70.4	33.2	117.0	2.7	172	98	302.6	3.3
	07/64	1400	854	83.2	27.3	134.0	1.4	164	98	322.1	
	04/65	1490	909	97.6	23.4	152.0	4.7	196	110	346.5	0.9
	01/66		832	102.0	28.0	166.0	3.1	194	88	414.8	6.6
	06/66		768	86.4	26.3	150.0	3.1	184	110	331.8	6.9
	01/67		768	72.0	29.3	128.0	3.1	174	72	324.5	6.9
	08/67		608	57.6	24.4	116.0	2.4	132	70	251.3	10.2
	02/68		572	67.2	17.6	105.0	2.4	118	94	251.0	0
	09/68	_	636	74.0	19.0	112.0	3	144	96	268.0	0.4
	04/69		820	72.0	33.0	138.0	2.8	180	140	285.0	0.9
	11/69		604	66.0	24.0	116.0	2.8	140	110	259.0	1.8
	05/70		640	65.0	26.0	115.0	2.4	142	120	183.0	3.1
	09/71	1075	656	77.0	24.0	120.0	2.8	144	125	273.0	1.3
	05/72	1000	610	46.0	24.0	117.0	2.4	140	130	141.0	0
	10/72	1110	677	88.0	26.0	105.0	3.6	144	126	283.0	3.5

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

		0'6'-	Total			Oh a	:	S4'44		
Site Location	Date	Specific Conductance	Dissolved Solids			Cne	micai (Constituents - mg/l		
	Tested		(mg/l)	Ca	Mg	Na	<u>к</u>	CI SO4	НСО3	NO3
10S/4W-7H2	10/73	1120	683	75.0	23.0	118.0	2.7*	132 130	200.0	0.6@N
(Bldg 2671)	06/74	1210	712	72.0	19.0	150.0	3.1	208 112		0.01@N
(Continued)	01/75	850	519	61.0	21.0	93.0	2.4	102 95	212.0	2.3@N
(oonanaoa)	02/76	1200	732	91.2	20.5	126.0	3.2	176 130	244.0	2.6@N
	09/76	1200	732	48.0	29.0	180.0	2.4	192 123	336.7	4.2@N
	03/77	1400	854	94.0	33.0	158.0	2.8	216 140	342.0	2.8@N
	01/78	1000	610	66.0	23.0	100.0	2.7	128 123	205.0	4.4@N
	10/78	1300	793	82.0	31.0	134.0	2.7	160 157	258.6	<1@N
	04/79	1200	732	84.8	28.3	144.0	3,1	164 116	312.3	<1@N
	01/80	1450	885	93.0	30.0	163.0	3	196 200	273.0	<1@N
	10/80	1050	591	70.4	21.7	104.0	3.7	140 125	219,6	2.0@N
	05/81	1000	645	72.4	21.7	105.0	3.5	128 123		<0.5@N
	05/82	1330	811	100.8	35.9	176.0	1.6	269 198		<0.5@N
	03/83	890	669	77.2	23.7	95.0	3.4	132 136		0.65@N
	12/83	1000	610	70.4	23.7	123.0	2.6	136 150	224.0	0.5@N
	05/84	1100	671	77.2	24.6	116.0	2.7	133 155	244.0	0.2@N
	09/84	1300	650	6.6	29.0	120.0	2.6	200 170	250.0	12
	11/84	1100	671	81.6	23.4	124.0	2.7	149 175	249.0	1.2@N
	05/86	1592	994	104.7	39.7	167.3	4.4	232 167	301.8	<1@N
	06/89	1137	826	79.1	28.5	85.5		157 158	246.0	12.6
	01/90	1290	772	96.3	38.6	116.0		184 179	252.0	0.9/1.2
	04/90	1320	817	109.0	42.1	128.0		177 167	249.0	5.4
	01/91	401	_	87.3	44.4	103.1		20.5 179		1.07
	03/93	1500	824	92.6	33.1	136.0		194 154	277.0	1.8
	03/94	1370	827	103.0	36.4	135.0	_	163 145		0.9
	08/94	1270	762	91.1	35.5	129.0		162 172		5.64
	06/95	1260	771	100.0	35.8	127.0		197 178		2.8
	06/96	1300	751	96.0	36.0	120.0		162 174	247.0	1.1
	02/97	1300	830	100.0	41.0	150.0		186 161	186.0	<2@N
	06/97	1323	831	94.0	36.0	140.0	<5	158 149	271.0	2@N
	12/97	1200	670	91.0	36.0	120.0	3	150 169	220.0	ND
	12/97	1200	710	87.0	35.0	120.0	2	152 182	220.0	1.5
	03/98	1200	810	89.0	36.0	120.0	3	201 168	240.0	ND
	06/98	1390	830	ND	ND	ND	ND	ND ND	ND	ND
	09/98	1290	748	87.0	32.0	110.0	2.0	158 160	299	ND

^{*} Reported as 27 ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chei	mical	Constituents - mg/l		
	Tested		(mg/l)	Ca	Mg	Na	K	CI 504	HCO3	NO3
			054			400		444	212.2	
10S/4W-7A2	05/56	920	651	59.0	22.0	100		104 94		
(Bldg 2673)	05/59	_	745	52.8	16.54	60.26	_	84 41		
	01/60	 870	840 566	51.2 62.0	17.6 23.0	95.0	4.2	98 92 110 104		0
	10/60 05/61	1180	710	72.0	23.0 34.0	80.0 114.0	3.3	110 104 104 150		
	05/62	797	518	63.2	23.4	75.0	3.3 2	100 96		
	01/63	1195	730	64.0	24.9	157.0	3.1	162 183		0
	07/63	574	610	57.6	19.5	85.0	2.7	102 100		0.3@N
	01/64	760	494	59.2	19.3	82.0	3.3	100 85		0.5@N
	07/64	980	637	64.0	21.5	94.0	1.4	100 95		
	04/65	1230	800	73.3	22.5	106.0	4.5	120 110		1.3
	01/66					86.0	2.5	82 75		9.7
	06/66	_	540	60.8	21.0	81.0	2.5	102 95		9.1
	01/67	 -		60.8	19.5	88.0	2.9	106 69		6.9
	08/67		504	54.4	20.0	79.0	2.1	96 58		8
	02/68		456	60.8	17.6	86.0	2.7	94 78		0
	09/68		600	67.0	18.0	90.0	3	110 96		0
	04/69		428	46.0	18.0	73.0	20	76 90	183.0	3.1
	11/69		476	59.0	18.0	88.0	2.7	98 110	198.0	0.9
	05/70		416	54.0	18.0	79.0	2.6	92 90	151.0	2.9
	12/70	780	507	64.0	16.0	89.0	2.7	100 90	222.0	10.1
	05/72	990	644	77.0	24.0	86.0	2.8	116 135	207.0	0
	10/72	965	627	77.0	27.0	94.0	2.9	104 145	239.0	5.3
	10/73	960	624	72.0	19.0	105.0	2.8	112 140	195.0	0.9@N
	06/74	950	548	68.0	19.0	101.0	3.1	138 102	207.0	0.35@N
	01/75	840	546	58.0	22.0	87.0	2.7	98 95	217.0	2.2@N
	02/76	820	533	68.8	20.5	76.0	3	106 88	214.7	2.2@N
	09/76	900	585	48.0	45.0	98.0	2.3	116 112	258.6	3.0@N
	03/77	900	585	70.0	23.0	76.0	2.8	123 113	195.0	2.6@N
	01/78	950	618	64.0	24.0	100.0	2.7	124 108	200.0	4.3@N
	10/78	1050	683	74.0	20.0	80.0	3	113 128		<1@N
	04/79	950	618	65.6	19.5	98.0	3.1	109 118	190.3	<1@N

: -7

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical	Constituents	- mg/l		
	Tested		(mg/l)	Ca	Mg	Na 	K	CI	SO4	HCO3	NO3
10S/4W-7A2	01/80	1000	650	67.0	23.0	99.0	3.1	128	111	187.0	<1@N
(Bldg 2673)	10/80	900	546	67.2	20.5	86.0	3.4	108	86	205.0	2.3@N
(Continued)	05/81	810	585	57.2	14.4	83.0	3.4	92	84	180.6	0.7@N
(Continued)	11/81	800	451	57.2	16.3	85.0	2	92	110	185.4	0.5@N
	05/82	930	605	68.8	21.5	97.0	1.6	115	96		<0.5@N
	03/83	900	663	78.8	23.7	95.0	3.4	132	135	209.8	0.7@N
	09/84	1000	530	51.0	23.0	80.0	2.9	110	110	200.0	4.2
	11/84	850	553	67.2	28.3	73.0	2.9	111	137	190.0	1.7@N
	09/85	1007	593	66.0	26.0	64.0	5.8	124	139	180.6	6
	05/86	1051	623	72.6	26.5	79.5	3.5	131	124	153.6	8.8
	06/89	1073	688	72.1	23.9	59.6		120	140	184	15.9
	01/89	1080	572	91.2	34.2	80.2		151	178	174	1.4
	04/90	1130	718	111.0	42.1	91.0		148	167	175	9.1
	06/91	1190	718	113.0	40.3	93.8		173	180	160	7.5
	03/93	1370	708	86.9	32.8	93.3		147	93.3	200	4.9
	03/94	1210	783	100.0	37.1	100.0		145	167		
	08/94	1160	741	87.5	35.5	96.1		141	184		
	06/95	1200	788	99.4	37.5	101.0		173	200		2.9
	06/96	1129	739	91.0	37.0	90.0		188	312	206	<0.0
	02/97	1100	690	82.0	35.0	140.0		127	131	180	<2@N
	03/97	1109	695	91.0	39.0	93.0		137	191	166	2.2@N
	06/97	1096	749	89.0	36.0	90.0	<5	138	178	187	2@N
	12/97	1100	690	84.0	36.0	83.0	4	140	181	160	<.2@N
10S/5W-23G3	06/91	1160	684	83.4	28.3	125.0		145	124	223	<0.04
(Bldg 33926)	03/92	1060	674	75.9	24.1	127.0		139	111	269	<0.4
	03/93	1182	584	67.8	21.1	110.0		135	101	274	<0.4
	06/93	1020	623	60.5	22.4	116.0		125	107	225	<0.4
	03/94	1120	665	80.0	25.0	122.0		129	117		1.8
	08/94	1150	699	78.7	26.4	125.0	_	141	118	_	<0.44
	06/95	1060	673	75.9	23.1	118.0		158	114		<0.04
	01/96	1200	619	71.0	24.0	120.0		139	107	262	<0.0
	07/96						_				<0.0

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical	Constituents - ı	mg/l		
One Location	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
10S/5W-23K2	06/89	1207	698	75.6	22.8	84.0	_	138	137	231	<0.4
(Bldg 33924)	04/89	1240	728	100.0	32.9	129.0		158	148	245	1.3
	01/91	1193		80.6	35.2	131.0		21.3	146	·	<0.04
	06/91	1160	676	88.1	29.6	118.0		141	129	224	<0.04
	03/92	1130	705	76.7	26.0	126.0		149	125	279	<0.4
	06/92	1130	717	66.8	26.7	124.0	-	146	140	232	<0.4
	03/93	1285	331	72.1	23.8	115.0		131	122	273	<0.4
	02/97	1200	780	89.0	32.0	130.0		166	165	250	<2@N
	03/97	1230	700	94.0	34.0	140.0		187	162	264	<2@N
	06/97	1231	778	91.0	31.0	130.0	<2	171	165	264	<2@N
	12/97	1200	710	82.0	30.0	1.30.0	2	156	162	230	ND
	03/98	1200	710	82.0	30.0	110.0	2	191	146	240	ND
	06/98	1170	658	79.0	28.0	123.0	2	157	ND	293	ND
10S/5W-13R2	01/90	1030	540	* 96	26.6	94.8		141	130	200	0.7
(Bldg 2363)	06/91	1150	702	98.7	32.0	109.0		149	125	288	1.3
	06/93	1130	705	72.0	28.4	107.0		140	139	262	0.9
	03/94	1020	658	69.6	27.8	104.0		135	140		0.89
,	06/95	1140	636	92.5	30.7	115.0		149	151		14.2
	06/96	1103	680	91.0	31.0	100.0		148	251	233	<0.0
	06/97	1082	708	85.0	29.0	110.0	<5	135	145	244	<2@N
	12/97	1000	640	81.0	28.0	100.0	2	119	128	250	ND
	03/98	1100	620	85.0	31.0	110.0	2	161	144	220	ND
	06/98	1100	680	83.0	30.0	109.0	3	137	140	275	0.68
	09/98	1160	662	81.0	28.0	90.0	3	144	90	256	ND

^{* -} Reported as .96 ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

