SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1998-99

UNITED STATES OF AMERICA V. FALLBROOK PUBLIC UTILITY DISTRICT, ET AL

CIVIL NO. 1247 - SD-T

JAMES S. JENKS WATERMASTER P. O. BOX 631 FALLBROOK, CA. 92088 (760) 728-1028 FAX (760) 728-1990

AUGUST 2000

TABLE OF CONTENTS

	<u>Page</u>	<u> No.</u>
1.	Summary	1
2.	Introduction 2.1 Background	5 5 5
3.	Surface Water Availability and Use 3.1 Surface Flow	7 11 14
4.	Subsurface Water Availability 4.1 General	17 17 19 24
	Imports/Exports 5.1 General 5.2 Water Year 1998-99 5.3 Water Years 1966-99 5.4 Lake Skinner 5.5 Diamond Valley Lake	30 30
6.	Water Rights 6.1 General 6.2 Appropriative Surface Water Rights 6.3 Fallbrook PUD Proposal to Change Point of Diversion	37
7.	Water Production and Use 7.1 General	44 63 65

WATERMASTER SANTA MARGARITA RIVER WATERSHED

	<u>Pag</u> o	<u>e No.</u>
8.	Unauthorized Water Use 8.1 General	67 67 67 69
9.	Threats to Water Supply 9.1 General 9.2 High Nitrate Concentrations 9.3 Potential Overdraft Conditions 9.4 Salt Balance	71 71 72 73
10.	Water Quality 10.1 Surface Water Quality	75 75
11.	Five Year Projection of Watermaster Office Tasks, Expenditures and Requirem 11.1 General	ents 81 81 81 82
12.	Watermaster Office Budget 2000-2001	83

10

LIST OF TABLES

Page No.	<u>).</u>
3.1 - Stream Gaging Stations 8	
3.2 - Measured Surface Water Flow 1998-99	
3.3 - Surface Water Diversions to Storage	
3.4 - Surface Water Diversions to Irrigation	
3.5 - Water in Storage	
4.1 - Water Production by Substantial Users	
5.1 - Storage in State Water Project and Colorado River Reservoirs	
5.2 - Imports/Exports 1998-99	
5.3 - Total Dissolved Solids Concentration of Imported Water 1998-99 31	
5.4 - Imports/Exports 1966-99	
6.1 - Appropriative Water Rights Permits & Licenses	
6.2 - Pre-1914 Appropriative Water Rights)
7.1 - Water Production and Use	,
7.2 - Definitions of Water Use by Municipal Water Purveyors	í
7.3 - Water Deliveries to Temecula Valley Regional Water Reclamation Facility 49	}
7.4 - Rancho California Water District, Permit 7032 Area Use 54	1
7.5 - Rancho California Water District, Rancho Division Return Flow Credit 1998-99	;
7.6 - Rancho California Water District, Santa Rosa Division Return Flow Credit 1998-99	,
7.7 - Depth of Younger Alluvium in Rancho California Water District Wells 60)
7.8 - Rancho California Water District Well Production from Younger and Older Alluvium	

LIST OF FIGURES

1.1 - Local Production 1989 - 1999	1
1.2 - Imports 1989 - 1999	2
1.3 - Total Production 1990 - 1999	3
4.1 - Water Level Elevations Well No. 8S/2W-12H1	19
4.2 - Water Level Elevations Well No. 10S/4W-7J1	20
4.3 - Water Level Elevations Well No. 7S/3W-20C9	21
4.4 - Water Level Elevations Well No. 7S/3E-21G1	22
4.5 - Water Level Elevations Well No. 8S/2W-29G1	23
5.1 - Storage in State Water Project 1989 - 1999	27
5.2 - Storage in Colorado River Reservoirs 1989 - 1999	27
10.1 - Total Dissolved Solids Concentration RCWD Well 8S/2W-12K	76
10.2 - Total Dissolved Solids Concentration Camp Pendleton Well 10S/4W-7A2	78
10.3 - Nitrate Concentration Camp Pendleton Well 10S/4W-7A2	79
·	

APPENDICES

Appendix A - Production and Use Water Year 1998-99

Table A-1	Eastern Municipal Water District
Table A-2	Fallbrook Public Utility District
Table A-3	Murrieta County Water District
Table A-4	Rainbow Municipal Water District
Table A-5	Rancho California Water District
Table A-6	U.S.M.C Camp Pendleton
Table A-7	U. S. Naval Weapons Station, Fallbrook Annex
Table A-8	Miscellaneous Water Production and Import

Appendix B - Production and Use Water Years 1965-66 To 1998-99

Table B-1	Eastern Municipal Water District
Table B-2	Fallbrook Public Utility District
Table B-3	Fallbrook Public Utility District (Wastewater)
Table B-4	Murrieta County Water District
Table B-5	Rainbow Municipal Water District
Table B-6	Rancho California Water District
Table B-7	U.S.M.C Camp Pendleton
Table B-8	U. S. Naval Weapons Station, Fallbrook Annex

Appendix C - Substantial Water Users 1998-99

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Appendix D - Water Quality Data

		Last Published
Table D-1 Table D-2 Table D-3 Table D-4 Table D-5 Table D-6 Table D-7	Surface Streams Sampled by Camp Pendleton Surface Streams Sampled by Rancho CWD Wells in Murrieta County Water District Wells in Rancho California Water District Wells on Indian Reservations Wells on Camp Pendleton Eastern Municipal Water District	1992-93 1998-99 1998-99 1998-99 1998-99 1992-93
Table D-8 Table D-9	Eastern Municipal Water District Eastern Municipal Water District	1992-93 1992-93
Table D-10 Table D-11	Eastern Municipal Water District Wells in Domenigoni Valley	1993-94 1994-95

MAP

Major Water Purveyors

Bound at back of report

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 1 - SUMMARY

Section 1 - A summary of the Santa Margarita River Watershed Annual Watermaster Report for the 1998-99 Water Year.

Section 2 - This Annual Watermaster Report is prepared pursuant to Section II of the U. S. District Court Order dated March 13, 1989. The Court has retained jurisdiction over all surface flows of the Santa Margarita River Watershed and all underground waters determined by the Court to be subsurface flow of streams or creeks or which is determined by the Court to add to, support or contribute to the Santa Margarita River stream system. Thus imported waters, whether in storage in Lake Skinner or being transported through the Watershed, are outside Court jurisdiction, along with local, vagrant groundwaters that do not support the Santa Margarita River stream system.

Section 3 - Surface water flows were well below normal in 1998-99, with flows for long-term stations ranging from 23% to 46% of the long-term average flow. Surface diversions to irrigation use totaled 977 acre feet compared with 1,022 acre feet in 1997-98. The total quantity of water in storage in the Watershed on September 30, 1999, was 62,223 acre feet, of which 22,793 acre feet was Santa Margarita River water and 39,430 acre feet was imported water.

Section 4 - Groundwater extractions were 53,377 acre feet compared to 46,613 acre feet in 1997-98. Water purveyors pumped 45,908 acre feet and 7,469 acre feet were pumped by other substantial users. Total annual local production including surface diversions for use for the period 1989-1999 is shown below on Figure 1.1.




FIGURE 1.1

Section 5 - During 1998-99, 58,041 acre feet of water were imported and distributed in the Santa Margarita River Watershed by eight purveyors. This compares with 42,935 acre feet in 1997-98 and represents a 35 percent increase from 1997-98. Net exports, including wastewater, were 7,197 acre feet. Annual imports for the period 1989-1999 are shown below on Figure 1.2.




FIGURE 1.2

Section 6 - Water rights during the 1950's and 1960's consisted primarily of riparian and overlying rights. Other rights included appropriative rights and federal reserved rights. More recently, water purveyors in the Watershed have begun exercising groundwater appropriative rights. Perfected appropriative surface water rights on file with the State Water Resources Control Board (SWRCB) amount to 906,892 gallons per day which corresponds to 1.4 cfs or 2.78 acre feet per day of direct diversion rights and 44,315.5 acre feet of active storage rights.

Section 7 - Total imported supplies plus local production totaled 112,554 acre feet compared to 90,570 reported in 1997-98. Of that quantity, 51,701 acre feet were used for agriculture; 7,574 acre feet were used for commercial purposes; and 35,351 acre feet were used for domestic purposes; 1,044 acre feet were discharged to Murrieta and Temecula Creeks; 3,558 acre feet of fresh water were exported; 9,824 acre feet were recharged resulting in an overall system loss of 3,502 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Total annual production for the period 1990-1999 is shown below on Figure 1.3.




FIGURE 1.3

Section 8 - The United States has raised a number of issues regarding unauthorized water use by Rancho California WD including violation of the 1940 Stipulated Judgment. During 1998-99, representatives of Rancho California WD and the United States continued negotiations to resolve the issues.

Section 9 - Threats to water supply include high nitrate levels in Rainbow Creek and Anza Valley in past years, potential overdraft conditions in the Murrieta-Temecula and Anza groundwater basins, and salt balance issues in the upper Watershed.

Section 10 - Water quality data in the Watershed for 1998-99 are presented in Appendix D.

Section 11 - Projected Watermaster tasks for the next five years are listed.

Section 12 - A total Watermaster budget of \$280,000 is proposed for the 2000-2001 Water Year. This budget includes \$168,000 for the Watermaster Office and \$112,000 for operation of gaging stations by the U. S. Geological Survey (U.S.G.S.).

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 2 - INTRODUCTION

2.1 Background

On January 25, 1951, the United States of America filed Complaint No. 1247 in the United States District Court for the Southern District of California to seek a judicial determination of all respective water rights within the Santa Margarita River Watershed. The Final Judgment and Decree was entered on May 8, 1963, and appealed to the U. S. Court of Appeals. A Modified Final Judgment and Decree was entered on April 6, 1966. Among other things, the Decree provided that the Court:

... retains continuing jurisdiction of this cause as to the use of all surface waters within the watershed of the Santa Margarita River and all underground or sub-surface waters within the watershed of the Santa Margarita River, which are determined in any of the constituent parts of this Modified Final Judgment to be a part of the sub-surface flow of any specific river or creek, or which are determined in any of the constituent parts of this Modified Final Judgment to add to, contribute to, or support the Santa Margarita River stream system.

In March 1989, the Court appointed James S. Jenks as Watermaster to administer and enforce the provisions of the Modified Final Judgment and Decree and subsequent orders of the Court. The appointing Order described the Watermaster's Powers and Duties as well as procedures for funding and operating the Watermaster's Office. Also in 1989, the Court appointed a Steering Committee that at the conclusion of 1998-99 was comprised of representatives from the United States, Eastern Municipal Water District, Fallbrook Public Utility District, Metropolitan Water District of Southern California, Pechanga Tribe, and Rancho California Water District. The purpose of the Steering Committee is to assist the Court, to facilitate litigation, and to assist the Watermaster.

2.2 Authority

Section II of the appointing Order requires that the Watermaster submit a written report containing his findings and conclusions to the Court promptly after the end of each water year.

2.3 Scope

The subjects addressed in this report are responsive to Section II of the appointing order. Information and data contained in this report are based on information reported to the Watermaster by others. Therefore, the Watermaster does not guarantee the completeness and accuracy of the information presented in this report, although most of the data presented are based on measurements. Estimates by the Watermaster are so noted.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 3 - SURFACE WATER AVAILABILITY AND USE

3.1 Surface Flow

Over the years, flows in the Santa Margarita River Watershed have been measured at the stations listed on Table 3.1. A number of these stations have been discontinued. During Water Year 1998-99 the U.S.G.S. operated 13 stations under an agreement with the Watermaster. The U.S.G.S. also operated a station on Murrieta Creek at Tenaja Road in cooperation with the Watermaster and Riverside County Flood Control District. In addition to stream flows, the U.S.G.S. also measures water elevation at Vail Lake.

The U.S.G.S. also operates several stations in the watershed under contract with Camp Pendleton. These include a stream gaging station on Fallbrook Creek and on the outlet channel and spillway for Lake O'Neill. The U.S.G.S. also operates a tidal water level recorder on the Santa Margarita River at its mouth.

Monthly flows for stations in Water Year 1998-99 are shown on Table 3.2. Those flows consist of U.S.G.S. discharge determinations available at the time this report is published. Official U.S.G.S. discharges for 1998-99 will be published by the U.S.G.S. in its annual Water Resources Data report.

In considering the historical record of flow at these stations, it should be recognized that the long term averages include variations in watershed conditions such as level of development, groundwater production, return flows, impoundments and vegetative use as well as hydrologic conditions, changes in gaging station locations and other factors. Descriptions of the various historical locations of gaging stations may be found in the publication, *Water Resources Data - California*, which is published annually by the U.S.G.S.

The Santa Margarita River station near Ysidora was discontinued on February 25, 1999, due to the reconstruction of the Basilone Bridge. A temporary station was installed at the U. S. Marine Corps Diversion Dam located about 2.3 miles upstream from the Ysidora site.

Flow records for the two stations have been combined to total 7,200 acre feet in 1998-99. However, it should be noted that the U.S.G.S. considers the records collected at the temporary station to be poor. The U.S.G.S. has also noted that low and medium flow records from the temporary station are not equivalent to such records at the permanent Ysidora station.

TABLE 3.1

SANTA MARGARITA RIVER WATERSHED STREAM GAGING STATIONS

1998-99

STATION NAME	STATION NO.	AREA SQ MI	RECORDED BY	1920	1930	1940	PERIOD (1950	1960	1970	1980	1990
Femecula Creek Near Aguanga	11042400	131	usgs				8/57	•••••	*******	*******	*******
Wilson Creek Above Vail Lake	11042490	122	USGS							10/89	10/94
Femecula Creek At Vail Dam	11042520	320	USGS	2/23	••••••	••••••	••••••	********	10/77		
/ail Lake at Temecula (Reservoir Storage)	11042510	320	USGS			10/49	••••••	•••••	•••••	••••••	•••••
Pechanga Creek Near Temecula	11042631	13.8	USGS							10/87	•••••
Narm Springs Creek Near Murrieta	11042800	55,4	USGS							10/87	••••••
Santa Gertrudis Creek Near Temecula	11042900	90.1	USGS							10/97	•••••
Murrieta Creek At Tenaja Road	11042700	30	USGS								10
Murrieta Creek At Temecula	11043000	222	USGS	10/25		•••••	•••••	•••••	********	••••••	•••••
Santa Margarita River Near Ternecula	11044000	588	USGS	2/23		••••••	*******	•••••	•••••		******
Rainbow Creek Near Fallbrook	11044250	10.3	USGS								9/89
Sandia Creek Near Falibrook	11044350	21.1	USGS								9/89
Santa Margarita River At FPUD Sump	11044300	620	USGS	10/24			•••••	••••••	********	9/80	9/89
Santa Margarita River Tributary Near Fallbrook	11044800	0.52	USGS					10/61 9/65			
DeLuz Creek Near DeLuz 1/	11044800	33	USGS/ USMC				2/51	67 69	*******		9/89
Santa Margarita River Near DeLuz Station	11045000	705	USGS	10/24 - 9/26							
Fallbrook Creek 2/ Near Fallbrook	11045300	6.97	USGS/ USMC					10/64	9/76	12/88	•
Santa Margarita River 3/ At Ysidora	11046000	723	USGS	3/23	••••••	••••••	•••••	•••••	•••••	•••••	•••••
Santa Margarita River At USMC Diversion Dam		710	USGS								2

^{1/} Recorded by USMC, Camp Pendleton October 1968 to 1977 2/ Recorded by USMC, Camp Pendleton prior to October 1993 3/ Station temporarily discontinued in February 1999

TABLE 3.2

SANTA MARGARITA RIVER WATERSHED

MEASURED SURFACE WATER FLOW

1998-99

Quantities in Acre Feet

	DRAINAG						MON	TH						WATER	ANNUAL	YEARS OF
GAGING STATION	AREA SQ MI	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	YEAR TOTAL	AVERAGE THRU 1998	RECORD THRU 1998
Temecula Creek	404	- 464				***				-4-						
Near Aguanga	131	164	232	329	338	336	291	423	242	218	77	66	92	2,808	6,160	41
Pechanga Creek																
Near Temecule	13.8	0	0	0	0	0	0	0	0	O	0	0	0	O	819	11
Warm Springs Creek																
Near Murrieta	55.4	1	8	43	15	6	1	103	7	2	2	2 25	0	213	3,880	11
Santa Gartrudis Cree	k															
Near Temecula	90.2	0	73	25	81	81	4	276	64	5	24	0	0	633	3,620	11
Murrieta Creek																
At Tanaje Road	30	0	0	0	0	0	0	0	0	0	0	0	0	0		N/A
Murrieta Creek														0		
At Temecula	222	154	220	147	169	171	186	401	230	117	151	169	152	2,267	9,690	74
Santa Margarita River	r															
Near Temecula	588	188	338	258	406	359	262	654	307	271	254	201	192	3,690	•	50 (1949-9
Rainbow Creek															20,390	26 (1923-4
Near Falibrook	10,3	32	76	80	166	73	44	112	24	14	10	8	10	649	3,690	9
Sandia Creek																
Near Fallbrook	21.1	159	236	268	199	214	222	278	132	79	38	26	46	1,897	8,620	9
Santa Margarila River	•															
At FPUD Sump	620	418	676	484	685	598	553	904	434	392	394	259	271	6,068	41,480	9
DeLuz Creek																
Near DeLuz	33	56	204	208	227	183	167	260	64	32	0	0	0	1,401		6 (1993-9
															N/A 3.826	(1989-9
Santa Margarile River	-														3,020	27 (1951-7
At Ysidora	723	306	1,140	1,080	1,810	1,362	0	Station	tempor	arily di	sconti	nued		5,698		50 (1949-9
Senta Margarita River															31,390	26 (1923-4
At USMC Diversion																
Dam near Ysidora	710	_			-	-	164	355	212	193	230	178	170	1,502	N/A	N/A
allbrook Creek																
Near Fallbrook	6.97	24	58	64	78	61	44	79	25	22	11	4	1	471	1,749 *	10 (1989-9
																12 (1965-7

* Includes wastewater flows N/A - Not Applicable

11

e = estimated from partial record

Total flows at four long-term stations for Water Years 1997-98 and 1998-99 are compared with their averages in the tabulation below. Average flows for the Santa Margarita River stations near Temecula and near Ysidora are shown for two periods: before and after Vail Dam was constructed (1923 to 1948, and 1949 to 1998).

	<u>TOTAL F</u> 1997-98 1 <u>Acre Feet</u> A	998-99	AVERAGE FLOW Through 1998 Acre Feet
Temecula Creek Near Aguanga	9,977	2,808	6,160 (1957-98)
Murrieta Creek At Temecula	42,355	2,267	9,690 (1925-98)
Santa Margarita River Near Temecula	48,003	3,690	14,405 (1949-98) 20,390 (1923-48)
Santa Margarita River Near Ysidora (various lo	110,193 ecations)	7,200	29,462 (1949-98) 31,390 (1923-48)

The foregoing tabulation indicates that, while flows in 1997-98 were much greater than the long term averages, flows in 1998-99 were much less than the long term average, ranging from 23% for Murrieta Creek near Temecula to 46% of the long term average for Temecula Creek at Aguanga.

Monthly flows shown in Table 3.2 consist primarily of naturally occurring surface runoff, including return flows, except for Rancho California WD discharges into Temecula and Murrieta Creeks. Most of these discharges are pursuant to Section Eleventh of the 1940 Stipulated Judgment which requires maintenance of three cubic feet per second (cfs) flow at the Santa Margarita River near Temecula station between May 1 and October 31 of each year. Total flow at that station for October 1998 and May through September 1999 are shown below:

	Monthly	Average Daily
	Discharge	Flow
<u>Month</u>	Acre Feet	<u>CFS</u>
October 1998	188	3.1
May 1999	307	5.0
June 1999	271	4.6
July 1999	254	4.1
August 1999	201	3.3
September 1999	<u>192</u>	<u>3.2</u>
TOTAL	1,413	3.9

During 1998-99, Rancho California WD released 1,044 acre feet into Murrieta and Temecula Creeks of which 1,034 acre feet were released during October 1998, and between May 1 and September 30, 1999. Of the 1,034 acre feet released in October 1998 and May through September 1999, 204 acre feet were from wells and 830 acre feet were from the System River Meter. The System River Meter refers to discharges directly from Rancho California WD's distribution system into Murrieta Creek at a location just upstream from the Murrieta Creek gaging station.

Rancho California WD also discharged 1,654 acre feet of treated wastewater into Murrieta Creek at a point about five miles upstream from the Murrieta Creek at Temecula gaging station.

3.2 <u>Surface Water Diversions</u>

Surface diversions to surface water storage and groundwater storage during 1997-98 and 1998-99 are shown in Table 3.3. In general, diversions to surface storage at Vail Lake and Lake O'Neill are computed as being equal to inflow less spill, however, diversion to surface storage at Vail Lake excludes inflow during the period from May 1 through October 31 when Permit 7032 does not allow such diversions. Inflow to Vail is calculated as the sum of evaporation, spill, releases and change of storage. Inflow into Vail Lake during the period when diversions are not permitted is released and not credited to groundwater storage. Representatives of the United States do not agree with this method of calculation.

Surface diversions to irrigation, estimated consumptive use, losses and returns for 1998-99 are shown in Table 3.4.

TABLE 3.3

SANTA MARGARITA RIVER WATERSHED SURFACE WATER DIVERSIONS TO STORAGE 1998-99

Quantities in Acre Feet

Surface Water Storage

	<u>Vail L</u> 1997-98	<u>ake</u> 1998-99	<u>Lake O'Neill</u> <u>1997-98</u> <u>1998-99</u>
Storage end of prior year	18,870	23,950	651 756
Inflow - Total	17,842	3,840	4,520 ¹ 600 ²
Inflow to be Bypassed	4,464	970	0 0
Spill	0	0	1,661 0
Diversions to Surface Storage	13,378 ³	2,870 ³	2,859 ⁴ 600 ⁴
Annual Evaporation	3,784	3,680	356 350
Releases - Total	8,978	1,980	434 0
Release to GW Storage	4,514 ⁵	1,010 ⁵	434 0
Apparent Seepage to GW	0	0	1,964 ⁶ 341 ⁶
Change of Storage	+ 5,080	- 1,820	+ 105 - 93
Storage End of Year	23,950	22,130	756 663
	Ground	water Stora	<u>ige</u>
Recharge Release from Storage Facility	4,514	1,010	434 0
Direct Recharge	0	0	4,338 3,293

²⁹¹ AF diverted from the Santa Margarita River and 4,229 acre feet inflow from Fallbrook Creek

O AF diverted from the Santa Margarita River and 600 AF estimated inflow from Fallbrook Creek drainage area

Inflow less Spill less Inflow (Oct 1 to Oct 31 and May 1 to Sept 30)

Inflow less Spill

⁵ Total Release less Inflow to be bypassed

Includes seepage losses, leakage through flashboards and unaccounted for water

TABLE 3.4

SANTA MARGARITA RIVER WATERSHED SURFACE WATER DIVERSIONS TO IRRIGATION 1998-99

Quantities in Acre Feet

	Surface <u>Diversions</u>	Consumptive <u>Use¹</u>	Losses ²	Returns ³
Prestininzi	18	12	2	4
Blue Bird Ranch	31	21	3	7
Chambers	3	2	0.3	0.7
Cal June, Inc.	325	219	33	73
Kamata/Strange	338	228	34	76
Missionary Foundation	50	34	5	11
Agri-Empire, Inc. Kohler Canyon	54	37	5	12
Papac	38	26	4	8
Sage Ranch Nursery	90	61	9	20
Daily Family Trust	9	6	1	2
San Diego State University Foundation	1 <u>21</u>	_14_		5_
TOTAL	977	660	98.3	218.7

Consumptive use equals 75% of Diversions less Losses

² Losses equal 10% of Diversions

Returns equal 25% of Diversions less Losses

3.3 Water Storage

Major water storage facilities in the Santa Margarita River Watershed are listed on Table 3.5, together with the water in storage on September 30, 1998 and September 30, 1999. Total Santa Margarita River stream system water in storage at the end of Water Year 1998-99 totaled 22,793 acre feet, compared to 24,706 acre feet at the end of the previous year. Imported water in storage in Lake Skinner operated by Metropolitan Water District of Southern California (MWD) is also shown on Table 3.5. In future years, storage in Diamond Valley Lake will also be shown. Imported water is not under Court jurisdiction.

TABLE 3.5

SANTA MARGARITA RIVER WATERSHED

WATER IN STORAGE 1998-99

Quantities in Acre Feet

Santa Margarita River Storage	Total <u>Capacity</u>	Water in S 9/30/98	Storage 9/30/99
Dunn Ranch Dam	90	0	0
Upper Chihuahua Creek Reservoir	± 47	0	0
Vail Lake	49,370	23,950	22,130
Lake O'Neill	_1,200	<u>756</u>	663
Subtotal	50,707	24,706	22,793
Imported Water Storage			
Lake Skinner	44,000	38,537	39,430
Diamond Valley Lake (Not Complete	:)		0
TOTAL STORAGE	94,707	63,243	62,223

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 4 - SUBSURFACE WATER AVAILABILITY

4.1 General

Much of the water from the Santa Margarita River stream system is obtained by pumping subsurface water. The Court has identified two basic types of subsurface water in its interlocutory judgments. One type is vagrant, local, percolating waters that do not add to, support or contribute to the Santa Margarita River or its tributaries. Such waters have been determined to be outside the continuing jurisdiction of the Court. These waters are typically found in the basement complex and/or residuurn deposits in the Watershed. Wells tapping these deposits typically have low yields.

Other subsurface waters were found by the Court to add to, contribute to and support the Santa Margarita River and/or its tributaries. Aquifers containing such waters have been designated by the Court as younger alluvium and older alluvium. Younger alluvial deposits are commonly exposed along streams and in valleys. Older alluvium may be found underneath younger alluvium and is not limited to areas along stream channels. Older alluvium may or may not be exposed at ground surface. The use of subsurface water found in younger and older alluvium is generally under the continuing jurisdiction of the Court and is reported upon in this report.

4.2 Extractions

Production of Santa Margarita River water by substantial water users in the Watershed from all sources is listed on Table 4.1 by hydrologic area along with estimated consumptive use and return flows. Substantial water users include water purveyors as well as private irrigators who irrigate eight acres or more or use an equivalent quantity of water.

In 1998-99 production by purveyors totaled 45,908 acre feet, compared to 39,655 acre feet in 1997-98. Monthly quantities are shown in Appendix A and annual production for water years between 1966 and 1999 is shown in Appendix B.

Subsurface extractions by private irrigators are based on the irrigated acreage and reported in Appendix C. These groundwater extractions were 7,469 acre feet in 1998-99. Of the subsurface extractions, 75 percent is estimated to have been consumed and 25 percent to have been return flow. Return flow is that portion of the total deliveries that is not consumed.

In addition to groundwater production by water purveyors and private irrigators, surface diversions are also listed on Table 4.1 as well as total production of Santa Margarita River water.

TABLE 4.1

SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATER PRODUCTION BY SUBSTANTIAL USERS
1998-99

HYDROLOGIC AREA	WATER PURVEYOR PRODUCTION ACRE FEET	OTHER IRRIGATED ACRES	IRRIGATION PRODUCTION ACRE FEET	TOTAL GROUNDWATER PRODUCTION AGRE FEET	SURFACE WATER DIVERSIONS AGRE FEET	TOTAL PRODUCTION ACRE FEET	ESTIMATED CONSUMPTIVE USE ACRE FEET ^{1/}	ESTIMATED RETURN FLOW ACRE FEET
Wilson Creek Above Aguanga GWA Includes Anza Valley	•	2,051 ^{2/}	2,435	2,703	0	2,703	2,027	676
Temecula Creek Above Aguanga GWA	10 (Butterfield Qaks MH	558 P)	1,228	1,238	92	1,330	991	339
Aguanga GWA	71 (Outdoor Resorts)	574	960	1,031	538	1,569	1,136	433
Upper Murrieta Creek	o	0	0	0	0	0	0	0
Lower Murrieta Creek	0	465	43	43	95	138	96	42
Murrieta-Temecula GW	39,441 (RCWD, MCWD, EMWD, Pechange)	1,358	2,319	41,760	4	41,764	31,323	10,441
Santa Margarita River B	elow the Gorge							
Deluz Creek	0	205	460	460	61	521	386	135
Sandia Creek	0	65	0	0	325	325	219	106
Rainbow Creek	0	0	0	0	0	0	0	0
Santa Margerita River	6,118 (USMC)	20	24	6,142	21	6,163	1,432	3,300
TOTAL	45,908	5,296	7,469	53,377	1,136 ³	, 54,513	39,610	15,472

^{1/} Estimated consumptive use is equal to 75% of groundwater production plus 75% of surface diversions less 10% except for Camp Pendleton where nat export of 1,428 acre feet is excluded and return flows include measured wastewater returns

^{2/} Includes lands overlying deep aquifer in Anza Valley

^{3/} Includes surface diversion for imigation, commercial and domestic use.

4.3 Water Levels

Water levels in selected wells in the Watershed are measured periodically by various entities. Historical water levels in five wells at various locations in the Watershed are shown in this report on Figures 4.1, 4.2, 4.3, 4.4 and 4.5. Figure 4.1 shows water levels in Well No. 8S/2W-12H1 (Windmill Well) located in the Rancho California WD service area downstream from Vail Lake. Note the extended drawdown from 1945 to 1978, the major recoveries during the wet years in 1980 and 1993, and the effect of relatively dry years after 1980 and after 1993. Water levels rose 1.8 feet in 1998-99.




FIGURE 4.1

Collar El. 1216.7 Feet; Depth 515 Feet; Drilled in Alluvium Ref: RCWD reports (1920-99)

Figure 4.2 shows water levels at Well No. 10S/4W-7J1 at Camp Pendleton, a monitoring well located in the Upper Ysidora Sub-basin. Fluctuations in recent years illustrate recharge during the winter months and drawdown each summer, with the water levels generally between 82 and 90 feet in elevation. Water levels in Well 7J1 rose 1.7 feet between the fall of 1998 and the fall of 1999.

WATER LEVEL ELEVATIONS 10S/4W-7J1 - CAMP PENDLETON 150 W A Ε 125 R E LF EE 100 A T 0 75 N 1 N 50 1940 1950 1960 1970 1980 1990 2000 YEAR

FIGURE 4.2

Ground El. 93 Feet; Depth 138.8 Feet; Perf. Unknown; Drilled in Alluvium Camp Pendleton Records (1950-72) (1988-99); Leeds Hill Study (1973-85) Dates Estimated

Figure 4.3 shows water levels from production Well No. 7S/3W-20C9 (Holiday Well) in the Murrieta County Water District service area. Water levels in this well dropped 5.5 feet since the fall of 1998. Water levels in the Lynch Well, 7S/3W-17R2, which serves as a monitoring well and had no production in 1998-99, rose 20 feet.

WATER LEVEL ELEVATIONS 7S/3W-20C9 - MCWD HOLIDAY WELL W A T 1100 Ε R 1050 L F E E V E 1000 A T 0 N 900 1970 1990 1940 1950 1960 2000 YEAR

FIGURE 4.3

Ground El. 1090 Feet; Depth 307 Feet; Perf. 60 - 307 Feet Murrieta County Water District Records

Figure 4.4 shows water levels for Well No. 7S/3E-21G1, Anza Mutual Water Company's Well No. 1, a production well located in the Anza Valley. Water levels in this well fell .5 feet this year. As may be noted from Figure 4.4, recent measurements show annual 50 foot fluctuations in groundwater levels at this well, partly in response to the operation of nearby irrigation wells. Current levels are within the historical range.




FIGURE 4.4

Ground El. 3862.6 Feet; Depth 260 Feet; Perf. 20 - 260 Feet; Drilled in Alluvium Anza Mutual Water Co. Well No. 1 (1987-99); DWR Bulletin 91-22 (1950-73)

Figure 4.5 shows water levels at Well No. 8S/2W-29G1, located in Wolf Valley on the Kelsey Tract of the Pechanga Indian Reservation. The well is not used for water production and its depth as measured in 1972 was 159 feet. Water levels collected since 1925 reflect unconfined groundwater levels. As shown on Figure 4.5 the groundwater levels have fluctuated within a 44 foot range above and below elevation 1050 feet in response to wet years and dry periods. Water levels in this well fell 5.56 feet in 1998-99.

WATER LEVEL ELEVATIONS 8S/2W-29G1 - PECHANGA INDIAN RESERVATION WELL 1100 A E R 1050 E L E E 1000 ΑТ 950 0 N 900 1940 1950 1960 1970 1980 2000 1920 1990 YEAR

FIGURE 4.5

Ground El. 1091.1 Feet; Depth 159.1 Feet U.S. Geological Survey Records

Changes in water levels in the above noted wells between the end of the previous water year and the end of the 1999 water year are shown below:

<u>Well</u>	Water Elevation 1998 <u>Feet</u>	Water Elevation 1999 <u>Feet</u>	Change in Water Level <u>Feet</u>
8S/2W-12H1	1137.8	1139.6	Up 1.8
10S/4W-7J1	86.1	84.4	Up 1.7
7S/3W-20C9	1017.2	1011.7	Down 5.5
7S/3E-21G1	3775.6	3775.1	Down 0.5
8S/2W-29G1	1052.9	1047.3	Down 5.6

4.4. Changes in Groundwater Storage

During 1998-99, Rancho California WD, working with a joint Camp Pendleton-Rancho California WD Technical Advisory Committee completed a groundwater model of the Murrieta-Temecula Groundwater Area. During the year, the model was used to estimate groundwater levels with and without Vail Lake, and with and without historical pumping.

SECTION 5 - IMPORTS/EXPORTS

5.1 General

Court Orders require the Watermaster to determine the quantities of imported water used in the Watershed. Most of the water imported into the Santa Margarita River Watershed is delivered by Metropolitan Water District of Southern California (MWD) to local districts. MWD obtains its water from the State Water Project (SWP) and the Colorado River. Both the SWP and the Colorado River system have major storage reservoirs to provide long-term carryover storage. The quantities of water in storage at the end of the water year in the major reservoirs in each system are shown on Table 5.1 and on Figure 5.1 and Figure 5.2. It may be seen from Table 5.1 that during Water Year 1998-99 water in storage in the SWP decreased from 4.39 million acre feet on September 30, 1999, to 3.66 million acre feet on September 30, 1999. Storage on September 30, 1999, corresponds to about 69 percent of the total SWP storage capacity.

Water in storage in the Colorado River system was essentially unchanged from the prior year at 55.4 million acre feet on September 30, 1999. On September 30, 1999, those reservoirs contained 86 percent of their total capacity.

Projections of water availability on the SWP for the coming year (2000) are prepared by the State Department of Water Resources on a monthly basis from February through May. The report dated May 1, 2000, indicates that statewide October 1 through May 1 precipitation was 95 percent of average. However, it might be noted that in coastal southern California precipitation was 70 percent of average suggesting relatively high demand for imported supplies during 1999-2000. As of May 1, the SWP has approved delivery of 90 percent of the requests for deliveries in the year 2000.

The following entities imported water directly or indirectly from MWD into the Santa Margarita River Watershed:

Eastern Municipal Water District
Elsinore Valley Municipal Water District
Fallbrook Public Utility District
Rainbow Municipal Water District
Rancho California Water District
U. S. Naval Weapons Center
Western Municipal Water District

TABLE 5.1

SANTA MARGARITA RIVER WATERSHED

STORAGE IN STATE WATER PROJECT

AND COLORADO RIVER RESERVOIRS

Thousands of Acre Feet

STATE WATER PROJECT RESERVOIRS

	Total			Wate	r in Stora	ge - Sept	tember 3	10			
Reservoir	Capacity	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Oroville	3,540	1,163	1,399	1,317	2,666	1,683	2,897	2,736	2,140	2,832	2,427
San Luis (State Shar	1,060 e)	100	385	381	944	394	1,067	740	462	900	592
Pyramid	171	163	164	159	156	160	168	158	163	161	155
Castaic	324	268	296	257	263	237	297	284	237	306	288
Silverwood	73	67	68	68	68	68	54	40	73	71	72
Perris	132	116	120	117	120	110	126	126	105	124	125
Total	5,300	1,877	2,432	2,299	4,217	2,652	4,609	4,084	3,180	4,394	3,659
Percent of Ca	pacity	35%	46%	43%	80%	50%	87%	77%	60%	83%	69%

MAJOR COLORADO RIVER RESERVOIRS

	Total			1	Water in	Storage -	- Septem	ber 30			
Reservoir	Capacity	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
Flaming Gorge	3,789	3,082	3,391	3,106	3,471	2,887	3,488	3,364	3,599	3,580	3,425
Blue Mesa	941	618	700	604	720	615	782	686	761	624	740
Navajo	1,709	1,361	1,586	1,579	1,625	1,400	1,556	1,203	1,543	1,380	1,558
Powell	27,000	16,252	14,699	14,085	18,825	17,772	22,311	21,155	22,802	22,404	22,997
Mead	28,537	20,144	19,233	19,416	21,379	19,930	20,714	21,614	23,769	25,126	24,592
Mohave	1,818	1,488	1,571	1,623	1,375	1,467	1,635	1,578	1,674	1,729	1,515
Havasu	648	562	556	548	579	571	588	597	580	565	584
Total	64,442	43,507	41,736	40,961	47,974	44,642	51,074	50,197	54,728	55,408	55,411
Percent of Capa	acity	68%	65%	64%	74%	69%	79%	78%	85%	86%	86%

FIGURE 5.1





FIGURE 5.2



In addition to net deliveries through member agencies, MWD, pursuant to a Court Order, delivered 404 acre feet of water for irrigation of lands in Domenigoni Valley within the Santa Margarita Watershed during 1998-99. MWD also imported 2,978 acre feet for use as construction water for the Diamond Valley Lake Project, and 399 acre feet for groundwater recharge.

Water is also imported into the Santa Margarita River Watershed from adjacent watersheds. Such importation occurs from the Santa Ana Watershed where Elsinore Valley MWD pumps water from wells outside the Santa Margarita River Watershed but delivers water to a portion of its service area that is inside the Santa Margarita River Watershed.

At Camp Pendleton, there is a pipeline connection to wells located in the Las Flores Creek Watershed to the north of the Santa Margarita River Watershed. Water can be either imported or exported through that line, depending on relative water demands and pumping capacities.

Exportations from the Santa Margarita River Watershed include water pumped at Camp Pendleton that is used in the San Luis Rey River Watershed to the south or in the Las Flores Creek Watershed to the north. Some of the water exported at Camp Pendleton is returned to the Watershed as wastewater. Wastewater from the Fallbrook area and the Naval Weapons Station located on Camp Pendleton is exported by the Fallbrook Public Utility District and wastewater in the Elsinore Valley MWD is exported by that district.

Eastern MWD uses a 24-inch pipeline along Winchester Road to transport wastewater from the Temecula Valley Regional Water Reclamation Facility to areas within the Watershed for reuse as well as for export of up to 10 MGD from the Watershed. A total of 4,133 acre feet of treated wastewater were exported by Eastern MWD in 1998-99.

The following paragraphs of this report describe imports and exports during Water Year 1998-99 and during the 1966-1999 period. There is also discussion of MWD's existing Lake Skinner operations as well as proposed operations of the Diamond Valley Lake.

5.2 Water Year 1998-99

During 1998-99, 58,041 acre feet of water were imported and distributed in the Santa Margarita River Watershed by eight purveyors. This compares with 42,935 acre feet in 1997-98 and represents a 35 percent increase. Water quantities imported into and exported from the Santa Margarita River Watershed for months during Water Year 1998-99 are listed on Table 5.2.

TABLE 5.2

SANTA MARGARITA RIVER WATERSHED IMPORTS/EXPORTS

1998-99 Quantities in Acre Feet

IMPORTS

EXPORTS

YEAR	EASTERN	ELSINORE VALLEY MWD	FALLBROOK	MWD //	RAINBOW	RANCHO CAL I	U.S. NAVAL WS	WESTERN MWD 2/	TOTAL	EXPORTS	CAMP PENDLETON WASTEWATER NET EXPORTS RETURNS EXPORT	N NET EXPORT	U.S. NAVAL WS	EASTERN	ELSINORE VALLEY MWD	FALLBROOK PUD	TOTAL
1998																	
OCT	282	200	822	8	177	2,567	17	က	4,567	358	127	ន		2 80	8	52	88
No No	347	461	515	88	171	1,395	80	က	2,968	88	₽	8	0.3	8	19	116	299
DEC	407	246	341	8	88	1,047	7	ო	2,239	202	203	€		83	ន	117	229
1999																	
JAN	88		496	166	=======================================	884	თ	8	2,562	234	6	4	0.4	512	19	=======================================	88
FEB	467		322	166	78	88	9	7	1,569	145	189	<u>\$</u>	0.4	477	8	ᅙ	3 5
MAR	(52)		410	386	9/	1,528	7	7	2,585	188	214	92	0.4	35	ន	116	4
APR	218		394	280	8	1,560	Ω	7	2,875	218	176	42	0.4	374	7	112	3
MAY	776	88	640	518	110	3,170	7	ო	5,832	275	174	ξ	0.5	592	8	110	497
JUNE	498		68 9	<u>\$</u>	5	4,176	9	2	6,571	319	172	147	0.5	8	ន	113	452
JULY	2		836	479	219	5,228	12	2	8,127	8	174	286	9.0	274	7	1 09	88
AUG	524		1,049	287	5 0	6,549	80	2	9,871	\$	167	302	0.5	236	6	116	674
SEPT	ଞ		952	327	250	5,993	15	9	8,275	460	<u>ឆ</u>	297	0.3	250	ន	131	5
TOTAL	. 4,327	6,134	7,430	3,781	1,727	34,490	£	4	58,041	3,558	2,130	1,428	Ŋ	4,133	254	1,377	7,197

Metropolitan Water District direct deliveries In Domenlgoni Valley
 Improvement District A - Rainbow Canyon Only (WR-13)

Water quality of the imported supplies in 1998-99 as reflected by the average monthly total dissolved solids at the Skinner Treatment Plant effluent line is shown on Table 5.3, together with the percent of imported water obtained from the SWP.

5.3 Water Years 1966-1999

Water quantities imported by districts into the Santa Margarita River Watershed during Water Years 1966-1999 are shown on Table 5.4. Total imports to these districts are measured, however some districts serve lands outside the Watershed. For these districts, which include Eastern MWD, Elsinore Valley MWD, Fallbrook PUD and Rainbow MWD, the portion delivered in the Santa Margarita River Watershed must be estimated.

Review of the historical trend of total imports shown on Table 5.4 indicates significant year to year variations with relatively low imports in wet years and higher imports in dry years, combined with an underlying growth rate to serve increasing municipal water demands in the Murrieta-Temecula area.

Exports over the 1966-1999 period are also shown on Table 5.4. These include estimated water exports on Camp Pendleton less estimated wastewater returns, as well as an estimate of exports by the Fallbrook Public Utility District and the Naval Weapons Station after 1983, and Elsinore Valley MWD after 1986. Exports by Eastern MWD were initiated in 1992-93. Exports do not include water that naturally flows from the Santa Margarita River into the Pacific Ocean.

5.4 Lake Skinner

Lake Skinner is a 44,000 acre foot reservoir constructed by MWD on Tucalota Creek, within the Santa Margarita River Watershed. The purpose of Lake Skinner is to provide regulatory and emergency storage capacity for water imported to southern California. A Memorandum of Understanding and Agreement on Operation of Lake Skinner (MOU), dated November 12, 1974, approved by the Court on January 16, 1975, contains provisions to protect Santa Margarita River Watershed water users from potential effects of Lake Skinner on either subsurface or surface flows.

Protection against a decrease in subsurface flows caused by the dam is afforded by a provision in the MOU that requires that MWD release water from Lake Skinner into Tucalota Creek if groundwater levels in Well AV-28B fall below an elevation of 1356.64 feet. On September 30, 1999, water levels in Well AV-28B reached a yearly low of 1360.43 feet, 3.79 feet above the minimum elevation.

TABLE 5.3

SANTA MARGARITA RIVER WATERSHED

TOTAL DISSOLVED SOLIDS

CONCENTRATION OF IMPORTED WATER

1998-99

YEAR MONTH	TOTAL DISSOLVED SOLIDS /1	PERCENT STATE PROJECT WATER
	MG/L	
1998		
OCT	454	34
NOV	540	10
DEC	563	0
1999		
JAN	574	0
FEB	575	0
MAR	544	6
APR	481	25
MAY	491	22
JUNE	488	23
JULY	491	23
AUG	490	21
SEPT	481	23

^{1/} As measured in the Skinner Treatment Plant Effluent line.

TABLE 5.4

SANTA MARGARITA RIVER WATERSHED IMPORTS/EXPORTS

Quantities in Acre Feet

				=	IMPORTS								EXP	EXPORTS			
,	-	ELSINORE	70000	9	Wein a	RANCHO	U.S.	Weeter	TOYAL	CA	CAMP PENDLETON	NO.	U. S.	KASTEDU	ELSINORE	, EALL BROOK	TOTAL
į	MWD		PUD 1/	7	MWD			MWD 3/	-	EXPORT	RETURNS	EXPORT	WS	MWD	HWD	PUD	EXPORTS
1968	1,604	N/R	3,351		1,308	0	0	24	6,287	3,251	974	2,277	0	0	0	0	2,277
1967	1,630	N/N	2,852		1,095	0	0	20	5,597	3,160	1,243	1,937	0	0	0	0	1,937
1968	1,464	N/R	3,423		1,377	0	0	27	6,291	3,368	1,214	2,154	0	0	0	0	2,154
1969	1,741	N/N	2,837		1,253	0	0	E 25	5,856	3,276	1,170	2,106	0	0	0	0	2,106
1970	1,417	N/R	3,538		1,689	0	0 E	3	6,675	3,809	1,113	2,696	0	0	0	0	2,696
1971	1,383	N/R	3,405		1,650	0	76 E	ш Ж	6,548	3,527	080	2,437	0	•	0	0	2,437
1972	1,470	N/N	3,916		2,037	0	115 E	8	7,572	3,543	1,168	2,375	0	0	0	0	2,375
1973	1,533	N/R	3,210		1,616	0	115 E	8	6,504	3,544	1,187	2,357	0	0	0	0	2,357
1974	1,601	N/R	3,967		2,049	0	115 E	98 38	7,768	3,532	1,140	2,392	0	•	0	0	2,392
1975	1,969	N/N	3,597			0	115 E	ш 8	6,962	3,098	1,530	1,568	0	0	0	0	1,568
1976	2,493	N/R	4,627		2,239	119	115 E	33	9,628	3,619	1,497	2,122	0	0	0	0	2,122
1977	2,947	N/R	5,212		2,343	1,845	115 E	E 24	12,486	3,194	1,416	1,778	0	0	0	0	1,778
1978	2,551	269	5,202		2,188	5,774	115 E	E 26	16,425	3,071	1,283	1,768	0	0	0	0	1,768
1979	1,894	712	5,723		2,348	7,009	115 E	E 24	17,824	4,756	1,427	3,329	0	0	0	0	3,329
1980	1,192	969	6,404		2,489	10,126	115 E	E 25	21,047	3,651	1,405	2,246	0	0	0	0	2,246
1981	716	798	8,543		3,153	15,282	115 E	ш Ж	28,842	3,892	1,249	2,643	0	0	0	0	2,643
1982	1,112	678	7,079		2,460	13,378	115 E	ш Ж	24,856	3,761	1,273	2,488	0	0	0	0	2,488
1983	1,211	658	6,720		2,190	5,752	115 E	E 26	16,672	3,000	1,242	1,758	26 E	0	0	1,003	2,787
1984	69	816	8,506		3,068	6,716	115 E	E 26	19,946	3,243	1,120	2,123	26 E	0	0	1,032	3,181
1985	629	808	7,831		3,410	7,158	102	27	20,015	3,377	1,200	2,177	26 E	0	0	1,060	3,263
1986	760	882	8,585		2,945	11,174	8	8	24,474	3,326	984	2,345		0	0	1,096	3,457
1987	1,155	938	8,656		3,390	7,564	116	æ	21,855	3,444	1,799	1,645	92	0	4	1,129	2,805
1988	2,047	1,032	8,033		2,985	17,854	120		32,108	3,457	1,872	1,585	5 8	0	R	1,154	2,820
1989	3,746	1,341	990'6		3,003	22,895	128	54	40,203	3,418	1,446	1,972	23	0	74	1,181	3,250
1990	5,601	2,255	10,103		3,818	22,030	145	22	43,974	2,971	1,451	1,520	27	0	114	1,271	2,932
1991	9,479	2,421	7,962		2,904	21,238	9	2	44,133	2,168	1,219	949	5	0	5	86	2,056
1992	8,593	2,190	7,893		2,277	16,931	8	52	38,008	2,426	1,548	678	7	0	5	1,083	2,108
1993	5,393	1,914	6,925		1,965	11,411	117	ස	27,755	2,329	1,926	\$	16	305	ŝ	1,255	2,529
1994	7,150	3,221	7,250		1,85	16,386	23	37	35,768	2,702	1,50	1,201	'n	3,159	170	1,068	5,603
1995	4,625	3,117	6,538	547	1,661	15,108	125	53	31,750	2,781	1,611	1,170	42	3,908	185	1,153	6,428
1996	4,960	4,181	7,993	500,	1,815	23,600	8	35	43,689	3,577	1,493	2,084	S	2,993	213	1,035	6,330
1997	3,284	4,283	7,894	3,521	1,429	26,992	8	ଛ	47,542	3,643	1,932	1,711	9	3,201	226	1,021	6,165
1998	5,117	5,100	6,382	5,023	1,60	19,584	97	સ	42,935	3,742	2,073	1,669	ھ	4,513	247	1,482	7,919
1999	4,327	6,134	7,430	3,781	1,727	34,490	111	4	58,041	3,558	2,130	1,428	ß	4,133	254	1,377	7,197
										i		,	!	;		:	
1/ Incl	udes Delu	Heights M	1/ Includes DeLuz Heights MWD prior to 1991	1991					3/ Improve	3/ Improvement District A - Rainbow Canyon Only (WR-13)	ct A - Raint	ow Canyon	Only (Wh	·-13)		E - Estimate	-
2/ Met	ropolitan W	ater Distric	 Metropolitan Water District direct deliverles in Domenigoni Valley 	des in [Jomenigoni	Valley			N/R - Not Reported	Reported						P - Partial ye	ar data

The MOU also provides that all local surface inflow that enters Lake Skinner will be released into Tucalota Creek. In its 1980 modification the MOU provides that local surface inflow is to be determined by using the hydrologic equation for Lake Skinner that is specified in the MOU. That equation is used to determine inflow and the related release for large flood events. However, in many years the local inflow is small compared to the large quantities of imported water inflow and outflow at Lake Skinner. The error of measurement for these large inflows and outflows is larger than the local inflow in many instances. Accordingly, MWD also monitors the flow in Tucalota Creek, Rawson Creek and Middle Creek during storms and uses those observations to supplement the hydrologic equation.

During 1998-99, local runoff into and the related releases from Lake Skinner totaled 5.9 acre feet as follows:

<u>Mor</u>	<u>nth</u>	Release <u>Acre Feet</u>
January 19 February	999	3.4
TOTAL	(1998-99)	5.9

5.5 Diamond Valley Lake

: 3

During 1998-99, MWD continued with construction of the Diamond Valley Lake Project. Diamond Valley Lake is located in Diamond and Domenigoni Valleys within the Santa Margarita River Watershed. The Project consists of three dams, one each at the east and west ends of Domenigoni/Diamond Valley and a saddle dam at the low point on the north rim. The East Dam will divert surface and groundwater flows from a 4.2 square mile drainage area in the Santa Margarita River Watershed, known as Goodhart Canyon, into the Santa Ana River Watershed. The West Dam will intercept existing westward surface and subsurface flows from an additional 13.19 square mile area. These intercepted subsurface flows may or may not be offset by seepage losses from the reservoir when filled.

MWD does not have a water right to store local waters in the reservoir, so a Memorandum of Understanding and Agreement on Operation of Domenigoni Valley Reservoir (now known as Diamond Valley Lake) (MOU) was developed which was approved by the Court on January 19, 1995. Among other things, the MOU provides:

The quantity and quality of surface runoff that would flow past the West Dam in the absence of the Reservoir will be determined and a like quantity of water of similar quality will be released from the Reservoir or San Diego Canal (SDC) into Warm Springs Creek.

The MOU indicates that the required releases would be determined by measuring the surface inflows into a detention basin to be constructed near the East Dam. A quantity equal to 4.1 times the measured flow will be released from the West Dam into Warm Springs Creek.

In late 1997, the Goodhart Canyon Detention Basin became operational and available for use in computing required downstream releases from the project. Total required releases into Warm Springs Creek during 1998-99 were 6 acre feet. However, the project released 660 acre feet into Warm Springs Creek during 1998-99 because of a need to dispose of groundwater pumped to dewater construction areas.

Although all surface waters within the Santa Margarita River Watershed in Domenigoni and Diamond Valley are subject to the continuing jurisdiction of the Court, groundwater contained within the younger alluvium, north of the south line of Section 9, Township 6 South, Range 2 West, SBM is not considered by the Court to be a part of the Santa Margarita River system as long as groundwater levels are below an elevation of 1400 feet. During 1998-99 groundwater elevations in Well MO-6, which is located along the south line of Section 9, dropped from 1358.7 feet at the beginning of the water year to 1358.1 feet on October 1, 1999.

SECTION 6 - WATER RIGHTS

6.1 General

: :

Water is used in the Santa Margarita River Watershed under a variety of water rights. In the early 1960's, the U. S. District Court in its Interlocutory Judgments described water rights in the Watershed as primarily riparian rights and overlying rights. Riparian rights belong to owners of land parcels located adjacent to streams in the Watershed or overlying younger alluvium deposits generally along the stream channels. Overlying rights were divided by the Court into two categories based on the location where the water is obtained and used. Water extracted from lands where subsurface waters add to, contribute to and support the Santa Margarita River stream system was found to be subject to the continuing jurisdiction of the Court. Lands in this category were identified by the Court and listed in Interlocutory Judgments. In general, these parcels of land overlie younger or older alluvium deposits.

The other category of overlying use applies to parcels of land where subsurface flows do not add to, contribute to or support the Santa Margarita River stream system. These parcels were also identified by the Court and found to be outside the continuing jurisdiction of the Court. In general, these lands overlie basement complex or residuum deposits.

The Court also described a number of other rights in the Watershed. These included surface water appropriative water rights that have been administered by the State of California since 1914. These rights are discussed in the following subsection of this report.

In Interlocutory Judgment No. 41, the Court found that the United States reserved rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Cahuilla, Pechanga and Ramona Indian Reservations, including rights to the use of groundwaters sufficient for the present and future needs of the Indians residing thereon. In Interlocutory Judgment No. 44, the Court recognized and reserved water rights for lands within the Cleveland and San Bernardino National Forests and for lands being administered pursuant to the Taylor Grazing Act.

Since the early 1960's there have been substantial changes in water use in the Watershed, especially in the Murrieta-Temecula Groundwater Area. During the 1950's and early 1960's when this case was under active litigation, most of the water use in the Murrieta-Temecula area consisted of individual property owners pumping water for use on their own properties. In 1965, the Rancho California WD was formed. The District developed Agency Agreements with most of the landowners within the District. In these Agency Agreements, the landowners "...without transferring any water rights and privileges

pertaining to said land...." designated the District as their exclusive agent for the development and management of their water supply.

Thus, many landowners within the Rancho California WD are now not exercising their overlying rights. Instead, Rancho California WD pumps groundwater and uses it throughout the District area under an appropriative groundwater right, with the consent of most of the overlying landowners.

A number of other water purveyors, including Murrieta CWD and Eastern MWD, also pump under groundwater appropriative rights.

Another change from the early 1960's is the large scale importation of water into the Santa Margarita River Watershed by Rancho California WD. A portion of such importation finds its way into the groundwater aquifers. The legal status of return flows from imported supplies as well as direct recharge of imported water was clarified by the final judgment in City of Los Angeles v. City of San Fernando, et al., 1975 14 Cal. 3rd 199. This decision in the Supreme Court of the State of California made two major findings with respect to imported water.

The first was that agencies have the right to recharge and store imported water in a groundwater basin and to extract the imported water for use, subject to applicable state and federal laws. In addition, agencies that import and deliver water to lands overlying a groundwater basin have a continuing right to extract the return flow from such water. The return flow is that portion of the imported supply that percolates into the groundwater basin. In the San Fernando case this portion was found to range from 20 percent to 35.7 percent of the imported supplies.

The Rancho Division of the Rancho California WD overlies the Murrieta-Temecula Groundwater Area. Thus a portion of the import supply delivered to the Rancho Division of Rancho California WD percolates into the underlying aquifers. The first water pumped by Rancho California WD in the ensuing year constitutes recapture of such return flows.

Imported water is also supplied to the Santa Rosa Division within Rancho California WD, however only a relatively small part of this division overlies the Murrieta-Temecula Groundwater Area. Thus there is less imported water return flow from the Santa Rosa Division.

Classification of Rancho California WD supplies into various water right categories is discussed in Section 7 of this Report.

6.2 Appropriative Surface Water Rights

Another broad category of water rights used in the Watershed is surface water appropriative rights. Since 1914, these rights have been administered by the SWRCB.

A list of current permits, licenses and other active rights obtained from the SWRCB is shown on Table 6.1. A permit by the SWRCB authorizes construction of a project, sets terms for the project's completion and development of water use and may impose other conditions. After the permittee demonstrates that construction is complete, water is being put to use and the permit conditions have been met, the SWRCB can issue a license. The license remains in effect as long as the license conditions are met and the water is put to beneficial use.

Perfected direct diversion rights and active storage rights from creeks in the Watershed are summarized below:

	Direct Diversions Gallons Per Day	Storage <u>Acre Feet</u>
Cahuilla Valley	720	5
Cottonwood Creek	485,000	60
Cutea Creek	5,825	
DeLuz Creek	4,700	100
Fern Creek	213,000	100
Kohler Canyon	158,000	40
Long Canyon Spring	89	
Rainbow Creek		0.5
Rattlesnake Canyon	12,000	
Temecula Creek	25,820	40,000
Sandia Canyon		8
Sourdough Spring	55	
Santa Margarita River	133	4,000
Nelson Creek	<u>1,550</u>	
TOTAL	906,892	44,313.5

These direct diversion rights of 906,892 gallons per day correspond to 1.4 cfs or 2.78 acre feet per day.

TABLE 6.1 SANTA MARGARITA RIVER WATERSHED APPROPRIATIVE WATER RIGHTS

PERMITS AND LICENSES

I.D. NO.	OWNER	FILING DATE	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE	STATUS
6629	William H. & Sandra J. Cyrus	4/9/30	Coahuila Valley	Sec. 4, 7S, 3E	DD-720 gpd	D	License
6893	Eari C. & Marnie LaBine	2/13/31	Temecula Creek	Sec. 20, 9S, 2E	DD-820 gpd	D/i	License
7035	Nyla Lawler	8/10/31	Cutca Creek	Sec. 29, 9S, 1E	DD-5725 gpd	D/I	License
7731	Earl C. & Mamie LaBine	11/02/33	Temecula Creek	Sec. 20, 9S, 2E	DD-7200 gpd	D/I	License
9137	Goodarz Irani	10/07/37	Temecula Creek	Sec. 12, 9S, 1E	DD-400 gpd	D	License
9291	Luis Olivos	5/13/38	Nelson Creek	Sec. 23, 8S, 5W	DD-1550 gpd	D	License
10806	James R., Phyllis & Bruce Grammer	4/22/44	Temecula Creek	Sec. 34, 9S, 2E	DD-2880 gpd	D	License
11161	Roy C. Pursche & J. Zink	9/26/45	Rattlesnake Canyon	Sec. 28, 9S, 2E	DD-12,000 gpd	D/I	License
11518	Rancho California Water District	8/16/46	Temecula Creek	Sec. 10, 8S, 1W		D/I/R	Permit
11587	U. S. Bureau of Reclamation		Santa Margarita River	Sec. 12, 9S, 4W	•	D/I/M	Permit
12178	U. S. Bureau of Reclamation		Santa Margarita River	Sec. 12, 9S, 4W	•	D/I/M	Permit
12179	U. S. Bureau of Reclamation		Santa Margarita River	Sec. 12, 9S, 4W	•	D/I/M	Permit
13505	David H. & Kathleen C. Lypps		Cottonwood Creek	Sec. 30, 8S, 4W		R/S	License
17239	Ward Family Trust	8/15/56	Temecula Creek	Sec. 20, 9S, 2E	DD-120 gpd	D/E	License
20507	David H. & Kathleen C. Lypps	11/24/61	Cottonwood Creek	Sec. 19, 8S, 4W Sec. 30, 8S, 4W	ST-18 AF	I/R	License
20608	Richard F. & Rosabel L. Matthews	2/13/62	DeLuz Creek	Sec. 20, 8S, 4W	ST-100 AF	D/I/R	License
20742	U. S. Cleveland National Forest	4/24/62	Sourdough Spring	Sec. 25, 9S, 1E	DD-55 gpd	E	License
21074	U. S. Cleveland National Forest	12/07/62	Cutca Spring	Sec. 17, 9S, 1E	DD-100 gpd	\$/W	License
21471A	U. S. Department of Navy	9/23/63	Santa Margarita River	Sec. 5, 10S, 4W Sec. 2, 11S, 5W	ST-4,000 AF	D/I/M/Z	License
21471B	U. S. Bureau of Reclamation	9/23/63	Santa Margarita River	Sec. 32, 9S, 4W	ST-165,000 AF	D/I/M/Z	Permit
27756	James R. Grammer	5/23/83	Temecula Creek	Sec. 3, 10S, 2E	DD-14,400 gpd	1/8	Permit
28133	Charles F. Ruggles	5/14/84	Cahuilla Creek	Sec. 15, 8S, 2E	ST-5AF	E/H/I/R/S	Permit
		c	THER RIGHTS				
05751S/Federal	U. S. Cleveland National Forest	1/01/70	Long Canyon Spring	Sec. 16, 9S, 1E	DD-89 gpđ	E/R/S/W	
000024/State	Judge Dial Perkins	12/26/86	Santa Margarita River	Sec. 12, 9S, 4W	DD-133.3 gpd	D	
000751/State	Lawrence Butler	5/31/67	Fem Creek	Sec. 31, 8S, 4W	DD-0.33 cfs ST-100 AF	I	
011411/State	Agri Empire, Inc.	5/16/84	Kohler Canyon	Sec. 33, 9S, 2E	DD-0.245 cfs ST-40 AF	I/S	
012235/State	William A. & Lois D. Cunningham	8/27/85	DeLuz Creek	Sec. 4, 9S, 4W	DD-4700 gpd	D/I	
001583/Stock	George F. Yackey	12/27/77	Sandia Canyon	Sec. 25, 8S, 4W	ST-8.0 AF	\$	
002380/Stock	Chris R. & Jeanette L. Duarte	12/16/77	Rainbow Creek	Sec. 12, 9S, 3W	ST-0.5 AF	S	
KEY TO USE:	DD - Direct Diversion D - Dom ST - Diversion to Storage I - Irriga W - Fish & Wildlife Protection and/o	tion	M - Municipal S - S	Fire Protection Stockwatering	H - Fish Cultu Z - Other	ıre	

Storage rights shown in Table 6.1 include 195,000 acre feet of storage rights on the Santa Margarita River held by the U. S. Bureau of Reclamation (ID Nos. 11587, 12178, 12179, and 21471B) that have not been exercised. The time period during which these rights must be exercised has recently been extended by the SWRCB to December 31, 2008.

Table 6.1 also lists other rights recognized by the SWRCB. These rights generally are based on Statements of Water Diversion and Use that have been filed with the SWRCB. Such statements include one by the United States on behalf of the Cleveland National Forest, which states that the diversion and use of water from Long Canyon Spring is made pursuant to a withdrawal and reservation of the land and resources for National Forest System purposes as of February 14, 1907.

Besides the federal filing, there are also Statements of Water Diversion and Use filed by individuals. Three of these statements represent riparian or pre-1914 appropriative diversions from DeLuz Creek, Fern Creek and Santa Margarita River that have been reported to the SWRCB. The other statement represents a pre-1914 appropriative right to divert water from a spring in Kohler Canyon into a 40 acre foot reservoir.

The last two rights noted on Table 6.1 represent filings made in 1977 pursuant to Subchapter 2.5 to Chapter 3 of Title 23 of the California Code of Regulations. That subchapter deals with Water Rights for Stockponds.

In addition to appropriative rights under SWRCB jurisdiction, there are a number of nonstatutory appropriative rights that were established prior to 1914. These rights continue to be used to support diversions of water from the Santa Margarita River stream system. Such rights, which are listed in the various Interlocutory Orders developed in this litigation, are shown on Table 6.2.

In 1990-91, in Order No. 91-07, the SWRCB revised its Order No. 89-25 entitled, "Order Adopting Declaration of Fully Appropriated Stream Systems and Specifying Conditions for Acceptance of Applications and Registrations." These Orders list the Santa Margarita River stream system as fully appropriated "from the confluence of the Santa Margarita River and the Pacific Ocean upstream including all tributaries where hydraulic continuity exists."

The consequences of this Order are as follows:

: 3

 The Board is precluded from accepting any application to appropriate water from the Santa Margarita River System except where the proposed appropriation is consistent with conditions contained in the Declaration.

TABLE 6.2

SANTA MARGARITA RIVER WATERSHED PRE - 1914 APPROPRIATIVE WATER RIGHTS Listed in Interlocutory Decrees

LISTED	CURRENT	DATE OF APPROPRIATION	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE
Anderson, Nina B.	Nezami, Mohammed	April 11, 1892	Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	32 gpm	Irrigation
Butler, Lawrence W. and Mary C.	Vanginkel, Norman Tr and Vanginkel, Deboral San Diego Gas & Electric		Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	Capacity of 8 inch pipe	Irrigation
Wilson, Samuel M. and Hazel A.	Shirley, Robert G. and Bobbi J.	Aug. 3, 1911	DeLuz Creek	NW 1/4 Of SW 1/4 Sec 32, T8S, R4W	50 miner's inches 65 AF/Yr	Irrigation
United States	United States	1883	Santa Margarita River	Sec 5, T10S, R4W	20 cfs 1200 AF/Yr	Dornestic Irrigation Stock Water

- 2. Initiation of a water right pursuant to the Water Rights Permitting Reform Act of 1988 (Water code Section 1228 et seq.) —that is, by registering small use domestic appropriations—is precluded, except where the proposed appropriation is consistent with conditions contained in the Declaration. Small use domestic appropriations refer to uses that do not exceed direct diversions of 4,500 gallons per day or diversion by storage of 10 acre feet per year for incidental aesthetic, recreational, or fish and wildlife purposes.
- Pursuant to Water Code Section 1206(a) the Board is authorized, but not required, to cancel pending applications where inconsistent with conditions contained in the Declaration; previous Orders implement a procedure for disposition of such applications pending on the effective date of the Declaration.

The Order provides for reconsideration of the Order either upon petition of an interested party or upon the Board's own motion.

6.3 Fallbrook PUD Proposal to Change Point of Diversion

The Bureau of Reclamation has held Permit Nos. 8511, 11356, 11357, and 15000 (Application Nos. 11587, 12178, 12179, and 2147B) (see Table 6.1) for the benefit of Fallbrook PUD and the United States of America, the Department of the Navy, Marine Corps Base, Camp Pendleton, California (Pendleton). Permit No. 11356 was transferred back to Fallbrook PUD in February 1999. Fallbrook proposes to periodically capture and store at Lake Skinner local storm runoff, using existing Metropolitan Water District facilities under this water right. Due to local hydrology, the maximum diversion of 10,000 AF will be achieved on average once in ten years; during other years the volume diverted to storage varies between zero and 10,000 AF. No new improvements or construction will be needed.

Lake Skinner is presently used to store and regulate imported water. Storing local water at Lake Skinner could temporarily reduce the storage capacity available for imported water. To remedy this, the project will not be implemented until additional storage capacity at MWD's Diamond Valley Lake becomes available. Storage of local water in Lake Skinner will also reduce the volume of local stormwater flow downstream of Lake Skinner during significant storm events. A mitigation measure to ensure continued groundwater recharge downstream of the project has been adopted. In addition, the project will not alter the requirements of the current Memorandum of Understanding for Lake Skinner, that provides for continued monitoring and maintenance of specified water levels downstream of the reservoir.

A mitigated negative declaration on the project has been circulated for public comment and certified by Fallbrook.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 7 - WATER PRODUCTION AND USE

7.1 General

Water production and use data were obtained from several types of substantial users including water purveyors, Indian Reservations, mobile home parks and private landowners. Substantial water users are those who irrigate eight or more acres or who produce or use an equivalent quantity of water.

Major water purveyors who reported production and use data in 1998-99 Water Year are listed as follows:

Anza Mutual Water Company
Eastern Municipal Water District
Elsinore Valley Municipal Water District
Fallbrook Public Utility District
Lake Riverside Estates
Metropolitan Water District of Southern California
Murrieta County Water District
Rainbow Municipal Water District

Rancho California Water District

U. S. Marine Corps, Camp Pendleton including U.S. Naval Weapons Station, Fallbrook Annex

Western Municipal Water District

Lake Riverside Estates is listed with major water purveyors although it produces make-up water for losses from Lake Riverside and does not deliver water to customers.

In addition to the major purveyors, there are a number of smaller water systems in the Watershed. Of these, Butterfield Oaks Mobile Home Park, and Outdoor Resorts Rancho California, Inc. are substantial users.

Three Indian Reservations, the Cahuilla, Pechanga and Ramona, are noted in Interlocutory Judgment No. 41, the Judgment that deals with Water Rights on Indian Reservations in the Watershed. Estimates and/or measurements of water production and use are reported for the Cahuilla and Pechanga Indian Reservations; the Ramona Reservation has no reported water use.

A portion of a fourth Reservation, the Pauma Mission Reserve Tract of the Pauma Yuima Band of Mission Indians, is also located within the Watershed. However, these lands overlie basement complex, which waters have been found by the Court to not add to, support or contribute to the Santa Margarita River stream system.

The final category of water users are private landowners who use water primarily for irrigation.

The water use data collected for the 1998-99 Water Year are summarized on Table 7.1. Total imported supplies plus local production totaled 112,554 acre feet compared to 90,570 reported in 1997-98. Of that quantity, 51,701 acre feet were used for agriculture; 7,574 acre feet were used for commercial purposes; and 35,351 acre feet were used for domestic purposes; 1,044 acre feet were discharged to Murrieta and Temecula Creeks; 3,558 acre feet of fresh water were exported; 9,824 acre feet were recharged and the overall system loss was 3,502 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Monthly production and use data for major water purveyors are attached to this report as Appendix A. Uses are listed under agricultural, commercial and domestic categories. The definition of agricultural, commercial and domestic uses varies for the different purveyors in the Watershed. Accordingly definitions of these uses for major water purveyors are shown on Table 7.2. It is noted that much of the non-agricultural water use in the Watershed can also be considered municipal use, which includes both the domestic and commercial uses shown in tables in this report. Similar data for Water Years 1966-1999 are summarized in tables presented in Appendix B. Appendix C presents information on substantial users outside purveyor service areas.

7.2 Water Purveyors

Anza Mutual Water Company

Anza Mutual Water Company's service area is in the eastern part of the Watershed in the Anza Valley. Production is from two wells: Well No. 1 drilled in 1951 and perforated from 20 feet to 260 feet; and Well No. 2 drilled later to a depth of 287 feet and perforated in the bottom 130 feet. Production for 1998-99 was 17 acre feet from Well No. 1 and 22.5 acre feet from Well No. 2 for a total production of 39.5 acre feet. The depth of water in Well No. 1 ranged from 84 feet to 92 feet.

Interlocutory Judgment No. 33 divides aquifers in Anza Valley at this location into two categories: the shallow aquifer and the deep aquifer. Based on information available to the Court the shallow aquifer was determined to include the younger and older alluvial deposits in the Anza Groundwater Basin and extend to a maximum but variable depth of approximately 100 feet. The deep aquifer underlies the shallow aquifer in an area about one-half mile in width and two miles in length, within portions of Sections 16, 17, 21, 22, 27 and 28 of Township 7 South, Range 3 East, SBM. Anza Mutual Water Company's wells are within the area of the deep aquifer. From the perforated intervals in the wells, it may be

TABLE 7.1

SANTA MARGARITA RIVER WATERSHED

WATER PRODUCTION AND USE

1998-99

Quantities in Acre Feet

	P	RODUCT	ION		USE				
	LOCAL	IMPORT	TOTAL	AG	сомм	ром	LOSS	TOTAL	WATER RIGHT
WATER PURVEYORS									
Anza Mutual Water Company	33	0	33	0	0	30	3 1/	33	Appropriative
Eastern MWD	669	4,327	4,996	0	0	4,746	250	4,996	Appropriative
Elsinore Vallay MWD	0	6,134	6,134	0	0	5,521	613 <i>1/</i>	6,134	
Falibrook PUD	0	7,430	7,430	3,748	550	2,721	411	7,430	Appropriative
Lake Riverside Estates	210	0	210	0	210 2/	0	0	210	Appropriative
Metropolitan Water District	0	3,781	3,781	404	2,978	0	399 3/	3,781	_
Murrieta CWD	827	0	827	79	125	548	75	827	Appropriative
Rainbow MWD	0	1,727	1,727	1,411	0	159	157	1,727	_
Rencho California WD	37,737	34,490	72,227	37,157	3,674	19,310	12,086 4/	72,227	Various
U.S.M.C Camp Pendieton	6,118	0	6,118	415	<u> </u>	1,931	3,772 1/	6,118	Appropriative
U.S. Naval Weapons Station	0	111	111	0	5/	100	6/ 11 <i>1</i> /	111	Rìparian
Western MWD	0	41	41	0	37	0	4 1/	41	
INDIAN RESERVATIONS									
Cahuilla	321	0	321	296	0	25	0	321	Ovarlying/ Reserved
Pechanga	245	0	245	33	 5 /	187	25 1/	245	Overlying/ Reserved
MOBILE HOME PARKS/CAMPG	ROUNDS								***************************************
Butterfield Oaks Mobile Home Park	10	0	10	0	0	9	1 1/	10	Riparian/ Overlying
Outdoor Resorts Rancho California, Inc.	71	0	71	0	0	64	7 1/	71	Overtying
OTHER SUBSTANTIAL USERS	8,272 7/	0	8,272	8,158	0	0	114 8/	8,272	
TOTAL	54,513	58,041	112,554	51,701	7,574	35,351	17,928	112,554	

^{1/} Assumes 10% loss

^{2/} Recreation Use

^{3/} Groundwater recharge at Diamond Valley Lake

^{4/} Includes 1,044 acre feet discharged into Murrieta and Temecula Creeks, 9,425 acre feet used for direct recharge, and a system loss of 1,617 acre feet

^{5/} Listed with Domestic uses

^{6/} Includes exports of 3,558 acre feet

^{7/ 1,136} acre feet for surface diversion plus 7,702 acre feet from groundwater as shown in Appendix C minus 321 acre feet on the Cahullla Reservation and minus 245 acre feet on the Pechanga Reservation

^{8/ 10%} of surface diversions

TABLE 7.2

SANTA MARGARITA RIVER WATERSHED DEFINITIONS OF WATER USE BY MUNICIPAL WATER PURVEYORS

1998-99

DISTRICT	AGRICULTURAL	DOMESTIC	COMMERCIAL
EASTERN MUNICIPAL WATER DISTRICT	A commercial enterprise producing a crop/livestock on at least 5 acres and able to accept a delivery of at least 24 consecutive hours	Single family, multiple units and agricultural uses of less than 5 acres	Not reported
FALLBROOK PUBLIC UTILITY DISTRICT	AG - A commercial enterprise producing a crop/livestock/fowl on at least 1 acre fully used for ag purposes; can include incidental domestic use related to residency AG/DOM - Water used for both ag and domestic purposes	Single family, multi-unit and large domestic residences and the first 20,000 gallons used by an ag/domestic meter	Offices, businesses, schools and hydrants
RAINBOW MUNICIPAL WATER DISTRICT	AG- 1 acre or more of plantable, resalable products DOM/AG - Same as Ag with a house on the parcel	DOMESTIC - Homes	Generally no commercial use in district
RANCHO CALIFORNIA WATER DISTRICT	AG - 1 acre or more of plantable, resalable products GOLF - Outside water use at golf courses VINEYARDS - Outside irrigation for vineyards LANDSCAPE - Landscaping around freeways, parking lots, office buildings, median strips,	DOMESTIC - Homes MULTIPLE - Apartments and Condominiums	COMMERCIAL - Office buildings, Industrial users other than agri-businesses FLOATING - Fire hydrants used during construction CONSTRUCTION - Other fire hydrants used for grading UNMETERED - Construction accounts used for finish construction work MISCELLANEOUS - Schools, fire departments, parks, government agencies DETECTOR CK METERS - Only used when there is a fire
MURRIETA COUNTY WATER DISTRICT	Agricultural uses and irrigation for crops	Homes and multiple units	Businesses, public agencies, schools and construction
USMC, CAMP PENDLETON	Irrigation - Water used for ag purposes, not landscaping, golf courses or parks	Camp Supply - Includes landscaping, golf courses parks and commercial use	Reported under Camp Supply

concluded that most of the production from Well No. 1 and all of the production from Well No. 2 are from the deep aquifer. Interlocutory Judgment No. 33 concluded that waters contained in the deep aquifer did not add to, support or contribute to the Santa Margarita River stream system and were, therefore, declared to be outside the Court's jurisdiction.

Thus, most of the water produced by the Anza Mutual Water Company is outside the Court's jurisdiction. The relatively small portion pumped from the shallow aquifer in Well No. 1 is pumped under a groundwater appropriative right.

Eastern Municipal Water District

Eastern MWD is a member agency of MWD and its service area includes a portion of the Rancho California WD. Within the Watershed, the District wholesales water to Rancho California WD and also sells water directly to consumers. Water sold to Rancho California WD is listed in this report as imported water to the Rancho California WD service area.

Eastern MWD's service area outside Rancho California WD is located in the northern part of the Watershed. Water for their service area is imported or produced locally from groundwater.

Imports, not including water wholesaled to Rancho California WD or delivered to Elsinore Valley MWD, totaled 7,118 acre feet. A portion of that import amounting to 2,791 acre feet was exported from the Santa Margarita River Watershed resulting in net import to the watershed of 4,327 acre feet. These data are shown in Appendix A.

Groundwater production for the 1998-99 Water Year in the Santa Margarita River Watershed totaled 669 acre feet from Well 7S/3W-15N which is 345 feet deep. The well is generally perforated between the depths of 106 and 333 feet. Recent static water levels in Eastern MWD's well have varied from a depth of 102 feet in December 1987, to as low as 183 feet in May and July, 1999. The depth at the end of the water year was 182 feet in September, 1999. The well is located within the Murrieta-Temecula Groundwater Area where the older alluvium is at ground surface. Thus the well produces water from the older alluvium under groundwater appropriative rights.

In addition to producing fresh water, Eastern MWD also reclaims wastewater at its Temecula Valley Regional Water Reclamation Facility.

Disposition of wastewater from the Temecula Valley Regional Water Reclamation Facility (Facility) service area for Water Years 1997-98 and 1998-99 is shown below:

	1997	7-98	1998	3-99
	Quantity	<u>Percent</u>	Quantity	<u>Percent</u>
	AF	%	AF	%
Used in Santa Margarita	2,949	40	3,741	48
Used outside Santa Margarita	<u>2,139</u>	<u>_29</u>	<u>3,070</u>	<u>39</u>
Reuse	5,088	69	6,811	87
Unaccounted for Production	<u>2,374</u>	<u>31</u>	<u>1,063</u>	<u>13</u>
TOTAL PRODUCTION	7,462	100	7,874	100

It can be noted that the quantities of reclaimed wastewater used within the Santa Margarita River Watershed increased from 2,949 acre feet in 1997-98 to 3,741 acre feet in 1998-99. During the same period reuse outside the Santa Margarita River Watershed increased from 2,139 acre feet to 3,070 acre feet. From the foregoing it may be concluded that 48 percent of the wastewater is reused in the watershed. Unaccounted for production decreased substantially from 2,374 acre feet to 1,063 acre feet. Unaccounted for production includes changes of storage in Winchester and Sun City storage ponds, evaporation and percolation losses, and discharges to the Santa Ana Watershed.

Because of concerns about the potential export of native Santa Margarita water, the sources of water supply to the Facility service area were determined and are shown on Table 7.3 for years since 1996. In 1998-99, the proportion of groundwater being supplied to the service area was about 44 percent. Thus, the percent reused within the Santa Margarita Watershed exceeded the proportional quantity of groundwater in the supply, and on a proportional basis there was no export of native waters.

Estimates of water production and use for the period 1966-1999 are shown in Appendix B.

TABLE 7.3

SANTA MARGARITA RIVER WATERSHED WATER DELIVERIES TO TEMECULA VALLEY REGIONAL WATER RECLAMATION FACILITY SERVICE AREA

			WA	TER YEA	AR ENDING			
		996	199	97	1998	3	199	9
Eastern MWD	AF	%	AF	%	AF	%	AF	%
Deliveries to TVRWRF								
Service Area								
 Groundwater 	299		408		240		669	
2. Import 1/	4,960		3,284		5,117		4,327	
3. Total	5,259		3,692		5,357		4,996	
Rancho California WD								
Deliveries to TVRWRF								
Service Area							•	
1. Groundwater	8,629		8,571 *		7986 *		7,319	
2. Import	2,377		3,058 *		2,865		5,941	
3. Total	11,006		11,629		10,851		13,260	
Total Deliveries to TVR	WRF Serv	ice Area						
1. Groundwater	8,928	54.9%	8,979	58.6%	8,226	50.8%	7,988	43.8%
2. Import	7,337	45.1%	6,342	41.4%	7,982	49.2%	10,268	56.2%
3. Total	16,265	100.0%	15,321	100.0%	16,208	100.0%	18,256	100.0%

^{1/} EMWD imports are based on discharges from EM-17.

^{*} Revised to reflect recovery of import direct recharge

Elsinore Valley Municipal Water District

Elsinore Valley MWD provides water to its service area around Lake Elsinore, a portion of which is within the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from ten wells, all located outside the Santa Margarita River Watershed, and also imports MWD water through Eastern MWD and Western MWD.

The District reports that 6,134 acre feet were imported into the portion of their service area that is inside the Santa Margarita River Watershed in 1998-99. Also during 1998-99, approximately 254 acre feet of wastewater were exported from that same area.

Fallbrook Public Utility District

In 1998-99, Fallbrook PUD imported 14,307 acre feet through its contract with the San Diego County Water Authority as shown in Appendix A. Of this quantity, 1,572 acre feet were delivered to the former DeLuz Heights Water District service area that is entirely within the Santa Margarita River Watershed. Of the remaining importations it is estimated that 46 percent, or 5,858 acre feet, were delivered to lands inside the Santa Margarita River Watershed. The remainder was delivered to lands in the adjacent San Luis Rey River Watershed. Thus, imports to the Watershed totaled 7,430 acre feet in 1998-99.

In addition to importations, the District has three wells; however, in 1998-99, there was no pumpage from these wells.

Production during the period 1966 to 1999 included direct diversions from the Santa Margarita River for water years before 1972 as well as imported water and well production as shown in Appendix B.

Lake Riverside Estates

Lake Riverside Estates pumps water from Well No. 7S/2E-32C1, into Lake Riverside to make up evaporation losses. Production for 1998-99 was 210 acre feet. The production well was drilled in 1962 and is located in an area of younger alluvium in the Cahuilla Groundwater Basin. The driller's log shows sand and clay for the entire well depth of 338 feet.

Interlocutory Judgment No. 33 indicates that the owners of lands in the Cahuilla Groundwater Basin have correlative overlying rights to the use of the groundwater that is the basis for this production.

Metropolitan Water District of Southern California

Pursuant to a Court Order, MWD delivered 404 acre feet of imported water for irrigation of lands in Domenigoni Valley during 1998-99. MWD also imported 2,978 acre feet for use as construction water for Diamond Valley Lake and 399 acre feet for groundwater recharge.

Murrieta County Water District

Murrieta CWD serves an area in the vicinity of the town of Murrieta. In Water Year 1998-99, Murrieta CWD produced 827 acre feet of water from four wells as shown in the following tabulation and in Appendix A.

Well <u>Designation</u>	Well <u>Name</u>	1998-99 Production <u>Acre Feet</u>	Casing Depth <u>Feet</u>	Water Depth <u>Feet</u>	Well Depth <u>Feet</u>	Perforated Interval <u>Feet</u>
7S/3W-20C9	Holiday	8 5	2 5	68 - 82	307	60 <i>-</i> 307
7S/3W-20G5	House	125	50	129 - 152	298	120 - 252
7S/3W-17R2	Lynch	0	26	37 - 62	212	172 - 212
7S/3W-18J2	North	291	50	158 - 174	650	240 - 260
						500 - 640
7S/3W-20D	South	326	50	136 - 155	446	120 - 446

All of these wells are located in the Murrieta-Temecula Groundwater Area. Interlocutory Judgment No. 30 indicates that in Murrieta Valley the younger alluvium deposits extend in various depths to a maximum of approximately 30 feet from the ground surface.

The Court noted that it was impossible, based on evidence available in 1962, to determine with exactness the depth of the younger alluvial deposits throughout the Valley. However, it did decide that subsequent findings could be made, if needed, because the Court would retain continuing jurisdiction. Older alluvial deposits are found below the younger alluvium.

Four of the five Murrieta CWD wells are perforated at depths of 120 feet or more. One of the Murrieta CWD wells has perforations beginning at a depth of 60 feet. This depth is well below the maximum depth of younger alluvium found by the Court in 1962. In addition, water depths in the well with perforations at 60 feet ranged from 68 to 82 feet in 1998-99. Accordingly all of Murrieta CWD well production is from the older alluvium under a groundwater appropriative right.

Production for the period between 1966 and 1999 is shown in Appendix B.

Rainbow Municipal Water District

Rainbow MWD is located in San Diego County in the south-central part of the Watershed. In recent years about ten percent of the District's imported supply is delivered to the portion of the District's service area inside the Watershed. Most of the District is in the San Luis Rey River Watershed. As shown in Appendix A, total deliveries of imported water in the Watershed in 1998-99 amounted to 1,727 acre feet.

Total imports to the District for years between 1966 and 1998 as well as the estimated portion served inside the Santa Margarita River Watershed, are shown in Appendix B.

Rancho California Water District

Rancho California WD serves water to a 99,600 acre service area in the central portion of the Watershed. The District produced water from 50 wells in 1998-99 and also imported water, as shown in Appendix A. Use is shown in Appendix A under the categories of agriculture, commercial and domestic. In Water Year 1998-99, 37,737 acre feet of local supplies were pumped from the Murrieta-Temecula Groundwater Area and 34,490 acre feet were imported, for total production of 72,227 acre feet not including 1,980 acre feet of water released from Vail Dam. During 1998-99, 1,041 acre feet were released into Murrieta Creek and 3 acre feet into Temecula Creek. Also 9,425 acre feet of the imported water was recharged.

The District reclaimed and reused 1,524 acre feet of wastewater during the year, in addition to 1,208 acre feet obtained from Eastern MWD for reuse.

In addition the District treated and discharged 1,654 acre feet of reclaimed wastewater to Murrieta Creek as part of its 2 MGD Demonstration Project.

Rancho California WD produces groundwater under a variety of rights as follows:

- 1. Recovery of water appropriated at Vail Lake
- Recovery of import return flows and recharged imported water
- 3. Groundwater appropriative rights

Vail Appropriation

Rancho California WD's Vail Dam appropriative rights are described in Application No. 11518 as amended on June 17, 1947, and in Permit 7032. That right provides that the District may store up to 40,000 acre feet in Vail Reservoir each year between November 1 and April 30, subject to applicable limitations, and that the water so stored may be used for irrigation and domestic uses incidental to farming operations on 3,797 acres of land between May 1 and October 31. Such use may be by direct diversion from Vail Lake or by recovery with wells of water released from Vail and spread downstream in Pauba Valley.

The place of use for irrigation and domestic use is described as follows:

Sections 5, 6, 7 and 18; T8S, R1W Sections 1, 10 through 21, 28 and 29; T8S, R2W Sections 13 and 24; T8S, R3W.

In 1971, the Permit was amended to add recreational use at Vail Reservoir within Section 10, T8S, R1W.

As previously mentioned, a total of 1,980 acre feet were released from Vail during 1998-99 of which 1,010 acre feet were released to groundwater storage and 970 acre feet were bypassed. Releases from Vail for groundwater recharge for the period 1980 to 1999 are shown on Table B-6.

Water use in the Permit 7032 service area is shown on Table 7.4. This use will be compared with well production from the younger alluvium in a later section of this report.

Representatives of the United States contend that storage of water in Vail Lake, and the related recharge and rediversion operations, may exceed Rancho California WD's share of the Santa Margarita River flow as allocated under the 1940 Stipulated Judgment.

TABLE 7.4

SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT

PERMIT 7032 AREA WATER USE

1998-99

Quantities in Acre Feet

MONTH YEAR	AG	сомм	DOM	TOTAL
1998				
OCT	126	10	100	236
NOV	73	8	70	151
DEC	47	5	54	106
4000				
1999	4.	_		
JAN	49	3	45	97
FEB	28	4	41	73
MAR	52	4	40	96
APR	74	7	54	135
MAY	47	6	52	105
JUNE	116	9	98	223
JULY	175	12	141	328
AUG	156	11	143	310
SEPT	180	11	129	320
TOTAL	1,123	90	967	2,180
IOIAL	1,120	90	301	2,100

Imported Water Return Flows

During 1998-99, Rancho California WD imported 25,065 acre feet of water for direct use compared to 16,799 acre feet in 1997-98. Quantities of imported water delivered to the Rancho Division and the Santa Rosa Division are shown below for Water Years 1997-98 and 1998-99.

	Rancho Di Im	vision ports	Santa Rosa Division Imports		Total Imports	
<u>Month</u>	1998	<u>1999</u>	<u>1998</u>	<u>1999</u>	<u>1998</u>	<u>1999</u>
October	539	432	1,596	1,551	2,135	1,982
November	178	39	510	694	688	733
December	0	15	0	458	0	473
January	0	0	144	523	144	523
February	0	0	0	293	0	293
March	0	75	0	408	0	483
April	0	258	187	812	187	1,070
May	0	686	213	1,826	213	2,512
June	470	849	1,309	2,272	1,779	3,121
July	1,172	1,516	2,763	3,106	3,935	4,622
August	1,368	1,717	3,392	3,327	4,760	5,044
September	_737	<u>1,410</u>	<u>2,221</u>	<u>2,798</u>	<u>2,958</u>	<u>4,208</u>
Total	4,464	6,997	12,335	18,068	16,799	25,065

Return flows for 1998-99 based on imported water use in the Rancho Division and Santa Rosa Division are shown on Table 7.5 and on Table 7.6.

In those tables, imported water is allocated to agricultural, commercial and domestic uses in each of eight hydrogeologic areas in the Rancho Division service area. This allocation is the proportion of the total deliveries to each use that is made up of imported water. In 1998-99, 19.08 percent of the supply to the Rancho Division was imported and 69.14 percent of the supply to the Santa Rosa Division was imported.

In general the Santa Rosa Division does not overlie the groundwater area. However there are several areas classified as being in the Santa Rosa Division that do overlie the groundwater area and generate return flows from imported supplies. Data from most of these lands have been reported since December 1991.

TABLE 7.5

SANTA MARGARITA RIVER WATERSHED **RANCHO CALIFORNIA WATER DISTRICT RETURN FLOW CREDIT**

1998-99 **RANCHO DIVISION** Quantities in Acre Feet

HYDROGEOLOGIC AREAS

				*****		-			
	0	1	2	3	4	5	6	7	
	NO HYDRO-	MURRIETA	SANTA	LOWER	PAUBA	SOUTH	UPPER	PALOMAR	TOTAL
	GEO CODE	WOLF	GERTRUDIS	MESA		MESA	MESA		
		1/2 QYAL	QYAL	QTOAL	QYAL	QTOAL	QTOAL	QTOAL	
		1/2 QTOAL							
AGRICULTUI	RAL *								
Total Use	3.893.19	830.43	388.12	2,541.98	785.03	796,67	2,127,48	1,770.03	13,132,93
% Import	19.08	19.08	19.08	19.08	19.08	19.08	19.08	19.08	19.08
Import Use	742.90	156.46	74.06	485.06	149.80	152.02	405.97	337.76	2,506.03
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
Credit	185.72	39.62	18.52	121.27	37.45	38.01	101.49	84.44	626.51
COMMERCIA	NL								
Total Use	43.40	997.19	570.30	1,081.30	38.91	285.69	64.31	0.31	3,081.41
% Import	19.08	19.08	19.08	19.08	19.08	19.08	19.08	19.08	19.68
Import Use	8.28	190.28	108.82	206.33	7.42	54.52	12.27	0.06	588.00
% Credit	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
Credit	0.83	19.03	10.88	20.63	0.74	5.45	1.23	0.01	58.80
DOMESTIC									
Total Use	733,99	1,923.05	576.65	8,864.53	311.74	2,326.44	931.01	346.04	16,013.65
% Import	19.08	19.08	19.08	19.08	19.08	19.08	19.08	19.08	19.08
Import Use	140.06	366.96	110.07	1,691.53	59.49	443.93	177.66	66.03	3,055.73
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
Credit	35.02	91.74	27.52	422.68	14.87	110.98	44.41	16.51	763.93
TOTAL USE	4,670.56	3,750.67	1,535.27	12,487.81	1,135.68	3,408.80	3,122.80	2,116.38	32,227.99
TOTAL									
Total Impor	t 891.24	715.70	292.96	2,382.93	216,71	650.47	595.89	403.85	6,149.76
Total Credit	221.57 **	150.38	56.92	564.78	53.06	154.44	147.13	100.95	1,449.24
Total Credit	Qyal	75.19	56.92		53.06				185.17
Total Credit	Qtoal	75.19		564.78		154.44	147.13	100.95	1,042.50

^{*} Includes golf course and landscape irrigation
** This credit not applied to either Qyal or Qtoal

TABLE 7.6

SANTA MARGARITA RIVER WATERSHED RANCHO CALIFORNIA WATER DISTRICT RETURN FLOW CREDIT

1998-99

SANTA ROSA DIVISION

Quantities in Acre Feet

HY	DRC	GEO	LOGIC	AR	EAS

	HYDRO	JGEOLOGIC AREAS		
	1	3	8	
	MURRIETA	LOWER	RTS 279,	TOTAL
	WOLF	MESA	280 & 285	
	1/2 QYAL	QTOAL	1/4 QYAL	
		QIOAL		
	1/2 QTOAL		3/4 QTOAL	
AGRICULTURAL *				
Total Use	0.00	0.00	1,514.20	1,514.20
% Import	69.14	69.14	69.14	,
Import Use	0.00	0.00	1,046.85	1,046.85
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	261.71	261.71
COMMERCIAL				
Total Use	0.04	0.00	418.42	418.46
% Import	69.14	69.14	69.14	
Import Use	0.03	0.00	289.28	289.30
% Credit	10.00	10.00	10.00	
Credit	0.00	0.00	28.93	28.93
DOMESTIC				
Total Use	0.00	0.00	1,280.32	1,280.32
% Import	69.14	69.14	69.14	_
Import Use	0.00	0.00	885.16	885.16
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	221.29	221.29
TOTAL USE	0.04	0.00	3,212.94	3,212.98
TOTAL				
Total Import Use	0.03	0.00	2,221.29	2,221.32
Total Credit	0.00	0.00	511.93	511.93
Total Credit Qyal	0.00		127.98	127.98
Total Credit Qtoal	0.00	0.00	383.95	383.95

^{*} Includes golf course and landscape irrigation

The percentage of imported water that becomes return flow varies according to the use as follows:

Agricultural Use	25%
Commercial Use	10%
Domestic Use	25%

Based on the foregoing factors, the return flow credit for 1998-99 is computed to be 1449.24 acre feet for the Rancho Division and 511.93 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Some of the hydrogeologic areas overlie older alluvium and some overlie younger alluvium. Comparison of exposures of younger alluvium with maps of the District's hydrogeologic areas indicates that the Santa Gertrudis, Pauba and half of the Murrieta-Wolf areas overlie younger alluvium. The area of the Santa Rosa Division that overlies the groundwater area is one-fourth in the younger alluvium and three-fourths in the older alluvium. Import return flows in these areas can be credited against pumping from the younger alluvium. These credits for 1998-99 are 185.17 acre feet for the Rancho Division and 127.98 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Rancho California WD imported an additional 9,425 acre feet of water for groundwater recharge in 1998-99.

Division of Local Water

During 1998-99, Rancho California WD pumped 37,737 acre feet of groundwater. Some of this water was pumped from the younger alluvium and some from the older alluvium. The Court determined that water in both the younger alluvium and older alluvium add to, contribute to and support the Santa Margarita River stream system. The primary reason for differentiating between younger alluvium and older alluvium production is that, in California, production from the younger alluvium is generally considered to be governed by water rights that apply to the regulation of surface waters. Production from the older alluvium is generally considered to be governed by regulations that apply to groundwater.

In 1995 well logs and geophysical logs of all Rancho California WD wells were reviewed by representatives of the United States and Rancho California WD to determine the depths of the younger alluvium. There was general agreement between the parties about the depth of the younger alluvium in production wells, except for ten wells shown on Table 7.7 of the 1994-95 report. The remaining disagreements relate to differences about the magnitude of the clay layer needed to define the base of the younger alluvium, the importance of neighboring well logs, and general concepts about the overall geologic setting.

During joint development of a groundwater model of the area it was necessary to develop estimates of the transmissivity for each aquifer. These estimates were based on pump tests. The resulting transmissivity values were then used to estimate the relative groundwater production from each aquifer. For Rancho California WD wells, the percent production estimated to originate in the younger alluvium is shown in Table 7.7.

Production from the younger alluvium and older alluvium for 1998-99 using the percentages noted in Table 7.7 is presented in Table 7.8. It may be noted that 8,090 acre feet were pumped from the younger alluvium and 29,647 acre feet were pumped from the older alluvium in 1998-99.

The production of 8,090 acre feet from the younger alluvium as shown on Table 7.8 may be compared with recharge from Vail into the younger alluvium and the related authorized uses in the Permit 7032 area, the import return flows shown on Tables 7.5 and 7.6, and direct recharge of imported water.

In 1998-99, 1,980 acre feet were released from Vail of which 1,010 acre feet were released to groundwater storage. That recharge, plus the unrecovered portions of recharge in prior years is sufficient to offset the authorized use of 1,124 acre feet used for agricultural purposes within the Permit 7032 service area.

As shown in the tabulation below, there are 6,966 acre feet of younger alluvium production to be compared with import return flow credits and direct recharge of imported water.

Total RCWD Production from younger alluvium	8,090
Less authorized agricultural use	<u>1,124</u>
Subtotal	6,966
Less import return flow credit	313
Less import direct recharge	9,425
Import Carryover to 1999-2000	2,772

Thus, there was no unauthorized use under Permit 7032 in 1998-99 and 2,772 acre feet of imported supplies remain available to offset younger alluvium production in future years.

TABLE 7.7

SANTA MARGARITA RIVER WATERSHED PERCENT PRODUCTION FROM YOUNGER ALLUVIUM IN RANCHO CALIFORNIA WATER DISTRICT WELLS

WELL	TOWNSHIP/ RANGE/	SEAL DEPTH	PERFORATED INTERVAL	DEPTH YOUNGER ALLUVIUM	PERCENT YOUNGER ALLUVIUM		
NO.	SECTION	FEET	FEET	FEET	%		REMARKS
106	75/3W-26R1	55	130-210; 250-310; 340-440; 700-740; 780-980	0	0.0%	Murrieta	No. 108 Winchester, clay 0'-40'
107	7S/3W-26J1	55	60-120; 190-260; 280-300; 390-590	58	0.0%	Murrieta	No. 105 - gravel & clay 58'-84'
108	7S/3W-25E1		60-110; 190-280; 350-410; 430-450; 470-490; 530-590	55	0.0%	Murrieta	Formerly No. 109 gravel/sandy clay 55'-70'
109	8S/2W-17J1 8S/1W-8K1	52 54	70-150; 170-210 75-155	75 165	84.0% 97.0%		Brown cley and gravei 75' to 105 Clay 165'-190'. Prior to 10/23/97 perf int. 70-150; 200-240; 320- 380; 420-480
113	7S/2W-25H1	52	96-136; 275-462; 462-542	Shallow	0.0%		
16	8S/1W-6J	Unknown	60-120; 140-200; 220-260; 270-330; 370-390	150	94.0%		Clay 150'-170'
119	8S/2W-19J	55	170-260; 300-470		0.0%	Wolf Valley	Perforated below 170'
123 129	8S/1W-7B 7S/2W-20L	55 Unknown	100-260; 300-380; 420-500 180-290; 416-480; 520-600	135 Shallow	85.0% 0.0%	Santa Gertrudis	Brown Sand Clay 135'-210' Oyal very shallow along Santa
132	8S/1W-7D	55	70-390: 430-500	135	82.0%	Creek	Gertrudis Creek
35	7S/3W-27M10	55	70-170	135 50	0∠0%s	Murrieta Valley	Brown Clay Streaks 135'-175' Silty clay 50'-89'
141	8S/2W-11P	55	120-190; 215-235; 270-380; 430-510	104	0.0%	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Silt & sand 104'-185'; Well 11L1 is 112'
44	7S/3W-27D	55	983-1123; 1143-1283; 1343 1483; 1503-1743	25	0.0%	Murrieta Valley	Sand with silty clay 25'-45'
46	7S/3W-28	50	50-190	42	0.0%	Murrieta	
53	8S/1W-5K3	50	50-220	170	99.0%		Forebay
157	8S/1W-5L	50	50-210	126	98.8%		Forebay
158	85/1W-5K	96	50-210	100	98.5%		Forebay
:05	75/3W-35A	96	150-1000	10	0.0%	Santa Gertrudis/ Murrieta Valley	Sandy clay 10'-20'
210	8S/2W-12K	None	48-228	140	94.0%		Clay cobblestones 160'-167', 175'-227'
218	8S/2W-20B5	27	48-289	40	0.0%		Old 28; clay with sand layer 40'- 60'; now monitoring wells 427, 428 and 429
186	8S/3W-1P2	Unknown	108-822	49	0.0%	Long Canyon	Old 219, Cantarini, hard clay 49' 60'
220 187	7S/3W-26Q1 8S/2W-12K1	34 Unknown	114-450 50-100; 100-140	58 140	0.0% 100.0%		Clay 58' • 73' Old 221, JK, Exh. 18, Monitoring
223	8S/2W-20C1	Unknown	48-250	60	94.0%	Wolf Valley	well since 1983 CAT Well; east of Wildomar Farnearby Exh 18 wells 170 @62 17M @55 are also east of the
							Wildomar Fault
124 130	8S/2W-15D 8S/2W-11J1	Unknown Unknown	48-250 24-31; 32.5-34; 35-40; 61- 65; 70-76; 80-85; 86.5-91; 92.5-98.5	108 >119	68.0% 100.0%		Old Well 50, clay 106'-138' Old Well 30, depth of well is 119
31	8S/2W-20B8	55	80-120; 150-270	35	0.0%		Old 104, P-34, Clay 20'-23'; 35'-41'; East of Wildomar Fault
32	8S/2W-11J3	51	95-135; 175-215; 235-295	135	92.0%		Old 111, 105, P-31; coarse sand clay 135' - 155'
233	8S/2W-12K2	51	95-135; 175-215; 235-295	145	88.0%		Old 112, P32; sand and clay at 145'-220'
	8S/2W-11P1	52	80-100; 120-140; 200-240;	125	74.0%		Brown Clay at 125'; sand and cl
34			280-320; 340-400				at 125'-140'
	8\$/3W-101 8\$/2W-11L1	55 Unknown	280-320; 340-400 Unknown 48-298	Shallow 112	0.0% 86.0%	Long Canyon	at 125'-140' Old Well No. 40; clay 112'-136'

TABLE 7.8
SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT WELL PRODUCTION FROM YOUNGER AND OLDER ALLUVIUM

1998-99 Quantities in Acre Feet

VELL NO.	QYAL	QTOAL	TOTAL
101	0.00	460.00	460.00
102	0.00	21.00	21.00
106	0.00	877.00	877.00
108	0.00	508.00	508.00
109	630.84	120.16	751,00
110	1,533.57	47,43	1,581.00
113	0.00	296,00	296.00
118	0.00	1,438.00	1,438.00
119	0.00	1,550.00	1,550.00
120	0.00	1,962.00	1,962.00
121	0.00	31.00	31.00
122	0.00	669.00	669.00
123	243.10	130.90	374.00
124	0.00	52.00	52.00
125	0.00	1,049.00	1,049.00
128	0.00	1,415.00	1,415.00
130	0.00	1,026.00	1,026.00
131	0.00	1,138.00	1,138.00
132	462.48	101.52	1, 130.00 564.00
133	0.00	524.00	524.00
135	0.00	189.00	189.00
138	0.00		
		1,464.00	1,464.00
139	0.00	1,335.00	1,335.00
140	0.00	340.00	340.00
141	0.00	533.00	533,00
143	0.00	253,00	253.00
144	0.00	52.00	52.00
145	0.00	739.00	739.00
146	0.00	1.00	1.00
149	0.00	261.00	261.00
151	0.00	793.00	793.00
153	193.05	1.95	195.00
155	0.00	214.00	214.00
157	174.24	5.76	180.00
158	53.08	1,93	55.00
203	0.00	285.00	285.00
207	0 .00	7.00	7.00
208	0,00	3.00	3.00
210	1,507.76	96.24	1,604.00
211	0.00	1,592.00	1,592.00
215	0.00	12.00	12.00
217	0.00	1,009.00	1,009.00
231	0,00	207.00	207.00
232	1,136.20	98.80	1,235.00
233	2,222.88	303.12	2,526.00
234	105.08	36.92	142.00
235	0.00	1,731.00	1,731.00
302	0.00	344.00	344.00
309	0.00	2,636.00	2,636.00
TOTAL	8,262.28	29,474.73	37,737.00

Western Municipal Water District

Western MWD wholesales imported water to Rancho California WD and also serves water to its Improvement District A near the southern boundary of Riverside County along I-15 freeway. Deliveries to Rancho California WD are included under Rancho California WD.

In Water Year 1998-99, imports to Improvement District A amounted to approximately 41 acre feet.

Deliveries to Improvement District A through turnout WR-13 for the period 1966 to 1999 are shown in Table 5.4.

U. S. Marine Corps - Camp Pendleton

Camp Pendleton is located on the coastal side of the Santa Margarita River Watershed. Water is provided by 13 wells that produced 6,118 acre feet in Water Year 1998-99. This production is from the younger alluvium and is based on riparian and appropriative rights. Of this quantity, 3,558 acre feet were exported out of the Watershed as shown in Appendix A.

A portion of the exported water amounting to 2,130 acre feet was returned to the Santa Margarita River Watershed as wastewater.

Production and estimated use inside and outside the Watershed, as well as wastewater returns, are shown in Appendix B for the period 1966-1999.

In addition to the operations at Camp Pendleton involving diversions from the Santa Margarita River, water is also imported by the Naval Weapons Station (NWS). The NWS occupies about 9,148 acres in the north eastern part of Camp Pendleton. Since 1969 the NWS has relied on imported water delivered via Fallbrook PUD for its supply. Wastewater is exported from the NWS and the Watershed via an outfall line also used by the Fallbrook Public Utility District. In 1998-99, 111 acre feet were imported of which 5 acre feet of wastewater were exported, as shown in Appendix A. Imports and use between 1966 and 1999 are shown in Appendix B.

7.3 Indian Reservations

Water use information about the three Indian Reservations in the Watershed is described in the following sections:

Cahuilla Indian Reservation

In general, domestic water use on the Cahuilla Indian Reservation is not measured, however reports indicate that 180 people reside on the Reservation. These residents use water primarily for domestic purposes as well as for livestock watering and grazing. Annual domestic water use, based on 125 gallons per capita per day, amounts to a total annual use of about 25 acre feet from wells listed in Appendix C.

The foregoing estimate is for total domestic water use on the Reservation. A portion of this use may not be under Court jurisdiction, but the estimate will be used until individual well production quantities are available to allow determination of the portion under Court jurisdiction. The estimated domestic use is included on Table 4.1 under water purveyor production.

An additional 5 acre feet was put to commercial use at a casino. This water was pumped from well 7S/2E-26B3 that overlies basement complex and is outside court jurisdiction.

In 1998-99, 160 acres were leased for irrigation use. Crops included 80 acres of grain and 80 acres of potatoes. Water was supplied from the Agri-Empire, Inc. water system that includes six wells at various locations in the Anza Valley based on overlying and reserved rights. One of the wells in the Agri-Empire water system (7S/3E-28A2) is located on the Reservation.

Pechanga Indian Reservation

During 1998-99, water well production by the Pechanga Water System amounted to 241 acre feet. In addition, it is estimated that a spring produced about 4 acre feet during the year for a total production of 245 acre feet. Information about system wells and the spring is shown in the following tabulation:

Well/Spring Designation	<u>Name</u>	Water Depth <u>Feet</u>	Well Depth <u>Feet</u>	Perf. Interval * <u>Feet</u>
28R1	Ball Park	148	1,000	130 - 220
28Q6	Sea Bee	190	610	N/A
29A1	Kelsey Tract	Pumping	348	N/A
29B10	Eduardo	31 **	N/A	N/A

^{*} Information about construction of some of the wells is not available.

N/A - Not Available

The wells listed above are in areas of younger alluvium at ground surface. The depth of the younger alluvium in Wolf Valley was estimated by representatives of Rancho California WD and the United States for Rancho California WD Wells No. 117 (8S/2W-20E) and No. 119 (8S/2W-19J) to be in the range of 120 to 170 feet in depth. Thus, based on available well construction data, some of the production is from the younger alluvium and some from the older alluvium. Under state law production from the wells that originate in the older alluvium can be considered to be under a groundwater appropriative right or an overlying right, depending on the circumstances at each well.

Under federal law, production from wells that originate in either the younger or older alluvium can be considered to be under a federal reserved right, in accordance with Interlocutory Judgment No. 41 which provides as follows in Order No. 7:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Pechanga Indian Reservation, including rights to the use of ground waters sufficient for the present and future needs of the Indians residing thereon with priority dates

^{**} Water depth in Well 8S/2W-29B9

of June 27, 1882, for those lands established by the Executive Order of that date; January 9, 1907, for those lands transferred by the Executive Order of that date; August 29, 1893, for those lands added to the Reservation by Patent on that date; and May 25, 1931, for those lands added to the Reservation by Patent of that date.

Ramona Indian Reservation

The Ramona Indian Reservation occupies 560 acres of land of which 321 acres are inside the Watershed. The Ramona Reservation has no reported water use or residents.

7.4 <u>Mobile Homes/Campgrounds</u>

There are a number of mobile home parks in the Watershed. These range from relatively permanent structures, to those catering to recreational vehicles and campgrounds. Water production from wells is shown on Table 7.1 for Butterfield Oaks Mobile Home Park, and Outdoor Resorts Rancho California, Inc.

7.5 Irrigation Water Use

Estimated water production reported by substantial users for irrigation in the Santa Margarita River Watershed is shown on Table 7.1 to be 8,272 acre feet. This estimate was based on reported irrigated acreage and includes 1,136 acre feet of surface diversions as shown in Appendix C.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 8 - UNAUTHORIZED WATER USE

8.1 General

~ ~

From time to time there are complaints of unauthorized water uses of various types in the Watershed. Such complaints are investigated when they are brought to the attention of the Watermaster. The status of the current list of unauthorized uses is described as follows:

8.2 <u>Unauthorized Small Storage Ponds</u>

Many small dams and reservoirs have been constructed on streams in the Watershed. The legal basis for these ponds is described in the 1988-89 Watermaster Report. Basically, the Court has held that storage of water in ponds less than 10 acre feet in capacity and used for stock watering is a valid use of riparian water. The Court has also held that:

The temporary or non-seasonal impoundment by riparian owners for the purpose of providing a head for irrigation or for the purpose of temporarily accumulating sufficient water to make possible efficient irrigation is a proper riparian use of water.

Criteria for determining non-seasonal storage of irrigation water have yet to be developed.

8.3 Rancho California Water District Water Use

A number of unauthorized water use issues have been raised by the United States. These issues and action to investigate and/or correct the issues are as follows:

- Violation of the 1940 Stipulated Judgment United States' representatives have indicated their belief that the provisions of the 1940 Stipulated Judgment have been violated in two respects by Rancho California WD:
 - A. Storage of water in Vail Lake and the related recharge and rediversion operations exceed the portion of the Santa Margarita River flow allocated to Rancho California WD by the Stipulated Judgment.
 - B. Production of water by Rancho California WD from the older alluvium should be included with surface water in determining whether water use by Rancho California WD exceeds that portion allocated to Rancho California WD by the Stipulated Judgment.

Rancho California WD disagrees with each of these contentions.

During 1998-99 representatives of Rancho California WD and the United States continued to discuss these issues in meetings of an Attorneys' Group and a Technical Committee. The purpose of the Attorneys' Group is to develop solutions to the water right issues that have divided the two parties. The Technical Committee is to agree on technical facts that can assist the Attorneys' Group in resolving issues related to the 1940 Stipulated Judgment, as well as Permit 7032 issues described in the following section.

 Rediversion and Use Not in Accord with Terms of Permit 7032 - As noted in Section 7 of this report, the place of use, rediversion facilities and the type of use of water appropriated under Rancho California WD's Application No. 11518 and Permit 7032 have changed since the Application was filed in 1947.

Use of water under Permit 7032 is limited to irrigation, domestic use incidental to farming operations and recreation. Such use for municipal and industrial purposes represents an unauthorized use.

As noted in the previous section of this report, there was no unauthorized use of water under Permit in 1998-99. However, in prior years water appropriated under Permit 7032 was either used outside the designated place of use or partially used within the designated service area for commercial and/or domestic use, neither of which is authorized under Permit 7032.

Accordingly, Rancho California WD initiated the process of changing Permit 7032 on September 1, 1992, by filing a Notice of Intent to Adopt a Negative Declaration for a Petition for Change to the SWRCB, Division of Water Rights, relative to Appropriations Water Permit 7032.

On January 15, 1993, the United States in a petition filed with the Superior Court of the State of California for Riverside County alleged that the District had violated the California Environmental Quality Act (CEQA) by adopting the Negative Declaration. On April 12, 1994, the Court denied the United States' petition and declared that Rancho California WD had complied with CEQA by adopting the Negative Declaration. On August 11, 1994, the parties jointly requested an extension of time for the filing of an appeal pending current settlement negotiations. The appellate Court granted that extension of the process as well as several subsequent extensions. The most recent extension expired on February 12, 2000. A joint letter requesting an extension has been filed by the parties and is being processed by the Court.

On January 13, 1993, the District filed a Petition for Change in the points of rediversion, the place of use and the purpose of use with the SWRCB. The Petition for Change was protested by Camp Pendleton, U. S. Fish and Wildlife Service, the U. S. Bureau of Indian Affairs, and the California Sportfishing Alliance.

In March 1993, Camp Pendleton filed a Complaint with the SWRCB that Rancho California WD was violating the terms of Permit 7032 regarding place, season and purpose of use. On May 25, 1993, the SWRCB advised that it would process the Complaint prior to acting on the District's Petition for Change.

A representative from the SWRCB visited the area in July 1993, and completed a draft staff Report of Investigation. Prior to release of the staff report the SWRCB agreed to a joint request by the parties that the issuance of the report be deferred to allow the parties to continue to negotiate a settlement of the issues. Upon request by the parties, the SWRCB has subsequently extended the process to August 20, 1999. A request was submitted by the parties to extend the August 20, 1999 deadline, but to date no action has been taken by the SWRCB.

8.4 Other Potential Unauthorized Uses

United States' representatives also contend that water is being pumped from the younger alluvium without permit outside Pauba Valley and that there is pumping in violation of Court adjudications from the older alluvium.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

SECTION 9 - THREATS TO WATER SUPPLY

9.1 General

General threats to the long-term water supply in the Santa Margarita River Watershed, which have been described in previous Watermaster Reports, are as follows:

- 1. High nitrate concentrations in Rainbow Creek and in Anza Valley.
- 2. Potential overdraft conditions at various locations in the Watershed.
- 3. Potentially adverse salt balance conditions in the upper Santa Margarita River area.

9.2 High Nitrate Concentrations

In past years high concentrations of nitrate have been measured in Anza Valley and on Rainbow Creek. However no measurements from Anza Valley are available for the 1998-99 period.

In 1995, Mission Resource Conservation District, using funding from a 319h grant, began collecting specific conductance, pH, nitrate and phosphorus data from five sampling stations along Rainbow Creek. Nitrate data collected between October 1995 and September 1996 were summarized in the 1995-96 report. Those data, as well as data collected after 1996 from the five original sampling stations plus two additional stations are summarized below:

	(Concentration	s - mg/l NO₃	
		Oct -June	July - Sept	Oct - July
Sampling Site	<u> 1995-96</u>	<u> 1997-98</u>	<u> </u>	<u> 1998-99</u>
			_	
Jubilee Way in Rainbow Valley	6.66 - 50.6	0 - 60	0 - 2	1 - 6
(Canyon Road)				
Hines Nursery (Huffstatler Street)	35.2 - 154	0 - 118	12 - 37	9 - 35
Oak Crest Estates @ Bridge	0 - 118.8	0 - 180	7 - 27	5 - 25
Willow Glen Road @ Bridge	0 - 45	0 - 96	4-9	3 - 11
River House (1/2 mile d/s Willow	N/A	N/A	8 - 24	5 - 12
Glen)				
Stagecoach (800 ft. u/s mouth; d/s	N/A	19 - 100	9 - 26	9 - 13
tributary				
FPUD Sump (on Rainbow Creek	24 - 57	N/A	9 - 25	9 - 13
100 feet upstream from mouth)				
Annual Flow Rainbow Creek at	745	1,613	5,640	649
Willow Glen - Acre Feet				

Sampling conducted under the initial 319h grant identified a reach of increasing nitrate concentrations along Rainbow Creek, between the Willow Glen sampling site and the FPUD sampling site. The District used a subsequent 319h grant to more closely identify areas of non-point source nitrate discharges, and actively involve the community in understanding and implementing standards necessary to measurably improve the water quality in the lower reaches of Rainbow Creek.

Data shown in the foregoing tabulation indicate high nitrate concentrations in 1995, 1996 and 1997, but in 1998 and 1999 concentrations did not exceed the drinking water standard of 45 mg/l.

Some of these variations may be attributable to how much water is flowing in Rainbow Creek. The annual flow during these years is shown in the tabulation. The flow data indicates that 1998 was far wetter than the other years.

9.3 Potential Overdraft Conditions

Previous Watermaster reports have noted concerns about overdraft conditions in Anza Valley and in the Murrieta-Temecula area. The 1989-90 Watermaster Report described a water supply study, conducted by a consultant to Riverside County, which concluded that Anza Valley water use in 1986 was approximately equal to the perennial yield and that as of 1986 useable groundwater in storage approximated 56,000 acre feet. No further studies relative to groundwater use in Anza Valley are available. Historical groundwater levels for Anza Mutual Water Company's Well No. 1 (7S/3E-21G1) located in Anza Valley are included in this Report as Figure 4.4. It can be noted that the water level in October 1999 of 3775.1 feet is within the general range observed since the early 1970's.

No recent published studies of safe yield are available for the Murrieta-Temecula area. Groundwater resources in much of the area are being managed by Rancho California WD. The District prepares an annual groundwater production program with the goal of developing the maximum perennial yield from the basin. The District monitors historical water levels and well production in each of several hydrogeologic subareas. Each year that data, combined with other information including water quality, natural and artificial recharge, pump settings, and well construction factors, are used to develop a recommended production program. Production rates are commonly lowered in subareas where water levels have declined over several years, and production rates are increased in areas where decline has not occurred. As a final check the recommended production rates are checked using the latest version of the RCWD groundwater model.

Groundwater level data for three wells in the Murrieta-Temecula Groundwater Area are included in this report as Figures 4.1, 4.3 and 4.5. Water levels in the Windmill Well (8S/2W-12H1) located at the eastern part of Pauba Valley rose 1.8 feet in 1998-99. Water levels in Well 7S/3W-20C9 in the Murrieta CWD area declined 5.5 feet from last year, and those in Well 8S/2W-29G1 on the Pechanga Indian Reservation in Wolf Valley were down 5.6 feet from last year. As can be seen from the long term hydrographs, groundwater levels have fluctuated within broad limits in recent years.

9.4 Salt Balance

A key issue in management of a groundwater basin is potential build up of salts that decreases the usability of waters in a basin. Thus consideration must be given to measures that allow export of salts from a basin to offset the salt load in water entering the groundwater basin.

A 2 MGD Demonstration Project involving discharge of treated wastewater into the Santa Margarita River system by Rancho California Water District was implemented in late 1997. This project provides cost-effective disposal of wastewater from the upper Santa Margarita River area, assists in controlling salt balance in the Murrieta-Temecula Groundwater Area, and supplements water supplies to the Santa Margarita River system downstream of Temecula.

In a separate project, Eastern MWD exported 3,070 acre feet of treated wastewater from the watershed in 1998-99 for reuse. An additional 1,063 acre feet was exported for operational reasons. At an average total dissolved solids concentration of 650 mg/l there are approximately 1,768 pounds of salt in every acre foot of wastewater. Thus in 1998-99, approximately 3,654 tons of salt were exported by EMWD.

In addition to export of treated wastewater, the salt balances of the Murrieta-Temecula groundwater area and the lower Santa Margarita River groundwater area are affected by discharges from wells into Murrieta Creek. In 1998-99 wells discharged 214 acre feet, as shown below, together with estimated total dissolved solids in the water.

Well No.	Release	TDS	Sample Date
	Acre Feet	mg/l	
101	10	510	8/11/99
106	1	495	5/16/95
109	3	1010	6/13/97
118	11	560	9/16/96
135	<u>189</u>	1155*	5/6/97 & 9/17/97
Total	214		

^{*} Average of May and September concentrations

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 10 - WATER QUALITY

10.1 Surface Water Quality

During 1998-99 there was extensive sampling of surface water quality by Rancho California WD. Portions of these data are shown in Appendix Table D-2. Weekly samples were collected from the Santa Margarita River at the Temecula gaging station and analyzed for total dissolved solids (TDS) and nitrate. TDS concentrations ranged from a low of 300 mg/l to as much as 1350 mg/l depending primarily on flow.

Nitrate concentrations as nitrogen at the Temecula gaging station ranged from a low of 0.3 mg/l measured on two occasions, to a high of 3.8 mg/l on October 28, 1998. All measurements of nitrate were well below the drinking water standard of 10 mg/l as N.

Rancho California WD also collected samples at additional locations in the Santa Margarita River system including Temecula Creek at Highway 79, Murrieta Creek at the Gaging Station and Santa Margarita River at Willow Glen, DeLuz Crossing and the Estuary. Samples of the water being discharged into Murrieta Creek from the system were also collected at a station called the Murrieta River Meter. Among other things, these samples were also analyzed for TDS and Nitrate as N, as shown in Table D-2. TDS concentrations were generally in the 500 - 800 mg/l range while no nitrate sample exceeded the 3.8 mg/l as N measured at the Temecula gaging station, except those from the Estuary.

Surface water quality data collected in prior years by Camp Pendleton and Eastern MWD are listed in earlier Watermaster reports.

The U. S. Geological Survey has published water quality data including specific conductance, pH, temperature and dissolved oxygen for the Santa Margarita River at the mouth near Oceanside and in the Estuary since 1993-94.

10.2 Groundwater Quality

During 1998-99 water quality data were collected from wells by Murrieta County WD, Rancho California WD, the U.S.G.S. for wells on Indian Reservations, and the U.S.M.C. at Camp Pendleton.

Water quality samples were collected from four wells in Murrieta County Water District as shown in Appendix Table D-3. Analysis of the samples was limited to nitrate. Nitrate of five samples from the Holiday well ranged from 25 - 36 mg/l of NO₃ as compared to a drinking water standard of 45 mg/l as NO₃. The maximum concentration of samples from the other three wells was 3 mg/l of NO₃.

Water quality data for Rancho California WD wells are shown in Appendix Table D-4. New data were collected from 31 wells during 1998-99. Of the 31 wells, 21 wells were analyzed for nitrates only. In these wells, nitrate concentrations ranged up to 37 mg/l as NO₃, with the drinking water standard being 45 mg/l as NO₃. Samples from the remaining 10 wells were subjected to standard chemical analysis: TDS concentrations increased in five wells, decreased in two wells, one well showed concentrations both higher and lower in two samples, one well remained the same, and one new well was sampled for the first time. The increases in concentrations ranged from 10 to 110 mg/l and averaged 49 mg/l. Decreases ranged from 10 to 50 mg/l and averaged 30 mg/l.

Historical total dissolved solids concentrations for RCWD Well 210 are shown on Figure 10.1 for samples collected since 1957 when the well was constructed. The figure shows a decline in TDS from approximately 900 mg/l for the first two samples collected to the 500-600 mg/l range in recent years. No additional sampling was conducted at this well in 1998-99.




FIGURE 10.1

Appendix Table D-5 shows water quality data collected by the U.S.G.S. from wells on Indian Reservations. In 1998-99 samples were collected from six wells on the Pechanga Indian Reservation and subjected to standard chemical analysis. Concentrations of the various constituents were consistent with historical results. Well No. 8S/2W-28Q2 that had nitrate concentrations of 8.9 and 9.85 mg/l as N last year, was not sampled in 1998-99.


During 1998-99 samples of groundwater were collected from ten wells at Camp Pendleton as shown on Appendix Table D-6. These wells were subjected to standard chemical analysis with results generally consistent with the historical results, with the following exception.

Several samples, including those from Wells 23J1, 7R2, 7H2, and 7A2 showed unusually high sulfate concentrations of 183, 230, 400, and 390 mg/l. All of these samples were collected in August, 1999. Sulfate has a secondary drinking water standard of 250 mg/l.

Other results include an unusually low total dissolved solids concentration of 310 mg/l for the August 1999 sample from Well 7H2 and an unusually low sulfate concentration of 85 mg/l for the February 1999 sample from Well 18M4. These are both believed to be errors.


Historical total dissolved solids concentrations for Camp Pendleton Well 7A2 are shown on Figure 10.2 for samples collected since the mid-1950's. The figure shows a decline between the mid-1950's and 1970, then a period of increasing concentration to the current levels in the 700-800 mg/l range. Two samples collected in 1998-99 indicated total dissolved solids concentration of 648 and 696 mg/l.

FIGURE 10.2



Historical nitrate concentrations for the same well (7A2) are shown on Figure 10.3 to fluctuate widely between zero and as much as 16 mg/l for the period since about 1960. The sample collected in 1998-99 indicated non detect for nitrate.

FIGURE 10.3



WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 11 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE TASKS, EXPENDITURES AND REQUIREMENTS

11.1 General

Projected tasks over the next five years are listed below in two categories: normal tasks, which are part of the usual Watermaster office operation; and additional tasks, which are foreseen but are not part of the normal office operations.

11.2 Normal Tasks

Tasks that are normally part of the Watermaster Office operation are as follows:

- Update List of Substantial Users
- Collect Water Production, Use, Import and Availability Data
- 3. Collect Well Location, Construction and Water Level Data
- Administer Water Rights
- Collect Water Quality Data
- 6. Monitor Water Quality and Water Right Activities
- 7. Administer Lake Skinner and Diamond Valley Lake MOU's
- 8. Administer Steering Committee Matters
- Prepare Court Reports/Budgets
- Monitor Streamflow and Water Quality Measuring
- 11. Data Management

11.3 Additional Tasks

Tasks that have been identified but which are not part of normal operations are as follows:

- 1. Assist with Resolution of RCWD/Camp Pendleton Water Rights Issues
- 2. Determine Changes in Subsurface Storage
- Determine Salt Balance
- 4. Prepare List of All Water Users Under Court Jurisdiction
- 5. Prepare Inventory of Ponds and Reservoirs

11.4 Projected Expenditures

Projected expenditures for the current year and over the next five years are listed as follows:

		<u>Projected</u>	<u>Expenditures</u>	<u>s</u>			
		Watermaster Office	Gaging Station	Total			
Current Year	1999/2000	\$166,000	\$107,225	\$273,225			
Projected Years	2000/2001	\$168,000	\$110,750	\$278,750			
	2001/2002	\$176,400	\$116,300	\$292,700			
	2002/2003	\$185,200	\$122,100	\$307,300			
	2003/2004	\$194,500	\$128,200	\$322,700			
	2004/2005	\$204,200	\$134,600	\$338,800			

SECTION 12 - WATERMASTER OFFICE BUDGET 2000-2001

A total Watermaster Budget of \$278,750 for the Water Year ending September 30, 2001, is shown below.

This budget includes \$168,000 for the Watermaster Office and \$110,750 for U.S.G.S. gaging station operations. The budgeted cost for gaging station operation is based on the annual renewal of an agreement between the Watermaster and the U.S. Geological Survey.

	APPROVED	PROPOSED
	BUDGET CURRENT YEAR	BUDGET
	1999-2000	2000-2001
	\$	\$
Watermaster Office		
Rent	9,600	9,600
Accounting Services	4,000	4,000
Supplies	1,000	800
General Liability & Professional Insurance	3,400	3,500
Printing	1,400	1,800
Audit	3,200	2,800
Publications	2,000	2,000
Clerical/Data Management	44,000	45,000
Telephone	1,400	1,500
Miscellaneous Operating/Maintenance	1,500	1,000
Mileage/Travel	500	500
Office Equipment and Software	3,000	2,500
Watermaster		
Consulting Services	78,000	79,000
Automobile Expense	3,200	3,200
Travel Reimbursement	9,800	10,800
SUBTOTAL WATERMASTER OFFICE	\$ 166,000	\$ 168,000
SUBTOTAL WATERINASTER OFFICE	φ 100,000	Ф 100,000
USGS Gaging Station Operation and Maintenance	\$ 107,225	\$ 110,750
TOTAL	\$ 273,225	\$ 278,750

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1998-99

APPENDIX A
WATER PRODUCTION AND USE
WATER YEAR 1998-99

AUGUST 2000

TABLE A-1

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

1998-99

	PRODUCTION							USE							RECLAIMED WASTEWATER					
MONTH YEAR	WELLS	IMPORT 1/	EXPORT FROM SMRW	NET IMPORT	TOTAL	l I '	ัง ข	COMM	DOM S/	TOTAL	LOSS	TOTAL USE		REUSE IN SMRW 4/	REUSE	OTHER EXPORT 61	RELEASE TO RIVER	RECHARGE	TOTAL	
1998						11							11							
OCT	62	379	84	295	357	Ħ	0	0	339	339	18	357	П	340	416	(156)	0	0	600	
NOV	63	751	404	347	410	ii.	0	0	389	389	21	410	11	176	145	338	0	0	659	
DEC	59	679	272	407	466	ij	0	0	443	443	23	468	Ш	181	42	441	0	0	664	
1999						1 I 1 I							H							
JAN	61	492	108	384	445	ΪÌ	0	0	423	423	22	445	ΞÏΪ	173	87	425	0	0	685	
FEB	58	914	447	467	525	ii -	0	0	499	499	26	525	ΪΪ	128	34	443	0	0	605	
MAR	52	(107)	152	(259)	(207)	ii -	0	0	-197	(197)	(10)	(207)	- 11	346	220	131	0	0	697	
APR	44	385	167	218	262	ii.	0	0	249	249	13	262	H	279	470	(96)	0	0	653	
MAY	51	1,048	272	776	827	ii -	0	0	785	785	42	827	Π	386	379	(114)	0	0	651	
JUNE	54	642	144	498	552	ΪÍ	0	0	525	525	27	552	11	468	443	(275)	0	0	636	
JULY	55	927	287	640	695	Ħ	0	0	660	660	35	695	- 11	385	240	34	0	0	659	
AUG	55	771	247	524	579	ΪÌ	0	0	551	551	28	579	П	463	386	(150)	0	0	699	
SEPT	55	237	207	30	85	ii II	0	0	81	81	4	85	H	416	208	42	0	0	666	
TOTAL	669	7.118	2,791	4,327	4,996	ii	0	0	4,746	4,746	250	4,996	H	3,741	3,070	1,063	0	0	7,874	

^{1/} Does not include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

^{2/} Figures are 95% of water pumped and imported to allow for 5% loss

^{3/} Figures are 95% of water pumped and imported to allow for 5% ioss

^{4/} Includes 1,159 AF of sewage diverted to RCWD

^{5/} Unaccounted for Export

TABLE A-2

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

1998-99

	PRODUCTION							_	USE						WASTEWATER			TER
MONTH YEAR	WELLS	TOTAL DISTRICT IMPORT		AREA	BROOK SMRW IMPORT 1/	TOTAL SMRW IMPORT	TOTAL PRODUCTION	4	AG	COMM	DOM	TOTAL IN SMRW	LOSS	TOTAL USE IN SMRW		FROM SMRW	FROM U.S.N.W.S.	EXPORTED FROM SMRW
1998								11							П			
OCT	0	1,476	266	1,209	556	822	822	П	437	55.	292	784	38	822	П	125	0.37	125
NOV	0	894	192	701	323	515	515	- 11	341	41	202	584	(69)	515	H	116	0.33	116
DEC	0	720	17	704	324	341	341	H	148	27	195	370	(29)	341	П	117	0.31	117
								ΪÏ							П			
1999								Ĥ							Ш			
JAN	0	869	178	692	318	496	496	11	288	32	157	477	19	496	H	111	0.43	111
FEB	0	597	88	509	234	322	322	11	143	24	159	326	(4)	322	11	102	0.42	101
MAR	0	866	21	845	389	410	410	-	160	31	131	322	88	410	-11	116	0.37	116
APR	0	835	19	816	375	394	394	İ	163	36	176	375	19	394	Ш	113	0.40	112
MAY	0	1,364	22	1,343	618	640	640	11	229	46	189	484	176	640	11	111	0.49	110
JUNE	0	1,455	19	1,436	661	680	680	-11	297	54	282	633	47	680	11	114	0.52	113
JULY	0	1,791	23	1,768	813	836	836	-11	375	65	268	708	128	836	-11	110	0.57	109
AUG	0	1,845	372	1,472	677	1,049	1,049	H	588	69	371	1,028	21	1,049	-11	116	0.48	116
SEPT	0	1,595	355	1,240	570	925	925	П	579	70	299	948	(23)	925	- []	131	0.33	131
								П							П			
TOTAL	. 0	14,307	1,572	12,735	5,858	7,430	7,430	П	3,748	550	2,721	7,019	411	7,430	-11	1,382	5	1,377

^{1/} Approximately 46% of the Fallbrook area is within the Santa Margarita River Watershed

^{*}Loss = Total production less total use

TABLE A-3

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

MURRIETA COUNTY WATER DISTRICT

1998-99

	PRODUCTION			USE							
MONTH YEAR	WELLS		AG	сомм	DOM	TOTAL DELIVERED	LOSS	TOTAL USE			
1998		[]				-					
OCT	76	ii	9	10	37	56	20	76			
NOV	66	Ħ	7	13	32	52	14	66			
DEC	47	ΪĹ	4	6	20	30	17	47			
		Ħ									
1999		П									
JAN	44	H	5	6	30	41	3	44			
FEB	39	Ш	3	6	23	32	7	39			
MAR	49	11	3	14	33	50	(1)	49			
APR	51	П	5	12	30	47	4	51			
MAY	70	İİ	1	10	59	70	0	70			
JUNE	88	ΪĹ	9	11	59	79	9	88			
JULY	100	Ħ	12	13	62	87	13	100			
AUG	93	İİ	11	13	71	95	(2)	93			
SEPT	104	П	10	11	92	113	(9)	104			
TOTAL	827	11	79	125	548	752	75	827			

^{*} Loss = Total production less total delivered

TABLE A-4

SANTA MARGARITA RIVER WATERSHED

MONTHLY WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

1998-99

		PRODUCTIO	N				USE		
MONTH YEAR	LOCAL	IMPORT TO WATERSHED	TOTAL IN WATERSHED		AG	COMMERCIAL/ DOMESTIC	TOTAL DELIVERIES	LOSS*	TOTAL USE
1998				 H					
OCT	0	177	177	ii	147	14	161	16	177
NOV	0	172	172	ii.	140	16	156	16	172
DEC	0	88	88	İİ	70	10	80	8	88
				11					
1999				II					
JAN	0	111	111	ΪÌ	90	11	101	10	111
FEB	0	78	78	П	63	8	71	7	78
MAR	0	76	76		61	8	69	7	76
APR	0	98	98	П	80	9	89	9	98
MAY	0	110	110	Π	90	10	100	10	110
JUNE	0	140	140	П	112	15	127	13	140
JULY	0	219	219	Ш	179	20	199	20	219
AUG	0	209	209	11	172	18	190	19	209
SEPT	0	250	250	П	207	20	227	23	250
				П					
TOTAL	0	1,727	1,727	11	1,411	159	1,570	157	1,727

^{*}Loss = 10% of use

TABLE A-5

: :

MONTHLY WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT

1998-99

RECLAIMED WASTEWATER	MURRIETA CREEK DISCHARGE (5)	143 176	9	102	171	178	11	138	137	136	158	143	1,654
RECI WAST	REUSE IN SMRW (4)	174 121	174	173	62	-	80	79	152	208	33	14	1,524
	TOTAL	6,514 4,520	3,205	3,824	2,470	4,769	1,077	6,865	8,231	9,561	9,882	9,319	73,237
	(S)	(1,363) (216)	(164)	(089)	749	238 238	(5 <u>6</u> 0)	1,976	1,350	怒	332	(629)	1,617
	TOTAL	7,877 4,736	3,369	4,504	1,721	4,231	4,337	4,889	6,881	9,527	9,550	866'6	71,620
	IMPORT RECHARGE	584 662	574	461	0	1,045	90	658	1,055	909	1,505	1,785	9,425
USE	VAIL RECHARGE	35 0	0	0	0	173	334	-129	159	25	φ	-72	1,010
	SMR RELEASE R (2)	97	0	8	8	8	8	8	172	242	238	183	1,044
	₩	2,068 1,405	1,016	1,159	874	<u>8</u>	1,276	1,283	1,793	2,639	2,424	2,419	19,310
	COM	347	1 85		173								3,674
	AG .	4,227 2,416		2,653	672	1,823	86	2,709	3,400	5,543	4,992	5,178	37,157
	TOTAL	 6,514 4,520	3,205	3.824	2,470	4,769	4,077	6,865	8,231	9,561	9,882	9,319	73,237
	IMPORT	2,567 1,395	1,047	984	88	1,528	1,560	3,170	4,176	5,228	6,549	5,993	34,490
PRODUCTION	L VAIL VAIL RELEASE (1)	554 0	0	0	0	173	334	-129	159	25	9	-72	1,010
	WELLS OUT RE	00	0	0	0	0	0	0	0	0	0	0	0
	WELLS IN GWA	3,393 3,125	2,158	2,840	2,177	3,068	2,183	3,824	3,896	4,281	3,394	3,398	37,737
	MONTH	1998 OCT NOV	DEC	1999 JAN	FEB	MAR	APR	MAY	JONE	JULY	AUG	SEPT	TOTAL

Vail releases and the related Vail recharge are computed as Total Release less Inflow to be bypassed
 3 AF into Ternecula Creek from Well 109; 211 AF into Murrieta Creek from Wells 101, 106, 118, and 135; and 830 AF from System River Meter
 Loss = Total production less total use
 Does not include EMWD reclaimed wastewater production
 Discharge from 2 MGD Demonstration Project

TABLE A-6

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON

1998-99

	PR	ODUCTIO	N	_	USE							RECLAIMED WASTEWATER				
MONTH YEAR	AG LOCAL	CAMP SUPPLY	TOTAL		AGRICUI IN SMRW	TURE 1/ OUT SMRW	CAMP S IN SMRW	OUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW		RECHARGED IN SMRW 4/	IMPORT 5/ RECHARGED IN SMRW	TOTAL RECHARGED IN SMRW		
1998				П							11		_			
OCT	136	482	618	ΪÌ	53	83	207	275	358	260	ii	71	127	198		
NOV	25	372	397	Ιij	10	15	157	215	230	167	ii	71	181	252		
DEC	26	325	351	II	10	16	139	186	202	149	II	74	203	277		
				Ш							Ш					
1999				Ш							Ш					
JAN	8	299	307	11	3	5	69	229	234	72	Ш	78	190	268		
FEB	5	253	258	11	2	3	111	142	145	113	11	72	189	261		
MAR	7	329	336	Ш	3	4	145	184	188	148	11	75	214	289		
APR	25	363	388	Ш	10	15	159	203	218	169	11	75	176	251		
MAY	50	436	486	ΪÌ	19	31	192	244	275	211	П	74	174	248		
JUNE	78	483	561	Ξij	30	48	213	271	319	243	ii	74	172	246		
JULY	223	578	801	Ξij	87	136	254	324	460	341	ii	78	174	252		
AUG	223	594	817	Ϊİ	87	136	261	333	469	348	ii	78	167	245		
SEPT	258	540	798	ii	101	157	238	303	460	339	ii	73	163	236		
				П							H					
TOTAL	1,064	5,054	6,118	Ш	415	649	2,145	2,909	3,558	2,560	Ш	893	2,130	3,023		

^{1/} Agricultural water use is divided with 39% used inside the SMRW and 61% used outside

^{2/} Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, minus the NWS Import (SMRW CS = .44 {CS+NWS imp} - NWS Imp.)

^{3/} Assumes no losses

^{4/} Discharge from Plant Nos. 3 plus 8 plus 29.17 acre feet per month from Plant No. 13

^{5/} Discharge from Plant No. 1, plus discharge from Pond 2, plus excess of Plant No. 13 over 29.17 acre feet per month

TABLE A-7

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

1998-99

	PRO	DUCTION				USE			_	WASTEWATER
MONTH YEAR	LOCAL	IMPORT TO WATERSHED 1/	TOTAL		AG	COMMERCIAL/ DOMESTIC	LOSS 2/	TOTAL USE		EXPORTED
1998				Ш					Ш	
OCT	0.0	17.0	17.0	ΪÌ	0.0	15.5	1.5	17.0	Ιİ	0.4
NOV	0.0	8.0	8.0	Ш	0.0	7.3	0.7	8.0	Ϊİ	0.3
DEC	0.0	7.0	7.0	Ϊİ	0.0	6.4	0.6	7.0	ΪÍ	0.3
				Ĥ					ÌÌ	
1999				П					H	
JAN	0.0	9.0	9.0	П	0.0	8.2	8.0	9.0	ÌÌ	0.4
FEB	0.0	6.0	6.0	П	0.0	5.5	0.5	6.0	Ϊİ	0.4
MAR	0.0	7.0	7.0	11	0.0	6.4	0.6	7.0	11	0.4
APR	0.0	5.0	5.0	11	0.0	4.5	0.5	5.0	11	0.4
MAY	0.0	7.0	7.0	П	0.0	6.4	0.6	7.0	11	0.5
JUNE	0.0	10.0	10.0	Ш	0.0	9.1	0.9	10.0	Ш	0.5
JULY	0.0	12.0	12.0	П	0.0	10.9	1.1	12.0	Ĥ	0.6
AUG	0.0	8.0	8.0	Ш	0.0	7.3	0.7	8.0	Ш	0.5
SEPT	0.0	15.0	15.0	П	0.0	13.6	1.4	15.0	11	0.3
				11					11	
TOTAL	0.0	111.0	111.0	П	0.0	100.9	10.1	111.0	П	5.0

^{1/ -} Import via Fallbrook Public Utility District

^{2/ -} Loss = 10% of Use

TABLE A-8

SANTA MARGARITA RIVER WATERSHED

MISCELLANEOUS WATER PRODUCTION AND IMPORTS

1998-99 Quantities in Acre Feet

	IMPORT			PRODUCTION		
MONTH YEAR	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	OUTDOOR RESORTS RANCHO CALIFORNIA, INC.	BUTTERFIELD OAKS MOBILE HOME PARK	LAKE RIVERSIDE ESTATES	PECHANGA INDIAN RESERVATION
1998						_
OCT	3.30	1.44 E	3.62	0.11	8.03	15.36
NOV	3.00	1.44 E	3.29	0.10	9.78	13.82
DEC	2.80	1.44 E	3.69	0.09	8.58	17.06
1999						
JAN	2.10	1.44 E	7.86	0.10	13.81	19.26
FEB	2.10	1.44 E	7.33	0.10	2.57	16.53
MAR	1.80	1.44 E	3.35	0.08	8.14	16.25
APR	1.80	1.44 E	3.60	0.29	4.53	17.43
MAY	3.30	3.46 E	3.11	0.26	6.87	16.98
JUNE	4.60	3.58	5.46	0.38	29.72	22.90
JULY	4.60	4.95	10.39	0.35	51.27	29.21
AUG	4.80	5.98 E	8.82	0.28	38.89	27.32
SEPT	6.50	5.25 E	10.22	0.29	27.36	28.91
SUBTOTA	L			2.43		241.03
				7.50 *		4.00 **
TOTAL	40.70	33.30	70.74	9.93	209,55	245.03

E - Estimate

^{*} Estimated non-metered lawn watering

^{**} Surface Diversion

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1998-99

APPENDIX B

WATER PRODUCTION AND USE

WATER YEAR 1965-66 TO WATER YEAR 1998-99

AUGUST 2000

TABLE B-1

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

PRODUCTION							USE						_	RECLAIMED WASTEWATER						
WATER YEAR	WELLS	IMPORT 11	EXPORT FROM SMRW	NET IMPORT	TOTAL		AG 21	COMM	DOM 31	TOTAL	LOSS	TOTAL		REUSE IN SMRW	OUTSID REUSE	E SMRW OTHER EXPORT 4/	RELEASE TO RIVER	RECHARGE	TOTAL	
1966	0	1,604	0	1,604	1,604	1	,520	0	4	1,524	80	1,604	ļ	0	0		0	100	100	
1967	0	1,630	0	1,630	1,630	1	,544	0	4	1,548	82	1,630	1	0	0		0	100	100	
1968	0	1,464	0	1,464	1,464		-	0	5	1,391	73	1,464	- 1	•	0		0	100	100	
1969	0	1,741	0	1,741	1,741	1	,648	0	6	1,654	87	1,741	1	1 0	0		O	100	100	
1970	0	1,417	0	1,417	1,417	1	,340	0	7	1,346	71	1,417	1	0	0		O	101	101	
1971	0	1,383	0	1,383	1,383	1	,306	0	8	1,314	6 9	1,383	- 1	0	0		0	119	119	
1972	0	1,470	0	1,470	1,470		-	0	8	1,396	74	1,470	1		0		0	242	242	
1973	0	1,533	0	-	1,533	1	,447	0	10	1,456	77	1,533	- 1	1 0	0		0	217	217	
1974	0	1,601	0	1,601	1,601	1	,511	0	10	1,521	80	1,601	- 1	1 0	0		0	193	193	
1975	0	1,969	0	1,969	1, 96 9	1	,859	0	11	1,871	98	1,969	- 1		0		O	253	253	
1976	145	2,493	0	2,493	2,638	2	,356	0	150	2,506	132	2,638	- !		0		0	155	289	
1977	431	2,947	0	2,947	3,378	2	,723	64	423	3,209	169	3,378	- 1	244	0		0	70	314	
1978	375	2,551	0	2,551	2,926	2	409	0	371	2,780	146	2,926	- 1		0		0	75	375	
1979	289	1,894	0	1,894	2,183		-	0	290	2,074	109	2,183	- 1		0		C	147	497	
1980	281	1,192	0		1,473	1	,116	0	283	1,399	74	1,473	1		0		O	220	595	
1981	282	716	0	716	998	П	663	0	285	948	50	998	1		0		0	304	679	
1982	321	1,112	0	1,112	1,433	1	,038	0	323	1,361	72	1,433	- 1		0		0	386	761	
1983	106	1,211	0	1,211	1,317	1	,131	0	120	1,251	66	1,317	1		0		0	466	841	
1984	236	699	0	699	935	П	644	0	244	888	47	935	1		0		0	525	925	
1985	314	679	0	679	993		624	0	319	943	50	993	- 1		0		O	565	1,015	
1986	229	760	0	760	989	П	700	0	239	940	49	989	I		0		O	509	1,109	
1987	89	1,155	0	1,155	1,244	1	638	0	543	1,182	62	1,244	1		0		O	554	1,204	
1988	4	2,047	0	2,047	2,051	I	524	0	1,424	1,948	103	2,051	- 1		0		0	650	1,300	
1989	685	3,746	0	,	4,431		,146	0	3,064	4,209	222	4,431		1,058	0		0	1,636	2,694	
1990	492	8,578	2,977	•	6,093		978	0	4,810	5,788	305	6,093	- 1	1,567	0		0	2,160	3,727	
1991		16,621	7,142	-	9,935		851	0	8,587	9,438	497	9,935	ŀ		0		O	2,272	3,554	
1992	527	13,486	4,893	8,593	9,120		29	0	8,635	8,664	456	9,120		1,323	0		245	2,385	3,953	
1993	524	7,287	1,894	5,393	5,917	П	36	0	5,585	5,621	296	5,917	- 1	1,709	990	(285)	192	2,020	4,626	
1994	232	10,082	2,932	7,150	7,382	П	0	0	7,013	7,013	369	7,382	- 1	2,687	2,465	694	О	C	5,846	
1995	182	11,539	6,914	4,625	4,807	1	16	0	4,551	4,567	240	4,807	- 1	2,154	1,357	2,551	O	0	6,062	
1996	299	11,730	6,770	4,960	5,259	1	0	0	4,996	4,996	263	5,259	1	2,979	2,473	520	0	0	5,972	
1997	408	5,093	1,809	3,284	3,692	1	0	0	5,226	5,226	(1,534)	3,692	- 1	3,126	2,319	882	0	O	6,327	
1998	240	6,609	1,492	5,117	5,357	1	0	0	5,090	5,090	267	5,357	- 1	2,949 5	/ 2,139	2,374	O	0	7,462	
1999	669	7,118	2,719	4,327	4,996	I	0	0	4,746	4,746	250	4,996	ı	3,741 5	/ 3,070	1,063	0	0	7,874	

^{1/} Does not include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

^{2/} Figures are 95% of water pumped and imported to allow for 5% loss

^{3/} Figures are 95% of water pumped and imported to allow for 5% loss

^{4/} Unaccounted for Export

^{5/} Includes1,159 AF of sewage diverted to RCWD

TABLE B-2

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

PRODUCTION										USE						
WATER YEAR	WELLS	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	AREA	BROOK SMRW IMPORT 1/	TOTAL SMRW IMPORT	TOTAL PRODUCTION	ı	AG	COMM/	TOTAL IN SMRW	LOSS /2	TOTAL USE IN SMRW			
1966	176	11,169	0	11,169	3,351	3,351	3,404	- 	2,735	328	3,063	341	3,404			
1967	16	9,508	0	9,508	2,852	2,852	2,857	11	2,253	319	2,572	285	2,857			
1968	13	11,411	0	11,411	3,423	3,423	3,427	11	2,554	531	3,085	342	3,427			
1969	178	9,458	0	9,458	2,837	2,837	2,891	Ħ	1,787	814	2,601	290	2,891			
1970	305	11,794	0	11,794	3,538	3,538	3,630	İİ	2,649	617	3,266	364	3,630			
1971	7	11,350	0	11,350	3,405	3,405	3,407	Ш	2,386	681	3,067	340	3,407			
1972	0	13,054	0	13,054	3,916	3,916	3,916	11	2,749	775	3,524	392	3,916			
1973	0	10,610	38	10,572	3,172	3,210	3,210	П	2,156	732	2,888	322	3,210			
1974	0	12,911	134	12,777	3,833	3,967	3,967	11	2,703	868	3,571	396	3,967			
1975	0	11,492	213	11,279	3,384	3,597	3,597	П	2,420	816	3,236	361	3,597			
1976	0	13,147	431	12,716	4,196	4,627	4,627	ΪÌ	3,200	965	4,165	462	4,627			
1977	20	13,435	587	12,848	4,625	5,212	5,232	ΪĹ	3,536	1,174	4,710	522	5,232			
1978	97	12,626	651	11,975	4,551	5,202	5,299	II	3,504	1,265	4,769	530	5,299			
1979	187	12,865	961	11,904	4,762	5,723	5,910	II	3,820	1,498	5,318	592	5,910			
1980	192	13,602	1,191	12,411	5,213	6,404	6,596	П	4,258	1,678	5,936	660	6,596			
1981	87	16,878	1,994	14,884	6,549	8,543	8,630	П	5,688	2,144	7,832	798	8,630			
1982	0	13,270	1,805	11,465	5,274	7,079	7,079	II	4,614	1,862	6,476	603	7,079			
1983	0	12,298	1,969	10,329	4,751	6,720	6,720	П	4,320	1,871	6,191	529	6,720			
1984	0	15,429	2,609	12,820	5,897	8,506	8,506	Ш	5,814	2,077	7,891	615	8,506			
1985	0	14,256	2,358	11,898	5,473	7,831	7,831	11	5,187	2,135	7,322	509	7,831			
1986	0	15,383	2,794	12,589	5,791	8,585	8,585	Ш	5,698	2,319	8,017	568	8,585			
1987	0	15,313	2,986	12,327	5,670	8,656	8,656	ΪĹ	5,793	2,281	8,074	582	8,656			
1988	28	14,460	2,559	11,901	5,474	8,033	8,061	11	5,181	2,348	7,529	532	8,061			
1989	94	16,179	3,007	13,172	6,059	9,066	9,160	11	5,620	2,706	8,326	834	9,160			
1990	15	17,568	3,745	13,823	6,358	10,103	10,118	II	6,275	2,878	9,153	965	10,118			
1991	46	13,939	2,871	11,068	5,091	7,962	8,008	П	5,146	2,314	7,460	548	8,008			
1992	45	13,698	2,950	10,748	4,943	7,893	7,938	İĹ	5,285	2,201	7,486	452	7,938			
1993	86	12,695	2,010	10,685	4,915	6,925	7,011	H	4,329	2,349	6,678	333	7,011			
1994	83	13,124	2,246	10,878	5,004	7,250	7,333	ΪĹ	4,282	2,666	6,948	385	7,333			
1995	3	11,620	2,208	9,412	4,330	6,538	6,541	ii	3,818	2,798	6,316	225	6,541			
1996	0	14,168	2,733	11,435	5,260	7,993	7,993	ΪÌ	4,411	3,247	7,658	335	7,993			
1997	0	14,005	2,688	11,317	5,206	7,894	7,894	ii	4,351	3,249	7,600	294	7,894			
1998	0	11,757	1,803	9,954	4,579	6,382	6,382	ii	3,245	2,798	6,043	339	6,382			
4000	•	44.007	4 570	40 705	E 050	7.400	7 400	::		0.074						

^{/1} Total SMRW production equals SMRW Import plus 30% local (1966-1971)

0 14,307 1,572 12,735

1999

5,858 7,430 7,430 || 3,748 3,271 7,019 411

7,430

TABLE B-3

SANTA MARGARITA RIVER WATERSHED ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	TOTAL WASTEWATER PRODUCTION	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER FROM U.S.N.W.S.	WASTEWATER EXPORTED FROM SMRW	PERCENT WASTEWATER FROM SLR WATERSHED 1/	WASTEWATER IMPORTED FROM SLR WATERSHED
1966	395	81	320	0	0	19	75
1967	460	80	368	0	0	20	92
1968	524	80	419	0	0	20	105
1969	588	79	465	0	0	21	123
1970	652	78	509	0	0	22	143
1971	717	78	559	0	0	22	158
1972	782	77	602	0	0	23	180
1973	847	76	644	0	0	24	203
1974	912	75	684	0	0	25	228
1975	976	75	732	0	0	25	244
1976	1,040	74	770	0	0	26	270
1977	1,105	73	807	0	0	27	298
1978	1,170	72	842	0	0	28	328
1979	1,234	72	888	0	0	28	346
1980	1,298	71	922	0	0	29	376
1981	1,363	70	954	0	0	30	409
1982	1,428	69	985	0	0	31	443
1983	1,492	69	1,029	26 E	1,003	0	0
1984	1,556	68	1,058	26 E	1,032	0	0
1985	1,621	67	1,086	26 E	1,060	0	0
1986	1,685	66	1,112	18 P	1,094	0	0
1987	1,750	66	1,155	27	1,128	0	0
1988	1,815	65	1,180	25	1,155	0	0
1989	1,881	64	1,204	22	1,182	0	0
1990	1,952	66	1,298	27	1,271	0	0
1991	1,622	60	973	11	962	0	0
1992	1,730	63	1,090	7	1,083	0	0
1993	2,051	62	1,271	16	1,255	0	0
1994	1,834	58	1,073	5	1,068	0	0
1995	1,941	60	1,165	12	1,153	0	0
1996	1,799	58	1,040	5	1,035	0	0
1997	1,780	58	1,027	6	1,021	0	0
1998	2,297	65	1,490	8	1,482	0	0
1999	2,175	64	1,382	5	1,377	0	0

NOTE: Measured quantities available for Total Wastewater in Water Year 1969 and July 1989 All other quantities are estimated (1966 - 1989)

Prior to 1983, Wastewater was discharged into Fallbrook Creek. After 1983, Wastewater is discharged into an ocean outfall

^{1/ -} San Luis Rey Watershed

E - Estimated

P - Partial Year Data

TABLE B-4

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

MURRIETA COUNTY WATER DISTRICT

	PRODUCTION	<u> </u>		USE								
WATER YEAR	WELLS		WELLS		AG	сомм	DOM	TOTAL DELIVERED	Loss •	TOTAL USE		
1966	41	11	0	0	37	37	4	41				
1967	45	ii	0	0	41	41	4	45				
1968	54	ii	0	0	49	49	5	54				
1969	54	ii	0	0	49	49	5	54				
1970	73	ii.	0	0	66	66	7	73				
1971	83	11	3	0	72	75	8	83				
1972	111	II	10	0	91	101	10	111				
1973	92	Ш	11	0	72	84	8	92				
1974	132	Ш	14	0	107	120	12	132				
1975	153	11	18	0	121	139	14	153				
1976	117	П	22	0	84	106	11	117				
1977	170	Ш	21	0	134	155	15	170				
1978	169	Ш	19	0	135	154	15	169				
1979	197	- 11	19	0	160	179	18	197				
1980	218	11	20	0	178	198	20	218				
1981	265	П	30	0	211	241	24	265				
1982	230	Ш	21	0	188	209	21	230				
1983	216	-11	14	0	182	196	20	216				
1984	304	11	26	0	250	276	28	304				
1985	308	П	19	0	261	280	28	308				
1986	305	Ш	22	0	255	277	28	305				
1987	326	-11	23	0	273	296	30	326				
1988	303	-11	13	35	262	275	28	303				
1989	286	Ш	11	72	262	344	(4)	340				
1990	465	Ш	13	76	266	355	110	465				
1991	459	- 11	15	88	250	353	106	459				
1992	492	-11	6	122	302	430	62	492				
1993	508	Ш	4	105	323	432	76	508				
1994	512	Ш	10	103	324	437	75	512				
1995	521	Ш	12	86	312	420	101	521				
1996	629	11	88	110	373	571	58	629				
1997	638	Ш	76	96	379	551	87	638				
1998	603	H	79	87	349	515	88	603				
1999	827	11	79	125	548	752	75	827				

^{*} Loss = Total production less total delivered

TABLE B-5

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

PRODUCTION	USE
------------	-----

WATER YEAR	LOCAL	IMPORT TO DISTRICT	TOTAL IN WATERSHED 1/		AG 2/	COMMERCIAL/ DOMESTIC 3/	TOTAL DELIVERIES	LOSS 4/	TOTAL USE
1966	0	14,538	1,308	Ш	1,049	140	1,189	119	1,308
1967	0	12,167	1,095	П	878	117	995	100	1,095
1968	0	15,301	1,377	11	1,104	147	1,252	125	1,377
1969	0	13,917	1,253	11	1,005	134	1,139	114	1,252
1970	0	18,764	1,689	Π	1,354	181	1,535	154	1,689
1971	0	18,338	1,650	11	1,324	177	1,500	150	1,650
1972	0	22,633	2,037	П	1,634	218	1,852	185	2,037
1973	0	17,955	1,616	Н	1,296	173	1,469	147	1,616
1974	0	22,768	2,049	П	1,643	219	1,863	186	2,049
1975	0	13,856	1,247	11	1,000	133	1,134	113	1,247
1976	0	24,878	2,239	11	1,796	240	2,035	204	2,239
1977	0	26,038	2,343	11	1,879	251	2,130	213	2,343
1978	0	24,312	2,188	Н	1,755	234	1,989	199	2,188
1979	0	26,084	2,348	П	1,883	251	2,134	213	2,347
1980	0	27,660	2,489	П	1,997	266	2,263	226	2,489
1981	0	35,036	3,153	Н	2,529	337	2,866	287	3,153
1982	0	27,334	2,460	Π	1,973	263	2,236	224	2,460
1983	0	24,957	2,190	11	1,735	256	1,991	199	2,190
1984	0	32,526	3,068	11	2,483	306	2,789	279	3,068
1985	0	28,612	3,410	11	2,798	302	3,100	310	3,410
1986	0	29,023	2,945	Ш	2,353	324	2,677	268	2,945
1987	0	29,449	3,390	Ш	2,765	317	3,082	308	3,390
1988	0	29,070	2,985	Ш	2,372	342	2,714	271	2,985
1989	0	32,034	3,003	П	2,385	345	2,730	273	3,003
1990	0	34,612	3,818	11	3,003	468	3,471	347	3,818
1991	0	27,754	2,904	П	2,276	364	2,640	264	2,904
1992	0	26,056	2,277	11	1,877	193	2,070	207	2,277
1993	0	23,766	1,965	П	1,655	132	1,787	178	1,965
1994	0	22,173	1,651	П	1,368	133	1,501	150	1,651
1995	0	20,935	1,661	П	1,398	112	1,510	151	1,661
1996	0	24,835	1,815	Н	1,487	163	1,650	165	1,815
1997	0	24,638	1,429	11	1,139	160	1,299	130	1,429
1998	0	19,693	1,601	11	1,315	141	1,456	145	1,601
1999	0	24,961	1,727	П	1,411	159	1,570	157	1,727

^{1/ 1966} through 1982 estimated to be 9% of total district imports

^{2/ 1966} through 1982 estimated to be 80.2% of total deliveries to watershed

^{3/ 1966} through 1962 estimated to be 10.7% of total deliveries to watershed

^{4/} Loss = 10% of use

TABLE B-6

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT Quantities in Acre Feet

WED	MURRIETA CREEK DISCHARGE 4/	1,170 00 00 00 00 00 00 00 00 00 00 00 00 0	5
RECLAIMED WASTEWATER	REUSE IN DIS	2,284 2,284 2,386 337 2,284 2,284 2,284 2,284 2,386 3,	(c) +7c'ı
		=======================================	=
	LOSS TOTAL	5.44 5.44	15,63
			,ופ,ו
	TOTAL USE	45,193 47,401 47,401 54,207 56,570 66,570 57,143	070'1
	IMPORT RECHARGE	2,294 000000000000000000000000000000000000	6,425
USE	SMR VAIL RELEASE RECHARGE	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	olo,
	SMR Release	852 902 765 683 519 467 2,148 2,978	-C44
	MOM		5,510
	СОММ	3 3 3 4 6 2 2 4 4 6 6 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5	
	AG	25,553 27,643 27,643 32,924 33,925 33,937 38,287 38,287 38,287	3/,13/
	TOTAL	185 185 185 185 185 185 185 185 185 185	15,231
	IMPORT 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35,49
PRODUCTION	VAIL IRRIGATION 1/	25. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	>
PRODI	, w	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	טיט,ר
	S WELLS VAIL OUT RELEA	000000000000000000000000000000000000000	>
	WELLS IN IN GWA	4,288 6,721 7,726 6,721 10,357 10,153 10,357 11,371 11,371 11,371 12,621 12,631 12,631 13,735 26,837 26,837 26,837 26,837 38,735	31,131
	YEAR	1966 1968 1967 1970 1971 1973 1974 1976 1976 1978 1985 1985 1985 1986 1987 1988 1987 1988 1989 1989 1989 1989	333

^{1/} Figures from 1966 to 1972 supplied by USGS: 1972 to 1996 supplied by RCWD 2/ Total production = Wells, Total Diversions and Import 3/ Loss = Total production less total use

* Revision

^{4/} Discharge from 2MGD Demonstration Project 5/ Does not include EMNVD reclaimed wastewater production * - Irrigation 1966 to 1976 by pumping from Vail Lake

TABLE B-7

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON EXCLUDING NAVAL WEAPONS STATION SHOWN ON B-8

	PRODUCTION					USE							RECLAIMED WASTEWATER			
WATER YEAR		CAMP SUPPLY	TOTAL		AGRICUL IN SMRW	TURE 1/ OUT SMRW	CAMP: IN SMRW	SUPPLY 2/ OUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW		RECHARGED IN-SMR 4/		TOTAL RECHARGED IN SMRW		
1966	1,101	4,605	5,706	- 	429	672	2,026	2,579	3,251	2,455	- -	919	974	1,893		
1967	796	4,811	5,807	11	310	486	2,117	2,694	3,180	2,427	H	914	1,243	2,156		
1968	986	4,939	5,925	ÌÌ	385	801	2,172	2,767	3,368	2,557	11	866	1,214	2,080		
1969	940	4,821	5,761	ÌÌ	367	573	2,058	2,763	3,276	2,485	П	1,019	1,170	2,189		
1970	1,106	5,461	6,587	11	431	675	2,347	3,134	3,809	2,778	П	1,032	1,113	2,145		
1971	819	5,291	6,110	П	319	500	2,264	3,028	3,527	2,583	ΠÌ	921	1.090	2,011		
1972	817	5,323	6,140	Ĥ	319	498	2,278	3,045	3,543	2,597	ii		1,168	2,068		
1973	1,003	5,121	6,124	П	391	612	2,189	2,932	3,544	2,580	11	949	1,187	2,137		
1974	909	5,202	6,111	П	355	554	2,224	2,978	3,532	2,579	II	915	1,140	2,055		
1975	757	4,593	5,350	П	295	462	1,957	2,636	3,098	2,252	11	989	1,530	2,519		
1976	885	5,384	6,269	ii	345	540	2,305	3,079	3,619	2,650	II	949	1,497	2,447		
1977	994	4,506	5,500	H	368	606	1,918	2,588	3,194	2,306	ij		1,416	2,358		
1978	176	5,177	5,353	П	69	107	2,213	2,964	3,071	2,282	11	1,164	1,283	2,446		
1979	1,070	7,213	8,283	Ĥ	417	653	3,109	4,104	4,756	3,527	ii	1,065	1,427	2,493		
1980	835	5,495	6,330	П	326	509	2,353	3,142	3,651	2,679	ΪÌ		1,405	2,506		
1981	1,464	5,240	6,704	11	571	893	2,241	2,999	3,892	2,812	H	1,119	1,249	2,368		
1982	1,447	5,024	6,471	II	564	883	2,146	2,878	3,761	2,710	Н	982	1,273	2,254		
1983	942	4,215	5,157	П	367	575	1,790	2,425	3,000	2,157	П	1,252	1,242	2,494		
1984	1,078	4,501	5,579	П	420	658	1,916	2,585	3,243	2,336	П		1,120	2,443		
1985	1,069	4,764	5,833	11	417	652	2,039	2,725	3,377	2,456	11	1,419	1,200	2,619		
1986	953	4,807	5,760	Ü	372	561	2,062	2,745	3,326	2,434	ii	1,259	981	2,240		
1987	1,098	4,838	5,936	Ĥ	428	670	2,064	2,774	3,444	2,492	II	1,367	1,799	3,168		
1988	1,223	4,721	5,944	П	477	746	2,010	2,711	3,457	2,487	П	1,523	1,872	3,396		
1989	856	5,044	5,900	П	334	522	2,148	2,896	3,418	2,482	11	1,301	1,446	2,747		
1990	855	4,228	5,083	П	333	522	1,779	2,449	2,971	2,112	Н	1,277	1,451	2,728		
1991	554	3,159	3,713	П	216	338	1,329	1,830	2,168	1,545	П	1,070	1,219	2,289		
1992	898	3,254	4,152	II	350	548	1,376	1,878	2,426	1,726	П	933	1,548	2,481		
1993	1,067	2,879	3,946	П	416	651	1,201	1,678	2,329	1,617	11		1,926	2,975		
1994	1,471	3,150	4,621	11	574	897	1,345	1,805	2,702	1,919	II	1,034	1,501	2,535		
1995	985	3,768	4,753	II	384	601	1,588	2,180	2,781	1,972	ii	-	1,473	2,453		
1996	1,000	5,199	6,199	II	390	610	2,232	2,967	3,577	2,622	II	951	1,493	2,444		
1997	1,066	5,238	6,304	Ï	416	650	2,244	2,994	3,644	2,660	ii		1,932	2,920		
1998	1,026	5,468	6,494	Ϊİ	400	626	2,352	3,116	3,742	2,752	ii	935	2,073	3,008		
1999	1,064	5,054	6,118	II	415	649	2,145	2,909	3,558	2,560	II	893	2,130	3,023		

^{1/} Agricultural water use is divided with 39% used inside the SMRW and 61% used outside.

^{2/} Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, less the NWS Import for years beginning 1969. Prior to 1969 44% was used inside the SMRW and 56% was used outside.

^{3/} Assumes No Losses

^{4/} Wastewater Recharged in SMR equals effluent from Plants 3, 8 and 13 (partial).

^{5/} Wastewater Import Recharged in SMRW equals effluent from Plant 1 plus the portion of the effluent from Plant 2 returned to the SMRW via Pond 2 plus the portion of the effluent from Plant 13 not included in 4/.
No record available for effluent from Plant 2 returned to SMRW for 1966-1974 and 1982 - June 1990.
Calculation of import recharged in Santa Margarita River from Plant 2 is based on zero when no record is available.

TABLE B-8

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

Quantities in Acre Feet

		PRODUCTION				US	E			WASTEWATER
WATER YEAR	LOCAL	IMPORT TO WATERSHED 1/	TOTAL		AG	COMMERCIAL DOMESTIC	LOSS 2/	TOTAL USE		EXPORTS
				•						
1966	87	0	87	11	0	79	9	87	П	0
1967	92	Ö	92	ii	ō	83	9	92	ii	Ö
1968	108	0	108	ii	Ō	97	11	108	ii	Ö
1969	138	0	138	ii	Ō	113	25	138	ii	Ö
1970	152	0	152	ii	0	125	27	152	ii.	0
1971	39 P	76 E	115	11	0	100	15	115	ii	0
1972	0	115 E	115	Ш	0	105	10	115	ii	0
1973	0	115 E	115	ii	0	105	10	115	ii	0
1974	0	115 E	115	П	0	105	10	115	ii	0
1975	0	115 E	115	П	0	105	10	115	ii.	0
1976	0	115 E	115	11	0	105	10	115	İİ	0
1977	0	115 E	115	H	0	105	10	115	П	0
1978	0	115 E	115	Н	0	105	10	115	II	0
1979	0	115 E	115	Ш	0	105	10	115	ΪĹ	0
1980	0	115 E	115	П	0	105	10	115	ii.	0
1981	0	115 E	115	П	0	105	10	115	ii.	0
1982	0	115 E	115	[]	0	105	10	115	İİ	0
1983	0	115 E	115	11	0	105	10	115	H	26 E
1984	0	115 E	115	11	0	105	10	115	II	26 E
1985	0	102	102	П	0	93	9	102	II	26 E
1986	0	94	94	H	0	85	9	94	ΪĹ	18 P
1987	0	116	116	П	0	105	11	116	H	27
1988	0	120	120	Π	0	109	11	120	H	25
1989	0	128	128	11	0	116	12	128	П	22
1990	0	145	145	П	0	132	13	145	\prod	27
1991	0	109	109	Ш	0	99	10	109	H	11
1992	0	99	99	Ш	0	90	9	99	11	7
1993	0	117	117	П	0	106	11	117	П	16
1994	0	73	73	11	0	6 6	7	73	П	5
1995	0	125	125	11	0	114	11	125	П	12
1996	0	100	100	П	0	91	9	100	ΪĹ	5
1997	0	109	109	11	0	99	10	109	П	6
1998	0	97	97	Ħ	0	88	9	97	П	8
1999	0	111	111	11	0	101	10	111	ii	5

^{1/ -} Estimate 1969-1984 - Records not available

^{2/ -} Loss = 10% of Use

E - Estimate

P - Partial year data

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1998-99

APPENDIX C SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

AUGUST 2000

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC, FT
AGUANGA GROU	NDWATER AREA							
Clawson, Gary A.	43425 Sage Road	917-050-009	309.74	Total				
	Aguanga, Ca. 92536	917-050-007	82.19	1				
		581-070-013	43.10	of				
		581-150-013	120.56	1				
		581-150-016	25.37	1				
		581-070-014	158.08	30.00	Alfalfa	8S/1E-7N(1)	Total	
						8S/1E-7N(2)	of	
						8S/1E-7Q(1)	Ι	
						8S/1E-7Q(2)	90.00	
Kamala Nahua	42551 Hwy 79	583-040-028	25.52	Totai				
Kamata, Nobuo and Osamu	Aguanga, Ca. 92536	583-040-029	19.89	Iolai		8S/1E-19K	79,40	
and Osamu	Aguanga, Ca. 92556	303-040-029	19.09	of Of		8S/1E-19G4	75.40	
		583-040-024	23.46	01		03/12-13-34		
		583-040-025	23.12	46.00	Oats			
		583-040-026	23.16	and	Cais			
		583-040-027	22.64	20.00	Pasture			
		000 010 021	22.01	22.22		8S/1E-29L Divers	sion	88.00
Strange, Owen W.	m/t P.O. Box 1974	583-040-022	97.78	Total		85/1E-19Q(1)	150.00	
and Elizabeth G.	Rancho Santa Fe,	583-040-021	13.45	1			Domestic	
Trustees, Strange	Ca. 92067	583-130-001-3	80.00	of				
Living Trust	43023 Hwy 79	583-120-001-2	120.00	I	Alfalfa, and			
of 4-15-88	Aguanga, CA 92536	583-060-003-9	41.60	90.00 F	Permanent pastu	re 85/1E-29L Divers	ion	250.00
				<u>-</u>		03/ 1E-29L DIVEIS	SIOII	250.00
Twin Creek Ranch/	c/o Jim Holden	583-120-081	17.29	15.00	Small Grains			
Chester M. Mason	P. O. Box 519	583-120-083	68.09	65.00	Small Grains	8S/1E-28N1	Total	
Family Trust	Corona, Ca. 91718					8S/1E-28N(2)	I	
	44201 Hwy 79 Aguanga						1	
	44735 Hwy 79 Aguanga	583-120-084	179.39	30.00	Small Grains	8S/1E-29H	of	
		583-150-001	80,00	15.00	Row Crops		ļ	
		### 4 / P # 2 :		15.00	Small Grains	DD/45 655	!	
		583-140-014	48,03	15.00	Row Crops	8S/1E-33F	!	
		583-140-015	40.00	35.00	Row Crops	85/1E-33G1		
		583-140-016	40.00	38.00	Small Grains	8S/1E-33B	553. 00	
		583-140-018 583-140-020	10.09 10.15	0.00 0.00				
		583-140-020 583-140-019	10.15	0.00				
Vrieling, Gerrit J. and Betty J.	m/t 15015 Cheshire La Mirada, Ca. 90638 45195 Hwy 371 Aguanga	583-240-022	10.00	9,00	Pistachios	8S/1E-23N	9.90	

SANTA MARGARITA RIVER WATERSHED SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	PRODUCTION I	SURFACE DIVERSION AC. FT
AGUANGA GROU	NDWATER AREA (Cont)						
Harris, Homer N.	44444 Sage Road	581-160-014	17.73	Totel Of		8S/1E-18J(1)	0.20	
and Dolores G.	Aguanga, CA 92536			15,00	Citrus	8S/1E-18J(2)	0.25	
		581-160-015	7.42	5.00	Fruit and	` '		
		581-150-009	7.00	10.00	Walnuts	8S/1E-18H(1)	2.00	
						8S/1E-18H(2)	0.20	
		581-180-022	30.00	0.00				
		581-180-004	20.00	0.00				
		581-180-020	20.00	0.00		8S/1E-17M		
		581-180-021	2.15			8S/1E-17E	15.00	
Valeywida Recreation	901 W. Esplanada Ave	581-170-009	7.82	7.82	Grass	Used 8S/1E-17E	owned by Harris	
and Parks District	San Jacinto, CA 92582	_						
Missionary Foundation,	44350 Sage Road	581-170-011	290.03	100.00	Row Crops	8S/1E-17B	0.00	
Inc.	Aguanga, CA 92536			(Irrigated by Dive	ersion)	8S/1E-17H	Domestic	
	m/t 5160 Acadia Drive	581-180-009	120.00	0.00	•			
	Riverside, CA 92505	581-190-001	320.00	0.00				
		581-070-005	640.00	0.00		8S/1E-9Q - Dive	rsion	200.00
California Golf	43590 Sage Road	581-120-006	200.00	0.00		8S/1E-8K2	60.00	
Acadamy	Aguanga, CA 92536			5.00	Deciduous Fruit			
•	m/t 8762 Garden Grove Blv	đ.		8.00 8	Row Crops and G	Srapes		
	Suite #204				•	•		
	Garden Grove, CA 92844							

TOTAL AGUANGA GROUNDWATER AREA

573.82

959.95 538.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION : AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREI	EK ABOVE AGUANGA G	ROUNDWAT	ER AREA					
Agri-Empire, Inc.	m/l P. O. Box 490	113-090-01	377.07	Total				
	San Jacinto, CA 92383	113-090-03	21.46	1				
	,	113-090-05	541.22	i				
		113-100-01	389.81	i		9S/2E-11B - Dive	ersion	0.0
		113-130-01	150,09	i		9S/2E-17		
E - Estimated		113-140-03	196.54	of		9S/2E-16N2	238.00	
				Ī		9S/2E-16M	205.00	
				i		9S/2E-16F1	81.00	
				i		9S/2E-16N1	0.00	
				i		9S/2E-16F2	0.00	
				i		9\$/2E-16K - Dive	noian	54.0
		113-140-04	503.24	i			•	
		113-140-05	45.09	i				
		113-140-06	93.94	i				
		114-020-09	37.16	190.00	Potatoes			
		114-030-08	331.79	1	and	9S/2E-22	65.00	
		114-030-26	42.87	140.00	Oats			
* Land leased from	37126 Hwy 79	113-140-01 *	358.62	Total		9S/2E-16B(1)	Total	
Arlie W. and	Warner Springs, CA 92086			of		9S/2E-16B(2)	of	
Coral R. Bergman				1		9S/2E-16G	200.00	
		113-140-02 *	38.75	80.00	Potatoes			
		114-020-12	108.78	0.00				
		114-030-10	41.51	0.00				
		113-130-03	115.75	0.00				
		113-130-04	39.65	0,00				
Vard, Donald F.	38790 Highway 79	112-030-58	69.83	20.00	Bermuda	9S/1E-1Q(1)	240.00	
	Warner Springs, CA 92086			33.00	Grain/Grass	9S/1E-1Q(2)	Domestic	
		112-030-22	24.77	0.00				
		112-030-38	40	0		9S/1E-12A	Domestic	
		112-030-67	67.41	10.00	Oats/Sudan	Used 9S/1E-1Q(1)	
		112-030-58	160.00	0.00	Pasture	9S/1E-1M - Diver	roion	0.00

ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	IRRIGATED 98-99	CROP 98-99	LOCATION F TWP/RNG/SEC	RODUCTION AC. FT	SURFACE DIVERSION AC. FT
VE AGUANGA G	ROUNDWAT	ER AREA (C	Cont)				
l Monte, CA 91733 lighway 79	113-060-012	63.21	20.00	Bermuda Grass		38.00 on	38.00
· .	114-120-042	78.41	0.00		9S/2E-35D1 9S/2E-35D1		
	114-070-007	76.42	65.00	Polatoes	9\$/2E-27R1 9\$/2E-27R2 9\$/2E-27J	Total of 163.00	
	114-080-014 114-080-013	42.51 21.30	0.00 0.00				
	VE AGUANGA Gi 0 Sente Anita Ave 1 Monte, CA 91733 dighway 79 Springs, CA 92086 dighway 79 Springs, CA 92086	VE AGUANGA GROUNDWAT 0 Sente Anita Ave 1 Monte, CA 91733 dighway 79 Springs, CA 92086 dighway 79 Springs, CA 92086 114-070-007	0 Sente Anita Ave 113-060-012 63.21 I Monte, CA 91733 dighway 79 Springs, CA 92086 114-120-042 78.41 Springs, CA 92086 114-070-007 76.42	VE AGUANGA GROUNDWATER AREA (Cont) 0 Sente Anita Ave	VE AGUANGA GROUNDWATER AREA (Cont) 0 Sente Anita Ave	VE AGUANGA GROUNDWATER AREA (Cont) 0 Sente Anita Ave 113-060-012 63.21 20.00 Bermuda Grass 95/2E-7D 95/2E-7E - Diversional Di	VE AGUANGA GROUNDWATER AREA (Cont) 0 Sente Anita Ave

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK A ANZA VALLEY	ABOVE AGUANGA GRO	DUNDWATER	AREA		_	_		_
Greenwald, Alvin G.	6010 Wilshire Blvd #500	573-180-001	156,38	156.38 150.00 (Row Crops Grain Grown by A	7S/3E-17E Agri-Empire	825.52	
	Los Angeles, CA 90036	576-070-001	70.00	70.00	Pasture	7S/3E-20N	266,00	
Agri-Empire, Inc.	P.O. Box 490 San Jacinto, CA 92383							
	Section 8	573-090-005	45.17	40.00	Potatoes			
		573-100-002	27.79	25.00	Potatoes			
	Section 10	575-050-044	14.36	0.00				
		575-050-045	14.36	0.00			i	
		575-060-002	113.49	0.00		7S/3E-11N4	249.00	
	Section 13	575-100-037	57.80	0.00		7S/3E-11P3	132.00	
	Section 14	575-110-021	442.75	Total of		700E 44D4	205.00	
•	Section 14	575-110-021 575-110-027	143.75 54.45	Total of 200.00	Grain	7S/3E-14D1	205.00	
		575-310-002	39.09	0.00	Giain	7S/3E-14C2	229.00	
		575-310-011	80.00	0.00		10/JE-140Z	228.00	
		575-310-012	80.00	0.00				
		575-310-013	17.46	0.00				
		575-310-027	17.46	0.00				
	Section 15	575-080-014	9.92	Totel				
		575-080-015	4.35	1				
		575-080-017	9.75	I				
		575-080-018	10.13	I				
		575-080-019	31.29	of				
		575-080-021	20,00	ļ				
		575-080-022	20.00	!				
		575-080-024	20.00	[
		575-080-027 575-090-010	20.00 38.80	i 170.00	Potatoes			
	Section 17	573-180-011	39.74	35.00	Potatoes			
* Land leased from		573-200-004 *	18.24	Total				
Linus W. & Helen I	M. Miller	573-200-005 *	18.50	Grown				
P. O. Box 602		573-200-006 *	18.89	On				
Anza, CA 92306		573-200-007 °	18.88	Miller				
		573-200-008 *	18.31	Lease				
		573-200-009 *	36.40	ls				
		573-200-010 *	18.68	120.00	Potatoes			

CURRENT OWNER A	DDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
VILSON CREEK ABOVE AG	GUANGA GRO	DUNDWATER	AREA					
gri-Empire, Inc. (Cont)								
	ection 20	576-060-009	8.26	Total				
_		576-060-031	16.09	of				
		576-060-033	79.45	ī				
		576-060-037	41.41	i				
		576-070-003	80.00	i				
		576-070-005	116.57	105.00	Potatoes			
e	ection 21	576-080-003	133.72	Total of				
3.	ection 21	576-100-029	40.00	140.00	Grain			
* Land lagged from		576-110-001 *	160.00	40.00	Grain and			
* Land leased from		370-110-001	100.00	40.00	Potatoes			
Louise Phabe Hamilton Tr	.			40.00	rotatoes			
P. O. Box 102, Anza, CA 9230		E76 440 000	28.00	Total				
		576-110-002		of				
		576-110-004	50.00		Datatasa	70/25 0452	277.00	
		576-110-006	19.29	75.00	Potatoes	7S/3E-21R3	377.00	
		576-110-007	17.82	and .				
		576-110-008	17.00	20.00	0			
		576-110-009	18.41	80.00	Grain			
s	ection 22	575-120-012	68.03	Total				
		575-130-003	19.55	of				
		575-130-006	40.89	70.00	Grain			
		575-130-008	18.56	Total				
		575-130-009	20.06	of				
		575-130-010	20.07	ī				
		575-130-011	19.19	80.00	Grain			
		575-130-012	18.18	and				
		575-130-013	19.02	1				
		575-130-014	19.00	i				
		575-130-015	17.56	75.00	Potatoes			
* Leased from Emil & Anna Cal	ldwell	575-120-018*	20.45	Total				
and Laurine Silver		575-120-019*	20.45	1				
56925 Yucca Tri, Yucca Viy, CA	92284	575-120-032*	4.69	i				
55525 (4554 11), 14554 11), 51	. 02207	575-120-033*	4.68	of				
		575-120-034*	4.68	1				
		575-120-035°	4.28	60.00	Potetoes			
*Leased from Dionisios & Irini A	Armeroe	575-120-028°	4.68	Total				
2813 Monogram Ave, Long Bea		575-120-028*	4.68	of				
2013 MOROGRAM AVE, LONG BEA	IUI, UK 50013	575-120-029* 575-120-030*	4.68	1				
		575-120-030*	4.23	20.00	Potatoes			
_	ection 23	575-140-019	105.04	90.00	Grain			

576-130-001* 576-120-003* d Commercial Walls out of Watershed 85/3E-2A1 85/3E-2B1 85/3E-2D1 85/3E-2C1 85/3E-2C1 85/3E-2C1	640.00 640.00 ls Reported by Wells 7S/2E-14J1 7S/2E-14M2 7S/2E-14R1 7S/2E-23A1 7S/2E-23D1 7S/2E-23G1 7S/2E-23G1 7S/2E-23K1 7S/2E-23K1 7S/2E-23K1 7S/2E-23K1 7S/2E-23K1	80.00 80.00 80.00 Bureau of Indian of Strict and the Strict and th		7S/3E-28A2 (Formerly designate (as 7S/3E-27D1)	Total [
576-120-003° d Commercial Wells out of Watershed 85/3E-2A1 85/3E-2B1 85/3E-2D1 85/3E-2E1 85/3E-2G1	75/2E-14J1 75/2E-14J1 75/2E-14M1 75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1	80.00 Bureau of Indian a with QYAL end/c 78/2E-28Q1 78/2E-33C1 78/2E-33S1 78/3E-27C1 78/3E-27C1 78/3E-27H1 78/3E-27M1 78/3E-28A1 78/3E-28A2 78/3E-28D1	Oats Affeirs 7S/3E-31L2 7S/3E-34N1 7S/3E-34Q1 8S/2E-4N1 8S/2E-4N1 8S/2E-4N2 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1	(Formerly designate	Total: [
576-120-003° d Commercial Wells out of Watershed 85/3E-2A1 85/3E-2B1 85/3E-2D1 85/3E-2E1 85/3E-2G1	75/2E-14J1 75/2E-14J1 75/2E-14M1 75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1	80.00 Bureau of Indian a with QYAL end/c 78/2E-28Q1 78/2E-33C1 78/2E-33S1 78/3E-27C1 78/3E-27C1 78/3E-27H1 78/3E-27M1 78/3E-28A1 78/3E-28A2 78/3E-28D1	Oats Affeirs 7S/3E-31L2 7S/3E-34N1 7S/3E-34Q1 8S/2E-4N1 8S/2E-4N1 8S/2E-4N2 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1	(Formerly designate	Total: [
576-120-003° d Commercial Wells out of Watershed 85/3E-2A1 85/3E-2B1 85/3E-2D1 85/3E-2E1 85/3E-2G1	75/2E-14J1 75/2E-14J1 75/2E-14M1 75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1 75/2E-23H1	80.00 Bureau of Indian a with QYAL end/c 78/2E-28Q1 78/2E-33C1 78/2E-33S1 78/3E-27C1 78/3E-27C1 78/3E-27H1 78/3E-27M1 78/3E-28A1 78/3E-28A2 78/3E-28D1	75/3E-31L2 75/3E-34N1 75/3E-34N1 75/3E-34Q1 85/2E-4N1 85/2E-4N2 85/2E-4N2 85/2E-4R1 85/2E-4R1 85/2E-4R2 85/3E-5Q1	(Formerly designate	Total: [
Wells out of Watershed 8S/3E-2A1 8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14J1 75/2E-14M1 75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23F1 75/2E-23F1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23M1	with QYAL and/o 75/2E-28Q1 75/2E-33C1 75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	75/3E-31L2 75/3E-34N1 75/3E-34Q1 85/2E-4D1 85/2E-4N1 85/2E-4N2 85/2E-4P1 85/2E-4R1 85/2E-4R1 85/2E-4R2 85/3E-5Q1		Total [
Wells out of Watershed 8S/3E-2A1 8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14J1 75/2E-14M1 75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23F1 75/2E-23F1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23M1	with QYAL and/o 75/2E-28Q1 75/2E-33C1 75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	75/3E-31L2 75/3E-34N1 75/3E-34Q1 85/2E-4D1 85/2E-4N1 85/2E-4N2 85/2E-4P1 85/2E-4R1 85/2E-4R1 85/2E-4R2 85/3E-5Q1	(as 7S/3E-27D1)		
Wells out of Watershed 8S/3E-2A1 8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14J1 75/2E-14M1 75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23F1 75/2E-23F1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23M1	with QYAL and/o 75/2E-28Q1 75/2E-33C1 75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	75/3E-31L2 75/3E-34N1 75/3E-34Q1 85/2E-4D1 85/2E-4N1 85/2E-4N2 85/2E-4P1 85/2E-4R1 85/2E-4R1 85/2E-4R2 85/3E-5Q1			
Wells out of Watershed 8S/3E-2A1 8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14J1 75/2E-14M1 75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23F1 75/2E-23F1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23M1	with QYAL and/o 75/2E-28Q1 75/2E-33C1 75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	75/3E-31L2 75/3E-34N1 75/3E-34Q1 85/2E-4D1 85/2E-4N1 85/2E-4N2 85/2E-4P1 85/2E-4R1 85/2E-4R1 85/2E-4R2 85/3E-5Q1			
Watershed 8S/3E-2A1 8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	7S/2E-14J1 7S/2E-14M1 7S/2E-14M2 7S/2E-14R1 7S/2E-23D1 7S/2E-23D1 7S/2E-23G1 7S/2E-23H1 7S/2E-23K1 7S/2E-23K1 7S/2E-23M1 7S/2E-23M1	75/2E-28Q1 75/2E-33C1 75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	7S/3E-31L2 7S/3E-34N1 7S/3E-34Q1 8S/2E-4D1 8S/2E-4N1 8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1			
8S/3E-2A1 8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	7S/2E-14J1 7S/2E-14M1 7S/2E-14M2 7S/2E-14R1 7S/2E-23D1 7S/2E-23D1 7S/2E-23G1 7S/2E-23H1 7S/2E-23K1 7S/2E-23K1 7S/2E-23M1 7S/2E-23M1	75/2E-28Q1 75/2E-33C1 75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	7S/3E-31L2 7S/3E-34N1 7S/3E-34Q1 8S/2E-4D1 8S/2E-4N1 8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1			
8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14M1 75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23P1	7S/2E-33C1 7S/2E-33E1 7S/2E-33N1 7S/3E-27C1 7S/3E-27C2 7S/3E-27H1 7S/3E-27M1 7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	7S/3E-34N1 7S/3E-34Q1 8S/2E-4D1 8S/2E-4N1 8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1		! ! ! ! !	
8S/3E-2B1 8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14M1 75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23P1	7S/2E-33C1 7S/2E-33E1 7S/2E-33N1 7S/3E-27C1 7S/3E-27C2 7S/3E-27H1 7S/3E-27M1 7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	7S/3E-34N1 7S/3E-34Q1 8S/2E-4D1 8S/2E-4N1 8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1		 	
8S/3E-2D1 8S/3E-2E1 8S/3E-2G1	75/2E-14M2 75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23G1 75/2E-23K1 75/2E-23M1 75/2E-23M1 75/2E-23P1	75/2E-33E1 75/2E-33N1 75/3E-27C1 75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	7S/3E-34Q1 8S/2E-4D1 8S/2E-4N1 8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1			
8S/3E-2E1 8S/3E-2G1	75/2E-14R1 75/2E-23A1 75/2E-23D1 75/2E-23F1 75/2E-23G1 75/2E-23H1 75/2E-23K1 75/2E-23M1 75/2E-23P1	7S/2E-33N1 7S/3E-27C1 7S/3E-27C2 7S/3E-27H1 7S/3E-27M1 7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	85/2E-4D1 85/2E-4N1 85/2E-4N2 85/2E-4P1 85/2E-4R1 85/2E-4R2 85/3E-5Q1		 	
8S/3E-2G1	7S/2E-23A1 7S/2E-23D1 7S/2E-23F1 7S/2E-23G1 7S/2E-23H1 7S/2E-23K1 7S/2E-23M1 7S/2E-23P1	7S/3E-27C1 7S/3E-27C2 7S/3E-27H1 7S/3E-27M1 7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	8S/2E-4N1 8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1		 	
	78/2E-23D1 78/2E-23F1 78/2E-23G1 78/2E-23H1 78/2E-23K1 78/2E-23M1 78/2E-23P1	75/3E-27C2 75/3E-27H1 75/3E-27M1 75/3E-28A1 75/3E-28A2 75/3E-28D1	8S/2E-4N2 8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1		1 	
63/31-2111	7S/2E-23F1 7S/2E-23G1 7S/2E-23H1 7S/2E-23K1 7S/2E-23M1 7S/2E-23P1	7S/3E-27H1 7S/3E-27M1 7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	8S/2E-4P1 8S/2E-4R1 8S/2E-4R2 8S/3E-5Q1		 	
	7S/2E-23G1 7S/2E-23H1 7S/2E-23K1 7S/2E-23M1 7S/2E-23P1	7S/3E-27M1 7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	8\$/2E-4R1 8\$/2E-4R2 8\$/3E-5Q1			
	7S/2E-23H1 7S/2E-23K1 7S/2E-23M1 7S/2E-23P1	7S/3E-28A1 7S/3E-28A2 7S/3E-28D1	8S/2E-4R2 8S/3E-5Q1			
	7S/2E-23K1 7S/2E-23M1 7S/2E-23P1	7S/3E-28A2 7S/3E-28D1	8S/3E-5Q1		i	
	7S/2E-23M1 7S/2E-23P1	7S/3E-28D1				
	7S/2E-23P1		JU/ JU .		of	
		(S/3E-29C)			j.	
	7S/2E-23Q1	7S/3E-29M1			i	
	7S/2E-25C1	7S/3E-3OP1			i	
	7S/2E-25F1	7S/3E-3OQ1			i	
	7S/2E-25R1	7S/3E-3OR1			i	
	7S/2E-25E1	7S/3E-3OR2			i	
	7S/2E-25L1	7S/3E-3OR3			i	
	7S/2E-27A1	7S/3E-31C1			i	
	7S/2E-27H1	7S/3E-31F1			i	
	7S/2E-28N1	7S/3E-31L1			25.00	
		2,001.38			2,404.52	0.0
ROUNDWATER	AREA					
571-080-012 	80.00	50.00	Olive Trees	7\$/1E-20Q 	55.00 	
		50.00			55.00	0.0
		FOUNDWATER AREA 571-080-012 80.00	571-080-012 80.00 50.00	571-080-012 80.00 50.00 Olive Trees	571-080-012 80.00 50.00 Olive Trees 7\$/1E-20Q	571-080-012 80.00 50.00 Olive Trees 7S/1E-20Q 55.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEME	CULA GROUNDWATER	AREA						
Poyorena, Thomas J.	m/t 22145 Grand Ave Wildomer, CA 92395 21853 Palomar St.	369-510-022	18.79	14.00	Pasture	6S/4W-35P	53.20	
Temecula Ranchos	m/t 2100 Tulare St #405	952-240-001	429.43	378.46	Citrus	8S/2W-14P1	466.00	
c/o Chester Rowell	Fresno, CA 93271	952-230-002	48.92	41.20	Citrus	8S/2W-14F	233.00	
and Roger Rowell	45055 Rio Linda Road	943-230-001	109.34	107.00	Cilrus	7S/2W-26L	230.00	
	Rancho California Road	943-230-003	14.18	13.00	Citrus			
	La Serena Way	942-230-003	37.84	37.00	Citrus			
	Temecula, CA 92390	943-040-011	20.00	18.00	Citrus	7S/2W-28L	200.00	
		943-060-010	94.49	89.00	Citrus			
		943-060-011	26.50	29.00	Citrus			
Anza Grove	c/o McMillan Farm Mgt.	942-180-002	40.28	Total of				
	29379 Rancho Cal. Rd	942-240-003	40.83	155.00	Citrus			
	#201	942-240-004	40.83	and				
	Temecula, CA 92390	942-240-005	39.31	6.00	Grapes	7S/2W-26B1	181.00	
Bear Valley	c/o McMillen Farm Mgt.	904-050-080	17.51	0.00				
Vineyard Co., Ltd.	29379 Rencho Cal. Rd	904-030-021	90.12	90.00	Wina Grapes	7S/3W-18Q	139.00	
AND	#201	904-030-020	2.38	0.00				
Manley Bear Valley	Temecula, CA 92390	904-060-009	129.46	0.00				
Partners		904-060-008	48.00	36.00	Wine Grepes			
		904-060-010	153.47	0.00				
DiBemerdo, Louis J.	m/t 35925 Rancho Cal. Rd	917-240-015-7	20,00	Total				
,	Temecula, CA 92591	917-240-014-6	60.00	of				
	38695 Highway 79	917-150-006-1	120.00	160.00	Citrus and	8S/1W-21K(1)	Total	
	Warrier Springs, CA 92086	917-150-002-7	117.76	10.00	Apples	8S/1W-21K(2)	of	
					••	8S/1W-21P(1)	1	
						8S/1W-21P(2)	343.00	
Boots, Clydene	P. O. Box 321	909-090-019	16.66	14.00	Pasture			
,	Murrieta, CA 92362 25555 Washington Ave Murrieta, Ca. 92564	909-100-017				7S/3W-21P	60.00	

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEME	CULA GROUNDWATE	R AREA (Cont)					
Regency Properties	44051 Rainbow Cyn Rd.	922-220-002	86.11	Total		8S/2W-19(D)	340.91	
	Temecula, CA 92592	922-220-003	5.75	I				
		922-220-004	52.18	1				
		922-220-007	14.36	I				
		922-220-008	3.99	of				
		922-230-002	59.29	- 1				
		922-230-003	1.00	- 1				
		922-230-004	40.00	- 1				
		922-230-007	25.00	- 1				
		922-230-008	16.11	150.00	Grass			
Carson, David M.	25471 Hayes Ave	909-260-036	8.87	7.00	Pastura	7S/3W-29G	39.90	
end Carol J.		909-260-042 Commercial Well	4.31	3.50	Pasture Affairs		Total	
end Carol J.	ervation Domestic and	Commercial Well		Bureau of indian	Affairs			
	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of Indian	Affairs ils with			
end Carol J. Pechanga Indian Res	Privation Domestic and Wells in	Commercial Well	s Reported by	Bureau of Indian	Affairs			
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of Indian	Affairs ils with			
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We <u>QYAL an</u>	a Affairs ils with d/or QTOAL			
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We <u>QYAL an</u> 8S/2W-28J1	Affairs ils with d/or QTOAL 8S/2W-34B3			
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of Indian We <u>QYAL an</u> 8S/2W-28J1 8S/2W-28J2	Affairs ils with d/or QTOAL 8S/2W-34B3 8S/2W-34B4			
end Carol J. Pechanga Indian Resd	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 8S/2W-28J1 8S/2W-28J2 8S/2W-28P1	Affairs ils with d/or QTOAL 8S/2W-34B3 8S/2W-34B4 8S/2W-34C1		Total 	
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of Indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28P1 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4	85/2W-34B3 85/2W-34B4 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34C1 85/2W-34E1 85/2W-34F1		Total 	
end Carol J. Pechanga Indian Resd	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of Indian We QYAL en 85/2W-28J1 85/2W-28J2 85/2W-28P1 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6	85/2W-34B3 85/2W-34B4 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F1		Total 	
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of Indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7	85/2W-34B3 85/2W-34B4 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F2 85/2W-34F2		Total 	
end Carol J. Pechanga Indian Resd	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7 85/2W-28R1	85/2W-34B3 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F3 85/2W-34F2		Total 	
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7 85/2W-28R1 85/2W-29A1	85/2W-34B3 85/2W-34B4 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F2 85/2W-34F3 85/2W-34F3 85/2W-34F4		Total 	
end Carol J. Pechanga Indian Resd	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7 85/2W-28R1	85/2W-34B3 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F3 85/2W-34F2		Total 	
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7 85/2W-28R1 85/2W-29A1	85/2W-34B3 85/2W-34B4 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F2 85/2W-34F3 85/2W-34F3 85/2W-34F4	123.91	Total 	
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7 85/2W-28R1 85/2W-29A1	85/2W-34B3 85/2W-34B3 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34E1 85/2W-34F1 85/2W-34F3 85/2W-34F3 85/2W-34F4 85/2W-34F4		Total	
end Carol J. Pechanga Indian Resc	ervation Domestic and Wells in	Commercial Well Wells out of	s Reported by	Bureau of indian We QYAL an 85/2W-28J1 85/2W-28J2 85/2W-28Q1 85/2W-28Q2 85/2W-28Q4 85/2W-28Q6 85/2W-28Q7 85/2W-28R1 85/2W-29A1	85/2W-34B3 85/2W-34B3 85/2W-34B4 85/2W-34C1 85/2W-34C1 85/2W-34F1 85/2W-34F1 85/2W-34F3 85/2W-34F3 85/2W-34F4 85/2W-34F4		Total	

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION PRO TWP/RNG/SEC	WELL DDUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARI	TA RIVER BELOW GOR	GE		_				
DE LUZ CREEK								
Ezor, Albert E. and Sylvia L.	m/t 31421 Cavandish Dr. Los Angeles, CA 90064	101-271-17	47.79	8.00 2.00	Avocados Vegetables	8S/4W-29D(1) 8S/4W-29D(2)	25.00 Total	
Bryant, Warren and Lon	40724 DeLuz Rd Fallbrook, CA 92028	101-271-19 101-271-20	19.08 5.02	Total of		8S/4W-29E(1)	30.40 I	
		101-271-21 101-271-22	11.86 6.41	8.00	Pasture	8S/4W-29E(2)	Total	_
Prestininzi, Pete	2525 E. Mission Road	101-220-12	31.63					
and Dorothy N.	Fallbrook, CA 92028	101-210-53	50.44	12.00	Avocados	8S/4W-20A(1)	6.00	
	Richmond Truck Trail				and Citrus	8S/4W-20H(1)	6.00	
	and DeLuz Murrleta Road					8S/4W-20H(2)	6.00	
						8S/4W-20A(2)		
						8S/4W-20H(3) 8S/4W-20A - Diversio	_	18.0
						65/44V-2UA - DIVERSIO	<u> </u>	18.00
SJH Trust	41125 DeLuz Rd	101-210-11	15.23	8.50	Avocados	8S/4W-20Q(1)	21.35	
	Fallbrook, CA 92028			0.50	Citrus	8S/4W-20Q(2)	Total	
Herbel, John	41257 DeLuz Rd	101-210-12	30.28	10.00	Avocados	8S/4W-20Q(1)	Total	
and Jaraldine	Falibrook, CA 92028			18,00	Citrus	8S/4W-20Q(2)	of	
				2.00	Row crops	8S/4W-20Q(3)	66.20	
Wagner, Wilbur A.	41128 DeLuz	101-210-23	17.19	11.00	Avocados			
				3.00	Persimmons			
		101-210-22	4.55	3.00	Persimmons	8S/4W-20P(1)	0.00	
						8S/4W-20P(2)	0.00	
						8S/4W-20P(3)	31.00	
Chembers, Robert R.	m/t 11439 Laurelcrest Dr.	101-571-03	41.72	20.00	Flowers	8S/4W-28A	41.00	
end Clytia M.	Studio City, CA 91604 40888 DeLuz-Murrieta Rd.					8S/4W-28A - Diversio		3.00
Welburn, Douglas J. and Sue	40787 DeLuz Murrieta Rd. Falibrook, CA 92028	101-571-08	26.98	7.00	Row Crops	8S/4W-28G1	30.00	
	40751 DeLuz Murrieta Rd							_
Nezami, Mohammed	2193 Calle Rociada	101-312-02	58.17	45.00	Flowers	8S/4W-31K(1)	Total	
Bluebird Rench	Fallbrook, CA			5.00	Avocados	8S/4W-31K(2)	of	
	m/t P. O. Box 1089					8S/4W-31K(3)	Ī	
	Falibrook, CA 92088	101-312-01	82.29	42.00	Flowers	8S/4W-31L	162.18	
	-					8S/4W-31L - Diversio	n	31.4

ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99			SURFACE DIVERSION AC. FT
TA RIVER BELOW GOI	RGE (Cont)						
ont)							
39452 DeLuz Road Falibrook, CA 92028	101-312-03	80.00	15.00	Nursery Stock	8S/4W-31J(1) 8S/4W-31J(2) 8S/4W-31J(3)	25.00 6.00	
	102-052-04	22.04			8S/4W-6A	4.00	
		4.00					
Yorba Linda, CA 92887	102-731-02	4.26					
40555 Ross Road	101-430-27	2.73	Total of				
Fallbrook, CA 92028	101-430-30	16.39	5.00	Avocados			
	101-500-01	16.62	5,00	Limes			
	101-480-14	13.20	5.00	Persimmons	8S/4W-34- Lake Dive	rsion_	9.0
CREEK			205.00			460.13	61.4
P. O. Box 9551 No. Hollywood, CA 91609 40376 Sandie Creek Fallbrook, CA 92028	101-360-40	126.32	65.00	Avocados	8S/4W-25P(1) 8S/4W-25P(2) 8S/4W-25P(3) 8S/4W-25P(4) 8S/4W-25P(5) 8S/4W-25P - Diversion	on	325.0
A CREEK			66.00			0.00	325.0
A RIVER							
47981 Willow Glan Rd.	918-040-10	120.00	Total of 20,00	Citrus and Avocados	85/3W-33Q1 85/3W-33Q(2)	20.88 3.00	
Tamecula, CA m/t Louis Haberkern, Direct SDSU Foundation 5250 Campanile Dr., 4th Fl San Diego, CA 92182-198	ır.	40.00	20.00		8S/3W-33Q - Diversio		20.8
	TA RIVER BELOW GOR ont) 39452 DeLuz Road Falibrook, CA 92028 m/t 20664 Calle De La Lad Yorba Linda, CA 92887 40555 Ross Road Falibrook, CA 92028 CREEK P. O. Box 9551 No. Hollywood, CA 91609 40376 Sandia Creek Falibrook, CA 92028	PARCEL NO. TA RIVER BELOW GORGE (Cont) ont) 39452 DeLuz Road 101-312-03 Falibrook, CA 92028 102-052-04 m/t 20664 Calle De La Ladara Yorba Linda, CA 92887 102-731-02 40555 Ross Road 101-430-27 Falibrook, CA 92028 101-430-30 101-500-01 101-480-14 CREEK P. O. Box 9551 101-360-40 No. Hollywood, CA 91609 40376 Sandia Creek Falibrook, CA 92028 A CREEK	PARCEL NO. ACREAGE TA RIVER BELOW GORGE (Cont) ont) 39452 DeLuz Road 101-312-03 80.00 Falibrook, CA 92028 102-052-04 22.04 m/t 20664 Celle De La Ladera Yorba Linda, CA 92887 102-731-02 4.26 40555 Ross Road 101-430-27 2.73 Falibrook, CA 92028 101-430-30 16.39 101-500-01 16.62 101-480-14 13.20 CREEK P. O. Box 9551 101-360-40 126.32 No. Hollywood, CA 91609 40376 Sandia Creek Falibrook, CA 92028 A CREEK	ADDRESS ASSESSOR PARCEL IRRIGATED 98-99 TA RIVER BELOW GORGE (Cont) ont) 39452 DeLuz Road 101-312-03 80.00 15.00 Fallbrook, CA 92028 102-052-04 22.04 m/t 20664 Celle De La Ladera Yorba Linda, CA 92887 102-731-02 4.26 40555 Ross Road 101-430-27 2.73 Total of Fallbrook, CA 92028 101-430-30 16.39 5.00 101-500-01 16.62 5.00 101-480-14 13.20 5.00 CREEK 205.00 P. O. Box 9551 101-360-40 126.32 65.00 No. Hollywood, CA 91609 40376 Sandia Creek Fallbrook, CA 92028	ADDRESS ASSESSOR PARCEL IRRIGATED 98-99 FARCEL NO. ACREAGE 98-99 FAR	ADDRESS ASSESSOR PARCEL IRRIGATED CROP LOCATION PRI PARCEL NO. ACREAGE 98-99 TWP/RNG/SEC TA RIVER BELOW GORGE (Cont) Ont) 39452 DeLuz Road 101-312-03 80.00 15.00 Nursery Stock 85/4W-31J(1) 85/4W-31J(2) 85/4W-31J(2) 85/4W-31J(3) 85/4W-31	ADDRESS ASSESSOR PARCEL IRRIGATED CROP LOCATION PRODUCTION PARCEL NO. ACREAGE IRRIGATED CROP TWP/RNG/SEC AC. FT IA RIVER BELOW GORGE (Cont) Ont) 39452 DeLuz Road 101-312-03 80.00 15.00 Nursery Stock 85/4W-31J(1) 85/4W-31J(2) 25.00 85/4W-31

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 98-99	IRRIGATED CROP 98-99	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC, FT	SURFACE DIVERSION AC. FT
LOWER MURRIET	Α					_		
Robertson, Richard	m/t P. O. Box 7060	571-020-046	81.09	0.00				
and Janice	Hemet, CA 92545	571-020-047	40.80	0.00				
(Sage Ranch Nursery)	42525 E. Benton Rd.	571-020-048	38.75	0.00				
		571-020-049	148.86	40.00	Row Crops	7S/1E-7D	5.00	
		571-520-007	109.50	Total				
		571-520-008	99.43	- 1				
		571-520-009	80.23	of				
		571-520-010	78.20	1				
		470-210-007	53.62	i				
		470-220-004	121.00	400.00	Olive trees	7S/1E-7E - Diver	sion	90.00
Zamore, John and Linda	39800 E. Benton Rd. Temecula, CA 92390	915-120-18	37.74	10.00	Pasture	75/1W-10R(1) 75/1W-10R(2) 75/1W-10R(3) 75/1W-10R(4) 75/1W-10R(5) 75/1W-10R(6)	Total of 38.00 Domestic	
Borel, Ann and A. Ray Borel	37623 Leon Road Murrieta, CA 92363	914-770-003	109.30	15.00	Pasture	7S/2W-8P - Dive	rsion	5.00
TOTAL LOWER M	URRIETA			465.00			43.00	95.00
GRAND TOTAL				5,296.36			7,701.52	1,136.36
GRAND TOTAL	(Not including Indian Res			5,296.36			7,468.89	1,132.36

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 1998-99

APPENDIX D
WATER QUALITY DATA

AUGUST 2000

TABLE D-2

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical (Constitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Са	Mg	Na	К	CI	SO4	HCO	NO3
Temecuia Creek	03/13/87	890	575			76		68			<.1 @N
At Hwy 79	05/08/87	1180	750		_	115		78			<.1 @N
	09/04/87	1350	895		_	134		110			.2 @ N
	01/20/86	660	370			55		43		_	.2 @N
	03/31/99	_	820			_		_		_	1.9@N
	04/07/99	-	500		-	_	***	_		_	1.7@N
	04/14/99	•••	810		_			***	_		2.4@N
	04/21/99		780		_		_		_		2.4@N
	04/28/99		760		_		_		_		2.6@N
	05/05/99		740		_			_	_	_	2.9@N
	05/12/99	_	700			_		_		_	2.2 @ N
	05/19/99	_	760			_		_	-	_	2.0@N
	05/26/99	_	740					_			1.9@N
	06/02/99		730		_						2.3@N
	06/09/00	•••	720		_						2.2@N
	06/14/99		730	•••	_						2.1@N
	06/23/99	-	720		•	_					1.9@N
	06/30/99	_	820	_			_			_	1.1@N
	07/07/99	***	810		_	-			_		0.3@N
	07/14/99	•••	820		_		_				ND
	07/21/99		820		_		_		_		ND
	07/28/99	_	830					_			ND
	08/04/99	_	890	_	_		_	_			ND
	08/11/99	_	840					_		_	ND
	08/18/99	_	820	_				_			ND
	08/25/99		890			_					ND
	09/01/99	•••	840		_				_		ND
	09/08/99		830								ND
	09/15/99		850	_	_			_		_	ND
	09/22/99		830	_	_						ND
	09/29/99		850		-		_		_	-	ND
DeLuz Creek	08/21/86	1220	760	* 94	44	92	2	193	165	204	17
At Dios Rio Road	11/25/86	1200	740	92	42	92	4	175	195	146	39
A DIOS NIO NOGO	03/13/87	1090	670	5 2		85		165	195	140	4 @ N
	05/08/87	1130	700	_		94		200	_		
	09/04/87	1110	755			92		200 95	_		9 @ N
	01/20/88	1250	775	_	_	100		142			3.4 @N 11.7 @N

^{* -} Laboratory reported as 941

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	cd Chemical Constituents - mg/l								
	Tested	umhos	Solids (mg/l)	Ca	Mg	Na	K	CI	SO4	нсо	NO3
Sandia Creek at	08/21/86	1070	680	88	42	78	2	174	140	198	15
Buenos Campos	11/25/86	1130	685	92	44	73	2	165	150	207	16
	03/13/87	1130	660			73	_	160	_		2.7 @N
	05/08/87	1130	725			80		182	_		14 @ N
	09/04/87	1110	690		_	75		90		_	3.4 @N
	01/20/88	1160	720	-	_	99		132		-	5.6 @ N
Murrieta Creek	08/21/86	850	510	66	15	96	4	96	135	372	10
At Gaging Station	11/25/86	890	520	62	18	103	3	109	81	259	3
	04/02/87	870	515		_	99		104		_	.2 @ N
	05/08/87	850	790	_	_	102		9		_	.2 @ N
	09/04/87	730	445	_	_	84		45		_	.7 @ N
	01/20/88	830	525	_	_	85		109		_	.7 @ N
	03/31/99	_	780		_	_	***	_	-		ND
	04/07/99	_	290		_	_		_		_	0.3 @ N
	04/14/99		590			_		_			ND
	04/21/99	-	670	_	_			_		_	ND
	04/28/99	_	760	_	_			_			ND
	05/05/99		800	_	•	_	_			-	ND
	05/12/99		590	_						-	ND
	05/19/99		550	_	•		_		_		2.2@N
	05/26/99		570	_		•••			_		1.9@N
	06/02/99	_	610	_			_		_		0.9@N
	06/09/99 06/14/99		550 500						_	_	0.9@N
	06/23/99		500 500		_	_				_	1.7@N
	06/30/99		470		_			_		_	1.8@N 0.8@N
	07/07/99		530	_		_		_			O.OLUN ND
	07/14/99		510	_		_		_		_	0.8@N
	07/21/99		540	_						_	2.2@N
	07/28/99		650				_				0.8@N
	08/04/99	_	660	_	_		_	_	_		ND
	08/11/99	_	670	_	_	•••	_	_			ND
	08/18/99	_	560	***	_		_		_		ND
	08/25/99		580		_	_			_		0.2@N
	09/01/99		610		_	_	_		_		ND
	09/08/99	_	490		_		_		_	_	3.0@N
	09/15/99	_	490	_		_	_	_		_	0.4@N
	09/22/99		500	_		_				_	1.6@N
	09/29/99		500					_		_	1.1@N
	00,20,00	_	000					_			1.16614

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	Chemical Constituents - mg/l					
	Tested	umhos	(mg/l)	Ca	Mg	Na .	K	CI	SO4	НСО	NO3	
Santa Margarita	08/21/86	880	540	70	15	96	2	110	115	198	5	
River at Temecula	11/25/86	1050	600	110	24	85	3	103	105	311	4	
Gaging Station	04/02/87	1050	660	_	_	87		107	_		.7 @N	
	05/08/87	1050	630		_	93		98	_		1.1 @N	
	09/04/87	1000	640			88		100		_	<1 @N	
	01/20/88	790	400			84	_	89		_	.7 @N	
	06/29/94	_			_			_	_		0.3 @N	
	07/06/94			_	_			_			0.3 @N	
	07/13/94		_	_				_			<0.1 @N	
	07/20/94		_							_	0.3 @N	
	07/27/94		_	_				_		_	0.1 @N	
	08/03/94	_				_			_		0.2 @N	
	08/16/94	_				_	_		-	_	<0.1 @N	
	08/24/94				_	_		-			0.6 @N	
	08/31/94				_						0.4 @N	
	09/07/94		_	_	_			_			0.3 @N	
	09/14/94		_	_	_		-			_	0.9 @N	
	09/21/94	•••	_	_	_					_	0.7 @N	
	09/27/94		_	_						_	0.4 @N	
	10/06/94	_				_			_		<0.1 @N	
	10/11/94		_	_							0.4 @N	
	10/19/94	•••		_						_	0.4 @N	
	10/26/94		_			_	_				0.7 @N	
	11/02/94			_	_			_		_	0.6 @N	
	11/09/94	_	***			_		_			0.5 @N	
	11/16/94	_				_					0.6 @N	
	11/23/94	_				_		_			0.5 @N	
	11/30/94	_				_		_		_	0.6 @N	
	12/07/94	_				_		_			0.7 @N	
	12/14/94		_	_		_			_		0.8 @N	
	12/21/94		_	_		_	_		_		1.0 @N	
	12/29/94		_	_	•		_		_		0.8 @N	
	01/04/95	_			_	-		_		_	0.6 @N	
	01/11/95		_	_		_			_		0.7 @N	
	01/18/95	-	_			_		_			4.8 @N	
	01/26/95	•	390	_		_		_			0.5 @N	

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО	NO3
Santa Margarita	02/01/95		750								1.0 @N
River at Temecula	02/08/95		940		_						1.5 @N
Gaging Station	02/15/95	_	440	_		_		_	-	_	1.1 @N
(cont'd)	02/22/95	_	765	_		_			_	_	0.9 @N
	03/01/95	-	765	_		_	***	_		_	1.1 @N
	03/08/95		575	~	_		_			_	1.3 @N
	03/15/95		625					***			1.1 @N
	03/22/95	_	600		_	_			_		0.8 @N
	03/29/95	_	680		_				_		0.9 @N
	04/05/95	_	715						_	•••	0.3 @N
	04/12/95		645		-						0.9 @N
	04/19/95	_	550								1.0 @N
	04/26/95		765		_						1.2 @N
	05/03/95		735	-							1.0 @N
	05/10/95		760				_	_		_	0.7 @N
	05/17/95	_	760	_		_		_			0.9 @N
	05/24/95	_	835	_		_					1.1 @N
	05/31/95		910								1.2 @N
	06/07/95		950	_	_			-		_	1.7 @N
	06/14/95		900	_	_		_			_	0.8 @N
	06/21/95		1000	_	_		_	_		_	1.5 @N
	06/28/95		940		_					_	1.3 @N
	07/06/95		880		_						0.9 @N
	07/12/95		910		_					_	0.9 @N
	07/19/95		910		_	_					0.8 @N
	07/26/95	***	895		_		_	_		_	0.8 @N
	08/02/95		980		_			_			1.4 @N
	08/09/95		935	_					_		1.4 @N
	08/16/95		925	_		_			_		0.7 @N
	08/23/95	_	905	_		_				_	0.8 @N
	08/30/95	_	865	_		_				_	0.8 @N
	09/06/95		740	_		_				_	<0.2 @N
	09/13/95	_	870	_						_	1.0 @N
	09/20/95		885	***	_		_		_		0.5 @N
	09/27/95	_	900		_		_	_			0.7 @N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids	lved Chemical Constituents - mg/lds							
	Tested	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	нсо	NO3
Santa Margarita	10/04/95		875								<0.2 @N
River at Temecula		_	850		_						0.3 @N
Gaging Station	10/18/95	_	815		_					_	0.6 @N
(cont'd)	10/25/95		890					_			0.6 @N
(11/01/95	•	820			_			_		0.4 @N
	11/08/95		960			_			_		0.8 @N
	11/15/95	_	917		_						1.0 @N
	11/22/95	•••	850						_		1.0 @N
	11/29/95		788						_		1.0 @N
	12/06/95		872			_					0.9 @N
	12/13/95		766	_			_				1.1 @N
	12/20/95	_	846	_	_		_			_	1.1 @N
	12/27/95		841	_			_			_	1.1 @N
	01/03/96		850				_		_		1.1 @N
	01/10/96		830			_		_			1.1 @N
	01/17/96		870					_			1.0 @N
	01/24/96		760	_		•	_		_		1.1 @N
	01/31/96		470								0.8 @N
	02/07/96	_	580		_					_	1.2 @N
	02/14/96		850	_							1.5 @N
	03/06/96		840				_				1.7 @N
	03/14/96		690				_		_		1.2 @N
	03/21/96	_	840	_	_					_	1.2 @N
	03/27/96		830					_		_	1.4 @N
	04/03/96		880			_		_			1.7 @N
	04/10/96		850			_				_	1.5 @N
	04/17/96	_	880		_	_		_		_	1.7 @N
	04/24/96		840			_		_			1.5 @N
	05/08/96		820				_	_			2.0 @N
	05/16/96	_	820		_		_		_		0.8 @N
	05/22/96		810		_	_		_		_	0.7 @N
	05/29/96	_	790	_	_		_				0.6 @N
	06/12/96		810	_		_		_		_	0.6 @N
	06/20/96	_	850		_		_				0.5 @N
	06/27/96	_	520		_		_		_		1.0 @N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids	Chemical Constituents - mg/l								
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсо	NO3	
Santa Margarita	07/03/96		720								0.8@N	
River at Temecula	07/10/96	_	750	_			-				1.0 @N	
Gaging Station	07/17/96		690		_				_	_	0.9 @N	
(cont'd)	07/24/96	_	710	_				_		_	1.2 @N	
	07/31/96		700	_		_		_		_	0.9 @N	
	08/07/96		760			_				_	0.7 @N	
	08/14/96		680		_		_		_		0.6 @N	
	08/21/96		700		_			***	_		0.6 @N	
	09/04/96		670		_				_		1.0 @N	
	09/11/96		650		_						1.0 @N	
	09/18/96	_	600	_							0.9 @N	
	09/25/96	_	610			_		_		_	1.2 @N	
	10/02/96		640			_					0.9 @N	
	10/09/96		630		_						1.2 @N	
	10/16/96		630		_						1.0 @N	
	10/23/96	_	650		_		_			_	1.4 @N	
	10/31/96		690			_					1.5 @N	
	11/06/96		820						_		1.0 @N	
	11/13/96		800		_				_		1.0 @N	
	11/20/96	_	830	_	_				_		1.0 @N	
	11/27/96		790		_	_			_		1.4 @N	
	12/04/96		870							_	1.3 @N	
	12/18/96	_	830	_		_				_	1.5 @N	
	12/26/96	_	780			_		_			1.5 @N	
	01/02/97	***	790								1.1 @N	
	01/17/97		590		_	_		***	_		0.9 @N	
	01/22/97		810		_		-			_	1.6 @N	
	01/29/97		670			_			_		1.2 @N	
	02/05/97	_	830	_		_		_		_	1.7 @N	
	02/12/97	_	650	_		_		_			1.1 @N	
	02/19/97		850		_	_					1.4 @N	
	02/26/97	_	830	_	_		_	_		_	1.6 @N	
	03/05/97	_	900	_		_					1.6 @N	
	03/12/97	_	850	_		_			_		1.4 @N	
	03/19/97		830	_		_					1.4 @N	

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/i	
	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	нсо	NO3
Santa Margarita	03/26/97		800								1.2 @N
River at Temecula	04/02/97	_	670		_			_		_	1.3 @N
Gaging Station	04/09/97		730		_			_			1.0 @N
(cont'd)	04/16/97		680								1.3 @N
	04/23/97		570	_						_	1.0 @N
	05/07/97		600	_			_			_	1.4 @N
	05/14/97	***	630				_			_	0.9 @N
	05/21/97		650	_			-			_	0.7 @N
	05/28/97		690					_			0.7 @N
	06/04/97		580	_	_			_		_	0.8 @N
	06/11/97		640		_						0.9 @N
	06/18/97		730	_							0.6 @N
	06/25/97		760	_	_						0.5 @N
	07/02/97	_	710		_					_	0.8 @N
	07/09/97	_	630		_	_				_	0.4 @N
	07/16/97	_	670		_					_	0.3 @N
	07/23/97	_	630	_	_						0.3 @N
	07/30/97		630	_					_		0.4 @N
	08/06/97		630								0.4 @N
	08/13/97		600								0.4 @N
	08/20/97		650				_		_		0.5 @N
	08/27/97		630				_		_		0.4 @N
	09/03/97		630				_				0.4 @N
	09/10/97		730					_			0.4 @N
	09/17/97		640							_	0.5 @N
	09/24/97	_	660			_				_	0.5 @N
	10/15/97	_	600			_				_	1.7@N
	10/22/97	_	680			_				_	1.6@N
	10/29/97	_	650		_	_			_		1.7@N
	11/05/97	_	810		_		_		_		1.5@N
	11/12/97	-	770	_				_		_	1.4@N
	11/20/97		750	_		_		_		_	1.5@N
	12/03/97		670	_				_		_	1.5@N
	12/11/97	_	650		_						1.3@N
	12/17/97		770			_		_		_	1.7@N
	12/31/97		770		_	_					1.6@N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location		Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
One Location	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсо	NO3
Santa Margarita	01/07/98		750								1.5@N
River at Temecula	01/14/98	_	770					-		_	1.4@N
Gaging Station	01/21/98	_	750	_							1.4@N
(cont'd)	01/29/98	_	ND		_	_		_			1.3@N
	02/04/98	_	330	_	_	_					.9@N
	02/11/98	_	500							_	1.3@N
	02/18/98	-	330								1.0@N
	02/25/98	_	390	-			•			_	1.6@N
	03/04/98	_	680		_		***				1.2@N
	03/18/98		680		•		-	_			0.8@N
	03/25/98		840		_						1.6@N
	04/01/98		410	_	_						1.1@N
	04/08/98		680		_						3.9@N
	04/15/98	_	750						_	_	3.6@N
	04/22/98		790	_		_					1.7@N
	04/29/98	_	820				_	_			1.7@N
	05/06/98		330	•				_	_	_	0.8@N
	05/13/98		380					_	_		0.8@N
	05/20/98		730			_		_	_		3.2@N
	05/27/98		820				_	_			1.4@N
	06/03/98		840					_	_		0.9@N
	06/10/98		920			_	_	_			0.8@N
	06/15/98	_	960	_	_	_					2.2@N
	06/24/98		1130					_			3.0@N
	07/01/98		680				_				1.2@N
	07/08/98		830				_	_			1.3@N
	07/15/98		800					_			1.0@N
	07/20/98		780					_		_	1.2@N
	07/29/98		650					_			0.8@N
	08/05/98	_	630					_	_		0.8@N
	08/12/98	_	660					_			1.4@N
	08/19/98		630			•		_			1.6@N
	08/26/98		620								1.0@N
	09/02/98		700			_	_				0.8@N
	09/09/98		1200			_				_	1.5@N
	09/16/98		610		_	_			_	_	1.3@N
	09/23/98		590		_						1.9@N
	09/30/98		580		_						1.5@N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents -	mg/l	
	Tested	umhos	(mg/l)	Са	Mg	Na	K	CI	S04	НСО	NO3
Santa Margarita	10/07/98		530	_		_	_			_	1.8@N
River at Temecula			600	_							1.5@N
Gaging Station	10/21/98	_	580			_		_	_		2.8@N
(cont'd)	10/28/98		460			_	_			_	3.8@N
` ,	11/04/98		750	_			_			_	0.9@N
	11/10/98		1350						_	_	0.8@N
	11/18/98		780			_			_		0.9@N
	11/25/98	_	670			_		_	_		0.7@N
	12/02/98		770	_						_	1.1@N
	12/09/98		880							_	1.6@N
	12/16/98	-	790			_			_		1.3@N
	12/23/98	_	760	_	_		-	_			1.1@N
	12/30/98		760				_		_	_	1.1@N
	01/06/99		640				_		_	_	1.0@N
	01/13/99	_	730					_			1.2@N
	01/20/99	_	730			_		_		***	0.8@N
	01/27/99		410	_	~~		-		_	-	2.5@N
	02/03/99		720	_			-		_	_	0.6@N
	02/10/99		470			-			_		0.3@N
	02/17/99	_	800			-				***	0.7@N
	02/24/99		780				-		_		0.5@N
	03/03/99		780	_	_						0.6@N
	03/10/99		770				_		_		ND
	03/17/99	_	600			_		_		-	0.5@N
	03/24/99		890	_							1.0@N
	03/31/99		820			_		_			1.4@N
	04/07/99	-	300			_	. —	_			0.5@N
	04/14/99		690	_	_				_		1.0@N
	04/21/99		740	_	_		_	•	_		2.0@N
	04/28/99		710	_	_		_		_		1.9@N
	05/05/99		810			_		_			0.5@N
	05/12/99	_	720		_	_				_	2.1@N
	05/19/99	_	670		_				_		2.0@N
	05/26/99	_	600		_		-		_		1.6@N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids	d Chemical Constituents - mg/l							
	Tested	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	нсо	NO3
Santa Margarita	06/02/99		600	_	_			_			2.3@N
River at Temecula	06/09/99	_	600		_			_			2.0@N
Gaging Station	06/16/99	_	540	-	_			_			1.5@N
(cont'd)	06/23/99		610	_							1.5@N
	06/30/99		610				_	-		_	1.3@N
	07/07/99	_	540			_			_		0.5@N
	07/14/99	_	510			_	_		-	_	1.6@N
	07/21/99		560				_				2.2@N
	07/28/99		680	_				-			0.7@N
	08/04/99		680				_			_	ND
	08/11/99		690			_					ND
	08/18/99	_	610		_	_		_			0.3@N
	08/25/99		620			_					0.7@N
	09/01/99		620			_			_		ND
	09/08/99		470			_	_	_	_		1.7@N
	09/15/99	_	520			_					1.0@N
	09/22/99	_	490			_		_		_	1.1@N
	09/29/99		570	_						_	1.3@N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Total Specific Dissolved Chemical Constituents - mg/l Conductance Solids									
	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	HCO	NO3
System Discharge	08/20/97		ND								ND
to Murrieta Creek			ND				_			_	ND
at River Meter	09/17/97		ND				_		_		0.9 @N
	10/01/97		ND			_		_	_		2.1@N
	10/08/97	_	ND			_		-			2.7@N
	10/15/97		ND			_			_		ND
	10/22/97		ND			_			_	-	2.5@N
	10/29/97		ND			_			_		2.0@N
	08/05/98		520	_			_			_	2.2@N
	08/12/98		580			_	_			_	2.2@N
	08/19/98	_	550			_			_		2.1@N
	08/26/98		720				_			_	2.4@N
	09/02/98		800	_	_			_		-	ND
	09/09/98	_	1200		_	_		_			1.5@N
	09/16/98	_	540	_	_	_		_			0.4@N
	09/23/98		540	_	_			_			1.2@N
	09/30/98	-	530	_	_	_		_		_	0.5@N
	10/07/98	_	600	_		_		_		_	2.3@N
	10/14/98		650	_	_	_				_	2.8@N
	10/21/98		360	_	_					_	3.1@N
	07/07/99		500			_	_	_	_		0.3@N
	07/14/99	_	480	_	_			_		_	2.9@N
	07/21/99		540	_						_	2.9@N
	07 <i>[</i> 28/99		570	_		•	_		_		0.8@N
	08/04/99		550	_	_		_			_	ND
	08/11/99	_	450			_		_		_	2.7@N
	08/18/99		510	_	_					_	0.5@N
	08/25/99	_	520		_	_				_	ND
	09/01/99	_	520	_	_					_	ND
	09/08/99	_	490		_			_		_	3.9@N
	09/15/99	-	470			_		_		_	ND
	09/22/99		530			_		_			ND
	09/29/99	_	510			_				_	ND

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tosted	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitu	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO	NO3
Santa Margarita	07 <i>1</i> 22 <i>1</i> 97	_	780	_	~~	_		_		_	0.2 @N
River at	08/19/97		720							_	0.2 @N
Willow Glen	09/23/97		730							_	0.4 @N
	12/18/97	_	980							_	3.3@N
	03/17/98	_	780			_				_	1.5@N
	05/05/98	_	940			_				_	2.5@N
	06/16/98	_	890		_	_					1.5@N
	07/07/98		980		_						6.0@N
	08/11/98		770		_				_		1.1 @N
	09/22/98	_	600			_	•		_		1.8 @N
	10/13/98	_	680			_					2.4@N
	12/09/98		510			_					1.7@N
	04/20/99	***	860								1.0@N
	06/08/99		690		_		_				1.4@N
	07 <i>1</i> 27/99		600	_						_	0.3@N
	08/24/99		810			_			_		0.7@N
	09/21/99	_	710			-		_	_	***	1.3@N
Santa Margarita	07/22/97	_	760			_			_		ND
River at	08/19/97	_	770			_			_		ND
DeLuz Crossing	09/23/97	_	810	_		_					ND
_	12/18/97	_	890	_		_					1.7@N
	03/17/98	_	810	_		_					3.5@N
	05/05/98	_	790	_		_			_		3.4@N
	06/16/98	_	880	_		_			_		3.0@N
	07/07/98	_	860	_		_					1.9@N
	08/11/98		820								0.7 @N
	09/22/98	***	730		_						0.6@N
	10/13/98		760		_		_	_			1.0@N
	12/09/98		770		_		_	_	_		1.7@N
	04/20/99	_	790	_		_					0.5@N
	06/08/99	_	820	_			_			_	ND
	07/27/99		730			_	_			_	ND
	08/24/99		680	_			_	_			ND
	09/21/99	***	770		_				_		ND
				_		_				_	

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

		Cassifia	Total			OL.	!!	_ m _4:4	-4-		
Cita I a antinu	Dete	Specific	Dissolved			Che	micai	Constitue	ents -	mg/i	
Site Location	Date Tested	Conductance umhos	Solids (mg/l)	Ca	Mg	Na	ĸ	CI	SO4	HCO	NO3
Santa Margarita	07/22/97	_	13,200					_	_	_	4.3 @N
River at	08/19/97	_	16,200	_	_		***				2.4 @N
Estuary	09/23/97		12,600	_	_					_	3.2 @N
	12/18/97	_	7,220					_	_	_	2.1@N
	03/17/98		700		_	_					2.7@N
	05/05/98		710	_	_						1.9@N
	06/16/98		840		_	_					1.8@N
	07/07/98		870			_	_				0.4@N
	08/11/98		5980			-	_	_			2.2@N
	09/22/98	_	22100							_	11.0@N
	10/13/98		18700				-				6.0@N
	12/09/98		12700		_	_	_				15.0@N
	04/20/99		810		_						ND
	06/08/99		1270				_		·		ND
	07 <i>1</i> 27/99		9070								2.0@N
	08/24/99		5390					_			ND
	09/21/99	_	4200		_	_	_		•••	_	ND
					_				_	_	
Murrieta Creek	03/17/98	_	630		_			_	_	_	1.1@N
Upstream SBR	05/05/98	_	300	_	_					_	0.8@N
Plant #1	06/10/98	_	490					_	_		0.5@N

TABLE D-3

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids	Chemical Constituents - mg/l							
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI		НСО3	
Holiday Well	06/16/89	1300	775	122	39	100	2	178	66	372	40
7S/3W-20C09	10/18/91	1000	- 775	122		100			00	012	25
73/344-20009	11/15/91	_	_				_		_	_	26
	12/13/91										28
	01/10/92	_	_							_	27
	02/07/92			_							27
	05/01/92			_						_	32
	05/29/92	_			_		_		_		28
	08/21/92					_					27
	01/22/93	960	605	83	29	83	2	130	84	278	33
	10/15/93		_					_			32
	03/30/94			_						_	44
	06/22/94	_		_	_					_	35
	09/14/94				_				_		31
	12/07/94					_			_		30
	03/01/95			_							32
	06/21/95										11
	09/13/95		_								27
	12/06/95		_								26
	03/27/96			_						_	15
	06/06/96					_					24
	09/11/96		_			_			_		22
	11/08/96		_								55
	11/14/96							_			25
	12/05/96						-				24
	03/27/97									_	20
	06/18/97					_			_		21
	12/03/97		_		_	_			_		18
	03/25/98			_	_				_		21
	04/22/98	1090	680	89	29	85	1	150	76	290	22
	06/17/98			_							23
	10/01/98								_		25
	12/02/98				-				_		28
	02/24/99	_			_		-	_		-	33
	03/24/99	_	-	_	_		_				26
	09/09/99				_			_			36

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
House Well	06/16/89	660	345	34	3	95	2	87	60	153	<1
7S/3W-20G06	02/27/91	770	_	_			_	110	65	168	<1
	03/01/91	730			_			110	_		<1
	03/08/91	680	420	42	5	90	2	110	68	122	<1
	05/10/91	750	_				_	_		_	<1
	10/11/91		_								<1
	11/08/91		_							_	<1
	05/22/92		_	_	_			_			<1
	08/14/92		·			_				_	<1
	01/22/93	720	415	40	5	106	2	100	68	168	<1
	09/07/94	_		_							<1
	12/27/95				_		_				<1
	03/22/95					_		_			<1
	06/14/95	_		_					_		<1
	09/06/95			_							<1
	12/27/95	_	_						_		<1
	03/20/96				_		_				<2
	06/12/96		_					_			<2
	09/04/96										<2
	12/26/96			_							<2
	03/19/97										<2
	06/12/97	_			_						<2
	12/30/97				_		_			_	<2
	03/18/98							_			<2
	04/15/98	660	360	30	3	94	1	91	62	130	<2
	06/10/98			_				_			<2
	10/01/98				_						<2
	12/23/98				_	_					<2
	02/17/99				_	_					<2
	03/17/99									_	<2
	06/09/99							_	_	_	<2
	09/01/99									_	<2

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
	00/57/00	222	405	20	47	20				***	
South Well	09/07/90	690	405	62	17	68	2	83	56	229	4
7S/3W-20D	10/04/91								-	_	2
	11/01/91								_		3
	11/26/91	_			-		_	_		_	2
	05/15/92				_		_	_			<1
	10/01/93										2
	09/28/94 12/21/94		_			_	_				1
	03/15/95				_					_	3
	06/07/95			_		_					2 2
	09/27/95			_	_						2
	12/20/95	_		_							3
	03/13/96	_									2
	03/13/96					_		_	_	_	3
	09/25/96										3
	12/18/96										3
	04/09/97		<u></u>	_					_		2
	06/04/97								_		2
	03/11/98		_						_		<2
	04/08/98	820	500	73	18	67	2	92	73	250	3
	06/03/98	020	500						75	230	3
	10/01/98			_					_		3
	12/16/98			_							2
	03/10/98								_		2
	06/09/99			_							2
	09/22/99			_							<2
Alson Well	06/06/90	1520	915	138	46	110	1	250	81	433	31
7S/3W-7M	07/21/98	1260	880	100	37	120	<1	180	92	330	23
	09/09/98	1200	850	110	39	120	<1	180	100	320	23

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/i		
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
North Well	06/16/89	730	390	40	7	98	2	98	45	201	<1
7S/3W-18J02	10/25/91	_	_			_					<1
	11/22/91		_			_			_		<1
	05/08/92			_		_			_		<1
	08/28/92				_		_	_		_	<1
	01/22/93	680	405	39	8	99	2	100	51	183	<1
	10/22/93				_		_	_		_	<1
	07/08/94	810	520		_	87		130	53		<1
	09/21/94					-					<1
	12/14/94			_							<1
	03/08/95										<1
	06/28/95				_						<1
	09/20/95				_		—			_	<1
	12/13/95		_								<1
	03/06/96		_			_					<2
	06/26/96			_		_			_		<2
	09/18/96					-		_			<2
	12/11/96		_		_	_					<2
	06/25/97		-								<2
	07/08/98	760	460	49	9	100	2	110	51	220	<2
	10/01/98		_								<2
	12/09/98		_								<2
	02/03/99		_	_		_					<2
	03/03/99			_					_		<2
	06/23/99			_		_					<2
	09/22/99		_			_					<2
Lynch Well 7S/3W-17R02	06/16/89	760	410	70	17	55	1	86	30	262	8
Morris Well 7S/3W-19R	09/07/90	530	280	38	7	68	3	50	49	168	3

TABLE D-4

SANTA MARGARITA RIVER WATERSHED

WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

No. 101	Site Location	Date	Specific Conductance	Total Dissolved Solids	Chemical Constituents - mg/l									
78/3W-34G1 08/05/88 08/04/93 08/0	Site Location			-	Ca	Mg	Na	К	CI	SO4	нсоз	NO3		
05/23/90 630 365 30 6 91 2 101 35 107 08/04/93 860 465 76 14 78 2 120 22 275 08/09/96 820 480 69 14 83 2 110 15 310 10/16/97 ————————————————————————————————————	No. 101	06/01/88	810	495	76	15	79	8	116	16	314			
08/04/93 860 466 76 14 78 2 120 22 275 08/09/96 820 480 69 14 83 2 110 15 310 10/16/97 — — — — — — — — — — — — — — — — — — —	7S/3W-34G1	08/05/88	_					_	_			<1		
08/09/96 820 480 69 14 83 2 110 15 310 10/16/97		05/23/90	630	365	30	6	91	2	101	35	107	3		
No. 102		08/04/93	860	465	76	14	78	2	120	22	275	<1		
No. 102		08/09/96	820	480	69	14	83	2	110	15	310	<2		
No. 102		10/16/97										<2		
88/3W-2Q1 01/15/92 930 615 38 4 160 3 160 55 250 05/17/95 850 475 21 1 144 1 120 130 98 06/20/95 1190 700 26 2 207 2 150 220 131 06/09/97		08/11/99	840	510	70	14	85	2	110	17	300	<2		
05/17/95 850 475 21 1 144 1 120 130 98 06/20/95 1190 700 26 2 207 2 150 220 131 06/09/97 — — — — — — — — — — — — — — — — — — —	No. 102	01/04/89	695	370	9	2	134	1	101	25	195	<1		
06/20/95 1190 700 26 2 207 2 150 220 131 06/09/97	8S/3W-2Q1	01/15/92	930	615	38	4	160	3	160	55	250	<1		
No. 105		05/17/95	850	475	21	1	144	1	120	130	98	<1		
No. 105		06/20/95	1190	700	26	2	207	2	150	220	131	<1		
78/3W-25M1 03/17/93 480 310 17 2 80 2 67 22 110 1 No. 106 06/29/88 920 485 38 5 143 3 182 66 70 1 78/3W-26R1 05/13/92 880 515 35 4 142 2 180 72 110 1 05/16/95 870 495 32 3 138 2 160 57 116 1 07/07/97 07/20/98 07/20/99 07/20/99 No. 107 04/11/88 490 365 19 4 73 2 69 22 116 17 78/3W-26J1 05/29/91 950 535 63 15 104 3 130 120 171 11 No. 108 05/25/88 780 455 51 11 96 2 120 68 153 11 No. 108 05/25/88 780 455 51 11 96 2 120 68 153 11 No. 108 05/29/91 930 500 59 14 104 3 130 110 153 11 05/13/94 640 395 23 5 100 2 120 51 104 05/13/97 540 300 7 <1 110 <1 110 15 85 05/05/99 No. 109 06/01/88 1400 920 136 35 120 4 100 300 296 88/2W-17J1 08/05/88		06/09/97							-	_		<2		
No. 106	No. 105	07/06/89	500	280	30	6	66	2	71	22	134	14		
7S/3W-26R1 05/13/92 880 515 35 4 142 2 180 72 110 1 05/16/95 870 495 32 3 138 2 160 57 116 1 07/07/97	7S/3W-25M1	03/17/93	480	310	17	2	80	2	67	22	110	14		
05/16/95 870 495 32 3 138 2 160 57 116 1 07/07/97	No. 106	06/29/88	920	485	38	5	143	3	182	66	70	16		
07/07/97	7S/3W-26R1	05/13/92	880	515	35	4	142	2	180	72	110	17		
07/20/98		05/16/95	870	495	32	3	138	2	160	57	116	14		
No. 107		07/07/97							_			8		
No. 107		07/20/98				_						9		
7S/3W-26J1 05/29/91 950 535 63 15 104 3 130 120 171 1 No. 108 05/25/88 780 455 51 11 96 2 120 68 153 1 7S/3W-25E1 05/29/91 930 500 59 14 104 3 130 110 153 1 05/13/94 640 395 23 5 100 2 120 51 104 05/16/95 — — — — — — — — — — — — — — — — — — —		07/20/99							-			9		
No. 108	No. 107	04/11/88	490	365	19	4	73	2	69	22	116	15		
7S/3W-25E1 05/29/91 930 500 59 14 104 3 130 110 153 1 05/13/94 640 395 23 5 100 2 120 51 104 05/16/95 — — — — — — — — — — — — — — — — — — —	7S/3W-26J1	05/29/91	950	535	63	15	104	3	130	120	171	11		
No. 109	No. 108	05/25/88	780	455	51	11	96	2	120	68	1 5 3	14		
No. 109	7S/3W-25E1	05/29/91	930	500	59	14	104	3	130	110	153	10		
No. 109		05/13/94	640	395	23	5	100	2	120	51	104	7		
No. 109		05/16/95		_								5		
No. 109		05/13/97	540	300	7	<1	110	<1	110	15	85	4		
8S/2W-17J1 08/05/88 — — — — — — — — — — — — — — — — — —		05/05/99		-		-			-		_	8		
06/12/91 1330 800 110 26 120 5 120 270 275 06/22/94 1370 1010 138 32 124 5 140 320 287 06/06/95 — — — — — — — — 06/13/97 1440 1010 130 31 140 4 140 330 280 1	No. 109	06/01/88	1400	920	136	35	120	4	100	300	296	_		
06/22/94 1370 1010 138 32 124 5 140 320 287 06/06/95 — — — — — — — — — — — — — — — — — — —	8S/2W-17J1	08/05/88	_								_	10		
06/06/95 — — — — — — — — — — — — — — — — — — —		06/12/91	1330	800	110	26	120	5	120	270	275	9		
06/06/95 — — — — — — — — — — — — — — — — — — —		06/22/94	1370	1010	138	32	124	5	140	320	287	7		
06/13/97 1440 1010 130 31 140 4 140 330 280 1											_	8		
			1440	1010	130	31	140	4	140	330	280	10		
											_	2.2 @N		
04/14/99 1					_		_					12		

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Cor	stituents	- mg/l		
One Location	Tested	umhos	(mg/l)	Ca	Mg	Na	ĸ	CI	SO4	нсоз	NO3
No. 110	03/31/88	1100	630	70	23	132	6	115	163	268	3
8S/1W-06K1	03/11/93	1010	610	60	21	124	5	110	200	201	3
	04/27/95	_		_		_		_		_	1
	07/20/99		-					_			<2
No. 113	03/28/88	700	400	41	12	87	2	11	20	192	18
7\$/2W-25H01	03/21/91	570	290	21	5	79	2	88	17	119	11
	03/03/94	700	410	46	13	86	2	120	25	189	19
	04/27/95			_					_		24
	03/20/97	880	500	53	15	96	2	140	33	200	22
	07/20/98					_					23
	09/16/98	_				_					22
	02/25/99	_				_				_	19
	04/14/99										17
	06/03/99		_				_		_		21
	09/14/99		_		_				_		22
No. 118	08/08/90	715	480	14	1	162	1	120	79	101	1
8S/3W-11B	09/26/90	_	-				-	_		_	1
	09/10/93	860	525	19	1	178	1	130	94	198	<1
	06/20/95										<1
	09/16/96	970	560	33	2	180	2	120	120	230	<2
	07/23/97								_		0.2 @N
	09/16/98					_					2
No. 119	07/16/96	450	280	44	9	35	<1	39	18	180	15
8S/2W-19J	08/14/97					_		_		_	12
	12/24/97		320			_		_			3.1@N
	03/04/98		380					_			3.3@N
	06/04/98					_		_			3.8@N
	06/12/98		400					_			-
	09/16/98	_					_				3.7@N
	01/08/99		430	_	_			_			
	04/13/99		_			_	_	_			28
	06/02/99		560					_			4.8@N
	07/27/99	940	640	103	21	58	1	70	150	264	30
	09/14/99	_			_					-	22
	09/14/99		-	_			_		_		4.8@N

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids		Chemical Constituents - mg/l							
0,00 200200	Tested	umhos	(mg/l)	Ca	Mg	Na	K		CI	SO4	HCO3	NO3
No. 120	06/20/90	570	330	6	1	116	1		82	31	113	11
8S/2W-17G	06/10/93	590	340	6	<1	122	1		85	35	104	12
	07/19/96	630	360	6	<1	120	1		88	42	120	14
	06/16/97									_		10
	08/14/97			_		_						9
	06/02/99	620	360	6	<1	122	<1		84	45	120	10
No. 121	10/27/89	900	475	63	14	99	2		109	28	290	<1
7S/3W-34J	05/19/92	1000	560	72	17	120	3		170	56	270	<1
	07/18/97											ND
	07/24/97	_	640			_						ND
	08/20/97		_				_			_		ND
	09/03/97		_		_		_					ND
No. 122	06/23/97											6
8S/2W-20P1	07/25/97	660	460	64	13	44	1		61	65	190	8
	10/10/97	_				_						9
	12/23/97		400									1.8@N
	03/25/98		450		_				_	_		2.2@N
	06/03/98											2.4@N
	06/05/98		460	_								
	09/17/98	_		_								2.2@N
	01/08/99	_	450						_			_
	06/03/99		470				_		-			2.1@N
	04/13/99										-	9
	09/21/99				-					_	_	2.1@N
No. 123	06/06/90	1100	690	69	27	132	6		130	170	281	4
8S/1W-7B	06/10/93	1120	690	74	25	136	6		120	190	250	5
	02/05/97	930	550	55	18	110	5		83	130	250	1.3
	04/27/99											3
	06/02/99						_	-				3
	07/20/99			_	-			-				2
	08/11/99											2
	09/14/99		-				_			_		2
No. 124	06/20/90	660	380	38	4	92	3		97	48	153	13
8S/2W-11R1	07/22/93	690	430	42	5	89	3		90	57	159	17
	07/18/95			_		_			-		_	11

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Con	stituents	- mg/l		
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	ĸ	CI	SO4	HCO3	NO3
No. 125	06/20/90	740	425	17	5	132	3	99	54	186	4
8S/2W-12H	06/10/93	770	450	18	5	140	3	150	60	131	3
	06/20/95	_					_	_		_	2
	06/09/97		_			_			_		2
	09/17/98		_	-							3
	06/03/99	720	440	10	3	135	2	89	76	170	<2
No. 126	05/04/88	480	290	4	<1	106	<1	53	14	64	<1
8S/2W-15H	07/06/89	500	270	2	1	108	<1	55	11	98	<1
	07/18/95	540	315	1	<1	122	<1	72	11	122	<1
	07/07/97	-			_						<2
	07/16/97	_								_	0.2@N
	07/23/97										0.2@N
	08/20/97		_								0.4@N
	09/03/97								_		0.2@N
	09/17/97		_								0.2@N
	07/20/98	520	330	2	<1	120	<1	56	11	130	<2
	09/16/98		300			_			_		0.4@N
	04/14/99								_		2
No. 128	07/06/89	400	230	27	3	54	2	59	7	101	25
7/3W-36M	07/08/92	390	230	21	2	59	2	55	1	110	24
	07/20/95	380	275	16	2	66	1	65	10	101	19
	07/07/97				_	_					15
	07/20/98	370	260	12	<1	71	1	48	11	110	14
	06/02/99	_						-		_	13
No. 129	11/29/89	430	260	16	3	66	2	71	16	92	9
7S/2W-20L	08/08/90	440	280	20	5	64	2	72	14	119	10
	04/01/92								_		12
	09/10/93	470	275	24	6	60	2	74	16	110	13
	08/09/96	460	270	19	3	67	2	70	15	100	11
	02/04/97		-		-			_		_	53
No. 130	02/17/88	650	365	16	1	132	1	69	64	0	4
8S/2W-11R	02/14/91	640	365	4	<1	132	1	68	56	122	_
	04/24/91			_	_	_	_				3
	02/09/94	650	410	3	<1	148	1	81	72	146	4
	05/16/95			_					_		4
	02/05/97	780	450	4	<1	170	170	78	82	150	5
	05/14/97				_		_			_	4
	04/14/99	-	_		-	_	-			_	5

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Cor	stituents	- mg/l		
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСОЗ	NO3
No. 133	03/28/90	970	605	50	20	112	5	120	131	235	3
8S/1W-7C	03/11/93	970	580	48	19	120	4	110	140	204	3
	06/06/95									_	2
	07/18/95	850	680	26	10	142	2	120	100	174	2
	06/23/97	_							-	-	3
	07/20/98	790	500	24	9	140	2	96	93	170	2
No. 135	05/24/89	2450	1390	122	65	300	2	410	225	464	33
7S/3W-27M	06/06/90	1540	945	73	36	215	1	250	150	323	13
	12/11/90	4400	2670	270	109	480	4	1030	380	314	<1
	08/06/92	1800	810	63	33	170	1	200	160	281	_
	01/16/97					_					3.7 @N
	02/04/97		_								3.5 @N
	02/12/97			_	_	_		_			4.0 @N
	02/20/97				_			_			3.4 @N
	02/25/97				_						3.4 @N
	03/04/97	_			_		_	_			3.7 @N
	03/18/97		_			_			_		3.3 @N
	03/25/97		_			_					3.5 @N
	04/08/97				_		_	_			3.4 @N
	04/15/97	_					_				3.4 @N
	04/22/97	4030	1050	97	48	220	2	340	190	360	3.5 @N 3.3 @N
	05/06/97	1930	1050	97	40	220		340	150		3.4 @N
	05/14/97 05/21/97				_	_					3.3 @N
	06/04/97				_		_				3.3 @N
	06/11/97						_				3.3 @N
	06/18/97								_		3.3 @N
	06/25/97		_			_					3.3 @N
	07/02/97		_		_		_	_		_	3.3 @N
	09/17/97	1960	1260			_		430	220		13
No. 138	10/30/90	460	240	19	2	74	2	71	13	113	18
8S/2W-6F	10/06/93	420	240	11	<1	70	1	56	10	92	14
	10/11/96	430	270	9	<1	78	1	55	8.9	100	15
	04/14/99										5
	06/03/99		_		-	-	_	_	_	_	3
No. 139	12/29/87	460	295	24	7	65	1	60	11	104	7
7S/2W-32G	11/23/92	450	275	32	9	46	2	60	13	134	20
	12/19/95		298	36	12	50	2	72	12	156	2.8
	03/25/97		_				_			-	10

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Cher	nical Cor	nstituents	- mg/l		
Old Location	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
No. 140	02/18/88	560	325	33	10	65	2	77	14	153	13
7S/2W-33F	01/15/92	450	235	11	2	88	1	68	18	107	2
	02/28/95	560	325	36	11	58	2	94	14	140	12
	03/25/97		_	_		_					8
	02/27/98	650	360	31	11	76	2	95	16	130	5
	09/17/98		_		-			_		_	8
No. 141	01/06/88	780	440	64	11	82	3	65	91	217	13
8S/2W-11P	01/30/92	820	500	63	13	95	3	79	110	238	19
	03/30/95	840	490	58	11	100	3	70	97	241	14
	03/25/97		_		_						15
	03/26/98	760	480	62	12	90	3	69	86	230	16
	01/04/99	_		_	_		_	_		_	14
	02/12/99	_		_	_		_			_	19
No. 143	01/15/88	670	345	8	2	134	1	91	57	95	11
8S/2W-17J	10/17/90	660	345	25	4	112	2	89	62	140	12
	03/03/94	690	370	24	3	114	2	93	68	131	11
	03/30/95						_			_	11
	03/25/97	600	330	15	2	110	1	87	44	89	9
	07/18/97		_	_					_		2.0 @N
	07/23/97										2.0 @N
	08/20/97	_	_								2.3 @N
	09/03/97		_							_	2.2 @N
	09/17/97	-					_	_			2.0 @N
	09/17/98	_	350	_				_	_		2.3 @N
No. 144	09/14/88	610	335	8	<1	114	1	95	33	92	<1
7S/3W-27D3	12/19/95	730	420	34	1	124	1	120	33	186	<1
No. 145	10/04/90	800	490	43	8	110	2	110	78	171	<1
7S/3W-28C	10/06/93	650	375	23	3	106	1	85	58	146	<1
	11/27/96	650	340	26	2	110	1	87	48	150	<2
	02/04/97	670	370	24	2	110	1	87	55	160	<2
	01/28/98			_							<2
	01/04/99					_	_		_	_	<2
No. 149 8S/1W-2C	06/15/93		-			-					5
No. 149A	08/26/88	950	540	71	211	96	1	115	47	302	18
7S/3W-28A	10/31/91	800	480	36	13	122	3	93	110	195	_
No. 150	09/29/88	1950	1235	134	29	225	2	290	220	390	15
7S/3W-27P	12/21/91	1000	590	74	17	108	4	130	110	207	

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Cor	stituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	κ	CI	SO4	нсоз	NO3
No. 151 7S/3W-34B Abandoned	09/20/88	5780	3410	280	114	840	5	1660	670	369	<1
No. 151	07/25/91	860	485	53	16	103	4	90	130	183	
8S/2W-2G	07/28/91	730	400	39	12	100	3	91	58	177	
	07/29/91	600	340	9	2	122	5	63	34	204	
	10/17/91	510	295	3	<1	118	1	45	10	137	-
	08/10/94	550	340	3	<1	110	1	59	22	119	<1
	06/16/97	_		_	_	_					<2
	08/14/97	540	300	2	<1	110	<1	44	10	160	<2
	09/16/98				_		_	_		-	<2
No. 153	12/29/93	804	485	53	18	92	5	86	120	214	<1
8S/1W-5K3	04/13/99	880	540	63	23	79	5	68	220	150	<2
No. 154 8S/1W-5L2	01/28/94	930	530	46	20	106	6	89	130	214	3
No. 155	09/16/93	680	355	22	2	108	1	90	64	104	<1
7S/3W-28C	02/23/95	760	445	30	3	126	1	120	82	140	4
	06/06/95	_	_			_				_	5
	08/14/97				_	_					4
	02/25/98	880	540	43	5	130	1	100	100	190	5
	07/27/98			_					_		3
No. 157 8S/1W-5L	04/13/99	930	600	59	21	110	7	95	150	240	<2
No. 158	06/21/94	1090	620	67	23	124	7	120	170	259	
8S/1W-5K	04/14/99	1050	660	63	24	120	7	110	160	270	<2
No. 201	03/28/91	530	315	19	6	83	2	83	16	110	2
7S/2W-27J	03/11/93	460	300	8	2	87	1	51	20	146	<1
No. 202 7S/2W-36J1	12/11/88	740	440	47	18	84	3	97	48	223	17

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
Site Location	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	\$04	HCO3	NO3
No. 203	05/18/88	960	580	50	39	110	4	96	115	275	
8S/1W-6P1	06/29/88	970	530	44	36	112	4	120	123	250	5
	06/12/91	800	415	21	17	108	3	91	90	174	2
	06/22/94	980	645	59	38	99	4	130	130	256	4
	06/07/95	_	_		_		_	_			5
	06/23/97	880	530	31	26	120	3	100	110	230	4
	08/14/97	_			-		_	_			3
No. 204	05/22/91	740	425	50	12	85	3	120	18	198	19
7S/2W-26G	05/13/94	690	375	37	7	85	3	130	19	125	19
No. 205	03/28/88	500	290	23	3	81	2	83	27	107	21
7S/3W-35A	03/13/91	490	275	22	3	75	2	62	23	113	21
	03/03/94	510	275	20	2	72	2	72	24	104	20
	04/26/95			_			_			_	22
	03/25/97	480	270	20	2	75	2	66	18	110	21
No. 207	09/01/88	510	245	1	<1	108	<1	54	26	82	<1
8S/2W-14B	09/14/88	480	305	3	<1	106	<1	58	23	24	1
	08/14/91	480	245	1	<1	100	<1	52	28	55	<1
	08/10/94	440	285	2	<1	91	1	56	29	76	2
	08/15/97	510	280	2	<1	97	<1	52	25	98	<2
	07/27/98				_	_			_		2
No. 208	09/01/88	680	415	44	15	77	3	119	14	186	18
7S/2W-35M	09/14/88	690	440	44	14	77	3	129	14	183	16
	08/14/91	600	340	23	7	89	2	85	18	162	4
	08/10/94	560	370	22	6	89	2	93	20	156	5
	06/06/95					_					4
	08/12/96								_		2
	07/27/99						_				15
	08/18/99		_				-	_	_		20
No. 209	05/22/91	790	435	40	14	105	2	150	35	162	8
7S/2W-28J	05/13/94	760	525	64	22	48	3	150	15	153	25
	06/20/95					_			_	_	5
	05/15/97	690	390	10	3	130	<1	110	56	130	1.3

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Co	nstituents	- mg/l		
Olle Location	Tested	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	HCO3	NO3
No. 210	04/15/59	1366		101	23	150	10	149	200	275	3
8S/2W-12K	01/18/63	400	926	99	30	17.5	4.5	145	255	329	4
	11/30/67	1415	890	136	5	152	10	146	230	305	3
	07/26/68	1250	825	96	22	144	8	130	190	290	5
	09/06/68	1310	840	82	26	132	5	142	222	276	12
	07/19/73	1200	579	84	21.4	149	6.8	122	237	301	19.7
	08/08/75	1140	695	84	14	150	6	101	190	287	15
	06/22/76	1240	675	76	26	142	7	101	205	278	36
	10/13/76	1120	640	92	22	100	6	110	170	262	5
	06/16/77	1130	610	84	18	114	6	110	170	259	11
	05/20/80	580	340	30	8	75	4	51	67	152	9
	04/03/86	800	540	65	17	86	4.5	75	112	235	3.5
	07/15/86	830	560	72	19	86	4	87	118	250	4
	03/28/88	1030	575	76	22	93	5	99	143	247	4
	09/25/91	1040	600	74	20	120	5	120	160	238	5
	09/19/94	645	460	52	14	79	4	70	100	198	2
	09/16/96		_			_					3
	09/16/98	_							_		3
	12/15/98				_		_				2
	01/04/99					_					2
	02/03/99		_								2
	04/08/99					_					3
	06/02/99			_			_			_	3
	09/07/99		_				-			-	4
No. 211	04/08/97	720	400	67	14	54	1	59	65	220	13
8S/2W-20R1	12/23/97		410	_			_	_		_	3.1@N
	03/25/98		620				_				3.6@N
	06/03/98								_		3.4@N
	06/05/98		480		_					_	
	09/17/98	_		_			_	_			3.3@N
	12/17/98		430	_			_	56	66		16
	06/03/99		430								3.4@N
No. 212	03/28/88	640	330	42	2	74	3	81	33	146	14
8S/2W-11N	09/25/91	600	320	41	2	82	4	86	35	146	14
No. 215	08/15/90	650	380	40	13	71	3	100	14	162	11
7S/2W-34M	09/26/90						-			_	13
	06/22/94	630	400	41	13	67	2	110	16	159	11
	06/16/97	630	370	29	9	81	2	110	16	160	6
	08/15/97								_		7

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	ĸ	- CI	SO4	нсоз	NO3
No. 216	06/01/88	480	280	25	4	65	2	71	11	134	
8S/2W-7W	06/29/88	480	275	29	5	59	3	81	7	110	26
	06/12/91	500	285	30	5	59	2	76	9	113	23
	05/27/92	470	285	33	6	53	2	72	10	119	20
No. 217	03/28/88	580	285	8	1	108	1	81	20	113	15
8S/2W-17M1	08/10/88	570	280	8	1	105	1	82	20	55	13
	08/14/91	570	305	17	2	99	2	74	28	134	16
	08/10/94	610	365	20	3	97	2	82	38	134	16
	08/15/97	660	370	20	3	107	1	80	41	130	13
No. 231	08/15/90	1280	805	126	18	120	5	100	310	244	9
8S/2W-20B6	09/26/90										6
	03/04/92	1700	1270	180	51	160	6	140	510	332	5
	06/20/95	1640	1300	171	44	124	6	75	520	287	5.3
	02/27/98		-	_							3
No. 232	08/15/90	960	590	71	19	110	5	98	130	235	30
8S/2W-11J3	09/26/90										35
	09/25/91	980	565	74	19	106	5	98	120	244	37
	09/19/94	805	495	54	14	92	4	80	110	207	15
	09/13/96				_				_		22
	11/04/97	1000	660	76	20	110	4	97	130	230	29
	07/27/98										38
	12/10/98						_				22
	01/06/98					_		_			30
	01/29/99	-	_								10
	02/03/99						_	_			26
	02/24/99		_					_			37
	04/08/99								_		33
	04/21/99						_	_			34
	06/23/99						-	_			33
	07/08/99			_					_	_	36
	08/25/99	_		_	_		_	_		_	33
	09/21/99			_				_		-	31

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
one accusion	Tested	umhos	(mg/l)	Ca	Mg	Na	к	CI	SO ₄	НСО3	NO3
No. 233 (Old 112)	06/15/88	900	535	71	21	100	5	96	136	247	4
8S/2W-12K2	03/27/91	1020	580	66	19	114	5	95	140	247	12
	03/03/94	740	425	50	14	75	4	71	100	186	2
	04/27/95				-						6
	03/27/97	880	510	57	15	100	4	81	120	220	4
	01/04/99				_				_	_	5
	02/03/99	_			_	_				_	4
	04/08/99										4
	06/03/99		_		_						4
	07/20/99	_								_	5
	08/11/99	_		-	_	_				_	4
	09/07/99	_		_	_	_				_	4
No. 234 (Old 114)	03/31/88	840	480	54	15	100	4	61	109	241	18
8S/2W-11P	03/27/91	1020	605	69	19	114	5	77	138	256	37
	06/20/95		_					-	_		11
	09/26/96		_								9
	02/04/97		-				_		_		12
	04/25/97	840	500	56	15	95	4	77	120	230	8
	01/19/99						_			_	12
	02/12/99				-					_	16
	04/21/99				_					_	15
	06/03/99				-		_		_		16
	07/27/99				_						18
	08/19/99				_		_		_		17
	09/21/99	_				_		_			16
No. 235 (Old 137)	06/24/88	460	310	40	10	41	2	58	10	140	15
8S/3W-1Q1	06/20/90	420	230	22	4	56	2	50	6	128	18
	06/10/93	370	235	15	2	65	2	51	9	113	17
	07/16/96	410	230	16	2	60	1	48	8.9	110	20
	06/09/97			_		_			_		17
	06/03/99	390	240	13	1	63	1	46	6.7	98	17
No. 301	07/29/92	500	290	20	6	80	1	45	56	143	<1
7S/3W-18Q1	02/27/97	580	350	45	16	48	2	49	54	200	4
	08/15/97					_				_	6

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	\$04	HCO3	NO3
No. 302	04/11/88	690	360	36	6	100	1	77	65	192	<1
7S/3W-18H	05/15/91	760	425	58	9	87	2	83	72	220	<1
	05/14/92		270	12	2	90	<1	48	48	_	
	05/05/94	870	530	69	16	84	2	110	88	238	<1
	05/16/95	_					_	_			<1
	07/16/96	530	320					60	54		2
	05/13/97	560	500	73	14	94	2	110	86	240	<2
	07/27/99	_	_				_	-			<2
No. 309	08/15/90	690	370	19	3	119	2	140	25	73	5
7S/3W-27H	04/11/91				_			-			<.001
	09/25/91	730	365	19	2	122	2	150	27	82	5
	08/11/94	730	430	20	2	120	2	160	30	73	5
	02/16/95					_		_			18
	07/16/97			_						_	1.1@N
	07/23/97						_		_		1.2@N
	08/20/97						_				1.1@N
	09/03/97							_			1.1@N
	09/18/97										1.1@N
	10/03/97	790	520	21	2	130	2	170	33	85	6
	08/06/98	_	_				_		_		6
	09/16/98	_	460						_		1.4@N
	07/20/99			_		_			_		6

TABLE D-5

SANTA MARGARITA RIVER WATERSHED

WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitu	ents -	mg/l	
	Tested	umhos	(mg/l)	Ca	Mg	Na	<u>к</u>	CI	SO4	нсоз	NO3
Pechanga Indian	Reservatio	n			***********						***************************************
8S/2W-28R01	08/03/89	495	286	41	4.0	60	0.9	37	13	177	1.1 @N
	07/26/90	525	296	48	4.8	54	1.0	45	14	191	1.5 @N
	07/17/91	462	261	31	3.2	66	8.0	44	12	155	.8 @N
	07/27/93	445	269	44	4.4	43	0.5	28	14	170	1.9 @N
	08/15/94	421	232	32	3.3	55	0.9	28	11	156	1.5 @N
	08/30/95	375	200	21	2.2	55	0.6	31	11	129	.7 @N
	08/27/96										1.5 @N
	08/13/97	398	241	20	2.1	59	0.62	37	11	130	.572 @N
	08/20/98	481	282	36	3.9	60	0.85	38	14	167	1.1 @N
	08/25/99	446	252	28	3.1	59	0.66	41	12	_	.758@N
8S/2W-35D01	08/03/89	660	358	43	5.5	87	1.2	78	35	169	.35 @N
	07/26/90	669	384	41	4.9	92	1.5	82	36	176	.40 @N
	07/17/91	641	371	40	4.4	98	1.7	81	36	175	.39 @N
	07/27/93	638	374	49	5.9	79	1.8	71	27	199	.34 @N
	08/16/94	601	334	30	3.2	95	1.5	71	29	163	.16 @N
	08/30/95	587	322	33	4	81	1.5	68	25	178	.11 @N
	08/27/96	596	352	28	3.3	92	1.4	72	29	167	.10 @N
8S/2W-29A01	08/02/89	346	207	31	11	24	0.4	18	7.0	131	2.0 @N
	07/24/90	354	193	32	11	25	0.4	24	6.7	133	2.0 @N
	07/18/91	361	194	32	10	26	0.4	25	6.0	134	1.8 @N
	08/15/94	363	216	33	12	25	0.5	24	7.7	132	2.6 @N
	08/31/95	363	208	32	11	23	0.4	21	8.1	137	2.6 @N
	08/28/96			_						<u> </u>	2.9 @N
	08/12/97	368	238	32	12	24	0.44	22	7.4	138	3.05 @N
	08/19/98	411	246	36	11	31	0.45	25	8.2	153	2.94@N
	08/25/99	375	222	33	12	23	0.39	20	6.7		3.81@N
8S/2W-34B04	10/05/89	617	371	51	8.2	67	1	58	30	192	.47 @N
	07/26/90	605	341	50	8	65	1	61	31	194	.50 @n
	07/18/91	564	339	46	7.4	67	1	53	27	185	.87 @N
	07/27/93	267	170	18	2.8	34	0.5	14	9.7	96	1.10 @N

^{* -} Alkalinity as CAC03

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date	Specific Conductance	Total Dissolved Solids								
	Tested	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3*	NO3
Pechanga India	an Reserv	ation (Continued)									
8S/2W-28Q02	10/05/89	629	378	48	19	49	0.7	76	14	169	4.2 @N
	07/26/90	613	383	48	18	47	0.6	75	12	171	3.9 @N
	07/18/91	618	379	49	18	49	0.7	83	14	172	3.0 @N
	07/28/93	620	400	51	20	47	0.7	63	15	174	9.6 @N
	08/17/94	641	396	51	21	50	8.0	60	17	179	11.0 @N
	08/31/95	653	396	53	21	48	0.7	60	19	184	12.0 @N
	08/28/96		_							_	11.0 @N
	08/12/97	614	411	47	19	47	0.7	63	15	176	8.9 @N
	08/19/98	625	402	47	20	47	0.67	60	14	-	9.85@N
8S/2W-28Q06	09/17/93	312	200	19	2.9	43	1	16	2.8	126	1.0 @N
	08/30/95	310	174	16	3.4	46	0.6	16	3.8	131	1.4 @N
	08/13/97	300	186	11	1.4	55	0.59	17	2.7	122	1.16 @N
	08/20/98	434	247	12	0.7	79	0.6	57	15	111	<.05@N
8S/2W-28Q07	08/20/98	367	223	13	1.4	66	0.57	32	10	121	.731@N
	08/25/99	377	216	13	1.4	63	0.52	32	9.8		.760@N
8S/2W-20J01	08/15/90	1130	596	100	22	110	2.3	110	200	236	1.3 @N
	12/20/93	868		80	16	76	1.4	86	110		3.6 @N
8S/2W-20J02	08/15/90	404	216	42	6.3	38	8.0	27	12	159	1.2 @N
	12/20/93	408		42	6	35	8.0	29	12	_	1.2 @N
8S/2W-29B01	08/19/98	367	223	12	0.64	75	0.62	50	10	121	<.05@N
	08/26/99	393	219	12	0.72	68	0.56	46	11	-	<.05@N
8S/2W-29B02	03/01/90	456	257	5.5	0.14	89	0.8	66	22	100	
	03/06/90	456	256	5.9	0.13	90	0.7	66	20	99	<0.1 @N
8S/2W-29B03	03/06/90	478	275	14	1.9	84	8.0	65	16	123	<0.1 @N
8S/2W-29B05	03/02/90	397	229	29	9.5	43	1.2	35	4.9	141	1.8 @N

^{* -} Alkalinity as CAC03

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical Co	CI SO4 HCO3*			
One Location	Tested	umhos	(mg/l)	Са	Mg	Na	ĸ	CI	S O4	HCO3*	NO3
Pechanga Indi	ian Reserv	ation (Continued)									
8S/2W-29B06	03/02/90	406	259	34	11	38	0.8	38	10	143	
	03/06/90	427	240	32	11	40	1.0	40	8.1	148	1.2 @N
8S/2W-29B07	03/07/90	396	230	8.6	2.5	71	0.9	51	11	102	<0.1 @N
	08/16/90	371	199	8.4	1.8	69	8.0	50	14	106	<0.1 @N
8S/2W-29B08	03/07/90	464	272	31	9.4	52	1.2	58	12	134	0.45 @N
	08/16/90	458	261	34	9.1	48	1.1	59	17	135	0.4 @N
8S/2W-29B09	03/07/90	343	210	21	9.2	39	1.0	24	6.7	131	1.3 @N
	08/17/90	317	197	26	10	26	1.1	22	3.4	130	1.6 @N
8S/2W-28M03	08/26/99	562	319	38	13	52	0.77	68	15		2.59 @N
8S/2W-29J02	08/26/99	, 565	329	39	15	47	1.6	66	14		2.67 @N
Cahuilla Indiar	n Reservat	ion									
8S/3E-2K01	07/20/89	531	323	46	11	41	3.4	60	22	136	3.6 @N
	08/01/90	508	310	46	11	38	3.3	60	19	134	3.8 @N
	07/16/91	522	306	50	10	39	3.3	61	21	139	3.7 @N
7S/3E-21L01	08/02/89	1050	675	90	19	100	3.5	84	190	216	3.1 @N
	08/01/90	1020	610	87	18	100	3.4	85	180	217	3.0 @N
	07/17/91	995	636	93	18	100	3.7	95	180	206	2.5 @N
7S/2E-33N	08/02/89	355	206	16	2.1	53	3.5	48	15	78	.73 @N
7S/3E-34E01	07/20/89	338	204	30	5.6	26	5.0	29	7.0	98	3.3 @N
	07/31/91	337	109	31	5.5	25	4.5	31	6.3	99	3.5 @N
	07/16/91	335	209	31	5.9	26	4.7	32	6.3	99	3.5 @N

^{* -} Alkalinity as CAC03

TABLE D-6

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Total Specific Dissolved Chemical Constituents - mg/l Date Conductance Solids										
Site Location	Tested		(mg/l)	Ca	Mg	Na	ĸ	CI	SO4	нсоз	NO3 .
10S/5W-26C1	10/60	1060	639	66.5	24.0	116.0	4.5	160	110.0	264.0	trace
(Bldg 2201)	06/62	1190	718	60.0	33.2	123.0	3.8	190	124.0	232.0	1.4
, ,	07/64	1217	734	79.2	27.8	144.0	1.6	180	150.0	248.9	
	05/65	1485	896	75.2	30.3	158.0	2.4	180	120.0	253.8	0
	01/66		808	76.8	33.2	157.0	3.4	170	180.0	292.8	0.62
	06/66		684	75.2	26.8	112.0	2.4	128	148.0	263.5	3.9
	01/67		856	81.6	26.3	138.0	3.5	162	140.0	310.0	3
	08/67		880	99.2	38.1	156.0	3.6	160	230.0	322.1	5.3
	02/68		768	65.6	25.4	156.0	3.4	160	164.0	236.7	0
	04/69		852	66.0	32.0	162.0	3.2	166	210.0	249.0	0
	11/69		844	87.0	31.0	140.0	3.6	164	180.0	262.0	0
	07/70		672	99.0	32.0	139.0	3	158	205.0	259.0	2.7
	12/70	1180	712	83.0	28.0	138.0	3	166	170.0	266.0	0
	09/71	1062	640	83.0	27.0	128.0	2.8	136	175.0	278.0	0.4
	05/72	1130	681	56.0	24.0	140.0	2.8	136	165.0	220.0	0
	10/72	1165	703	64.0	27.0	159.0	3.6	132	180.0	293.0	1.8
	10/73	1140	688	72.0	27.0	131.0	3.8	144	190.0	200.0	0.3@N
	02/76	1140	688	70.4	28.3	143.0	3.1	132	182.0	273.3	1.8@N
	09/76	1100	663	67.0	25.0	152.0	2.5	152	131.0	327.0	2.8@N
	03/77	1080	651	67.0	28.0	173.0	3.1	128	160.0	254.0	4.4@N
	10/78	1150	694	70.0	25.0	120.0	3.5	139	145.0	253.8	<1@N
	06/79	1100	663	72.0	27.3	125.0	3	134	142.0	258.6	<1@N
	10/80	1200	693	78.8	23.7	136.0	3.3	172	136.0	273.3	0.2@N
	04/81	1160	737	82.4	22.4	126.0	3.6	140	134.0	268.4	<0.5@N
	11/81	1300	863	97.6	31.5	169.0	2.2	204	209.0	248.9	0.8@N
	11/81	950	573	74.0	18.3	120.0	2.1	144	130.0	224.5	0.3@N
	05/82	1100	663	80.8	26.6	140.0	1.5	181	138.0	268.4	<0.5@N
	03/83	1000	603	84.0	20.5	144.0	3.2	152	143.0	273.3	<0.5@N
	05/84	1150	694	80.0	27.6	126.0	3.1	133	150.0	283.0	0.2@N
	06/85	1100	680	89.0	26.0	140.0	3	150	64.0	440.0	
	09/85	1242	724	78.0	28.0	122.0	6	154	149.1	244.4	<0.4
	05/86	1387	750	85.2	29.1	130.7	4.3	166	130.8	242.6	<1

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date	Specific Conductance	Total Dissolved Solids			- mg/l					
Site Location	Tested		(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
10S/5W-26C1	06/89	1302	734	78.1	23.0	85.9		136	145.0	212.0	<0.4
(Bldg 2201)	01/91	1271		81.0	36.1	152.0		166			<0.04
(Continued)	06/91	1290	752	99.0	32.4	133.0		167	136.0	237.0	<0.4
	03/92	1210	792	91.0	29.8	146.0		159	135.0	279.0	<0.4
	06/93	1290	764	68.3	27.5	149.0		168	130.0	265.0	<0.4
	03/94	1210	783	100.0	37.1	100.0		145	167 <i>.</i> 0		2.2
	08/94	1160	741	87.5	35.5	96.1		141	187.0		4.23
	06/95	1330	806	97.7	37.4	142.0		207	166.0		<0.04
	01/96	1300	764	91.0	33.0	140.0		177	142.0	363.0	<0.0
	06/96	1300	751	93.0	30.0	130.0		164	156.0	252.0	<0.0
	06/97	1215	758	88.0	29.0	130.0	<2	151	148.0	292.0	<2@N
	12/97	1200	690	81.0	29.0	140.0	3	155	150.0	250.0	ND
	04/98	1200	790	83.0	31.0	101.0	3	170	156.0	240.0	ND
	06/98	1230	714	85.0	30.0	136.0	3	163	ND	293.0	ND
	02/99	1250	731	84.0	29.0	127.0	3	160	140.0	281.0	ND
	04/99	1220	769	88.0	30.0	127.0	3	138	160.0	317.0	ND
10S/4W-18M4	06/89	1156	688	74.6	24.4	67.9		130	138.0	197.0	8.9
(Bldg 2373)	01/90	1120	630	86.4	32.3	101.0		156	166.0	210.0	<0.05
	04/90	1160	720	98.8	34.8	107.0		152	146.0	218.0	1.4
	01/91	1202		84.1	40.5	117.0		162	153.0		<0.04
	06/91	1180	736	102.0	37.1	106.0		163	138.0	197.0	<0.4
	03/94	1020	658	69.6	27.8	104.0		135	140.0		0.89
	08/94	1110	684	81.4	32.2	178.0		144	157.0		<0.44
	06/95	1170	679	95.3	35.2	113.0		145	116.0		13.8
	06/96	1100	682	86.0	32.0	95.0		155	261.0	210.0	<0.0
	02/97	1180	640	79.0	32.0	110.0		142	162.0	190.0	<2@N
	06/97	1117	709	85.0	33.0	110.0	<5	150	164.0	223.0	<2@N
	12/97	1100	700	82.0	33.0	110.0	3	141	157.0	220.0	ND
	03/98	1100	710	83.0	33.0	100.0	3	182	158.0	150.0	ND
	06/98	1200	720	85.0	34.0	119.0	4	159	154.0	281.0	ND
	02/99	1020	613	70.0	30.0	85.0	4	130	85.0	179.0	8

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Che	mical	Constituents	- mg/l		
	Tested	umhos	(mg/l)	Ca	Mg	Na	ĸ	CI	SO4	НСОЗ	NO3
400/514/00/14	05/50	4000	005	04.5	24.0	440.0		4.40	4400	200.0	0.00
10S/5W-23J1	05/56	1090	685 666	61.5	24.3	142.0		142	110.0	293.0	0.06
(Bldg 2301)	12/56 12/57	1060	666 790	67.0 66.3	27.0 23.9	96.0 159.0		124	85.0	274.0	10.6
	05/59	1100	780 691	75.2	25.3	112.0		138 136	155.0 152.0	308.0 297.7	10.6
	03/59	1120	704	72.7	27.3	116.5		112	144.0	291.0	
	10/60	1045	657	63.2	21.4	99.0	3.6	140	112.0	242.0	0
	05/61	1280	770	76.0	36.5	136.0	3	124	195.0	299.6	0
	05/62	1133	712	68.8	30.3	136.0	2	128	175.0	275.7	
	01/63	1111	698	72.0	35.1	127.0	2.8	128	199.0	268.4	
	06/63	1108	696	78.4	25.4	118.0	2.9	148	130.0	258.6	0@N
	07/64	1165	732	74.4	27.8	128.0	1.2	139	160.0	268.4	
	05/65	1130	710	80.0	26.4	145.0	2.1	148	120.0	268.4	0.14
	01/66			88.0	18.1	142.0	2.8	124	155.0	263.5	1.8
	06/66		736	75.2	29.3	138.0	2.7	145	175.0	295.2	4.8
	01/67		744	76.8	25.9	118.0	3	136	125.0	287.9	2.2
	08/67		680	70.4	28.3	128.0	2.3	140	100.0	292.8	8.4
	02/68		660	48.0	19.5	130.0	2.8	124	119.0	234.0	6.1
	04/69		708	70.0	28.0	126.0	2.5	128	170.0	278.0	0
	11/69		684	73.0	28.0	126.0	2.8	138	165.0	273.0	0
	05/70		716	74.0	25.0	122.0	0.1	134	170.0	210.0	4.4
	12/70	1090	385	78.0	25.0	126.0	2.6	142	170.0	250.0	3.1
	09/71	1025	644	75.0	38.0	120.0	2.7	124	190.0	229.0	0.9
	05/72	1050	660	75.0	21.0	124.0	2.3	124	155.0	244.0	2.2
	10/73	1140	716	74.0	22.0	128.0	2.8	136	160.0	220.0	0.5@N
	06/74	1060	680	74.0	13.0	131.0	2.9	158	138.0	220.0	0.01@N
	02/76	1050	660	73.6	25.4	136.0	2.9	119	170.0	248.9	2.0@N
	09/76	1100	691	58.0	32.0	146.0	2.6	140	148.0	321.8	2.6@N
	03/77	1080	679	69.0	29.0	110.0	3	128	155.0	259.0	4.3@N
	01/78	1100	691	70.0	23.0	147.0	3	140	135.0	259.0	4.4@N
	10/78	1150	723	74.0	22.0	120.0	2.9	134	149.0	248.9	<1@N
	04/79	1000	628	70.4	22.4	118.0	2.6	122	138.0	239.1	<1@N
	10/80	1150	745	74.0	22.5	128.0	3	152	138.0	239.1	0.2@N
	05/81	1020	580	67.2	17.3	116.0	3.1	132	111.0	205.0	<0.5@N
	03/83	900	599	65.6	19.5	129.0	2.8	136	129.0	234.2	<0.5@N
	12/83	1000	628	72.4	22.4	127.0	2.6	140	150.0	249.0	<0.1@N
	05/84	1100	691	78.8	25.9	120.0	2.8	130	150.0	254.0	0.2@N
	06/85	1100	691	59.0	26.0	130.0	3	140	70.0	440.0	3.5
	09/85	1203	705	66.0	26.0	110.0	6	150	144.0	226.6	<0.4
	06/89	1139	662	71.5	21.7	80.8		117	128.0	209.0	<0.4

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

			Total									
0'4-14'	D-4-	Specific	Dissolved			Chemical Constituents - mg/l						
Site Location	Tested	Conductance umhos	Solids ₋ (mg/l)	Ca	Mg	Na	ĸ	CI	SO4	HCO3	NO3	
	* #2=4444444											
10S/5W-23J1	01/90	1150	632	90.6	32.4	102.0		160	170.0	214.0	<0.5	
(Bldg 2301)	01/91	1112		73.7	32.0	128.0		136	136.0		<0.04	
(Continued)	06/91	1090	662	87.4	29.7	117.0		140	121.0	204.0	<0.4	
	03/92	1080	644	74.2	25.8	133.0		127	118.0	282.0	1.3	
	03/93	1210	674	72.8	24.5	117.0		127	124.0	261.0	<0.4	
	06/93	1090	670	63.9	25.7	119.0		117	128.0	237.0	<0.4	
	03/94	1120	683	73.9	27.0	121.0		141	130.0		<0.4	
	08/94	1160	707	78.9	28.2	129.0		139	153.0		<0.44	
	06/95	1160	742	88.2	28.8	131.0		165	147.0		< 0.04	
	01/96	1300	690	79.0	29.0	140.0		147	131.0	292.0	<0.0	
	06/96	1020	674	82.0	29.0	120.0		134	129.0	204.0	<0.0	
	02/97	1100	650	74.0	27.0	150.0		126	172.0	245.0	<2@N	
	03/97	1073	630	77.0	28.0	130.0		142	134.0	254.0	<2@N	
	02/99	1180	647	75.0	27.0	125.0	3	150	130.0	272.0	ND	
	04/99	1240	722	81.0	30.0	124.0	3	157	150.0	293.0	ND	
	08/99	1180	735	79.0	29.0	120.0	3	190	183.0	281.0	ND	
10S/4W-18E3	06/89	1166	758	80.5	28.1	67.4		132	157	198.0	9.5	
(Bldg 2393)	01/90	1230	748	97.4	39.7	106.0		178	179	226.0	<0.05	
	04/90	1190	733	99.6	37.5	112.0		159	156	207.0	2.5	
	06/91	1130	680	97.6	37.6	100.0		139	142	166.0	2.7	
	02/94	1180	731	83.3	35.5	104.0		142	159		11.1	
	08/94	1150	725	84.3	35.2	102.0		147	164		1	
	06/95	932	636	75.4	29.1	86.6		102	140		14	
	06/96	1117	710	92.0	36.0	93.0		180	297	206.0	<0.0	
	02/97	1100	686	89.0	38.0	110.0		157	166	220.0	<2@N	
	03/97	1116	673	87.0	36.0	110.0		147	113	213.0	<2@N	
	06/97	1131	779	90.0	37.0	99.0	<5	151	177	199.0	<2@N	
	09/98	1160	727	83.0	36.0	90.0	3	160	181	232.0	ND	

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

		Specific	Total Dissolved			Che	mical	Constituents	- ma/l		
Site Location	Date	Conductance	Solids								
***************************************	Tested	umhos	(mg/l)	Ca	Mg	Na 	K	CI	S O 4	HCO3	NO3
10S/4W-7R2	06/89	1281	765	76 F	25.1	82.4		149	450	200.0	10.3
(Bidg 2603)	04/89	1270	765 788	76.5 104.0	36.5	126.0		173	153 161	209.0 215.0	10.3 2.6
(Bidg 2003)	06/91	1400	836	111.0	41.1	130.0		195	155	215.0	0.04
	02/94	1260	738	83.3	32.0	131.0		169	155	213.0	< 0.04
	08/94	1260	738	84.3	33.7	129.0		166	149		<0.44
	06/95	1290	897	93.6	35.2	129.0		202	164		0.69
	02/97	1200	720	84.0	36.0	130.0		150	152	240.0	<1@N
	03/97	1143	708	83.0	35.0	130.0		152	137	240.0	<2@N
	06/97	1227	831	94.0	34.0	120.0	<5	185	147	247.0	<2@N
	12/97	1200	700	84.0	36.0	120.0	3	150	173	240.0	ND
	03/98	1200	780	85.0	36.0	110.0	3	187	162	180.0	ND
	06/98	1190	734	ND	ND	ND	ND	ND	ND	ND	ND
	02/99	1160	663	76.0	32.0	102.0	3.0	150.0	150.0	214.0	ND
	08/99	1120	727	76.0	33.0	99.0	3.0	156.0	230.0	281.0	ND
10S/4W-7H2	08/56	1060	882	78.0	30.0	112		150	82	326.0	
(Bldg 2671)	01/60	820	500	55.2	14.7	85.0		76	98	224.0	
	10/60	1300	793	74.5	20.5	126.0	4.3	182	116	320.0	
	05/61	1390	840	100.0	29.2	170.0	3.3	170	135	362.0	
	05/62	1220	744	70.4	39.0	142.0	2.4	184	86	312.3	
	01/63	1300	740	65.6	26.4	162.0	2.4	166	153	259.0	0.7
	07/63	1100	671	64.0	25.4	118.0	2.7	148	97	280.6	0.0@N
	01/64	1020	622	70.4	33.2	117.0	2.7	172	98	302.6	3.3
	07/64	1400	854	83.2	27.3	134.0	1.4	164	98	322.1	
	04/65	1490	909	97.6	23.4	152.0	4.7	196	110	346.5	0.9
	01/66			102.0	28.0	166.0	3.1	194	88	414.8	6.6
	06/66			86.4	26.3	150.0	3.1	184	110	331.8	6.9
	01/67			72.0	29.3	128.0	3.1	174	72	324.5	6.9
	08/67		608	57.6	24.4	116.0	2.4	132	70	251.3	10.2
	02/68		572	67.2	17.6	105.0	2.4	118	94	251.0	0
	09/68		636	74.0	19.0	112.0	3	144	96	268.0	0.4
	04/69		820	72.0	33.0	138.0	2.8	180	140	285.0	0.9
	11/69	,	604	66.0	24.0	116.0	2.8	140	110	259.0	1.8
	05/70	1075		65.0	26.0	115.0	2.4	142	120	183.0	3.1
	09/71	1075	656 610	77.0	24.0	120.0	2.8	144	125	273.0	1.3
	05/72	1000	610 677	46.0	24.0	117.0	2.4	140	130	141.0	0
	10/72	1110	677	88.0	26.0	105.0	3.6	144	126	283.0	3.5

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids			Chei	mical (Constituents - mg/l		
One Location	Tested		(mg/l)	Ca	Mg	Na	ĸ	CI SO4	нсоз	NO3
10S/4W-7H2	10/73	1120	683	75.0	23.0	118.0	2.7*	132 130		0.6@N
(Bldg 2671)	06/74	1210	712	72.0	19.0	150.0	3.1	208 112		0.01@N
(Continued)	01/75	850	519	61.0	21.0	93.0	2.4	102 95		2.3@N
	02/76	1200	732	91.2	20.5	126.0	3.2	176 130		2.6@N
	09/76	1200	732	48.0	29.0	180.0	2.4	192 123		4.2@N
	03/77	1400	854	94.0	33.0	158.0 100.0	2.8 2.7	216 140		2.8@N
	01/78	1000	610 793	66.0 82.0	23.0 31.0	134.0	2.7	128 123 160 157		4.4@N
	10/78 04/79	1300 1200	732	84.8	28.3	144.0	3.1	164 116		<1@N
		1450	885	93.0	30.0	163.0	3.1	196 200		<1@N <1@N
	01/80 10/80	1050	591	70.4	21.7	104.0	3.7	140 125		2.0@N
	05/81	1000	645	72.4	21.7	105.0	3.5	128 123		<0.5@N
	05/81	1330	811	100.8	35.9	176.0	1.6	269 198		_
	03/83	890	669	77.2	23.7	95.0	3.4	132 136		0.65@N
	12/83	1000	610	70.4	23.7	123.0	2.6	136 150		0.5@N
	05/84	1100	671	77.2	24.6	116.0	2.7	133 155		0.2@N
	09/84	1300	650	6.6	29.0	120.0	2.6	200 170		12
	11/84	1100	671	81.6	23.4	124.0	2.7	149 175		1.2@N
	05/86	1592	994	104.7	39.7	167.3	4.4	232 167		<1@N
	06/89	1137	826	79.1	28.5	85.5		157 158		12.6
	01/90	1290	772	96.3	38.6	116.0		184 179		0.9/1.2
	04/90	1320	817	109.0	42.1	128.0	_	177 167		5.4
	01/91	401		87.3	44.4	103.1		20.5 179		
	03/93	1500	824	92.6	33.1	136.0		194 154		
	03/94	1370	827	103.0	36.4	135.0		163 145		
	08/94	1270	762	91.1	35.5	129.0		162 172	. —	5.64
	06/95	1260	771	100.0	35.8	127.0	_	197 178	_	2.8
	06/96	1300	751	96.0	36.0	120.0		162 174	247.0	1.1
	02/97	1300	830	100.0	41.0	150.0		186 161	186.0	<2@N
	06/97	1323	831	94.0	36.0	140.0	<5	158 149	271.0	2@N
	12/97	1200	670	91.0	36.0	120.0	3	150 169	220.0	ND
	12/97	1200	710	87.0	35.0	120.0	2	152 182	220.0	1.5
	03/98	1200	810	89.0	36.0	120.0	3	201 168	240.0	ND
	06/98	1390	830	ND	ND	ND	ND	ND NI	O ND	ND
	09/98	1290	748	87.0	32.0	110.0	2.0	158 160	299	ND
	02/99	1130	663	75.0	31.0	106.0	3.0	150 150	238	5
	05/99	1170	711	75.0	32.0	85.0	4.0	ND 180		ND
	08/99	1040	310	74.0	30.0	94.0	2.0	100 400	207	ND

^{*} Reported as 27 ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location	Date	Specific Conductance	Total Dissolved Solids	ved Chemical Constituents - mg/l									
	Tested		(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3		
10S/4W-7A2	05/56	920	651	59.0	22.0	100		104	94	213.0			
(Bldg 2673)	05/59		745	52.8	16.54	60.26		84	41	207.4			
	01/60		840	51.2	17.6	95.0		98	92	210.0			
	10/60	870	566	62.0	23.0	80.0	4.2	110	104	234.0	0		
	05/61	1180	710	72.0	34.0	114.0	3.3	104	150	227.0			
	05/62	797	518	63.2	23.4	75.0	2	100	96	214.7			
	01/63	1195	730	64.0	24.9	157.0	3.1	162	183	220.0	0		
	07/63	574	610	57.6	19.5	85.0	2.7	102	100	244.0	0.3@N		
	01/64	760	494	59.2	19.3	82.0	3.3	100	85	253.7	0.5@N		
	07/64	980	637	64.0	21.5	94.0	1.4	100	95	241.6			
	04/65	1230	800	73.3	22.5	106.0	4.5	120	110	248.9	1.3		
	01/66		448			86.0	2.5	82	75	190.3	9.7		
	06/66		540	60.8	21.0	81.0	2.5	102	95	222.0	9.1		
	01/67		544	60.8	19.5	88.0	2.9	106	69	229.4	6.9		
	08/67	•	504	54.4	20.0	79.0	2.1	96	58	214.7	8		
	02/68		456	60.8	17.6	86.0	2.7	94	78	222.0	0		
	09/68		600	67.0	18.0	90.0	3	110	96	232.0	0		
	04/69		428	46.0	18.0	73.0	20	76	90	183.0	3.1		
	11/69		476	59.0	18.0	88.0	2.7	98	110	198.0	0.9		
	05/70		416	54.0	18.0	79.0	2.6	92	90	151.0	2.9		
	12/70	780	507	64.0	16.0	89.0	2.7	100	90	222.0	10.1		
	05/72	990	644	77.0	24.0	86.0	2.8	116	135	207.0	0		
	10/72	965	627	77.0	27.0	94.0	2.9	104	145	239.0	5.3		
	10/73	960	624	72.0	19.0	105.0	2.8	112	140	195.0	0.9@N		
	06/74	950	548	68.0	19.0	101.0	3.1	138	102	207.0	0.35@N		
	01/75	840	546	58.0	22.0	87.0	2.7	98	95	217.0	2.2@N		
	02/76	820	533	68.8	20.5	76.0	3	106	88	214.7	2.2@N		
	09/76	900	585	48.0	45.0	98.0	2.3	116	112	258.6	3.0@N		
	03/77	900	585	70.0	23.0	76.0	2.8	123	113	195.0	2.6@N		
	01/78	950	618	64.0	24.0	100.0	2.7	124	108	200.0	4.3@N		
	10/78	1050	683	74.0	20.0	80.0	3	113	128	205.0	<1@N		
	04/79	950	618	65.6	19.5	98.0	3.1	· 109	118	190.3	<1@N		

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date	Specific Conductance	Dissolved Solids	d Chemical Constituents - mg/l							
	Tested	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
400/414 740	04/00	4000	050	07.0	00.0	00.0	0.4	400	444	407.0	401
10S/4W-7A2	01/80	1000	650	67.0	23.0	99.0	3.1	128	111		<1@N
(Bldg 2673)	10/80	900	546	67.2	20.5	86.0	3.4	108	86		2.3@N
(Continued)	05/81	810 800	585	57.2 57.2	14.4	83.0 85.0	3.4 2	92	84		0.7@N
	11/81 05/82	930	451 605	68.8	16.3 21.5	97.0	1.6	92 115	110 96		0.5@N
	03/83	900	663	78.8	23.7	95.0	3.4	132	135		<0.5@N
	09/84	1000	530	51.0	23.0	80.0	2.9	110	110	200.0	0.7@N 4.2
	11/84	850	553	67.2	28.3	73.0	2.9	111	137	190.0	
	09/85	1007	593	66.0	26.0	64.0	5.8	124	137	180.6	1.7@N
	05/86	1007	623	72.6	26.5	79.5	3.5	131	124	153.6	6 8.8
	06/89	1073	688	72.1	23.9	59.6		120	140	184	15.9
	01/89	1080	572	91.2	34.2	80.2		151	178	174	1.4
	04/90	1130	718	111.0	42.1	91.0		148	167	175	9.1
	06/91	1190	718	113.0	40.3	93.8		173	180	160	7.5
	03/93	1370	708	86.9	32.8	93.3		147	93.3	200	4.9
	03/94	1210	783	100.0	37.1	100.0		145	167		2.2
	08/94	1160	741	87.5	35.5	96.1		141	184		4.23
	06/95	1200	788	99.4	37.5	101.0		173	200		2.9
	06/96	1129	739	91.0	37.0	90.0		188	312	206	<0.0
	02/97	1100	690	82.0	35.0	140.0		127	131	180	<2@N
	03/97	1109	695	91.0	39.0	93.0		137	191	166	2.2@N
	06/97	1096	749	89.0	36.0	90.0	<5	138	178	187	2@N
	12/97	1100	690	84.0	36.0	83.0	4	140	181	160	<.2@N
	05/99	1050	648	78.0	32.0	111.0	3	171	192	207	ND
	08/99	1040	696	78.0	33.0	84.0	4	120	390	146	ND
10S/5W-23G3	06/91	1160	684	83.4	28.3	125.0		145	124	223	<0.04
(Bldg 33926)	03/92	1060	674	75.9	24.1	127.0		139	111	269	<0.4
	03/93	1182	584	67.8	21.1	110.0		135	101	274	<0.4
	06/93	1020	623	60.5	22.4	116.0		125	107	225	<0.4
	03/94	1120	665	80.0	25.0	122.0		129	117		1.8
	08/94	1150	699	78.7	26.4	125.0		141	118		<0.44
	06/95	1060	673	75.9	23.1	118.0		158	114		<0.04
	01/96	1200	619	71.0	24.0	120.0		139	107	262	<0.0
	07/96										<0.0

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

			Total										
		Specific	Dissolved	Chemical Constituents - mg/l									
Site Location	Date Tested	Conductance umhos	Solids (mg/l)	Ca	Mg		<u>к</u>	CI SO	4 HCO3	NO3			
			(****										
10S/5W-23K2	06/89	1207	698	75.6	22.8	84.0		138 13	37 231	<0.4			
(Bldg 33924)	04/89	1240	728	100.0	32.9	129.0		158 14	48 245	1.3			
	01/91	1193		80.6	35.2	131.0		21.3 14	46	- <0.04			
	06/91	1160	676	88.1	29.6	118.0		141 12	29 224	<0.04			
	03/92	1130	705	76.7	26.0	126.0		149 12	25 279	<0.4			
	06/92	1130	717	66.8	26.7	124.0		146 14	40 232	<0.4			
	03/93	1285	331	72.1	23.8	115.0		131 12	22 273	<0.4			
	02/97	1200	780	89.0	32.0	130.0		166 16	55 250	<2@N			
	03/97	1230	700	94.0	34.0	140.0		187 16	52 264	<2@N			
	06/97	1231	778	91.0	31.0	130.0	<2	171 16	55 264	<2@N			
	12/97	1200	710	82.0	30.0	130.0	2	156 16	32 230	ND			
	03/98	1200	710	82.0	30.0	110.0	2	191 14	46 240	ND			
	06/98	1170	658	79.0	28.0	123.0	2	157 I	ND 293	ND			
	02/99	1170	696	75.0	27.0	123.0	3	160 13	30 259	ND			
	04/99	1210	667	76.0	27.0	118.0	3	148 14	40 268	ND			
	08/99	1140	714	79.0	27.0	116.0	3	180 16	55 268	ND			
4000044000	04/00	4000	5.40	***	00.0	04.0		444 4					
10S/5W-13R2	01/90	1030	540	*96	26.6	94.8			30 200	0.7			
(Bldg 2363)	06/91	1150	702	98.7	32.0	109.0 107.0			25 288	1.3			
	06/93	1130	705	72.0	28.4				39 262				
	03/94	1020	658	69.6	27.8	104.0			40				
	06/95	1140	636	92.5	30.7	115.0			51				
	06/96	1103	680	91.0	31.0	100.0			51 233				
	06/97	1082	708	85.0	29.0	110.0	<5 2		45 244	•			
	12/97	1000	640	81.0	28.0	100.0	2		28 250	ND			
	03/98	1100	620	85.0	31.0	110.0	2		44 220	ND 0.68			
	06/98	1100	680	83.0	30.0	109.0	3		40 275				
	09/98	1160	662	81.0	28.0	90.0	3	144	90 256	ND			

^{* -} Reported as .96 ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date		Total Dissolved Solids	Chemical Constituents - mg/l								
	Tested		(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3	
10S/4W-7A3	03/99	1280	765	91.0	34.0	127.0	2	190	160	272	ND	
	06/99	1080	706	76.0	31.0	88.0	2.2	163	118	220	ND	
	08/99	1080	690	76.0	32.0	93.0	3	160	191	244	ND	
10S/5W-23G4	06/99	1070	668	69.0	23.0	106.0	1.7	163	144	305	ND	
	08/99	1090	657	72.0	25.0	115.0	2	180	153	317	ND	
10S/5W-23K3	06/99	1150	700	75.0	27.0	106.0	2.2	163	155	317	ND	
	08/99	1170	722	79.0	28.0	114.0	3	. 120	140	293	ND	

