

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 1999-2000

UNITED STATES OF AMERICA

V.

FALLBROOK PUBLIC UTILITY DISTRICT, ET AL

CIVIL NO. 1247 - SD-T

**JAMES S. JENKS
WATERMASTER
P. O. BOX 631
FALLBROOK, CA. 92088
(760) 728-1028
FAX (760) 728-1990**

AUGUST 2001

TABLE OF CONTENTS

	<u>Page No.</u>
1. Summary.....	1
2. Introduction	
2.1 Background.....	5
2.2 Authority.....	5
2.3 Scope.....	5
3. Surface Water Availability and Use	
3.1 Surface Flow.....	7
3.2 Surface Water Diversions.....	11
3.3 Water Storage.....	14
4. Subsurface Water Availability	
4.1 General.....	17
4.2 Extractions.....	17
4.3 Water Levels.....	19
4.4 Groundwater Storage.....	24
5. Imports/Exports	
5.1 General.....	27
5.2 Water Year 1999-2000.....	30
5.3 Water Years 1966-2000.....	32
5.4 Lake Skinner.....	32
5.5 Diamond Valley Lake	35
6. Water Rights	
6.1 General.....	37
6.2 Appropriative Surface Water Rights.....	39
6.3 Fallbrook PUD Proposal to Change Point of Diversion.....	43
7. Water Production and Use	
7.1 General.....	45
7.2 Water Purveyors.....	46
7.3 Indian Reservations.....	65
7.4 Mobile Home Parks/Campgrounds.....	67
7.5 Irrigation Water Use.....	67

8. Unauthorized Water Use	
8.1 General.....	69
8.2 Unauthorized Small Storage Ponds.....	69
8.3 Rancho California Water District Water Use.....	69
9. Threats to Water Supply	
9.1 General.....	73
9.2 High Nitrate Concentrations.....	73
9.3 Potential Overdraft Conditions.....	74
9.4 Salt Balance.....	77
10. Water Quality	
10.1 Surface Water Quality.....	79
10.2 Groundwater Quality.....	82
11. Five Year Projection of Watermaster Office Tasks, Expenditures and Requirements	
11.1 General.....	87
11.2 Normal Tasks.....	87
11.3 Additional Tasks.....	87
11.4 Projected Expenditures.....	88
12. Watermaster Office Budget 2001-2002.....	89

LIST OF TABLES

	<u>Page No.</u>
3.1 - Stream Gaging Stations.....	8
3.2 - Measured Surface Water Flow 1999-2000.....	9
3.3 - Surface Water Diversions to Storage.....	12
3.4 - Surface Water Diversions to Use.....	13
3.5 - Water in Storage.....	15
4.1 - Water Production by Substantial Users.....	18
4.2 - Groundwater Storage at Camp Pendleton	25
5.1 - Storage in State Water Project and Colorado River Reservoirs.....	28
5.2 - Imports/Exports 1999-2000.....	31
5.3 - Total Dissolved Solids Concentration of Imported Water 1999-2000.....	33
5.4 - Imports/Exports 1966-2000.....	34
6.1 - Appropriative Water Rights Permits & Licenses.....	40
6.2 - Pre-1914 Appropriative Water Rights	42
7.1 - Water Production and Use.....	47
7.2 - Definitions of Water Use by Municipal Water Purveyors.....	48
7.3 - Water Deliveries to Temecula Valley Regional Water Reclamation Facility.....	51
7.4 - Rancho California Water District, Permit 7032 Area Use.....	56
7.5 - Rancho California Water District, Rancho Division Return Flow Credit 1999-2000.....	58
7.6 - Rancho California Water District, Santa Rosa Division Return Flow Credit 1999-2000.....	59
7.7 - Depth of Younger Alluvium in Rancho California Water District Wells.....	62
7.8 - Rancho California Water District Well Production from Younger and Older Alluvium.....	63

9.1 – Ranges of Concentration of Nitrogen, Phosphorous and TDS for Willow Glen, 2068 Willow Glen Road, and River House Sampling Stations.....	75
9.2 – Ranges of Concentration of Nitrogen, Phosphorous and TDS in Rainbow Creek Watershed.....	76
10.1 – Ranges in Average Daily Concentration of Dissolved Oxygen, pH, Specific Conductance and Temperature at Santa Margarita River Near Temecula.....	80
10.2 – Ranges in Average Daily Concentration of Dissolved Oxygen, pH, Specific Conductance and Temperature at FPUD Sump Near Fallbrook.....	81

LIST OF FIGURES

1.1 - Local Production 1989 - 2000	1
1.2 - Imports 1989 - 2000	2
1.3 - Total Production 1990 - 2000	3
4.1 - Water Level Elevations Well No. 8S/2W-12H1	19
4.2 - Water Level Elevations Well No. 10S/4W-7J1	20
4.3 - Water Level Elevations Well No. 7S/3W-20C9	21
4.4 - Water Level Elevations Well No. 7S/3E-21G1	22
4.5 - Water Level Elevations Well No. 8S/2W-29G1	23
5.1 - Storage in State Water Project 1989 - 2000	29
5.2 - Storage in Colorado River Reservoirs 1989 - 2000	29
10.1 - Total Dissolved Solids Concentration RCWD Well 8S/2W-12K	83
10.2 - Total Dissolved Solids Concentration Camp Pendleton Well 10S/4W-7A2	85
10.3 - Nitrate Concentration Camp Pendleton Well 10S/4W-7A2	86

APPENDICES

Appendix A - Production and Use Water Year 1999-2000

Table A-1	Eastern Municipal Water District
Table A-2	Fallbrook Public Utility District
Table A-3	Murrieta County Water District
Table A-4	Rainbow Municipal Water District
Table A-5	Rancho California Water District
Table A-6	U.S.M.C. - Camp Pendleton
Table A-7	U. S. Naval Weapons Station, Fallbrook Annex
Table A-8	Miscellaneous Water Production and Import

Appendix B - Production and Use Water Years 1965-66 To 1999-2000

Table B-1	Eastern Municipal Water District
Table B-2	Fallbrook Public Utility District
Table B-3	Fallbrook Public Utility District (Wastewater)
Table B-4	Murrieta County Water District
Table B-5	Rainbow Municipal Water District
Table B-6	Rancho California Water District
Table B-7	U.S.M.C. - Camp Pendleton
Table B-8	U. S. Naval Weapons Station, Fallbrook Annex

Appendix C - Substantial Water Users 1999-2000

Appendix D - Water Quality Data

		<u>Last Published</u>
Table D-1	Surface Streams Sampled by Camp Pendleton	1992-1993
Table D-2	Surface Streams Sampled by Rancho CWD	1998-1999
Table D-2.1	Nutrient Sampling by Rancho CWD	1999-2000
Table D-3	Wells in Murrieta County Water District	1999-2000
Table D-4	Wells in Rancho California Water District	1999-2000
Table D-5	Wells on Indian Reservations	1999-2000
Table D-6	Wells on Camp Pendleton	1999-2000
Table D-7	Eastern Municipal Water District	1992-1993
Table D-8	Eastern Municipal Water District	1992-1993
Table D-9	Eastern Municipal Water District	1992-1993
Table D-10	Eastern Municipal Water District	1993-1994
Table D-11	Wells in Domenigoni Valley	1994-1995

MAP

Major Water Purveyors

Bound at back of report

SECTION 1 - SUMMARY


Section 1 - A summary of the Santa Margarita River Watershed Annual Watermaster Report for the 1999-2000 Water Year.

Section 2 - This Annual Watermaster Report is prepared pursuant to Section II of the U. S. District Court Order dated March 13, 1989. The Court has retained jurisdiction over all surface flows of the Santa Margarita River Watershed and all underground waters determined by the Court to be subsurface flow of streams or creeks or which is determined by the Court to add to, support or contribute to the Santa Margarita River stream system. Thus imported waters, whether in storage in Lake Skinner or being transported through the Watershed, are outside Court jurisdiction, along with local, vagrant groundwaters that do not support the Santa Margarita River stream system.

Section 3 - Surface water flows were well below normal in 1999-2000, with flows for long-term stations ranging from 16% to 41% of the long-term average flow. Surface diversions to use totaled 1,046 acre feet compared with 977 acre feet in 1998-1999. The total quantity of water in storage in the Watershed on September 30, 2000, was 318,680 acre feet, of which 21,748 acre feet was Santa Margarita River water and 296,932 acre feet was imported water.


Section 4 - Groundwater extractions were 43,434 acre feet compared to 53,377 acre feet in 1998-99. Water purveyors pumped 37,139 acre feet and 6,295 acre feet were pumped by other substantial users. Total annual local production including surface diversions for use for the period 1989-2000 is shown below on Figure 1.1.

FIGURE 1.1



Section 5 - During 1999-2000, 82,277 acre feet of water were imported and distributed in the Santa Margarita River Watershed by eight purveyors. This compares with 58,041 acre feet in 1998-99 and represents a 42 percent increase from 1998-99. Net exports, including wastewater, were 7,526 acre feet. Annual imports for the period 1989-2000 are shown below on Figure 1.2.

FIGURE 1.2




Section 6 - Water rights during the 1950's and 1960's consisted primarily of riparian and overlying rights. Other rights included appropriative rights and federal reserved rights. More recently, water purveyors in the Watershed have begun exercising groundwater appropriative rights. Perfected appropriative surface water rights on file with the State Water Resources Control Board (SWRCB) amount to 906,892 gallons per day which corresponds to 1.4 cfs or 2.78 acre feet per day of direct diversion rights and 44,315.5 acre feet of active storage rights.

Section 7 - Total imported supplies plus local production totaled 126,757 acre feet compared to 112,554 reported in 1998-99. Of that quantity, 59,089 acre feet were used for agriculture; 3,925 acre feet were used for commercial purposes; and 44,415 acre feet were used for domestic purposes; 1,067 acre feet were discharged to Murrieta and Temecula Creeks; 4,072 acre feet of fresh water were exported; 264 acre feet were directly recharged by Metropolitan WD; 7,485 acre feet were recharged by Rancho California WD and not recovered; resulting in an overall system loss of 6,440 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Total annual production for the period 1999-2000 is shown below on Figure 1.3

FIGURE 1.3



Section 8 - The United States has raised a number of issues regarding unauthorized water use by Rancho California WD including violation of the 1940 Stipulated Judgment. During 1999-2000, representatives of Rancho California WD and the United States developed a settlement agreement that would resolve their issues. The parties are now in the process of obtaining the necessary approvals of the agreement.

Section 9 - Threats to water supply include high nitrate levels in Rainbow Creek and Anza Valley in past years, potential overdraft conditions in the Murrieta-Temecula and Anza groundwater basins, and salt balance issues in the upper Watershed.

Section 10 - Water quality data in the Watershed for 1999-2000 are presented in Appendix D.

Section 11 - Projected Watermaster tasks for the next five years are listed.

Section 12 - A total Watermaster budget of \$283,325 is proposed for the 2001-2002 Water Year. This budget includes \$169,000 for the Watermaster Office and \$114,325 for operation of gaging stations by the U. S. Geological Survey (U.S.G.S.).

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 2 - INTRODUCTION

2.1 Background

On January 25, 1951, the United States of America filed Complaint No. 1247 in the United States District Court for the Southern District of California to seek a judicial determination of all respective water rights within the Santa Margarita River Watershed. The Final Judgment and Decree was entered on May 8, 1963, and appealed to the U. S. Court of Appeals. A Modified Final Judgment and Decree was entered on April 6, 1966. Among other things, the Decree provided that the Court:

. . . retains continuing jurisdiction of this cause as to the use of all surface waters within the watershed of the Santa Margarita River and all underground or sub-surface waters within the watershed of the Santa Margarita River, which are determined in any of the constituent parts of this Modified Final Judgment to be a part of the sub-surface flow of any specific river or creek, or which are determined in any of the constituent parts of this Modified Final Judgment to add to, contribute to, or support the Santa Margarita River stream system.

In March 1989, the Court appointed James S. Jenks as Watermaster to administer and enforce the provisions of the Modified Final Judgment and Decree and subsequent orders of the Court. The appointing Order described the Watermaster's Powers and Duties as well as procedures for funding and operating the Watermaster's Office. Also in 1989, the Court appointed a Steering Committee that at the conclusion of 1999-2000 was comprised of representatives from the United States, Eastern Municipal Water District, Fallbrook Public Utility District, Metropolitan Water District of Southern California, Pechanga Tribe, and Rancho California Water District. The purposes of the Steering Committee are to assist the Court, to facilitate litigation, and to assist the Watermaster.

2.2 Authority

Section II of the appointing Order requires that the Watermaster submit a written report containing his findings and conclusions to the Court promptly after the end of each water year.

2.3 Scope

The subjects addressed in this report are responsive to Section II of the appointing order. Information and data contained in this report are based on information reported to the Watermaster by others. Therefore, the Watermaster does not guarantee the completeness and accuracy of the information presented in this report, although most of the data presented are based on measurements. Estimates by the Watermaster are so noted.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

SECTION 3 - SURFACE WATER AVAILABILITY AND USE

3.1 Surface Flow

Over the years, flows in the Santa Margarita River Watershed have been measured at the stations listed on Table 3.1. A number of these stations have been discontinued. During Water Year 1999-2000 the U.S.G.S. operated 13 stations under an agreement with the Watermaster. The U.S.G.S. also operated a station on Murrieta Creek at Tenaja Road in cooperation with the Watermaster and Riverside County Flood Control District. In addition to stream flows, the U.S.G.S. also measures water elevation at Vail Lake.

The U.S.G.S. also operates several stations in the watershed under contract with Camp Pendleton. These include stream gaging stations on Fallbrook Creek and on the outlet channel and spillway for Lake O'Neill. The U.S.G.S. also operates a tidal water level recorder on the Santa Margarita River at its mouth.

Monthly flows for stations in Water Year 1999-2000 are shown on Table 3.2. Those flows consist of U.S.G.S. discharge determinations available at the time this report is published. Official U.S.G.S. discharges for 1999-2000 will be published by the U.S.G.S. in its annual Water Resources Data report.

In considering the historical record of flow at these stations, it should be recognized that the long term averages include variations in watershed conditions such as level of development, groundwater production, return flows, impoundments and vegetative use as well as hydrologic conditions, changes in gaging station locations and other factors. Descriptions of the various historical locations of gaging stations may be found in the publication, *Water Resources Data - California*, which is published annually by the U.S.G.S.

The Santa Margarita River station near Ysidora was discontinued on February 25, 1999, due to the reconstruction of the Basilone Bridge. A temporary station, installed at the U. S. Marine Corps Diversion Dam located about 2.3 miles upstream from the Ysidora site, was in operation throughout the 1999-2000 water year. As presently planned the temporary station will remain in operation until conditions are suitable at the permanent Basilone Bridge location.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.1
SANTA MARGARITA RIVER WATERSHED
STREAM GAGING STATIONS
1999-2000

STATION NAME	STATION NO.	AREA SQ MI	RECORDED BY	PERIOD OF RECORD										
				1920	1930	1940	1950	1960	1970	1980	1990	2000		
Temecula Creek Near Aguanga	11042400	131	USGS					8/57
Wilson Creek Above Vail Lake	11042490	122	USGS									10/89	10/94
Temecula Creek At Vail Dam	11042520	320	USGS	2/23	10/77
Vail Lake at Temecula (Reservoir Storage)	11042510	320	USGS			10/48
Pechanga Creek Near Temecula	11042631	13.8	USGS								10/87
Warm Springs Creek Near Murrieta	11042800	55.4	USGS								10/87
Santa Gertrudis Creek Near Temecula	11042900	90.1	USGS								10/87
Murrieta Creek At Tenaja Road	11042700	30	USGS										10/97
Murrieta Creek At Temecula	11043000	222	USGS	10/25
Santa Margarita River Near Temecula	11044000	588	USGS	2/23
Rainbow Creek Near Fallbrook	11044250	10.3	USGS										9/89
Sandia Creek Near Fallbrook	11044350	21.1	USGS										9/89
Santa Margarita River At FPUD Sump	11044300	620	USGS	10/24	9/80	9/89
Santa Margarita River Tributary Near Fallbrook	11044800	0.52	USGS						10/61	9/65
DeLuz Creek Near DeLuz 1/	11044800	33	USGS/ USMC					2/51	67 69	77	9/89
Santa Margarita River Near DeLuz Station	11045000	705	USGS	10/24 - 9/26
Fallbrook Creek 2/ Near Fallbrook	11045300	6.97	USGS/ USMC						10/64	9/76	12/88
Santa Margarita River 3/ At Ysidora	11046000	723	USGS	3/23
Santa Margarita River At USMC Diversion Dam near Ysidora	11045050	710	USGS											2/99

1/ Recorded by USMC, Camp Pendleton October 1966 to 1977
2/ Recorded by USMC, Camp Pendleton prior to October 1993
3/ Station temporarily discontinued in February 1999

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.2
SANTA MARGARITA RIVER WATERSHED
MEASURED SURFACE WATER FLOW
1999-2000
Quantities in Acre Feet

GAGING STATION	DRAINAGE AREA SQ MI	MONTH												WATER YEAR TOTAL	ANNUAL AVERAGE THRU 1999	YEARS OF RECORD THRU 1999
		OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP			
Temecula Creek Near Aguanga	131	87	119	171	187	492	547	241	119	59	50	64	54	2,190	6,080	42
Pechanga Creek Near Temecula	13.8	0	0	0	0	4	0	0	0	0	0	0	0	4	751	12
Warm Springs Creek Near Murrieta	55.4	1	3	1	2	360	101	28	6	14	11	5	8	540	3,550	12
Santa Gertrudis Creek Near Temecula	90.2	0	0	0	0	357	33	4	0	0	0	0	1	395	3,340	12
Murrieta Creek At Tenaja Road	30	0	0	0	0	265	119	0	0	0	0	0	0	384	3,876	2
Murrieta Creek At Temecula	222	196	2	1	7	1,970	697	264	161	157	178	152	131	3,916	9,593	75
Santa Margarita River Near Temecula	588	219	17	20	36	3,000	903	399	214	210	217	204	189	5,628	14,390 20,390	51 (1949-99) 26 (1923-48)
Rainbow Creek Near Fallbrook	10.3	8	9	12	24	221	86	87	24	14	7	4	3	479	3,360	10
Sandia Creek Near Fallbrook	21.1	70	116	142	157	587	674	377	235	149	137	76	110	2,830	7,950	10
Santa Margarita River At FPUD Sump	620	238	113	134	196	3,310	1,460	741	425	251	162	247	184	7,461	37,940	10
DeLuz Creek Near DeLuz	33	0	0	3	20	680	937	164	62	2	0	0	0	1,868	14,300 N/A 3,826	7 (1993-99) (1989-90) 27 (1951-77)
Santa Margarita River At Ysidora	723	Station temporarily discontinued												0	29,026 31,390	51 (1949-99) 26 (1923-48)
Santa Margarita River At USMC Diversion Dam near Ysidora	710	217	269	141	53	2,350	1,110	96	0	88	174	128	69	4,695	N/A	N/A
Fallbrook Creek Near Fallbrook	6.97	1	2	11	23	168	124	50	25	2	0	0	0	406	1,626 1,462 *	11 (1989-99) 12 (1965-76)

* Includes wastewater flows
N/A - Not Applicable

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Total flows at four long-term stations for Water Years 1998-1999 and 1999-2000 are compared with their averages in the tabulation below. Average flows for the Santa Margarita River stations near Temecula and near Ysidora are shown for two periods: before and after Vail Dam was constructed (1923 to 1948, and 1949 to 1999).

	<u>TOTAL FLOW</u>		<u>AVERAGE FLOW</u>
	<u>1998-1999</u> <u>Acre Feet</u>	<u>1999-2000</u> <u>Acre Feet</u>	<u>Through 1999</u> <u>Acre Feet</u>
Temecula Creek Near Aguanga	2,808	2,190	6,080 (1957-99)
Murrieta Creek At Temecula	2,267	3,916	9,593 (1925-99)
Santa Margarita River Near Temecula	3,690	5,628	14,390 (1949-99) 20,390 (1923-48)
Santa Margarita River Near Ysidora (various locations) (At Diversion Weir 1999-2000)	7,200	4,695	29,026 (1949-99) 31,390 (1923-48)

The foregoing tabulation indicates that, flows in 1998-1999 and 1999-2000 were much lower than the long-term averages. In 1999-2000 annual flows at long-term stations on Temecula Creek, Murrieta Creek and the Santa Margarita River near Temecula ranged from 36 to 41 percent of the long-term average. In addition, flow at the temporary Santa Margarita River station at the Diversion Weir was 16 percent of the long-term average for the Ysidora station.

Monthly flows shown in Table 3.2 consist primarily of naturally occurring surface runoff, including return flows, except for Rancho California WD discharges into Temecula and Murrieta Creeks. A portion of the Rancho California WD discharges are pursuant to Section Eleventh of the 1940 Stipulated Judgment which requires maintenance of three cubic feet per second (cfs) flow at the Santa Margarita River near Temecula station

between May 1 and October 31 of each year. Total flow at that station for October 1999 and May through September 2000 are shown below:

<u>Month</u>	<u>Monthly Discharge</u> <u>Acre Feet</u>	<u>Average Daily Flow</u> <u>CFS</u>
October 1999	219	3.6
May 2000	214	3.5
June 2000	210	3.5
July 2000	217	3.5
August 2000	204	3.3
September 2000	<u>189</u>	<u>3.2</u>
TOTAL	1,253	3.5

During 1999-2000, Rancho California WD released 1,067 acre feet into Murrieta and Temecula Creeks of which 1,050 acre feet were released during October 1999, and between May 1 and September 30, 2000. Of the 1,050 acre feet released in October 1999 and May through September 2000, 43 acre feet were from wells and 1,007 acre feet were from the System River Meter. The System River Meter refers to discharges directly from Rancho California WD's distribution system into Murrieta Creek at a location just upstream from the Murrieta Creek gaging station.

Rancho California WD also discharged 1,854 acre feet of treated wastewater into Murrieta Creek at a point about five miles upstream from the Murrieta Creek at Temecula gaging station.

3.2 Surface Water Diversions

Surface diversions to surface water storage and groundwater storage during 1998-1999 and 1999-2000 are shown in Table 3.3. In general, diversions to surface storage at Vail Lake and Lake O'Neill are computed as being equal to inflow less spill, however, diversion to surface storage at Vail Lake excludes inflow during the period from May 1 through October 31 when Permit 7032 does not allow such diversions. Inflow to Vail is calculated as the sum of evaporation, spill, releases and change of storage. Inflow into Vail Lake during the period when diversions are not permitted is released and not credited to groundwater storage. Representatives of the United States do not agree with this method of calculation.

Surface diversions to use for 1999-2000 are shown in Table 3.4. The use is primarily irrigation although the diversions on the Pechanga Indian Reservation are into the domestic water system while those at the Borel property are to stock watering, dust control and recreation. Estimated consumptive uses, losses and returns are also shown.

TABLE 3.3

SANTA MARGARITA RIVER WATERSHED
SURFACE WATER DIVERSIONS TO STORAGE
1999-2000

Quantities in Acre Feet

Surface Water Storage

	<u>Vail Lake</u>		<u>Lake O'Neill</u>	
	<u>1998-1999</u>	<u>1999-2000</u>	<u>1998-1999</u>	<u>1999-2000</u>
Storage end of prior year	23,950	22,130	756	663
Inflow - Total	3,840	2,934	600 ¹	485 ²
Inflow to be Bypassed	970	371	0	0
Spill	0	0	0	0
Diversions to Surface Storage	2,870 ³	2,563 ³	600 ⁴	485 ⁴
Annual Evaporation	3,680	3,572	350	365
Releases - Total	1,980	322	0	0
Release to GW Storage	1,010 ⁵	(49) ⁵	0	0
Apparent Seepage to GW	0	0	341 ⁶	205 ⁶
Change of Storage	(1,820)	(960)	(93)	(85)
Storage End of Year	22,130	21,170	663	578

Groundwater Storage

Recharge Release from Storage Facility	1,010	0	0	0
Direct Recharge	0	0	3,293	4,648

¹ 0 AF diverted from the Santa Margarita River and 600 AF estimated inflow from Fallbrook Creek

² 0 AF diverted from the Santa Margarita River and 485 AF estimated inflow from Fallbrook Creek

³ Inflow less Spill less Inflow (Oct 1 to Oct 31 and May 1 to Sept 30)

⁴ Inflow less Spill

⁵ Total Release less Inflow to be bypassed

⁶ Includes seepage losses, leakage through flashboards and unaccounted for water

TABLE 3.4

**SANTA MARGARITA RIVER WATERSHED
 SURFACE WATER DIVERSIONS TO USE
 1999-2000**
 Quantities in Acre Feet

	<u>Surface Diversions</u>	<u>Consumptive Use¹</u>	<u>Losses²</u>	<u>Returns³</u>
Prestininzi	18	12	2	4
Blue Bird Ranch	31	21	3	7
Chambers	3	2	0.3	0.7
Cal June, Inc.	325	219	33	73
Strange	250	169	25	56
Agri-Empire, Inc. Kohler Canyon	15	10	1	4
Papac	38	26	4	8
Sage Ranch Nursery	105	71	11	23
Daily Family Trust	9	6	1	2
Carter	200	135	20	45
Borel	3	2	0.3	0.7
Pechanga Tribe	4	3	0.4	0.6
San Diego State University Foundation	<u>45</u>	<u>31</u>	<u>4</u>	<u>10</u>
TOTAL	1,046	707	105	234

¹ Consumptive use equals 75% of Diversions less Losses
² Losses equal 10% of Diversions
³ Returns equal 25% of Diversions less Losses

3.3 Water Storage

Major water storage facilities in the Santa Margarita River Watershed are listed on Table 3.5, together with the water in storage on September 30, 1999 and September 30, 2000. Total Santa Margarita River stream system water in storage at the end of Water Year 1999-2000 totaled 21,748 acre feet, compared to 22,793 acre feet at the end of the previous year. Imported water in storage in Lake Skinner and Diamond Valley Lake, both operated by Metropolitan Water District of Southern California (MWD) is also shown on Table 3.5. Imported water is not under Court jurisdiction.

TABLE 3.5

SANTA MARGARITA RIVER WATERSHED
WATER IN STORAGE
1999-2000
 Quantities in Acre Feet

<u>Santa Margarita River Storage</u>	<u>Total Capacity</u>	<u>Water in Storage</u>	
		<u>9/30/1999</u>	<u>9/30/2000</u>
Dunn Ranch Dam	90	0	0
Upper Chihuahua Creek Reservoir	± 47	0	0
Vail Lake	49,370	22,130	21,170
Lake O'Neill	<u>1,200</u>	<u>663</u>	<u>578</u>
Subtotal	50,707	22,793	21,748
 <u>Imported Water Storage</u>			
Lake Skinner	44,000	39,430	41,532
Diamond Valley Lake		0	255,400
 <u>TOTAL STORAGE</u>	 94,707	 62,223	 318,680

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 4 - SUBSURFACE WATER AVAILABILITY

4.1 General

Much of the water from the Santa Margarita River stream system is obtained by pumping subsurface water. The Court has identified two basic types of subsurface water in its interlocutory judgments. One type is vagrant, local, percolating waters that do not add to, support or contribute to the Santa Margarita River or its tributaries. Such waters have been determined to be outside the continuing jurisdiction of the Court. These waters are typically found in the basement complex and/or residuum deposits in the Watershed. Wells tapping these deposits typically have low yields.

Other subsurface waters were found by the Court to add to, contribute to and support the Santa Margarita River and/or its tributaries. Aquifers containing such waters have been designated by the Court as younger alluvium and older alluvium. Younger alluvial deposits are commonly exposed along streams and in valleys. Older alluvium may be found underneath younger alluvium and is not limited to areas along stream channels. Older alluvium may or may not be exposed at ground surface. The use of subsurface water found in younger and older alluvium is generally under the continuing jurisdiction of the Court and is reported upon in this report.

4.2 Extractions

Production of Santa Margarita River water by substantial water users in the Watershed from all sources is listed on Table 4.1 by hydrologic area along with estimated consumptive use and return flows. Substantial water users include water purveyors as well as private irrigators who irrigate eight acres or more or use an equivalent quantity of water.

In 1999-2000 production by purveyors totaled 37,139 acre feet, compared to 45,908 acre feet in 1998-1999. Monthly quantities are shown in Appendix A and annual production for water years between 1966 and 2000 is shown in Appendix B.

The quantities of subsurface extractions by private irrigators are based on the irrigated acreage and the crop type. These quantities are reported in Appendix C to total 6,295 acre feet in 1999-2000. Of the subsurface extractions, 75 percent is estimated to have been consumptively used and 25 percent to have been return flow. Return flow is that portion of the total deliveries that is not consumed. Although return flows average about 25 percent, such flows are affected with the type of use (domestic, commercial and irrigation), the type of irrigation application (drip, micro-sprinkler, furrow), and exports from watersheds.

In addition to groundwater production by water purveyors and private irrigators, surface diversions are also listed on Table 4.1 as well as total production of Santa Margarita River water.

TABLE 4.1

SANTA MARGARITA RIVER WATERSHED
SANTA MARGARITA RIVER WATER PRODUCTION BY SUBSTANTIAL USERS
1999-2000

HYDROLOGIC AREA	WATER PURVEYOR PRODUCTION ACRE FEET	OTHER IRRIGATED ACRES	IRRIGATION PRODUCTION ACRE FEET	TOTAL GROUNDWATER PRODUCTION ACRE FEET	SURFACE WATER DIVERSIONS ACRE FEET	TOTAL PRODUCTION ACRE FEET	ESTIMATED CONSUMPTIVE USE ACRE FEET ^{1/}	ESTIMATED RETURN FLOW ACRE FEET
Wilson Creek Above Aguanga GWA Includes Anza Valley	387	1,561 ^{2/}	2,155	2,542	0	2,542	1,907	638
	<i>(Lake Riverside, Anza MWC, Cahuilla)</i>							
Temecula Creek Above Aguanga GWA	10	548	846	856	53	909	678	231
	<i>(Butterfield Oaks MHP)</i>							
Aguanga GWA	143	500	881	1,024	250	1,274	937	337
	<i>(Outdoor Resorts Jojoba Hills)</i>							
Upper Murrieta Creek (Warm Springs Creek above 7S/3W-14)	0	0	0	0	0	0	0	0
Lower Murrieta Creek (Santa Gertrudis/Tucalota Creek above 7S/2W-18)	0	465	44	44	108	152	106	46
Murrieta-Temecula GWA	29,538	1,436	1,910	31,448	204	31,652	23,724	7,928
	<i>(RCWD, MCWD, EMWD, Pechanga)</i>							
Santa Margarita River Below the Gorge								
Deluz Creek	0	207	456	456	61	517	383	134
Sandia Creek	0	65	0	0	325	325	219	106
Rainbow Creek	0	0	0	0	0	0	0	0
Santa Margarita River <i>(USMC)</i>	7,061	20	3	7,064	45	7,109	1,653	3,496
TOTAL	37,139	4,802	6,295	43,434	1,046 ^{3/}	44,480	29,606	12,914

1/ Estimated consumptive use is equal to 75% of groundwater production plus 75% of surface diversions less 10% except for Camp Pendleton where net export of 1,957 acre feet is excluded and return flows include measured wastewater returns


2/ Includes lands overlying deep aquifer in Anza Valley

3/ Includes surface diversion for irrigation, commercial and domestic use.

4.3 Water Levels

Water levels in selected wells in the Watershed are measured periodically by various entities. Historical water levels in five wells at various locations in the Watershed are shown in this report on Figures 4.1, 4.2, 4.3, 4.4 and 4.5. Figure 4.1 shows water levels in Well No. 8S/2W-12H1 (Windmill Well) located in the Rancho California WD service area downstream from Vail Lake. Note the extended drawdown from 1945 to 1978, the major recoveries during the wet years in 1980 and 1993, and the effect of relatively dry years after 1980 and after 1993. Water levels rose 10.52 feet in 1999-2000. It should be noted that the Windmill Well is located in Pauba Valley about 1.5 miles downslope from the Valle de los Caballos (VDC) area. Releases from Vail Lake as well as imported water are recharged there. In 1999-2000 19,929 acre feet of imported water were recharged in the VDC of which about 58 percent was recovered.

FIGURE 4.1




Collar El. 1216.7 Feet; Depth 515 Feet; Drilled in Alluvium
Ref: RCWD reports (1920-2000)

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.2 shows water levels at Camp Pendleton in Well No. 10S/4W-7J1, a monitoring well located in the Upper Sub-basin. Fluctuations in recent years illustrate recharge during the winter months and drawdown each summer, with the water levels generally between 82 and 90 feet in elevation. Water levels in Well 7J1 declined 0.1 foot between the fall of 1999 and the fall of 2000.


FIGURE 4.2



Ground El. 93 Feet; Depth 138.8 Feet; Perf. Unknown; Drilled in Alluvium
Camp Pendleton Records (1950-72) (1988-2000); Leeds Hill Study (1973-85) Dates Estimated

Figure 4.3 shows water levels from production Well No. 7S/3W-20C9 (Holiday Well) in the Murrieta County Water District service area. Water levels in this well dropped 11.7 feet since the fall of 1999. Water levels in the Lynch Well, 7S/3W-17R2, which serves as a monitoring well and had no production in 1999-2000 dropped 16 feet.


FIGURE 4.3



Ground El. 1090 Feet; Depth 307 Feet; Perf. 60 - 307 Feet
Murrieta County Water District Records

Figure 4.4 shows water levels for Well No. 7S/3E-21G1, Anza Mutual Water Company's Well No. 1, a production well located in the Anza Valley. Water levels in this well rose 13 feet this year. As may be noted from Figure 4.4, recent measurements show annual 50 foot fluctuations in groundwater levels at this well, partly in response to the operation of nearby irrigation wells. Current levels are within the historical range.


FIGURE 4.4



Ground El. 3862.6 Feet; Depth 260 Feet; Perf. 20 - 260 Feet; Drilled in Alluvium
Anza Mutual Water Co. Well No. 1 (1987-2000); DWR Bulletin 91-22 (1950-73)

Figure 4.5 shows water levels at Well No. 8S/2W-29G1, located in Wolf Valley on the Kelsey Tract of the Pechanga Indian Reservation. The well is not used for water production and its depth as measured in 1972 was 159 feet. Water levels collected since 1925 reflect unconfined groundwater levels. As shown on Figure 4.5 the groundwater levels have fluctuated within a 44 foot range above and below elevation 1050 feet in response to wet years and dry periods. Water levels in this well fell 4.4 feet in 1999-2000.

FIGURE 4.5



Ground El. 1091.1 Feet; Depth 159.1 Feet
U.S. Geological Survey Records

Changes in water levels in the above noted wells between the end of the previous water year and the end of the 2000 water year are shown below:

<u>Well</u>	<u>Water Elevation 1999 Feet</u>	<u>Water Elevation 2000 Feet</u>	<u>Change in Water Level Feet</u>
RCWD 8S/2W-12H1	1139.6	1148.1	Up 10.52
USMC 10S/4W-7J1	84.4	84.3	Down 0.1
MCWD 7S/3W-20C9	1011.7	1000.0	Down 11.7
Anza MWC 7S/3E-21G1	3775.1	3788.1	Up 13.0
Pechanga IR 8S/2W-29G1	1047.3	1042.9	Down 4.4

4.4. Groundwater Storage

The groundwater basin at Camp Pendleton includes three sub-basins: Upper, Chappo, and Ysidora. Useable groundwater storage in place at the end of water year 1999-2000 is summarized in the following tabulation. The tabulation shows that the combined storage in the three sub-basins, between the depths of 5 and 100 feet is 48,100 acre feet. However, much of that storage is below sea level and the useable storage amounts to 28,700 acre feet.

At the end of water year 2000, water levels in wells in each of the sub-basins were reported by Camp Pendleton. The unused storage below a depth of five feet is shown on the tabulation to be 2,050 acre feet, leaving a total useable quantity in storage of 26,650 acre feet. It may be noted that classification of that storage as useable is made without allowances for maintenance of riparian habitat.

TABLE 4.2

**SANTA MARGARITA RIVER WATERSHED
 GROUNDWATER STORAGE AT CAMP PENDLETON
 1999-2000**
 Quantities in Acre Feet

	<u>Sub-basin</u>			
	<u>Upper</u>	<u>Chappo</u>	<u>Ysidora</u>	<u>Total</u>
I. Available Storage				
A. Total Storage ¹ AF	12,500	27,000	8,600	48,100
B. Useable Storage AF	12,500	15,000 ²	1,200 ³	28,700
II. Unused Storage				
A. Wells used for Depth	10S/4W-7J1	10S/4W-18L1	11S/5W-2E1 11S/5W-11D4	
B. Depth to Water - Feet	6.7	9.4	8	
C. Depth below 5 Feet	1.7	4.4	3	
D. Average Area - Acres	840	2,545	1,030	
E. Unused Storage below 5 Feet	308	1,456	286	2,050
III. Useable Storage in Place - AF ⁴	12,192	13,544	914	26,650

¹ Computed by U.S.G.S. as the storage between depths of 5 and 100 feet.

² Storage between 5 foot depth and sea level.

³ Storage between 5 foot depth and 10 feet above sea level.

⁴ Does not include stored water reserved for riparian habitat.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 5 - IMPORTS/EXPORTS

5.1 General

Court Orders require the Watermaster to determine the quantities of imported water used in the Watershed. Most of the water imported into the Santa Margarita River Watershed is delivered by Metropolitan Water District of Southern California (MWD) to local districts. MWD obtains its water from the State Water Project (SWP) and the Colorado River. Both the SWP and the Colorado River system have major storage reservoirs to provide long-term carryover storage. The quantities of water in storage at the end of the water year in the major reservoirs in each system are indicated on Table 5.1. Total storage in the SWP each year since 1989 is shown graphically on Figure 5.1. Similarly, total storage for the Colorado River Reservoirs each year since 1989 is shown on Figure 5.2. It may be seen from Table 5.1 that during Water Year 1999-2000 water in storage in the SWP decreased from 3.66 million acre feet on September 30, 1999, to 2.94 million acre feet on September 30, 2000. Storage on September 30, 2000, corresponds to about 55 percent of the total SWP storage capacity.

Water in storage in the Colorado River system declined 5 million acre feet from the prior year to 50.4 million acre feet on September 30, 2000. On September 30, 2000, those reservoirs contained 78 percent of their total combined capacity.

Projections of water availability on the SWP for the coming year (2001) are prepared by the State Department of Water Resources on a monthly basis from February through May. The report dated May 1, 2001, indicates that statewide October 1 through May 1 precipitation was 75 percent of average. As of May 1, the SWP has approved delivery of 30 percent of the requests for deliveries in the year 2001.

The following entities imported water directly or indirectly from MWD into the Santa Margarita River Watershed:

- Eastern Municipal Water District
- Elsinore Valley Municipal Water District
- Fallbrook Public Utility District
- Rainbow Municipal Water District
- Rancho California Water District
- U. S. Naval Weapons Center
- Western Municipal Water District

TABLE 5.1

**SANTA MARGARITA RIVER WATERSHED
STORAGE IN STATE WATER PROJECT
AND COLORADO RIVER RESERVOIRS**

Thousands of Acre Feet

STATE WATER PROJECT RESERVOIRS

Reservoir	Total Capacity	Water in Storage - September 30										
		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Oroville	3,540	1,163	1,399	1,317	2,666	1,683	2,897	2,736	2,140	2,832	2,427	1,920
San Luis (State Share)	1,060	100	385	381	944	394	1,067	740	462	900	592	388
Pyramid	171	163	164	159	156	160	168	158	163	161	155	164
Castaic	324	268	296	257	263	237	297	284	237	306	288	285
Silverwood	73	67	68	68	68	68	54	40	73	71	72	70
Perris	132	116	120	117	120	110	126	126	105	124	125	110
Total	5,300	1,877	2,432	2,299	4,217	2,652	4,609	4,084	3,180	4,394	3,659	2,937
Percent of Capacity		35%	46%	43%	80%	50%	87%	77%	60%	83%	69%	55%

MAJOR COLORADO RIVER RESERVOIRS

Reservoir	Total Capacity	Water in Storage - September 30										
		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Flaming Gorge	3,789	3,082	3,391	3,106	3,471	2,887	3,488	3,364	3,599	3,580	3,425	3,010
Blue Mesa	941	618	700	604	720	615	782	686	761	624	740	560
Navajo	1,709	1,361	1,586	1,579	1,625	1,400	1,556	1,203	1,543	1,380	1,558	1,357
Powell	27,000	16,252	14,699	14,085	18,825	17,772	22,311	21,155	22,802	22,404	22,997	20,939
Mead	28,537	20,144	19,233	19,416	21,379	19,930	20,714	21,614	23,769	25,126	24,592	22,444
Mohave	1,818	1,488	1,571	1,623	1,375	1,467	1,635	1,578	1,674	1,729	1,515	1,523
Havasu	648	562	556	548	579	571	588	597	580	565	584	566
Total	64,442	43,507	41,736	40,961	47,974	44,642	51,074	50,197	54,728	55,408	55,411	50,399
Percent of Capacity		68%	65%	64%	74%	69%	79%	78%	85%	86%	86%	78%

FIGURE 5.1





FIGURE 5.2



In addition to net deliveries through member agencies, MWD, pursuant to a Court Order, delivered 25 acre feet of water for irrigation of lands in Domenigoni Valley within the Santa Margarita Watershed during 1999-2000. MWD also imported 357 acre feet for use as construction water for the Diamond Valley Lake Project, and 264 acre feet for groundwater recharge.

Water is also imported into the Santa Margarita River Watershed from adjacent watersheds. Such importation occurs from the Santa Ana Watershed where Elsinore Valley MWD pumps water from wells outside the Santa Margarita River Watershed but delivers water to a portion of its service area that is inside the Santa Margarita River Watershed.

At Camp Pendleton, there is a pipeline connection to wells located in the Las Flores Creek Watershed to the north of the Santa Margarita River Watershed. Water can be either imported or exported through that line, depending on relative water demands and pumping capacities.

Exportations from the Santa Margarita River Watershed include water pumped at Camp Pendleton that is used in the San Luis Rey River Watershed to the south or in the Las Flores Creek Watershed to the north. Some of the water exported at Camp Pendleton is returned to the Watershed as wastewater. Wastewater from the Fallbrook area and the Naval Weapons Station located on Camp Pendleton is exported by the Fallbrook Public Utility District and wastewater in the Elsinore Valley MWD is exported by that district.

Eastern MWD uses a 24-inch pipeline along Winchester Road to transport wastewater from the Temecula Valley Regional Water Reclamation Facility to areas within the Watershed for reuse as well as for export of up to 10 MGD from the Watershed. A total of 3,649 acre feet of treated wastewater were exported by Eastern MWD in 1999-2000.

The following paragraphs of this report describe imports and exports during Water Year 1999-2000 and during the 1966-2000 period. There is also discussion of MWD's Lake Skinner and Diamond Valley Lake operations.

5.2 Water Year 1999-2000

During 1999-2000, 82,277 acre feet of water were imported and distributed in the Santa Margarita River Watershed by eight purveyors. This compares with 58,041 acre feet in 1998-1999 and represents a 42 percent increase. The large increase may be attributed to continued growth, continued dry conditions, as well as an increase in direct recharge at Rancho California Water District from 9,425 acre feet in 1998-1999 to 19,929 acre feet in 1999-2000. Water quantities imported into and exported from the Santa Margarita River Watershed for months during Water Year 1999-2000 are listed on Table 5.2.

TABLE 5.2

SANTA MARGARITA RIVER WATERSHED
IMPORTS/EXPORTS

1999-2000

Quantities in Acre Feet

EXPORTS

IMPORTS

YEAR MONTH	ELSINORE VALLEY MWD				FALLBROOK PUD		RAINBOW MWD 1/		RANCHO CAL MWD		U.S. NAVAL WS		WESTERN MWD 2/		TOTAL IMPORTS		-----CAMP PENDLETON----- WASTEWATER RETURNS		NET EXPORT		U.S. NAVAL WS		EASTERN MWD		ELSINORE VALLEY MWD		FALLBROOK PUD		TOTAL EXPORTS	
	EASTERN MWD	VALLEY MWD	FALLBROOK PUD	MWD 1/	RAINBOW MWD	RANCHO CAL MWD	U.S. NAVAL WS	WESTERN MWD 2/	TOTAL IMPORTS	EXPORTS	RETURNS	NET EXPORT	U.S. NAVAL WS	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	TOTAL EXPORTS													
1999																														
OCT	719	644	1,091	285	209	4,373	15	7,340	374	182	192	0.5	290	20	148	651														
NOV	467	652	804	62	220	4,047	11	6,266	339	207	132	0.5	360	23	130	645														
DEC	560	399	767	62	146	4,217	10	6,164	255	153	102	0.5	320	25	133	580														
2000																														
JAN	98	569	631	33	160	3,959	4	5,457	198	184	14	0.6	341	22	123	501														
FEB	273	281	314	13	123	1,883	3	2,892	146	230	-84	1.1	314	25	125	381														
MAR	667	245	374	24	64	2,259	3	3,638	258	212	46	0.9	429	26	148	650														
APR	277	481	584	29	126	2,771	6	4,277	309	170	139	0.6	272	23	147	582														
MAY	944	706	886	29	146	4,470	9	7,193	333	171	162	0.4	269	22	149	602														
JUNE	833	665	816	26	195	6,150	14	8,702	429	150	279	0.4	230	26	144	679														
JULY	663	968	881	47	304	7,180	11	10,059	501	155	346	0.4	279	20	132	777														
AUG	1,249	845	1,217	15	251	7,300	11	10,894	483	157	326	0.8	251	22	125	725														
SEPT	506	717	1,000	87	273	6,800	7	9,395	447	144	303	0.5	294	25	130	752														
TOTAL	7,256	7,172	9,365	712	2,217	55,409	104	82,277	4,072	2,115	1,957	7	3,649	279	1,634	7,526														

1/ Metropolitan Water District direct deliveries in Domenigoni Valley
2/ Improvement District A - Rainbow Canyon Only (WR-13)

Water quality of the imported supplies in 1999-2000 as reflected by the average monthly total dissolved solids at the Skinner Treatment Plant effluent line is shown on Table 5.3, together with the percent of imported water obtained from the SWP.

5.3 Water Years 1966-2000

Water quantities imported by districts into the Santa Margarita River Watershed during Water Years 1966-2000 are shown on Table 5.4. Total imports to these districts are measured, however some districts serve lands outside the Watershed. For these districts, which include Eastern MWD, Elsinore Valley MWD, Fallbrook PUD and Rainbow MWD, the portion delivered in the Santa Margarita River Watershed must be estimated.

Review of the historical trend of total imports shown on Table 5.4 indicates significant year-to-year variations with relatively low imports in wet years and higher imports in dry years, combined with an underlying growth rate to serve increasing municipal water demands in the Murrieta-Temecula area.

Exports over the 1966-2000 period are also shown on Table 5.4. These include estimated water exports on Camp Pendleton less estimated wastewater returns, as well as an estimate of exports by the Fallbrook Public Utility District and the Naval Weapons Station after 1983, and Elsinore Valley MWD after 1986. Exports by Eastern MWD were initiated in 1992-1993. Exports do not include water that naturally flows from the Santa Margarita River into the Pacific Ocean.

5.4 Lake Skinner

Lake Skinner is a 44,000 acre foot reservoir constructed by MWD on Tualota Creek, within the Santa Margarita River Watershed. The purpose of Lake Skinner is to provide regulatory and emergency storage capacity for water imported to southern California. A Memorandum of Understanding and Agreement on Operation of Lake Skinner (MOU), dated November 12, 1974, approved by the Court on January 16, 1975, contains provisions to protect Santa Margarita River Watershed water users from potential effects of Lake Skinner on either subsurface or surface flows.

Protection against a decrease in subsurface flows caused by the dam is afforded by a provision in the MOU that requires that MWD release water from Lake Skinner into Tualota Creek if groundwater levels in Well AV-28B fall below an elevation of 1356.64 feet. Between June and September MWD released a total of 66.72 acre feet to maintain well levels above the minimum. At the end of September 30, 2000, the well level was 1360.56 feet.

TABLE 5.3

SANTA MARGARITA RIVER WATERSHED
TOTAL DISSOLVED SOLIDS
CONCENTRATION OF IMPORTED WATER

YEAR MONTH	TOTAL DISSOLVED SOLIDS MG/L /1		PERCENT STATE PROJECT WATER	
	<u>1998-1999</u>	<u>1999-2000</u>	<u>1998-1999</u>	<u>1999-2000</u>
OCT	454	444	34	32
NOV	540	479	10	25
DEC	563	493	0	23
JAN	574	494	0	24
FEB	575	488	0	31
MAR	544	460	6	33
APR	481	453	25	33
MAY	491	462	22	29
JUNE	488	477	23	23
JULY	491	476	23	24
AUG	490	469	21	26
SEPT	481	462	23	24

1/ As measured in the Skinner Treatment Plant Effluent line.

TABLE 5.4

SANTA MARGARITA RIVER WATERSHED
IMPORTS/EXPORTS

Quantities in Acre Feet

YEAR	IMPORTS										EXPORTS									
	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD 1/	MWD 2/	RAINBOW MWD	RANCHO CAL WD	U.S. NAVAL WS	WESTERN MWD 3/	TOTAL IMPORTS	EXPORT	WASTEWATER RETURNS	CAMP PENDLETON NET EXPORT	U.S. NAVAL WS	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	TOTAL EXPORTS			
1968	1,604	N/R	3,351		1,308	0	0	24	6,287	3,251	974	0	0	0	0	2,277				
1967	1,630	N/R	2,852		1,095	0	0	20	5,597	3,160	1,243	0	0	0	0	1,937				
1968	1,464	N/R	3,423		1,377	0	0	27	6,291	3,368	1,214	0	0	0	0	2,154				
1969	1,741	N/R	2,837		1,253	0	0	25	5,856	3,276	1,170	0	0	0	0	2,106				
1970	1,417	N/R	3,538		1,689	0	0	31	6,675	3,809	1,113	0	0	0	0	2,696				
1971	1,383	N/R	3,405		1,650	0	76	34	6,548	3,527	1,090	0	0	0	0	2,437				
1972	1,470	N/R	3,916		2,037	0	115	34	7,572	3,543	1,168	0	0	0	0	2,375				
1973	1,533	N/R	3,210		1,616	0	115	30	6,504	3,544	1,187	0	0	0	0	2,357				
1974	1,601	N/R	3,967		2,049	0	115	36	7,768	3,532	1,140	0	0	0	0	2,392				
1975	1,969	N/R	3,597		1,247	0	115	34	6,962	3,098	1,530	0	0	0	0	1,568				
1976	2,493	N/R	4,627		2,239	119	115	35	9,628	3,619	1,497	0	0	0	0	2,122				
1977	2,947	N/R	5,212		2,343	1,845	115	24	12,486	3,194	1,416	0	0	0	0	1,778				
1978	2,551	569	5,202		2,188	5,774	115	26	16,425	3,071	1,283	0	0	0	0	1,788				
1979	1,894	712	5,723		2,348	7,009	115	24	17,824	4,756	1,427	0	0	0	0	3,329				
1980	1,192	696	6,404		2,489	10,126	115	25	21,047	3,651	1,405	0	0	0	0	2,246				
1981	716	798	8,543		3,153	15,282	115	34	28,642	3,892	1,249	0	0	0	0	2,643				
1982	1,112	678	7,079		2,460	13,378	115	34	24,856	3,761	1,273	0	0	0	0	2,488				
1983	1,211	658	6,720		2,190	5,752	115	26	16,672	3,000	1,242	0	0	0	1,003	2,787				
1984	699	816	8,506		3,066	6,716	115	26	19,946	3,243	1,120	0	0	0	1,032	3,181				
1985	679	808	7,831		3,410	7,158	102	27	20,015	3,377	1,200	0	0	0	1,060	3,263				
1986	760	882	8,585		2,945	11,174	94	34	24,474	3,326	981	0	0	0	1,096	3,457				
1987	1,155	938	8,656		3,390	7,564	116	36	21,855	3,444	1,799	0	0	4	1,129	2,805				
1988	2,047	1,032	8,033		2,985	17,854	120	36	32,108	3,457	1,872	0	0	55	1,154	2,820				
1989	3,746	1,341	9,066		3,003	22,895	128	24	40,203	3,418	1,446	0	0	74	1,181	3,250				
1990	5,601	2,255	10,103		3,818	22,030	145	22	43,974	2,971	1,451	0	0	114	1,271	2,932				
1991	9,479	2,421	7,962		2,904	21,238	109	20	44,133	2,188	1,219	0	0	134	960	2,056				
1992	8,593	2,190	7,893		2,277	16,931	99	25	36,008	2,426	1,548	0	0	140	1,083	2,108				
1993	5,393	1,914	6,925		1,965	11,411	117	30	27,755	2,329	1,926	0	0	150	1,255	2,529				
1994	7,150	3,221	7,250		1,651	16,386	73	37	35,768	2,702	1,501	0	0	170	1,068	5,603				
1995	4,625	3,117	6,538	547	1,661	15,108	125	29	31,750	2,781	1,611	0	0	185	1,153	6,428				
1996	4,960	4,181	7,993	1,005	1,815	23,600	100	35	43,689	3,577	1,493	0	0	213	1,095	6,330				
1997	3,284	4,283	7,894	3,521	1,429	26,992	109	30	47,542	3,643	1,932	0	0	226	1,021	6,165				
1998	5,117	5,100	6,382	5,023	1,601	19,584	97	31	42,935	3,742	2,073	0	0	247	1,482	7,919				
1999	4,327	6,134	7,430	3,781	1,727	34,490	111	41	56,041	3,558	2,130	0	0	254	1,377	7,197				
2000	7,256	7,172	9,365	712	2,217	55,409	104	42	82,277	4,072	2,115	0	0	279	1,634	7,526				

1/ Includes DeLuz Heights MWD prior to 1991

2/ Metropolitan Water District direct deliveries in Domenigoni Valley

3/ Improvement District A - Rainbow Canyon Only (WVR-13)

N/R - Not Reported

E - Estimate
P - Partial year data

The MOU also provides that all local surface inflow that enters Lake Skinner will be released into Tualota Creek. In its 1980 modification the MOU provides that local surface inflow is to be determined by using the hydrologic equation for Lake Skinner that is specified in the MOU. That equation is used to determine inflow and the related release for large flood events. However, in many years the local inflow is small compared to the large quantities of imported water inflow and outflow at Lake Skinner. The error of measurement for these large inflows and outflows is larger than the local inflow in many instances. Accordingly, MWD also monitors the flow in Tualota Creek, Rawson Creek and Middle Creek during storms and uses those observations to supplement the hydrologic equation.

During 1999-2000, local runoff into and the related releases from Lake Skinner totaled 3.8 acre feet as follows:

<u>Month</u>	<u>Release Acre Feet</u>
March 2000	3.8

5.5 Diamond Valley Lake

During 1999-2000, MWD completed construction of the Diamond Valley Lake Project. Diamond Valley Lake is located in Diamond and Domenigoni Valleys within the Santa Margarita River Watershed. The Project consists of three dams, one each at the east and west ends of Domenigoni/Diamond Valley and a saddle dam at the low point on the north rim. The East Dam diverts surface and groundwater flows from a 4.2 square mile drainage area in the Santa Margarita River Watershed, known as Goodhart Canyon, into the Santa Ana River Watershed. The West Dam intercepts existing westward surface and subsurface flows from an additional 13.19 square mile area. These intercepted subsurface flows may or may not be offset by seepage losses from the reservoir when filled.

MWD does not have a water right to store local waters in the reservoir, so a Memorandum of Understanding and Agreement on Operation of Domenigoni Valley Reservoir (now known as Diamond Valley Lake) (MOU) was developed and approved by the Court on January 19, 1995. Among other things, the MOU provides:

The quantity and quality of surface runoff that would flow past the West Dam in the absence of the Reservoir will be determined and a like quantity of water of similar quality will be released from the Reservoir or San Diego Canal (SDC) into Warm Springs Creek.

The MOU indicates that the required releases would be determined by measuring the surface inflows into a detention basin to be constructed near the East Dam. A quantity equal to 4.1 times the measured flow will be released from the West Dam into Warm Springs Creek.

In late 1997, the Goodhart Canyon Detention Basin became operational and available for use in computing required downstream releases from the project. Total required releases into Warm Springs Creek during 1999-2000 were 19.4 acre feet. The project released 20.9 acre feet into Warm Springs Creek, thereby exceeding the required release by 1.5 acre feet.

Although all surface waters within the Santa Margarita River Watershed in Domenigoni and Diamond Valley are subject to the continuing jurisdiction of the Court, groundwater contained within the younger alluvium, north of the south line of Section 9, Township 6 South, Range 2 West, SBM is not considered by the Court to be a part of the Santa Margarita River system as long as groundwater levels are below an elevation of 1400 feet. During 1999-2000 groundwater elevations in Well MO-6, which is located along the south line of Section 9, increased from 1358.1 feet at the beginning of the water year to 1359.68 feet on October 4, 2000.

SECTION 6 - WATER RIGHTS

6.1 General

Water is used in the Santa Margarita River Watershed under a variety of water rights. In the early 1960's, the U. S. District Court in its Interlocutory Judgments described water rights in the Watershed as primarily riparian rights and overlying rights. Riparian rights belong to owners of land parcels located adjacent to streams in the Watershed or overlying younger alluvium deposits generally along the stream channels. Overlying rights were divided by the Court into two categories based on the location where the water is obtained and used. Water extracted from lands where subsurface waters add to, contribute to and support the Santa Margarita River stream system was found to be subject to the continuing jurisdiction of the Court. Lands in this category were identified by the Court and listed in Interlocutory Judgments. In general, these parcels of land overlie younger or older alluvium deposits.

The other category of overlying use applies to parcels of land where subsurface flows do not add to, contribute to or support the Santa Margarita River stream system. These parcels were also identified by the Court and found to be outside the continuing jurisdiction of the Court. In general, these lands overlie basement complex or residuum deposits.

The Court also described a number of other rights in the Watershed. These included surface water appropriative water rights that have been administered by the State of California since 1914. These rights are discussed in the following subsection of this report.

In Interlocutory Judgment No. 41, the Court found that the United States reserved rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Cahuilla, Pechanga and Ramona Indian Reservations, including rights to the use of groundwaters sufficient for the present and future needs of the Indians residing thereon. In Interlocutory Judgment No. 44, the Court recognized and reserved water rights for lands within the Cleveland and San Bernardino National Forests and for lands being administered pursuant to the Taylor Grazing Act.

Since the early 1960's there have been substantial changes in water use in the Watershed, especially in the Murrieta-Temecula Groundwater Area. During the 1950's and early 1960's when this case was under active litigation, most of the water use in the Murrieta-Temecula area consisted of individual property owners pumping water for use on their own properties. In 1965, the Rancho California WD was formed. The District developed Agency Agreements with most of the landowners within the District. In these Agency Agreements, the landowners "...without transferring any water rights and privileges

pertaining to said land..." designated the District as their exclusive agent for the development and management of their water supply.

Thus, many landowners within the Rancho California WD are now not exercising their overlying rights. Instead, Rancho California WD pumps groundwater and uses it throughout the District area under an appropriative groundwater right, with the consent of most of the overlying landowners.

A number of other water purveyors, including Murrieta CWD and Eastern MWD, also pump under groundwater appropriative rights.

Another change from the early 1960's is the large scale importation of water into the Santa Margarita River Watershed by Rancho California WD. A portion of such importation finds its way into the groundwater aquifers. The legal status of return flows from imported supplies as well as direct recharge of imported water was clarified by the final judgment in *City of Los Angeles v. City of San Fernando, et al.*, 1975 14 Cal. 3rd 199. This decision in the Supreme Court of the State of California made two major findings with respect to imported water.

The first was that agencies have the right to recharge and store imported water in a groundwater basin and to extract the imported water for use, subject to applicable state and federal laws. In addition, agencies that import and deliver water to lands overlying a groundwater basin have a continuing right to extract the return flow from such water. The return flow is that portion of the imported supply that percolates into the groundwater basin. In the San Fernando case this portion was found to range from 20 percent to 35.7 percent of the imported supplies.

The Rancho Division of the Rancho California WD overlies the Murrieta-Temecula Groundwater Area. Thus a portion of the import supply delivered to the Rancho Division of Rancho California WD percolates into the underlying aquifers. The first water pumped by Rancho California WD in the ensuing year constitutes recapture of such return flows.

Imported water is also supplied to the Santa Rosa Division within Rancho California WD, however only a relatively small part of this division overlies the Murrieta-Temecula Groundwater Area. Thus there is less imported water return flow from the Santa Rosa Division.

Classification of Rancho California WD supplies into various water right categories is discussed in Section 7 of this Report.

6.2 Appropriative Surface Water Rights

Another broad category of water rights used in the Watershed is surface water appropriative rights. Since 1914, these rights have been administered by the SWRCB.

A list of current permits, licenses and other active rights obtained from the SWRCB is shown on Table 6.1. A permit by the SWRCB authorizes construction of a project, sets terms for the project's completion and development of water use and may impose other conditions. After the permittee demonstrates that construction is complete, water is being put to use and the permit conditions have been met, the SWRCB can issue a license. The license remains in effect as long as the license conditions are met and the water is put to beneficial use.

Perfected direct diversion rights and active storage rights from creeks in the Watershed are summarized below:

	<u>Direct Diversions</u> <u>Gallons Per Day</u>	<u>Storage</u> <u>Acre Feet</u>
Cahuilla Valley	720	5
Cottonwood Creek	485,000	60
Cutea Creek	5,825	---
DeLuz Creek	4,700	100
Fern Creek	213,000	100
Kohler Canyon	158,000	40
Long Canyon Spring	89	---
Rainbow Creek	---	0.5
Rattlesnake Canyon	12,000	---
Temecula Creek	25,820	40,000
Sandia Canyon	---	8
Sourdough Spring	55	---
Santa Margarita River	133	4,000
Nelson Creek	<u>1,550</u>	<u>---</u>
TOTAL	906,892	44,313.5

These direct diversion rights of 906,892 gallons per day correspond to 1.4 cfs or 2.78 acre feet per day.

TABLE 6.1
SANTA MARGARITA RIVER WATERSHED
APPROPRIATIVE WATER RIGHTS

PERMITS AND LICENSES

I.D. NO.	OWNER	FILING DATE	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE	STATUS
6629	William H. & Sandra J. Cyrus	4/9/30	Coahuilla Valley	Sec. 4, 7S, 3E	DD-720 gpd	D	License
6893	Earl C. & Mamie LaBine	2/13/31	Temecula Creek	Sec. 20, 9S, 2E	DD-820 gpd	D/I	License
7035	Nyla Lawler	8/10/31	Cutca Creek	Sec. 29, 9S, 1E	DD-5725 gpd	D/I	License
7731	Earl C. & Mamie LaBine	11/02/33	Temecula Creek	Sec. 20, 9S, 2E	DD-7200 gpd	D/I	License
9137	Goodarz Irani	10/07/37	Temecula Creek	Sec. 12, 9S, 1E	DD-400 gpd	D	License
9291	Luis Olivos	5/13/38	Nelson Creek	Sec. 23, 8S, 5W	DD-1550 gpd	D	License
10806	James R., Phyllis & Bruce Grammer	4/22/44	Temecula Creek	Sec. 34, 9S, 2E	DD-2880 gpd	D	License
11161	Roy C. Pursche & J. Zink	9/26/45	Rattlesnake Canyon	Sec. 28, 9S, 2E	DD-12,000 gpd	D/I	License
11518	Rancho California Water District	8/16/46	Temecula Creek	Sec. 10, 8S, 1W	ST-40,000 AF	D/I/R	Permit
11587	U. S. Bureau of Reclamation	10/11/46	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D/I/M	Permit
12178	U. S. Bureau of Reclamation	11/28/47	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D/I/M	Permit
12179	U. S. Bureau of Reclamation	11/28/47	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D/I/M	Permit
13505	David H. & Kathleen C. Lypps	12/12/49	Cottonwood Creek	Sec. 30, 8S, 4W	DD-0.75 cfs & ST-42 AF	R/S	License
17239	Ward Family Trust	8/15/56	Temecula Creek	Sec. 20, 9S, 2E	DD-120 gpd	D/E	License
20507	David H. & Kathleen C. Lypps	11/24/61	Cottonwood Creek	Sec. 19, 8S, 4W Sec. 30, 8S, 4W	ST-18 AF	I/R	License
20608	Richard F. & Rosabel L. Matthews	2/13/62	DeLuz Creek	Sec. 20, 8S, 4W	ST-100 AF	D/I/R	License
20742	U. S. Cleveland National Forest	4/24/62	Sourdough Spring	Sec. 25, 9S, 1E	DD-55 gpd	E	License
21074	U. S. Cleveland National Forest	12/07/62	Cutca Spring	Sec. 17, 9S, 1E	DD-100 gpd	S/W	License
21471A	U. S. Department of Navy	9/23/63	Santa Margarita River	Sec. 5, 10S, 4W Sec. 2, 11S, 5W	ST-4,000 AF	D/I/M/Z	License
21471B	U. S. Bureau of Reclamation	9/23/63	Santa Margarita River	Sec. 32, 9S, 4W	ST-165,000 AF	D/I/M/Z	Permit
27756	James R. Grammer	5/23/83	Temecula Creek	Sec. 3, 10S, 2E	DD-14,400 gpd	I/S	Permit
28133	Charles F. Ruggles	5/14/84	Cahuilla Creek	Sec. 15, 8S, 2E	ST-5AF	E/H/I/R/S	Permit

OTHER RIGHTS

05751S/Federal	U. S. Cleveland National Forest	1/01/70	Long Canyon Spring	Sec. 16, 9S, 1E	DD-89 gpd	E/R/S/W
000024/State	Judge Dial Perkins	12/26/86	Santa Margarita River	Sec. 12, 9S, 4W	DD-133.3 gpd	D
000751/State	Lawrence Butler	5/31/67	Fern Creek	Sec. 31, 8S, 4W	DD-0.33 cfs ST-100 AF	I
011411/State	Agri Empire, Inc.	5/16/84	Kohler Canyon	Sec. 33, 9S, 2E	DD-0.245 cfs ST-40 AF	I/S
012235/State	William A. & Lois D. Cunningham	8/27/85	DeLuz Creek	Sec. 4, 9S, 4W	DD-4700 gpd	D/I
001583/Stock	George F. Yackey	12/27/77	Sandia Canyon	Sec. 25, 8S, 4W	ST-8.0 AF	S
002380/Stock	Chris R. & Jeanette L. Duarte	12/16/77	Rainbow Creek	Sec. 12, 9S, 3W	ST-0.5 AF	S

KEY TO USE: DD - Direct Diversion D - Domestic R - Recreation E - Fire Protection H - Fish Culture
ST - Diversion to Storage I - Irrigation M - Municipal S - Stockwatering Z - Other
W - Fish & Wildlife Protection and/or Enhancement

Storage rights shown in Table 6.1 include 195,000 acre feet of storage rights on the Santa Margarita River held by the U. S. Bureau of Reclamation (ID Nos. 11587, 12178, 12179, and 21471B) that have not been exercised. The time period during which these rights must be exercised has recently been extended by the SWRCB to December 31, 2008.

Table 6.1 also lists other rights recognized by the SWRCB. These rights generally are based on Statements of Water Diversion and Use that have been filed with the SWRCB. Such statements include one by the United States on behalf of the Cleveland National Forest, which states that the diversion and use of water from Long Canyon Spring is made pursuant to a withdrawal and reservation of the land and resources for National Forest System purposes as of February 14, 1907.

Besides the federal filing, there are also Statements of Water Diversion and Use filed by individuals. Three of these statements represent riparian or pre-1914 appropriative diversions from DeLuz Creek, Fern Creek and Santa Margarita River that have been reported to the SWRCB. The other statement represents a pre-1914 appropriative right to divert water from a spring in Kohler Canyon into a 40 acre foot reservoir.

The last two rights noted on Table 6.1 represent filings made in 1977 pursuant to Subchapter 2.5 to Chapter 3 of Title 23 of the California Code of Regulations. That subchapter deals with Water Rights for Stockponds.

In addition to appropriative rights under SWRCB jurisdiction, there are a number of nonstatutory appropriative rights that were established prior to 1914. These rights continue to be used to support diversions of water from the Santa Margarita River stream system. Such rights, which are listed in the various Interlocutory Orders developed in this litigation, are shown on Table 6.2.

In 1990-91, in Order No. 91-07, the SWRCB revised its Order No. 89-25 entitled, "Order Adopting Declaration of Fully Appropriated Stream Systems and Specifying Conditions for Acceptance of Applications and Registrations." These Orders list the Santa Margarita River stream system as fully appropriated "from the confluence of the Santa Margarita River and the Pacific Ocean upstream including all tributaries where hydraulic continuity exists."

The consequences of this Order are as follows:

1. The Board is precluded from accepting any application to appropriate water from the Santa Margarita River System except where the proposed appropriation is consistent with conditions contained in the Declaration.

TABLE 6.2

**SANTA MARGARITA RIVER WATERSHED
 PRE - 1914 APPROPRIATIVE WATER RIGHTS
 Listed in Interlocutory Decrees**

LISTED OWNER	CURRENT OWNER	DATE OF APPROPRIATION	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE
Anderson, Nina B.	Nezami, Mohammed	April 11, 1892	Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	32 gpm	Irrigation
Butler, Lawrence W. and Mary C.	Vanginkel, Norman Tr and Vanginkel, Deborah San Diego Gas & Electric	Sept. 23, 1896	Fern Creek	NW 1/4 Of SE 1/4 Sec 31, T8S, R4W	Capacity of 8 inch pipe	Irrigation
Wilson, Samuel M. and Hazel A.	Shirley, Robert G. and Bobbi J.	Aug. 3, 1911	DeLuz Creek	NW 1/4 Of SW 1/4 Sec 32, T8S, R4W	50 miner's inches 65 AF/Yr	Irrigation
United States	United States	1883	Santa Margarita River	Sec 5, T10S, R4W	20 cfs 1200 AF/Yr	Domestic Irrigation Stock Water

2. Initiation of a water right pursuant to the Water Rights Permitting Reform Act of 1988 (Water code Section 1228 et seq.) –that is, by registering small use domestic appropriations—is precluded, except where the proposed appropriation is consistent with conditions contained in the Declaration. Small use domestic appropriations refer to uses that do not exceed direct diversions of 4,500 gallons per day or diversion by storage of 10 acre feet per year for incidental aesthetic, recreational, or fish and wildlife purposes.
3. Pursuant to Water Code Section 1206(a) the Board is authorized, but not required, to cancel pending applications where inconsistent with conditions contained in the Declaration; previous Orders implement a procedure for disposition of such applications pending on the effective date of the Declaration.

The Order provides for reconsideration of the Order either upon petition of an interested party or upon the Board's own motion.

6.3 Fallbrook PUD Proposal to Change Point of Diversion and Place of Use

For some years, the Bureau of Reclamation has held Permit Nos. 8511, 11356, 11357, and 15000 (Application Nos. 11587, 12178, 12179, and 2147B) (see Table 6.1) for the benefit of Fallbrook PUD and the United States of America, the Department of the Navy, Marine Corps Base, Camp Pendleton, California. However in February 1999 Permit No. 11356 was transferred back to Fallbrook PUD in order for Fallbrook to change the point of diversion for Permit 11356 to Lake Skinner.

Lake Skinner is owned by Metropolitan Water District of Southern California and is presently used to store and regulate imported water. The permit would provide for storage and diversion of up to 10,000 AF per year. Storing local water at Lake Skinner could temporarily reduce the storage capacity available for imported water. To remedy this, the project will not be implemented until additional storage capacity at MWD's Diamond Valley Lake becomes available. Storage of local water in Lake Skinner and subsequent diversion will also reduce the volume of local stormwater flow downstream of Lake Skinner during significant storm events. The project will not alter a requirement of the current Memorandum of Understanding for Lake Skinner that provides for continued monitoring and maintenance of specified groundwater levels downstream of the reservoir.

A mitigated negative declaration on the project was circulated for public comment and certified by Fallbrook. On September 18, 2000, the Petition for Change was completed at Fallbrook for submission to the State Water Resources Control Board near the end of the water year.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 7 - WATER PRODUCTION AND USE

7.1 General

Water production and use data were obtained from several types of substantial users including water purveyors, Indian Reservations, mobile home parks and private landowners. Substantial water users are those who irrigate eight or more acres or who produce or use an equivalent quantity of water.

Major water purveyors who reported production and use data in 1999-2000 Water Year are listed as follows:

- Anza Mutual Water Company
- Eastern Municipal Water District
- Elsinore Valley Municipal Water District
- Fallbrook Public Utility District
- Lake Riverside Estates
- Metropolitan Water District of Southern California
- Murrieta County Water District
- Rainbow Municipal Water District
- Rancho California Water District
- U. S. Marine Corps, Camp Pendleton including U.S. Naval Weapons Station,
Fallbrook Annex
- Western Municipal Water District

Lake Riverside Estates is listed with major water purveyors although it does not deliver water to customers. However it does produce make-up water for losses from Lake Riverside.

In addition to the major purveyors, there are a number of smaller water systems in the Watershed. Of these, Butterfield Oaks Mobile Home Park, Jojoba Hills SKP Resort, and Outdoor Resorts Rancho California, Inc. are substantial users.

Three Indian Reservations, the Cahuilla, Pechanga and Ramona, are noted in Interlocutory Judgment No. 41, the Judgment that deals with Water Rights on Indian Reservations in the Watershed. Estimates and/or measurements of water production and use are reported for the Cahuilla and Pechanga Indian Reservations; the Ramona Reservation has no reported water use.

A portion of a fourth Reservation, the Pauma Mission Reserve Tract of the Pauma Yuima Band of Mission Indians, is also located within the Watershed. However, these lands overlie basement complex, which waters have been found by the Court to not add to, support or contribute to the Santa Margarita River stream system.

The final category of water users are private landowners who use water primarily for irrigation.

The water use data collected for the 1999-2000 Water Year are summarized on Table 7.1. Total imported supplies plus local production totaled 126,757 acre feet compared to 112,554 reported in 1998-1999. Of that quantity, 59,089 acre feet were used for agriculture; 3,925 acre feet were used for commercial purposes; and 44,415 acre feet were used for domestic purposes; 1,067 acre feet were discharged to Murrieta and Temecula Creeks; 4,072 acre feet of fresh water were exported; 264 acre feet were directly recharged by Metropolitan WD, 7,485 acre feet were recharged by Rancho California WD and not recovered, and the overall system loss was 6,440 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Monthly production and use data for major water purveyors are attached to this report as Appendix A. Uses are listed under agricultural, ag/domestic, commercial and domestic categories. The definition of agricultural, ag/domestic, commercial and domestic uses varies for the different purveyors in the Watershed. Accordingly definitions of these uses for major water purveyors are shown on Table 7.2. It is noted that much of the non-agricultural water use in the Watershed can also be considered municipal use, which includes both the domestic and commercial uses shown in tables in this report. Similar data for Water Years 1966-2000 are summarized in tables presented in Appendix B. Appendix C presents information on substantial users outside purveyor service areas.

7.2 Water Purveyors

Anza Mutual Water Company

Anza Mutual Water Company's service area is in the eastern part of the Watershed in the Anza Valley. Production is from two wells: Well No. 1 drilled in 1951 and perforated from 20 feet to 260 feet; and Well No. 2 drilled later to a depth of 287 feet and perforated in the bottom 130 feet. Production for 1999-2000 was 20.58 acre feet from Well No. 1 and 24.09 acre feet from Well No. 2 for a total production of 44.67 acre feet as shown in Appendix A, Table A-8. The depth of water in Well No. 1 ranged from 47.5 feet to 87.5 feet.

Interlocutory Judgment No. 33 divides aquifers in Anza Valley at this location into two categories: the shallow aquifer and the deep aquifer. Based on information available to the Court the shallow aquifer was determined to include the younger and older alluvial deposits in the Anza Groundwater Basin and extend to a maximum but variable depth of approximately 100 feet. The deep aquifer underlies the shallow aquifer in an area about one-half mile in width and two miles in length, within portions of Sections 16, 17, 21, 22, 27 and 28 of Township 7 South, Range 3 East, SBM. Anza Mutual Water Company's wells are within the area of the deep aquifer. From the perforated intervals in the wells, it may be

TABLE 7.1
SANTA MARGARITA RIVER WATERSHED
WATER PRODUCTION AND USE
1999-2000
Quantities in Acre Feet

	PRODUCTION			USE				TOTAL	WATER RIGHT
	WELL	IMPORT	TOTAL	AG	COMM	DOM	LOSS		
<u>WATER PURVEYORS</u>									
Anza Mutual Water Company	45	0	45	0	0	41	4 1/	45	Appropriative
Eastern MWD	630	7,256	7,886	0	0	7,493	393	7,886	Appropriative
Elsinora Valley MWD	0	7,172	7,172	0	0	6,455	717 1/	7,172	---
Fallbrook PUD	0	9,365	9,365	5,138	686	3,217	324	9,365	Appropriative
Lake Riverside Estates	317	0	317	0	317 2/	0	0	317	Appropriative
Metropolitan Water District	0	712	712	91	357	0	264 3/	712	---
Murrieta CWD	1,123	0	1,123	199	365	493	66	1,123	Appropriative
Rainbow MWD	0	2,217	2,217	1,861	0	154	202	2,217	---
Rancho California WD	27,415 4/	55,409	82,824	44,011 5/	2,162	23,783	12,868 6/	82,824	Various
U.S.M.C. - Camp Pendleton	7,061	0	7,061	506	----- 7/	2,235	4,320 1/ 8/	7,061	Appropriative/ Riparian
U.S. Naval Weapons Station	0	104	104	0	----- 7/	95	9 1/	104	---
Western MWD	0	42	42	0	38	0	4 1/	42	---
<u>INDIAN RESERVATIONS</u>									
Cahuilla	202	0	202	177	-----	25	0	202	Overlying/Reserved
Pechanga	374	0	374	51	----- 6/	286	37 1/	374	Overlying/Reserved
<u>MOBILE HOME PARKS/CAMPGROUNDS</u>									
Butterfield Oaks	10	0	10	0	0	9	1 1/	10	Riparian/Overlying
Outdoor Resorts Rancho California, Inc.	90	0	90	0	0	81	9 1/	90	Overlying
Jojoba Hills SKP Resort	53	0	53	0	0	48	5 1/	53	Overlying
<u>OTHER SUBSTANTIAL USERS</u>	7,160 9/	0	7,160	7,055	0	0	105 10/	7,160	
TOTAL	44,480	82,277	126,757	59,089	3,925	44,416	19,328	126,757	

1/ Assumes 10% loss

2/ Recreation Use

3/ Groundwater recharge at Diamond Valley Lake

4/ Includes 26,422 AF production from Old Alluvium and 993 AF of Vail Recovery

5/ Includes 40,672 AF Ag, and 3,339 Ag/Domestic

6/ Includes 1,067 acre feet discharged into Murrieta and Temecula Creeks, 7,485 acre feet of unrecovered direct import recharge, and a system loss of 4,316 acre feet

7/ Listed with Domestic uses

8/ Includes exports of 4,072 acre feet

9/ 1,046 acre feet for surface diversion plus 6,690 acre feet from groundwater as shown in Appendix C minus 202 acre feet on the Cahuilla Reservation and minus 374 acre feet on the Pechanga Reservation

10/ 10% of surface diversions

TABLE 7.2

**SANTA MARGARITA RIVER WATERSHED
DEFINITIONS OF WATER USE
BY MUNICIPAL WATER PURVEYORS
1999-2000**

DISTRICT	AGRICULTURAL	DOMESTIC	COMMERCIAL
EASTERN MUNICIPAL WATER DISTRICT	A commercial enterprise producing a crop/livestock on at least 5 acres and able to accept a delivery of at least 24 consecutive hours	Single family, multiple units and agricultural uses of less than 5 acres	Not reported
FALLBROOK PUBLIC UTILITY DISTRICT	AG - A commercial enterprise producing a crop/livestock/fowl on at least 1 acre fully used for ag purposes; can include incidental domestic use related to residency AG/DOM - Water used for both ag and domestic purposes	Single family, multi-unit and large domestic residences and the first 20,000 gallons used by an ag/domestic meter	Offices, businesses, schools and hydrants
RAINBOW MUNICIPAL WATER DISTRICT	AG- 1 acre or more of plantable, resalable products DOM/AG - Same as Ag with a house on the parcel	DOMESTIC - Homes	Generally no commercial use in district
RANCHO CALIFORNIA WATER DISTRICT	AG - 1 acre or more of plantable, resalable products GOLF - Outside water use at golf courses VINEYARDS - Outside irrigation for vineyards LANDSCAPE - Landscaping around freeways, parking lots, office buildings, median strips, etc. AG/DOM - First 1600 c.f. for each user allotted to domestic, and the balance to agriculture	DOMESTIC - Homes MULTIPLE - Apartments and Condominiums	COMMERCIAL - Office buildings, industrial users other than agri-businesses FLOATING - Fire hydrants used during construction CONSTRUCTION - Other fire hydrants used for grading LAKE SKINNER - Recreational use at Lake Skinner MISCELLANEOUS - Schools, fire departments, parks, government agencies DETECTOR CK. METERS - Only used when there is a fire
MURRIETA COUNTY WATER DISTRICT	Agricultural uses and irrigation for crops	Homes and multiple units	Businesses, public agencies, schools and construction
USMC, CAMP PENDLETON	Irrigation - Water used for ag purposes, not landscaping, golf courses or parks	Camp Supply - Includes landscaping, golf courses parks and commercial use	Reported under Camp Supply

concluded that most of the production from Well No. 1 and all of the production from Well No. 2 are from the deep aquifer. Interlocutory Judgment No. 33 concluded that waters contained in the deep aquifer did not add to, support or contribute to the Santa Margarita River stream system and were, therefore, declared to be outside the Court's jurisdiction.

Thus, most of the water produced by the Anza Mutual Water Company is outside the Court's jurisdiction. The relatively small portion pumped from the shallow aquifer in Well No. 1 is pumped under a groundwater appropriative right.

Eastern Municipal Water District

Eastern MWD is a member agency of MWD and its service area includes a portion of the Rancho California WD. Within the Watershed, the District wholesales water to Rancho California WD and also sells water directly to consumers. Water sold to Rancho California WD is listed in this report as imported water to the Rancho California WD service area.

Eastern MWD's service area outside Rancho California WD is located in the northern part of the Watershed. Water for their service area is imported or produced locally from groundwater.

Imports, not including water wholesaled to Rancho California WD or delivered to Elsinore Valley MWD, totaled 9,179 acre feet. A portion of that import amounting to 1,923 acre feet was exported from the Santa Margarita River Watershed resulting in net import to the watershed of 7,256 acre feet. These data are shown in Appendix A.

Groundwater production for the 1999-2000 Water Year in the Santa Margarita River Watershed totaled 630 acre feet from Well 7S/3W-15N which is 345 feet deep. The well is generally perforated between the depths of 106 and 333 feet. Recent static water levels in Eastern MWD's well have varied from a depth of 102 feet in December 1987, to as low as 190 feet in September 2000, the end of the water year. The well is located within the Murrieta-Temecula Groundwater Area where the older alluvium is at ground surface. Thus the well produces water from the older alluvium under groundwater appropriative rights.

In addition to producing fresh water, Eastern MWD also reclaims wastewater at its Temecula Valley Regional Water Reclamation Facility.

Disposition of wastewater from the Temecula Valley Regional Water Reclamation Facility (Facility) service area for Water Years 1998-99 and 1999-2000 is shown below:

	<u>1998-1999</u>		<u>1999-2000</u>	
	<u>Quantity</u>	<u>Percent</u>	<u>Quantity</u>	<u>Percent</u>
	<u>AF</u>	<u>%</u>	<u>AF</u>	<u>%</u>
Used in Santa Margarita	3,741	48	4,669	56
Used outside Santa Margarita	<u>3,070</u>	<u>39</u>	<u>3,664</u>	<u>44</u>
Reuse	6,811	87	8,333	100
Unaccounted for Production	<u>1,063</u>	<u>13</u>	<u>(15)</u>	<u>—</u>
TOTAL PRODUCTION	7,874	100	8,318	100

It can be noted that the quantities of reclaimed wastewater used within the Santa Margarita River Watershed increased from 3,741 acre feet in 1998-1999 to 4,669 acre feet in 1999-2000. During the same period reuse outside the Santa Margarita River Watershed increased from 3,070 acre feet to 3,664 acre feet. From the foregoing it may be concluded that 56 percent of the wastewater is reused in the watershed. Unaccounted for production decreased substantially from 1,063 acre feet to a negative 15 acre feet. Unaccounted for production includes changes of storage in Winchester and Sun City storage ponds, evaporation and percolation losses, and discharges to the Santa Ana Watershed.

Because of concerns about the potential export of native Santa Margarita water, the sources of water supply to the Facility service area were determined and are shown on Table 7.3. In 1999-2000, the proportion of groundwater being supplied to the service area declined to 32 percent from 44 percent the year before. This decline was caused by a large increase in imported water being recharged and recovered by RCWD. Thus, the percent reused within the Santa Margarita Watershed exceeded the proportional quantity of groundwater in the supply, and on a proportional basis there was no export of native waters.

Estimates of water production and use for the period 1966-2000 are shown in Appendix B.

TABLE 7.3

**SANTA MARGARITA RIVER WATERSHED
WATER DELIVERIES TO TEMECULA VALLEY
REGIONAL WATER RECLAMATION FACILITY SERVICE AREA**

	WATER YEAR ENDING									
	1996		1997		1998		1999		2000	
	AF	%	AF	%	AF	%	AF	%	AF	%
Eastern MWD										
Deliveries to TVRWRF Service Area										
1. Groundwater	299		408		240		669		630	
2. Import 1/	4,960		3,284		5,117		4,327		7,256	
3. Total	5,259		3,692		5,357		4,996		7,886	
Rancho California WD										
Deliveries to TVRWRF Service Area										
1. Groundwater	8,629		8,571 *		7,986 *		7,319		6,933	
2. Import	2,377		3,058 *		2,865 *		5,941		8,859	
3. Total	11,006		11,629		10,851		13,260		15,792	
Total Deliveries to TVRWRF Service Area										
1. Groundwater	8,928	54.9%	8,979	58.6%	8,226	50.8%	7,988	43.8%	7,563	31.9%
2. Import	7,337	45.1%	6,342	41.4%	7,982	49.2%	10,268	56.2%	16,115	68.1%
3. Total	16,265	100.0%	15,321	100.0%	16,208	100.0%	18,256	100.0%	23,678	100.0%

1/ EMWD imports are based on discharges from EM-17.

* Revised to reflect recovery of import direct recharge

Elsinore Valley Municipal Water District

Elsinore Valley MWD provides water to its service area around Lake Elsinore, a portion of which is within the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from ten wells, all located outside the Santa Margarita River Watershed, and also imports MWD water through Eastern MWD and Western MWD.

The District reports that 7,172 acre feet were imported into the portion of their service area that is inside the Santa Margarita River Watershed in 1999-2000. Also during 1999-2000, approximately 279 acre feet of wastewater were exported from that same area.

Fallbrook Public Utility District

In 1999-2000, Fallbrook PUD imported 15,983 acre feet through its contract with the San Diego County Water Authority as shown in Appendix A. Of this quantity, 2,705 acre feet were delivered to the former DeLuz Heights Water District service area that is entirely within the Santa Margarita River Watershed. Of the remaining importations it is estimated that 50 percent, or 6,660 acre feet, were delivered to lands inside the Santa Margarita River Watershed. The remainder was delivered to lands in the adjacent San Luis Rey River Watershed. Thus, imports to the Watershed totaled 9,365 acre feet in 1999-2000.

In addition to importations, the District has three wells; however, in 1999-2000, there was no pumpage from these wells.

Production during the period 1966 to 2000 included direct diversions from the Santa Margarita River for water years before 1972 as well as imported water and well production as shown in Appendix B.

Lake Riverside Estates

Lake Riverside Estates pumps water from Well No. 7S/2E-32C1, into Lake Riverside to make up evaporation losses. Production for 1999-2000 was 317 acre feet as shown in Appendix A, Table A-8. The production well was drilled in 1962 and is located in an area of younger alluvium in the Cahuilla Groundwater Basin. The driller's log shows sand and clay for the entire well depth of 338 feet.

Interlocutory Judgment No. 33 indicates that the owners of lands in the Cahuilla Groundwater Basin have correlative overlying rights to the use of the groundwater that is the basis for this production.

Metropolitan Water District of Southern California

Pursuant to a Court Order, MWD delivered 91 acre feet of imported water for irrigation of lands in Domenigoni Valley during 1999-2000. MWD also imported 357 acre feet for use as construction water for Diamond Valley Lake and 264 acre feet for groundwater recharge.

Murrieta County Water District

Murrieta CWD serves an area in the vicinity of the town of Murrieta. In Water Year 1999-2000, Murrieta CWD produced 1,123 acre feet of water from four wells as shown in the following tabulation and in Appendix A.

<u>Well Designation</u>	<u>Well Name</u>	<u>1999-2000 Production Acre Feet</u>	<u>Casing Depth Feet</u>	<u>Water Depth Feet</u>	<u>Well Depth Feet</u>	<u>Perforated Interval Feet</u>
7S/3W-20C9	Holiday	209	25	74 - 93	307	60 - 307
7S/3W-20G5	House	187	50	140 - 171	298	120 - 252
7S/3W-17R2	Lynch	0	26	38 - 54	212	172 - 212
7S/3W-18J2	North	322	50	165 - 190	650	240 - 260 500 - 640
7S/3W-20D	South	405	50	147 - 173	446	120 - 446

All of these wells are located in the Murrieta-Temecula Groundwater Area. Interlocutory Judgment No. 30 indicates that in Murrieta Valley the younger alluvium deposits extend in various depths to a maximum of approximately 30 feet from the ground surface.

The Court noted that it was impossible, based on evidence available in 1962, to determine with exactness the depth of the younger alluvial deposits throughout the Valley. However, it did decide that subsequent findings could be made, if needed, because the Court would retain continuing jurisdiction. Older alluvial deposits are found below the younger alluvium.

Four of the five Murrieta CWD wells are perforated at depths of 120 feet or more. One of the Murrieta CWD wells has perforations beginning at a depth of 60 feet. This depth is well below the maximum depth of younger alluvium found by the Court in 1962. In addition, water depths in the well with perforations at 60 feet ranged from 74 to 93 feet in 1999-2000. Accordingly all of Murrieta CWD well production is from the older alluvium under a groundwater appropriative right.

Production for the period between 1966 and 2000 is shown in Appendix B.

Rainbow Municipal Water District

Rainbow MWD is located in San Diego County in the south-central part of the Watershed. In recent years about ten percent of the District's imported supply is delivered to the portion of the District's service area inside the Watershed. Most of the District is in the San Luis Rey River Watershed. As shown in Appendix A, total deliveries of imported water in the Watershed in 1999-2000 amounted to 2,217 acre feet.

Total imports to the District for years between 1966 and 2000 as well as the estimated portion served inside the Santa Margarita River Watershed, are shown in Appendix B.

Rancho California Water District

Rancho California WD serves water to a 99,600 acre service area in the central portion of the Watershed. The District produced water from 43 wells in 1999-2000 and also imported water, as shown in Appendix A. Use is shown in Appendix A under the categories of agriculture, ag/domestic, commercial and domestic. In Water Year 1999-2000, 39,859 acre feet were pumped from the Murrieta-Temecula Groundwater Area. This quantity included 26,422 acre feet from the older alluvium, 12,444 acre feet of recovered import recharge, and 993 acre feet from Vail recharge. Import supplies totaled 55,409 acre feet of which 35,480 acre feet was direct use and 19,929 acre feet were recharged. During 1999-2000, 1,065 acre feet were released into Murrieta Creek and 2 acre feet into Temecula Creek.

The District reclaimed and reused 3,550 acre feet of wastewater during the year, in addition to 2,008 acre feet obtained from Eastern MWD for reuse.

In addition the District treated and discharged 1,854 acre feet of reclaimed wastewater to Murrieta Creek as part of its 2 MGD Demonstration Project.

Rancho California WD produces groundwater under a variety of rights as follows:

1. Recovery of water appropriated at Vail Lake
2. Recovery of import return flows and recharged imported water
3. Groundwater appropriative rights

Vail Appropriation

Rancho California WD's Vail Dam appropriative rights are described in Application No. 11518 as amended on June 17, 1947, and in Permit 7032. That right provides that the District may store up to 40,000 acre feet in Vail Reservoir each year between November 1 and April 30, subject to applicable limitations, and that the water so stored may be used for irrigation and domestic uses incidental to farming operations on 3,797 acres of land between May 1 and October 31. Such use may be by direct diversion from Vail Lake or by recovery with wells of water released from Vail and spread downstream in Pauba Valley.

The place of use for irrigation and domestic use is described as follows:

Sections 5, 6, 7 and 18; T8S, R1W
Sections 1, 10 through 21, 28 and 29; T8S, R2W
Sections 13 and 24; T8S, R3W.

In 1971, the Permit was amended to add recreational use at Vail Reservoir within Section 10, T8S, R1W.

A total of 322 acre feet were released from Vail during 1999-2000 none of which were to groundwater recharge. Releases from Vail for groundwater recharge for the period 1980 to 2000 are shown on Table B-6.

Water use in the Permit 7032 service area is shown on Table 7.4. This use will be compared with well production from the younger alluvium in a later section of this report.

Representatives of the United States contend that storage of water in Vail Lake, and the related recharge and rediversion operations, may exceed Rancho California WD's share of the Santa Margarita River flow as allocated under the 1940 Stipulated Judgment.

TABLE 7.4

**SANTA MARGARITA RIVER WATERSHED
 RANCHO CALIFORNIA WATER DISTRICT
 PERMIT 7032 AREA WATER USE
 1999-2000**

Quantities in Acre Feet

MONTH YEAR	AG	COMM	AG/DOM	DOM	TOTAL
1999					
OCT	241	11	0	140	392
NOV	150	10	0	102	262
DEC	86	10	0	78	174
2000					
JAN	74	10	0	77	161
FEB	56	7	0	53	116
MAR	21	7	0	40	68
APR	35	9	0	54	98
MAY	38	10	1	70	119
JUNE	91	13	1	119	224
JULY	74	11	1	110	196
AUG	67	13	1	122	203
SEPT	55	15	1	142	213
TOTAL	988	126	5	1,107	2,226

Imported Water Return Flows

During 1999-2000, Rancho California WD imported 35,480 acre feet of water for direct use compared to 25,065 acre feet in 1998-1999. Quantities of imported water delivered to the Rancho Division and the Santa Rosa Division are shown below for Water Years 1998-1999 and 1999-2000.

<u>Month</u>	<u>Rancho Division Imports</u>		<u>Santa Rosa Division Imports</u>		<u>Total Imports</u>	
	<u>1999</u>	<u>2000</u>	<u>1999</u>	<u>2000</u>	<u>1999</u>	<u>2000</u>
October	432	1,404	1,551	2,716	1,983	4,120
November	39	844	694	1,864	733	2,708
December	15	662	458	1,826	473	2,488
January	0	662	523	1,301	523	1,963
February	0	0	293	69	293	69
March	75	0	408	222	483	222
April	258	338	812	753	1,070	1,091
May	686	902	1,826	1,768	2,512	2,670
June	849	1,665	2,272	2,751	3,121	4,416
July	1,516	2,175	3,106	3,225	4,622	5,400
August	1,717	2,012	3,327	3,441	5,044	5,453
September	<u>1,410</u>	<u>1,749</u>	<u>2,798</u>	<u>3,131</u>	<u>4,208</u>	<u>4,880</u>
Total	<u>6,997</u>	<u>12,413</u>	<u>18,068</u>	<u>23,067</u>	<u>25,065</u>	<u>35,480</u>

Return flows for 1999-2000 based on imported water use in the Rancho Division and Santa Rosa Division are shown on Table 7.5 and on Table 7.6.

In those tables, imported water is allocated to agricultural, ag/domestic, commercial and domestic uses in each of eight hydrogeologic areas in the Rancho Division service area. This allocation is the proportion of the total deliveries to each use that is made up of imported water. In 1999-2000, 55.62 percent of the supply to the Rancho Division was imported and 71.17 percent of the supply to the Santa Rosa Division was imported.

In general the Santa Rosa Division does not overlie the groundwater area. However there are several areas classified as being in the Santa Rosa Division that do overlie the groundwater area and generate return flows from imported supplies. Data from most of these lands have been reported since December 1991.

TABLE 7.5

**SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
RETURN FLOW CREDIT
1999-2000
RANCHO DIVISION
Quantities in Acre Feet**

HYDROGEOLOGIC AREAS

	0 NO HYDRO- GEO CODE	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	2 SANTA GERTRUDIS QYAL	3 LOWER MESA QTOAL	4 PAUBA QYAL	5 SOUTH MESA QTOAL	6 UPPER MESA QTOAL	7 PALOMAR QTOAL	TOTAL
AGRICULTURAL *									
Total Use	2,746.10	847.49	485.60	3,224.21	535.68	1,240.23	2,130.86	1,975.44	13,185.62
% Import	55.62	55.62	55.62	55.62	55.62	55.62	55.62	55.62	
Import Use	1,527.26	471.34	270.07	1,793.17	297.92	689.76	1,185.09	1,098.65	7,333.27
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	
Credit	381.82	117.83	67.52	448.29	74.48	172.44	296.27	274.66	1,833.32
AG/DOMESTIC									
Total Use	433.51	29.09	0.00	11.76	457.51	17.01	404.01	131.23	1,484.11
% Import	55.62	55.62	55.62	55.62	55.62	55.62	55.62	55.62	
Import Use	241.10	16.18	0.00	6.54	254.45	9.46	224.69	72.98	825.40
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	
Credit	60.27	4.04	0.00	1.63	63.61	2.36	56.17	18.25	206.35
COMMERCIAL									
Total Use	128.82	1,148.95	684.97	1,250.34	44.57	286.49	69.19	1.83	3,615.16
% Import	55.62	55.62	55.62	55.62	55.62	55.62	55.62	55.62	
Import Use	71.65	639.00	380.95	695.39	24.79	159.33	38.48	1.02	2,010.60
% Credit	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
Credit	7.16	63.90	38.09	69.54	2.48	15.93	3.85	0.10	201.06
DOMESTIC									
Total Use	918.35	2,209.66	841.20	10,818.68	392.57	2,763.54	1,141.47	436.51	19,521.98
% Import	55.62	55.62	55.62	55.62	55.62	55.62	55.62	55.62	
Import Use	510.75	1,228.92	467.84	6,016.88	218.33	1,536.96	634.84	242.77	10,857.29
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	
Credit	127.69	307.23	116.96	1,504.22	54.58	384.24	158.71	60.69	2,714.32
TOTAL USE	4,226.77	4,235.19	2,011.77	15,304.99	1,430.33	4,307.28	3,745.53	2,545.01	37,806.87
TOTAL									
Total Import Use	2,350.75	2,355.43	1,118.86	8,511.98	795.49	2,395.52	2,083.10	1,415.43	21,026.5572
Total Credit	576.94 **	493.01	222.57	2,023.69	195.15	574.98	515.00	353.70	4,955.05
Total Credit Qyal		246.50	222.57		195.15				664.23
Total Credit Qtoal		246.50		2,023.69		574.98	515.00	353.70	3,713.88

* Includes golf course and landscape irrigation

** This credit not applied to either Qyal or Qtoal

TABLE 7.6

**SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
RETURN FLOW CREDIT
1999-2000
SANTA ROSA DIVISION
Quantities in Acre Feet**

	HYDROGEOLOGIC AREAS			TOTAL
	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	3 LOWER MESA QTOAL	8 RTS 279, 280 & 285 1/4 QYAL 3/4 QTOAL	
AGRICULTURAL *				
Total Use	0.00	0.00	1,273.74	1,273.74
% Import	71.17	71.17	71.17	
Import Use	0.00	0.00	906.54	906.54
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	226.63	226.63
AG/DOMESTIC				
Total Use	0.00	0.00	0.00	0.00
% Import	71.17	71.17	71.17	
Import Use	0.00	0.00	0.00	0.00
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	0.00	0.00
COMMERCIAL				
Total Use	0.00	0.00	573.88	573.88
% Import	71.17	71.17	71.17	
Import Use	0.00	0.00	408.44	408.44
% Credit	10.00	10.00	10.00	
Credit	0.00	0.00	40.84	40.84
DOMESTIC				
Total Use	0.00	0.00	1,571.07	1,571.07
% Import	71.17	71.17	71.17	
Import Use	0.00	0.00	1,118.15	1,118.15
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	279.54	279.54
TOTAL USE	0.00	0.00	3,418.68	3,418.68
TOTAL				
Total Import Use	0.00	0.00	2,433.12	2,433.12
Total Credit	0.00	0.00	547.01	547.01
Total Credit Qyal	0.00	0.00	136.75	136.75
Total Credit Qtoal	0.00	0.00	410.26	410.26

* Includes golf course and landscape irrigation

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The percentage of imported water that becomes return flow varies according to the use as follows:

Agricultural Use	25%
Ag/Domestic Use	25%
Commercial Use	10%
Domestic Use	25%

Based on the foregoing factors, the return flow credit for 1999-2000 is computed to be 4,955.05 acre feet for the Rancho Division and 547.01 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Some of the hydrogeologic areas overlie older alluvium and some overlie younger alluvium. Comparison of exposures of younger alluvium with maps of the District's hydrogeologic areas indicates that the Santa Gertrudis, Pauba and half of the Murrieta-Wolf areas overlie younger alluvium. The area of the Santa Rosa Division that overlies the groundwater area is one-fourth in the younger alluvium and three-fourths in the older alluvium. Import return flows in these areas can be credited against pumping from the younger alluvium. These credits for 1999-2000 are 644.23 acre feet for the Rancho Division and 136.75 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6 respectively.

Rancho California WD imported an additional 19,929 acre feet of water for groundwater recharge in 1999-2000, of which 12,444 acre feet were recovered.

Division of Local Water

During 1999-2000, Rancho California WD pumped 39,859 acre feet of groundwater. Some of this water was pumped from the younger alluvium and some from the older alluvium. The Court determined that water in both the younger alluvium and older alluvium add to, contribute to and support the Santa Margarita River stream system. The primary reason for differentiating between younger alluvium and older alluvium production is that, in California, production from the younger alluvium is generally considered to be governed by water rights that apply to the regulation of surface waters. Production from the older alluvium is generally considered to be governed by regulations that apply to groundwater.

In 1995 well logs and geophysical logs of all Rancho California WD wells were reviewed by representatives of the United States and Rancho California WD to determine the depths of the younger alluvium. There was general agreement between the parties about the depth of the younger alluvium in production wells, except for ten wells shown on Table 7.7 of the 1994-1995 report. The remaining disagreements relate to differences about the magnitude of the clay layer needed to define the base of the younger alluvium, the importance of neighboring well logs, and general concepts about the overall geologic setting.

During joint development of a groundwater model of the area it was necessary to develop estimates of the transmissivity for each aquifer. These estimates were based on pump tests. The resulting transmissivity values were then used to estimate the relative groundwater production from each aquifer. For Rancho California WD wells, the percent production estimated to originate in the younger alluvium is shown in Table 7.7.

Production from the younger alluvium and older alluvium for 1999-2000 using the percentages noted in Table 7.7 is presented in Table 7.8. It may be noted that 13,437 acre feet were pumped from the younger alluvium and 26,422 acre feet were pumped from the older alluvium in 1999-2000.

The production of 13,437 acre feet from the younger alluvium, as shown on Table 7.8 includes recovery of 993 acre feet of Vail recharge and 12,444 acre feet of import recharge. The recovered Vail recharge was used for authorized uses in the Permit 7032 service area as shown in Table 7.4. Although there were no Vail releases to groundwater storage in 1999-2000 there is sufficient unrecovered recharge from prior years to offset the use of 993 acre feet in 1999-2000. Rancho California WD imported 19,929 acre feet of water in 1999-2000 for direct recharge of which 12,444 acre feet were recovered leaving 7,485 acre feet as unrecovered direct recharge for 1999-2000 operation.

Imported water carryover to 2000-2001 includes the following:

	<u>AF</u>
1. Carryover from 1998-1999	2,772
2. Unrecovered direct recharge in 1999-2000	7,485
3. Import Return Flow Credit for 1999-2000	<u>801</u>
4. Total Carryover to 2000-2001	11,058

Thus, there was no unauthorized use under Permit 7032 in 1999-2000 and 11,058 acre feet of imported supplies remain available to offset younger alluvium production in future years.

TABLE 7.7

SANTA MARGARITA RIVER WATERSHED
PERCENT PRODUCTION FROM YOUNGER ALLUVIUM IN
RANCHO CALIFORNIA WATER DISTRICT WELLS

RCWD WELL NO.	LOCATION TOWNSHIP/ RANGE/ SECTION	SEAL DEPTH FEET	PERFORATED INTERVAL FEET	DEPTH YOUNGER ALLUVIUM FEET	PERCENT YOUNGER ALLUVIUM %		REMARKS
106	7S/3W-26R1	55	130-210; 250-310; 340-440; 700-740; 780-980	0	0.0%	Murrieta	No. 108 Winchester, clay 0'-40'
107	7S/3W-26J1	55	60-120; 190-260; 280-300; 390-590	58	0.0%	Murrieta	No. 105 - gravel & clay 58'-84'
108	7S/3W-25E1		60-110; 190-280; 350-410; 430-450; 470-490; 530-590	55	0.0%	Murrieta	Formerly No. 109 gravel/sandy clay 55'-70'
109	8S/2W-17J1	52	70-150; 170-210	75	84.0%		Brown clay and gravel 75' to 105'
110	8S/1W-6K1	54	75-155	165	97.0%		Clay 165'-190'. Prior to 10/23/97 perf int. 70-150; 200-240; 320-380; 420-460
113	7S/2W-25H1	52	96-136; 275-462; 482-542	Shallow	0.0%		
116	8S/1W-6J	Unknown	80-120; 140-200; 220-260; 270-330; 370-390	150	94.0%		Clay 150'-170'
119	8S/2W-19J	55	170-260; 300-470		0.0%	Wolf Valley	Perforated below 170'
123	8S/1W-7B	55	100-280; 300-380; 420-500	135	65.0%		Brown Sand Clay 135'-210'
129	7S/2W-20L	Unknown	180-290; 416-480; 520-600	Shallow	0.0%	Santa Gertrudis Creek	Oyal very shallow along Santa Gertrudis Creek
132	8S/1W-7D	55	70-390; 430-500	135	82.0%		Brown Clay Streaks 135'-175'
135	7S/3W-27M10	55	70-170	50	0.0%	Murrieta Valley	Silty clay 50'-69'
141	8S/2W-11P	55	120-190; 215-235; 270-380; 430-510	104	0.0%		Silt & sand 104'-185'; Well 11L1 is 112'
144	7S/3W-27D	55	983-1123; 1143-1283; 1343 1483; 1503-1743	25	0.0%	Murrieta Valley	Sand with silty clay 25'-45'
146	7S/3W-28	50	50-190	42	0.0%	Murrieta	
153	8S/1W-5K3	50	50-220	170	99.0%		Forebay
157	8S/1W-5L	50	50-210	128	96.8%		Forebay
158	8S/1W-5K	96	50-210	100	96.5%		Forebay
205	7S/3W-35A	50	150-1000	10	0.0%	Santa Gertrudis/ Murrieta Valley	Sandy clay 10'-20'
210	8S/2W-12K	None	48-228	140	94.0%		Clay cobblestones 160'-167', 175'-227'
218	8S/2W-20B5	27	48-289	40	0.0%		Old 28; clay with sand layer 40'-60'; now monitoring wells 427, 428 and 429
466	8S/3W-1P2	Unknown	106-822	49	0.0%	Long Canyon	Old 219, Cantarini, hard clay 49'-60'
220	7S/3W-26Q1	34	114-450	58	0.0%		Clay 58' - 73'
467	8S/2W-12K1	Unknown	50-100; 100-140	140	100.0%		Old 221, JK, Exh. 16, Monitoring well since 1983
223	8S/2W-20C1	Unknown	48-250	60	94.0%	Wolf Valley	CAT Well; east of Wildomar Fault; nearby Exh 16 wells 17Q @62' & 17M @55' are also east of the Wildomar Fault
224	8S/2W-15D	Unknown	48-250	106	68.0%		Old Well 50, clay 106'-138'
230	8S/2W-11J1	Unknown	24-31; 32.5-34; 35-40; 61-65; 70-76; 80-85; 86.5-91; 92.5-98.5	>119	100.0%		Old Well 30, depth of well is 119'
231	8S/2W-20B6	55	80-120; 150-270	35	0.0%		Old 104, P-34, Clay 20'-23'; 35'-41'; East of Wildomar Fault
232	8S/2W-11J3	51	95-135; 175-215; 235-295	135	92.0%		Old 111, 105, P-31; coarse sand & clay 135' - 155'
233	8S/2W-12K2	51	95-135; 175-215; 235-295	145	88.0%		Old 112, P32; sand and clay at 145'-220'
234	8S/2W-11P1	52	80-100; 120-140; 200-240; 280-320; 340-400	125	74.0%		Brown Clay at 125'; sand and clay at 125'-140'
235	8S/3W-1Q1	55	Unknown	Shallow	0.0%	Long Canyon	
240	8S/2W-11L1	Unknown	48-298	112	86.0%		Old Well No. 40; clay 112'-136'
301	7S/3W-18Q1	93	140-280; 280-520; 540-640	26	0.0%	Murrieta	Old JR1; blue clay 26'-32'

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE 7.8
 SANTA MARGARITA RIVER WATERSHED
 RANCHO CALIFORNIA WATER DISTRICT
 WELL PRODUCTION FROM YOUNGER AND OLDER ALLUVIUM
 1999-2000
 Quantities in Acre Feet

WELL NO.	QYAL	QTOAL	TOTAL
101	0.00	160.00	160.00
102	0.00	5.00	5.00
106	0.00	779.00	779.00
108	0.00	382.00	382.00
109	612.36	116.64	729.00
110	1,296.89	40.11	1,337.00
113	0.00	391.00	391.00
118	0.00	1,250.00	1,250.00
119	0.00	1,544.00	1,544.00
120	0.00	1,391.00	1,391.00
121	0.00	12.00	12.00
122	0.00	559.00	559.00
123	438.75	236.25	675.00
124	0.00	482.00	482.00
125	0.00	661.00	661.00
126	0.00	750.00	750.00
128	0.00	779.00	779.00
129	0.00	0.00	0.00
130	0.00	771.00	771.00
131	0.00	927.00	927.00
132	333.74	73.26	407.00
133	0.00	315.00	315.00
135	0.00	0.00	0.00
138	0.00	1,676.00	1,676.00
139	0.00	926.00	926.00
140	0.00	0.00	0.00
141	0.00	551.00	551.00
143	0.00	502.00	502.00
144	0.00	0.00	0.00
145	0.00	933.00	933.00
146	0.00	0.00	0.00
149	0.00	507.00	507.00
151	0.00	468.00	468.00
153	2,225.52	22.48	2,248.00
155	0.00	233.00	233.00
157	1,887.60	62.40	1,950.00
158	2,128.79	77.21	2,206.00
201	0.00	0.00	0.00
203	0.00	363.00	363.00
205	0.00	0.00	0.00
207	0.00	0.00	0.00
208	0.00	0.00	0.00
209	0.00	0.00	0.00
210	1,219.18	77.82	1,297.00
211	0.00	1,584.00	1,584.00
215	0.00	0.00	0.00
216	0.00	0.00	0.00
217	0.00	1,027.00	1,027.00
231	0.00	369.00	369.00
232	1,104.92	96.08	1,201.00
233	1,799.60	245.40	2,045.00
234	389.24	136.76	526.00
235	0.00	1,340.00	1,340.00
301	0.00	0.00	0.00
302	0.00	257.00	257.00
309	0.00	3,346.00	3,346.00
TOTAL	13,436.59	26,422.41	39,859.00

Western Municipal Water District

Western MWD wholesales imported water to Rancho California WD and also serves water to its Improvement District A near the southern boundary of Riverside County along I-15 freeway. Deliveries to Rancho California WD are included under Rancho California WD.

In Water Year 1999-2000, imports to Improvement District A amounted to approximately 42 acre feet as shown in Appendix A, Table A-8.

Deliveries to Improvement District A through turnout WR-13 for the period 1966 to 2000 are shown in Table 5.4.

U. S. Marine Corps - Camp Pendleton

Camp Pendleton is located on the coastal side of the Santa Margarita River Watershed. Water is provided by 11 wells that produced 7,061 acre feet in Water Year 1999-2000. This production is from the younger alluvium and is based on riparian and appropriative rights. Of this quantity, 4,072 acre feet were exported to areas of the Base outside the Watershed as shown in Appendix A.

A portion of the exported water amounting to 2,116 acre feet were returned to the Santa Margarita River Watershed as wastewater.

Production and estimated use inside and outside the Watershed, as well as wastewater returns, are shown in Appendix B for the period 1966-2000.

In addition to the operations at Camp Pendleton involving diversions from the Santa Margarita River, water is also imported by the Naval Weapons Station (NWS). The NWS occupies about 9,148 acres in the northeastern part of Camp Pendleton. Since 1969 the NWS has relied on imported water delivered via Fallbrook PUD for its supply. Wastewater is exported from the NWS and the Watershed via an outfall line also used by the Fallbrook Public Utility District. In 1999-2000, 104 acre feet were imported of which 7 acre feet of wastewater were exported, as shown in Appendix A. Imports and use between 1966 and 2000 are shown in Appendix B.

7.3 Indian Reservations

Water use information about the Cahuilla, Pechanga and Ramona Indian Reservations in the Watershed is described in the following sections:

Cahuilla Indian Reservation

In general, domestic water use on the Cahuilla Indian Reservation is not measured, however reports indicate that 180 people reside on the Reservation. These residents use water primarily for domestic purposes as well as for livestock watering and grazing. Annual domestic water use, based on 125 gallons per capita per day, amounts to a total annual use of about 25 acre feet from wells listed in Appendix C.

The foregoing estimate is for total domestic water use on the Reservation. A portion of this use may not be under Court jurisdiction, but the estimate will be used until individual well production quantities are available to allow determination of the portion under Court jurisdiction. The estimated domestic use is included on Table 4.1 under water purveyor production.

An additional 5 acre feet was put to commercial use at a casino. This water was pumped from well 7S/2E-26B3 that overlies basement complex and is outside court jurisdiction.

In 1999-2000, 112 acres were leased for irrigation use. Crops included 56 acres of grain and 56 acres of potatoes for a total use of 177 acre feet. Water was supplied from the Agri-Empire, Inc. water system that includes six wells at various locations in the Anza Valley based on overlying and reserved rights. One of the wells in the Agri-Empire water system (7S/3E-28A2) is located on the Reservation.

Pechanga Indian Reservation

During 1999-2000, water well production by the Pechanga Water System amounted to 370 acre feet. In addition, it is estimated that a spring produced about 4 acre feet during the year for a total production of 374 acre feet as shown in Appendix A, Table A-8 . Information about system wells and the spring is shown in the following tabulation:

<u>Well/Spring Designation</u>	<u>Name</u>	<u>Water Depth Feet</u>	<u>Well Depth Feet</u>	<u>Perf. Interval * Feet</u>
28R1	Ball Park	141	1,000	130 - 220
28Q6	Sea Bee	143	610	N/A
29A1	Kelsey Tract	Pumping	348	N/A
29B10	Eduardo	36 **	N/A	N/A

* Information about construction of some of the wells is not available.

** Water depth in Well 8S/2W-29B9

N/A - Not Available

The wells listed above are in areas of younger alluvium at ground surface. The depth of the younger alluvium in Wolf Valley was estimated by representatives of Rancho California WD and the United States for Rancho California WD Wells No. 117 (8S/2W-20E) and No. 119 (8S/2W-19J) to be in the range of 120 to 170 feet in depth. Thus, based on available well construction data, some of the production is from the younger alluvium and some from the older alluvium. Under state law production from the wells that originate in the older alluvium can be considered to be under a groundwater appropriative right or an overlying right, depending on the circumstances at each well.

Under federal law, production from wells that originate in either the younger or older alluvium can be considered to be under a federal reserved right, in accordance with Interlocutory Judgment No. 41 which provides as follows in Order No. 7:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Pechanga Indian Reservation, including rights to the use of ground waters sufficient for the present and future needs of the Indians residing thereon with priority dates

of June 27, 1882, for those lands established by the Executive Order of that date; January 9, 1907, for those lands transferred by the Executive Order of that date; August 29, 1893, for those lands added to the Reservation by Patent on that date; and May 25, 1931, for those lands added to the Reservation by Patent of that date.

Ramona Indian Reservation

The Ramona Indian Reservation occupies 560 acres of land of which 321 acres are inside the Watershed. The Ramona Reservation has no reported water use or residents.

7.4 Mobile Home Parks/Campgrounds

There are a number of mobile home parks in the Watershed. These range from relatively permanent structures, to those catering to recreational vehicles and campgrounds. Water production from wells is shown in Appendix A, Table A-8 for Butterfield Oaks Mobile Home Park, Outdoor Resorts Rancho California, Inc., and Jojoba Hills SKP Resort.

7.5 Irrigation Water Use

Estimated water production reported by substantial users for irrigation in the Santa Margarita River Watershed is shown on Table 7.1 to be 7,160 acre feet. This quantity includes 6,690 acre feet of well production and 1,046 acre feet of surface diversion (as shown in Appendix C), less 202 acre feet of production on the Cahuilla Indian Reservation, and less 374 acre feet of production on the Pechanga Indian Reservation. The foregoing production on the Indian Reservations is shown at a separate location on Table 7.1.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 8 - UNAUTHORIZED WATER USE

8.1 General

From time to time there are complaints of unauthorized water uses of various types in the Watershed. Such complaints are investigated when they are brought to the attention of the Watermaster. The status of the current list of unauthorized uses is described as follows:

8.2 Unauthorized Small Storage Ponds

Many small dams and reservoirs have been constructed on streams in the Watershed. The legal basis for these ponds is described in the 1988-89 Watermaster Report. Basically, the Court has held that storage of water in ponds less than 10 acre feet in capacity and used for stock watering is a valid use of riparian water. The Court has also held that:

The temporary or non-seasonal impoundment by riparian owners for the purpose of providing a head for irrigation or for the purpose of temporarily accumulating sufficient water to make possible efficient irrigation is a proper riparian use of water.

Criteria for determining non-seasonal storage of irrigation water have yet to be developed.

8.3 Rancho California Water District Water Use

A number of unauthorized water use issues have been raised by the United States. These issues and action to investigate and/or correct the issues are as follows:

1. Violation of the 1940 Stipulated Judgment - United States' representatives have indicated their belief that the provisions of the 1940 Stipulated Judgment have been violated in two respects by Rancho California WD:
 - A. Storage of water in Vail Lake and the related recharge and rediversion operations exceed the portion of the Santa Margarita River flow allocated to Rancho California WD by the Stipulated Judgment.
 - B. Production of water by Rancho California WD from the older alluvium should be included with surface water in determining whether water use by Rancho California WD exceeds that portion allocated to Rancho California WD by the Stipulated Judgment.

Rancho California WD disagrees with each of these contentions.

2. Rediversion and Use Not in Accord with Terms of Permit 7032 - As noted in Section 7 of this report, the place of use, rediversion facilities and the type of use of water appropriated under Rancho California WD's Application No. 11518 and Permit 7032 have changed since the Application was filed in 1947.

Use of water under Permit 7032 is limited to irrigation, domestic use incidental to farming operations and recreation. Such use for municipal and industrial purposes represents an unauthorized use.

As noted in the previous section of this report, there was no unauthorized use of water under Permit 7032 in 1999-2000. However, in prior years water appropriated under Permit 7032 was either used outside the designated place of use or partially used within the designated service area for commercial and/or domestic use, neither of which is authorized under Permit 7032.

Accordingly, Rancho California WD initiated the process of changing Permit 7032 on September 1, 1992, by filing a Notice of Intent to Adopt a Negative Declaration for a Petition for Change to the SWRCB, Division of Water Rights, relative to Appropriations Water Permit 7032.

On January 15, 1993, the United States in a petition filed with the Superior Court of the State of California for Riverside County alleged that the District had violated the California Environmental Quality Act (CEQA) by adopting the Negative Declaration. On April 12, 1994, the Court denied the United States' petition and declared that Rancho California WD had complied with CEQA by adopting the Negative Declaration. On August 11, 1994, the parties jointly requested an extension of time for the filing of an appeal pending current settlement negotiations. The appellate Court granted that extension of the process as well as several subsequent extensions.

On January 13, 1993, the District filed a Petition for Change in the points of rediversion, the place of use and the purpose of use with the SWRCB. The Petition for Change was protested by Camp Pendleton, U. S. Fish and Wildlife Service, the U. S. Bureau of Indian Affairs, and the California Sportfishing Alliance.

In March 1993, Camp Pendleton filed a Complaint with the SWRCB that Rancho California WD was violating the terms of Permit 7032 regarding place, season and purpose of use. On May 25, 1993, the SWRCB advised that it would process the Complaint prior to acting on the District's Petition for Change.

A representative from the SWRCB visited the area in July 1993, and completed a draft staff Report of Investigation. Prior to release of the staff report the SWRCB agreed to a joint request by the parties to defer issuance of the report and allow the parties to negotiate a settlement of the issues. Upon request by the parties, the SWRCB has continued to defer issuance of the report.

3. Unauthorized Pumping - United States' representatives also contend that water is being pumped from the younger alluvium without permit outside Pauba Valley and that there is pumping in violation of Court adjudications from the older alluvium.
4. Settlement - During 1999-2000, representatives of Rancho California WD and the United States developed a settlement agreement that would resolve the foregoing issues. To date, the Rancho California WD Board of Directors have agreed with the settlement and the United States is in the process of obtaining the necessary approvals in the Department of the Navy and Department of Justice.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

SECTION 9 - THREATS TO WATER SUPPLY

9.1 General

General threats to the long-term water supply in the Santa Margarita River Watershed, which have been described in previous Watermaster Reports, are as follows:

1. High nitrate concentrations in Rainbow Creek and in Anza Valley.
2. Potential overdraft conditions at various locations in the Watershed.
3. Potentially adverse salt balance conditions in the upper Santa Margarita River area.

9.2 High Nitrate Concentrations

In past years, high concentrations of nitrate have been measured in Anza Valley and on Rainbow Creek. Conditions in Anza Valley were generally described in the 1993-94 report. Few measurements have been reported since then.

During 1999 and 2000, the Regional Water Quality Control Board staff prepared a draft technical Total Maximum Daily Load (TMDL) plan for Rainbow Creek. As part of the process, the Regional Board monitored water quality at three sites on Rainbow Creek between January and August 2000 and conducted more comprehensive monitoring involving ten sites between August and October 2000.

In both programs the Board measured water temperature, estimated stream flow, and collected water samples. The samples were analyzed and the following data were reported:

- Ammonia as Nitrogen
- Nitrite as Nitrogen
- Nitrate as Nitrogen
- Kjeldahl as Nitrogen
- Total Nitrogen
- Ortho-phosphate as Phosphorous
- Total Phosphorous
- Total Dissolved Solids

Ranges in concentration for nitrate, total nitrogen, ortho-phosphate, total phosphorous and total dissolved solids are shown in Table 9-1 for the three sites sampled monthly between January and August 2000. It can be seen that the drinking water standard for nitrate of 10 mg/l as N was exceeded at each site. Ranges in concentration for

the same constituents are shown in Table 9-2 for the ten sites sampled weekly between August and October 2000. Of the ten sites sampled, seven exceeded the nitrate standard sometime during the period.

In addition, total phosphorous consistently exceeded the desired goal of 0.1 mg/l for biostimulatory substances contained in the Basin Plan; and the total nitrogen concentration exceeded 1.0 mg/l, a goal for nitrate that may be computed using a ratio of 10 parts nitrogen to one part phosphorous and the desired Basin Plan goal of 0.1 mg/l phosphorous. The Board reports that exceeding the Basin Plan goals for biostimulatory substances has caused excessive algae growth at various locations on Rainbow Creek.

The primary purpose of the TMDL process is to develop and implement a plan to reduce instream nutrient concentrations and alleviate future eutrophic conditions in Rainbow Creek.

9.3 Potential Overdraft Conditions

Previous Watermaster reports have noted concerns about overdraft conditions in Anza Valley and in the Murrieta-Temecula area. The 1989-90 Watermaster Report described a water supply study, conducted by a consultant to Riverside County, which concluded that Anza Valley water use in 1986 was approximately equal to the perennial yield and that as of 1986 useable groundwater in storage approximated 56,000 acre feet. No further studies relative to groundwater use in Anza Valley are available. Historical groundwater levels for Anza Mutual Water Company's Well No. 1 (7S/3E-21G1) located in Anza Valley are included in this Report as Figure 4.4. It can be noted that the water level in October 2000 of 3788.1 feet is within the general range observed since the early 1970's.

No recent published studies of safe yield are available for the Murrieta-Temecula area. Groundwater resources in much of the area are being managed by Rancho California WD. The District prepares an annual groundwater production program with the goal of developing the maximum perennial yield from the basin. The District monitors water levels and well production in each of several hydrogeologic subareas. Each year that data, combined with other information including water quality, natural and artificial recharge, pump settings, and well construction factors, are used to develop a recommended production program. Production rates are commonly lowered in subareas where water levels have declined over several years, and production rates are increased in areas where decline has not occurred. As a final check the recommended production rates are checked using the latest version of the RCWD groundwater model.

TABLE 9.1

SANTA MARGARITA RIVER WATERSHED

**RANGES IN CONCENTRATION
OF NITROGEN, PHOSPHOROUS AND TDS
FOR WILLOW GLEN, 2068 WILLOW GLEN ROAD, and
RIVER HOUSE SAMPLING STATIONS**

(January 4, 2000 to August 1, 2000)

SAMPLING SITE	NITRATE as N MG/L	TOTAL N MG/L	ORTHO PHOSPHATE AS P MG/L	TOTAL P MG/L	TDS MG/L
Willow Glen (USGS Station)	3.7 – 21	4.00 – 23	0.14 – 0.55	0.32 – 0.55	1090 – 1310
2068 Willow Glen Road	8.5 – 20	8.55 – 21	0.16 – 0.47	0.20 – 0.49	1090 – 1220
River House	9.1 – 19	9.20 – 19	0.14 – 0.45	0.21 – 0.46	1070 – 1230

TABLE 9.2

SANTA MARGARITA RIVER WATERSHED

**RANGES IN CONCENTRATION
OF NITROGEN, PHOSPHOROUS AND TDS
IN RAINBOW CREEK WATERSHED**

(August 15 to October 17, 2000)

SAMPLING SITE	NITRATE as N MG/L	TOTAL N MG/L	ORTHO PHOSPHATE AS P MG/L	TOTAL P MG/L	TDS MG/L
<u>A. Rainbow Valley</u>					
1. Jubilee Way (Canyon Road	4.8 – 5.9	5.2 – 6.5	ND	ND	1160 – 1200
2. Hines Nursery (Huffstatler St.)	1.7 – 31	22 – 44	0.78 – 1.6	1.5 – 3.6	1430 – 1960
3. Oak Crest Estates @ Bridge	1.2 – 13	3.1 – 15	0.52 – 1.4	0.78 – 1.6	1580 – 1940
<u>B. Lower Rainbow Creek</u>					
1. Rainbow Glen Tributary	1.6 – 2.3	2.0 – 2.7	< 0.05	<0.05 – 0.12	790 – 1210
2. Willow Glen (USGS Station)	1.7 – 5.6	2.1 – 6.1	0.29 – 0.47	0.39 – 0.52	980 – 1100
3. Willow Glen Tributary (1/4 mi d/s USGS Station)	17 – 20	17 – 20	< 0.05	<0.05 – 0.28	1250 – 1460
4. 2068 Willow Glen Road (1/2 mi d/s USGS Station)	11 – 15	12 – 18	0.11 – 0.22	0.17 – 0.24	1120 – 1360
5. River House (3/4 mi d/s USGS Station)	12 – 15	12 – 16	0.12 – 0.22	0.16 – 0.36	1100 – 1240
6. Via Milpas Tributary	14 – 16	14 – 17	< 0.05	<0.05 – 0.75	1090 – 1460
7. Stage Coach (800 ft u/s mouth)	12 – 14	12 – 16	0.12 – 0.22	0.17 – 0.79	990 – 1260

Groundwater level data for three wells in the Murrieta-Temecula Groundwater Area are included in this report as Figures 4.1, 4.3 and 4.5. Water levels in the Windmill Well (8S/2W-12H1) located at the eastern part of Pauba Valley rose 10.5 feet in 1999-2000. Water levels in Well 7S/3W-20C9 in the Murrieta CWD area declined 11.7 feet from last year, and those in Well 8S/2W-29G1 on the Pechanga Indian Reservation in Wolf Valley were down 4.4 feet from last year. As can be seen from the long term hydrographs, the foregoing groundwater levels are within the broad range of groundwater levels experienced in recent years.

9.4 Salt Balance

A key issue in management of a groundwater basin is potential build up of salts from imported water supplies. Such a build-up could decrease the usability of waters in a basin. Consideration must be given to measures that allow export of salts from a basin to offset the salt load in water entering the groundwater basin.

A 2 MGD Demonstration Project involving discharge of treated wastewater into the Santa Margarita River system by Rancho California Water District was implemented in late 1997. This project provides cost-effective disposal of wastewater from the upper Santa Margarita River area, assists in controlling salt balance in the Murrieta-Temecula Groundwater Area, and supplements water supplies to the Santa Margarita River system downstream of Temecula.

In a separate project, Eastern MWD exported 3,664 acre feet of treated wastewater from the watershed in 1999-2000 for reuse. At an average total dissolved solids concentration of 650 mg/l there are approximately 1,768 pounds of salt in every acre foot of wastewater. Thus in 1999-2000, approximately 3,239 tons of salt were exported by EMWD.

In addition to export of treated wastewater, the salt balances of the Murrieta-Temecula groundwater area and the lower Santa Margarita River groundwater area are affected by discharges from wells into Murrieta Creek or Temecula Creek. In 1999-2000 wells discharged 56 acre feet, as shown below, together with estimated total dissolved solids in the water.

Well No.	Release Acre Feet	TDS mg/l	Sample Date
101	17	510	8/11/99
108	7	300	5/13/97
109	2	1010	6/13/97
118	<u>30</u>	560	9/16/96
Total	56		

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SECTION 10 - WATER QUALITY

10.1 Surface Water Quality

During 1999-2000 there was extensive sampling of surface water quality by Rancho California WD as part of its 2 MGD Demonstration Program. Portions of these data are shown in Appendix Table D-2.1. Weekly samples were collected from the Santa Margarita River at the Temecula gaging station, Murrieta Creek gaging station and Temecula Creek at Highway 79. These samples were analyzed for total dissolved solids (TDS), nitrate, total nitrogen and total phosphorous. TDS concentrations at the Santa Margarita River station ranged from a low of 390 mg/l to as much as 800 mg/l during the year.

Nitrate concentrations as nitrogen at the Santa Margarita River gaging station ranged from none detected, to a high of 3.4 mg/l on June 28, 2000. All measurements of nitrate were well below the drinking water standard of 10 mg/l as N.

Rancho California WD collected samples at additional locations in the Santa Margarita River system including Santa Margarita River at Willow Glen, DeLuz Crossing and the Estuary. Among other things, these samples were analyzed for TDS and Nitrate as N, as shown in Table D-2.1. TDS concentrations were generally in the 600 - 1000 mg/l range while no nitrate sample exceeded the 3.4 mg/l as N measured at the Santa Margarita River gaging station, except those from the Estuary. Samples of the water being discharged into Murrieta Creek from the system were also collected at a station called the Murrieta River Meter. Nitrate concentration at the River Meter ranged from none detected to 4.2 mg/l as N.

Surface water quality data collected in prior years by Camp Pendleton and Eastern MWD are listed in earlier Watermaster reports.

In December 1999 the U.S.G.S. using funding provided by Camp Pendleton, installed continuous recording water quality sensors for dissolved oxygen, pH, specific conductance and temperature at the Santa Margarita River gaging stations near Temecula and at Fallbrook PUD Sump near Fallbrook. The latter station is about nine miles downstream from the Temecula station, and the intervening drainage area is 32 square miles. Data collected at the two stations will be published by the U.S.G.S. in its annual Water Resource Data report. The average daily highs and lows for each parameter are shown in Tables 10.1 and 10.2 for months between December 1999 and September 2000.

TABLE 10.1

SANTA MARGARITA RIVER WATERSHED
RANGES IN AVERAGE DAILY CONCENTRATION
OF DISSOLVED OXYGEN, Ph, SPECIFIC CONDUCTANCE AND TEMPERATURE
AT SANTA MARGARITA RIVER NEAR TEMECULA

(December 1999 through September 2000)

COLLECTION MONTH	DISSOLVED OXYGEN mg/l		pH mg/l		SPECIFIC CONDUCTANCE microsiemens/cm		TEMPERATURE Deg C	
	High	Low	High	Low	High	Low	High	Low
December (Partial)	11.7	9.4	8.3	7.9	1280	1060	11.5	6.0
January	12.4	7.4	8.2	7.6	1280	1020	16.5	4.5
February	12.0	7.9	8.2	7.1	1260	284	17.0	8.5
March	17.4	6.0	8.8	7.2	1300	553	22.0	8.5
April	11.9	4.9	8.2	6.6	1330	226	25.5	13.0
May	15.3	5.2	8.6	7.2	1120	780	25.0	16.0
June	11.1	5.3	8.3	7.1	1050	742	26.5	17.0
July	9.9	5.1	8.6	7.5	1060	856	27.5	17.5
August	10.8	5.6	8.3	7.4	1110	822	27.5	19.5
September	10.3	4.4	8.4	7.2	1160	849	25.5	18.0

TABLE 10.2

SANTA MARGARITA RIVER WATERSHED
RANGES IN AVERAGE DAILY CONCENTRATION
OF DISSOLVED OXYGEN, Ph, SPECIFIC CONDUCTANCE AND TEMPERATURE
AT FPUD SUMP NEAR FALLBROOK

(December 1999 through September 2000)

COLLECTION MONTH	DISSOLVED OXYGEN mg/l		pH		SPECIFIC CONDUCTANCE microsiemens/cm		TEMPERATURE Deg C	
	High	Low	High	Low	High	Low	High	Low
December (Partial)	12.3	8.7	8.5	7.7	1600	1570	11.5	5.5
January	12.5	6.6	8.7	7.5	1590	1500	15.5	4.5
February	12.0	6.9	8.2	7.4	1670	474	16.0	8.5
March	17.9	8.3	9.2	7.5	1610	504	22.0	9.5
April	13.9	5.4	8.5	7.2	1690	559	25.0	12.5
May	10.0	4.5	8.4	7.4	1450	1300	26.0	16.0
June	9.2	5.4	—	—	1350	1270	27.5	17.5
July	9.8	5.8	—	—	1340	1220	27.0	18.0
August	9.3	5.0	—	—	1310	1230	27.5	20.0
September	8.5	5.3	7.9	7.6	1310	1240	24.0	16.0

Measured values are similar for the two stations except for specific conductance. The average high specific conductance generally increase by about 25% between the two stations, while the increase in the average lows is generally in the 50% to 70% range.

It may be noted that between May and October, RCWD's discharges relatively high quality water to the stream. Another factor is that inflows from the intervening 32 square mile drainage area include irrigation return flows that have high specific conductance.

10.2 Groundwater Quality


During 1999-2000 water quality data were collected from wells by Murrieta County WD, Rancho California WD, the U.S.G.S. for wells on Indian Reservations, and the U.S.M.C. at Camp Pendleton.

Water quality samples were collected from five wells in Murrieta County Water District as shown in Appendix Table D-3. Nitrate concentrations were in the 19 to 31 mg/l NO_3 range for two of the wells, Holiday and Alson, but less than 2 mg/l in the other three wells sampled. That compares to a drinking water standard of 45 mg/l as NO_3 . Other constituents were consistent with historical concentrations.

Water quality data for Rancho California WD wells are shown in Appendix Table D-4. Samples were collected from 39 wells during 1999-2000. Of the 39 wells, 16 wells were analyzed for nitrates only. In these wells, nitrate concentrations ranged up to 17 mg/l as NO_3 , with the drinking water standard being 45 mg/l as NO_3 . Samples from most of the remaining wells were subjected to standard chemical analysis: TDS concentrations increased in 10 wells, decreased in 11 wells, and two wells remained the same.

Total dissolved solids concentrations for RCWD Well 210 are shown on Figure 10.1 for samples collected since 1957 when the well was constructed. The figure shows a decline in TDS from approximately 900 mg/l for the first two samples collected to the 500-600 mg/l range in recent years. The concentration in 1999-2000 was 560 mg/l.

FIGURE 10.1



Appendix Table D-5 shows water quality data collected by the U.S.G.S. from wells on Indian Reservations. In 1999-2000 samples were collected from five wells on the Pechanga Indian Reservation and subjected to standard chemical analysis. Concentrations of the various constituents were consistent with historical results.


During 1999-2000 samples of groundwater were collected from ten wells at Camp Pendleton as shown on Appendix Table D-6. These wells were subjected to standard chemical analysis with results generally consistent with the historical results.

The elevated sulfate concentrations indicated last year from Wells 23J1, 7R2, 7H2, and 7A2 have returned to more reasonable levels.

Other results include an unusually low total dissolved solids concentration of 325 mg/l for the October 1999 sample from Well 18E3.


Historical total dissolved solids concentrations for Camp Pendleton Well 7A2 are shown on Figure 10.2 for samples collected since the mid-1950's. The figure shows a decline between the mid-1950's and 1970, then a period of increasing concentration to levels in the 550-800 mg/l range. Three samples collected in 1999-2000 indicated total dissolved solids concentration of 663, 559 and 688 mg/l.

FIGURE 10.2



Historical nitrate concentrations for the same well (7A2) are shown on Figure 10.3. The samples collected in 1999-2000 indicated concentrations of 27, 18 and 18 mg/l as Nitrate which are higher than past concentrations.

FIGURE 10.3



SECTION 11 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE TASKS, EXPENDITURES AND REQUIREMENTS

11.1 General

Projected tasks over the next five years are listed below in two categories: normal tasks, which are part of the usual Watermaster office operation; and additional tasks, which are foreseen but are not part of the normal office operations.

11.2 Normal Tasks

Tasks that are normally part of the Watermaster Office operation are as follows:

1. Update List of Substantial Users
2. Collect Water Production, Use, Import and Availability Data
3. Collect Well Location, Construction and Water Level Data
4. Administer Water Rights
5. Collect Water Quality Data
6. Monitor Water Quality and Water Right Activities
7. Administer Lake Skinner and Diamond Valley Lake MOU's
8. Administer Steering Committee Matters
9. Prepare Court Reports/Budgets
10. Monitor Streamflow and Water Quality Measuring
11. Data Management

11.3 Additional Tasks

Tasks that have been identified but which are not part of normal operations are as follows:

1. Assist with Resolution of RCWD/Camp Pendleton Water Rights Issues
2. Determine Changes in Subsurface Storage
3. Determine Salt Balance
4. Prepare List of All Water Users Under Court Jurisdiction
5. Prepare Inventory of Ponds and Reservoirs

11.4 Projected Expenditures

Projected expenditures for the current year and over the next five years are listed as follows:

		<u>Projected Expenditures</u>		
		<u>Watermaster Office</u>	<u>Gaging Station</u>	<u>Total</u>
Current Year	2000/2001	\$168,000	\$110,750	\$278,750
Projected Years	2001/2002	\$169,000	\$114,325	\$283,325
	2002/2003	\$177,500	\$120,041	\$297,541
	2003/2004	\$186,400	\$126,043	\$312,443
	2004/2005	\$195,700	\$132,345	\$328,045
	2005/2006	\$205,500	\$138,962	\$344,462

SECTION 12 - WATERMASTER OFFICE BUDGET 2001-2002

A total Watermaster Budget of \$283,325 for the Water Year ending September 30, 2002, is shown below.

This budget includes \$169,000 for the Watermaster Office and \$114,325 for U.S.G.S. gaging station operations. The budgeted cost for gaging station operation is based on the annual renewal of an agreement between the Watermaster and the U. S. Geological Survey.

	APPROVED BUDGET CURRENT YEAR 2000-2001 \$	PROPOSED BUDGET 2001-2002 \$
Watermaster Office		
Rent	9,600	9,600
Accounting Services	4,000	4,000
Supplies	800	700
General Liability & Professional Insurance	3,500	3,500
Printing	1,800	1,800
Audit	2,800	2,400
Publications	2,000	2,000
Clerical/Data Management	45,000	45,000
Telephone	1,500	1,400
Miscellaneous Operating/Maintenance	1,000	800
Mileage/Travel	500	500
Office Equipment and Software	2,500	2,200
Watermaster		
Consulting Services	79,000	80,000
Automobile Expense	3,200	3,600
Travel Reimbursement	10,800	11,500
SUBTOTAL WATERMASTER OFFICE	\$ 168,000	\$ 169,000
USGS Gaging Station Operation and Maintenance	\$ 110,750	\$ 114,325
TOTAL	\$ 278,750	\$ 283,325

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 1999-2000

APPENDIX A
WATER PRODUCTION AND USE
WATER YEAR 1999-2000

AUGUST 2001

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-1

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

1999-2000

Quantities in Acre Feet

MONTH YEAR	PRODUCTION					USE						RECLAIMED WASTEWATER					
	WELLS	IMPORT 1/	EXPORT FROM SMRW	NET IMPORT	TOTAL	AG 2/	COMM	DOM 3/	TOTAL	LOSS	TOTAL USE	REUSE IN SMRW 4/	OUTSIDE SMRW REUSE OTHER EXPORT 5/	RELEASE TO RIVER	RECHARGE	TOTAL	
1999																	
OCT	53	822	103	719	772	0	0	733	733	39	772	379	282	8	0	0	669
NOV	54	569	102	467	521	0	0	495	495	26	521	327	102	258	0	0	687
DEC	50	700	140	560	610	0	0	581	581	29	610	395	276	44	0	0	715
2000																	
JAN	54	126	28	98	152	0	0	144	144	8	152	365	133	208	0	0	706
FEB	54	266	(7)	273	327	0	0	311	311	16	327	360	206	108	0	0	674
MAR	50	784	117	667	717	0	0	681	681	36	717	274	96	333	0	0	703
APR	53	378	101	277	330	0	0	314	314	16	330	373	577	(305)	0	0	645
MAY	51	1,108	164	944	995	0	0	946	946	49	995	438	391	(122)	0	0	707
JUNE	50	1,020	187	833	883	0	0	838	838	45	883	426	505	(275)	0	0	656
JULY	62	1,422	759	663	725	0	0	690	690	35	725	448	442	(163)	0	0	727
AUG	48	1,431	182	1,249	1,297	0	0	1,231	1,231	66	1,297	466	385	(134)	0	0	717
SEPT	51	553	47	506	557	0	0	529	529	28	557	418	269	25	0	0	712
TOTA	630	9,179	1,923	7,256	7,886	0	0	7,493	7,493	393	7,886	4,669	3,664	(15)	0	0	8,318

1/ Does not include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

2/ Figures are 95% of water pumped and imported to allow for 5% loss

3/ Figures are 95% of water pumped and imported to allow for 5% loss

4/ Includes 1,162 AF of sewage diverted to RCWD

5/ Unaccounted for Export

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-2

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

1999-2000

Quantities in Acre Feet

MONTH YEAR	PRODUCTION							USE					WASTEWATER			
	WELL	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	FALLBROOK AREA IMPORT	SMRW IMPORT 1/	TOTAL SMRW IMPORT	TOTAL SMRW PRODUCTION	AG	COMM	DOM	TOTAL IN SMRW	LOSS*	TOTAL USE IN SMRW	FROM SMRW	FROM U.S.N.W.S.	EXPORTED FROM SMRW
1999																
OCT	0	1,921	384	1,538	707	1,091	1,091	596	64	350	1,010	81	1,091	149	0.50	148
NOV	0	1,389	305	1,084	499	804	804	517	64	265	846	(42)	804	130	0.49	130
DEC	0	1,351	270	1,081	497	767	767	422	46	275	743	24	767	133	0.49	133
2000																
JAN	0	1,104	228	876	403	631	631	390	49	216	655	(24)	631	124	0.58	123
FEB	0	549	114	435	200	314	314	216	33	220	469	(155)	314	126	1.10	125
MAR	0	712	85	627	289	374	374	105	23	117	245	129	374	149	0.94	148
APR	0	41	24	1,217	560	584	584	238	47	219	504	80	584	148	0.58	147
MAY	0	1,578	297	1,281	589	886	886	423	56	213	692	194	886	149	0.39	149
JUNE	0	1,748	22	1,726	794	816	816	382	69	337	788	28	816	145	0.38	144
JULY	0	1,887	25	1,861	856	881	881	428	73	291	792	89	881	132	0.35	132
AUG	0	2,037	518	1,519	699	1,217	1,217	744	83	411	1,238	(21)	1,217	126	0.77	125
SEPT	0	1,666	433	1,233	567	1,000	1,000	677	79	303	1,059	(59)	1,000	130	0.46	130
TOTA	0	15,983	2,705	14,478	6,660	9,365	9,365	5,138	686	3,217	9,041	324	9,365	1,641	7	1,634

1/ Approximately 46% of the Fallbrook area is within the Santa Margarita River Watershed

*Loss = Total production less total use

TABLE A-3

**SANTA MARGARITA RIVER WATERSHED
 MONTHLY WATER PRODUCTION AND USE**

MURRIETA COUNTY WATER DISTRICT

1999-2000

Quantities in Acre Feet

PRODUCTION		USE					
MONTH YEAR	WELLS	AG	COMM	DOM	TOTAL DELIVERED	LOSS *	TOTAL USE
1999							
OCT	98	99	35	(23)	111	(13)	98
NOV	108	12	22	54	88	20	108
DEC	81	8	32	36	76	5	81
2000							
JAN	73	6	17	36	59	14	73
FEB	57	6	10	5	21	36	57
MAR	34	2	8	23	33	1	34
APR	76	0	12	44	56	20	76
MAY	76	9	12	50	71	5	76
JUNE	107	11	14	69	94	13	107
JULY	121	15	20	72	107	14	121
AUG	154	15	156	91	262	(108)	154
SEPT	138	16	27	36	79	59	138
TOTAL	1,123	199	365	493	1,057	66	1,123

* Loss = Total production less total delivered

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-4

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

1999-2000

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE				
	LOCAL	IMPORT TO WATERSHED	TOTAL IN WATERSHED	AG	COMMERCIAL/ DOMESTIC	TOTAL DELIVERIES	LOSS*	TOTAL USE
1999								
OCT	0	209	209	175	15	190	19	209
NOV	0	220	220	185	15	200	20	220
DEC	0	146	146	122	11	133	13	146
2000								
JAN	0	160	160	133	12	145	15	160
FEB	0	123	123	103	9	112	11	123
MAR	0	64	64	52	6	58	6	64
APR	0	126	126	107	8	115	11	126
MAY	0	146	146	123	10	133	13	146
JUNE	0	195	195	165	12	177	18	195
JULY	0	304	304	258	18	276	28	304
AUG	0	251	251	212	16	228	23	251
SEPT	0	273	273	226	22	248	25	273
TOTAL	0	2,217	2,217	1,861	154	2,015	202	2,217

*Loss = 10% of use

TABLE A-5

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT

1999-2000

Quantities in Acre Feet

MONTH YEAR	PRODUCTION				USE							RECLAIMED WASTEWATER				
	WELLS IN GWA (1)	WELLS OUT GWA	VAIL RELEASE (2)	IMPORT TOTAL	AG DOM	AG/ DOM	COMM DOM	DOM RELEASE (3)	SMR RELEASE (3)	VAIL RECHARGE	IMPORT RECHARGE	TOTAL USE (4)	LOSS (4)	TOTAL	REUSE IN SMRW (6)	MURRIETA CREEK DISCHARGE (6)
1999																
OCT	4,019	0	6	4,373	5,391	0	508	2,564	197	6	253	8,919	(521)	8,398	282	135
NOV	2,602	0	0	4,047	4,091	0	432	1,883	1	0	1,339	7,748	(1,097)	6,649	281	115
DEC	2,247	0	0	4,217	2,979	0	(2,003)	1,527	2	0	1,729	4,234	2,230	6,464	301	110
2000																
JAN	2,485	0	0	3,959	3,248	0	332	1,604	2	0	1,996	7,182	(738)	6,444	299	128
FEB	2,218	0	0	1,883	1,846	0	255	1,126	3	0	1,814	5,044	(943)	4,101	284	171
MAR	3,212	0	0	2,259	305	0	193	813	2	0	2,037	3,350	2,121	5,471	285	163
APR	3,635	0	0	2,771	2,667	371	315	1,524	7	0	1,680	6,564	(156)	6,406	298	164
MAY	4,163	0	(91)	4,470	2,416	343	315	1,709	93	(91)	1,800	6,585	1,957	8,542	312	183
JUNE	3,640	0	119	6,150	4,368	702	459	2,720	188	119	1,734	10,270	(361)	9,909	306	170
JULY	4,029	0	(12)	7,180	3,838	569	389	2,476	219	(12)	1,780	9,269	1,928	11,197	308	155
AUG	4,066	0	(138)	7,300	4,428	626	435	2,691	191	(138)	1,847	10,080	1,148	11,228	293	189
SEPT	3,543	0	67	6,800	5,095	728	522	3,146	182	67	1,920	11,680	(1,250)	10,410	301	173
TOTAL	39,859	0	(49)	55,409	40,672	3,339	2,162	23,783	1,067	(49)	19,929	90,903	4,316	95,219	3,550	1,854

1/ Wells recovered 26,422 AF from older alluvium, 993 AF from Vail recharge, and 12,444 from Direct Import Recharge

2/ Vail releases and the related Vail recharge are computed as Total Release less Inflow to be bypassed

3/ 2 AF into Temecula Creek from Well 109; 54 AF into Murrieta Creek from Wells 101, 108 & 118; and 1,011 AF from System River Meter

4/ Loss = Total production less total use

5/ Does not include EMWD reclaimed wastewater production

6/ Discharge from 2 MGD Demonstration Project

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-6

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON

1999-2000

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE						RECLAIMED WASTEWATER		
	AG LOCAL	CAMP SUPPLY	TOTAL	AGRICULTURE 1/ IN SMRW	OUT SMRW	CAMP SUPPLY 2/ IN SMRW	DUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW	RECHARGED IN SMRW 4/	IMPORT 5/ RECHARGED IN SMRW	TOTAL RECHARGED IN SMRW
1999												
OCT	134	507	641	52	82	215	292	374	267	74	183	257
NOV	112	473	585	44	68	202	271	339	246	74	207	281
DEC	21	423	444	8	13	181	242	255	189	85	153	238
2000												
JAN	6	342	348	2	4	148	194	198	150	88	184	272
FEB	5	253	258	2	3	110	143	146	112	90	230	320
MAR	13	443	456	5	8	193	250	258	198	88	212	300
APR	17	528	545	7	10	229	299	309	236	85	170	255
MAY	62	518	580	24	38	223	295	333	247	93	171	264
JUNE	187	548	735	73	114	233	315	429	306	87	150	237
JULY	254	607	861	99	155	261	346	501	360	93	155	248
AUG	245	585	830	96	149	251	334	483	347	91	157	248
SEPT	240	538	778	94	146	237	301	447	331	88	144	232
TOTAL	1,296	5,765	7,061	506	790	2,483	3,282	4,072	2,989	1,036	2,116	3,152

1/ Agricultural water use is divided with 39% used inside the SMRW and 61% used outside

2/ Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, minus the NWS Import (SMRW CS = .44 {CS+NWS Imp} - NWS Imp.)

3/ Assumes no losses

4/ Discharge from Plant Nos. 3 plus 8 plus 29.17 acre feet per month from Plant No. 13

5/ Discharge from Plant No. 1, plus discharge from Pond 2, plus excess of Plant No. 13 over 29.17 acre feet per month

TABLE A-7

**SANTA MARGARITA RIVER WATERSHED
 MONTHLY WATER PRODUCTION AND USE**

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

1999-2000

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE				WASTEWATER
	LOCAL	IMPORT TO WATERSHED 1/	TOTAL	AG	COMMERCIAL/ DOMESTIC	LOSS 2/	TOTAL USE	EXPORTED
1999								
OCT	0.0	14.5	14.5	0.0	13.2	1.3	14.5	0.5
NOV	0.0	11.4	11.4	0.0	10.4	1.0	11.4	0.5
DEC	0.0	10.0	10.0	0.0	9.1	0.9	10.0	0.5
2000								
JAN	0.0	4.3	4.3	0.0	3.9	0.4	4.3	0.6
FEB	0.0	2.6	2.6	0.0	2.4	0.2	2.6	1.1
MAR	0.0	3.1	3.1	0.0	2.8	0.3	3.1	0.9
APR	0.0	6.4	6.4	0.0	5.8	0.6	6.4	0.6
MAY	0.0	8.9	8.9	0.0	8.1	0.8	8.9	0.4
JUNE	0.0	13.9	13.9	0.0	12.6	1.3	13.9	0.4
JULY	0.0	10.8	10.8	0.0	9.8	1.0	10.8	0.4
AUG	0.0	10.9	10.9	0.0	9.9	1.0	10.9	0.8
SEPT	0.0	7.3	7.3	0.0	6.6	0.7	7.3	0.5
TOTAL	0.0	104.1	104.1	0.0	94.6	9.5	104.1	7.0

1/ - Import via Fallbrook Public Utility District

2/ - Loss = 10% of Use

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE A-8

SANTA MARGARITA RIVER WATERSHED
MISCELLANEOUS WATER PRODUCTION AND IMPORTS
1999-2000
Quantities in Acre Feet

MONTH YEAR	IMPORT		PRODUCTION				
	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	OUTDOOR RESORTS RANCHO CALIFORNIA, INC.	BUTTERFIELD OAKS MOBILE HOME PARK	LAKE RIVERSIDE ESTATES	PECHANGA INDIAN RESERVATION	JOJOBA HILLS SKP RESORT
1999							
OCT	3.90	5.76 E	16.90	0.09	21.14	28.67	3.53 E
NOV	3.20	4.54 E	2.98	0.15	6.71	30.74	4.65
DEC	2.90	2.96 E	8.63	0.16	18.69	28.98	5.28
2000							
JAN	2.60	1.89 E	1.71	0.16	24.52	32.55	5.75
FEB	2.20	1.73 E	3.46	0.17	5.47	29.17	3.74 E
MAR	2.20	1.84 E	5.45	0.17	19.81	24.68	4.21
APR	2.80	2.11 E	10.30	0.19	15.71	25.05	5.06
MAY	3.20	2.11 E	7.88	0.19	21.64	25.13	5.35
JUNE	3.20	3.31	11.50	0.21	53.91	25.48	4.55
JULY	4.80	5.93	10.75	0.28	67.26	28.12	4.01
AUG	5.50	6.49	6.01	0.28	41.09	47.67	3.84
SEPT	5.40	6.00	4.53	0.23	20.62	44.00	3.31
SUBTOTAL				2.28		370.24	
				7.50 *		4.00 **	
TOTAL	41.90	44.67	90.10	9.78	316.57	374.24	53.28

E - Estimate

* Estimated non-metered lawn watering

** Surface Diversion

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 1999-2000

APPENDIX B

WATER PRODUCTION AND USE

WATER YEAR 1965-66 TO WATER YEAR 1999-2000

AUGUST 2001

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-1

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION				USE					RECLAIMED WASTEWATER							
	WELLS	IMPORT	EXPORT FROM SMRW	NET IMPORT	TOTAL	AG 2/	COMM	DOM 3/	TOTAL	LOSS	TOTAL USE	REUSE IN SMRW	OUTSIDE SMRW REUSE	SMRW OTHER EXPORT 4/	RELEASE TO RIVER	RECHARGE	TOTAL
1966	0	1,604	0	1,604	1,604	1,520	0	4	1,524	80	1,604	0	0	0	0	100	100
1967	0	1,630	0	1,630	1,630	1,544	0	4	1,548	82	1,630	0	0	0	0	100	100
1968	0	1,464	0	1,464	1,464	1,386	0	5	1,391	73	1,464	0	0	0	0	100	100
1969	0	1,741	0	1,741	1,741	1,648	0	6	1,654	87	1,741	0	0	0	0	100	100
1970	0	1,417	0	1,417	1,417	1,340	0	7	1,346	71	1,417	0	0	0	0	101	101
1971	0	1,383	0	1,383	1,383	1,306	0	8	1,314	69	1,383	0	0	0	0	119	119
1972	0	1,470	0	1,470	1,470	1,388	0	8	1,396	74	1,470	0	0	0	0	242	242
1973	0	1,533	0	1,533	1,533	1,447	0	10	1,456	77	1,533	0	0	0	0	217	217
1974	0	1,601	0	1,601	1,601	1,511	0	10	1,521	80	1,601	0	0	0	0	193	193
1975	0	1,969	0	1,969	1,969	1,859	0	11	1,871	98	1,969	0	0	0	0	253	253
1976	145	2,493	0	2,493	2,638	2,356	0	150	2,506	132	2,638	134	0	0	0	155	289
1977	431	2,947	0	2,947	3,378	2,723	84	423	3,209	169	3,378	244	0	0	0	70	314
1978	375	2,551	0	2,551	2,926	2,409	0	371	2,780	146	2,926	300	0	0	0	75	375
1979	289	1,894	0	1,894	2,183	1,784	0	290	2,074	109	2,183	350	0	0	0	147	497
1980	281	1,192	0	1,192	1,473	1,116	0	283	1,399	74	1,473	375	0	0	0	220	595
1981	282	716	0	716	998	663	0	285	948	50	998	375	0	0	0	304	679
1982	321	1,112	0	1,112	1,433	1,038	0	323	1,381	72	1,433	375	0	0	0	386	761
1983	106	1,211	0	1,211	1,317	1,131	0	120	1,251	66	1,317	375	0	0	0	466	841
1984	236	699	0	699	935	644	0	244	886	47	935	400	0	0	0	525	925
1985	314	679	0	679	993	624	0	319	943	50	993	450	0	0	0	585	1,015
1986	229	780	0	760	989	700	0	239	940	49	989	600	0	0	0	509	1,109
1987	89	1,155	0	1,155	1,244	638	0	543	1,182	62	1,244	650	0	0	0	554	1,204
1988	4	2,047	0	2,047	2,051	524	0	1,424	1,948	103	2,051	650	0	0	0	650	1,300
1989	685	3,746	0	3,746	4,431	1,146	0	3,064	4,209	222	4,431	1,058	0	0	0	1,636	2,894
1990	492	8,578	2,977	5,601	6,093	978	0	4,810	5,788	305	6,093	1,567	0	0	0	2,160	3,727
1991	456	16,621	7,142	9,479	9,935	851	0	6,587	9,438	497	9,935	1,282	0	0	0	2,272	3,554
1992	527	13,486	4,893	8,593	9,120	29	0	8,635	8,664	456	9,120	1,323	0	245	0	2,385	3,953
1993	524	7,287	1,894	5,393	5,917	36	0	5,585	5,621	296	5,917	1,709	990	(285)	192	2,020	4,626
1994	232	10,082	2,932	7,150	7,382	0	0	7,013	7,013	369	7,382	2,687	2,465	694	0	0	5,846
1995	182	11,539	6,914	4,625	4,807	16	0	4,551	4,567	240	4,807	2,154	1,357	2,551	0	0	6,062
1996	299	11,730	6,770	4,960	5,259	0	0	4,996	4,996	263	5,259	2,979	2,473	520	0	0	5,972
1997	408	5,093	1,809	3,284	3,692	0	0	5,226	5,226 (1,534)	3,892	3,892	3,126	2,319	882	0	0	6,327
1998	240	6,609	1,492	5,117	5,357	0	0	5,090	5,090	267	5,357	2,949 5/	2,139	2,374	0	0	7,462
1999	669	7,118	2,719	4,327	4,996	0	0	4,748	4,748	250	4,996	3,741 5/	3,070	1,063	0	0	7,874
2000	630	9,179	1,923	7,256	7,886	0	0	7,493	7,493	393	7,886	4,659 5/	3,664	(15)	0	0	8,318

1/ Does not include deliveries to Rancho California Water District or Elsinore Valley Municipal Water District

2/ Figures are 95% of water pumped and imported to allow for 5% loss

3/ Figures are 95% of water pumped and imported to allow for 5% loss

4/ Unaccounted for Export

5/ Includes 1,159 AF of sewage diverted to RCWD

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-2

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION							USE					
	WELLS	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	FALLBROOK AREA IMPORT	SMRW IMPORT /1/	TOTAL SMRW IMPORT	TOTAL PRODUCTION	AG	COMM/ DOM	TOTAL IN SMRW	LOSS /2	TOTAL USE IN SMRW	
1966	176	11,169	0	11,169	3,351	3,351	3,404		2,735	328	3,063	341	3,404
1967	16	9,508	0	9,508	2,852	2,852	2,857		2,253	319	2,572	285	2,857
1968	13	11,411	0	11,411	3,423	3,423	3,427		2,554	531	3,085	342	3,427
1969	178	9,458	0	9,458	2,837	2,837	2,891		1,787	814	2,601	290	2,891
1970	305	11,794	0	11,794	3,538	3,538	3,630		2,649	617	3,266	364	3,630
1971	7	11,350	0	11,350	3,405	3,405	3,407		2,386	681	3,067	340	3,407
1972	0	13,054	0	13,054	3,916	3,916	3,916		2,749	775	3,524	392	3,916
1973	0	10,610	38	10,572	3,172	3,210	3,210		2,156	732	2,888	322	3,210
1974	0	12,911	134	12,777	3,833	3,967	3,967		2,703	868	3,571	396	3,967
1975	0	11,492	213	11,279	3,384	3,597	3,597		2,420	816	3,236	361	3,597
1976	0	13,147	431	12,716	4,196	4,627	4,627		3,200	965	4,165	462	4,627
1977	20	13,435	587	12,848	4,625	5,212	5,232		3,536	1,174	4,710	522	5,232
1978	97	12,626	651	11,975	4,551	5,202	5,299		3,504	1,265	4,769	530	5,299
1979	187	12,865	961	11,904	4,762	5,723	5,910		3,820	1,498	5,318	592	5,910
1980	192	13,602	1,191	12,411	5,213	6,404	6,596		4,258	1,678	5,936	660	6,596
1981	87	16,878	1,994	14,884	6,549	8,543	8,630		5,688	2,144	7,832	798	8,630
1982	0	13,270	1,805	11,465	5,274	7,079	7,079		4,614	1,862	6,476	603	7,079
1983	0	12,298	1,969	10,329	4,751	6,720	6,720		4,320	1,871	6,191	529	6,720
1984	0	15,429	2,609	12,820	5,897	8,506	8,506		5,814	2,077	7,891	615	8,506
1985	0	14,256	2,358	11,898	5,473	7,831	7,831		5,187	2,135	7,322	509	7,831
1986	0	15,383	2,794	12,589	5,791	8,585	8,585		5,698	2,319	8,017	568	8,585
1987	0	15,313	2,986	12,327	5,670	8,656	8,656		5,793	2,281	8,074	582	8,656
1988	28	14,460	2,559	11,901	5,474	8,033	8,061		5,181	2,348	7,529	532	8,061
1989	94	16,179	3,007	13,172	6,059	9,066	9,160		5,620	2,706	8,326	834	9,160
1990	15	17,568	3,745	13,823	6,358	10,103	10,118		6,275	2,878	9,153	965	10,118
1991	46	13,939	2,871	11,068	5,091	7,962	8,008		5,146	2,314	7,460	548	8,008
1992	45	13,698	2,950	10,748	4,943	7,893	7,938		5,285	2,201	7,486	452	7,938
1993	86	12,695	2,010	10,685	4,915	6,925	7,011		4,329	2,349	6,678	333	7,011
1994	83	13,124	2,246	10,878	5,004	7,250	7,333		4,282	2,666	6,948	385	7,333
1995	3	11,620	2,208	9,412	4,330	6,538	6,541		3,818	2,798	6,316	225	6,541
1996	0	14,168	2,733	11,435	5,260	7,993	7,993		4,411	3,247	7,658	335	7,993
1997	0	14,005	2,688	11,317	5,206	7,894	7,894		4,351	3,249	7,600	294	7,894
1998	0	11,757	1,803	9,954	4,579	6,382	6,382		3,245	2,798	6,043	339	6,382
1999	0	14,307	1,572	12,735	5,858	7,430	7,430		3,748	3,271	7,019	411	7,430
2000	0	15,983	2,705	14,478	6,660	9,365	9,365		5,138	3,903	9,041	324	9,365

/1 Total SMRW production equals SMRW Import plus 30% local (1966-1971)

/2 Loss = Total production less total use (Neglects change in Storage at Red Mtn After 1985)

TABLE B-3

SANTA MARGARITA RIVER WATERSHED
ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	TOTAL WASTEWATER PRODUCTION	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER FROM U.S.N.W.S.	WASTEWATER EXPORTED FROM SMRW	PERCENT WASTEWATER FROM SLR WATERSHED 1/	WASTEWATER IMPORTED FROM SLR WATERSHED
1966	395	81	320	0	0	19	75
1967	460	80	368	0	0	20	92
1968	524	80	419	0	0	20	105
1969	588	79	465	0	0	21	123
1970	652	78	509	0	0	22	143
1971	717	78	559	0	0	22	158
1972	782	77	602	0	0	23	180
1973	647	76	644	0	0	24	203
1974	912	75	684	0	0	25	228
1975	976	75	732	0	0	25	244
1976	1,040	74	770	0	0	26	270
1977	1,105	73	807	0	0	27	298
1978	1,170	72	842	0	0	28	328
1979	1,234	72	888	0	0	28	346
1980	1,298	71	922	0	0	29	376
1981	1,363	70	954	0	0	30	409
1982	1,428	69	985	0	0	31	443
1983	1,492	69	1,029	26 E	1,003	0	0
1984	1,556	68	1,058	26 E	1,032	0	0
1985	1,621	67	1,086	26 E	1,060	0	0
1986	1,685	66	1,112	18 P	1,094	0	0
1987	1,750	66	1,155	27	1,128	0	0
1988	1,815	65	1,180	25	1,155	0	0
1989	1,881	64	1,204	22	1,182	0	0
1990	1,952	66	1,298	27	1,271	0	0
1991	1,622	60	973	11	962	0	0
1992	1,730	63	1,090	7	1,083	0	0
1993	2,051	62	1,271	16	1,255	0	0
1994	1,834	58	1,073	5	1,068	0	0
1995	1,941	60	1,165	12	1,153	0	0
1996	1,799	58	1,040	5	1,035	0	0
1997	1,780	58	1,027	6	1,021	0	0
1998	2,297	65	1,490	8	1,482	0	0
1999	2,175	64	1,382	5	1,377	0	0
2000	2,164	76	1,641	7	1,634	0	0

NOTE: Measured quantities available for Total Wastewater in Water Year 1969 and July 1989
All other quantities are estimated (1966 - 1989)
Prior to 1983, Wastewater was discharged into Fallbrook Creek.
After 1983, Wastewater is discharged into an ocean outfall

1/ - San Luis Rey Watershed
E - Estimated
P - Partial Year Data

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-4

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

MURRIETA COUNTY WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION		USE					
	WELLS		AG	COMM	DOM	TOTAL DELIVERED	LOSS *	TOTAL USE
1966	41		0	0	37	37	4	41
1967	45		0	0	41	41	4	45
1968	54		0	0	49	49	5	54
1969	54		0	0	49	49	5	54
1970	73		0	0	66	66	7	73
1971	83		3	0	72	75	8	83
1972	111		10	0	91	101	10	111
1973	92		11	0	72	84	8	92
1974	132		14	0	107	120	12	132
1975	153		18	0	121	139	14	153
1976	117		22	0	84	106	11	117
1977	170		21	0	134	155	15	170
1978	169		19	0	135	154	15	169
1979	197		19	0	160	179	18	197
1980	218		20	0	178	198	20	218
1981	265		30	0	211	241	24	265
1982	230		21	0	188	209	21	230
1983	216		14	0	182	196	20	216
1984	304		26	0	250	276	28	304
1985	308		19	0	261	280	28	308
1986	305		22	0	255	277	28	305
1987	326		23	0	273	296	30	326
1988	303		13	35	262	275	28	303
1989	286		11	72	262	344	(4)	340
1990	465		13	76	266	355	110	465
1991	459		15	88	250	353	106	459
1992	492		6	122	302	430	62	492
1993	508		4	105	323	432	76	508
1994	512		10	103	324	437	75	512
1995	521		12	86	312	420	101	521
1996	629		88	110	373	571	58	629
1997	638		76	96	379	551	87	638
1998	603		79	87	349	515	88	603
1999	827		79	125	548	752	75	827
2000	1,123		199	365	493	1057	66	1,123

* Loss = Total production less total delivered

TABLE B-5

SANTA MARGARITA RIVER WATERSHED
 ANNUAL WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE				
	LOCAL	IMPORT TO DISTRICT	TOTAL IN WATERSHED 1/	AG 2/	COMMERCIAL/ DOMESTIC 3/	TOTAL DELIVERIES	LOSS 4/	TOTAL USE
1966	0	14,538	1,308	1,049	140	1,189	119	1,308
1967	0	12,167	1,095	878	117	995	100	1,095
1968	0	15,301	1,377	1,104	147	1,252	125	1,377
1969	0	13,917	1,253	1,005	134	1,139	114	1,252
1970	0	18,764	1,689	1,354	181	1,535	154	1,689
1971	0	18,338	1,650	1,324	177	1,500	150	1,650
1972	0	22,633	2,037	1,634	218	1,852	185	2,037
1973	0	17,955	1,616	1,296	173	1,469	147	1,616
1974	0	22,768	2,049	1,643	219	1,863	186	2,049
1975	0	13,856	1,247	1,000	133	1,134	113	1,247
1976	0	24,878	2,239	1,796	240	2,035	204	2,239
1977	0	26,038	2,343	1,879	251	2,130	213	2,343
1978	0	24,312	2,188	1,755	234	1,989	199	2,188
1979	0	26,084	2,348	1,883	251	2,134	213	2,347
1980	0	27,660	2,489	1,997	266	2,263	226	2,489
1981	0	35,036	3,153	2,529	337	2,866	287	3,153
1982	0	27,334	2,460	1,973	263	2,236	224	2,460
1983	0	24,957	2,190	1,735	256	1,991	199	2,190
1984	0	32,526	3,068	2,483	306	2,789	279	3,068
1985	0	28,612	3,410	2,798	302	3,100	310	3,410
1986	0	29,023	2,945	2,353	324	2,677	268	2,945
1987	0	29,449	3,390	2,765	317	3,082	308	3,390
1988	0	29,070	2,985	2,372	342	2,714	271	2,985
1989	0	32,034	3,003	2,385	345	2,730	273	3,003
1990	0	34,612	3,818	3,003	468	3,471	347	3,818
1991	0	27,754	2,904	2,276	364	2,640	264	2,904
1992	0	26,056	2,277	1,877	193	2,070	207	2,277
1993	0	23,766	1,965	1,655	132	1,787	178	1,965
1994	0	22,173	1,651	1,368	133	1,501	150	1,651
1995	0	20,935	1,661	1,398	112	1,510	151	1,661
1996	0	24,835	1,815	1,487	163	1,650	165	1,815
1997	0	24,638	1,429	1,139	160	1,299	130	1,429
1998	0	19,693	1,601	1,315	141	1,456	145	1,601
1999	0	24,981	1,727	1,411	159	1,570	157	1,727
2000	0	30,446	2,217	1,861	154	2,015	202	2,217

1/ 1966 through 1982 estimated to be 9% of total district imports

2/ 1966 through 1982 estimated to be 80.2% of total deliveries to watershed

3/ 1966 through 1982 estimated to be 10.7% of total deliveries to watershed

4/ Loss = 10% of use

TABLE B-6

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT
Quantities in Acre Feet

YEAR	PRODUCTION					USE					RECLAIMED WASTEWATER							
	WELLS IN GWA	WELLS OUT GWA	LOCAL RELEASE	VAIL IRRIGATION	IMPORT	TOTAL	AG	AGIDOM	COMM	DOM	SMR RELEASE	VAIL RECHARGE	IMPORT RECHARGE	TOTAL USE	LOSS	TOTAL	REUSE IN SMRW	MURRIETA CREEK DISCHARGE
1966	0	0	0	185	0	185	0	0	0	0	0	0	0	0	0	0	0	0
1967	4,288	0	0	1,136	0	5,424	0	0	0	0	0	0	0	0	0	5,424	0	0
1968	5,100	0	0	398	0	5,498	0	0	0	0	0	0	0	0	0	5,498	0	0
1969	3,617	0	0	697	0	4,314	0	0	0	0	0	0	0	0	0	4,314	0	0
1970	6,721	0	0	840	0	7,561	0	0	0	0	0	0	0	0	0	7,561	0	0
1971	7,960	0	0	1,541	0	9,501	0	0	0	0	0	0	0	0	0	9,501	0	0
1972	8,369	0	0	203	0	8,572	0	0	0	0	0	0	0	0	0	8,572	0	0
1973	7,726	0	0	524	0	8,250	0	0	0	0	0	0	0	0	0	8,250	0	0
1974	10,163	0	0	1,066	0	11,229	0	0	0	0	0	0	0	0	0	11,229	0	0
1975	10,357	0	0	369	0	10,726	0	0	0	0	0	0	0	0	0	10,726	0	0
1976	11,809	0	0	50	119	11,978	0	0	0	0	0	0	0	0	0	11,978	0	0
1977	10,522	0	0	0	1,845	12,367	0	0	0	0	0	0	0	0	0	12,367	0	0
1978	8,930	0	0	0	5,774	14,704	0	0	0	0	0	0	0	0	0	14,704	0	0
1979	11,371	0	0	0	7,009	18,380	0	0	0	0	0	0	0	0	0	18,380	0	0
1980	12,621	0	0	0	10,126	33,691	0	0	0	0	10,944	0	0	0	0	33,691	0	0
1981	15,612	0	0	0	15,282	37,696	0	0	0	0	6,802	0	0	0	0	37,696	0	0
1982	12,631	0	0	0	13,378	32,067	0	0	0	0	6,058	0	0	0	0	32,067	0	0
1983	16,577	98	0	715	5,752	35,255	0	0	0	0	12,113	0	0	0	0	35,255	0	0
1984	25,660	4	0	1,144	6,716	40,136	0	0	0	0	6,612	0	0	0	0	40,136	0	0
1985	24,373	0	0	1,201	7,158	37,759	0	0	0	0	5,027	0	0	0	0	37,759	0	0
1986	26,997	0	0	1,053	11,174	47,946	0	0	0	0	8,722	0	0	0	0	47,946	0	0
1987	33,735	0	0	273	7,564	49,661	0	0	0	0	8,089	0	0	0	0	49,661	0	0
1988	21,367	0	0	4,844	17,854	44,065	0	0	0	0	4,844	0	0	0	0	44,065	0	0
1989	26,131	0	0	0	22,895	49,026	25,533	0	0	0	0	2,294	0	0	0	45,193	82	0
1990	33,241	0	0	0	22,030	55,271	27,643	0	0	0	0	0	0	0	0	47,401	168	0
1991	26,503	0	0	0	21,238	53,994	32,924	0	0	0	6,253	701	0	0	0	54,207	133	0
1992	29,968	0	0	0	16,931	49,143	30,651	0	0	0	2,244	0	0	0	0	45,656	352	0
1993	31,029	0	0	0	11,411	74,144	29,265	0	0	0	31,704	0	0	0	0	74,247	374	0
1994	32,725	0	0	0	16,386	57,590	32,534	0	0	0	8,469	0	0	0	0	74,247	378	0
1995	33,111	0	0	0	15,108	59,377	31,081	0	0	0	11,158	0	0	0	0	56,162	1,936	0
1996	36,086	0	0	0	23,600	69,113	35,912	0	0	0	2,526	0	0	0	0	60,008	1,753	0
1997	35,131	0	0	0	26,992	63,848	38,287	0	0	0	3,350	1,315	0	0	0	66,570	2,264	0
1998	31,846	0	0	0	19,584	55,944	28,307	0	0	0	2,805	4,514	2,785	0	0	68,290	693	0
1999	37,737	0	0	0	34,490	73,237	37,157	0	0	0	3,674	1,010	9,425	0	0	71,620	1,376	1,179
2000	39,859	0	0	0	55,409	95,219	40,672	0	0	0	2,162	49	19,929	0	0	90,903	3,550	1,654

1/ Figures from 1966 to 1972 supplied by USGS; 1972 to 1996 supplied by RCWD
 2/ Total production = Wells, Total Diversions and Import
 3/ Loss = Total production less total use
 4/ Discharge from 2MGD Demonstration Project
 5/ Does not include EMWD reclaimed wastewater production
 * - Irrigation 1966 to 1976 by pumping from Vail Lake

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE B-7

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON
EXCLUDING NAVAL WEAPONS STATION SHOWN ON B-8
Quantities in Acre Feet

WATER YEAR	PRODUCTION				USE						RECLAIMED WASTEWATER			
	AG LOCAL	CAMP SUPPLY	TOTAL		AGRICULTURE 1/ IN SMRW	OUT SMRW	CAMP SUPPLY 2/ IN SMRW	OUT SMRW	TOTAL EXPORT	TOTAL 3/ IN SMRW	RECHARGED IN-SMR 4/ IN SMRW	IMPORT 5/ RECHARGED IN SMRW	TOTAL RECHARGED IN SMRW	
1966	1,101	4,605	5,706		429	672	2,026	2,579	3,251	2,455		919	974	1,693
1967	796	4,811	5,607		310	486	2,117	2,694	3,180	2,427		914	1,243	2,156
1968	988	4,939	5,925		385	601	2,172	2,767	3,368	2,557		866	1,214	2,080
1969	940	4,821	5,761		367	573	2,058	2,783	3,276	2,485		1,019	1,170	2,189
1970	1,106	5,481	6,587		431	675	2,347	3,134	3,809	2,778		1,032	1,113	2,145
1971	819	5,291	6,110		319	500	2,264	3,028	3,527	2,583		921	1,090	2,011
1972	817	5,323	6,140		319	498	2,278	3,045	3,543	2,597		900	1,168	2,068
1973	1,003	5,121	6,124		391	612	2,189	2,932	3,544	2,580		949	1,187	2,137
1974	909	5,202	6,111		355	554	2,224	2,978	3,532	2,579		915	1,140	2,055
1975	757	4,593	5,350		295	462	1,957	2,636	3,098	2,252		989	1,530	2,519
1976	885	5,384	6,269		345	540	2,305	3,079	3,619	2,650		949	1,497	2,447
1977	994	4,506	5,500		388	606	1,918	2,588	3,194	2,306		942	1,416	2,358
1978	176	5,177	5,353		69	107	2,213	2,964	3,071	2,282		1,164	1,283	2,446
1979	1,070	7,213	8,283		417	653	3,109	4,104	4,756	3,527		1,065	1,427	2,493
1980	835	5,495	6,330		326	509	2,353	3,142	3,651	2,679		1,101	1,405	2,506
1981	1,464	5,240	6,704		571	893	2,241	2,999	3,892	2,812		1,119	1,249	2,368
1982	1,447	5,024	6,471		564	883	2,146	2,878	3,761	2,710		962	1,273	2,254
1983	942	4,215	5,157		367	575	1,790	2,425	3,000	2,157		1,252	1,242	2,494
1984	1,076	4,501	5,579		420	658	1,916	2,585	3,243	2,336		1,323	1,120	2,443
1985	1,069	4,764	5,833		417	652	2,039	2,725	3,377	2,456		1,419	1,200	2,619
1986	953	4,807	5,760		372	581	2,062	2,745	3,326	2,434		1,259	981	2,240
1987	1,098	4,838	5,936		428	670	2,064	2,774	3,444	2,492		1,367	1,799	3,166
1988	1,223	4,721	5,944		477	746	2,010	2,711	3,457	2,487		1,523	1,872	3,396
1989	856	5,044	5,900		334	522	2,148	2,896	3,418	2,462		1,301	1,446	2,747
1990	655	4,226	5,083		333	522	1,779	2,449	2,971	2,112		1,277	1,451	2,728
1991	554	3,159	3,713		216	338	1,329	1,830	2,168	1,545		1,070	1,219	2,289
1992	898	3,254	4,152		350	548	1,376	1,878	2,426	1,726		933	1,548	2,481
1993	1,067	2,879	3,946		416	651	1,201	1,678	2,329	1,617		1,049	1,926	2,975
1994	1,471	3,150	4,621		574	897	1,345	1,805	2,702	1,919		1,034	1,501	2,535
1995	985	3,768	4,753		384	601	1,588	2,180	2,781	1,972		980	1,473	2,453
1996	1,000	5,199	6,199		390	610	2,232	2,967	3,577	2,622		951	1,493	2,444
1997	1,066	5,238	6,304		416	650	2,244	2,994	3,644	2,660		988	1,932	2,920
1998	1,026	5,468	6,494		400	626	2,352	3,116	3,742	2,752		935	2,073	3,008
1999	1,064	5,054	6,118		415	649	2,145	2,909	3,558	2,560		893	2,130	3,023
2000	1,296	5,765	7,061		506	790	2,483	3,282	4,072	2,989		1,036	2,116	3,152

- 1/ Agricultural water use is divided with 39% used inside the SMRW and 61% used outside.
 - 2/ Camp Supply water use inside the SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, less the NWS Import for years beginning 1969. Prior to 1969 44% was used inside the SMRW and 56% was used outside.
 - 3/ Assumes No Losses
 - 4/ Wastewater Recharged in SMRW equals effluent from Plants 3, 8 and 13 (partial).
 - 5/ Wastewater Import Recharged in SMRW equals effluent from Plant 1 plus the portion of the effluent from Plant 2 returned to the SMRW via Pond 2 plus the portion of the effluent from Plant 13 not included in 4/.
- No record available for effluent from Plant 2 returned to SMRW for 1966-1974 and 1982 - June 1990.
Calculation of import recharged in Santa Margarita River from Plant 2 is based on zero when no record is available.

TABLE B-8

**SANTA MARGARITA RIVER WATERSHED
 ANNUAL WATER PRODUCTION AND USE**

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE				WASTEWATER
	LOCAL	IMPORT TO WATERSHED 1/	TOTAL	AG	COMMERCIAL DOMESTIC	LOSS 2/	TOTAL USE	EXPORTS
1968	87	0	87	0	79	9	87	0
1967	92	0	92	0	83	9	92	0
1968	108	0	108	0	97	11	108	0
1969	138	0	138	0	113	25	138	0
1970	152	0	152	0	125	27	152	0
1971	39 P	76 E	115	0	100	15	115	0
1972	0	115 E	115	0	105	10	115	0
1973	0	115 E	115	0	105	10	115	0
1974	0	115 E	115	0	105	10	115	0
1975	0	115 E	115	0	105	10	115	0
1976	0	115 E	115	0	105	10	115	0
1977	0	115 E	115	0	105	10	115	0
1978	0	115 E	115	0	105	10	115	0
1979	0	115 E	115	0	105	10	115	0
1980	0	115 E	115	0	105	10	115	0
1981	0	115 E	115	0	105	10	115	0
1982	0	115 E	115	0	105	10	115	0
1983	0	115 E	115	0	105	10	115	26 E
1984	0	115 E	115	0	105	10	115	26 E
1985	0	102	102	0	93	9	102	26 E
1986	0	94	94	0	85	9	94	18 P
1987	0	116	116	0	105	11	116	27
1988	0	120	120	0	109	11	120	25
1989	0	128	128	0	116	12	128	22
1990	0	145	145	0	132	13	145	27
1991	0	109	109	0	99	10	109	11
1992	0	99	99	0	90	9	99	7
1993	0	117	117	0	106	11	117	16
1994	0	73	73	0	66	7	73	5
1995	0	125	125	0	114	11	125	12
1996	0	100	100	0	91	9	100	5
1997	0	109	109	0	99	10	109	6
1998	0	97	97	0	88	9	97	8
1999	0	111	111	0	101	10	111	5
2000	0	104	104	0	95	9	104	7
2001								

1/ - Estimate 1969-1984 - Records not available
 2/ - Loss = 10% of Use

E - Estimate
 P - Partial year data

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 1999-2000

APPENDIX C
SUBSTANTIAL USERS OUTSIDE
ORGANIZED WATER SERVICE AREAS

AUGUST 2001

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNDWATER AREA								
Clawson, Gary A.	43425 Sage Road Aguanga, Ca. 92536	917-050-009	309.74	Total				
		917-050-007	82.19					
		581-070-013	43.10	of				
		581-150-013	120.56					
		581-150-016	25.37					
		581-070-014	158.08	30.00	Alfalfa	8S/1E-7N(1)	Total	
						8S/1E-7N(2)	of	
						8S/1E-7Q(1)		
						8S/1E-7Q(2)	90.00	
Strange, Owen W. and Elizabeth G. Trustees, Strange Living Trust of 4-15-88	m/t P.O. Box 1974 Rancho Santa Fe, Ca. 92067 43023 Hwy 79 Aguanga, CA 92536	583-040-022	97.78	Total		8S/1E-19Q(1)	150.00	
		583-040-021	13.45				Domestic	
		583-130-001-3	80.00	of				
		583-120-001-2	120.00		Alfalfa, and			
		583-060-003-9	41.60	90.00	Permanant pasture	8S/1E-29L Diversion		250.00
Twin Creek Ranch/ Chester M. Mason Family Trust	c/o Jim Holden P. O. Box 519 Corona, Ce. 91718 44201 Hwy 79 Aguanga 44735 Hwy 79 Aguanga	583-120-081	17.29	15.00	Small Grains			
		583-120-083	68.09	65.00	Small Grains	8S/1E-28N1	Total	
							8S/1E-26N(2)	
								of
								553.00
		583-120-084	179.39	30.00	Small Grains	8S/1E-29H		
		583-150-001	80.00	15.00	Row Crops			
Vrieling, Gerrit J. and Betty J.	m/t 15015 Cheshire La Mirada, Ca. 90638 45195 Hwy 371 Aguanga	583-240-022	10.00	9.00	Pistachios	8S/1E-23N	9.90	

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNDWATER AREA (Cont)								
Harris, Homer N. and Dolores G.	44444 Sage Road Aguanga, CA 92536	581-180-014	17.73	Total Of		8S/1E-18J(1)	0.20	
				15.00	Citrus	8S/1E-18J(2)	0.25	
		581-160-015	7.42	5.00	Fruit and			
		581-150-009	7.00	10.00	Walnuts	8S/1E-18H(1)	2.00	
				0.00		8S/1E-18H(2)	0.20	
				0.00				
Valeywide Recreation and Parks District	901 W. Esplanade Ave San Jacinto, CA 92582	581-180-004	20.00	0.00				
		581-180-020	20.00	0.00		8S/1E-17M		
		581-180-021	2.15			8S/1E-17E	15.00	
		581-170-009	7.82	7.82	Grass	Used 8S/1E-17E	owned by Harris	
Missionary Foundation, Inc.	44350 Sage Road Aguanga, CA 92536 m/t 5160 Acadia Drive Riverside, CA 92505	581-170-011	290.03	100.00	Row Crops	8S/1E-17B	0.00	
				(Irrigated by Diversion)		8S/1E-17H	Domestic	
		581-180-009	120.00	0.00				
		581-190-001	320.00	0.00				
		581-070-005	640.00	0.00		8S/1E-9Q - Diversion	0.00	
California Golf Academy	43590 Sage Road Aguanga, CA 92536 m/t 8762 Garden Grove Blvd. Suite #204 Garden Grove, CA 92844	581-120-006	200.00	5.00	Deciduous Fruit	8S/1E-8K2	60.00	
TOTAL AGUANGA GROUNDWATER AREA				499.82			880.55	250.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA								
Agri-Empire, Inc.	m/t P. O. Box 490 San Jacinto, CA 92383	113-090-01	377.07	Total				
		113-090-03	21.46					
		113-090-05	541.22					
		113-100-01	389.81			9S/2E-11B - Diversion		0.00
		113-130-01	150.09			9S/2E-17		
E - Estimated		113-140-03	196.54	of		9S/2E-16N2	159.00	
						9S/2E-16M	135.00	
						9S/2E-16F1	25.00	
						9S/2E-16N1	0.00	
						9S/2E-16F2	0.00	
						9S/2E-16K - Diversion		15.00
		113-140-04	503.24					
		113-140-05	45.09					
		113-140-06	93.94					
		114-020-09	37.16	160.00	Potatoes			
		114-030-08	331.79		and	9S/2E-22	0.00	
		114-030-26	42.87	160.00	Oats			
* Land leased from Archie W. and Coral R. Bergman	37126 Hwy 79 Warner Springs, CA 92086	113-140-01 *	358.52	Total		9S/2E-16B(1)	Total	
				of		9S/2E-16B(2)	of	
		113-140-02 *	38.75	80.00	Potatoes	9S/2E-16G	200.00	
		114-020-12	108.78	0.00				
		114-030-10	41.51	0.00				
		113-130-03	115.75	0.00				
		113-130-04	39.65	0.00				
Ward, Donald F.	38790 Highway 79 Warner Springs, CA 92086	112-030-58	69.83	20.00	Bermuda	9S/1E-1Q(1)	240.00	
				33.00	Grain/Grass			
		112-030-22	24.77	0.00				
		112-030-38	40	0		9S/1E-12A Domestic		
		112-030-67	67.41	10.00	Sudan	Used 9S/1E-1Q(1)		
		112-030-59	160.00	0.00	Pasture	9S/1E-1M - Diversion		0.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA (Cont)								
Papac, Andrew and Olga	m/t 2030 Santa Anita Ave South El Monte, CA 91733 38642 Highway 79 Warner Springs, CA 92086	113-060-012	63.21	20.00	Bermuda Grass	9S/2E-7D 9S/2E-7E - Diversion	38.00	38.00
Templeton, Robert D. and Linda K.	35490 Highway 79 Warner Springs, CA 92086	114-120-042	78.41	0.00		9S/2E-35D1 9S/2E-35D1		
		114-070-007	76.42	65.00	Beardless Barley	9S/2E-27R1 9S/2E-27R2 9S/2E-27J	Total of 49.00	
(Land leased to Agri-Empire, Inc.)		114-080-014	42.51	0.00				
		114-080-013	21.30	0.00				
TOTAL TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA				548.00			846.00	53.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA ANZA VALLEY								
Greenwald, Alvin G.	6010 Wilshire Blvd #500 Los Angeles, CA 90036	573-180-001 576-070-001	156.38 70.00	156.38 70.00	Row Crops Pasture	7S/3E-17E 7S/3E-20N	625.52 266.00	
Agri-Empire, Inc.	P.O. Box 490 San Jacinto, CA 92383							
	Section 8	573-090-005 573-100-002	45.17 27.79	Total of 100.00	Oats			
					Includes #573-180-011			
	Section 10	575-050-044 575-050-045 575-060-002	14.36 14.36 113.49	0.00 0.00 0.00		7S/3E-11N4 7S/3E-11P3	109.00 148.00	
	Section 13	575-100-037	57.80	0.00				
	Section 14	575-110-021 575-110-027 575-310-002 575-310-011 575-310-012 575-310-013 575-310-027	143.75 54.45 39.09 80.00 80.00 17.46 17.46	Total of 100.00	Potatoes	7S/3E-14D1 7S/3E-14C2	200.00 estimate 171.00	
	Section 15	575-080-014 575-080-015 575-080-017 575-080-018 575-080-019 575-080-021 575-080-022 575-080-024 575-080-027 575-090-010	9.92 4.35 9.75 10.13 31.29 20.00 20.00 20.00 20.00 38.80	Total of 170.00	Oats			
	Section 17	573-180-011	39.74	See Section 8 above				

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
----------------------	----------------	--------------------------------	---------------------------	--	---	---	---------------------------------------	---

**WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA
ANZA VALLEY (Cont)**

Agri-Empire, Inc. (Cont)

	Section 20	576-060-009	8.26	Total				
		576-060-031	16.09	of				
		576-060-033	79.45					
		576-060-037	41.41	160.00	Potatoes			
		576-070-003	80.00	and				
		576-070-005	116.57	105.00	Barley			
	Section 21	576-080-003	133.72	Total of				
		576-100-029	40.00	of				
* Land leased from Louise Phebe Hamilton Tr P. O. Box 102, Anza, CA 92306		576-110-001 *	160.00	75.00	Potatoes			
		576-110-002	28.00	Total				
		576-110-004	50.00	of				
		576-110-006	19.29	83.00	Potatoes	7S/3E-21R3	403.00	
		576-110-007	17.82	and				
		576-110-008	17.00					
		576-110-009	18.41	155.00	Oats			
	Section 22	575-120-012	88.03	Total				
		575-130-003	19.55					
		575-130-006	40.89					
		575-130-008	18.56					
		575-130-009	20.06					
		575-130-010	20.07					
		575-130-011	19.19	of				
		575-130-012	18.18					
		575-130-013	19.02					
		575-130-014	19.00					
		575-130-015	17.56	80.00	Potatoes			
* Leased from Emil & Anna Caldwell and Laurine Silver 56925 Yucca Trl, Yucca Vly, CA 92284		575-120-018*	20.45	Total				
		575-120-019*	20.45					
		575-120-032*	4.69					
		575-120-033*	4.68	of				
		575-120-034*	4.68					
		575-120-035*	4.28	60.00	Grain			
Leased from Dionisios & Irini Argyros 2813 Monogram Ave, Long Beach, CA 90815		575-120-028	4.68	Total				
		575-120-029*	4.68	of				
		575-120-030*	4.68					
		575-120-031*	4.23	20.00	Grain			
	Section 23	575-140-019	105.04	65.00	Potatoes			

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
---------------	---------	------------------------	-------------------	---------------------------------	--------------------------------	---	------------------------------	--------------------------------

**WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA
ANZA VALLEY (Cont)**

Agri Empire, Inc. (Cont)

Cahuilla Indian Reservation	Section 27 Section 28	576-130-001* 576-120-003*	640.00 640.00	56.00 56.00	Potatoes Grain	7S/3E-28A2 (Formerly designated as 7S/3E-27D1)	177.00	
--------------------------------	--------------------------	------------------------------	------------------	----------------	-------------------	--	--------	--

* Land leased to
Agri-Empire, Inc.

Domestic and Commercial Wells Reported by Bureau of Indian Affairs						Total
Wells in Basement Complex	Wells out of Watershed	Wells with QYAL and/or QTOAL				
7S/2E-14L1	8S/3E-2A1	7S/2E-14J1	7S/2E-28Q1	7S/3E-31L2		
7S/2E-25D1	8S/3E-2B1	7S/2E-14M1	7S/2E-33C1	7S/3E-34E1		
7S/2E-26B1	8S/3E-2D1	7S/2E-14M2	7S/2E-33E1	7S/3E-34N1		
7S/2E-26B2	8S/3E-2E1	7S/2E-14R1	7S/2E-33N1	7S/3E-34Q1		
7S/2E-26B3	8S/3E-2G1	7S/2E-23A1	7S/3E-27C1	8S/2E-4D1		
7S/2E-34E1	8S/3E-2H1	7S/2E-23D1	7S/3E-27C2	8S/2E-4N1		
7S/2E-36A1	8S/3E-2K1	7S/2E-23F1	7S/3E-27H1	8S/2E-4N2		
7S/2E-36J1		7S/2E-23G1	7S/3E-27M1	8S/2E-4P1		
7S/2E-36R1		7S/2E-23H1	7S/3E-28A1	8S/2E-4R1		
7S/3E-26A1		7S/2E-23K1	7S/3E-28A2	8S/2E-4R2		
7S/3E-29Q1		7S/2E-23M1	7S/3E-28D1	8S/3E-5Q1	of	
7S/3E-30H1		7S/2E-23P1	7S/3E-29C1	8S/3E-6J1		
7S/3E-31A1		7S/2E-23Q1	7S/3E-29M1			
7S/3E-31N1		7S/2E-25C1	7S/3E-30P1			
7S/3E-31Q1		7S/2E-25F1	7S/3E-30Q1			
7S/3E-32D1		7S/2E-25R1	7S/3E-30R1			
7S/3E-32D2		7S/2E-25E1	7S/3E-30R2			
8S/3E-6B1		7S/2E-26L1	7S/3E-30R3			
8S/3E-6B2		7S/2E-27A1	7S/3E-31C1			
8S/3E-6G1		7S/2E-27H1	7S/3E-31F1			
8S/3E-6R1		7S/2E-28N1	7S/3E-31L1			
					25.00	

SUBTOTAL ANZA VALLEY

1,511.38

2,124.52

0.00

**WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA
LEWIS VALLEY**

Green Shell Company	39850 Sage Road Hemet, CA 92343	571-080-012	80.00	50.00	Olive Trees	7S/1E-20Q	55.00	
---------------------	------------------------------------	-------------	-------	-------	-------------	-----------	-------	--

SUBTOTAL LEWIS VALLEY

50.00

55.00

0.00

**TOTAL WILSON CREEK
ABOVE AGUANGA GROUNDWATER AREA**

1,561.38

2,179.52

0.00

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
---------------	---------	------------------------	-------------------	---------------------------------	--------------------------------	---	------------------------------	--------------------------------

MURRIETA-TEMECULA GROUNDWATER AREA

Temecula Ranchos c/o Chester Rowell and Roger Rowell	m/1 2100 Tulere St #405 Fresno, CA 93271	952-240-001	429.43	378.46	Citrus	8S/2W-14P1	466.00	
	45055 Rio Linda Road	952-230-002	48.92	41.20	Citrus	8S/2W-14F	233.00	
	Rancho California Road	943-230-001	109.34	107.00	Citrus	7S/2W-26L	250.00	
	La Serena Way	943-230-003	14.18	13.00	Citrus			
	Temecula, CA 92390	942-230-003	37.84	37.00	Citrus			
		943-040-011	20.00	18.00	Citrus	7S/2W-28L	0.00	
		943-060-010	94.49	89.00	Citrus			
		943-060-011	26.50	29.00	Citrus			
Anza Grove	c/o McMillan Farm Mgt. 29379 Rancho Cal. Rd #201 Temecula, CA 92390	942-180-002	40.28	Total of				
		942-240-003	40.83	155.00	Citrus			
		942-240-004	40.83	and				
		942-240-005	39.31	6.00	Grapes	7S/2W-26B1	181.00	
Stage Ranch Farm Management	P. O. Box 1371 Temecula, CA 92593	927-620-004	17.84	18.00	Wine Grapes	7S/3W-31G(1)	34.00	
DiBernardo, Louis J.	m/1 35925 Rancho Cal. Rd Temecula, CA 92591 38695 Highway 79 Warner Springs, CA 92086	917-240-015-7	20.00	Total				
		917-240-014-6	60.00	of				
		917-150-006-1	120.00	160.00	Citrus and	8S/1W-21K(1)	Total	
		917-150-002-7	117.76	10.00	Apples	8S/1W-21K(2)	of	
						8S/1W-21P(1)		
						8S/1W-21P(2)	343.00	
Boots, Clydene	P. O. Box 321 Murrieta, CA 92362 25555 Washington Ave Murrieta, Ca. 92564	909-090-019 909-100-017	16.66	14.00	Pasture	7S/3W-21P	80.00	
James A. and Maggie Carter Living Trust	Highway 79 S Temecula, CA m/1 P. O. Box 12640 Santa Ana, CA 92712	917-250-004	80.00	200.00	Grapes	8S/1W-36L - Diversion		200.00
		917-250-005	80.00					
		917-250-007	240.00					

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARITA RIVER BELOW GORGE								
DE LUZ CREEK								
Ezor, Albert E. and Sylvia L.	m/ 31421 Cavendish Dr. Los Angeles, CA 90064	101-271-17	47.79	8.00	Avocados	8S/4W-29D(1)	25.00	
				2.00	Vegetables	8S/4W-29D(2)	Total	
Bryant, Warren and Lori	40724 DeLuz Rd Fallbrook, CA 92028	101-271-19 101-271-20 101-271-21 101-271-22	19.08 5.02 11.86 6.41	Total		8S/4W-29E(1)	30.40	
				of				
				8.00	Pasture	8S/4W-29E(2)	Total	
Prestininzi, Pete and Dorothy N.	2525 E. Mission Road Fallbrook, CA 92028 Richmond Truck Trail and DeLuz Murrieta Road	101-220-12 101-210-53	31.63 50.44	12.00	Avocados and Citrus	8S/4W-20A(1)	6.00	
						8S/4W-20H(1)	6.00	
						8S/4W-20H(2)	6.00	
						8S/4W-20A(2)		
						8S/4W-20H(3)		
8S/4W-20A - Diversion		18.00						
SJH Trust	41125 DeLuz Rd Fallbrook, CA 92028	101-210-11	15.23	8.50	Avocados	8S/4W-20Q(1)	21.35	
				0.50	Citrus	8S/4W-20Q(2)	Total	
Herbel, John and Jeraldine	41257 DeLuz Rd Fallbrook, CA 92028	101-210-12	30.28	10.00	Avocados	8S/4W-20Q(1)	Total	
				18.00	Citrus	8S/4W-20Q(2)	of	
				2.00	Row crops	8S/4W-20Q(3)	66.20	
Wagner, Wilbur A.	41128 DeLuz	101-210-23	17.19	11.00	Avocados			
				3.00	Persimmons			
		101-210-22	4.55	3.00	Persimmons	8S/4W-20P(1)	0.00	
					8S/4W-20P(2)	0.00		
					8S/4W-20P(3)	31.00		
Chambers, Robert R. and Clytia M.	m/ 11439 Laurelcrest Dr. Studio City, CA 91604 40888 DeLuz-Murrieta Rd.	101-571-03	41.72	20.00	Flowers	8S/4W-28A	42.00	
						8S/4W-28A - Diversion		3.00
Welburn, Douglas J. and Sue	40787 DeLuz Murrieta Rd. Fallbrook, CA 92028 40751 DeLuz Murrieta Rd	101-571-08	26.98	7.00	Row Crops	8S/4W-28G1	21.00	
				1.50	Trees			
Nezami, Mohammed Bluebird Ranch	2193 Calle Rociada Fallbrook, CA m/ P. O. Box 1089 Fallbrook, CA 92088	101-312-02	58.17	45.00	Flowers	8S/4W-31K(1)	Total	
				5.00	Avocados	8S/4W-31K(2)	of	
		101-312-01	82.29	42.00	Flowers	8S/4W-31K(3)		
						8S/4W-31L	162.18	
8S/4W-31L - Diversion		31.48						

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1999-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARITA RIVER BELOW GORGE (Cont)								
DE LUZ CREEK (Cont)								
Vanginkel, Norman and Deborah	39452 DeLuz Road Fallbrook, CA 92028 m/1 20664 Calle De La Ladera Yorba Linda, CA 92887	101-312-03	80.00	18.00	Nursery Stock	8S/4W-31J(1) 8S/4W-31J(2) 8S/4W-31J(3) 8S/4W-31J(4) 8S/4W-6A	20.00 15.00 0.00 4.00	
		102-052-04	22.04					
		102-731-02	4.26					
Daily Family Trust	40555 Ross Road Fallbrook, CA 92028	101-430-27 101-430-30 101-500-01 101-480-14	2.73 16.39 16.62 13.20	Total of 7.00 7.00 6.00	Avocados Limes Persimmons	8S/4W-34- Lake Diversion		9.00
SUBTOTAL DELUZ CREEK				206.50			456.13	61.48
SANDIA CREEK								
Cal June, Inc.	P. O. Box 9551 No. Hollywood, CA 91609 40376 Sandia Creek Fallbrook, CA 92028	101-360-40	126.32	65.00	Avocados	8S/4W-25P(1) 8S/4W-25P(2) 8S/4W-25P(3) 8S/4W-25P(4) 8S/4W-25P(5) 8S/4W-25P - Diversion		325.00
SUBTOTAL SANDIA CREEK				65.00			0.00	325.00
SANTA MARGARITA RIVER								
San Diego State University Foundation	47981 Willow Glen Rd. Temecula, CA m/1 Louis Haberkern, Director SDSU Foundation 5250 Campanile Dr., 4th Flr. San Diego, CA 92182-1999	918-040-10 918-060-17	120.00 40.00	Total of 20.00	Citrus and Avocados	8S/3W-33Q1 8S/3W-33Q(2) 8S/3W-33Q - Diversion	0.00 3.00	44.75
SUBTOTAL SANTA MARGARITA RIVER				20.00			3.00	44.75
TOTAL SANTA MARGARITA RIVER BELOW GORGE				291.50			459.13	431.23

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 1989-2000	IRRIGATED CROP 1999-2000	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
LOWER MURRIETA								
Robertson, Richard and Janice (Saga Ranch Nursery)	m/1 P. O. Box 7060 Hemat, CA 92545 42525 E. Benton Rd.	571-020-046	81.09	0.00				
		571-020-047	40.80	0.00				
		571-020-048	36.75	0.00				
		571-020-049	148.86	40.00	Row Crops	7S/1E-7D	5.50	
		571-520-007	109.50	Total				
		571-520-008	99.43					
		571-520-009	80.23	of				
		571-520-010	78.20					
		470-210-007	53.62					
		470-220-004	121.00	400.00	Olive trees	7S/1E-7E - Diversion		105.00
Zamora, John and Linda	39800 E. Benton Rd. Temecula, CA 92390	915-120-18	37.74	10.00	Pasture	7S/1W-10R(1) 7S/1W-10R(2) 7S/1W-10R(3) 7S/1W-10R(4) 7S/1W-10R(5) 7S/1W-10R(6)	Total of 38.00 Domestic	
Borel, Ann and A. Ray Borel	37623 Leon Road Murrieta, CA 92363	914-770-003	109.30	15.00	Pasture	7S/2W-8N - Diversion		3.00
TOTAL LOWER MURRIETA				465.00			43.50	108.00
GRAND TOTAL				4,801.86			6,690.36	1,046.23
GRAND TOTAL Not including Pechanga Indian Reservation (374 AF) and Cahulla Indian Reservation Domestic Use (25 AF)				4,801.86			6,295.10	1,042.23

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 1999-2000

APPENDIX D

WATER QUALITY DATA

AUGUST 2001

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE D-2.1

SANTA MARGARITA RIVER WATERSHED
 WATER QUALITY DATA

NUTRIENT SAMPLING BY RANCHO CALIFORNIA WATER DISTRICT

1999-2000

Site Location	Date Tested	Total Dissolved Solids (mg/l)	Nitrate as N (mg/l)	Total N (mg/l)	Total P (mg/l)
Murrieta Creek at Gaging Station	10/06/99	500	2.4	2.7	0.12
	10/13/99	500	4.0	4.2	0.09
	10/20/99	490	1.9	2.3	ND
	10/27/99	510	2.5	2.9	0.06
	11/03/99	580	ND	1.2	0.06
	11/10/99	520	0.3	0.7	ND
	11/17/99	520	ND	0.5	0.05
	11/24/99	530	ND	0.7	0.07
	12/01/99	530	ND	0.8	0.06
	12/08/99	490	ND	0.7	0.05
	12/15/99	530	ND	0.8	0.06
	12/22/99	560	ND	0.8	0.05
	12/29/99	540	0.2	0.8	ND
	01/05/00	670	0.5	1.8	0.18
	01/12/00	630	0.3	1.3	0.12
	01/19/00	810	ND	1.3	0.24
	01/26/00	600	0.4	1.1	0.17
	02/02/00	580	0.7	1.5	0.11
	02/09/00	720	ND	1.0	0.11
	02/16/00	460	ND	0.9	0.20
	02/23/00	510	1.2	2.7	0.27
	03/01/00	530	0.3	0.9	0.32
	03/08/00	540	0.3	1.1	0.33
	03/15/00	700	0.3	1.4	0.28
	03/22/00	510	1.6	1.9	0.11
	03/29/00	840	0.4	1.5	0.14
	04/05/00	660	0.3	1.1	0.10
	04/12/00	700	ND	0.3	0.11
	04/19/00	370	0.2	1.8	0.56
	04/26/00	630	ND	0.7	0.12
	05/03/00	600	0.7	1.1	0.09
	05/10/00	620	1.1	1.6	0.09
	05/17/00	840	ND	0.5	0.12
	05/24/00	860	0.2	0.6	0.10
	05/31/00	560	1.7	2.2	0.08
	06/07/00	520	1.0	1.6	ND
	06/14/00	530	0.3	0.9	ND
	06/21/00	610	1.1	1.6	0.05
	06/28/00	550	0.6	1.2	0.06
	07/05/00	520	0.4	1.0	ND
07/12/00	540	0.8	1.6	ND	
07/19/00	520	ND	1.1	ND	
07/26/00	500	0.8	1.3	ND	
08/02/00	500	1.9	2.6	ND	
08/09/00	520	0.3	1.2	ND	
08/16/00	540	0.5	1.3	ND	
08/23/00	530	0.6	1.2	0.50	
08/30/00	580	2.4	2.8	0.14	
09/06/00	500	0.9	1.4	0.16	
09/13/00	520	0.8	1.6	ND	
09/20/00	480	0.3	1.0	0.05	
09/27/00	490	0.4	0.8	ND	

ND - None Detected

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE D-2.1 (cont'd)

SANTA MARGARITA RIVER WATERSHED
 WATER QUALITY DATA

NUTRIENT SAMPLING BY RANCHO CALIFORNIA WATER DISTRICT

1999-2000

Site Location	Date Tested	Total Dissolved Solids (mg/l)	Nitrate as N (mg/l)	Total N (mg/l)	Total P (mg/l)
Temecula Creek	10/06/99	840	ND	0.5	0.16
	10/13/99	860	ND	0.6	0.16
	10/20/99	870	ND	0.6	0.13
	10/27/99	880	ND	0.8	0.13
	11/03/99	870	ND	0.5	0.13
	11/10/99	860	ND	0.5	0.14
	11/17/99	850	ND	0.5	0.12
	11/24/99	850	ND	0.4	0.12
	12/01/99	860	ND	0.6	0.10
	12/08/99	800	ND	0.7	0.10
	12/15/99	840	ND	0.4	0.10
	12/22/99	870	ND	0.5	0.10
	12/29/99	850	ND	0.6	0.08
	01/05/00	630	ND	0.7	0.09
	01/12/00	840	ND	0.5	0.11
	01/19/00	860	ND	0.4	0.11
	01/26/00	830	ND	0.5	0.13
	02/02/00	820	ND	0.6	0.11
	02/09/00	840	ND	0.8	0.11
	02/16/00	630	ND	0.9	0.24
	02/23/00	760	1.2	2.1	0.95
	03/01/00	820	1.2	1.5	0.14
	03/08/00	790	1.2	1.7	0.19
	03/15/00	810	0.7	1.4	0.12
	03/22/00	820	0.4	1.0	0.11
	03/29/00	740	0.3	1.2	0.16
	04/05/00	820	ND	1.1	0.14
	04/12/00	630	0.6	0.7	0.12
	04/19/00	630	0.3	1.9	0.28
	04/26/00	820	ND	0.5	0.13
	05/03/00	840	ND	0.6	ND
	05/10/00	880	0.7	0.4	0.12
	05/17/00	580	ND	1.0	0.07
	05/24/00	560	ND	0.7	0.06
	05/31/00	840	ND	0.5	0.13
	06/07/00	850	ND	0.5	0.11
	06/14/00	830	ND	0.3	0.16
	06/21/00	930	ND	0.5	0.16
	06/28/00	830	2.3	2.7	0.16
	07/05/00	870	ND	0.4	0.14
07/12/00	880	ND	0.7	0.17	
07/19/00	910	ND	0.7	0.19	
07/26/00	880	ND	0.4	0.18	
08/02/00	900	ND	0.6	0.14	
08/09/00	900	ND	0.7	0.13	
08/16/00	900	ND	0.5	0.24	
08/23/00	950	ND	0.6	0.92	
08/30/00	890	ND	0.4	0.29	
09/06/00	910	ND	0.4	0.21	
09/13/00	930	ND	0.7	0.18	
09/20/00	950	ND	0.6	0.22	
09/27/00	980	ND	0.6	0.22	

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-2.1 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

NUTRIENT SAMPLING BY RANCHO CALIFORNIA WATER DISTRICT

1999-2000

Site Location	Date Tested	Total Dissolved Solids (mg/l)	Nitrate as N (mg/l)	Total N (mg/l)	Total P (mg/l)
Santa Margarita River at Gaging Station	10/06/99	510	1.3	1.6	0.08
	10/13/99	560	3.4	3.6	0.07
	10/20/99	490	1.1	1.3	ND
	10/27/99	590	3.3	3.8	0.08
	11/03/99	740	ND	0.5	0.10
	11/10/99	760	ND	0.7	0.09
	11/17/99	770	ND	0.6	0.10
	11/24/99	790	ND	0.5	0.09
	12/01/99	770	ND	0.8	0.08
	12/08/99	750	ND	1.6	0.07
	12/15/99	770	ND	0.4	0.07
	12/22/99	790	0.3	0.7	0.08
	12/29/99	770	ND	0.7	0.08
	01/05/00	760	0.4	1.0	0.08
	01/12/00	770	ND	0.5	0.07
	01/19/00	600	ND	0.4	0.08
	01/26/00	650	0.3	0.8	0.07
	02/02/00	760	ND	0.7	0.08
	02/09/00	750	ND	0.8	0.06
	02/16/00	490	ND	0.9	0.35
	02/23/00	540	1.2	2.8	0.60
	03/01/00	600	0.5	1.1	0.26
	03/08/00	580	0.4	1.2	0.42
	03/15/00	720	0.2	1.2	0.20
	03/22/00	730	0.4	0.9	0.09
	03/29/00	750	ND	1.0	0.12
	04/05/00	780	ND	1.1	0.14
	04/12/00	730	ND	0.6	0.11
	04/19/00	390	0.3	1.9	0.52
	04/26/00	640	ND	0.4	0.13
	05/03/00	630	0.6	1.0	0.08
	05/10/00	630	0.5	1.0	0.07
	05/17/00	640	0.5	0.8	0.07
	05/24/00	570	1.3	1.6	0.07
	05/31/00	630	1.5	2.1	0.08
	06/07/00	560	0.8	1.4	ND
	06/14/00	550	0.9	1.4	0.06
	06/21/00	580	0.2	0.4	0.11
	06/28/00	540	1.1	1.6	0.07
	07/05/00	670	1.2	1.6	0.06
07/12/00	540	1.3	1.8	0.06	
07/19/00	540	0.5	1.2	0.07	
07/26/00	520	0.8	1.2	0.13	
08/02/00	490	2.0	2.3	0.06	
08/09/00	580	1.2	1.8	0.06	
08/16/00	560	0.3	0.9	0.05	
08/23/00	640	2.1	2.6	0.06	
08/30/00	520	1.7	2.0	0.22	
09/06/00	510	1.4	1.8	0.07	
09/13/00	540	0.6	1.2	ND	
09/20/00	790	0.8	1.3	0.06	
09/27/00	530	0.8	1.2	0.07	

ND - None Detected

TABLE D-2.1 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

NUTRIENT SAMPLING BY RANCHO CALIFORNIA WATER DISTRICT

1999-2000

Site Location	Date Tested	Total Dissolved Solids (mg/l)	Nitrate as N (mg/l)	Total N (mg/l)	Total P (mg/l)
System Discharge to Murrieta Creek at River Meter	10/06/99	500	2.5	2.7	0.12
	10/13/99	500	0.9	1.4	0.09
	10/20/99	510	2.0	2.2	ND
	10/27/99	470	0.7	1.6	ND
	05/03/00	520	1.9	2.1	ND
	05/10/00	620	3.7	3.9	0.08
	05/17/00	490	2.0	2.1	0.07
	05/24/00	500	0.3	0.9	ND
	05/31/00	500	2.1	2.5	0.08
	06/07/00	510	1.8	2.0	0.08
	06/14/00	610	3.9	3.8	0.08
	06/21/00	560	3.6	4.1	ND
	06/28/00	550	1.2	1.7	ND
	07/05/00	510	0.2	1.0	ND
	07/12/00	760	2.9	3.2	0.07
	07/19/00	500	ND	1.0	ND
	07/26/00	490	0.5	1.1	ND
	08/02/00	760	2.4	2.7	ND
	08/09/00	520	1.1	1.6	ND
	08/16/00	570	4.2	4.4	0.08
08/23/00	520	0.8	1.2	0.07	
08/30/00	660	3.4	3.5	0.09	
09/06/00	510	1.1	1.4	0.10	
09/13/00	510	0.8	1.2	0.08	
09/20/00	460	0.4	1.1	ND	
09/27/00	510	0.5	0.9	ND	
Santa Margarita River at Willow Glen	10/19/01	640	1.5	2.2	ND
	12/14/00	990	3.1	3.2	ND
	05/10/00	780	0.8	1.4	ND
	06/20/00	730	1.0	—	ND
	07/19/00	660	0.5	1.0	0.06
	08/22/00	670	0.3	0.9	ND
09/19/00	640	0.5	1.1	ND	
Santa Margarita River at DeLuz Crossing	10/19/01	710	ND	0.5	0.09
	12/13/00	770	ND	0.3	ND
	05/09/00	870	1.1	1.5	0.05
	06/20/00	860	ND	—	0.08
	07/19/00	840	ND	0.4	ND
Santa Margarita River at Estuary	10/19/01	19,100	6.2	7.0	1.40
	12/13/00	15,100	ND	3.0	1.90
	05/09/00	1,290	ND	1.3	0.32
	06/20/00	20,800	7.5	—	1.00
	07/19/00	17,400	4.0	5.9	1.10
ND - None Detected					

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-3

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Holiday Well 7S/3W-20C09	06/16/89	1300	775	122	39	100	2	178	66	372	40
	10/18/91	---	---	---	---	---	---	---	---	---	25
	11/15/91	---	---	---	---	---	---	---	---	---	26
	12/13/91	---	---	---	---	---	---	---	---	---	28
	01/10/92	---	---	---	---	---	---	---	---	---	27
	02/07/92	---	---	---	---	---	---	---	---	---	27
	05/01/92	---	---	---	---	---	---	---	---	---	32
	05/29/92	---	---	---	---	---	---	---	---	---	28
	08/21/92	---	---	---	---	---	---	---	---	---	27
	01/22/93	960	605	83	29	83	2	130	84	278	33
	10/15/93	---	---	---	---	---	---	---	---	---	32
	03/30/94	---	---	---	---	---	---	---	---	---	44
	06/22/94	---	---	---	---	---	---	---	---	---	35
	09/14/94	---	---	---	---	---	---	---	---	---	31
	12/07/94	---	---	---	---	---	---	---	---	---	30
	03/01/95	---	---	---	---	---	---	---	---	---	32
	06/21/95	---	---	---	---	---	---	---	---	---	11
	09/13/95	---	---	---	---	---	---	---	---	---	27
	12/06/95	---	---	---	---	---	---	---	---	---	26
	03/27/96	---	---	---	---	---	---	---	---	---	15
	06/06/96	---	---	---	---	---	---	---	---	---	24
	09/11/96	---	---	---	---	---	---	---	---	---	22
	11/08/96	---	---	---	---	---	---	---	---	---	55
	11/14/96	---	---	---	---	---	---	---	---	---	25
	12/05/96	---	---	---	---	---	---	---	---	---	24
	03/27/97	---	---	---	---	---	---	---	---	---	20
	06/18/97	---	---	---	---	---	---	---	---	---	21
	12/03/97	---	---	---	---	---	---	---	---	---	18
	03/25/98	---	---	---	---	---	---	---	---	---	21
	04/22/98	1090	680	89	29	85	1	150	76	290	22
	06/17/98	---	---	---	---	---	---	---	---	---	23
	10/01/98	---	---	---	---	---	---	---	---	---	25
	12/02/98	---	---	---	---	---	---	---	---	---	28
	02/24/99	---	---	---	---	---	---	---	---	---	33
	03/24/99	---	---	---	---	---	---	---	---	---	26
	09/09/99	---	---	---	---	---	---	---	---	---	36
12/03/99	---	---	---	---	---	---	---	---	---	32	
07/12/00	---	---	---	---	---	---	---	---	---	21	
08/04/00	1290	790	110	36	99	---	180	110	320	21	

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE D-3 (cont'd)

SANTA MARGARITA RIVER WATERSHED
 WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
House Well 7S/3W-20G06	06/16/89	660	345	34	3	95	2	87	60	153	<1
	02/27/91	770	---	---	---	---	---	110	65	168	<1
	03/01/91	730	---	---	---	---	---	110	---	---	<1
	03/08/91	680	420	42	5	90	2	110	68	122	<1
	05/10/91	750	---	---	---	---	---	---	---	---	<1
	10/11/91	---	---	---	---	---	---	---	---	---	<1
	11/08/91	---	---	---	---	---	---	---	---	---	<1
	05/22/92	---	---	---	---	---	---	---	---	---	<1
	08/14/92	---	---	---	---	---	---	---	---	---	<1
	01/22/93	720	415	40	5	106	2	100	68	168	<1
	09/07/94	---	---	---	---	---	---	---	---	---	<1
	12/27/95	---	---	---	---	---	---	---	---	---	<1
	03/22/95	---	---	---	---	---	---	---	---	---	<1
	06/14/95	---	---	---	---	---	---	---	---	---	<1
	09/06/95	---	---	---	---	---	---	---	---	---	<1
	12/27/95	---	---	---	---	---	---	---	---	---	<1
	03/20/96	---	---	---	---	---	---	---	---	---	<2
	06/12/96	---	---	---	---	---	---	---	---	---	<2
	09/04/96	---	---	---	---	---	---	---	---	---	<2
	12/26/96	---	---	---	---	---	---	---	---	---	<2
	03/19/97	---	---	---	---	---	---	---	---	---	<2
	06/12/97	---	---	---	---	---	---	---	---	---	<2
	12/30/97	---	---	---	---	---	---	---	---	---	<2
	03/18/98	---	---	---	---	---	---	---	---	---	<2
	04/15/98	660	360	30	3	94	1	91	62	130	<2
	06/10/98	---	---	---	---	---	---	---	---	---	<2
	10/01/98	---	---	---	---	---	---	---	---	---	<2
	12/23/98	---	---	---	---	---	---	---	---	---	<2
	02/17/99	---	---	---	---	---	---	---	---	---	<2
	03/17/99	---	---	---	---	---	---	---	---	---	<2
	06/09/99	---	---	---	---	---	---	---	---	---	<2
	09/01/99	---	---	---	---	---	---	---	---	---	<2
12/22/99	---	---	---	---	---	---	---	---	---	ND	
03/15/00	640	370	29	3	92	2	82	61	130	<2	
06/07/00	---	---	---	---	---	---	---	---	---	<2	
09/27/00	---	---	---	---	---	---	---	---	---	<2	

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-3 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
South Well 7S/3W-20D	09/07/90	690	405	62	17	68	2	83	56	229	4
	10/04/91	—	—	—	—	—	—	—	—	—	2
	11/01/91	—	—	—	—	—	—	—	—	—	3
	11/26/91	—	—	—	—	—	—	—	—	—	2
	05/15/92	—	—	—	—	—	—	—	—	—	<1
	10/01/93	—	—	—	—	—	—	—	—	—	2
	09/28/94	—	—	—	—	—	—	—	—	—	1
	12/21/94	—	—	—	—	—	—	—	—	—	3
	03/15/95	—	—	—	—	—	—	—	—	—	2
	06/07/95	—	—	—	—	—	—	—	—	—	2
	09/27/95	—	—	—	—	—	—	—	—	—	2
	12/20/95	—	—	—	—	—	—	—	—	—	3
	03/13/96	—	—	—	—	—	—	—	—	—	2
	06/15/96	—	—	—	—	—	—	—	—	—	3
	09/25/96	—	—	—	—	—	—	—	—	—	3
	12/18/96	—	—	—	—	—	—	—	—	—	3
	04/09/97	—	—	—	—	—	—	—	—	—	2
	06/04/97	—	—	—	—	—	—	—	—	—	2
	03/11/98	—	—	—	—	—	—	—	—	—	<2
	04/08/98	820	500	73	18	67	2	92	73	250	3
	06/03/98	—	—	—	—	—	—	—	—	—	3
	10/01/98	—	—	—	—	—	—	—	—	—	3
	12/16/98	—	—	—	—	—	—	—	—	—	2
	03/10/98	—	—	—	—	—	—	—	—	—	2
	06/09/99	—	—	—	—	—	—	—	—	—	2
	09/22/99	—	—	—	—	—	—	—	—	—	<2
	12/15/99	—	—	—	—	—	—	—	—	—	ND
	02/09/00	810	460	55	14	84	1	99	63	210	<2
05/03/00	—	—	—	—	—	—	—	—	—	<2	
08/04/00	780	440	47	9	100	—	99	48	210	<2	
08/23/00	—	—	—	—	—	—	—	—	—	<2	
Alson Well 7S/3W-7M	06/06/90	1520	915	138	46	110	1	250	81	433	31
	07/21/98	1260	880	100	37	120	<1	180	92	330	23
	09/09/98	1200	850	110	39	120	<1	180	100	320	23
	05/03/00	—	—	—	—	—	—	—	—	—	20
	05/19/00	1290	800	97	36	110	<1	180	96	330	19

ND - None Detected

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE D-3 (cont'd)

SANTA MARGARITA RIVER WATERSHED
 WATER QUALITY DATA

WELLS SAMPLED BY MURRIETA COUNTY WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
North Well 7S/3W-18J02	06/16/89	730	390	40	7	98	2	98	45	201	<1
	10/25/91	---	---	---	---	---	---	---	---	---	<1
	11/22/91	---	---	---	---	---	---	---	---	---	<1
	05/08/92	---	---	---	---	---	---	---	---	---	<1
	08/28/92	---	---	---	---	---	---	---	---	---	<1
	01/22/93	680	405	39	8	99	2	100	51	183	<1
	10/22/93	---	---	---	---	---	---	---	---	---	<1
	07/08/94	810	520	---	---	87	---	130	53	---	<1
	09/21/94	---	---	---	---	---	---	---	---	---	<1
	12/14/94	---	---	---	---	---	---	---	---	---	<1
	03/08/95	---	---	---	---	---	---	---	---	---	<1
	06/28/95	---	---	---	---	---	---	---	---	---	<1
	09/20/95	---	---	---	---	---	---	---	---	---	<1
	12/13/95	---	---	---	---	---	---	---	---	---	<1
	03/06/96	---	---	---	---	---	---	---	---	---	<2
	06/26/96	---	---	---	---	---	---	---	---	---	<2
	09/18/96	---	---	---	---	---	---	---	---	---	<2
	12/11/96	---	---	---	---	---	---	---	---	---	<2
	06/25/97	---	---	---	---	---	---	---	---	---	<2
	07/08/98	760	460	49	9	100	2	110	51	220	<2
	10/01/98	---	---	---	---	---	---	---	---	---	<2
	12/09/98	---	---	---	---	---	---	---	---	---	<2
	02/03/99	---	---	---	---	---	---	---	---	---	<2
	03/03/99	---	---	---	---	---	---	---	---	---	<2
	06/23/99	---	---	---	---	---	---	---	---	---	<2
	09/22/99	---	---	---	---	---	---	---	---	---	<2
	12/08/99	---	---	---	---	---	---	---	---	---	<2
	01/05/00	780	440	47	9	100	---	99	48	210	<2
	05/03/00	---	---	---	---	---	---	---	---	---	<2
	07/19/00	---	---	---	---	---	---	---	---	---	<2
Lynch Well 7S/3W-17R02	06/16/89	760	410	70	17	55	1	86	30	262	8
Morris Well 7S/3W-19R	09/07/90	530	280	38	7	68	3	50	49	168	3

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 101 7S/3W-34G1	06/01/88	810	495	76	15	79	8	116	16	314	—
	08/05/88	—	—	—	—	—	—	—	—	—	<1
	05/23/90	630	365	30	6	91	2	101	35	107	3
	08/04/93	860	465	76	14	78	2	120	22	275	<1
	08/09/96	820	480	69	14	83	2	110	15	310	<2
	10/16/97	—	—	—	—	—	—	—	—	—	<2
	08/11/99	840	510	70	14	85	2	110	17	300	<2
No. 102 8S/3W-2Q1	01/04/89	695	370	9	2	134	1	101	25	195	<1
	01/15/92	930	615	38	4	160	3	160	55	250	<1
	05/17/95	850	475	21	1	144	1	120	130	98	<1
	06/20/95	1190	700	26	2	207	2	150	220	131	<1
	06/09/97	—	—	—	—	—	—	—	—	—	<2
No. 105 7S/3W-25M1	07/06/89	500	280	30	6	66	2	71	22	134	14
	03/17/93	480	310	17	2	80	2	67	22	110	14
No. 106 7S/3W-26R1	06/29/88	920	485	38	5	143	3	182	66	70	16
	05/13/92	880	515	35	4	142	2	180	72	110	17
	05/16/95	870	495	32	3	138	2	160	57	116	14
	07/07/97	—	—	—	—	—	—	—	—	—	8
	07/20/98	—	—	—	—	—	—	—	—	—	9
	07/20/99	—	—	—	—	—	—	—	—	—	9
	07/06/00	—	—	—	—	—	—	—	—	—	8
No. 107 7S/3W-26J1	04/11/88	490	365	19	4	73	2	69	22	116	15
	05/29/91	950	535	63	15	104	3	130	120	171	11
No. 108 7S/3W-25E1	05/25/88	780	455	51	11	96	2	120	68	153	14
	05/29/91	930	500	59	14	104	3	130	110	153	10
	05/13/94	640	395	23	5	100	2	120	51	104	7
	05/16/95	—	—	—	—	—	—	—	—	—	5
	05/13/97	540	300	7	<1	110	<1	110	15	85	4
	05/05/99	—	—	—	—	—	—	—	—	—	8
	05/16/00	630	350	7	<1	110	<1	130	12	65	3

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 109 8S/2W-17J1	06/01/88	1400	920	136	35	120	4	100	300	296	—
	08/05/88	—	—	—	—	—	—	—	—	—	10
	06/12/91	1330	800	110	26	120	5	120	270	275	9
	06/22/94	1370	1010	138	32	124	5	140	320	287	7
	06/06/95	—	—	—	—	—	—	—	—	—	8
	06/13/97	1440	1010	130	31	140	4	140	330	280	10
	07/16/97	—	—	—	—	—	—	—	—	—	2.2 @N
	04/14/99	—	—	—	—	—	—	—	—	—	12
	04/11/00	—	—	—	—	—	—	—	—	—	13
	06/21/00	1330	870	120	28	130	4	120	280	270	3.2
No. 110 8S/1W-06K1	03/31/88	1100	630	70	23	132	6	115	163	268	3
	03/11/93	1010	610	60	21	124	5	110	200	201	3
	04/27/95	—	—	—	—	—	—	—	—	—	1
	07/20/99	—	—	—	—	—	—	—	—	—	<2
	07/06/00	—	—	—	—	—	—	—	—	—	2
No. 113 7S/2W-25H01	03/28/88	700	400	41	12	87	2	11	20	192	18
	03/21/91	570	290	21	5	79	2	88	17	119	11
	03/03/94	700	410	46	13	86	2	120	25	189	19
	04/27/95	—	—	—	—	—	—	—	—	—	24
	03/20/97	880	500	53	15	96	2	140	33	200	22
	07/20/98	—	—	—	—	—	—	—	—	—	23
	09/16/98	—	—	—	—	—	—	—	—	—	22
	02/25/99	—	—	—	—	—	—	—	—	—	19
	04/14/99	—	—	—	—	—	—	—	—	—	17
	06/03/99	—	—	—	—	—	—	—	—	—	21
	09/14/99	—	—	—	—	—	—	—	—	—	22
	10/21/99	—	—	—	—	—	—	—	—	—	25
	11/02/99	—	—	—	—	—	—	—	—	—	22
	12/14/99	—	—	—	—	—	—	—	—	—	23
	01/11/00	—	—	—	—	—	—	—	—	—	18
	03/07/00	810	470	75	16	59	2	70	94	200	11
	04/11/00	—	—	—	—	—	—	—	—	—	23
	05/03/00	—	—	—	—	—	—	—	—	—	24
06/21/00	—	—	—	—	—	—	—	—	—	23	
09/13/00	—	—	—	—	—	—	—	—	—	23	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 118 8S/3W-11B	08/08/90	715	480	14	1	162	1	120	79	101	1
	09/26/90	—	—	—	—	—	—	—	—	—	1
	09/10/93	860	525	19	1	178	1	130	94	198	<1
	06/20/95	—	—	—	—	—	—	—	—	—	<1
	09/16/96	970	560	33	2	180	2	120	120	230	<2
	07/23/97	—	—	—	—	—	—	—	—	—	0.2 @N
	09/16/98	—	—	—	—	—	—	—	—	—	2
	11/02/99	1040	580	46	4	170	2	130	100	240	<2
	09/20/00	—	—	—	—	—	—	—	—	—	<2
No. 119 8S/2W-19J	07/16/96	450	280	44	9	35	<1	39	18	180	15
	08/14/97	—	—	—	—	—	—	—	—	—	12
	12/24/97	—	320	—	—	—	—	—	—	—	3.1 @N
	03/04/98	—	380	—	—	—	—	—	—	—	3.3 @N
	06/04/98	—	—	—	—	—	—	—	—	—	3.8 @N
	06/12/98	—	400	—	—	—	—	—	—	—	—
	09/16/98	—	—	—	—	—	—	—	—	—	3.7 @N
	01/08/99	—	430	—	—	—	—	—	—	—	—
	04/13/99	—	—	—	—	—	—	—	—	—	28
	06/02/99	—	560	—	—	—	—	—	—	—	4.8 @N
	07/27/99	940	640	103	21	58	1	70	150	264	30
	09/14/99	—	—	—	—	—	—	—	—	—	22
	09/14/99	—	—	—	—	—	—	—	—	—	4.8 @N
	10/26/99	—	—	—	—	—	—	—	—	—	24
	11/02/99	—	—	—	—	—	—	—	—	—	22
12/14/99	—	560	—	—	—	—	—	—	—	22	
04/04/00	—	—	—	—	—	—	—	—	—	20	
No. 120 8S/2W-17G	06/20/90	570	330	6	1	116	1	82	31	113	11
	06/10/93	590	340	6	<1	122	1	85	35	104	12
	07/19/96	630	360	6	<1	120	1	88	42	120	14
	06/16/97	—	—	—	—	—	—	—	—	—	10
	08/14/97	—	—	—	—	—	—	—	—	—	9
	06/02/99	620	360	6	<1	122	<1	84	45	120	10
	06/06/00	—	—	—	—	—	—	—	—	—	11

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 121 7S/3W-34J	10/27/89	900	475	63	14	99	2	109	28	290	<1
	05/19/92	1000	560	72	17	120	3	170	56	270	<1
	07/18/97	--	--	--	--	--	--	--	--	--	ND
	07/24/97	--	640	--	--	--	--	--	--	--	ND
	08/20/97	--	--	--	--	--	--	--	--	--	ND
	09/03/97	--	--	--	--	--	--	--	--	--	ND
No. 122 8S/2W-20P1	06/23/97	--	--	--	--	--	--	--	--	--	6
	07/25/97	660	460	64	13	44	1	61	65	190	8
	10/10/97	--	--	--	--	--	--	--	--	--	9
	12/23/97	--	400	--	--	--	--	--	--	--	1.8@N
	03/25/98	--	450	--	--	--	--	--	--	--	2.2@N
	06/03/98	--	--	--	--	--	--	--	--	--	2.4@N
	06/05/98	--	460	--	--	--	--	--	--	--	--
	09/17/98	--	--	--	--	--	--	--	--	--	2.2@N
	01/08/99	--	450	--	--	--	--	--	--	--	--
	06/03/99	--	470	--	--	--	--	--	--	--	2.1@N
	04/13/99	--	--	--	--	--	--	--	--	--	9
	09/21/99	--	--	--	--	--	--	--	--	--	2.1@N
	03/07/00	--	--	--	--	--	--	--	--	--	16
	04/04/00	--	--	--	--	--	--	--	--	--	9
06/28/00	780	470	79	16	62	1	73	100	210	11	
No. 123 8S/1W-7B	06/06/90	1100	690	69	27	132	6	130	170	281	4
	06/10/93	1120	690	74	25	136	6	120	190	250	5
	02/05/97	930	550	55	18	110	5	83	130	250	1.3
	04/27/99	--	--	--	--	--	--	--	--	--	3
	06/02/99	--	--	--	--	--	--	--	--	--	3
	07/20/99	--	--	--	--	--	--	--	--	--	2
	08/11/99	--	--	--	--	--	--	--	--	--	2
	09/14/99	--	--	--	--	--	--	--	--	--	2
	10/21/99	--	--	--	--	--	--	--	--	--	2
	11/02/99	--	--	--	--	--	--	--	--	--	2
02/09/00	1150	610	59	20	100	5	83	150	240	3	
No. 124 8S/2W-11R1	06/20/90	660	380	38	4	92	3	97	48	153	13
	07/22/93	690	430	42	5	89	3	90	57	159	17
	07/18/95	--	--	--	--	--	--	--	--	--	11
	10/26/99	700	420	45	4	94	3	97	61	160	16
	07/06/00	--	--	--	--	--	--	--	--	--	17

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 125 8S/2W-12H	06/20/90	740	425	17	5	132	3	99	54	186	4
	06/10/93	770	450	18	5	140	3	150	60	131	3
	06/20/95	---	---	---	---	---	---	---	---	---	2
	06/09/97	---	---	---	---	---	---	---	---	---	2
	09/17/98	---	---	---	---	---	---	---	---	---	3
	06/03/99	720	440	10	3	135	2	89	76	170	<2
	11/02/99	---	---	---	---	---	---	---	---	---	3
	---	---	---	---	---	---	---	---	---	---	---
No. 126 8S/2W-15H	05/04/88	480	290	4	<1	106	<1	53	14	64	<1
	07/06/89	500	270	2	1	108	<1	55	11	98	<1
	07/18/95	540	315	1	<1	122	<1	72	11	122	<1
	07/07/97	---	---	---	---	---	---	---	---	---	<2
	07/16/97	---	---	---	---	---	---	---	---	---	0.2@N
	07/23/97	---	---	---	---	---	---	---	---	---	0.2@N
	08/20/97	---	---	---	---	---	---	---	---	---	0.4@N
	09/03/97	---	---	---	---	---	---	---	---	---	0.2@N
	09/17/97	---	---	---	---	---	---	---	---	---	0.2@N
	07/20/98	520	330	2	<1	120	<1	56	11	130	<2
	09/16/98	---	300	---	---	---	---	---	---	---	0.4@N
	04/14/99	---	---	---	---	---	---	---	---	---	2
	04/11/00	---	---	---	---	---	---	---	---	---	<2
No. 128 7/3W-36M	07/06/89	400	230	27	3	54	2	59	7	101	25
	07/08/92	390	230	21	2	59	2	55	1	110	24
	07/20/95	380	275	16	2	66	1	65	10	101	19
	07/07/97	---	---	---	---	---	---	---	---	---	15
	07/20/98	370	260	12	<1	71	1	48	11	110	14
	06/02/99	---	---	---	---	---	---	---	---	---	13
No. 129 7S/2W-20L	11/29/89	430	260	16	3	66	2	71	16	92	9
	08/08/90	440	280	20	5	64	2	72	14	119	10
	04/01/92	---	---	---	---	---	---	---	---	---	12
	09/10/93	470	275	24	6	60	2	74	16	110	13
	08/09/96	460	270	19	3	67	2	70	15	100	11
	02/04/97	---	---	---	---	---	---	---	---	---	53

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 130 8S/2W-11R	02/17/88	650	365	16	1	132	1	69	64	0	4
	02/14/91	640	365	4	<1	132	1	68	56	122	—
	04/24/91	—	—	—	—	—	—	—	—	—	3
	02/09/94	650	410	3	<1	148	1	81	72	146	4
	05/16/95	—	—	—	—	—	—	—	—	—	4
	02/05/97	780	450	4	<1	170	<1	78	82	150	5
	05/14/97	—	—	—	—	—	—	—	—	—	4
	04/14/99	—	—	—	—	—	—	—	—	—	5
	02/10/00	750	440	4	<1	170	<1	76	77	170	5
	04/12/00	—	—	—	—	—	—	—	—	—	5
	05/25/00	—	—	—	—	—	—	—	—	—	6
No. 131 8S/1W-12J	03/10/88	530	270	4	<1	108	1	57	52	31	1
	03/21/91	630	335	7	<1	120	1	74	65	98	3
	03/03/94	660	345	9	<1	124	2	86	73	119	2
	03/30/95	—	—	—	—	—	—	—	—	—	2
	03/20/97	660	370	6	<1	125	1	81	73	100	2
	07/07/97	—	—	—	—	—	—	—	—	—	<2
	07/27/98	—	—	—	—	—	—	—	—	—	2
	06/03/99	—	—	—	—	—	—	—	—	—	<2
	03/07/00	720	380	9	<1	140	2	81	80	130	3
	06/21/00	—	—	—	—	—	—	—	—	—	2
No. 132 8S/1W-07D	04/18/88	1000	620	94	13	103	6	109	153	235	2
	05/08/91	920	590	64	19	110	5	100	160	201	<1
	05/13/94	730	460	50	15	78	5	73	110	195	1
	05/16/95	—	—	—	—	—	—	—	—	—	<1
	07/18/95	860	520	59	17	100	4	90	130	223	1
	07/20/98	900	590	69	20	110	5	89	150	230	2
	01/06/99	—	—	—	—	—	—	—	—	—	2
	02/03/99	—	—	—	—	—	—	—	—	—	2
	04/14/99	—	—	—	—	—	—	—	—	—	3
	06/03/99	—	—	—	—	—	—	—	—	—	3
	07/27/99	—	—	—	—	—	—	—	—	—	5
	08/11/99	—	—	—	—	—	—	—	—	—	4
	09/15/99	—	—	—	—	—	—	—	—	—	4
	10/21/99	—	—	—	—	—	—	—	—	—	4
	11/02/99	—	—	—	—	—	—	—	—	—	3
	12/15/99	—	—	—	—	—	—	—	—	—	3
05/03/00	—	—	—	—	—	—	—	—	—	2	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 133 8S/1W-7C	03/28/90	970	605	50	20	112	5	120	131	235	3
	03/11/93	970	580	48	19	120	4	110	140	204	3
	06/06/95	—	—	—	—	—	—	—	—	—	2
	07/18/95	850	680	26	10	142	2	120	100	174	2
	06/23/97	—	—	—	—	—	—	—	—	—	3
	07/20/98	790	500	24	9	140	2	96	93	170	2
	08/02/00	—	—	—	—	—	—	—	—	—	3
No. 135 7S/3W-27M	05/24/89	2450	1390	122	65	300	2	410	225	464	33
	06/06/90	1540	945	73	36	215	1	250	150	323	13
	12/11/90	4400	2670	270	109	480	4	1030	380	314	<1
	08/06/92	1800	810	63	33	170	1	200	160	281	—
	01/16/97	—	—	—	—	—	—	—	—	—	3.7 @N
	02/04/97	—	—	—	—	—	—	—	—	—	3.5 @N
	02/12/97	—	—	—	—	—	—	—	—	—	4.0 @N
	02/20/97	—	—	—	—	—	—	—	—	—	3.4 @N
	02/25/97	—	—	—	—	—	—	—	—	—	3.4 @N
	03/04/97	—	—	—	—	—	—	—	—	—	3.7 @N
	03/18/97	—	—	—	—	—	—	—	—	—	3.3 @N
	03/25/97	—	—	—	—	—	—	—	—	—	3.5 @N
	04/08/97	—	—	—	—	—	—	—	—	—	3.4 @N
	04/15/97	—	—	—	—	—	—	—	—	—	3.4 @N
	04/22/97	—	—	—	—	—	—	—	—	—	3.5 @N
	05/06/97	1930	1050	97	48	220	2	340	190	360	3.3 @N
	05/14/97	—	—	—	—	—	—	—	—	—	3.4 @N
	05/21/97	—	—	—	—	—	—	—	—	—	3.3 @N
	06/04/97	—	—	—	—	—	—	—	—	—	3.3 @N
	06/11/97	—	—	—	—	—	—	—	—	—	3.3 @N
06/18/97	—	—	—	—	—	—	—	—	—	3.3 @N	
06/25/97	—	—	—	—	—	—	—	—	—	3.3 @N	
07/02/97	—	—	—	—	—	—	—	—	—	3.3 @N	
09/17/97	1960	1260	—	—	—	—	—	430	220	—	13
No. 138 8S/2W-6F	10/30/90	460	240	19	2	74	2	71	13	113	18
	10/06/93	420	240	11	<1	70	1	56	10	92	14
	10/11/96	430	270	9	<1	78	1	55	8.9	100	15
	04/14/99	—	—	—	—	—	—	—	—	—	5
	06/03/99	—	—	—	—	—	—	—	—	—	3
	10/26/99	430	240	10	<1	76	1	60	11	100	19
	03/13/00	—	—	—	—	—	—	—	—	—	5

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 139 7S/2W-32G	12/29/87	460	295	24	7	65	1	60	11	104	7
	11/23/92	450	275	32	9	46	2	60	13	134	20
	12/19/95	500	298	36	12	50	2	72	12	156	2.8
	03/25/97	--	--	--	--	--	--	--	--	--	10
	03/13/00	--	--	--	--	--	--	--	--	--	9
No. 140 7S/2W-33F	02/18/88	560	325	33	10	65	2	77	14	153	13
	01/15/92	450	235	11	2	88	1	68	18	107	2
	02/28/95	560	325	36	11	58	2	94	14	140	12
	03/25/97	--	--	--	--	--	--	--	--	--	8
	02/27/98	650	360	31	11	76	2	95	16	130	5
	09/17/98	--	--	--	--	--	--	--	--	--	8
No. 141 8S/2W-11P	01/06/88	780	440	64	11	82	3	65	91	217	13
	01/30/92	820	500	63	13	95	3	79	110	238	19
	03/30/95	840	490	58	11	100	3	70	97	241	14
	03/25/97	--	--	--	--	--	--	--	--	--	15
	03/26/98	760	480	62	12	90	3	69	86	230	16
	01/04/99	--	--	--	--	--	--	--	--	--	14
	02/12/99	--	--	--	--	--	--	--	--	--	19
	10/21/99	--	--	--	--	--	--	--	--	--	17
	11/03/99	--	--	--	--	--	--	--	--	--	14
	12/14/99	--	--	--	--	--	--	--	--	--	14
	06/20/00	--	--	--	--	--	--	--	--	--	15
No. 143 8S/2W-17J	01/15/88	670	345	8	2	134	1	91	57	95	11
	10/17/90	660	345	25	4	112	2	89	62	140	12
	03/03/94	690	370	24	3	114	2	93	68	131	11
	03/30/95	--	--	--	--	--	--	--	--	--	11
	03/25/97	600	330	15	2	110	1	87	44	89	9
	07/18/97	--	--	--	--	--	--	--	--	--	2.0 @N
	07/23/97	--	--	--	--	--	--	--	--	--	2.0 @N
	08/20/97	--	--	--	--	--	--	--	--	--	2.3 @N
	09/03/97	--	--	--	--	--	--	--	--	--	2.2 @N
	09/17/97	--	--	--	--	--	--	--	--	--	2.0 @N
	09/17/98	--	350	--	--	--	--	--	--	--	2.3 @N
	10/21/99	--	--	--	--	--	--	--	--	--	13
	03/07/00	730	400	21	3	120	2	84	68	140	12

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 144	09/14/88	610	335	8	<1	114	1	95	33	92	<1
7S/3W-27D3	12/19/95	730	420	34	1	124	1	120	33	186	<1
No. 145	10/04/90	800	490	43	8	110	2	110	78	171	<1
7S/3W-28C	10/06/93	650	375	23	3	106	1	85	58	146	<1
	11/27/96	650	340	26	2	110	1	87	48	150	<2
	02/04/97	670	370	24	2	110	1	87	55	160	<2
	01/28/98	--	--	--	--	--	--	--	--	--	<2
	01/04/99	--	--	--	--	--	--	--	--	--	<2
	10/26/99	690	400	29	3	110	1	96	61	170	<2
	01/06/00	--	--	--	--	--	--	--	--	--	<2
No. 146	12/10/96	900	500	57	23	98	<1	100	64	280	15
7S/3W-28	03/02/00	--	--	--	--	--	--	--	--	--	4
No. 149	06/15/93	--	--	--	--	--	--	--	--	--	5
8S/1W-2C											
No. 149A	08/26/88	950	540	71	211	96	1	115	47	302	18
7S/3W-28A	10/31/91	800	480	36	13	122	3	93	110	195	--
No. 150	09/29/88	1950	1235	134	29	225	2	290	220	390	15
7S/3W-27P	12/21/91	1000	590	74	17	108	4	130	110	207	--
No. 151	09/20/88	5780	3410	280	114	840	5	1660	670	369	<1
7S/3W-34B											
Abandoned											
No. 151	07/25/91	860	485	53	16	103	4	90	130	183	--
8S/2W-2G	07/28/91	730	400	39	12	100	3	91	58	177	--
	07/29/91	600	340	9	2	122	5	63	34	204	--
	10/17/91	510	295	3	<1	118	1	45	10	137	--
	08/10/94	550	340	3	<1	110	1	59	22	119	<1
	06/16/97	--	--	--	--	--	--	--	--	--	<2
	08/14/97	540	300	2	<1	110	<1	44	10	160	<2
	09/16/98	--	--	--	--	--	--	--	--	--	<2
	01/06/00	510	300	1	<1	110	<1	33	4.6	180	<2

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 153 8S/1W-5K3	12/29/93	804	485	53	18	92	5	86	120	214	<1
	04/13/99	880	540	63	23	79	5	68	220	150	<2
	04/11/00	—	—	—	—	—	—	—	—	—	2
No. 154 8S/1W-5L2	01/28/94	930	530	46	20	106	6	89	130	214	3
No. 155 7S/3W-28C	09/16/93	680	355	22	2	108	1	90	64	104	<1
	02/23/95	760	445	30	3	126	1	120	82	140	4
	06/06/95	—	—	—	—	—	—	—	—	—	5
	08/14/97	—	—	—	—	—	—	—	—	—	4
	02/25/98	880	540	43	5	130	1	100	100	190	5
	07/27/98	—	—	—	—	—	—	—	—	—	3
	02/09/00	—	—	—	—	—	—	—	—	—	2
	09/13/00	690	410	23	2	120	<1	100	72	130	2
No. 157 8S/1W-5L	04/13/99	930	600	59	21	110	7	95	150	240	<2
	04/11/00	—	—	—	—	—	—	—	—	—	2
No. 158 8S/1W-5K	06/21/94	1090	620	67	23	124	7	120	170	259	—
	04/14/99	1050	660	63	24	120	7	110	160	270	<2
	04/11/00	—	—	—	—	—	—	—	—	—	2
No. 201 7S/2W-27J	03/28/91	530	315	19	6	83	2	83	16	110	2
	03/11/93	460	300	8	2	87	1	51	20	146	<1
No. 202 7S/2W-36J1	12/11/88	740	440	47	18	84	3	97	48	223	17
No. 203 8S/1W-6P1	05/18/88	960	580	50	39	110	4	96	115	275	—
	06/29/88	970	530	44	36	112	4	120	123	250	5
	06/12/91	800	415	21	17	108	3	91	90	174	2
	06/22/94	980	645	59	38	99	4	130	130	256	4
	06/07/95	—	—	—	—	—	—	—	—	—	5
	06/23/97	880	530	31	26	120	3	100	110	230	4
	08/14/97	—	—	—	—	—	—	—	—	—	3
	11/02/99	—	—	—	—	—	—	—	—	—	5
	06/22/00	820	580	94	18	58	<1	63	110	250	22
	07/12/00	880	570	43	33	120	3	100	130	240	7
08/08/00	—	—	—	—	—	—	—	—	—	6	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 204 7S/2W-26G	05/22/91	740	425	50	12	85	3	120	18	198	19
	05/13/94	690	375	37	7	85	3	130	19	125	19
No. 205 7S/3W-35A	03/28/88	500	290	23	3	81	2	83	27	107	21
	03/13/91	490	275	22	3	75	2	62	23	113	21
	03/03/94	510	275	20	2	72	2	72	24	104	20
	04/26/95	---	---	---	---	---	---	---	---	---	22
	03/25/97	480	270	20	2	75	2	66	18	110	21
No. 207 8S/2W-14B	09/01/88	510	245	1	<1	108	<1	54	26	82	<1
	09/14/88	480	305	3	<1	106	<1	58	23	24	1
	08/14/91	480	245	1	<1	100	<1	52	28	55	<1
	08/10/94	440	285	2	<1	91	1	56	29	76	2
	08/15/97	510	280	2	<1	97	<1	52	25	98	<2
	07/27/98	---	---	---	---	---	---	---	---	---	2
No. 208 7S/2W-35M	09/01/88	680	415	44	15	77	3	119	14	186	18
	09/14/88	690	440	44	14	77	3	129	14	183	16
	08/14/91	600	340	23	7	89	2	85	18	162	4
	08/10/94	560	370	22	6	89	2	93	20	156	5
	06/06/95	---	---	---	---	---	---	---	---	---	4
	08/12/96	---	---	---	---	---	---	---	---	---	2
	07/27/99	---	---	---	---	---	---	---	---	---	15
	08/18/99	---	---	---	---	---	---	---	---	---	20
No. 209 7S/2W-28J	05/22/91	790	435	40	14	105	2	150	35	162	8
	05/13/94	760	525	64	22	48	3	150	15	153	25
	06/20/95	---	---	---	---	---	---	---	---	---	5
	05/15/97	690	390	10	3	130	<1	110	56	130	1.3
No. 210 8S/2W-12K	04/15/59	1366	---	101	23	150	10	149	200	275	3
	01/18/63	400	926	99	30	17.5	4.5	145	255	329	4
	11/30/67	1415	890	136	5	152	10	146	230	305	3
	07/26/68	1250	825	96	22	144	8	130	190	290	5
	09/06/68	1310	840	82	26	132	5	142	222	276	12
	07/19/73	1200	579	84	21.4	149	6.8	122	237	301	19.7
	08/08/75	1140	695	84	14	150	6	101	190	287	15
	06/22/76	1240	675	76	26	142	7	101	205	278	36
	10/13/76	1120	640	92	22	100	6	110	170	262	5

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 210 (Cont'd) 8S/2W-12K	06/16/77	1130	610	84	18	114	6	110	170	259	11	
	05/20/80	580	340	30	8	75	4	51	67	152	9	
	04/03/86	800	540	65	17	86	4.5	75	112	235	3.5	
	07/15/86	830	560	72	19	86	4	87	118	250	4	
	03/28/88	1030	575	76	22	93	5	99	143	247	4	
	09/25/91	1040	600	74	20	120	5	120	160	238	5	
	09/19/94	645	460	52	14	79	4	70	100	198	2	
	09/16/96	--	--	--	--	--	--	--	--	--	--	3
	09/16/98	--	--	--	--	--	--	--	--	--	--	3
	12/15/98	--	--	--	--	--	--	--	--	--	--	2
	01/04/99	--	--	--	--	--	--	--	--	--	--	2
	02/03/99	--	--	--	--	--	--	--	--	--	--	2
	04/08/99	--	--	--	--	--	--	--	--	--	--	3
	06/02/99	--	--	--	--	--	--	--	--	--	--	3
	09/07/99	--	--	--	--	--	--	--	--	--	--	4
	10/21/99	--	--	--	--	--	--	--	--	--	--	5
	12/15/99	--	--	--	--	--	--	--	--	--	--	5
	05/03/00	--	--	--	--	--	--	--	--	--	--	5
	09/13/00	830	560	64	17	100	4	74	190	180	4	
	No. 211 8S/2W-20R1	04/08/97	720	400	67	14	54	1	59	65	220	13
12/23/97		--	410	--	--	--	--	--	--	--	3.1@N	
03/25/98		--	620	--	--	--	--	--	--	--	3.6@N	
06/03/98		--	--	--	--	--	--	--	--	--	3.4@N	
06/05/98		--	480	--	--	--	--	--	--	--	--	
09/17/98		--	--	--	--	--	--	--	--	--	3.3@N	
12/17/98		--	430	--	--	--	--	56	66	--	16	
06/03/99		--	430	--	--	--	--	--	--	--	3.4@N	
12/14/99		--	310	--	--	--	--	--	--	--	10	
04/04/00		700	430	71	14	52	1	57	66	220	17	
06/22/00	--	400	--	--	--	--	--	--	--	--	15	
No. 212 8S/2W-11N	03/28/88	640	330	42	2	74	3	81	33	146	14	
	09/25/91	600	320	41	2	82	4	86	35	146	14	
No. 215 7S/2W-34M	08/15/90	650	380	40	13	71	3	100	14	162	11	
	09/26/90	--	--	--	--	--	--	--	--	--	13	
	06/22/94	630	400	41	13	67	2	110	16	159	11	
	06/16/97	630	370	29	9	81	2	110	16	160	6	
	08/15/97	--	--	--	--	--	--	--	--	--	7	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 216 8S/2W-7W	06/01/88	480	280	25	4	65	2	71	11	134	—
	06/29/88	480	275	29	5	59	3	81	7	110	26
	06/12/91	500	285	30	5	59	2	76	9	113	23
	05/27/92	470	285	33	6	53	2	72	10	119	20
No. 217 8S/2W-17M1	03/28/88	580	285	8	1	108	1	81	20	113	15
	08/10/88	570	280	8	1	105	1	82	20	55	13
	08/14/91	570	305	17	2	99	2	74	28	134	16
	08/10/94	610	365	20	3	97	2	82	38	134	16
	08/15/97	660	370	20	3	107	1	80	41	130	13
	05/09/00	—	—	—	—	—	—	—	—	—	—
No. 231 8S/2W-20B6	08/15/90	1280	805	126	18	120	5	100	310	244	9
	09/26/90	—	—	—	—	—	—	—	—	—	6
	03/04/92	1700	1270	180	51	160	6	140	510	332	5
	06/20/95	1640	1300	171	44	124	6	75	520	287	5.3
	02/27/98	—	—	—	—	—	—	—	—	—	3
	05/16/00	—	—	—	—	—	—	—	—	—	5
No. 232 8S/2W-11J3	08/15/90	960	590	71	19	110	5	98	130	235	30
	09/26/90	—	—	—	—	—	—	—	—	—	35
	09/25/91	980	565	74	19	106	5	98	120	244	37
	09/19/94	805	495	54	14	92	4	80	110	207	15
	09/13/96	—	—	—	—	—	—	—	—	—	22
	11/04/97	1000	660	76	20	110	4	97	130	230	29
	07/27/98	—	—	—	—	—	—	—	—	—	38
	12/10/98	—	—	—	—	—	—	—	—	—	22
	01/06/98	—	—	—	—	—	—	—	—	—	30
	01/29/99	—	—	—	—	—	—	—	—	—	10
	02/03/99	—	—	—	—	—	—	—	—	—	26
	02/24/99	—	—	—	—	—	—	—	—	—	37
	04/08/99	—	—	—	—	—	—	—	—	—	33
	04/21/99	—	—	—	—	—	—	—	—	—	34
	06/23/99	—	—	—	—	—	—	—	—	—	33
	07/08/99	—	—	—	—	—	—	—	—	—	36
08/25/99	—	—	—	—	—	—	—	—	—	33	
09/21/99	—	—	—	—	—	—	—	—	—	31	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 232 (Cont'd) 8S/2W-11J3	10/06/99	--	--	--	--	--	--	--	--	--	30
	11/17/99	--	--	--	--	--	--	--	--	--	32
	12/14/99	--	--	--	--	--	--	--	--	--	32
	01/18/00	--	--	--	--	--	--	--	--	--	31
	02/29/00	--	--	--	--	--	--	--	--	--	10
	03/21/00	--	--	--	--	--	--	--	--	--	25
	04/11/00	--	--	--	--	--	--	--	--	--	29
	05/25/00	--	--	--	--	--	--	--	--	--	26
	06/21/00	--	--	--	--	--	--	--	--	--	26
	07/11/00	--	--	--	--	--	--	--	--	--	25
09/13/00	920	590	65	17	105	4	91	150	210	21	
No. 233 (Old 112) 8S/2W-12K2	06/15/88	900	535	71	21	100	5	96	136	247	4
	03/27/91	1020	580	66	19	114	5	95	140	247	12
	03/03/94	740	425	50	14	75	4	71	100	186	2
	04/27/95	--	--	--	--	--	--	--	--	--	6
	03/27/97	880	510	57	15	100	4	81	120	220	4
	01/04/99	--	--	--	--	--	--	--	--	--	5
	02/03/99	--	--	--	--	--	--	--	--	--	4
	04/08/99	--	--	--	--	--	--	--	--	--	4
	06/03/99	--	--	--	--	--	--	--	--	--	4
	07/20/99	--	--	--	--	--	--	--	--	--	5
	08/11/99	--	--	--	--	--	--	--	--	--	4
	09/07/99	--	--	--	--	--	--	--	--	--	4
	10/21/99	--	--	--	--	--	--	--	--	--	5
	11/03/99	--	--	--	--	--	--	--	--	--	4
04/11/00	970	570	64	18	110	4	85	150	230	4	
No. 234 (Old 114) 8S/2W-11P	03/31/88	840	480	54	15	100	4	61	109	241	18
	03/27/91	1020	605	69	19	114	5	77	138	256	37
	06/20/95	--	--	--	--	--	--	--	--	--	11
	09/26/96	--	--	--	--	--	--	--	--	--	9
	02/04/97	--	--	--	--	--	--	--	--	--	12
	04/25/97	840	500	56	15	95	4	77	120	230	8
	01/19/99	--	--	--	--	--	--	--	--	--	12
	02/12/99	--	--	--	--	--	--	--	--	--	16
	04/21/99	--	--	--	--	--	--	--	--	--	15
	06/03/99	--	--	--	--	--	--	--	--	--	16
	07/27/99	--	--	--	--	--	--	--	--	--	18
	08/19/99	--	--	--	--	--	--	--	--	--	17
	09/21/99	--	--	--	--	--	--	--	--	--	16
	10/26/99	--	--	--	--	--	--	--	--	--	13
	04/13/00	900	550	64	18	10	4	70	150	220	13
07/06/00	--	--	--	--	--	--	--	--	--	12	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-4 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 235 (Old 137) 8S/3W-1Q1	06/24/88	460	310	40	10	41	2	58	10	140	15
	06/20/90	420	230	22	4	56	2	50	6	128	18
	06/10/93	370	235	15	2	65	2	51	9	113	17
	07/16/96	410	230	16	2	60	1	48	8.9	110	20
	06/09/97	—	—	—	—	—	—	—	—	—	17
	06/03/99	390	240	13	1	63	1	46	6.7	98	17
	11/03/99	—	—	—	—	—	—	—	—	—	16
No. 301 7S/3W-18Q1	07/29/92	500	290	20	6	80	1	45	56	143	<1
	02/27/97	580	350	45	16	48	2	49	54	200	4
	08/15/97	—	—	—	—	—	—	—	—	—	6
No. 302 7S/3W-18H	04/11/88	690	360	36	6	100	1	77	65	192	<1
	05/15/91	760	425	58	9	87	2	83	72	220	<1
	05/14/92	—	270	12	2	90	<1	48	48	—	—
	05/05/94	870	530	69	16	84	2	110	88	238	<1
	05/16/95	—	—	—	—	—	—	—	—	—	<1
	07/16/96	530	320	—	—	—	—	60	54	—	2
	05/13/97	560	500	73	14	94	2	110	86	240	<2
	07/27/99	—	—	—	—	—	—	—	—	—	<2
	05/17/00	520	320	11	1	99	<1	51	50	130	<2
	06/13/00	520	310	—	—	—	—	—	—	—	<2
	07/11/00	—	—	—	—	—	—	—	—	—	<2
No. 309 7S/3W-27H	08/15/90	690	370	19	3	119	2	140	25	73	5
	04/11/91	—	—	—	—	—	—	—	—	—	<.001
	09/25/91	730	365	19	2	122	2	150	27	82	5
	08/11/94	730	430	20	2	120	2	160	30	73	5
	02/16/95	—	—	—	—	—	—	—	—	—	18
	07/16/97	—	—	—	—	—	—	—	—	—	1.1@N
	07/23/97	—	—	—	—	—	—	—	—	—	1.2@N
	08/20/97	—	—	—	—	—	—	—	—	—	1.1@N
	09/03/97	—	—	—	—	—	—	—	—	—	1.1@N
	09/18/97	—	—	—	—	—	—	—	—	—	1.1@N
	10/03/97	790	520	21	2	130	2	170	33	85	6
	08/06/98	—	—	—	—	—	—	—	—	—	6
	09/16/98	—	460	—	—	—	—	—	—	—	1.4@N
	07/20/99	—	—	—	—	—	—	—	—	—	6
	05/10/00	—	450	20	2	130	<1	—	—	85	—
	07/06/00	—	—	—	—	—	—	—	—	—	6
08/02/00	740	450	21	2	140	1	180	38	87	7	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-5

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	CO3	NO3	
Pechanga Indian Reservation												
8S/2W-28R01	08/03/89	495	286	41	4.0	60	0.9	37	13	177	1.1 @N	
	07/26/90	525	296	48	4.8	54	1.0	45	14	191	1.5 @N	
	07/17/91	462	261	31	3.2	66	0.8	44	12	155	.8 @N	
	07/27/93	445	269	44	4.4	43	0.5	28	14	170	1.9 @N	
	08/15/94	421	232	32	3.3	55	0.9	28	11	156	1.5 @N	
	08/30/95	375	200	21	2.2	55	0.6	31	11	129	.7 @N	
	08/27/96	—	—	—	—	—	—	—	—	—	—	1.5 @N
	08/13/97	398	241	20	2.1	59	0.62	37	11	130	.572 @N	
	08/20/98	481	282	36	3.9	60	0.85	38	14	167	1.1 @N	
	08/25/99	446	252	28	3.1	59	0.66	41	12	—	.758 @N	
08/22/00	456	265	29	3.3	61	0.73	39	14	—	.759 @N		
8S/2W-35D01	08/03/89	660	358	43	5.5	87	1.2	78	35	169	.35 @N	
	07/26/90	669	384	41	4.9	92	1.5	82	36	176	.40 @N	
	07/17/91	641	371	40	4.4	98	1.7	81	36	175	.39 @N	
	07/27/93	638	374	49	5.9	79	1.8	71	27	199	.34 @N	
	08/16/94	601	334	30	3.2	95	1.5	71	29	163	.16 @N	
	08/30/95	587	322	33	4	81	1.5	68	25	178	.11 @N	
	08/27/96	596	352	28	3.3	92	1.4	72	29	167	.10 @N	
8S/2W-29A01	08/02/89	346	207	31	11	24	0.4	18	7.0	131	2.0 @N	
	07/24/90	354	193	32	11	25	0.4	24	6.7	133	2.0 @N	
	07/18/91	361	194	32	10	26	0.4	25	6.0	134	1.8 @N	
	08/15/94	363	216	33	12	25	0.5	24	7.7	132	2.6 @N	
	08/31/95	363	208	32	11	23	0.4	21	8.1	137	2.6 @N	
	08/28/96	—	—	—	—	—	—	—	—	—	2.9 @N	
	08/12/97	368	238	32	12	24	0.44	22	7.4	138	3.05 @N	
	08/19/98	411	246	36	11	31	0.45	25	8.2	153	2.94 @N	
08/25/99	375	222	33	12	23	0.39	20	6.7	—	3.81 @N		
08/22/00	374	237	33	12	24	0.42	18	7.3	—	3.48 @N		
8S/2W-34B04	10/05/89	617	371	51	8.2	67	1	58	30	192	.47 @N	
	07/26/90	605	341	50	8	65	1	61	31	194	.50 @n	
	07/18/91	564	339	46	7.4	67	1	53	27	185	.87 @N	
	07/27/93	267	170	18	2.8	34	0.5	14	9.7	96	1.10 @N	

* - Alkalinity as CAC03

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-5 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation (Continued)											
8S/2W-28Q02	10/05/89	629	378	48	19	49	0.7	76	14	169	4.2 @N
	07/26/90	613	383	48	18	47	0.6	75	12	171	3.9 @N
	07/18/91	618	379	49	18	49	0.7	83	14	172	3.0 @N
	07/28/93	620	400	51	20	47	0.7	63	15	174	9.6 @N
	08/17/94	641	396	51	21	50	0.8	60	17	179	11.0 @N
	08/31/95	653	396	53	21	48	0.7	60	19	184	12.0 @N
	08/28/96	---	---	---	---	---	---	---	---	---	11.0 @N
	08/12/97	614	411	47	19	47	0.7	63	15	176	8.9 @N
08/19/98	625	402	47	20	47	0.67	60	14	---	9.85@N	
8S/2W-28Q06	09/17/93	312	200	19	2.9	43	1	16	2.8	126	1.0 @N
	08/30/95	310	174	16	3.4	46	0.6	16	3.8	131	1.4 @N
	08/13/97	300	186	11	1.4	55	0.59	17	2.7	122	1.16 @N
	08/20/98	434	247	12	0.7	79	0.6	57	15	111	<.05@N
8S/2W-28Q07	08/20/98	367	223	13	1.4	66	0.57	32	10	121	.731@N
	08/25/99	377	216	13	1.4	63	0.52	32	9.8	---	.760@N
	08/22/00	384	234	18	2.1	62	0.68	28	11	---	1.14@N
8S/2W-20J01	08/15/90	1130	596	100	22	110	2.3	110	200	236	1.3 @N
	12/20/93	868	---	80	16	76	1.4	86	110	---	3.6 @N
8S/2W-20J02	08/15/90	404	216	42	6.3	38	0.8	27	12	159	1.2 @N
	12/20/93	408	---	42	6	35	0.8	29	12	---	1.2 @N
8S/2W-29B01	08/19/98	367	223	12	0.64	75	0.62	50	10	121	<.05@N
	08/26/99	393	219	12	0.72	68	0.56	46	11	---	<.05@N
	08/22/00	393	228	12	0.76	69	0.58	43	11	---	<.05@N
8S/2W-29B02	03/01/90	456	257	5.5	0.14	89	0.8	66	22	100	---
	03/06/90	456	256	5.9	0.13	90	0.7	66	20	99	<0.1 @N
8S/2W-29B03	03/06/90	478	275	14	1.9	84	0.8	65	16	123	<0.1 @N
8S/2W-29B05	03/02/90	397	229	29	9.5	43	1.2	35	4.9	141	1.8 @N

* - Alkalinity as CaCO3

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-5 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3	
Pechanga Indian Reservation (Continued)												
8S/2W-29B06	03/02/90	406	259	34	11	38	0.8	38	10	143	—	
	03/06/90	427	240	32	11	40	1.0	40	8.1	148	1.2 @N	
8S/2W-29B07	03/07/90	396	230	8.6	2.5	71	0.9	51	11	102	<0.1 @N	
	08/16/90	371	199	8.4	1.8	69	0.8	50	14	106	<0.1 @N	
8S/2W-29B08	03/07/90	464	272	31	9.4	52	1.2	58	12	134	0.45 @N	
	08/16/90	458	261	34	9.1	48	1.1	59	17	135	0.4 @N	
8S/2W-29B09	03/07/90	343	210	21	9.2	39	1.0	24	6.7	131	1.3 @N	
	08/17/90	317	197	26	10	26	1.1	22	3.4	130	1.6 @N	
8S/2W-28M03	08/26/99	562	319	38	13	52	0.77	68	15	—	2.59 @N	
8S/2W-29J02	08/26/99	565	329	39	15	47	1.6	66	14	—	2.67 @N	
	08/22/00	562	337	39	15	47	1.5	65	14	—	2.70 @N	
Cahuilla Indian Reservation												
8S/3E-2K01	07/20/89	531	323	46	11	41	3.4	60	22	136	3.6 @N	
	08/01/90	508	310	46	11	38	3.3	60	19	134	3.8 @N	
	07/16/91	522	306	50	10	39	3.3	61	21	139	3.7 @N	
7S/3E-21L01	08/02/89	1050	675	90	19	100	3.5	84	190	216	3.1 @N	
	08/01/90	1020	610	87	18	100	3.4	85	180	217	3.0 @N	
	07/17/91	995	636	93	18	100	3.7	95	180	206	2.5 @N	
7S/2E-33N	08/02/89	355	206	16	2.1	53	3.5	48	15	78	.73 @N	
7S/3E-34E01	07/20/89	338	204	30	5.6	26	5.0	29	7.0	98	3.3 @N	
	07/31/91	337	109	31	5.5	25	4.5	31	6.3	99	3.5 @N	
	07/16/91	335	209	31	5.9	26	4.7	32	6.3	99	3.5 @N	

* - Alkalinity as CaCO3

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-26C1 (Bldg 2201)	10/60	1060	639	66.5	24.0	116.0	4.5	160	110.0	264.0	trace
	06/62	1190	718	60.0	33.2	123.0	3.8	190	124.0	232.0	1.4
	07/64	1217	734	79.2	27.8	144.0	1.6	180	150.0	248.9	—
	05/65	1485	896	75.2	30.3	158.0	2.4	180	120.0	253.8	0
	01/66	—	808	76.8	33.2	157.0	3.4	170	180.0	292.8	0.62
	06/66	—	684	75.2	26.8	112.0	2.4	128	148.0	263.5	3.9
	01/67	—	856	81.6	26.3	138.0	3.5	162	140.0	310.0	3
	08/67	—	880	99.2	38.1	156.0	3.6	160	230.0	322.1	5.3
	02/68	—	768	65.6	25.4	156.0	3.4	160	164.0	236.7	0
	04/69	—	852	66.0	32.0	162.0	3.2	166	210.0	249.0	0
	11/69	—	844	87.0	31.0	140.0	3.6	164	180.0	262.0	0
	07/70	—	672	99.0	32.0	139.0	3	158	205.0	259.0	2.7
	12/70	1180	712	83.0	28.0	138.0	3	166	170.0	266.0	0
	09/71	1062	640	83.0	27.0	128.0	2.8	136	175.0	278.0	0.4
	05/72	1130	681	56.0	24.0	140.0	2.8	136	165.0	220.0	0
	10/72	1165	703	64.0	27.0	159.0	3.6	132	180.0	293.0	1.8
	10/73	1140	688	72.0	27.0	131.0	3.8	144	190.0	200.0	0.3@N
	02/76	1140	688	70.4	28.3	143.0	3.1	132	182.0	273.3	1.8@N
	09/76	1100	663	67.0	25.0	152.0	2.5	152	131.0	327.0	2.8@N
	03/77	1080	651	67.0	28.0	173.0	3.1	128	160.0	254.0	4.4@N
	10/78	1150	694	70.0	25.0	120.0	3.5	139	145.0	253.8	<1@N
	06/79	1100	663	72.0	27.3	125.0	3	134	142.0	258.6	<1@N
	10/80	1200	693	78.8	23.7	136.0	3.3	172	136.0	273.3	0.2@N
	04/81	1160	737	82.4	22.4	126.0	3.6	140	134.0	268.4	<0.5@N
	11/81	1300	863	97.6	31.5	169.0	2.2	204	209.0	248.9	0.8@N
	11/81	950	573	74.0	18.3	120.0	2.1	144	130.0	224.5	0.3@N
	05/82	1100	663	80.8	26.6	140.0	1.5	181	138.0	268.4	<0.5@N
	03/83	1000	603	84.0	20.5	144.0	3.2	152	143.0	273.3	<0.5@N
	05/84	1150	694	80.0	27.6	126.0	3.1	133	150.0	283.0	0.2@N
	06/85	1100	680	89.0	26.0	140.0	3	150	64.0	440.0	<0.4
	09/85	1242	724	78.0	28.0	122.0	6	154	149.1	244.4	<0.4
	05/86	1387	750	85.2	29.1	130.7	4.3	166	130.8	242.6	<1
	06/89	1302	734	78.1	23.0	85.9	—	136	145.0	212.0	<0.4
01/91	1271	—	81.0	36.1	152.0	—	166	—	—	<0.04	
06/91	1290	752	99.0	32.4	133.0	—	167	136.0	237.0	<0.4	
03/92	1210	792	91.0	29.8	146.0	—	159	135.0	279.0	<0.4	
06/93	1290	764	68.3	27.5	149.0	—	168	130.0	265.0	<0.4	
03/94	1210	783	100.0	37.1	100.0	—	145	167.0	—	2.2	
08/94	1160	741	87.5	35.5	96.1	—	141	187.0	—	4.23	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-26C1 (Bldg 2201) (Continued)	06/95	1330	806	97.7	37.4	142.0	—	207	166.0	—	<0.04
	01/96	1300	764	91.0	33.0	140.0	—	177	142.0	363.0	<0.0
	06/96	1300	751	93.0	30.0	130.0	—	164	156.0	252.0	<0.0
	06/97	1215	758	88.0	29.0	130.0	<2	151	148.0	292.0	<2@N
	12/97	1200	690	81.0	29.0	140.0	3	155	150.0	250.0	ND
	04/98	1200	790	83.0	31.0	101.0	3	170	156.0	240.0	ND
	06/98	1230	714	85.0	30.0	136.0	3	163	ND	293.0	ND
	02/99	1250	731	84.0	29.0	127.0	3	160	140.0	281.0	ND
	04/99	1220	769	88.0	30.0	127.0	3	138	160.0	317.0	ND
10S/4W-18M4 (Bldg 2373)	06/89	1156	688	74.6	24.4	67.9	—	130	138.0	197.0	8.9
	01/90	1120	630	86.4	32.3	101.0	—	156	166.0	210.0	<0.05
	04/90	1160	720	98.8	34.8	107.0	—	152	146.0	218.0	1.4
	01/91	1202	—	84.1	40.5	117.0	—	162	153.0	—	<0.04
	06/91	1180	736	102.0	37.1	106.0	—	163	138.0	197.0	<0.4
	03/94	1020	658	69.6	27.8	104.0	—	135	140.0	—	0.89
	08/94	1110	684	81.4	32.2	178.0	—	144	157.0	—	<0.44
	06/95	1170	679	95.3	35.2	113.0	—	145	116.0	—	13.8
	06/96	1100	682	86.0	32.0	95.0	—	155	261.0	210.0	<0.0
	02/97	1180	640	79.0	32.0	110.0	—	142	162.0	190.0	<2@N
	06/97	1117	709	85.0	33.0	110.0	<5	150	164.0	223.0	<2@N
	12/97	1100	700	82.0	33.0	110.0	3	141	157.0	220.0	ND
	03/98	1100	710	83.0	33.0	100.0	3	182	158.0	150.0	ND
	06/98	1200	720	85.0	34.0	119.0	4	159	154.0	281.0	ND
	02/99	1020	613	70.0	30.0	85.0	4	130	85.0	179.0	8
05/00	1020	709	91.0	33.0	94.0	4	146	149.0	220.0	ND	
08/00	1160	707	81.0	39.0	79.0	4	149	153.0	177.0	ND	
10S/5W-23J1 (Bldg 2301)	05/56	1090	685	61.5	24.3	142.0	—	142	110.0	293.0	0.06
	12/56	1060	666	67.0	27.0	96.0	—	124	85.0	274.0	—
	12/57	—	780	66.3	23.9	159.0	—	138	155.0	308.0	10.6
	05/59	1100	691	75.2	25.3	112.0	—	136	152.0	297.7	—
	01/60	1120	704	72.7	27.3	116.5	—	112	144.0	291.0	—
	10/60	1045	657	63.2	21.4	99.0	3.6	140	112.0	242.0	0
	05/61	1280	770	76.0	36.5	136.0	3	124	195.0	299.6	0
	05/62	1133	712	68.8	30.3	136.0	2	128	175.0	275.7	—
	01/63	1111	698	72.0	35.1	127.0	2.8	128	199.0	268.4	—
06/63	1108	696	78.4	25.4	118.0	2.9	148	130.0	258.6	0@N	

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-23J1 (Bldg 2301) (Continued)	07/64	1165	732	74.4	27.8	128.0	1.2	139	160.0	268.4	—
	05/65	1130	710	80.0	26.4	145.0	2.1	148	120.0	268.4	0.14
	01/66	—	736	88.0	18.1	142.0	2.8	124	155.0	263.5	1.8
	06/66	—	736	75.2	29.3	138.0	2.7	145	175.0	295.2	4.8
	01/67	—	744	76.8	25.9	118.0	3	136	125.0	287.9	2.2
	08/67	—	680	70.4	28.3	128.0	2.3	140	100.0	292.8	8.4
	02/68	—	660	48.0	19.5	130.0	2.8	124	119.0	234.0	6.1
	04/69	—	708	70.0	28.0	126.0	2.5	128	170.0	278.0	0
	11/69	—	684	73.0	28.0	126.0	2.8	138	165.0	273.0	0
	05/70	—	716	74.0	25.0	122.0	0.1	134	170.0	210.0	4.4
	12/70	1090	385	78.0	25.0	126.0	2.6	142	170.0	250.0	3.1
	09/71	1025	644	75.0	38.0	120.0	2.7	124	190.0	229.0	0.9
	05/72	1050	660	75.0	21.0	124.0	2.3	124	155.0	244.0	2.2
	10/73	1140	716	74.0	22.0	128.0	2.8	136	160.0	220.0	0.5@N
	06/74	1060	680	74.0	13.0	131.0	2.9	158	138.0	220.0	0.01@N
	02/76	1050	660	73.6	25.4	136.0	2.9	119	170.0	248.9	2.0@N
	09/76	1100	691	58.0	32.0	146.0	2.6	140	148.0	321.8	2.6@N
	03/77	1080	679	69.0	29.0	110.0	3	128	155.0	259.0	4.3@N
	01/78	1100	691	70.0	23.0	147.0	3	140	135.0	259.0	4.4@N
	10/78	1150	723	74.0	22.0	120.0	2.9	134	149.0	248.9	<1@N
	04/79	1000	628	70.4	22.4	118.0	2.6	122	138.0	239.1	<1@N
	10/80	1150	745	74.0	22.5	128.0	3	152	138.0	239.1	0.2@N
	05/81	1020	580	67.2	17.3	116.0	3.1	132	111.0	205.0	<0.5@N
	03/83	900	599	65.6	19.5	129.0	2.8	136	129.0	234.2	<0.5@N
	12/83	1000	628	72.4	22.4	127.0	2.6	140	150.0	249.0	<0.1@N
	05/84	1100	691	78.8	25.9	120.0	2.8	130	150.0	254.0	0.2@N
	06/85	1100	691	59.0	26.0	130.0	3	140	70.0	440.0	3.5
	09/85	1203	705	66.0	26.0	110.0	6	150	144.0	226.6	<0.4
06/89	1139	662	71.5	21.7	80.8	—	117	128.0	209.0	<0.4	
01/90	1150	632	90.6	32.4	102.0	—	160	170.0	214.0	<0.5	
01/91	1112	—	73.7	32.0	128.0	—	136	136.0	—	<0.04	
06/91	1090	662	87.4	29.7	117.0	—	140	121.0	204.0	<0.4	
03/92	1080	644	74.2	25.8	133.0	—	127	118.0	282.0	1.3	
03/93	1210	674	72.8	24.5	117.0	—	127	124.0	261.0	<0.4	
06/93	1090	670	63.9	25.7	119.0	—	117	128.0	237.0	<0.4	
03/94	1120	683	73.9	27.0	121.0	—	141	130.0	—	<0.4	
08/94	1160	707	78.9	28.2	129.0	—	139	153.0	—	<0.44	
06/95	1160	742	88.2	28.8	131.0	—	165	147.0	—	<0.04	
01/96	1300	690	79.0	29.0	140.0	—	147	131.0	292.0	<0.0	
06/96	1020	674	82.0	29.0	120.0	—	134	129.0	204.0	<0.0	

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-23J1 (Bldg 2301) (Continued)	02/97	1100	650	74.0	27.0	150.0	—	126	172.0	245.0	<2@N
	03/97	1073	630	77.0	28.0	130.0	—	142	134.0	254.0	<2@N
	02/99	1180	647	75.0	27.0	125.0	3	150	130.0	272.0	ND
	04/99	1240	722	81.0	30.0	124.0	3	157	150.0	293.0	ND
	08/99	1180	735	79.0	29.0	120.0	3	190	183.0	281.0	ND
	12/99	1190	699	83.0	30.0	118.0	3	100	158.0	278.0	ND
	02/00	1110	723	81.0	30.0	116.0	3	90	163.0	293.0	ND
	05/00	1070	714	81.0	29.0	115.0	3	170	152.0	273.0	ND
	08/00	1200	735	80.0	29.0	117.0	3	150	118.0	275.0	ND
10S/4W-18E3 (Bldg 2393)	06/89	1166	758	80.5	28.1	67.4	—	132	157	198.0	9.5
	01/90	1230	748	97.4	39.7	106.0	—	178	179	226.0	<0.05
	04/90	1190	733	99.6	37.5	112.0	—	159	156	207.0	2.5
	06/91	1130	680	97.6	37.6	100.0	—	139	142	166.0	2.7
	02/94	1180	731	83.3	35.5	104.0	—	142	159	—	11.1
	08/94	1150	725	84.3	35.2	102.0	—	147	164	—	1
	06/95	932	636	75.4	29.1	86.6	—	102	140	—	14
	06/96	1117	710	92.0	36.0	93.0	—	180	297	206.0	<0.0
	02/97	1100	686	89.0	38.0	110.0	—	157	166	220.0	<2@N
	03/97	1116	673	87.0	36.0	110.0	—	147	113	213.0	<2@N
	06/97	1131	779	90.0	37.0	99.0	<5	151	177	199.0	<2@N
	09/98	1160	727	83.0	36.0	90.0	3	160	181	232.0	ND
	10/99	1200	325	88.0	39.0	117.0	4	130	180	268.0	ND
02/00	1100	739	84.0	37.0	100.0	4	130	180	281.0	ND	
05/00	1030	717	80.0	35.0	96.0	4	168	183	229.0	2	
10S/4W-7R2 (Bldg 2603)	06/89	1281	765	76.5	25.1	82.4	—	149	153	209.0	10.3
	04/89	1270	788	104.0	36.5	126.0	—	173	161	215.0	2.6
	06/91	1400	836	111.0	41.1	130.0	—	195	155	215.0	0.04
	02/94	1260	738	83.3	32.0	131.0	—	169	155	—	<0.04
	08/94	1260	738	84.3	33.7	129.0	—	166	149	—	<0.44
	06/95	1290	897	93.6	35.2	129.0	—	202	164	—	0.69
	02/97	1200	720	84.0	36.0	130.0	—	150	152	240.0	<1@N
	03/97	1143	708	83.0	35.0	130.0	—	152	137	240.0	<2@N
	06/97	1227	831	94.0	34.0	120.0	<5	185	147	247.0	<2@N
	12/97	1200	700	84.0	36.0	120.0	3	150	173	240.0	ND
	03/98	1200	780	85.0	36.0	110.0	3	187	162	180.0	ND
06/98	1190	734	ND	ND	ND	ND	ND	ND	ND	ND	

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7R2 (Bldg 2603) (Continued)	02/99	1160	663	76.0	32.0	102.0	3.0	150.0	150.0	214.0	ND
	08/99	1120	727	76.0	33.0	99.0	3.0	156.0	230.0	281.0	ND
	10/99	1130	660	78.0	33.0	120.0	3.0	110.0	160.0	262.0	ND
	02/00	1030	592	79.0	35.0	95.0	3.0	120.0	160.0	244.0	ND
	05/00	1010	699	76.0	33.0	96.0	3.0	129.0	127.0	229.0	ND
	08/00	1140	720	77.0	33.0	87.0	3.0	ND	157.0	232.0	ND
10S/4W-7H2 (Bldg 2671)	08/56	1060	882	78.0	30.0	112	—	150	82	326.0	—
	01/60	820	500	55.2	14.7	85.0	—	76	98	224.0	—
	10/60	1300	793	74.5	20.5	126.0	4.3	182	116	320.0	—
	05/61	1390	840	100.0	29.2	170.0	3.3	170	135	362.0	—
	05/62	1220	744	70.4	39.0	142.0	2.4	164	86	312.3	—
	01/63	1300	740	65.6	26.4	162.0	2.4	166	153	259.0	0.7
	07/63	1100	671	64.0	25.4	118.0	2.7	148	97	280.6	0.0@N
	01/64	1020	622	70.4	33.2	117.0	2.7	172	98	302.6	3.3
	07/64	1400	854	83.2	27.3	134.0	1.4	164	98	322.1	—
	04/65	1490	909	97.6	23.4	152.0	4.7	196	110	346.5	0.9
	01/66	—	832	102.0	28.0	166.0	3.1	194	88	414.8	6.6
	06/66	—	768	86.4	26.3	150.0	3.1	184	110	331.8	6.9
	01/67	—	768	72.0	29.3	128.0	3.1	174	72	324.5	6.9
	08/67	—	608	57.6	24.4	116.0	2.4	132	70	251.3	10.2
	02/68	—	572	67.2	17.6	105.0	2.4	118	94	251.0	0
	09/68	—	636	74.0	19.0	112.0	3	144	96	268.0	0.4
	04/69	—	820	72.0	33.0	138.0	2.8	180	140	285.0	0.9
	11/69	—	604	66.0	24.0	116.0	2.8	140	110	259.0	1.8
	05/70	—	640	65.0	26.0	115.0	2.4	142	120	183.0	3.1
	09/71	1075	656	77.0	24.0	120.0	2.8	144	125	273.0	1.3
	05/72	1000	610	46.0	24.0	117.0	2.4	140	130	141.0	0
	10/72	1110	677	88.0	26.0	105.0	3.6	144	126	283.0	3.5
	10/73	1120	683	75.0	23.0	118.0	2.7*	132	130	200.0	0.6@N
06/74	1210	712	72.0	19.0	150.0	3.1	208	112	195.0	0.01@N	
01/75	850	519	61.0	21.0	93.0	2.4	102	95	212.0	2.3@N	
02/76	1200	732	91.2	20.5	126.0	3.2	176	130	244.0	2.6@N	
09/76	1200	732	48.0	29.0	180.0	2.4	192	123	336.7	4.2@N	
03/77	1400	854	94.0	33.0	158.0	2.8	216	140	342.0	2.8@N	
01/78	1000	610	66.0	23.0	100.0	2.7	128	123	205.0	4.4@N	
10/78	1300	793	82.0	31.0	134.0	2.7	160	157	258.6	<1@N	
04/79	1200	732	84.8	28.3	144.0	3.1	164	116	312.3	<1@N	

* Reported as 27
ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7H2 (Bldg 2671) (Continued)	01/80	1450	885	93.0	30.0	163.0	3	196	200	273.0	<1@N
	10/80	1050	591	70.4	21.7	104.0	3.7	140	125	219.6	2.0@N
	05/81	1000	645	72.4	21.7	105.0	3.5	128	123	209.8	<0.5@N
	05/82	1330	811	100.8	35.9	176.0	1.6	269	198	263.5	<0.5@N
	03/83	890	669	77.2	23.7	95.0	3.4	132	136	209.8	0.65@N
	12/83	1000	610	70.4	23.7	123.0	2.6	136	150	224.0	0.5@N
	05/84	1100	671	77.2	24.6	116.0	2.7	133	155	244.0	0.2@N
	09/84	1300	650	6.6	29.0	120.0	2.6	200	170	250.0	12
	11/84	1100	671	81.6	23.4	124.0	2.7	149	175	249.0	1.2@N
	05/86	1592	994	104.7	39.7	167.3	4.4	232	167	301.8	<1@N
	06/89	1137	826	79.1	28.5	85.5	—	157	158	246.0	12.6
	01/90	1290	772	96.3	38.6	116.0	—	184	179	252.0	0.9/1.2
	04/90	1320	817	109.0	42.1	128.0	—	177	167	249.0	5.4
	01/91	401	—	87.3	44.4	103.1	—	205	179	—	1.07
	03/93	1500	824	92.6	33.1	136.0	—	194	154	277.0	1.8
	03/94	1370	827	103.0	36.4	135.0	—	163	145	—	0.9
	08/94	1270	762	91.1	35.5	129.0	—	162	172	—	5.64
	06/95	1260	771	100.0	35.8	127.0	—	197	178	—	2.8
	06/96	1300	751	96.0	36.0	120.0	—	162	174	247.0	1.1
	02/97	1300	830	100.0	41.0	150.0	—	186	161	186.0	<2@N
	06/97	1323	831	94.0	36.0	140.0	<5	158	149	271.0	2@N
	12/97	1200	670	91.0	36.0	120.0	3	150	169	220.0	ND
	12/97	1200	710	87.0	35.0	120.0	2	152	182	220.0	1.5
03/98	1200	810	89.0	36.0	120.0	3	201	168	240.0	ND	
06/98	1390	830	ND	ND	ND	ND	ND	ND	ND	ND	
09/98	1290	748	87.0	32.0	110.0	2.0	158	160	299	ND	
02/99	1130	663	75.0	31.0	106.0	3.0	150	150	238	5	
05/99	1170	711	75.0	32.0	85.0	4.0	ND	180	268	ND	
08/99	1040	310	74.0	30.0	94.0	2.0	100	400	207	ND	
10/99	1210	757	86.0	35.0	120.0	3.0	154	100	295	3	
08/00	1290	766	83.0	33.0	89.0	2.0	184	150	323	ND	
10S/4W-7A2 (Bldg 2673)	05/56	920	651	59.0	22.0	100	—	104	94	213.0	—
	05/59	—	745	52.8	16.5	60.3	—	84	41	207.4	—
	01/60	—	840	51.2	17.6	95.0	—	98	92	210.0	—
	10/60	870	566	62.0	23.0	80.0	4.2	110	104	234.0	0
	05/61	1180	710	72.0	34.0	114.0	3.3	104	150	227.0	—
	05/62	797	518	63.2	23.4	75.0	2	100	96	214.7	—
	01/63	1195	730	64.0	24.9	157.0	3.1	162	183	220.0	0
	07/63	574	610	57.6	19.5	85.0	2.7	102	100	244.0	0.3@N
	01/64	760	494	59.2	19.3	82.0	3.3	100	85	253.7	0.5@N
07/64	980	637	64.0	21.5	94.0	1.4	100	95	241.6	—	

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7A2	04/65	1230	800	73.3	22.5	106.0	4.5	120	110	248.9	1.3
(Bldg 2673)	01/66	—	448	—	—	86.0	2.5	82	75	190.3	9.7
(Continued)	06/66	—	540	60.8	21.0	81.0	2.5	102	95	222.0	9.1
	01/67	—	544	60.8	19.5	88.0	2.9	106	69	229.4	6.9
	08/67	—	504	54.4	20.0	79.0	2.1	96	58	214.7	8
	02/68	—	456	60.8	17.6	86.0	2.7	94	78	222.0	0
	09/68	—	600	67.0	18.0	90.0	3	110	96	232.0	0
	04/69	—	428	46.0	18.0	73.0	20	76	90	183.0	3.1
	11/69	—	476	59.0	18.0	88.0	2.7	98	110	198.0	0.9
	05/70	—	416	54.0	18.0	79.0	2.6	92	90	151.0	2.9
	12/70	780	507	64.0	16.0	89.0	2.7	100	90	222.0	10.1
	05/72	990	644	77.0	24.0	86.0	2.8	116	135	207.0	0
	10/72	965	627	77.0	27.0	94.0	2.9	104	145	239.0	5.3
	10/73	960	624	72.0	19.0	105.0	2.8	112	140	195.0	0.9@N
	06/74	950	548	68.0	19.0	101.0	3.1	138	102	207.0	0.35@N
	01/75	840	546	58.0	22.0	87.0	2.7	98	95	217.0	2.2@N
	02/76	820	533	68.8	20.5	76.0	3	106	88	214.7	2.2@N
	09/76	900	585	48.0	45.0	98.0	2.3	116	112	258.6	3.0@N
	03/77	900	585	70.0	23.0	76.0	2.8	123	113	195.0	2.6@N
	01/78	950	618	64.0	24.0	100.0	2.7	124	108	200.0	4.3@N
	10/78	1050	683	74.0	20.0	80.0	3	113	128	205.0	<1@N
	04/79	950	618	65.6	19.5	98.0	3.1	109	118	190.3	<1@N
	01/80	1000	650	67.0	23.0	99.0	3.1	128	111	187.0	<1@N
	10/80	900	546	67.2	20.5	86.0	3.4	108	86	205.0	2.3@N
	05/81	810	585	57.2	14.4	83.0	3.4	92	84	180.6	0.7@N
	11/81	800	451	57.2	16.3	85.0	2	92	110	185.4	0.5@N
	05/82	930	605	68.8	21.5	97.0	1.6	115	96	205.0	<0.5@N
	03/83	900	663	78.8	23.7	95.0	3.4	132	135	209.8	0.7@N
	09/84	1000	530	51.0	23.0	80.0	2.9	110	110	200.0	4.2
	11/84	850	553	67.2	28.3	73.0	2.9	111	137	190.0	1.7@N
	09/85	1007	593	66.0	26.0	64.0	5.8	124	139	180.6	6
	05/86	1051	623	72.6	26.5	79.5	3.5	131	124	153.6	8.8
	06/89	1073	688	72.1	23.9	59.6	—	120	140	184	15.9
	01/89	1080	572	91.2	34.2	80.2	—	151	178	174	1.4
	04/90	1130	718	111.0	42.1	91.0	—	148	167	175	9.1
	06/91	1190	718	113.0	40.3	93.8	—	173	180	160	7.5
	03/93	1370	708	86.9	32.8	93.3	—	147	93.3	200	4.9
	03/94	1210	783	100.0	37.1	100.0	—	145	167	—	2.2
	08/94	1160	741	87.5	35.5	96.1	—	141	184	—	4.23
	06/95	1200	788	99.4	37.5	101.0	—	173	200	—	2.9

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7A2 (Bldg 2673) (Continued)	06/96	1129	739	91.0	37.0	90.0	—	188	312	206	<0.0
	02/97	1100	690	82.0	35.0	140.0	—	127	131	180	<2@N
	03/97	1109	695	91.0	39.0	93.0	—	137	191	166	2.2@N
	06/97	1096	749	89.0	36.0	90.0	<5	138	178	187	2@N
	12/97	1100	690	84.0	36.0	83.0	4	140	181	160	<.2@N
	05/99	1050	648	78.0	32.0	111.0	3	171	192	207	ND
	08/99	1040	696	78.0	33.0	84.0	4	120	390	146	ND
	10/99	1070	663	78.0	34.0	90.0	4	132	120	195	6@N
	02/00	1010	559	83.0	35.0	82.0	4	140	190	220	4@N
	05/00	972	688	80.0	34.0	79.0	4	144	167	190	4@N
10S/5W-23G3 (Bldg 33926)	06/91	1160	684	83.4	28.3	125.0	—	145	124	223	<0.04
	03/92	1060	674	75.9	24.1	127.0	—	139	111	269	<0.4
	03/93	1182	584	67.8	21.1	110.0	—	135	101	274	<0.4
	06/93	1020	623	60.5	22.4	116.0	—	125	107	225	<0.4
	03/94	1120	665	80.0	25.0	122.0	—	129	117	—	1.8
	08/94	1150	699	78.7	26.4	125.0	—	141	118	—	<0.44
	06/95	1060	673	75.9	23.1	118.0	—	158	114	—	<0.04
	01/96	1200	619	71.0	24.0	120.0	—	139	107	262	<0.0
	07/96	—	—	—	—	—	—	—	—	—	—
10S/5W-23K2 (Bldg 33924)	06/89	1207	698	75.6	22.8	84.0	—	138	137	231	<0.4
	04/89	1240	728	100.0	32.9	129.0	—	158	148	245	1.3
	01/91	1193	—	80.6	35.2	131.0	—	21.3	146	—	<0.04
	06/91	1160	676	88.1	29.6	118.0	—	141	129	224	<0.04
	03/92	1130	705	76.7	26.0	126.0	—	149	125	279	<0.4
	06/92	1130	717	66.8	26.7	124.0	—	146	140	232	<0.4
	03/93	1285	331	72.1	23.8	115.0	—	131	122	273	<0.4
	02/97	1200	780	89.0	32.0	130.0	—	166	165	250	<2@N
	03/97	1230	700	94.0	34.0	140.0	—	187	162	264	<2@N
	06/97	1231	778	91.0	31.0	130.0	<2	171	165	264	<2@N
	12/97	1200	710	82.0	30.0	130.0	2	156	162	230	ND
	03/98	1200	710	82.0	30.0	110.0	2	191	146	240	ND
	06/98	1170	658	79.0	28.0	123.0	2	157	ND	293	ND
	02/99	1170	696	75.0	27.0	123.0	3	160	130	259	ND
	04/99	1210	667	76.0	27.0	118.0	3	148	140	268	ND
	08/99	1140	714	79.0	27.0	116.0	3	180	165	268	ND
	10/99	1150	721	80.0	28.0	131.0	3	110	150	281	ND
02/00	1050	619	82.0	28.0	108.0	3	100	140	293	ND	
05/00	1060	716	80.0	29.0	112.0	3	173	141	268	ND	
08/00	1210	722	82.0	29.0	105.0	3	162	156	268	ND	

ND - None Detected

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE D-6 (cont'd)


SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Tested	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-13R2 (Bldg 2363)	01/90	1030	540	*96	26.6	94.8	---	141	130	200	0.7
	06/91	1150	702	98.7	32.0	109.0	---	149	125	288	1.3
	06/93	1130	705	72.0	28.4	107.0	---	140	139	262	0.9
	03/94	1020	658	69.6	27.8	104.0	---	135	140	---	0.89
	06/95	1140	636	92.5	30.7	115.0	---	149	151	---	14.2
	06/96	1103	680	91.0	31.0	100.0	---	148	251	233	<0.0
	06/97	1082	708	85.0	29.0	110.0	<5	135	145	244	<2@N
	12/97	1000	640	81.0	28.0	100.0	2	119	128	250	ND
	03/98	1100	620	85.0	31.0	110.0	2	161	144	220	ND
	06/98	1100	680	83.0	30.0	109.0	3	137	140	275	0.68
	09/98	1160	662	81.0	28.0	90.0	3	144	90	256	ND
10S/4W-7A3	03/99	1280	765	91.0	34.0	127.0	2	190	160	272	ND
	06/99	1080	706	76.0	31.0	88.0	2.2	163	118	220	ND
	08/99	1080	690	76.0	32.0	93.0	3	160	191	244	ND
	10/99	1070	660	76.0	32.0	100.0	3	131	120	232	4
	05/00	1010	702	79.0	34.0	94.0	3	177	164	254	4
	08/00	1170	732	84.0	36.0	89.0	3	155	188	201	5
10S/5W-23G4	06/99	1070	668	69.0	23.0	106.0	1.7	163	144	305	ND
	08/99	1090	657	72.0	25.0	115.0	2	180	153	317	ND
	10/99	1150	716	79.0	27.0	140.0	2	120	140	305	ND
	02/00	956	622	78.0	23.0	117.0	2	90	120	268	ND
	05/00	1040	686	77.0	27.0	116.0	2	181	141	307	ND
	08/00	1180	722	80.0	28.0	105.0	2	155	143	232	ND
10S/5W-23K3	06/99	1150	700	75.0	27.0	106.0	2.2	163	155	317	ND
	08/99	1170	722	79.0	28.0	114.0	3	120	140	293	ND
	10/99	1170	723	78.0	28.0	140.0	3	120	140	293	ND
	02/00	1120	712	83.0	30.0	117.0	3	120	157	293	ND

* - Reported as .96
ND - None Detected

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**



Water Districts	
	Camp Pendleton
	Eastern Municipal Water District
	Elsinore Valley Municipal Water District
	Fallbrook Public Utility
	Murrieta County Water District
	Rainbow Municipal Water District
	Rancho California Water District
	Western Municipal Water District
	Indian Reservations
	Santa Margarita Watershed
	Gaging Station
	Township and Range

Note:
 The Western Municipal Water District Service Area also includes Elsinore Valley Municipal Water District and portions of Rancho California Water District and Murrieta County Water District.
 The Eastern Municipal Water District Service Area also includes portions of Rancho California Water District and Murrieta County Water District.

**Santa Margarita River Watershed
 Watermaster
 Major Water Purveyors**

8/1/2000