SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

UNITED STATES OF AMERICA V. FALLBROOK PUBLIC UTILITY DISTRICT, ET AL. CIVIL NO. 51-CV-1247-GPC-RBB

CHARLES W. BINDER
WATERMASTER
P. O. BOX 631
FALLBROOK, CA 92088
(760) 728-1028
FAX (760) 728-1990

September 2016

	•		

TABLE OF CONTENTS

	<u>Page</u>	No.
SECT	ION 1 – SUMMARY	1
SECT	ION 2 - INTRODUCTION	5
2.1	Background	5
2.2	Authority	5
2.3	Scope	5
SECT	ION 3 - SURFACE WATER AVAILABILITY AND USE	7
3.1	Surface Flow	7
3.2	Surface Water Diversions	13
3.3	Water Storage	13
SECT	ION 4 - SUBSURFACE WATER AVAILABILITY	19
4.1	General	19
4.2	Extractions	19
4.3	Water Levels	21
4.4	Groundwater Storage	27
4.	4.1 Santa Margarita Groundwater Basin	27
4.	4.2 Murrieta-Temecula Groundwater Basin	29
4.	4.3 Anza Groundwater Basin	32
SECT	ION 5 - IMPORTS/EXPORTS	33
5.1	General	33
5.2	Water Year 2014-15	37
5.3	Water Years 1966 through 2015	37
5.4	Lake Skinner	42
5.5	Diamond Valley Lake	43
SECTI	ION 6 - WATER RIGHTS	45
6.1	General	45
6.2	Appropriative Surface Water Rights	47
6.3	Fallbrook PUD Changes of Point of Diversion and Place of Use for Permit No. 11356	51
6.4	Federal Reserved Water Rights for Cahuilla and Ramona Indian Reservations	52
6.5	Federal Reserved Water Rights for Pechanga Indian Reservation	53

WATERMASTER SANTA MARGARITA RIVER WATERSHED

6.6	Cali	ifornia Statewide Groundwater Elevation Monitoring Program	54
6.7	Sus	tainable Groundwater Management Act	55
SECT	ION 7	7 - WATER PRODUCTION AND USE	57
7.1	Ger	neral	57
7.2	Wa	ter Purveyors	58
7.	2.1	Anza Mutual Water Company	58
7.	2.2	Eastern Municipal Water District	61
7.	2.3	Elsinore Valley Municipal Water District	64
7.	2.4	Fallbrook Public Utility District	64
7.	2.5	Lake Riverside Estates	65
7.	2.6	Metropolitan Water District of Southern California	65
7.	2.7	Rainbow Municipal Water District	65
7.	2.8	Rancho California Water District	65
		Vail Appropriation	66
		Imported Water Return Flows	68
		Division of Local Water	71
7.	2.9	Western Municipal Water District	74
		Murrieta Division	74
		Improvement District A	75
7.	2.10	U. S. Marine Corps - Camp Pendleton	75
7.	2.11	U. S. Naval Weapons Station, Fallbrook Annex	76
7.3	India	an Reservations	76
7.3	3.1	Cahuilla Indian Reservation	77
7.3	3.2	Pechanga Indian Reservation	77
7.3	3.3	Ramona Indian Reservation	78
7.4	Sma	all Water Systems	78
7.5	Irrig	ation Water Use	78
SECTI	ON 8	- UNAUTHORIZED WATER USE	79
8.1	Gen	eral	79
8.2	Una	uthorized Small Storage Ponds	79
8.3	Ran	cho California Water District Water Use	79
8 4	Exp	ortation of Treated Wastewater Derived from Native Waters	79

WATERMASTER SANTA MARGARITA RIVER WATERSHED

S	ECTI	ON 9 - THREATS TO WATER SUPPLY	81
	9.1	General	81
	9.2	High Nitrate Concentrations	81
	9.3	Potential Overdraft Conditions	82
	9.4	Salt Balance	83
	9.5	High Arsenic Concentrations	85
	9.6	High Fluoride Concentrations	85
	9.7	High Manganese Concentrations	85
	9.8	Quagga Mussel	86
S	ECTI	ON 10 - WATER QUALITY	89
	10.1	Surface Water Quality	89
	10.2	Groundwater Quality	89
S	ECTIO	ON 11 – COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT	95
	11.1	General	95
	11.2	Required Flows	98
	11.3	Water Quality	99
	11.4	Monitoring Programs	99
		ON 12 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE TASKS, IDITURES AND REQUIREMENT	103
	12.1	General	103
	12.2	Normal Tasks	103
	12.3	Additional Tasks	103
	12.4	Projected Expenditures	104
S	ECTIO	ON 13 - WATERMASTER OFFICE BUDGET	105
	13.1	Comparison of Budget and Actual Costs for 2014-15	105
	13.2	Proposed Budget for 2016-17	105

LIST OF TABLES

		Page No.
Table 3.1	Stream Gaging Stations	8
Table 3.2	Measured Surface Water Flow 2014-15	9
Table 3.3	Surface Diversions to Storage for Vail Lake	14
Table 3.4	Surface Water Diversions to Storage for Lake O'Neill	15
Table 3.5	Surface Water Diversions to Use	16
Table 3.6	Water in Storage	17
Table 4.1	Water Production by Substantial Users	20
Table 4.2	Groundwater Storage at Camp Pendleton	28
Table 4.3	Changes in Groundwater Storage Murrieta-Temecula Groundwater Basin (Water Budget Method)	30
Table 4.4	Changes in Groundwater Storage Murrieta-Temecula Groundwater Basin (Groundwater Level Method)	31
Table 5.1	Storage in State Water Project and Colorado River Reservoirs	34
Table 5.2	Imports/Exports 2014-15	38
Table 5.3	Total Dissolved Solids Concentration of Imported Water	39
Table 5.4	Imports/Exports 1966 through 2015	40
Table 6.1	Appropriative Water Rights, Permits and Licenses	48
Table 6.2	Pre-1914 Appropriative Water Rights	50
Table 7.1	Water Production and Use	59
Table 7.2	Definitions of Water Use by Municipal Water Purveyors	60
Table 7.3	Water Deliveries to Temecula Valley Regional Water Reclamation Facility Service Area	
Table 7.4	Rancho California Water District, Permit 7032 Operations	67
Table 7.5	Rancho California Water District, Rancho Division Return Flow Credits 2014-15	69
Table 7.6	Rancho California Water District, Santa Rosa Division Return Flow Credits 2014-15	70
Table 7.7	Percent Production from Younger Alluvium In Rancho California Water District Wells	72
Table 7.8	Rancho California Water District Well Production From Younger and Older Alluvium	73

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Table 10.	1 Ranges in Average Daily Concentration of Dissolved Oxygen, pH, Specific Conductance and Temperature at Santa Margarita River Near Temecula	90
Table 11.	Monthly Summary of Required Flows, Discharges, Credits and Accounts Cooperative Water Resource Management Agreement 2014 calendar year	
Table 11.	2 Monthly Summary of Required Flows, Discharges, Credits and Accounts Cooperative Water Resource Management Agreement 2015 calendar year	
Table 13.	1 Comparison of Watermaster Budget and Actual Costs for 2014-15	
Table 13.	2 Proposed Watermaster Budget for 2016-17	.107

Table A-3

Table A-4

Table A-5

Table A-6

Table A-7

Table A-8
Table A-9

LIST OF FIGURES

			Page No.						
1.1	Local Produ	ction 2006 through 2015	2						
1.2	Imports 200	6 through 2015	2						
1.3	Total Produ	ction 2006 through 2015	3						
3.1	Annual Stre	amflow for Santa Margarita River Near Temecula	11						
3.2		cipitation for Wildomar Gage							
4.1	Water Level	Elevations Well No. 8S/2W-12H1	21						
4.2	Water Level	Elevations Well No. 10S/4W-7J1	22						
4.3	Water Level	Elevations Well No. 7S/3W-20C9	23						
4.4	Water Level	Elevations Well No. 7S/3E-21G1	24						
4.5	Water Level	Elevations Pechanga Indian Reservation Wells	25						
4.6		Elevations Well No. 6S/2W-9K							
5.1		State Water Project 2006 through 2015							
5.2	Storage in C	Colorado River Reservoirs 2006 through 2015	35						
10.1	Total Dissol	ved Solids Concentration RCWD Well 8S/2W-12K	91						
10.2	Total Dissol	ved Solids Concentration Camp Pendleton Well 10S/4W-7/	1 2 92						
10.3	Nitrate Cond	centration Camp Pendleton Well 10S/4W-7A2	93						
		APPENDICES							
Appe	Appendix A - Production and Use Water Year 2014-15								
	Table A-1	Eastern Municipal Water District							
	Table A-2	Elsinore Valley Municipal Water District							

Fallbrook Public Utility District

Pechanga Indian Reservation

U.S.M.C. - Camp Pendleton

Rainbow Municipal Water District

Rancho California Water District

Metropolitan Water District

U. S. Naval Weapons Station, Fallbrook Annex

Appendix B - Production and Use Water Years 1965-66 through 2014-15

Table B-1	Eastern Municipal Water District
Table B-2	Elsinore Valley Municipal Water District
Table B-3.1	Fallbrook Public Utility District
Table B-3.2	Fallbrook Public Utility District
Table B-4	Fallbrook Public Utility District (Wastewater)
Table B-5	Metropolitan Water District
Table B-6	Pechanga Indian Reservation
Table B-7	Rainbow Municipal Water District
Table B-8	Rancho California Water District
Table B-9	U.S.M.C Camp Pendleton
Table B-10	U. S. Naval Weapons Station, Fallbrook Annex
Table B-11	Western Municipal Water District – Murrieta Division
Table B-12	Miscellaneous Water Production and Import

Appendix C - Substantial Water Users 2014-15

Appendix D - Water Quality Data

		<u>Last Published</u>
Table D-1 Table D-2	Surface Streams Sampled by Camp Pendleton	1992-93
Table D-2	Surface Streams Sampled by Rancho California Water District	1998-99
Table D-2.1	Nutrient Sampling by Rancho California	0000 00
Table D-3	Water District Wells in Western Municipal Water District -	2002-03
	Murrieta Division	2014-15
Table D-4	Wells in Rancho California Water District	2014-15
Table D-5	Wells on Indian Reservations	2014-15
Table D-6	Wells on Camp Pendleton	2014-15
Table D-7	Eastern Municipal Water District	1992-93
Table D-8	Eastern Municipal Water District	1992-93
Table D-9	Eastern Municipal Water District	1992-93
Table D-10	Eastern Municipal Water District	1993-94
Table D-11	Wells in Domenigoni Valley	1994-95
Table D-12	Surface Water Sampled by USGS on	
	Cahuilla Creek	2014-15

Appendix E – Cooperative Water Resource Management Agreement Required Flows and Accounts – Calendar Year 2015

Appendix F – Annual Report Issues Subordinated During Effective Period of the Cooperative Water Resource Management Agreement

Appendix G – Independent Auditor's Report for Water Year 2014-15 and Report to the Steering Committee, dated December 16, 2015

MAP

Major Water Purveyors

Bound at back of Report

SECTION 1 – SUMMARY

Section 1 - A summary of the Santa Margarita River Watershed Annual Watermaster Report for the 2014-15 Water Year.

Section 2 - This Annual Watermaster Report is prepared pursuant to the U. S. District Court Order dated March 13, 1989. The Court has retained jurisdiction over all surface flows of the Santa Margarita River Watershed and all underground waters determined by the Court to be subsurface flow of streams or creeks or which are determined by the Court to add to, support, or contribute to the Santa Margarita River stream system. The Watershed is adjudicated, as to all underground waters, basins, surface flow, streams and subsurface flows that add to, support, or contribute to the Santa Margarita River stream system. Local vagrant groundwaters that do not support the Santa Margarita River stream system are outside Court jurisdiction.

Section 3 - Surface water flows varied in Water Year 2014-15. Flows for long-term stations on Murrieta Creek at Temecula, Santa Margarita River near Temecula, and Santa Margarita River at Ysidora were 35%, 53% and 21% of their long-term averages, respectively. Flows at Temecula Creek near Aguanga were 9% of the long-term average. Direct surface diversions to use totaled 613 acre feet, which reflects a decline of 82 acre feet from the prior year. The total quantity of water in storage in the Watershed on September 30, 2015, was 365,340 acre feet, of which 14,864 acre feet were Santa Margarita River water and 350,476 acre feet were imported water.

Section 4 - Groundwater extractions were 37,292 acre feet during 2014-15 as shown on Table 4.1, compared to 41,138 acre feet in 2013-14. Water purveyors pumped 32,309 acre feet, and 4,983 acre feet were pumped by other substantial users. Total local production, including groundwater extractions and surface diversions in 2014-15 was 37,905 acre feet. This compares with 41,833 acre feet in 2013-14, and represents a decline of nine percent. Total annual local production for use for the period 2006 through 2015 is shown on Figure 1.1.

Section 5 - During 2014-15, 62,677 acre feet of net imports were distributed for use within the Watershed, as shown on Table 5.2. This compares with 81,785 acre feet in 2013-14, and represents a decrease of twenty three percent. Annual imports for the period 2006 through 2015 are shown on Figure 1.2 and Table 5.4. Exports of wastewater and native water for use outside the Watershed in 2014-15 were 18,076 acre feet. This compares with 18,518 acre feet in 2013-14, and represents a decrease of two percent.

Section 6 - Water rights consist primarily of riparian and overlying rights. Other rights include appropriative rights and federal reserved rights. Water purveyors in the Santa Margarita River Watershed also exercise groundwater appropriative rights. Except for surface water appropriative rights, water rights generally have not been quantified in the Watershed. Appropriative surface water rights on file with the State Water Resources Control Board amount to 990,719 gallons per day. This corresponds to 1.53 cubic feet per second (cfs) or 3.04 acre feet per day of direct diversion rights and 54,313.5 acre feet of active storage rights.

Figure 1.1

SANTA MARGARITA RIVER WATERSHED

LOCAL PRODUCTION 2006 THROUGH 2015





Figure 1.2

SANTA MARGARITA RIVER WATERSHED
IMPORTS 2006 THROUGH 2015




Section 7 – Total imported supplies plus local production during Water Year 2014-15 totaled 100,582 acre feet compared to 123,617 acre feet reported in 2013-14. Of that quantity, 32,103 acre feet were used for agriculture; 15,585 acre feet were used for commercial purposes; 43,700 acre feet were used for domestic purposes; 24 acre feet were discharged to Murrieta Creek; 2 acre feet were discharged to Santa Gertrudis Creek; and 2,914 acre feet were discharged by Rancho California WD from Metropolitan Water District of Southern California (MWD) Outlet WR-34 and 492 acre feet were discharged from the potable connection to the Santa Margarita River during 2014-15, pursuant to the Cooperative Water Resource Management Agreement (CWRMA). It is noted, commercial use includes 358 acre feet of recycled water and thus the commercial use of production is 15,227 acre feet. The overall system loss was 3,329 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses. These data are shown on Table 7.1.

Total annual production for the period 2006 through 2015 is shown on Figure 1.3.

Figure 1.3

SANTA MARGARITA RIVER WATERSHED
TOTAL PRODUCTION 2006 THROUGH 2015



Water Year

Section 8 - Use of water from small storage ponds may be unauthorized. Camp Pendleton has taken the position that exportation of treated wastewater, the source of which is the native waters of the Santa Margarita River system, without legal authority for such exportation, is an unauthorized use of water.

Section 9 - Threats to water supply include high nitrate levels in Rainbow Creek and Anza Valley in past years, potential overdraft conditions in the Murrieta-Temecula and Anza groundwater basins, and salt balance issues in the upper Watershed. Additional threats have been recently identified, including high concentrations of nitrates, arsenic, fluoride and manganese in the Murrieta-Temecula area, as well as the discovery of the Quagga mussel in imported supplies.

Section 10 - The U. S. Geological Survey (USGS) monitored surface water quality at the Temecula gaging station on the Santa Margarita River.

Groundwater samples from wells were analyzed for water quality by Camp Pendleton, Western MWD - Murrieta Division, Rancho California WD, and the Pechanga Band during 2014-15. The two primary constituents of interest are nitrates and total dissolved solids (TDS). The Basin Plan Objective for TDS of 750 mg/l was exceeded in all ten of the wells sampled at Camp Pendleton. Two wells sampled by Rancho California WD showed concentrations exceeding 750 mg/l.

Section 11 - The Cooperative Water Resource Management Agreement between Camp Pendleton and Rancho California Water District was approved by the District Court on August 20, 2002. During the 2015 calendar year, Rancho California WD discharged 3,736 acre feet into the Santa Margarita River to meet flow requirements under the Agreement.

Section 12 - Projected Watermaster expenditures for the next five years are listed.

Section 13 – The actual Watermaster costs for Water Year 2014-15 were \$658,095 compared to the Court approved budget of \$679,700, resulting in a favorable variance of \$21,605. A total Watermaster budget for Water Year 2016-17 is proposed to be \$772,100. This budget includes \$525,150 for the Watermaster Office and \$246,950 for operation of gaging stations and groundwater monitoring by USGS.

SECTION 2 - INTRODUCTION

2.1 Background

On January 25, 1951, the United States of America filed Complaint No. 1247 in the United States District Court for the Southern District of California to seek an adjudication of all respective water rights within the Santa Margarita River Watershed. The Final Judgment and Decree was entered on May 8, 1963, and appealed to the U.S. Court of Appeals. A Modified Final Judgment and Decree was entered on April 6, 1966. Among other things, the Decree provides that the Court:

. . . retains continuing jurisdiction of this cause as to the use of all surface waters within the watershed of the Santa Margarita River and all underground or sub-surface waters within the watershed of the Santa Margarita River, which are determined in any of the constituent parts of this Modified Final Judgment to be a part of the sub-surface flow of any specific river or creek, or which are determined in any of the constituent parts of this Modified Final Judgment to add to, contribute to, or support the Santa Margarita River stream system.

In March 1989, the Court issued an Order appointing the Watermaster to administer and enforce the provisions of the Modified Final Judgment and Decree and subsequent orders of the Court. The appointing Order described the Watermaster's powers and duties as well as procedures for funding and operating the Watermaster's office. Also in 1989, the Court appointed a Steering Committee that at the conclusion of 2014-15 was comprised of representatives from the United States, Eastern Municipal Water District, Fallbrook Public Utility District, Metropolitan Water District of Southern California, Pechanga Band of Luiseño Mission Indians, Western Municipal Water District, and Rancho California Water District. The purposes of the Steering Committee are to assist the Court, to facilitate litigation, and to assist the Watermaster.

2.2 Authority

Section II of the appointing Order requires that the Watermaster submit a written report containing findings and conclusions to the Court promptly after the end of each water year.

2.3 Scope

The subjects addressed in this report are responsive to Section II of the appointing Order. Information and data contained in this report are based on information reported to the Watermaster by the various water users within the Watershed and others. Therefore, the Watermaster does not guarantee the completeness and accuracy of the information presented in this report, although most of the data presented are based on measurements. Estimates by the Watermaster are so noted.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 3 - SURFACE WATER AVAILABILITY AND USE

3.1 Surface Flow

Over the years, flows in the Santa Margarita River Watershed have been measured at the stations listed on Table 3.1. A number of these stations have been discontinued. During Water Year 2014-15, the USGS operated 13 stations under an agreement with the Watermaster. These include three stations where Riverside County Flood Control and Water Conservation District shares the local costs with the Watermaster. In addition to stream flows, the USGS also measures water surface elevation and precipitation at Vail Lake.

The USGS also operates several stations in the Watershed under contract with Camp Pendleton. These include stream gaging stations on Fallbrook Creek and on the outlet channel and spillway for Lake O'Neill. The USGS operated a tidal water level recorder at the mouth of the Santa Margarita River from October 1989 until October 20, 2010, when it was removed.

Monthly flows for stations in Water Year 2014-15 are shown on Table 3.2. Those flows consist of final USGS discharge determinations approved for publication by the USGS. Official USGS discharges for Water Year 2014-15 are published by the USGS at the following website: http://waterdata.usgs.gov/ca/nwis/sw.

In considering the historical record of flow at these stations, it should be recognized that the long-term averages include variations in Watershed conditions such as level of development, groundwater production, return flows, impoundments and vegetative use as well as hydrologic conditions, changes in gaging station locations and other factors. Descriptions of the various historical locations of gaging stations may be found in the publication, Water Resources Data - California, which was published annually by the USGS in hard copy form through Water Year 2003-04. For subsequent years, the gaging station descriptions can be found at the website provided above.

TABLE 3.1 SANTA MARGARITA RIVER WATERSHED STREAM GAGING STATIONS THROUGH WATER YEAR 2014-15

Station Name	Station No.	Area Sq. Miles	Entity	Period Of Record
Temecula Creek Near Aguanga	11042400	131	USGS	August 1957 to Present
Wilson Creek Above Vail Lake Near Radac	11042490	122	USGS	October 1989 to September 1994
Temecula Creek At Vail Dam	11042520	320	USGS	February 1923 to October 1977
Vail Lake Near Temecula (Reservoir Storage)	11042510	320	USGS	October 1948 to Present
Pechanga Creek Near Temecula	11042631	13.1	USGS	October 1987 to Present
Warm Springs Creek Near Murrieta	11042800	55.4	USGS	October 1987 to Present
Murrieta Creek Near Murrieta	11042700	30.0	USGS	October 1997 to Present
Santa Gertrudis Creek Near Temecula	11042900	90.2	USGS	October 1987 to Present
Murrieta Creek At Temecula	11043000	222	USGS	October 1924 to Present
Santa Margarita River Near Temecula	11044000	588	USGS	February 1923 to Present
Rainbow Creek Near Fallbrook	11044250	10.3	USGS	November 1989 to Present
Santa Margarita River At FPUD Sump 1/	11044300	620	USGS	October 1989 to Present
Sandia Creek Near Fallbrook	11044350	21.1	USGS	October 1989 to Present
Santa Margarita River Tributary Near Fallbrook	11044600	0.52	USGS	October 1961 to September 1965
DeLuz Creek Near DeLuz	11044800	33.0	USGS	October 1992 to Present
DeLuz Creek Near Fallbrook 2/	11044900	47.5	USGS/ USMC	October 1951 to September 1967 October 1989 to September 1990 April 2002 to February 2003
Santa Margarita River Near DeLuz Station	11045000	705	USGS	October 1924 to September 1926
Fallbrook Creek Near Fallbrook 3/	11045300	6.97	USGS/ USMC	October 1993 to Present
Santa Margarita River At Ysidora 4/	11046000	723	USGS	February 1923 to Present

^{1/} Record includes measurements for Santa Margarita near Fallbrook (#11044500) for October 1924 to September 1980.

^{2/} Recorded by USMC, Camp Pendleton October 1967 to 1977.
3/ Recorded by USMC, Camp Pendleton for October 1964 to September 1977 and October 1989 to September 1993.
4/ Station temporarily operated as SMR at USMC Diversion Dam near Ysidora (#11045050) from February 26, 1999 to September 27, 2001.

TABLE 3.2

SANTA MARGARITA RIVER WATERSHED MEASURED SURFACE WATER FLOW

2014-15 Quantities in Acre Feet

GAGING STATION	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	WATER YEAR TOTAL	ANNUAL AVERAGE THROUGH 2014	YEARS OF RECORD THROUGH 2014
Temecula Creek Near Aguanga (11042400)	1	9	76	122	105	84	19	32	7	1	0	4	460	5,350	57
Pechanga Creek Near Temecula 1/ (11042631)	4	0	0	0	0	0	0	0	0	0	0	0	4	427	27
Warm Springs Creek Near Murrieta (11042800)	0	0	779	74	26	58	0	70	0	19	0	2	1,028	2,980	27
Murrieta Creek Near Murrieta 2/, 3/ (11042700)	0	0	211	3	0	0	0	0	0	0	0	0	214	2,746 4,430	7 (2008-2014) 8 (1998-2005)
Santa Gertrudis Creek Near Temecula (11042900)	0	0	528	2	5	17	0	88	0	21	0	2	663	2,600	27
Murrieta Creek At Temecula (11043000)	0	8	2,805	233	45	106	6	273	9	65	8	11	3,569	10,125	90
Santa Margarita River Near Temecula (11044000)	235	176	3,509	620	488	636	494	669	315	328	270	250	7,990	15,192 20,390	66 (1949-2014) 26 (1923-48)
Rainbow Creek Near Fallbrook (11044250)	1	10	162	17	30	22	1	14	2	6	0	20	285	2,480	25
Santa Margarita River At FPUD Sump (11044300)	334	397	3,923	1,335	660	839	482	742	263	273	177	199	9,624	28,760	25
Sandia Creek Near Fallbrook (11044350)	70	109	524	397	261	225	128	226	93	94	45	62	2,234	6,470	25
DeLuz Creek Near DeLuz (11044800)	0	0	117	42	0	0	0	0	0	0	0	0	159	7,720	21
Fallbrook Creek Near Fallbrook (11045300)	0	1	105	43	19	28	4	1	1	1	0	1	204	1,106 1,462 5/	26 (1989-2014 12 (1965-76)
Santa Margarita River At Ysidora (11046000)	0	0	3,054	795	674	650	452	649	199	3	0	294	6,770	31,511 4/ 31,390	66 (1949-2014) 26 (1923-48)

^{1/} In summer 2006, gaging location was moved upstream 0.4 miles from prior location to current location 100 feet upstream of Metropolitan Water District pipe crossing, 0.4 miles upstream of the Rainbow Canyon Road/Old Highway 395 Bridge.

^{2/} Previously published as Murrieta Creek at Tenaja Road.

^{3/} Continuous record stopped on February 22, 2005, due to bridge construction. Only discharge measurements were taken from February 2005 until September 2007.

^{4/} Includes record of two years at Santa Margarita River at USMC Diversion Dam near Ysidora station.

^{5/} Includes wastewater flows.

Total flows at four long-term stations, for Water Years 2013-14 and 2014-15, are compared with their averages in the tabulation below. Average flows for the Santa Margarita River stations near Temecula and near Ysidora are shown for two periods: before and after Vail Dam was constructed (1923 to 1948, and 1949 to 2014).

	TOTAL	. FLOW	AVERAG	E FLOW
	2013-14 Acre Feet	2014-15 Acre Feet	_	h 2014 Feet
Temecula Creek Near Aguanga	469	460	5,350	(1957-2014)
Murrieta Creek At Temecula	4,059	3,569	10,125	(1925-2014)
Santa Margarita River Near Temecula	8,959	7,990	15,192 20,390	(1949-2014) (1923-1948)
Santa Margarita River At Ysidora*	6,363	6,770	31,511 31,390	(1949-2014) (1923-1948)


^{*} At various locations

The foregoing tabulation indicates the flows for Water Year 2014-15 were below normal for all four stations. Flows for long-term stations on Temecula Creek near Aguanga, Murrieta Creek at Temecula, Santa Margarita River near Temecula and Santa Margarita River at Ysidora were 9%, 35%, 53% and 21% of their long-term averages, respectively.

The Santa Margarita River near Temecula station is of particular interest relative to discharge requirements specified in the CWRMA between Camp Pendleton and Rancho California WD, as described in Section 11. The long-term time series for annual streamflow for Santa Margarita River near Temecula is provided on Figure 3.1, showing the 2014-15 flows were in the third quartile and 89% of the flows for the prior year.


Figure 3.1


Annual Streamflow for Santa Margarita River near Temecula
(USGS Gaging Station No. 11044000)
1924 through 2015



It is also interesting to review long-term precipitation records relative to long-term streamflow. Figure 3.2 shows the long-term time series for annual precipitation for the Wildomar gage maintained by the Riverside County Flood Control and Water Conservation District. The Wildomar gage is specified in the CWRMA for determining hydrologic year types in establishing Rancho California WD discharge requirements to meet flows for the Santa Margarita River near Temecula. The long-term average precipitation for the Wildomar gage for the period 1914 through 2015 is 14.02 inches. The reported precipitation for Water Year 2014-15 is 13.86 inches, which is in the third quartile for the period of record.

Monthly flows shown on Table 3.2 consist primarily of naturally occurring surface runoff, including return flows, except for Rancho California WD discharges into the Santa Margarita River and Murrieta Creek. Most of the Rancho California WD discharges are pursuant to the CWRMA. During Water Year 2014-15, the total discharges from MWD Meter WR-34 into the Santa Margarita River equaled 2,914 acre feet. The outlet from WR-34 is located just upstream from the Santa Margarita River near Temecula gaging station. In 2009, Rancho California WD extended a pipeline from its distribution system to discharge at the same location as the outlet WR-34. During Water Year 2014-15, 492 acre feet were discharged from the potable connection to the Santa Margarita River and there were no discharges to Murrieta Creek from the System River Meter.





During 2014-15, Rancho California WD also released 24 acre feet from wells into Murrieta Creek, and 2 acre feet from wells into Santa Gertrudis Creek.

3.2 Surface Water Diversions

Surface diversions to surface water storage and groundwater storage are shown on Table 3.3 for Vail Lake and Table 3.4 for Lake O'Neill. In general, diversions to surface storage at Vail Lake and Lake O'Neill are computed as being equal to inflow less spill, however, diversion to surface storage at Vail Lake excludes inflow during the period from May 1 through October 31 when Permit 7032 does not allow such diversions. Inflow to Vail Lake is calculated as the sum of evaporation, spill, releases and change of storage. Inflow into Vail Lake during the period when diversions are not permitted is released and not credited to groundwater storage.

Direct surface diversions for Water Year 2014-15 are shown on Table 3.5. The use is primarily irrigation. Estimated consumptive uses, losses and returns are also shown.

3.3 Water Storage

Major water storage facilities in the Santa Margarita River Watershed are listed on Table 3.6, together with the water in storage on September 30, 2014 and September 30, 2015. Total Santa Margarita River stream system water in storage at the end of Water Year 2014-15 totaled 14,864 acre feet, compared to 17,884 acre feet at the end of the previous year. Imported water in storage in Lake Skinner and Diamond Valley Lake, both operated by MWD, is also shown on Table 3.6.

TABLE 3.3

SANTA MARGARITA RIVER WATERSHED SURFACE WATER DIVERSIONS TO STORAGE FOR VAIL LAKE 2014-15

Quantities in Acre Feet

	Surface Water Storage			
	2012-13	2013-14	2014-15	
Storage End of Prior Year	26,560	20,780	17,470	
Inflow - Total	1,947	1,662	1,091	
Inflow to be Bypassed 1/	645	726	626	
Spill	0	0	0	
Diversions to Surface Storage 2/	1,302	936	465	
Annual Evaporation	4,468	4,161	3,348	
Releases - Total	3,259	811	773	
Release to GW Storage 3/4/	2,614	85	147	
Change of Storage	(5,780)	(3,310)	(3,030)	
Storage End of Year	20,780	17,470	14,440	
	Groundwater Storage			
Recharge Release from Vail Lake	2,614	85	147	
Recovered Vail Lake Recharge	2,614	85	147	

Data reported by Rancho California WD except end of year storage reported by USGS.

Water from GW Storage 5/

^{1/} Inflow to be bypassed Oct 1 through Oct 31 and May 1 through Sept 30.

^{2/} Inflow less Spill less Inflow to be Bypassed.

^{3/} Total Release less Inflow to be Bypassed.

^{4/} Vail Lake operations shown in Table 3.3 reflect water year operations to be consistent with reporting in the Annual Watermater Report. However, Permit 7032 specifies calendar year reporting and a continuous operating season of May through October for bypasses overlapping two water years. The value of 147 acre feet for Release to GW Storage is correct but misleading because the bypass season continues into October 2015. Inspection of Rancho California WD records for May through October 2015 shows total Inflow to be Bypassed in the amount of 723 acre feet with total Releases of 854 acre feet, resulting in 131 acre feet of excess releases during the Permit bypass season of May through October 2015.

^{5/} See Table 7.4.

TABLE 3.4

SANTA MARGARITA RIVER WATERSHED

SURFACE WATER DIVERSIONS TO STORAGE FOR LAKE O'NEILL 2014-15

Quantities in Acre Feet

	Surface Water Storage			
_	2012-13 7/	2013-14	2014-15	
Storage End of Prior Year	646	444	414	
Inflow - Total	1,832 1/	1,669 ^{2/}	1,822 3/	
Spill	0	0	0	
Diversions to Surface Storage	1,832 4/	1,669 4/	1,822 4/	
Annual Evaporation	379	405	376	
Releases - Total	792	825	1,204	
Release to GW Storage	792	825	1,204	
Apparent Seepage to GW	863 5/	469 ^{5/}	232 5/	
Change of Storage	(202)	(30)	10	
Storage End of Year	444	414	424	
	Grou	undwater Stor	age	
Recharge Release from Lake O'Neill	1,655 ^{6/}	1,294 6/	1,436 ^{6/}	
Deliveries to Recharge Ponds	420	156	932	
Indirect Recharge from Ditch System	1,170	1,236	894	
TOTAL	3,245	2,686	3,262	

^{1/ 1,505} AF diverted from the Santa Margarita River, 159 AF estimated inflow from Fallbrook Creek, 77 AF from local runoff, and 91 AF from rainfall on lake surface.

^{2/ 1,449} AF diverted from the Santa Margarita River, 113 AF estimated inflow from Fallbrook Creek, 36 AF from local runoff, and 71 AF from rainfall on lake surface.

^{3/ 1,476} AF diverted from the Santa Margarita River, 203 AF estimated inflow from Fallbrook Creek, 37 AF from local runoff, and 106 AF from rainfall on lake surface.

^{4/} Inflow less Spill.

^{5/} Includes seepage losses, leakage through flashboards and gates, and unaccounted for water.

^{6/} Includes Release to GW Storage and Apparent Seepage to GW from Lake O'Neill.

^{7/} Dredging operations for Lake O'Neill occurred during Water Year 2012. The preparation for and the actual dredging operation affected various operations for Lake O'Neill during Water Years 2011, 2012, and 2013 to varying levels within each particular year, including timing and amount of diversions from Santa Margarita River for both deliveries to Lake O'Neill and the recharge ponds, and Recharge Release from Lake O'Neill.

TABLE 3.5

SANTA MARGARITA RIVER WATERSHED

SURFACE WATER DIVERSIONS TO USE

2014-15

Quantities in Acre Feet

DIVERTER	Surface Diversions	Consumptive Use 1/	Loss 2/	Return 3/	
DIVERTER					
Blue Bird Ranch	31.5	21.2	3.2	7.1	
James Carter	0.0	0.0	0.0	0.0	
Chambers Family, LLC	8.0	5.4	8.0	1.8	
Serafina Holdings, LLC	0.0	0.0	0.0	0.0	
Sage Ranch Nursery	100.0	67.5	10.0	22.5	
Ross Lake, LLC	0.0	0.0	0.0	0.0	
Val Verde Partners	52.0	35.1	5.2	11.7	
Wilson Creek Development, LLC	375.0	253.1	37.5	84.4	
Cahuilla Indian Reservation	5.6	3.8	0.6	1.2	
San Diego State University	41.3	27.9	4.1	9.3	
TOTAL	613.4	414.0	61.4	138.0	

^{1/} Consumptive Use equals 75% of Diversions less Losses.

^{2/} Losses equal 10% of Diversions.

^{3/} Returns equal 25% of Diversions less Losses.

TABLE 3.6

SANTA MARGARITA RIVER WATERSHED

WATER IN STORAGE

2014-15 Quantities in Acre Feet

		Water in Storage		
Santa Margarita River Storage	Total Capacity 1/	9/30/2014	9/30/2015	
Dunn Ranch Dam	90	0	0	
Upper Chihuahua Creek Reservoir	47	0	0	
Vail Lake	49,370	17,470	14,440	
Lake O'Neill	1,670	414	424	
SUBTOTAL	51,177	17,884	14,864	
Imported Water Storage	-			
Lake Skinner	44,000	33,547	31,447	
Diamond Valley Lake	810,000	404,415_R	319,029	
SUBTOTAL	854,000	437,962 R	350,476	
TOTAL STORAGE	905,177	455,846 R	365,340	

^{1/} Capacity shown is current capacity reported by owner. Original capacity or decreed capacity may not be reflected in this table.

R - Revised

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 4 - SUBSURFACE WATER AVAILABILITY

4.1 General

Much of the water from the Santa Margarita River stream system is obtained by pumping subsurface water. The Court has identified two basic types of subsurface water in the interlocutory judgments incorporated into the 1966 Modified Final Judgment and Decree. One type is vagrant, local, percolating waters that do not add to, support or contribute to the Santa Margarita River or its tributaries. Such waters have been determined to be outside the continuing jurisdiction of the Court. These waters are typically found in the basement complex and/or residuum deposits in the Watershed.

Other subsurface waters were found by the Court to add to, support and contribute to the Santa Margarita River and/or its tributaries. Aquifers containing such waters have been designated by the Court as younger alluvium and older alluvium. Younger alluvial deposits are commonly exposed along streams and in valleys. Older alluvium may be found underneath younger alluvium and is not limited to areas along stream channels. Older alluvium may or may not be exposed at ground surface. The use of subsurface water found in younger and older alluvium is generally under the continuing jurisdiction of the Court and is reported upon in this report.

4.2 Extractions

Total production of Santa Margarita River water by substantial water users in the Watershed from all sources is listed on Table 4.1 by hydrologic area, along with estimated consumptive use and return flows. Recovery of imported water that has been directly recharged is not included on Table 4.1. Substantial water users include water purveyors as well as private irrigators who irrigate eight acres or more or use an equivalent quantity of water.

In 2014-15, production by water purveyors totaled 32,309 acre feet, compared to 35,457 acre feet in 2013-14. Monthly quantities are shown in Appendix A and annual production for the period 1966 through 2015 is shown in Appendix B.

The quantities of subsurface extractions by private irrigators are based on the irrigated acreage and the crop type. These quantities are reported in Appendix C to total 4,983 acre feet in 2014-15. Of the subsurface extractions, 75 percent is estimated to have been consumptively used and 25 percent to have been return flow. Return flow is that portion of the total deliveries that is not consumed. Although return flows average about 25 percent, such flows are affected with the type of use (domestic, commercial and irrigation), the type of irrigation application (drip, micro-sprinkler, furrow), and exports from watersheds.

TABLE 4.1

SANTA MARGARITA RIVER WATERSHED

SANTA MARGARITA RIVER WATER PRODUCTION BY SUBSTANTIAL USERS
2014-15

HYDROLOGIC AREA	WATER PURVEYOR PRODUCTION ACRE FEET	OTHER IRRIGATED ACRES *	OTHER IRRIGATION PRODUCTION ACRE FEET *	TOTAL GROUNDWATER PRODUCTION ACRE FEET	SURFACE WATER DIVERSIONS ACRE FEET *	TOTAL PRODUCTION ACRE FEET	ESTIMATED CONSUMPTIVE USE ACRE FEET 1/, 2/	ESTIMATED RETURN FLOW ACRE FEET 2/
Wilson Creek	459	449 ^{3/}	1.317	1,776	6	1,782	1,336	446
Above Aguanga GWA	(Lake Riverside, Ar		1,011	.,	Ū	.,	,,,,,,	
Includes Anza Valley	(Cahuilla, Ramona,		is)					
Temecula Creek	23	235	936	959	0	959	719	240
Above Aguanga GWA	(Quiet Oaks MHP)							
Aguanga GWA	541	393	1,287	1,828	427	2,255	1,659	596
	(Outdoor Resorts, Cottonwood Eleme	•						
Upper Murrieta Creek	0	0	0	0	0	0	0	0
(Warm Springs Creek above	7S/3W-14)							
Lower Murrieta Creek	0	310	44	44	100	144	100	44
(Santa Gertrudis/Tucalota Cr		8						
Includes FPUD Diversion from	m Lake Skinner)							
Murrieta-Temecula GWA	26,596	736	809	27,405	0	27,405	20,554	6,851
	(RCWD**, WMWD EMWD, Pechanga	•	n),					
Santa Margarita River Be	low the Gorge							
DeLuz Creek	0	325	457	457	39	496	369	127
Sandia Creek	0	66	129	129	0	129	97	32
Rainbow Creek	0	0	0	0	0	0	0	0
Santa Margarita River	4,690 (USMC)	20	4	4,694	41	4,735	1,393	468
TOTAL	32,309	2,534	4,983	37,292	; 613 [']	^{4/} 37,905	26,227	8,804

^{1/} Estimated consumptive use is equal to 75% of Total Groundwater Production plus 75% of Surface Diversions less 10% (CU = .75{GW + .90 * SW}).

^{2/} Camp Pendleton consumptive use and return flow calculated for portion of production used within Santa Margarita River Watershed. Portion of production used within Watershed for 2014-15 equals 1,816 AF.

^{3/} Includes lands overlying deep aquifer in Anza Valley.

^{4/} Includes surface water diversion for irrigation, commercial and domestic use.

Data taken from Appendix C.

^{**} RCWD pumped an additional 251 AF that was exported to the San Mateo Watershed and an additional 207 AF pumped directly into recycled water system.

4.3 Water Levels


Water levels in selected wells in the Watershed are measured periodically by various entities. Historical water levels in five wells at various locations in the Watershed are shown in this report on Figures 4.1, 4.2, 4.3, 4.4, 4.5 and 4.6.

Figure 4.1 shows water levels in Well No. 8S/2W-12H1 (Windmill Well) located in the Rancho California WD service area downstream from Vail Lake. Note the extended drawdown from 1945 to 1978, the major recoveries during the wet years in 1980 and 1993, and the effect of relatively dry years after 1980 and after 1993. Water levels declined by 4.9 feet between September 30, 2014 and September 30, 2015. It should be noted that the Windmill Well is located in Pauba Valley about 1.5 miles downslope from the Valle de los Caballos (VDC) recharge area, where releases from Vail Lake as well as imported water are recharged. In Water Year 2014-15, 12,248 acre feet of imported water were recharged in the VDC of which 100 percent was recovered in the same year. As shown on Appendix Table A-7, an additional 83 acre feet of previously recharged import water was recovered from groundwater storage in Water Year 2014-15.

Figure 4.1

WATER LEVEL ELEVATIONS

8S/2W-12H1 - RCWD WINDMILL WELL NO. 417




Collar El. 1216.7 Feet; Depth 515 Feet; Drilled in Alluvium

Ref: RCWD reports (1920-2015)

Figure 4.2 shows water levels at Camp Pendleton in Well No. 10S/4W-7J1, a monitoring well located in the Upper Sub-basin. Fluctuations in recent years illustrate recharge during the winter months and drawdown each summer, with the water levels ranging from approximately 79 to 91 feet in elevation. Water levels in Well 7J1 rose 1.4 feet in the period between September 2014 and September 2015.

Figure 4.2

WATER LEVEL ELEVATIONS 10S/4W-7J1 - CAMP PENDLETON *



Ground El. 91.4 Feet; Depth 141 Feet; Perf. Unknown; Drilled in Alluvium Camp Pendleton Records


^{*} Data shown for Well No. 10S/4W-7J1 except for period October 1999 through September 2007 data shown for Well No. 10S/4W-7J4.

Figure 4.3 shows water levels from Holiday Well No. 7S/3W-20C9 in the Murrieta Division service area of Western MWD. The Holiday Well was used as a production well until February 2006, but now is used only as a monitoring well. Water levels in this well declined by two feet between September 30, 2014 and February 28, 2015. It is noted for Water Year 2015, water level measurements for Holiday Well were only taken in January and February 2015.

Figure 4.3

WATER LEVEL ELEVATIONS

7S/3W-20C9 - WMWD HOLIDAY WELL^{1/}




Ground El. 1090 Feet; Depth 307 Feet; Perf. 60 - 307 Feet Western Municipal Water District

1/ Water level measurements were taken only in January and February 2015.

Figure 4.4 shows water levels for Well No. 7S/3E-21G1, Anza Mutual Water Company Well No. 1, a production well located in the Anza Valley. Water levels in this well rose by seven feet between September 30, 2014 and September 30, 2015. As may be noted from Figure 4.4, recent measurements show annual 50 foot fluctuations in groundwater levels at this well, partly in response to the operation of nearby irrigation wells.

Figure 4.4

WATER LEVEL ELEVATIONS
7S/3E-21G1 - ANZA MUTUAL WATER COMPANY WELL NO. 1




¹ Static water levels plotted after April 1999 Ground El. 3862.6 Feet; Depth 260 Feet; Perf. 20 - 260 Feet; Drilled in Alluvium Anza Mutual Water Co. Well No. 1 (1987-2015); DWR Bulletin 91-22 (1950-73)

Figure 4.5 shows water levels at Well No. 8S/2W-29G1, located in Wolf Valley on the Kelsey Tract of the Pechanga Indian Reservation. The well is not used for water production. Water levels collected since 1925 reflect unconfined groundwater levels. As shown on Figure 4.5, the groundwater levels have fluctuated within an approximate 40 foot range above and below elevation 1,050 feet in response to wet years and dry periods until recently. In November 2004, this well went dry due to the preceding relatively dry hydrological conditions and pumping of the nearby New Kelsey Well on the Pechanga Reservation. In order to continue to monitor water levels on the Pechanga Indian Reservation, water levels for Well No. 8S/2W-29B9 are also shown on Figure 4.5. Well No. 8S/2W-29B9 is completed in the younger alluvium. As shown on Figure 4.5, water levels for Well No. 8S/2W-29B9 coincide with water levels for the common period of record for Well No. 8S/2W-29G1. Water levels in Well 8S/2W-29B9 declined by 1.2 feet in 2014-15.

Figure 4.5

WATER LEVEL ELEVATIONS

PECHANGA INDIAN RESERVATION WELLS




8S/2W-29G1: Ground El. 1091.1 Feet; Depth 159.1 Feet 8S/2W-29B9: Ground El. 1075.93 Feet; Depth 113.0 Feet

U.S. Geological Survey Records

Figure 4.6 shows water levels for Well No. 6S/2W-9K, Metropolitan Water District Monitoring Well No. MO-6, located in the Domenigoni Valley. Water levels in this well rose by 4.5 feet between September 30, 2014 and September 30, 2015.

Figure 4.6

WATER LEVEL ELEVATIONS 6S/2W-9K - MWD MONITORING WELL NO. MO-6



Ground El. 1445.8 Feet; Depth 115 Feet; Perf. 30.5 - 110 Feet; Drilled in Alluvium Metropolitan Water District of Southern California

Changes in water levels in the above noted wells between the end of the previous water year and the end of the 2014-15 Water Year are shown below:

<u>Well</u>	Water Elevation 2014 <u>Feet</u>	Water Elevation 2015 <u>Feet</u>	Chang Water L <u>Fe</u> e	.evel
DOME 00/0/4/4014	4.400.0	4 404 4	Davis	4.0
RCWD 8S/2W-12H1	1,106.3	1,101.4	Down	4.9
USMC 10S/4W-7J1	*84.3	85.7	Up	1.4
WMWD 7S/3W-20C9	1,029.0	**1,027.0	Down	2.0
Anza MWC 7S/3E-21G1	3,795.6	3,802.6	Up	7.0
Pechanga IR 8S/2W-29B9	971.4	970.2	Down	1.2
MWD 6S/2W-9K	1,366.2	1,370.7	Up	4.5

^{*} Revised

4.4. Groundwater Storage

Bulletin 118 Update 2003 prepared by the State of California Department of Water Resources describes three groundwater basins that are located entirely within the Santa Margarita River Watershed: Santa Margarita Valley, Temecula Valley, and Coahuila (Cahuilla) Valley. These basins are also known as the Santa Margarita Groundwater Basin, the Murrieta-Temecula Groundwater Basin, and the Anza Groundwater Basin. A fourth groundwater basin identified in Bulletin 118, the San Jacinto Groundwater Basin, is partially located within the Watershed. The portion of the San Jacinto Groundwater Basin located within the Watershed is known as the Domenigoni Sub-basin.

Groundwater storage in each of the Santa Margarita, Murrieta-Temecula, and Anza basins is described in this section. Information related to groundwater storage for the Domenigoni Sub-basin is currently under review.

4.4.1 Santa Margarita Groundwater Basin

The Santa Margarita Groundwater Basin is located along the Santa Margarita River at Camp Pendleton and includes three sub-basins: Upper, Chappo, and Ysidora. Useable groundwater storage is summarized on Table 4.2. Table 4.2 shows that the total combined storage for all the sub-basins between the depths of 5 and 100 feet is 48,100 acre feet. However, much of that storage is below sea level. Thus, the useable capacity is considered to be 28,700 acre feet as shown on Table 4.2. In 2014-15, useable groundwater storage in place was computed for all three sub-basins to be 26,257 acre feet. The useable storage in place for the three sub-basins amounted to 24,911 acre feet in 2013-14. Thus, there was an increase in groundwater storage in place of 1,346 acre feet for the water year. It may be noted that classification of storage as useable is made without allowances for maintenance of riparian habitat.

^{**} Water level measurements only taken in January and February 2015.

TABLE 4.2

SANTA MARGARITA RIVER WATERSHED

GROUNDWATER STORAGE AT CAMP PENDLETON

2014-15

Quantities in Acre Feet

		Sub-ba	asin	
I. Available Storage	Upper	Chappo	Ysidora	Total
A. Total Storage ^{1/}	12,500	27,000	8,600	48,100
B. Useable Storage	12,500	15,000 ^{2/}	1,200 ^{3,}	28,700
II. Unused Storage				
A. Wells used for Depth	10S/4W-7J1	10S/4W-18L1 4/	11S/5W-11D4	
B. Land Surface Elevation - Feet ^{5/}	91.4	R 75.9	18.8	pair Aug and
C. Depth to Water - Feet 6/	5.7	10.6	10.2	
D. Depth below 5 Feet	0.7	5.6	5.2	
E. Average Area - Acres 7/	840	2,500	1,060	an va sa an
F. Specific Yield 8/	0.216	0.130	0.090	
G. Unused Storage below 5 Feet	127	1,820	496	2,443
III. Useable Storage in Place 9/	12,373	13,180	704	26,257
IV. Useable Storage in Place 2013-14	12,119	12,117	675	24,911
V. Change in Storage 2014-15	254	1,063	29	1,346

^{1/} Computed by USGS (Worts, F. C., Jr. and Boss, R. F., Geology and Ground-Water Resources of Camp Pendleton, CA, July 1954) as the storage between depths of 5 and 100 feet.

^{2/} Storage between 5 foot depth and sea level.

^{3/} Storage between 5 foot depth and 10 feet above sea level.

^{4/} Well 10S/4W-18L1 was destroyed during 2012, depth to water extrapolated from measurements for Well 10S/5W-13G1.

^{5/} Reported by Camp Pendleton based on NAVD88 datum.

^{6/} Reported by Camp Pendleton as average values for month of September unless noted otherwise.

^{7/} Average area estimated over depth interval for unused storage.

^{8/} From Worts and Boss for depth interval of 5 to 50 feet.

^{9/} Useable storage includes stored water reserved for riparian habitat; however specific amount stored for such purposes not delineated.

4.4.2 Murrieta-Temecula Groundwater Basin

The Murrieta-Temecula Groundwater Basin is located along Murrieta and Temecula creeks in the Upper Santa Margarita River Watershed. Total groundwater storage at the end of Water Year 2001 was computed for each of 22 hydrologic sub-areas that make up the Groundwater Basin. These computations were based on the areal extent of each sub-area, the thickness of each of three aquifers, (younger alluvium, Pauba aquifer and Temecula aquifer), a specific yield for each aquifer, and the depth to water in each aquifer at the end of the water year. Specific yields were based on unconfined conditions for all aquifers. The total groundwater storage in the uppermost 500 feet as of September 30, 2001, was estimated at 1,340,556 acre feet.

Since 2001, annual changes in groundwater storage have been computed using two different methodologies for comparison; a water budget method and a groundwater level method.

The water budget method determines the change in storage as the difference between the major elements of inflow and outflow for the groundwater area. Table 4.3 shows the changes for Water Years 2011 through 2015. The change in groundwater storage for Water Year 2014-15, using the water budget method, is calculated as a decline of 13,400 acre feet. It is noted, the return flow from Rancho California WD groundwater production was revised in Water Year 2014-15 to subtract the groundwater pumped directly to the recycled water system from the calculation as reflected in Footnote 6. The revision was applied to previous water years and is reflected on Table 4.3.

The groundwater level method is based on the changes in water levels in key wells in hydrologic sub-areas. Changes in storage under the groundwater level method for Water Years 2011 through 2015 are shown on Table 4.4. The change in groundwater storage for Water Year 2014-15, using the groundwater level method, is calculated as a decline of 4,412 acre feet.

The foregoing two methods are based on independent measurements and estimates. The estimates from the two methods are generally comparable for the period 2001 through 2015. However, the estimates from the two methods for certain years indicate differences in the results. It will take testing over a number of years under varying hydrologic conditions to refine these approaches. Such testing may include comparing the estimates obtained from these two methods with values computed with the groundwater model that is used for implementation of the CWRMA between Camp Pendleton and Rancho California WD.

TABLE 4.3

SANTA MARGARITA RIVER WATERSHED CHANGES IN GROUNDWATER STORAGE

MURRIETA-TEMECULA GROUNDWATER BASIN

Water Budget Method Quantities in Acre Feet

Elements of Inflow		Wate	er Year Ending	1	
-	2011	2012	2013	2014	2015
Releases from Vail ^{1/}	3,732	901	3,259	811	773
Releases from Lake Skinner 2/	471	0	51	61	100
Freshwater Releases to Stream 3/	4,399	3,708	2,530	4,126	3,432
Reclaimed Water Released to Stream 4/	0	0	0	0	0
Recharged Imported Water 5/	13,873	14,643	11,395	12,069	12,248
Return Flow from RCWD Groundwater Production 6/	8,359 R	8,847 R	8,785 R	8,551 R	8,579
Return Flow from Import Direct Use 7/	2,668	3,015	3,457	3,920	2,268
Return Flow from Applied Wastewater 8/	1,391	1,288	1,349	1,399	1,314
Underflow and Tributary Inflow 9/	47,957	4,119	2,149	6,777	5,959
Subtotal	82,850 R	36,521 R	32,975 R	37,714 R	34,673
Elements of Outflow					
Riparian Evapotranspiration and Underflow 10/	508	508	508	508	508
Total RCWD Groundwater Production 11/	36,560	39,060	38,763	39,413	37,531
Net Pumping by Others 12/	2,002	2,138	2,277	2,226	2,044
Surface Outflow ^{13/}	36,922	6,737	4,220	8,959	7,990
Subtotal	75,992	48,443	45,768	51,106	48,073
Change in Groundwater Storage	6,858 R	(11,922) R	(12,793) R	(13,392) R	(13,400)

- 1/ Table 3.3, Total Releases.
- 2/ Section 5.4.
- 3/ Table A-7, SMR Release.
- 4/ Table A-7, Reclaimed Wastewater, Murrieta Creek Discharge (ceased October 18, 2002).
- 5/ Table A-7, Footnote 3.
- 6/ Table 7.8, Total Production minus releases to streams, minus pumped directly to recycled water system, multiplied by 0.23.
- 7/ Rancho Division Direct Use Imports, Table A-7 Footnote 3, multiplied by 0.23.
- 8/ The sum of: (Reclaimed Wastewater Table A-7, Reuse in SMRW) plus (Table A-1, Reuse in SMRW), multiplied by 0.23.
- Murrieta Creek at Temecula Flow times 1.6697 which is based on a correlation between Murrieta Creek at Temecula flow and Tributary Inflow, Areal Recharge and Subsurface Inflow for the period 1977-1998 as shown in Table II-10, Vol. II, Geology and Hydrology, Surface and Ground Water Model of the Murrieta-Temecula Ground Water Basin, California, dated January 31, 2003.
- 10/ Table II-10, Vol. II, Geology and Hydrology, Surface and Ground Water Model of the Murrieta-Temecula Ground Water Basin, California, dated January 31, 2003.
- 11/ Table 7.8 Total Production.
- 12/ The sum of Groundwater Production from: [Table A-1 (EMWD), A-5 (Pechanga IR), A-10 (WMWD Murieta Division, previously A-5), Appendix C, Murrieta-Temecula Groundwater Area], multiplied by 0.77.
- 13/ Table 3.2 Santa Margarita River near Temecula.
- R Revised.

TABLE 4.4

CHANGES IN GROUNDWATER STORAGE MURRIETA-TEMECULA GROUNDWATER BASIN SANTA MARGARITA RIVER WATERSHED Groundwater Level Method

iter Year	2014 2015	(42) (8)	(95) 27	(147) 57	472 (393)	(2,066) 1,053	654 137	(15) (3)	(56) 28	(36) 18	(117) 40	259 (175)	78 (53)	_	(357) (191)	(5.098) (1,479)	(457) (133)	546 (828)	24 (36)	425 (1,341)	(11)	(81) (37)	(167) 15	(952) (752)		(1,581) 1,142	(449) (834)	(10,477) (4,412)
Change in Storage in Water Year Acre Feet	2013	(47)	(127)	(26)	(4)	(723)	868	7	(16)	(11)	(23)	129	33	(618)	(197)	(1,323)	(119)	(3.935)	(173)	(88)	(3)	(32)	(78)	(577)	62	36	(513)	(7,564)
Change in S	2012	(18)	(91)	(84)	(341)	296	1130	80	25	36	149	(2,016)	(609)	(674)	(215)	(1,889)	(169)	(4,987)	(219)	(10)	(2)	(40)	(47)	(641)	(62)	(382)	(192)	(11,113)
	2011	(09)	51	59	(1,993)	1457	810	30	(6)	(9)	(30)	1510	456	222	71	1765	158	4149	182	62	(12)	(70)	(128)	(676)	(63)	(174)	321	(33) 8,049
	2015	(1.70)	1.41	2.32	(16.19)	24.98	1.26	(3.00)	0.41	0.41	5.40	(0.61)	(0.61)	(2.13)	(2.13)	(4.18)	(4.18)	(4.61)	(4.61)	(178.73)	0.20	(5.20)	2.01	(5.03)	(12.12)	4.79	(2.60)	1
_	2014	(8.50)	(2.00)	(5.92)	19.45	(48.98)	6.00	(17.00)	(0.82)	(0.82)	(15.72)	06.0	06'0	(3.99)	(3.99)	(14.41)	(14.41)	3.04	3.04	56.63	(2.20)	(11.50)	(23.17)	(6.37)	(15.55)	(6.63)	(1.40)	1
Change in Depth Feet	2013	(9.60)	(6.65)	(3.91)	(0.17)	(17.15)	7.96	99'.2	(0.24)	(0.24)	(3.08)	0.45	0.45	(2.20)	(2.20)	(3.74)	(3.74)	(21.91)	(21.91)	(11.40)	(0.60)	(4.90)	(10.84)	(3.86)	10.96	0.15	(1.60)	1
Cha	2012	(3.69)	(4.75)	(3.39)	(14.04)	22.93	10.36	9.34	0.81	0.81	20.00	(7.01)	(7.01)	(2.40)	(2.40)	(5.34)	(5.34)	(27.77)	(27.77)	(1.30)	(1.10)	(5.70)	(6.51)	(4.29)	(11.00)	(4.13)	(0.60)	(2.00)
	2011	(12.11)	2.67	2.40	(82.07)	34.54	7.43	35.00	(0.13)	(0.13)	(4.04)	5.25	5.25	0.79	0.79	4.99	4.99	23.10	23.10	8.30	(2.50)	(9.90)	(17.65)	(4.52)	(11.22)	(0.73)	1.00	(1.00)
.	2015	235.20	40.99	37.12	172.06	103.20	63.54	121.00	28.44	28.44	331.40	39.31	39.31	73.32	73.32	115.33	115.33	78.73	78.73	543.30	332.20	548.90	568.90	245.51	352.93	281.33	90.09	30.00
Water Depth at End of Water Year Feet	2014	233.50	42.40	39.44	155.87	128.18	64.80	118.00	28.85	28.85	336.80	38.70	38.70	71.19	71.19	111.15	111.15	74.12	74.12	364.57	332.40	543.70	570.91	240.48	340.81	286.12	57.40	*
at End of Feet	2013	225.00	37.40	33.52	175.32	79.20	70.80	101.00	28.03	28.03	321.08	39.60	39.60	67.20	67.20	96.74	96.74	77.16	77.16	421.20	330.20	532.20	547.74	234.11	325.26	279.49	56.00	:
ater Depth	2012	215.40	30.75	29.61	175.15	62.05	78.76	108.66	27.79	27.79	318.00	40.05	40.05	65.00	65.00	93.00	93.00	55.25	55.25	409.80	329.60	527.30	536.90	230.25	336.22	279.64	54.40	77.00
≯	2011	211.71	26.00	26.22	161.11	84.98	89.12	118.00	28.60	28.60	338.00	33.04	33.04	62.60	62.60	87.66	87.66	27.48	27.48	408.50	328.50	521.60	530.39	225.96	325.22	275.51	53.80	72.00
	Aquifer Area Acres	1371	479	802	694	1322	1562	719	339	496	2066	1438	1165	1405	1413	1769	752	868	398	2084	1347	1967	2008	1546	1562	3231	2303	1008
		2/			7	3/												4	4			%						7
	Key Well	510	439	146	101	102	495	211	492	492	410	426	426	422	422	417	417	484	484	462	464	209	139	129	466	493	463	Lynch
	Specific Yield/ Storativity	0.0036	0.0398	0.0309	0.0350	0.0319	0.0698	0.0012	0.20	0.0891	0.0036	0.20	0.0746	0.20	0.0634	0.20	0.0422	0.20	0.0198	0.0036	0.0036	0.0036	0.0036	0.0967	0.0036	0.0738	0.1392	0.0325
	Key Aquifer	Temecula	Pauba	Pauba	Pauba	Pauba	Pauba	Pauba	Qyai	Pauba	Temecula	Qyal	Pauba	Qyal	Pauba	Qyal	Pauba	Qyal	Pauba	Temecula	Temecula	Temecula	Temecula	Pauba	Temecula	Pauba	Pauba	Pauba
	Sub-area	←	7	ю	4	S	9	7	œ		თ	10		=		12		13		4	15	16	17	18	19	20	21	* TOTAL

Well not measured for year with dashes; Sub-area excluded for change in storage calculation for years with no measurement.
 Key Well 101 designated for Sub-area 4 in Year 2011; previously Well 401 designated as the Key Well.
 Key Well 102 designated for Sub-area 5 in Year 2011; previously Well 414 designated as the Key Well.
 Key Well 510 for Sub-area 1 in Year 2012; previously Well 414 designated as the Key Well.
 Key Well 500 for Sub-area 1 renamed in Year 2012; previously the well was named as Well 2031.
 Key Well 509 for Sub-area 16 renamed in Year 2012; previously the well was named as Well 203.
 Sub-area is located within Murrieta Division of Western MWD; Sub-areas 1 through 21 are located in Rancho California WD.
 No water level data for the Lynch Well was provided by Western Municipal Water District for Water Years 2012-13 and 2013-14, due to incorrect groundwater level readings.

4.4.3 Anza Groundwater Basin

The Anza Groundwater Basin is located along Cahuilla Creek in the upper portion of the Santa Margarita River Watershed.

The most recent study that determined storage volumes was conducted by Riverside County in 1990. That study concluded that the groundwater storage of about 182,200 acre feet in 1950 had decreased to about 165,000 acre feet in 1986. The study also concluded that ". . . basin hydrogeologic features, production facilities' conditions, and locations/depths of storage . . ." limited the useable portion to 40% of the groundwater storage or about 56,200 acre feet in 1986.

During Water Years 2005 through 2009, groundwater level measurements were made by the USGS in Anza Valley under contract with the Bureau of Indian Affairs. In 2013, the USGS resumed groundwater level measurements as part of a study on behalf of the High Country Conservancy as the Local Project Sponsor under a California Department of Water Resources Integrated Regional Water Management (IRWM) Planning Grant. Rancho California WD is the managing agency for the Upper Santa Margarita Watershed IRWM Planning Region and contracted with the USGS to conduct the groundwater level measurements. The results of the recent USGS study are published in the report Aquifer Geometry, Lithology, and Water Levels in the Anza-Terwilliger Area – 2013, Riverside and San Diego Counties, California, USGS Scientific Investigation Report 2015-5131. The data from available the USGS website: these measurements are at http://nwis.waterdata.usgs.gov/ca/nwis/gwlevels.

The wells included in the program can be located by selecting the latitude-longitude box selection criteria and specifying the following bounds:

North Latitude - 33° 37' 00" South Latitude - 33° 30' 00" West Longitude - 116° 48' 00" East Longitude - 116° 38' 00"

SECTION 5 - IMPORTS/EXPORTS

5.1 General

Court Orders require the Watermaster to determine the quantities of imported water used in the Watershed. Most of the water imported into the Santa Margarita River Watershed is delivered by Metropolitan Water District of Southern California (MWD) to local districts. MWD obtains its water from the State Water Project (SWP) and the Colorado River. Both the SWP and the Colorado River system have major storage reservoirs to provide long-term carryover storage. The quantities of water in storage at the end of the water year in the major reservoirs in each system are indicated on Table 5.1. Total storage in the SWP for the last ten years is shown graphically on Figure 5.1. Similarly, total storage for the Colorado River Reservoirs for the last ten years is shown on Figure 5.2. It may be seen from Table 5.1 that during Water Year 2014-15, water in storage in the SWP increased from 1.69 million acre feet on September 30, 2014, to 1.78 million acre feet on September 30, 2015. Storage on September 30, 2015 corresponds to about 34 percent of the total SWP storage capacity.

Water in storage in the Colorado River system increased slightly from 29.6 million acre feet on September 30, 2014 to 29.9 million acre feet on September 30, 2015. On September 30, 2015, those reservoirs contained 46 percent of their total combined capacity.

The California Department of Water Resources prepares projections of water availability in the SWP for the coming year (2016) on a monthly basis from February through May. The report DWR Bulletin 120-4-16 dated May 1, 2016, indicated that statewide precipitation October 1 through April 30, 2016 was 110 percent of average compared to 70 percent last year. As of May 1, 2016, the SWP allocation for 2016 will meet sixty percent of contractors' requests.

The following entities imported water directly or indirectly from MWD into the Santa Margarita River Watershed:

Eastern Municipal Water District
Elsinore Valley Municipal Water District
Fallbrook Public Utility District
Rainbow Municipal Water District
Rancho California Water District
U. S. Naval Weapons Station – Fallbrook Annex
Western Municipal Water District

TABLE 5.1

SANTA MARGARITA RIVER WATERSHED

STORAGE IN STATE WATER PROJECT AND COLORADO RIVER RESERVOIRS

Thousands of Acre Feet 1/

STATE WATER PROJECT RESERVOIRS

		SIAI	EVVAIE	RPRUJ	EUIKE	SERVUII	7.5			A	
Reservoir	Total Capacity	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Oroville	3,540	2,833	1,568	1,097	1,337	1,755	3,045	1,977	1,633	1,076	1,057
San Luis (State Share)	1,060	911	445	200	224	415	874	389	283	214	324
Pyramid	171	163	166	163	166	164	164	169	167	168	168
Castaic	324	266	313	268	200	260	284	264	285	108	114
Silverwood	73	72	73	71	70	70	71	71	72	71	68
Perris	132	72	66	69	62	61	66	72	73	55	47
Total	5,300	4,317	2,631	1,868	2,059	2,725	4,504	2,942	2,513	1,692	1,778
Percent of Capa	acity	81%	50%	35%	39%	51%	85%	56%	47%	32%	34%
		MAJO	R COLO	RADO F	IVER RI	ESERVO	IRS				
Reservoir	Total Capacity	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Flaming Gorge	3,789	3,130	3,063	3,024	3,394	3,154	3,467	3,030	2,818	3,284	3,450
Blue Mesa	941	667	687	650	651	609	699	340	348	599	726
Navajo	1,709	1,420	1,510	1,319	1,314	1,412	1,327	1,035	933	1,081	1,392
Powell	27,000	11,917	11,929	14,509	15,463	15,267	17,593	13,929	10,934	12,286	12,333
Mead	28,537	13,887	12,505	12,013	10,933	10,092	12,977	13,135	12,362	10,121	9,854
Mohave	1,818	1,584	1,545	1,586	1,501	1,575	1,610	1,606	1,624	1,645	1,606
Havasu	648	555	576	584	564	560	585	561	560	583	581

51%

49%

52%

Total

Percent of Capacity

52%

64,442 33,160 31,815 33,685 33,820 32,669 38,258 33,636 29,579 29,599 29,942

51%

59%

52%

46%

46%

46%

^{1/} Storage reported for end of water year on September 30.

Figure 5.1

STORAGE IN STATE WATER PROJECT
Water Years 2006 through 2015
Total Capacity is 5.3 Million Acre Feet





Figure 5.2

STORAGE IN COLORADO RIVER RESERVOIRS

Water Years 2006 through 2015

Total Capacity is 64.4 Million Acre Feet



In addition to net deliveries through member agencies, MWD, pursuant to a Court Order, imported 1,090 acre feet of water into the Santa Margarita River Watershed for irrigation of lands in Domenigoni Valley during 2014-15.

Water is also imported into the Santa Margarita River Watershed from adjacent watersheds. Such importation occurs from the Santa Ana Watershed where Elsinore Valley MWD delivers water to a portion of its service area that is inside the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from imports or from wells outside the Santa Margarita River Watershed.

At Camp Pendleton there is a pipeline connection to wells located in the Las Flores Creek Watershed to the north of the Santa Margarita River Watershed. Water can be either imported or exported through that line, depending on relative water demands and pumping capacities.

Exportations from the Santa Margarita River Watershed include water pumped at Camp Pendleton that is used in the San Luis Rey River Watershed to the south or in the Las Flores Creek Watershed to the north. The wastewater that is derived from the exported potable water is returned to the Watershed for treatment at the Southern Region Tertiary Treatment Plant. Recycled water is used for irrigation both within and outside the Watershed. Treated wastewater in excess of recycled use is exported for discharge at the Oceanside Outfall. Wastewater from the Fallbrook area and the Naval Weapons Station is exported by the Fallbrook Public Utility District and wastewater in the Elsinore Valley MWD is exported by Elsinore Valley MWD. Rancho California WD exports water into the San Mateo Creek Watershed.

Eastern MWD uses a 24-inch pipeline along Winchester Road to transport wastewater from the Temecula Valley Regional Water Reclamation Facility to areas within the Watershed for reuse as well as for export of up to 10 MGD from the Watershed. Eastern MWD uses a second, 48-inch pipeline along Palomar Valley for delivery of recycled water for reuse and export from the Watershed. Rancho California WD also delivers wastewater to the Palomar Pipeline under an agreement with Eastern MWD to provide coordinated operation of their respective wastewater systems and thus such wastewater originating from Rancho California WD can also be reused or exported through the operation of the Palomar Pipeline by Eastern MWD. The exported wastewater can be reused outside the Watershed, delivered to storage facilities or discharged to Temescal Creek. In 2014-15, Eastern MWD did not export wastewater for discharge to Temescal Creek. During 2014-15, Rancho California WD had no deliveries of wastewater to the Palomar Pipeline and thus no export of wastewater for discharge to Temescal Creek can be attributed to wastewater originating from Rancho California WD.

The following paragraphs of this report describe imports and exports during Water Year 2014-15 and during the period 1966 through 2015. A discussion of MWD's Lake Skinner and Diamond Valley Lake operations is also provided.

5.2 Water Year 2014-15

During Water Year 2014-15, a total of 62,677 acre feet of net imported supplies were distributed for use in the Watershed. This compares with 81,785 acre feet in 2013-14 and represents a decrease of approximately twenty three percent. The term net imports is used because several entities report gross imports into the Santa Margarita River Watershed but due to system configurations and operations, a portion of the gross imports may be transported to serve areas outside of the Watershed. Thus, the net imports reflect the quantities of imported supplies used within the Santa Margarita River Watershed. Net imports into the Watershed are listed on Table 5.2 for Water Year 2014-15.

The water exported from the Watershed for 2014-15 primarily includes wastewater except for Camp Pendleton and Rancho California WD. As described in Section 7, Camp Pendleton exports native water for use outside the Watershed. Also, Rancho California WD exports groundwater as part of a blended water supply to serve customers in the San Mateo Watershed. Exports from the Watershed for 2014-15 were 18,076 acre feet as shown on Table 5.2. This compares to 18,518 acre feet in 2013-14 and represents a decrease of about two percent.

The quality of the water supplies imported through the MWD system in 2014-15 is indicated by the average monthly total dissolved solids at the Skinner Treatment Plant effluent line as shown on Table 5.3. The table also shows the percent of imported water obtained from the SWP.

5.3 Water Years 1966 through 2015

Water quantities imported by districts into the Santa Margarita River Watershed during Water Years 1966 through 2015 are shown on Table 5.4. Total imports to these districts are measured; however some districts serve lands outside the Watershed. For these districts, which include Eastern MWD, Elsinore Valley MWD, Fallbrook PUD and Rainbow MWD, the portion delivered in the Santa Margarita River Watershed must be estimated.

Review of the historical trend of total imports shown on Table 5.4 indicates significant year-to-year variations with relatively low imports in wet years and higher imports in dry years, combined with an underlying growth rate to serve increasing municipal water demands in the Murrieta-Temecula area. In 2015, deliveries of imported water were reduced due to the extended drought conditions and State of California mandated conservation measures. As a result, imports in Water Year 2014-15 were at their lowest since Water Year 2001.

Exports over the period 1966 through 2015 are also shown on Table 5.4. These include estimated water exports on Camp Pendleton less estimated wastewater returns, as well as an estimate of exports by Fallbrook PUD and the Naval Weapons Station after 1983, and Elsinore Valley MWD after 1986. Exports by Eastern MWD were initiated in 1992-1993, and Rancho California WD began quantifying export of water in 2002-03. Exports do not include water that naturally flows from the Santa Margarita River into the Pacific Ocean.

TABLE 5.2

SANTA MARGARITA RIVER WATERSHED

IMPORTS/EXPORTS

2014-15

Quantities in Acre Feet

EXPORTS 3/

NET IMPORTS

TOTAL	724	1,553	1,667		1,705	1,535	1,625	1,409	1,556	1,435	1,415	1,337	1,308	18,076
1	ά	`	, ,		,	°	3	. 02	. 2	ნ		3	. 2	
RANCHO CAL WD 7/	c	30	· -		-	-	_	2	2	_	Ö	2	7	251
FALLBROOK	Ö	103	109		126	85	89	71	114	84	92	82	62	1,086
ELSINORE VALLEY MWD	4	107	113		112	104	112	107	114	107	114	103	122	1,328
EASTERN MWD 6/	Ogo	606	1,153		1,163	1,049	1,066	878	966	939	876	813	806	11,698
U.S. NAVAL WS	*	- c	·		0	0	~	0	0	0	0	0	0	ო
NET EXPORT	0,000	323	275		292	284	344	333	305	286	303	316	296	3,710
EXPORTS WASTEWATER 4/ 5/	Č	103	74		9/	86	105	108	87	83	26	100	84	1,127
EXPORTS V	1	477	349		368	370	449	441	392	369	400	416	380	4,837
TOTAL - NET IMPORTS ¹	226.6	7,700	2,705		3,018	3,374	4,572	6,209	5,005	6,015	5,761	6,801	6,167	62,677
WESTERN MWD 2/	r	9 6	1 —		2	2	က	2	2	က	က	က	ო	59
U.S. V NAVAL WS	•	1 △	- ო		က	ო	က	4	ო	4	4	4	2	44
RANCHO CAL WD	4	9,243	819		1,638	1,649	2,819	3,462	2,372	3,617	2,877	4,011	3,352	33,573
RAINBOW F	, 1	130	95		48	22	78	116	144	78	143	134	147	1,333
MURRIETA DIVISION F WESTERN MWD	0	30	28		61	20	48	71	52	98	61	86	29	820
MWD	90	24	<u>-</u> ო		16	36	80	134	90	153	137	147	112	1,090
FALLBROOK P	705	607	376		208	380	331	546	515	457	533	522	584	5,919
ELSINORE F VALLEY MWD	909	540	382		273	355	386	575	542	491	209	525	620	5,992
EASTERN E	600	1,093	957		692	842	824	1,299	1,285	1,126	1,396	1,357	1,277	13,877
YEAR	2014 OCT	2 5	DEC	2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL

^{1/} Metropolitan Water District direct deliveries in Domenigoni Valley as shown on Table A-4.

^{2/} Improvement District A - Rainbow Canyon Only (WR-13).

All exports are wastewater except as noted for Camp Pendleton and Rancho California WD.
 Agricultural and Camp Supply use outside the SMRW, recycled use outside the SMRW, plus export to Oceanside Outfall as shown on Table A-8.
 Estimated as recycled percentage of Camp Supply use outside the SMRW as shown on Table A-8.
 Includes Other Reuse shown on Table A-1, which includes changes of storage in Winchester and Sun City storage ponds, evaporation and percolation losses,

and discharges to Temescal Creek in the Santa Ana Watershed.

7/ Includes groundwater used in San Mateo Watershed and wastewater exported via Palomar Valley Pipeline. Wastewater exported via Palomar Valley Pipeline in 2014-15 was zero.

TABLE 5.3

SANTA MARGARITA RIVER WATERSHED

TOTAL DISSOLVED SOLIDS

CONCENTRATION OF IMPORTED WATER

YEAR MONTH	SOLID	ISSOLVED S MG/L 1/	PERCENT PROJECT 2/	WATER
	2013-14	<u>2014-15</u>	2013-14	<u>2014-15</u>
OCT NOV DEC	513 520 526	549 608 624	18 15 12	17 5 0
JAN FEB MAR APR MAY JUNE JULY AUG SEPT	560 576 538 574 574 493 411 451 551	628 639 605 629 590 507 561 648 662	10 0 15 6 8 32 55 46 25	0 0 0 6 17 40 25 6

^{1/} As measured in the Skinner Treatment Effluent line.

^{2/} Skinner Plant treated a blend of California State Project Water and Colorado River water.

TABLE 5.4

SANTA MARGARITA RIVER WATERSHED IMPORTS/EXPORTS Quantities in Acre Feet

NET IMPORTS

EXPORTS 5/

															C	2/			
	EASTERN	ELSINORE	FALLBROOK	MWD	MURRIETA	RAINBOW	RANCHO		WESTERN	TOTAL	CAM	CAMP PENDLETON		U. S.	EASTERN	111	FALLBROOK	RANCHO	TOTAL
YEAR	MWD	MWD	11	2/			3/ WD	WS	4 4 D	IMPORTS	EXPORTS	WASTEWATER RETURNS	NET EXPORT	NAVAL WS	MWD	WALLEY	PuD	CAL WD	EXPORTS
1966	1,604	N/R	3,351	J	0 (1,308	0	0	24	6,287	3,251	974	2,277	0	0	0	0	N.	2.277
1967	1,630	N/R	2,852	J	0 (1,095	0	0	50	5,597	3,180	1,243	1,937	0	0	0	0	Z Z	1,937
1968	1,464	N/R	3,423)	0 0	1,377	0	0	27	6,291	3,368	1,214	2,154	0	0	0	0	N/R	2,154
1969	1,741	N/R	2,837	J		1,253	0	0 E	22	5,856	3,276	1,170	2,106	0	0	0	0	N/R	2,106
1970	1,417	N/R	3,538	J		1,689	0	0	31	6,675	3,809	1,113	2,696	0	0	0	0	Z Z	2,696
1971	1,383	N/R	3,405	J		1,650	0	76 E	34	6,548	3,527	1,090	2,437	0	0	0	0	N/R	2.437
1972	1,470	N/R	3,916	J	0 0	2,037	0	115 E	34	7,572	3,543	1,168	2,375	0	0	0	0	Š	2,375
1973	1,533	N/R	3,210	J		1,616	0	115 E	30	6,504	3,544	1,187	2,357	0	0	0	0	N N	2.357
1974	1,601	N/R	3,967	0		2,049	0	115 E	36	7,768	3,532	1,140	2,392	0	0	0	0	N/R	2,392
1975	1,969	N/R	3,597	0	0	1,247	0	115 E	8	6,962	3,098	1,530	1,568	0	0	0	0	N/R	1.568
1976	2,493	N/R	4,627	0		2,239	119	115 E	35	9,628	3,619	1,497	2,122	0	0	0	0	N/R	2,122
1977	2,947	N/R	5,212	0		2,343	1,845	115 E	24	12,486	3,194	1,416	1,778	0	0	0	0	N/R	1,778
1978	2,551	269	5,202	0	0	2,188	5,774	115 E	56	16,425	3,071	1,283	1,788	0	0	0	0	N N	1,788
1979	1,894	712	5,723	0		2,348	2,009	115 E	24	17,824	4,756	1,427	3,329	0	0	0	0	N/R	3,329
1980	1,192	969	6,404	0		2,489	10,126	115 E	22	21,047	3,651	1,405	2,246	0	0	0	0	N/R	2,246
1981	716	798	8,543	0		3,153	15,282		34	28,642	3,892	1,249	2,643	0	0	0	0	N N	2,643
1982	1,112	678	7,079	0		2,460	13,378	115 E	34	24,856	3,761	1,273	2,488	0	0	0	0	N/R	2,488
1983	1,211	658	6,720	0		2,190	5,752		56	16,672	3,000	1,242	1,758		0	0	1,003	N/R	2,787
1984	669	816	8,506	0		3,068	6,716	115 E	56	19,946	3,243	1,120	2,123	26 E	0	0	1,032	N/R	3,181
1985	629	808	7,831	S		3,410	7,158	102	27	20,015	3,377	1,200	2,177	26 E	0	0	1,060	N/R	3,263
1986	760	882	8,585	0	0	2,945	11,174	94	34	24,474	3,326	981	2,345		0	0	1,096	N/R	3,457
1987	1,155	938	8,656	ပ	0	3,390	7,564	116	36	21,855	3,444	1,799	1,645	56	0	4	1,129	N/R	2,805
1988	2,047	1,032	8,033	ပ	0	2,985	17,854	120	36	32,108	3,457	1,872	1,585	56	0	22	1,154	N/R	2,820
1989	3,746	1,341	990'6	ပ	0	3,003	22,895	128	23	40,202	3,418	1,446	1,972	23	0	74	1,181	N/R	3,250
1990	5,601	2,255	10,103	ပ	0	3,818	22,030	145	22	43,974	2,971	1,451	1,520	27	0	114	1,271	N/R	2,932
1991	9,479	2,421	7,962	ပ	0	2,904	21,238	109	77	44,134	2,168	1,219	949	13	0	134	096	N/R	2,056
1992	8,593			ن	0	2,277	16,931	66 6	22	38,008	2,426	1,548	878	7	0	140	1,083	N/R	2,108
1993	5,393			۰	0	1,965	11,411	117	31	28,806	2,329	1,926	403	16	705	150	1,255	N N	2,529
1994	7,150			0 !		1,651	16,386	73	37	35,779	2,702	1,501	1,201	2	3,159	170	1,068	N N	5,603
1990	4,020			4 5		1,661	15,108	175	67 !	31,760	2,781	1,611	1,170	12	3,908	185	1,153	N N	6,428
1990	2 264	4,197 K	7,993	1,005	5	1,815	23,600	9	£ 6	43,705	3,577	1,493	2,084	က	2,993	213	1,035	Z :	6,330
1997	0,404			2,02.1		1,429	766,07	2 5	કે ટ	47,555	5,043	1,932	1,711	، م	3,201	977	1,021	¥ !	6,165
233	711,0	5,100	0,382	5,023	.	1,601	19,584	\ S \$		42,935	3,742	2,073	1,669	ωı	4,513	247	1,482	¥ ;	7,919
1999	4,327			0,'0		1,121	04,480	_ :	4	28,040	3,558	2,130	1,428	ဂ	4,133	427	1,377	Y	7,197
2000	7,256	7,174 R		712		2,217	55,409	1 04	45	82,279	4,072	2,115	1,957	7	3,649	279	1,419	S R	7,311
2001	5,948			689		1,804	41,823	23	26	62,009	3,653	2,075	1,578	œ	4,457	310	1,392	N N	7,745
2002	8,117	7,596	9,580	595		1,676	54,148	97	\$	81,873	3,701	1,950	1,751	თ	5,325	412	1,225	N N	8,722
2003	9,062	7,091	9,130	495		1,510	50,744	88	45	78,264	3,767	1,688	2,079	9	7,636	483	1,359	64	11,631
2004	9,138	8,438	11,749	766	(.,	1,888	62,408	73	20	94,840	4,951 6/	0	4,951	œ	9,115	009	1,329	312	16,315
2005	10,858	8,215	8,108	556		1,610	47,614	40	62	77,138	4,625 6/	0	4,625	16	11,676	927	1,417	1,574	20,235
2006	14,161	9,819	10,573	206		1,851	60,611	49	99	97,967		0	4,912	œ	10,906	938	1,395	1,379	19,538
2007	15,398	10,811	12,292	099	723	2,262	63,818	20	45	106,079	5,152 6/	0	5,152	12	10,553	837	891	364	17,809

TABLE 5.4

SANTA MARGARITA RIVER WATERSHED

IMPORTS/EXPORTS

Quantities in Acre Feet

NET IMPORTS

EXPORTS

19,635 18,547 18,268 18,797 18,898 18,325 18,518 18,518 TOTAL EXPORTS 361 367 318 302 284 289 289 289 251 RANCHO CAL WD 7/ FALLBROOK PUD 799 829 926 901 928 900 896 1,086 ELSINORE F VALLEY MWD 901 1,069 1,120 1,130 1,205 1,245 1,307 5 EASTERN MWD 12,789 12,027 11,829 12,381 12,550 11,775 11,744 T 7 7 8 8 8 9 8 9 8 4,243 4,068 4,075 3,923 4,113 4,276 3,710 NET EXPORT ----- CAMP PENDLETON ------WASTEWATER RETURNS 1,119 1,075 1,441 1,672 1,254 1,099 1,127 5,516 8/ 5,595 8/ 5,367 8/ 5,375 8/ 4,837 8/ 5,362 8/ 5,143 8/ EXPORTS 89,105 86,612 72,986 71,029 75,440 74,889 81,785 TOTAL WESTERN MWD 4/ 54 52 52 52 53 35 35 U.S. NAVAL WS 82 74 45 48 47 47 47 41,900 40,571 46,603 33,573 50,683 50,270 40,894 39,411 RANCHO CAL WD 3/ RAINBOW 1,790 1,852 1,453 1,492 1,892 1,713 1,732 1,333 MURRIETA DIVISION WESTERN MWD 2,180 1,654 1,462 1,642 1,371 1,365 1,407 820 493 607 385 336 466 892 1,074 MWD 75 8,920 8,557 7,183 6,234 7,254 7,357 7,578 5,919 FALLBROOK 를 > ELSINORE VALLEY MWD 9,951 9,075 7,926 7,425 7,398 7,158 7,413 5,992 EASTERN MWD 14,952 13,552 14,392 15,063 15,751 15,884 13,877 WATER YEAR 2008 2009 2010 2011 2012 2013 2014

For period 2003 to present, values shown are net imports excluding imported water delivered to San Mateo Watershed.

	٠
	:
n Only (WR-13).	(
≥	
$\frac{1}{2}$	•
Ō	٠
~	•
ö	,
t District A - Rainbow Canyon	
۸ - Raiı	
District /	
Improvement	
Ē	

 ^{4/} Improvement District A - Rainbow Canyon Only (WR-13).
 5/ All exports are wastewater except as noted for Camp Pendleton and Rancho Cal WD.
 6/ Includes export of native water plus wastewater from in-basin use.
 7/ Includes groundwater used in San Mateo Watershed and wastewater exported to Sant 8/ Includes export of native water plus recycled water.

Includes DeLuz Heights MWD prior to 1991.

^{2/} Metropolitan Water District direct deliveries in Domenigoni Valley plus miscellaneous maintenance releases beginning 2009.

Includes groundwater used in San Mateo Watershed and wastewater exported to Santa Ana Watershed.

N/R - Not Reported P - Partial year data E - Estimate R - Revised

5.4 Lake Skinner

Lake Skinner is a 44,000 acre foot reservoir constructed by MWD on Tucalota Creek, within the Santa Margarita River Watershed. The purpose of Lake Skinner is to provide regulatory and emergency storage capacity for water imported to southern California. MWD does not have a water right to store or divert local water in Lake Skinner. Accordingly, a Memorandum of Understanding and Agreement on Operation of Lake Skinner (MOU), dated November 12, 1974, approved by the Court on January 16, 1975, contains provisions to protect Santa Margarita River Watershed water users from potential effects of Lake Skinner on either subsurface or surface flows.

Protection against a decrease in subsurface flows caused by the dam is afforded by a provision in the MOU that requires MWD release water from Lake Skinner into Tucalota Creek if groundwater levels in Well AV-28B fall below an elevation of 1356.64 feet. During Water Year 2014-15, MWD released 41 acre feet for the specific purpose of groundwater replenishment to ensure the groundwater elevation in Well AV-28B was maintained above the indicated threshold elevation. For comparison purposes, the groundwater elevation was 1,356.70 feet on September 25, 2015, an increase of 0.75 feet compared to 1,357.45 feet on September 26, 2014.

In addition, operations at Lake Skinner periodically require miscellaneous maintenance releases from Lake Skinner into Tucalota Creek that also replenish groundwater levels. In 2014-15, MWD released an additional 58.50 acre feet of maintenance releases from Lake Skinner into Tucalota Creek. Also MWD periodically makes maintenance releases from various points throughout the MWD distribution system. In 2014-15, MWD discharged 143.35 acre feet of maintenance releases from the distribution system.

The MOU also provides that all local surface inflow that enters Lake Skinner will be released into Tucalota Creek. In its 1980 modification, the MOU provides that local surface inflow is to be determined by using the hydrologic equation for Lake Skinner that is specified in the MOU. That equation is used to determine inflow and the related release for large flood events. However, in many years the local inflow is small compared to the large quantities of imported water inflow and outflow at Lake Skinner. The error of measurement for these large inflows and outflows is larger than the local inflow in many instances. Accordingly, MWD also monitors the flow in Tucalota Creek, Rawson Creek and Middle Creek during storms and uses those observations to supplement the hydrologic equation.

On February 16, 2005, the Court approved an Order Amending the MOU to provide for diversion from Lake Skinner on Fallbrook PUD's behalf after specified releases are made, according to State Water Resource Control Board Permit 11356 and the amended Lake Skinner MOU. In 2014-15, MWD records show no local inflow to Lake Skinner and subsequently there were no required releases in accordance with the MOU. In 2014-15, no water was accumulated in Lake Skinner for diversion to Fallbrook PUD.

5.5 Diamond Valley Lake

Diamond Valley Lake is located in Diamond and Domenigoni Valleys within the Santa Margarita River Watershed. The lake was created by three dams, one each at the east and west ends of Domenigoni/Diamond Valley and a saddle dam at the low point on the north rim. The West Dam intercepts flows in the headwaters of Warm Springs Creek, a tributary of the Santa Margarita River through Murrieta Creek. The drainage area for the headwaters of Warm Springs Creek above the West Dam is 17.2 square miles.

MWD does not have a water right to store local waters in the reservoir, now known as Diamond Valley Lake, so a Memorandum of Understanding and Agreement on Operation of Domenigoni Valley Reservoir (MOU) was developed and approved by the Court on January 19, 1995. Among other things, the MOU provides:

The quantity and quality of surface runoff that would flow past the West Dam in the absence of the Reservoir will be determined and a like quantity of water of similar quality will be released from the Reservoir or San Diego Canal (SDC) into Warm Springs Creek.

The MOU specifies that the required releases into Warm Springs Creek will be determined by measuring the surface water inflows into Goodhart Canyon Detention Basin. The detention basin receives surface water inflows from Goodhart Creek, which is located in an adjoining watershed that is tributary to the Santa Ana River. The drainage area of Goodhart Creek upstream of the detention basin is 4.2 square miles. The rainfall-runoff characteristics of the Goodhart Creek drainage area were determined to be the same as the rainfall-runoff characteristics of the Warm Springs Creek headwaters above the West Dam. Thus the required releases into Warm Springs Creek are equal to 4.1 times the measured inflow into Goodhart Canyon Detention Basin, as determined as the ratio of the drainage areas for the respective watersheds.

The total required releases into Warm Springs Creek during 2014-15 were 1.543 acre feet.

Although all surface waters within the Santa Margarita River Watershed in Domenigoni Valley and Diamond Valley are subject to the continuing jurisdiction of the Court, groundwater contained within the alluvium, north of the south line of Section 9, Township 6 South, Range 2 West, SBM is not considered by the Court to be a part of the Santa Margarita River system as long as groundwater levels are below an elevation of 1400 feet. During 2014-15, groundwater elevations in Well MO-6, which is located along the south line of Section 9, rose 4.5 feet from 1,366.2 feet at the beginning of the water year to 1,370.7 feet on October 2, 2015.

During 2014-15, there were no injections into the Domenigoni Valley groundwater basin pursuant to Agreements for Mitigation of Groundwater. However, pursuant to a Court Order, MWD imported 1,090 acre feet of water into the Santa Margarita River Watershed for irrigation of lands in Domenigoni Valley. As previously noted, the groundwater in the Domenigoni Valley groundwater basin is outside this Court's jurisdiction when groundwater levels are below an elevation of 1400 feet.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 6 - WATER RIGHTS

6.1 General

The Santa Margarita River Watershed is adjudicated in accordance with the Modified Final Judgment and Decree filed on April 6, 1966, in the U.S. District Court, Southern District of California in U.S.A. v. Fallbrook Public Utility District, et al. Water is used in the Watershed under a variety of water rights, as more specifically described in the Interlocutory Judgments incorporated into the Modified Final Judgment and Decree, as primarily riparian rights and overlying rights. Riparian rights belong to owners of land parcels located adjacent to streams in the Watershed or overlying younger alluvium deposits generally along the stream channels. Overlying rights were divided by the Court into two categories based on the location where the water is obtained and used. Water extracted from lands where subsurface waters add to, contribute to and support the Santa Margarita River stream system was found to be subject to the continuing jurisdiction of the Court. Lands in this category were identified by the Court and listed in Interlocutory Judgments. In general, these parcels of land overlie younger or older alluvium deposits. The Court has stated that the issue of apportionment of water rights has not been presented to the Court, but the Court would litigate the apportionment if and when in the future it becomes necessary to do so.

The other category of overlying use applies to parcels of land where subsurface flows do not add to, contribute to or support the Santa Margarita River stream system. These parcels were also identified by the Court and found to be outside the continuing jurisdiction of the Court. In general, these lands overlie basement complex or residuum deposits.

The Court also described a number of other rights in the Watershed. These included surface water appropriative water rights that have been administered by the State of California since 1914. These rights are discussed in the following subsection of this report.

In Interlocutory Judgment No. 41, the Court found that the United States reserved rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Cahuilla, Pechanga and Ramona Indian Reservations, including rights to the use of groundwater, sufficient for the present and future needs of the Indians residing thereon. In Interlocutory Judgment No. 44, the Court recognized and reserved water rights for lands within the Cleveland and San Bernardino National Forests and for lands being administered pursuant to the Taylor Grazing Act.

Since the early 1960's, there have been substantial changes in water use in the Watershed, especially in the Murrieta-Temecula Groundwater Area. During the 1950's and early 1960's, when this case was under active litigation, most of the water use in the Murrieta-Temecula area consisted of individual property owners pumping water for use on their own properties. In 1965, the Rancho California WD was formed. The District developed Agency Agreements with most of the landowners within the District. In these Agency Agreements, the landowners "...without transferring any water rights and privileges pertaining to said land..." designated the District as their exclusive agent for the development and management of their water supply. Thus, many landowners within the

Rancho California WD are not exercising their overlying rights. Instead, Rancho California WD pumps groundwater and uses it throughout the District area as agent on behalf of the landowners.

The resulting change is that Rancho California WD presently produces groundwater in the Murrieta-Temecula Groundwater Area under a variety of rights: (1) recovery of water appropriated at Vail Lake, (2) recovery of import return flows and recharged imported water, (3) groundwater appropriative rights, and (4) as agent on behalf of the overlying landowners. Classification of Rancho California WD supplies into these various water right categories is discussed in Section 7 of this Report. Related to the change associated with Rancho California WD production is the increased production by Western MWD within its Murrieta Division. As discussed in Section 7 of this Report, all groundwater production in the Murrieta Division by Western MWD is classified as production from the older alluvium under a groundwater appropriative right.

Another change from the early 1960's is the large scale importation of water into the Santa Margarita River Watershed by Rancho California WD. A portion of such importation finds its way into the groundwater aquifers. The legal status of return flows from imported supplies as well as direct recharge of imported water was clarified by the final judgment in *City of Los Angeles v. City of San Fernando*, *et al.*, 1975 14 Cal.3rd 199. This decision in the Supreme Court of the State of California made two major findings with respect to imported water.

The first was that agencies have the right to recharge and store imported water in a groundwater basin and to extract the imported water for use, subject to applicable state and federal laws. In addition, agencies that import and deliver water to lands overlying a groundwater basin have a continuing right to extract the return flow from such water. The return flow is that portion of the imported supply that percolates into the groundwater basin. In the San Fernando case this portion was found to range from 20 percent to 35.7 percent of the imported supplies.

The Rancho Division of the Rancho California WD overlies the Murrieta-Temecula Groundwater Area. Thus a portion of the import supply delivered to the Rancho Division of Rancho California WD percolates into the underlying aquifers. Imported water is also supplied to the Santa Rosa Division within Rancho California WD, however only a relatively small part of this division overlies the Murrieta-Temecula Groundwater Area. Thus there is less imported water return flow from the Santa Rosa Division.

Camp Pendleton representatives contend that the Court has jurisdiction over imported water to the full extent that imported water, as well as its use, its returns and its products, affects in any significant manner the water rights within the Watershed over which the Court has traditionally asserted its jurisdiction. Other parties dispute the Court's jurisdiction over imported water.

6.2 <u>Appropriative Surface Water Rights</u>

Another broad category of water rights used in the Watershed is surface water appropriative rights. Since 1914, these rights have been administered by the State Water Resources Control Board (SWRCB).

A list of current permits, licenses and other active rights obtained from the SWRCB is shown on Table 6.1. A permit by the SWRCB authorizes water diversion, sets terms for the water project's completion and development of water use, and may impose other conditions. After the permittee demonstrates that construction is complete, water is being put to use and the permit conditions have been met, the SWRCB can issue a license. The license remains in effect as long as the license conditions are met and the water is put to beneficial use.

Active direct diversion rights and storage rights from creeks in the Watershed are summarized below:

	Direct Diversions Gallons Per Day	Storage <u>Acre Feet</u>
Cahuilla Valley	720	5
Cottonwood Creek	485,000	60
Cutca Creek	5,825	
DeLuz Creek	4,700	100
Fern Creek	213,000	100
Kohler Canyon	158,000	40
Long Canyon Spring	89	
Rainbow Creek		0.5
Rattlesnake Canyon	12,000	w w w
Temecula Creek	13,050	40,000
Tucalota Creek		10,000
Sandia Canyon		8
Sourdough Spring	55	
Santa Margarita River	96,730	4,000
Nelson Creek	1,550	
TOTAL	990,719	54,313.5

These direct diversion rights of 990,719 gallons per day correspond to 1.53 cfs or 3.04 acre feet per day.

TABLE 6.1

SANTA MARGARITA RIVER WATERSHED

APPROPRIATIVE WATER RIGHTS

PERMITS AND LICENSES

APPLICATION I.D.	OWNER	FILING DATE	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE	STATUS
A006629	William H. & Sandra J. Cyrus	4/9/30	Coahuila Valley	Sec. 4, 7S, 3E	DD-720 gpd	D	License
A007035	Nyla Lawler Trust	8/10/31	Cutca Creek	Sec. 29, 9S, 1E	DD-5725 gpd	D/I	License
A009137	Hill Springs Farms, LLC	10/07/37	Temecula Creek	Sec. 12, 9S, 1E	DD-400 gpd	D	License
A009291	Richard W. Long	5/13/38	Nelson Creek	Sec. 23, 8S, 5W	DD-1550 gpd	D	License
A010806	James R., Phyllis & Bruce Grammer	4/22/44	Temecula Creek	Sec. 34, 9S, 2E	DD-2880 gpd	D	License
A011161	Roy C. Pursche & Barbara Booth	9/26/45	Rattlesnake Canyon	Sec. 28, 9S, 2E	DD-12,000 gpd	D/I	License
A011518	Rancho California Water District	8/16/46	Temecula Creek	Sec. 10, 8S, 1W	ST-40,000 AF	D/I/IN/M/R	Permit
A011587 1/	U. S. Bureau of Reclamation	10/11/46	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D/I/M	Permit
A012178	Fallbrook Public Utility District	11/28/47	Tucalota Creek	Sec. 3, 7S, 2W	ST-10,000 AF	D/I/M	Permit
A012179 1/	U. S. Bureau of Reclamation	11/28/47	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF	D/I/M	Permit
A013505	Robert R. Baum	12/12/49	Cottonwood Creek	Sec. 30, 8S, 4W		R/S	License
A017239	Nancy A. Wiley	8/15/56	Temecula Creek	Sec. 20, 9S, 2E	DD-120 gpd	D/E	License
A020507	Robert R. Baum	11/24/61	Cottonwood Creek	Sec. 19, 8S, 4W Sec. 30, 8S, 4W	ST-18 AF	1/R	License
A020608	Pete and Dorothy Prestininzi	2/13/62	DeLuz Creek	Sec. 20, 8S, 4W	ST-100 AF	D/I/R	License
A020742	U. S. Cleveland National Forest	4/24/62	Sourdough Spring	Sec. 25, 9S, 1E	DD-55 gpd	E	License
A021074	U. S. Cleveland National Forest	12/07/62	Cutca Spring	Sec. 17, 9S, 1E	DD-100 gpd	S/W	License
A021471A	U. S. Department of Navy	9/23/63	Santa Margarita River	Sec. 5, 10S, 4W Sec. 2, 11S, 5W	ST-4,000 AF	D/I/M/Z	License
A021471B 1/	U. S. Bureau of Reclamation	9/23/63	Santa Margarita River	Sec. 32, 9S, 4W	ST-165,000 AF	D/I/M/Z	Permit
A027756	James R. Grammer	5/23/83	Temecula Creek	Sec. 3, 10S, 2E	DD-9,650 gpd	I/W	License
A028133	B&E Inv., Inc.	5/14/84	Cahuilla Creek	Sec. 15, 8S, 2E	ST-5AF	E/H/I/R/S	Permit
			OTHER RIGHTS				
F005751S*	U. S. Cleveland National Forest	1/01/70	Long Canyon Spring	Sec. 16, 9S, 1E	DD-89 gpd	E/R/S/W	
S000024**	Judge Dial Perkins	12/26/86	Santa Margarita River	Sec. 12, 9S, 4W	•	D	
S000751**	Lawrence Butler	5/31/67	Fern Creek	Sec. 31, 8S, 4W	DD-0.33 cfs ST-100 AF	I	
S011411**	Agri Empire, Inc.	5/16/84	Kohler Canyon	Sec. 33, 9S, 2E	DD-0.245 cfs ST-40 AF	I/S	
S012235**	Lenny F. Kuszmaul	8/27/85	DeLuz Creek	Sec. 4, 9S, 4W	DD-4700 gpd	D/I	
S014009**	San Diego State University	6/7/93	Santa Margarita River	Sec. 27, 8S, 3W	DD-0.15 cfs	D/I/Z	
001583***	George F. Yackey	12/27/77	Sandia Canyon	Sec. 25, 8S, 4W	ST-8.0 AF	S	
002380***	Chris R. & Jeanette L. Duarte	12/16/77	Rainbow Creek	Sec. 12, 9S, 3W	ST-0.5 AF	S	
KEY TO USE:	DD - Direct Diversion D - Dom	estic	R - Recreation E - F	Fire Protection	H - Fish Cult	ure	
	ST - Diversion to Storage I - Irrigat			Stockwatering	Z - Other		
	IN - Industrial		W - Fish & Wildlife Pro	tection and/or Enh			
NOTES:	* Federal Filing	** Statem	ent of Diversion and Use	e	*** Stock Filing		

^{1/} These three water rights (A011587, A012179, and A021471B) were assigned to the U.S. Bureau of Reclamation by Fallbrook Public Utility District and the Department of the Navy in 1974 for purposes of developing the Santa Margarita River Project for the benefit of Fallbrook Public Utility District and the Department of the Navy Marine Corps Base Camp Pendleton.

Storage rights shown in Table 6.1 include 185,000 acre feet of storage rights on the Santa Margarita River held by the U. S. Bureau of Reclamation that have not been exercised. These three water rights (A011587, A012179, and A021471B) were assigned to the U.S. Bureau of Reclamation by Fallbrook Public Utility District and the Department of the Navy in 1974 for purposes of developing the Santa Margarita River Project for the benefit of Fallbrook Public Utility District and Department of the Navy Marine Corps Base, Camp Pendleton. The deadline for exercising these rights is currently set at December 31, 2008. On November 14, 2008, the U. S. Bureau of Reclamation filed petitions for time extensions for completion of beneficial use under the three permits. On September 14, 2009, change petitions were filed to amend the permits to conform to the Santa Margarita Conjunctive Use Project being developed jointly by the U. S. Bureau of Reclamation, Department of the Navy Marine Corps Base, Camp Pendleton, and Fallbrook Public Utility District. Those extension and change petitions have been accepted and in accordance with SWRCB Order 2009-0063-EXEC they are under consideration in tandem.

Table 6.1 also lists other rights recognized by the SWRCB. These rights generally are based on Statements of Water Diversion and Use that have been filed with the SWRCB. Such statements include one by the United States on behalf of the Cleveland National Forest, which states that the diversion and use of water from Long Canyon Spring is made pursuant to a withdrawal and reservation of the land and resources for National Forest System purposes as of February 14, 1907.

Besides the federal filing, there are also Statements of Water Diversion and Use filed by other entities. Four of these statements represent riparian or pre-1914 appropriative diversions from DeLuz Creek, Fern Creek and Santa Margarita River that have been reported to the SWRCB. The other statement represents a pre-1914 appropriative right to divert water from a spring in Kohler Canyon into a 40 acre foot reservoir.

The last two rights noted on Table 6.1 represent filings made in 1977 pursuant to Subchapter 2.5 to Chapter 3 of Title 23 of the California Code of Regulations. That subchapter deals with Water Rights for Stockponds.

In addition to appropriative rights under SWRCB jurisdiction, there are a number of non-statutory appropriative rights that were established prior to 1914. These rights continue to be used to support diversions of water from the Santa Margarita River stream system. Such rights, which are listed in the various Interlocutory Orders developed in this litigation, are shown on Table 6.2.

On November 19, 1998, the SWRCB adopted Order No. 98-08 entitled "Order Revising Declaration of Fully Appropriated Stream Systems" to revise its prior Order Nos. 89-25 and 91-07. These Orders list the Santa Margarita River stream system as fully appropriated "from the mouth of the Santa Margarita River at the Pacific Ocean upstream including all tributaries where hydraulic continuity exists."

TABLE 6.2

SANTA MARGARITA RIVER WATERSHED

PRE - 1914 APPROPRIATIVE WATER RIGHTS Listed in Interlocutory Judgments

INTERLOCUTORY JUDGMENT	LISTED OWNER	CURRENT OWNER	DATE OF APPROPRIATION	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE
NO. 32	Anderson, Nina B.	Poladian, Jacqueline	April 11, 1892	Fern Creek	NW 1/4 of SE 1/4 Sec 31, T8S, R4W	32 gpm	Irrigation
NO. 32	Butler, Lawrence W. and Mary C.	Vanginkel, Norman Tr and Vanginkel, Deborah Tr San Diego Gas & Electric	Sept. 23, 1896	Fern Creek	NW 1/4 of SE 1/4 Sec 31, T8S, R4W	Capacity of 8 inch pipe	Irrigation
NO. 32	Wilson, Samuel M. and Hazel A.	Shirley, Bobbie	Aug. 3, 1911	DeLuz Creek	NW 1/4 of SW 1/4 Sec 32, T8S, R4W	50 miner's inches 65 AF/yr	Irrigation
NO. 24	United States	United States	1883	Santa Margarita River	Sec 5, T10S, R4W	20 cfs 1200 AF/yr	Domestic Irrigation Stock Water

The consequences of this Order are as follows:

- 1. The Board is precluded from accepting any application to appropriate water from the Santa Margarita River System except where the proposed appropriation is consistent with conditions contained in the Declaration.
- 2. Initiation of a water right, pursuant to the Water Rights Permitting Reform Act of 1988 (Water Code Section 1228 et seq.), by registering small use domestic appropriations is precluded, except where the proposed appropriation is consistent with conditions contained in the Declaration. Small use domestic appropriations refer to uses that do not exceed direct diversions of 4,500 gallons per day or diversion by storage of 10 acre feet per year for incidental aesthetic, recreational, or fish and wildlife purposes.
- 3. Pursuant to Water Code Section 1206(a) the Board is authorized, but not required, to cancel pending applications where inconsistent with conditions contained in the Declaration; previous Orders implement a procedure for disposition of such applications pending on the effective date of the Declaration.

The Order provides for reconsideration of the Order either upon petition of an interested party or upon the Board's own motion.

6.3 <u>Fallbrook PUD Changes of Point of Diversion and Place of Use</u> for Permit No. 11356

On November 20, 2001, the Chief of the Division of Water Rights of the State Water Resources Control Board authorized an Order Approving Changes in Source Point of Diversion, Place of Use and Amending the Permit (No. 11356). The permit allows Fallbrook PUD to divert and store up to 10,000 acre feet per year at Lake Skinner. The Court approved an Order Amending the Memorandum of Understanding and Agreement on Operation of Lake Skinner on February 16, 2005. The Amendment provides for such diversions from Lake Skinner after specified releases are made.

On December 18, 2009, Fallbrook PUD filed a petition for a time extension for completion of beneficial use under Permit No. 11356. The petition was accepted and noticed by the SWRCB on February 23, 2009, and no protests were filed.

On May 25, 2012, the SWRCB issued Order WR 2012-0007-EXEC with an amended Permit No. 11356 extending the time to apply the water to full beneficial use by December 31, 2048.

6.4 Federal Reserved Water Rights for Cahuilla and Ramona Indian Reservations

The Cahuilla and Ramona Indian Reservations are both located in the Anza area. The Court found in Interlocutory Judgment No. 41 that the United States reserved water rights for the reservations as specified below.

Order No. 3 in Interlocutory Judgment No. 41 specifies for the Cahuilla Indian Reservation the following:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River which under natural conditions would be physically available on the Cahuilla Indian Reservation, including rights to the use of ground waters, sufficient for the present and future needs of the Indians residing thereon with priority dates of December 27, 1875, for lands transferred by the Executive Order of that date; March 14, 1887, for lands transferred by the Executive Order of that date; December 29, 1891, for lands transferred by the Executive Order of that date.

Order No. 1 in Interlocutory Judgment No. 41 specifies for the Ramona Indian Reservation the following:

IT IS ORDERED, ADJUDGED AND DECREED that the United States of America when it established the Ramona Indian Reservation intended to reserve and did reserve rights to the use of waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Ramona Reservation, including rights to the use of ground waters, sufficient for the present and future needs of the Indians residing thereon with a priority date of December 29, 1891.

On October 6, 2006, the Cahuilla Band of Indians filed a Motion to Intervene as Plaintiff-Intervenor in United States of America v. Fallbrook Public Utility District, et al. The Cahuilla Band also filed a Complaint asking the Court to quantify its federal reserved water rights by confirming elements of the water rights as declared and decreed by the Court in Interlocutory Judgment No. 41. On October 16, 2006, the Ramona Band of Cahuilla filed a similar motion and Complaint. On January 22, 2007, the Court issued an Order granting the Motions to Intervene and filing the Complaints in Intervention. On February 25, 2009, the Court ordered the Cahuilla Band and Ramona Band as plaintiffs to serve by April 30, 2009, all water right holders subject to the Court's jurisdiction within the entire Watershed. Service was completed and the parties commenced settlement negotiations. On April 1, 2009, the Cahuilla and Ramona Bands filed motions to dismiss claims against certain downstream defendants and to file second amended complaints to limit the claims to the Anza-Cahuilla Groundwater Area. On April 29, 2009, the Court issued an Order granting the motions. The parties are progressing with settlement negotiations and Court proceedings for quantification of each Band's federal reserved water rights based on the Second Amended Complaints.

6.5 <u>Federal Reserved Water Rights for Pechanga Indian Reservation</u>

The Court found in Interlocutory Judgment No. 41 that the United States reserved water rights for the Pechanga Indian Reservation in accordance with Order No. 7:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Pechanga Indian Reservation, including rights to the use of ground waters sufficient for the present and future needs of the Indians residing thereon with priority dates of June 27, 1882, for those lands transferred by the Executive Order of that date; January 9, 1907, for those lands transferred by the Executive Order of that date; August 29, 1893, for those lands added to the Reservation by Patent on that date; and May 25, 1931, for those lands added to the Reservation by Patent of that date.

In 1974, the Pechanga Band of Luiseño Mission Indians filed a Motion to Intervene as a Plaintiff-Intervenor in United States of America v. Fallbrook Public Utility District, et al., and in 1975 the Court granted the Motion. Rather than filing a complaint asking the Court to quantify its federal reserved water rights, the Pechanga Band is in the process of resolving its claims to water rights in the Santa Margarita River Watershed through a comprehensive settlement agreement with the United States and principal water districts, including Rancho California WD, Eastern MWD, and Metropolitan Water District. On December 17, 2009, Pechanga and Rancho California WD announced an agreement on a framework, developed with the assistance of Metropolitan Water District and the United States Federal Negotiating Team, to resolve Pechanga's water rights claims. On April 27, 2009, Pechanga and Rancho California WD agreed to a Settlement Conceptual Agreement and on June 11, 2009, the Rancho California WD Board approved the Settlement Conceptual Agreement. November 16, 2009, the parties announced the Pechanga Water Rights Settlement Agreement was finalized. On December 11, 2009 and January 26, 2010, the Pechanga Indian Water Rights Settlement Act was introduced in the United States House of Representatives and Senate, respectively. The proposed legislation was reintroduced in the Senate on June 25, 2013, and in the House of Representatives on June 26, 2013. In 2015 and 2016, the parties continued negotiations for the settlement agreement and draft legislation in accordance with the February 26, 2015 guidance from the House Committee on National Resources and the Federal Criteria and Procedures. On February 3, 2016, Senate bill (S. 1983) was reported out of the Senate Committee on Indian Affairs. On June 23, 2016, a hearing on the proposed settlement was held before the House Natural Resources Subcommittee on Water, Power and Oceans. The parties continue the process to reach agreement and enactment of the ratifying legislation. Upon completion of that process, the parties will proceed with obtaining Court approval.

6.6 California Statewide Groundwater Elevation Monitoring Program

On November 6, 2009, the Governor for the State of California approved Senate Bill SBx7-6 Groundwater Elevation Monitoring (SBx7-6). SBx7-6 provides for a statewide program of reporting groundwater elevation data for groundwater basins and is implemented by the California Department of Water Resources (DWR). The program is referred to as the California Statewide Groundwater Elevation Monitoring (CASGEM) Program. The Bill defines "basins" or "sub-basins" to mean a groundwater basin or sub-basin identified and defined in DWR Bulletin No. 118. Three such basins (plus a portion of a fourth basin) are identified in DWR Bulletin No. 118 for the Santa Margarita River Watershed:

- 1. Basin No. 9-4—Santa Margarita Valley Groundwater Basin (located in San Diego County on federal lands within Camp Pendleton).
- 2. Basin No. 9-5—Temecula Valley Groundwater Basin (located in Riverside County in the area including the cities of Murrieta and Temecula and the Pechanga Indian Reservation).
- 3. Basin No. 9-6—Cahuilla Valley Groundwater Basin (also known as the Anza-Cahuilla Groundwater Basin; located in Riverside County in the upper-most portion of the Watershed in the area within the town of Anza and the Cahuilla and Ramona Indian Reservations).
- 4. Basin No. 8-5—San Jacinto Groundwater Basin, Domenigoni Sub-basin (located in Riverside County in Domenigoni Valley which is southwest of Diamond Valley Lake).

SBx7-6 establishes a procedure for a Monitoring Entity to coordinate the monitoring activities for a basin and on September 24, 2012, Rancho California WD was approved by DWR to become the Monitoring Entity for Basin No. 9-5 in the Temecula area. The monitoring plan was reviewed by the Watermaster and includes monitoring wells maintained by Rancho California WD, Western Municipal Water District, and the U.S. Geological Survey with funding through the Watermaster budget.

On September 17, 2015, Camp Pendleton Marines Corp Base submitted a request to DWR to be the CASGEM Monitoring Entity for Basin No. 9-4, which is located on Camp Pendleton. On October 8, 2015, Camp Pendleton was designated as the Monitoring Entity for Basin No. 9-4. Camp Pendleton developed the CASGEM monitoring plan for Basin No. 9-4 in cooperation with San Diego County.

Presently, there is no CASGEM monitoring plan for Basin No. 9-6 but efforts are ongoing to establish the CASGEM Monitoring Entity and develop a CASGEM monitoring plan. Eastern MWD is the approved Monitoring Entity for Basin No. 8-5.

Additional information regarding the CASGEM program, the approved monitoring plans, and groundwater monitoring data posted for Basin Nos. 8-5, 9-4, and 9-5 can be found at the following website: http://www.water.ca.gov/groundwater/casgem/.

6.7 <u>Sustainable Groundwater Management Act</u>

On September 16, 2014, Governor Brown signed the California Sustainable Groundwater Management Act (Act or SGMA) that was established as part of a comprehensive three-bill package that includes AB 1739 (Dickinson), SB 1168 (Pavley), and SB 1319 (Pavley) to provide the framework for statewide groundwater management by local authorities. The state agencies charged with administration of the Act are both the DWR and the SWRCB.

The Act pertains to all groundwater basins identified and defined in DWR Bulletin 118. However, the Act includes an exemption for adjudicated basins as provided in §10720.8(a) that specifically lists the Santa Margarita River Watershed as an exempted adjudicated area. Thus, the four DWR Bulletin No. 118 basins located within the Watershed are not subject to the general requirements of the Act. However, as specified in §10720.8(f), the Watermaster must comply with certain requirements under the Act, including reporting to DWR commencing on or before April 1, 2016.

On March 23, 2016, in accordance with §10720.8, the Watermaster completed the required profile and initial submittal on the DWR SGMA Reporting for Adjudicated Areas Website for the Santa Margarita River Watershed adjudication. Additionally, as part of the required initial submittal, the Watermaster submitted to DWR a letter and DVD containing PDF files of the principal governing final judgments, orders, and decrees for the Santa Margarita River Watershed adjudication in United States of America v. Fallbrook Public Utility District, et al., Case No. 51-cv-1247-GPC-RBB. The submittal also contained copies of each of the annual reports prepared by the Watermaster under court order for submittal to the Court. These reports include the Annual Watermaster Report for 1989 through 2014 and the Annual CWRMA Report for 2011 through 2014. The SGMA Reporting for Adjudicated Areas Website can be found at the following website: http://www.water.ca.gov/groundwater/sgm/adjudicated.cfm.

As part of the annual reporting requirements, the Watermaster will submit to DWR copies of the Annual Watermaster Report and the Annual CWRMA Report to provide information for the DWR Bulletin No. 118 basins within the Watershed. In addition, the groundwater monitoring data for the basins under the CASGEM Program fulfills a portion of the reporting requirements specified in §10720.8(f)(3)(A).

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 7 - WATER PRODUCTION AND USE

7.1 General

Water production and use data were obtained from several types of substantial users including water purveyors, Indian Reservations, mobile home parks and private landowners. Private landowners who qualify as substantial water users are those who irrigate eight or more acres or who produce or use an equivalent quantity of water.

Major water purveyors, who reported production and use data in the 2014-15 Water Year, are listed as follows:

Anza Mutual Water Company
Eastern Municipal Water District
Elsinore Valley Municipal Water District
Fallbrook Public Utility District
Lake Riverside Estates
Metropolitan Water District of Southern California
Rainbow Municipal Water District
Rancho California Water District
U. S. Marine Corps, Camp Pendleton
U.S. Naval Weapons Station, Fallbrook Annex
Western Municipal Water District

Lake Riverside Estates is listed with major water purveyors although it does not deliver water to customers. However it does produce make-up water for losses from Lake Riverside.

In addition to the major purveyors, there are a number of smaller water systems in the Watershed. Of these, Quiet Oaks Mobile Home Park, Jojoba Hills SKP Resort, Rancho California Outdoor Resorts, Hawthorn Water System, Cottonwood Elementary, and Hamilton Schools are substantial users.

Three Indian Reservations, the Cahuilla, Pechanga and Ramona, are noted in Interlocutory Judgment No. 41, the Judgment that pertains to Water Rights on Indian Reservations in the Watershed. Estimates and/or measurements of water production and use are reported for the Cahuilla, Pechanga and Ramona Indian Reservations.

A portion of a fourth Reservation, the Pauma Mission Reserve Tract of the Pauma Yuima Band of Luiseño Mission Indians, is also located within the Watershed. However, this Reservation was not included in Interlocutory Judgment No. 41.

The final category of water users is private landowners who use water primarily for irrigation.

The water use data collected for Water Year 2014-15 is summarized on Table 7.1. Total imported supplies plus local production totaled 100,582 acre feet compared to 123,617 acre feet reported in 2013-14. Of that quantity, 32,103 acre feet were used for agriculture; 15,585 acre feet were used for commercial purposes; 43,700 acre feet were used for domestic purposes; 24 acre feet were discharged to Murrieta Creek; 2 acre feet were discharged to Santa Gertrudis Creek; and 2,914 acre feet were discharged by Rancho California WD during 2014-15, pursuant to the CWRMA and 492 acre feet were released from the potable connection into the Santa Margarita River. It is noted, the commercial use for Pechanga includes 358 acre feet of recycled water and thus this amount is double counted on Table 7.1 relative to production from the Santa Margarita River Watershed. Actual commercial use of production from the Watershed is 15,227 acre feet, reflecting the reduction of 358 acre feet of recycled water used by Pechanga. In order for the totals to balance on Table 7.1, the 358 acre feet of recycled water is subtracted from the indicated loss for Pechanga as reflected in Footnote 13 for Table 7.1.

The overall system loss was 3,329 acre feet, or 3.3% of total production. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Monthly production and use data for major water purveyors are attached to this report as Appendix A. Uses are listed under agricultural, commercial and domestic categories. The definition of agricultural, commercial and domestic uses varies for the different purveyors in the Watershed. The definitions for agricultural, commercial and domestic uses have varied over the years for the different purveyors in the Watershed. Water use purveyors were updated and reconciled definitions for all major water Water Year 2013-14. The reconciliation resulted in near uniformity in water use definitions among the major water purveyors. Accordingly, definitions of these uses for major water purveyors are shown on Table 7.2. Similar data for Water Years 1966 through 2015 are summarized in tables presented in Appendix B. As noted above, water use definitions were updated in Water Year 2013-14 and thus water use reported for certain purveyors for prior years on the Appendix B tables can vary significantly as compared to the use categories for 2014-15. The reader is referred to Table 7.2, published in each annual report, to determine the particular use definitions for any particular year in question. Appendix C presents information on substantial users outside purveyor service areas.

7.2 Water Purveyors

7.2.1 Anza Mutual Water Company

Anza Mutual Water Company's service area is in the eastern part of the Watershed in the Anza Valley. Production is from two wells: Well No. 1 drilled in 1951, and perforated from 20 feet to 260 feet; and Well No. 2 drilled later to a depth of 287 feet and perforated in the bottom 130 feet. Production for Water Year 2014-15 was approximately 25 acre feet from Well No. 1 as shown on Appendix Table A-11. Well No. 2 was not in use for 2014-15. Water levels in Well No. 1 rose 7 feet from last year.

TABLE 7.1

SANTA MARGARITA RIVER WATERSHED

WATER PRODUCTION AND USE

2014-15

Quantities in Acre Feet

	PRODUCTION			USE 1/					
	WELL/ SURFACE	IMPORT	TOTAL	AG	сомм	DOM	LOSS	TOTAL WATER RIGHT	
WATER PURVEYORS									
Anza Mutual Water Company	25	0	25	0	0	23	2 2/	25	Appropriative
Eastern MWD	0	13,877	13,877	144	2,982	10,057	694	13,877	Appropriative
Elsinore Valley MWD	0	5,992	5,992	12	1,165	4,472	343	5,992	Market Street Street
Fallbrook PUD	0	5,919	5,919	3,434	304	1,826	355	5,919	Appropriative
Lake Riverside Estates	368	0	368	0	368 ^{3/}	0	0	368	Appropriative
Metropolitan Water District	0	1,090 ^{15/}	1,090	1,090	0 4/	0	0	1,090	
Murrieta Division of Western MW	1,041	820	1,861	0	546	1,274	41	1,861	Appropriative
Rainbow MWD	0	1,333	1,333	1,111	8/	168	54	1,333	
Rancho California WD	24,731 ^{5/}	33,573 ^{6/}	58,304	20,776	8,736	23,910	4,882 7/	58,304	Various
U.S.M.C Camp Pendleton	4,690	0	4,690	0	9/	1,634	3,056 2/10/	4,690	Appropriative/
·									Riparian
U.S. Naval Weapons Station	0	44	44	0	9/	40	4 2/	44	
Western MWD Improvement Dist	0	29	29	0	26	0	3 2/	29	Mile data describit mes amp may man
Through Rancho California WD)								
INDIAN RESERVATIONS									
Cahuilla	61	0	61	6 ^{16/}	5	50	0	61	Overlying/Reserved
Pechanga	815	0	815	0	1,017	115	(317) ^{13/}	815	Overlying/Reserved
Ramona	2	0	2	0	0	2	0	2	Overlying/Reserved
SMALL WATER SYSTEMS									
Quiet Oaks Mobile Home Park	23	0	23	0	3	18	2 2/	23	Riparian/Overlying
Outdoor Resorts	455	0	455	0	410	41	4 2/	455	Overlying
Jojoba Hills SKP Resort	72	0	72	. 0	0	65	7 2/	72	Overlying
Hawthorn Water System	6	0	6	0	0	5	1 2/	6	Appropriative
Cottonwood Elementary	14	0	14	0	13	0	1 2/	14	Overlying
Hamilton Schools	11	0	11	0	10	0	1 2/	11	Overlying
OTHER SUBSTANTIAL USERS	5,591 ¹¹ /	0	5,591	5,530	0	0	61 ^{12/}	5,591	
TOTAL.	37,905	62,677	100,582	32,103	15,585	43,700	9,194 14/	100,582	

- 1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.
- 2/ Assumes 10% system loss.
- 3/ Recreational Use.
- 4/ Construction use at Diamond Valley Lake.
- 5/ Includes 25,053 AF production from Older Alluvium plus 147 AF of Vail Recovery minus 251 AF exported to the San Mateo Watershed minus 207 AF pumped into recycled water system minus 11 AF delivered to Pechanga Band.
- 6/ Includes 18,760 AF direct use; 12,248 AF direct recharge; 2,914 AF from MWD WR-34; and minus 349 AF export.
- 7/ Includes 24 AF discharged into Murrieta Creek; 2 AF discharged into Santa Gertrudis Creek; 2,914 AF discharged into Santa Margarita River from MWD WR-34; 0 AF from System River Meter; 492 AF from potable connection to WR-34 outlet pipe; (83) AF of import remaining in storage; and a system loss of 1,533 AF.
- 8/ Listed with Agricultural use.
- 9/ Listed with Domestic use.
- 10/ Includes exports of 2,311 AF, brine production of 563 AF and a system loss of 182 AF.
- 11/ Includes 613 AF for surface diversion plus 5,039 AF from groundwater as shown in Appendix C, minus 61 AF on the Cahuilla Reservation.
- 12/ Loss is equal to 10% of surface diversions.
- 13/ Includes a system loss of 41 AF, minus 358 AF of reclaimed wastewater from EMWD, accounted for on Table A-1. See Table A-5 for Pechanga production and use.
- 14/ Includes an overall system loss of 3,329 AF. Overall system loss is calculated by estimating the traditional system loss of comparing total production versus total use for each water purveyor.
- 15/ An additional 100 AF were released by MWD from Lake Skinner into Tucalota Creek for maintenance purposes and groundwater replenishment.
- 16/ Stock watering.

TABLE 7.2

SANTA MARGARITA RIVER WATERSHED

DEFINITIONS OF WATER USE BY MUNICIPAL WATER PURVEYORS

2014-15

DISTRICT	AGRICULTURAL	DOMESTIC	COMMERCIAL	
EASTERN MUNICIPAL WATER DISTRICT	Row crops, orchards, vineyards, sod farms, other commercially grown crops, dairies, horse ranches and other agricultural users, including agricultural allocation for agricultural/domestic	Single family and multi- family residential connections, including domestic allocation for agricultural/domestic meters	All other usage including commercial, industrial, institutional, golf courses, parks, recreation, landscaping, temporary and construction	
ELSINORE VALLEY MUNICIPAL WATER DISTRICT	meters Same as EMWD	Same as EMWD	Same as EMWD	
FALLBROOK PUBLIC UTILITY DISTRICT	Same as EMWD	Single family and multi- family residential connections, including first 20,000 gallons for agricultural/domestic meters	Same as EMWD	
PECHANGA INDIAN RESERVATION	Same as EMWD	Same as EMWD	All other usage including resort, on-Reservation businesses, tribal facilities, commercial, industrial, institutional, golf courses, parks, recreation, landscaping, temporary and construction	
RAINBOW MUNICIPAL WATER DISTRICT	Same as EMWD	Single family and multi- family residential connections, including first 20,000 gallons for agricultural/domestic meters	Same as EMWD	
RANCHO CALIFORNIA WATER DISTRICT	Same as EMWD	Single family and multi- family residential connections, including first 1,600 cubic feet for agricultural/domestic meters	Same as EMWD	
MURRIETA DIVISION OF WESTERN MUNICIPAL WATER DISTRICT	Same as EMWD	Same as EMWD	Same as EMWD	
USMC, CAMP PENDLETON	Same as EMWD	Camp Supply - All usage except agricultural	Reported under Camp Supply	

Interlocutory Judgment No. 33 divides aquifers in Anza Valley at this location into two categories: the shallow aquifer and the deep aquifer. Based on information available to the Court, the shallow aquifer was determined to include the younger and older alluvial deposits in the Anza Groundwater Basin, and extend to a maximum but variable depth of approximately 100 feet. The deep aquifer underlies the shallow aquifer in an area about one-half mile in width and two miles in length, within portions of Sections 16, 17, 21, 22, 27 and 28 of Township 7 South, Range 3 East, SBM. Anza Mutual Water Company's wells are within the area of the deep aquifer. From the perforated intervals in the wells, it may be concluded that most of the production from Well No. 1 and all of the production from Well No. 2 are from the deep aquifer. Interlocutory Judgment No. 33 concluded that waters contained in the deep aquifer did not add to, support or contribute to the Santa Margarita River stream system and were, therefore, declared to be outside the Court's jurisdiction.

Accordingly, most of the water produced by the Anza Mutual Water Company is outside the Court's jurisdiction. The relatively small portion pumped from the shallow aquifer in Well No. 1 is pumped under a groundwater appropriative right. Data for Water Years 1989 through 2015 are shown on Appendix Table B-12.

7.2.2 Eastern Municipal Water District

Eastern Municipal Water District is a member agency of Metropolitan Water District and its service area includes a portion of the Rancho California Water District and the Murrieta Division of Western Municipal Water District. Within the Watershed, Eastern MWD wholesales water to those districts and also retails water directly to consumers. Water sold to Rancho California WD and the Murrieta Division of Western MWD is not listed in this report as imported water to Eastern MWD.

Eastern MWD's service area outside Rancho California WD and the Murrieta Division of Western MWD is located in the northern part of the Watershed. Water for Eastern MWD's retail service area is all imported with no groundwater production during Water Year 2014-15.

Imports, not including water wholesaled to Rancho California WD or the Murrieta Division of Western MWD, or delivered to Elsinore Valley MWD, totaled 15,448 acre feet. A portion of that import, amounting to 1,571 acre feet, was exported from the Santa Margarita River Watershed for delivery to Eastern MWD's retail customers located outside the Watershed, resulting in net import to the Watershed of 13,877 acre feet. These data are shown on Appendix Table A-1.

In addition to importing fresh water, Eastern MWD also reclaims wastewater at its Temecula Valley Regional Water Reclamation Facility. Disposition of wastewater from the Temecula Valley Regional Water Reclamation Facility (TVRWRF) service area for Water Years 2013-14 and 2014-15 is shown below:

	<u>2013</u>	3-1 <u>4</u>	<u>2014-15</u>		
<u>Use</u>	Quantity	<u>Percent</u>	Quantity	<u>Percent</u>	
	AF	%	AF	%	
Reuse in Santa Margarita	2,937	20	2,717	19	
Reuse outside Santa Margarita	8,117	<u>55</u>	7,002	<u>48</u>	
Subtotal	11,054	75	9,719	67	
Discharge to Dissipater at					
Temescal Creek	0	0	0	0	
Other	<u>3,627</u>	<u>25</u>	<u>4,696</u>	<u>33</u>	
TOTAL	14,681	100	14,415	100	

It can be noted that the quantities of recycled water used within the Santa Margarita River Watershed decreased from 2,937 acre feet in Water Year 2013-14 to 2,717 acre feet in Water Year 2014-15. During the same period, reuse outside the Santa Margarita River Watershed decreased from 8,117 acre feet to 7,002 acre feet. In 2014-15, it may be concluded that 19 percent of the recycled water was used in the Watershed and 48 percent was used outside the Watershed. No wastewater was discharged to the dissipater at Temescal Creek during Water Year 2014-15. The Other use increased from 3,627 acre feet to 4,696 acre feet. This Other use includes changes of storage in Winchester and Sun City storage ponds, as well as evaporation and percolation losses.

Due to concerns about the potential export of native Santa Margarita water, the sources of water supply to the TVRWRF service area were determined and are shown on Table 7.3. In 2014-15, 26 percent of the supply to the service area was groundwater. Thus, the percent of groundwater supply was greater than the percentage of wastewater reused within the Santa Margarita River Watershed, and on a proportional basis there was some export of native waters.

On August 4, 2009, a Judgment was entered in *United States of America and Fallbrook Public Utility District v. Eastern Municipal Water District and Rancho California Water District* (CV 04-8182 CBM (RNBx), United States District Court, Central District of California) pertaining to the contractual obligations of the 1990 Four Party Agreement and the export of treated wastewater from the Santa Margarita River Watershed. On May 17, 2012, the United States Court of Appeals for the Ninth Circuit issued an Order granting the parties' joint motion to dismiss the appeals in this matter and thus the August 4, 2009 Judgment stands. For purposes of this annual report the export of treated wastewater will be reported consistent with prior annual reports with no changes pursuant to the Judgment.

Estimates of water production and use for Eastern MWD for the period 1966 through 2015 are shown on Appendix Table B-1.

TABLE 7.3

REGIONAL WATER RECLAMATION FACILITY SERVICE AREA WATER DELIVERIES TO TEMECULA VALLEY SANTA MARGARITA RIVER WATERSHED

	2011	_	2012	2	2013	3	2014	4	2015	2
Eastern MWD	AF	%	AF	%	ΑF	%	AF	%	AF	%
TVRWRF Service Area										
1. Groundwater	0		0		0		0		0	
2. Import	14,392		15,063		15,751		15,884		13,877	
3. Total	14,392		15,063		15,751	l	15,884	•	13,877	
Rancho California WD TVRWRF Service Area										
1. Groundwater 1/	9,774		7,902		8,802		7,789		8,201	
2. Import 2/	8,770		11,462		10,563		11,577		9,232	
3. Total 3/	18,544		19,364		19,365	ļ	19,366		17,433	
Total Deliveries to TVRWRF Service Area	R Service	Area								
1. Groundwater	9,774	29.7%	7,902	23.0%	8,802	25.1%	7,789	22.1%	8,201	26.2%
2. Import	23,162	70.3%	26,525	77.0%	26,314	74.9%	27,461	77.9%	23,109	73.8%
3. Total	32,936	32,936 100.0%	34,427	34,427 100.0%	35,116	35,116 100.0%	35,250	35,250 100.0%	31,310 100.0%	100.0%

Based on the ratio of groundwater to total production in Rancho Division of RCWD.
 Based on the ratio of import to total production in Rancho Division of RCWD.
 Total RCWD deliveries in TVRWRF Service Area.

7.2.3 Elsinore Valley Municipal Water District

Elsinore Valley Municipal Water District provides water to its service area around Lake Elsinore, a portion of which is within the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from ten wells, all located outside the Watershed, and also imports Metropolitan Water District water through Eastern MWD and Western MWD.

As shown on Appendix Table A-2, Elsinore Valley MWD reports for 2014-15 that 5,992 acre feet were imported into the portion of its service area that is inside the Watershed, and 1,328 acre feet of wastewater were exported from that same area. In 2013-14, Elsinore Valley MWD began using recycled water treated at the Rancho California WD Santa Rosa Water Reclamation Facility via the Eastern MWD Palomar Pipeline through a wheeling agreement. In 2014-15, a total of 199 acre feet of recycled water were received via Eastern MWD and 108 acre feet were used within the Watershed.

Production and use for Elsinore Valley MWD for the period 1966 through 2015 are shown on Appendix Table B-2.

7.2.4 Fallbrook Public Utility District

The Fallbrook Public Utility District service area is located in both the San Luis Rey River and Santa Margarita River watersheds. In Water Year 2014-15, Fallbrook PUD imported a total of 10,639 acre feet, as shown on Appendix Table A-3. Fallbrook PUD has three wells within the Santa Margarita River Watershed; however, in 2014-15, there was no production from these wells. Additionally, in 2014-15, Fallbrook PUD reported no diversions from Lake Skinner, under Permit No. 11356, resulting in a total district-wide production of 10,639 acre feet. The total production for the portion of Fallbrook PUD service area that is within the Watershed, as shown on Appendix Table A-3, is 5,919 acre feet, or about 56 percent of the total district wide production.

In 2014-15, Fallbrook PUD treated 1,107 acre feet of wastewater from areas served within the Watershed, of which 19 acre feet were reused in the Watershed, and the remainder was exported. The wastewater production and distribution for 2014-15 is shown on Appendix Table A-3.

Production during the period 1966 through 2015 included direct diversions from the Santa Margarita River prior to 1972, as well as imported water and well production, as shown in Appendix B. During Water Year 2010-11, Fallbrook PUD revised its reporting methods for both water production and wastewater operations. The historical water production and use for the period 1966 through 2010 are provided on Appendix Table B-3.1 reflecting prior reporting methods, particularly for previous estimates associated with the DeLuz portion of the service area. Appendix Table B-3.2 is provided to show the current water production and use reflecting the revised reporting methods. The revised reporting methods include metered deliveries for the reported uses within the Watershed and application of a district-wide loss factor.

The Fallbrook PUD wastewater production and distribution for the period 1966 through 2015 are shown on Appendix Table B-4.

7.2.5 Lake Riverside Estates

Lake Riverside Estates pumps water from Well No. 7S/2E-32C1, into Lake Riverside to replace evaporation losses. Production for 2014-15 was approximately 368 acre feet as shown on Appendix Table A-11. The production well was drilled in 1962 and is located in an area of younger alluvium in the Cahuilla Groundwater Basin. The well was drilled to a depth of 338 feet.

Interlocutory Judgment No. 33 indicates that the owners of lands in the Cahuilla Groundwater Basin have correlative overlying rights to the use of the groundwater that is the basis for this production. Data for Lake Riverside Estates for the period 1989 through 2015 are shown on Appendix Table B-12.

7.2.6 Metropolitan Water District of Southern California

Pursuant to a Court Order, Metropolitan Water District (MWD) imported 1,090 acre feet of water into the Santa Margarita River Watershed for irrigation of lands in Domenigoni Valley in Water Year 2014-15. MWD did not import any water for groundwater recharge and there was no water used for construction purposes. As previously noted, the groundwater in the Domenigoni Valley groundwater basin is outside this Court's jurisdiction when groundwater levels are below elevation 1400 feet. This production is shown on Appendix Table A-4, and production for the period 1966 through 2015 is shown on Appendix Table B-5.

7.2.7 Rainbow Municipal Water District

Rainbow Municipal Water District is located in San Diego County in the south-central part of the Watershed. In 2014-15, the District imported a total of 18,358 acre feet of water as shown on Appendix Table A-6. However, most of the District is in the San Luis Rey River Watershed and only about seven percent of the District's imported supply was delivered to the portion of the service area inside the Santa Margarita River Watershed. As shown on Appendix Table A-6, total deliveries of imported water in the Santa Margarita River Watershed in 2014-15 amounted to 1,333 acre feet.

Rainbow Municipal Water District import production for the period 1966 through 2015 is shown on Appendix Table B-7.

7.2.8 Rancho California Water District

Rancho California Water District serves water to a 99,600 acre service area in the central portion of the Watershed. The District produced water from 46 wells in 2014-15, and also imported water as shown on Appendix Table A-7. Use is shown under the categories of agriculture, commercial and domestic. In Water Year 2014-15, well production of native water included 24,982 acre feet from the Murrieta-Temecula Groundwater Area. A portion of the groundwater amounting to 251 acre feet was exported for use in the San Mateo Watershed, resulting in a net well production of 24,731 acre feet.

Import supplies totaled 33,922 acre feet of which 18,760 acre feet were used for direct use; 12,248 acre feet were recharged; and 2,914 acre feet were discharged by the

District to the Santa Margarita River from MWD Outlet WR-34 during 2014-15, pursuant to the CWRMA. A portion of that import amounting to 349 acre feet was exported from the Santa Margarita River Watershed to the San Mateo Watershed, resulting in net import to the Watershed of 33,573 acre feet.

During 2014-15, Rancho California WD use totaled 58,304 acre feet including 20,776 acre feet for agriculture; 8,736 acre feet for commercial; 23,910 acre feet for domestic; 3,432 acre feet were released into Murrieta Creek, Santa Gertrudis Creek and the Santa Margarita River; and 1,533 acre feet were system loss. In 2014-15, a net amount of 83 acre feet of import water was extracted from groundwater storage derived from import recharge in prior years.

In 2014-15, Rancho California WD did not export reclaimed wastewater from the Watershed via EMWD's Palomar Valley Pipeline.

Rancho California WD produces groundwater under a variety of rights as follows:

- 1. Recovery of water appropriated at Vail Lake
- 2. Recovery of import return flows and directly recharged imported water
- 3. Groundwater appropriative rights
- 4. As agent on behalf of overlying landowners

Vail Appropriation

Rancho California WD's Vail Dam appropriative rights are described in Application No. 11518 as amended on June 17, 1947, and in Permit 7032 originally issued on February 18, 1948. Permit 7032 was subsequently amended on July 28, 1971, and April 22, 2009. The water right provides that the District may store up to 40,000 acre feet in Vail Lake each year between November 1 and April 30, subject to applicable limitations. The water so stored may be used for recreational uses at Vail Lake and municipal, domestic, industrial, and irrigation uses within the entire service area of Rancho California WD. Such uses may be by direct diversion from Vail Lake or by recovery of water released from Vail Lake and spread downstream in Pauba Valley. Points of re-diversion for recovery from underground storage are permitted for 12 production wells: Rancho California WD Well Nos. 109, 110, 123, 132, 152, 153, 157, 158, 210, 232, 233, and 234.

As shown on Table 3.3, there were 147 acre feet of releases from Vail Lake during 2014-15 for groundwater recharge. Releases from Vail Lake for groundwater recharge for the period 1980 through 2015 are shown on Appendix Table B-8.

Permit 7032 operations for 2014-15 are summarized on Table 7.4. The recovery from groundwater recharge for 2014-15 was 147 acre feet corresponding to the amount released from Vail Lake for recharge.

It is noted, with the issuance of the amended Permit 7032 in 2009, the place of use, purposes of use, and permitted points of re-diversion were changed. Accordingly,

TABLE 7.4

SANTA MARGARITA RIVER WATERSHED RANCHO CALIFORNIA WATER DISTRICT PERMIT 7032 OPERATIONS

2014-15 Quantities in Acre Feet

Diversion to Storage in Vail Lake 1/	465
Release to Groundwater Storage 1/	147
Recovery from Groundwater Storage	2/ 3/
Younger Alluvium Older Alluvium Total	147 0 147
Vail Recharge Account Balance from	2013-14 54,292
Release minus Recovery	0
Vail Recharge Account Balance for 2	54,292

^{1/} See Table 3.3.

^{2/} Permitted Points of Re-Diversion RCWD Well Nos. 109, 110, 123 132, 152, 153, 157, 158, 210, 232, 233 and 234.

^{3/} Total pumping from Vail recovery wells is greater than amount shown as recovered under Permit 7032. Total pumping from the 12 recovery wells is shown on Table 7.8.

the reporting of Permit 7032 operations needs to be modified to reflect the changed conditions. Table 7.4 was modified in 2009 to reflect the changes subject to further refinement as part of the update of the CWRMA groundwater model. The reporting on Table 7.4 reflects the assumption that all water released from Vail Lake for recharge is recovered from the younger alluvium by pumping from the permitted recovery wells. The remainder of the pumping from the younger alluvium is apportioned to direct import recharge.

Imported Water Return Flows

Return flows for 2014-15, based on imported water use in the Rancho Division and Santa Rosa Division are shown on Tables 7.5 and Table 7.6, respectively.

In the following tables, imported water is allocated to agricultural, commercial and domestic uses in each of eight hydrogeologic areas in the Rancho Division service area and three hydrogeologic areas in the Santa Rosa Division service area. This allocation is the proportion of the total deliveries to each use that is made up of imported water. For 2014-15, 52.39 percent of the supply to the Rancho Division was imported and 57.36 percent of the supply to the Santa Rosa Division was imported.

In general the Santa Rosa Division does not overlie the groundwater area. However, there are several areas classified as being in the Santa Rosa Division that do overlie the groundwater area and generate return flows from imported supplies. Data from most of these lands have been reported since December 1991.

The percentage of imported water that becomes return flow varies according to the use as follows:

Agricultural Use	25%
Commercial Use	10%
Domestic Use	25%

Based on the foregoing factors, the total return flow credit for 2014-15 is computed to be 3,522.04 acre feet for the Rancho Division and 222.45 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6, respectively.

Some of the hydrogeologic areas overlie older alluvium and some overlie younger alluvium. Comparison of exposures of younger alluvium with maps of the District's hydrogeologic areas indicate that the Santa Gertrudis, Pauba, a portion of North Murrieta and half of the Murrieta-Wolf areas overlie younger alluvium. The areas of the Santa Rosa Division that overlie the groundwater area in the younger and older alluvium varies and are identified on Table 7.6. Import return flows in these areas can be credited against pumping from the younger alluvium. The credits for 2014-15 are 714.80 acre feet for the Rancho Division and 55.61 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6, respectively. The total return flow credit for 2014-15 to offset younger alluvium production in future years is 770.41 acre feet.

TABLE 7.5

SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT RETURN FLOW CREDIT

2014-15

RANCHO DIVISION

Quantities in Acre Feet

HYDROGEOLOGIC AREAS

	0 NO HYDRO- GEO CODE	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	2 SANTA GERTRUDIS QYAL	3 LOWER MESA QTOAL	4 PAUBA QYAL	5 SOUTH MESA QTOAL	6 UPPER MESA QTOAL	7 PALOMAR QTOAL	TOTAL
AGRICULTURAL									
Total Use	1,261.97	10.01	0.00	31.30	530.75	77.12	1,120.01	972.31	4,003.47
% Import	52.39	52.39	52.39	52.39	52.39	52.39	52.39	52.39	
Import Use	661.17	5.25	0.00	16.40	278.07	40.41	586.80	509.41	2,097.49
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	
Credit	165.29	1.31	0.00	4.10	69.52	10.10	146.70	127.35	524.37
COMMERCIAL									
Total Use	262.28	1,827.88	1,315.29	2,645.84	389.83	562.22	132.35	42.78	7,178.48
% Import	52.39	52.39	52.39	52.39	52.39	52.39	52.39	52.39	.,
Import Use	137.41	957.66	689.10	1,386.21	204.24	294.56	69.34	22.42	3,760.94
% Credit	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
Credit	13.74	95.77	68.91	138.62	20.42	29.46	6.93	2.24	376.09
DOMESTIC									
Total Use	1,066.35	2,244.33	2,135.31	8,967,21	616.50	3,212.29	1,353.66	419.52	20,015.16
% Import	52.39	52.39	52.39	52.39	52.39	52.39	52.39	52.39	20,010.10
Import Use	558.68	1,175.84	1,118.73	4,698.09	322.99	1,682.98	709.21	219.79	10,486.33
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Credit	139.67	293.96	279.68	1,174.52	80.75	420.75	177.30	54.95	2,621.58
TOTAL USE	2,590.60	4,082.21	3,450.60	11,644.35	1,537.08	3,851.63	2,606.02	1,434.61	31,197.11
TOTAL									
Total Import Use	1,357,26	2,138.75	1,807,83	6.100.70	805.30	2.017.95	1,365,35	751.62	16,344.76
Total Credit	318.70 *	391.04	348.59	1,317.24	170.69	460.30	330.93	184.54	3,522.04
Total Credit Qya		195.52	348.59	.,5,7,121	170.69	. 30,00	500.00	. 3	714.80
Total Credit Qtoa		195.52		1,317.24		460.30	330.93	184.54	2,488.54

^{*} This credit not applied to either Qyal or Qtoal

TABLE 7.6

SANTA MARGARITA RIVER WATERSHED

RANCHO CALIFORNIA WATER DISTRICT RETURN FLOW CREDIT

2014-15

SANTA ROSA DIVISION

Quantities in Acre Feet

HYDROGEOLOGIC AREAS

		DROGEOLOGIC AREAS		
	1	2	8	
	MURRIETA	SANTA	NORTH	TOTAL
	WOLF	GERTRUDIS	MURRIETA	TOTAL
	1/2 QYAL	2/3 QYAL	1/4 QYAL	
	1/2 QTOAL	1/3 QTOAL	3/4 QTOAL	
AGRICULTURAL				
Total Use	0.00	0.00	15.46	15.46
% Import	57.36	57.36	57.36	
Import Use	0.00	0.00	8.87	8.87
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	2.22	2.22
COMMERCIAL				
Total Use	0.00	0.02	966.12	966.14
% Import	57.36	57.36	57.36	
Import Use	0.00	0.01	554.14	554.15
% Credit	10.00	10.00	10.00	
Credit	0.00	0.00	55.41	55.41
DOMESTIC				
Total Use	0.00	0.00	1,149.39	1,149.39
% Import	57.36	57.36	57.36	.,
Import Use	0.00	0.00	659.26	659.26
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	164.82	164.82
TOTAL USE	0.00	0.02	2,130.96	2,130.99
TOTAL				
Total Import Use	0.00	0.01	1,222.27	1,222.28
Total Credit	0.00	0.00	222.45	222.45
Total Credit Qyal	0.00	0.00	55.61	55.61
Total Credit Qtoal	0.00	0.00	166.84	166.84

Rancho California WD imported an additional 12,248 acre feet of water for direct groundwater recharge in 2014-15. The total amount of imported recharge water that was recovered in 2014-15 was 12,331 acre feet. Thus, 83 acre feet of recovered water were derived from groundwater storage.

Division of Local Water

During 2014-15, Rancho California WD pumped 37,531 acre feet of groundwater, comprised of 25,117 acre feet of local water and 12,331 acre feet of recovered imported water. The groundwater is pumped from both the younger alluvium and the older alluvium. The Court determined that water in both the younger alluvium and older alluvium adds to, contributes to and supports the Santa Margarita River stream system. The primary reason for differentiating between younger alluvium and older alluvium production is that, in California, production from the younger alluvium is generally considered to be governed by water rights that apply to the regulation of surface waters. Production from the older alluvium is generally considered to be governed by regulations that apply to groundwater. Of the 25,117 acre feet of local water, 11 acre feet were delivered to the Pechanga Indian Reservation under the terms of the Wolf Valley Groundwater Management Agreement. This production is shown on Appendix Table A-5.

During joint development of a groundwater model of the area it was necessary to develop estimates of the transmissivity for each aquifer. These estimates were based on pumping tests. The resulting transmissivity values were then used to estimate the relative groundwater production from each aquifer. For Rancho California WD wells, the percent production estimated to originate in the younger alluvium is shown on Table 7.7.

Production from the younger alluvium and older alluvium for 2014-15, using the percentages noted on Table 7.7 is presented on Table 7.8. In 2014-15, 12,478 acre feet were pumped from the younger alluvium and 25,053 acre feet were pumped from the older alluvium. The production of 12,478 acre feet from the younger alluvium, as shown on Table 7.8 is the recovery of 12,331 acre feet of direct import recharge and the recovery of 147 acre feet of Vail Lake recharge.

Imported water carryover to 2015-16 includes the following:

		<u>AF</u>
1.	Carryover from 2013-14	63,316
2.	Direct recharge of imported water in 2014-15	12,248
3.	Imported recharge water recovered in 2014-15	(12,331)
4.	Import return flow credit for 2014-15	770
5.	Total carryover to 2015-16	64,003

Thus, the Imported Water Carryover Account balance of 64,003 acre feet remains available to offset younger alluvium production in future years.

TABLE 7.7

SANTA MARGARITA RIVER WATERSHED PERCENT PRODUCTION FROM YOUNGER ALLUVIUM IN RANCHO CALIFORNIA WATER DISTRICT WELLS

RCWD WELL NO.	LOCATION TOWNSHIP/ RANGE/ SECTION	PERFORATED INTERVAL FEET	YOUNGER ALLUVIUM FEET	PERCENT YOUNGER ALLUVIUM %	REMARKS
106	7S/3W-26R1	130-210; 250-310; 340-440; 700-740; 780-980	0	0.0%	No. 108 Winchester, clay 0'-40'
107	7S/3W-26J1	60-120; 190-260; 280-300; 390-590	58	0.0%	No. 105 - gravel & clay 58'-84'
108	7S/3W-25E1	60-110; 190-280; 350-410; 430-450; 470-490; 530-590	55	0.0%	Formerly No. 109 gravel/sandy clay 55'-70'
109 110	8S/2W-17J1 8S/1W-6K1	70-150; 170-210 75-155	145 1/ 165	84.0% 97.0%	Brown clay and gravel 75' to 105' Clay 165'-190'. Prior to 10/23/97 perf int. 70-150; 200-240; 320-380; 420-460
113	7S/2W-25H1	96-136; 275-462; 482-542	Shallow	0.0%	
116	8S/1W-6J	60-120; 140-200; 220-260; 270-330; 370-390	150	94.0%	Clay 150'-170'
119	8S/2W-19J	170-260; 300-470		0.0%	Perforated below 170'
123	8S/1W-7B	100-260; 300-380; 420-500	125 1/	65.0%	Brown Sand Clay 135'-210'
129	7S/2W-20L	180-290; 416-480; 520-600	Shallow	0.0%	Qyal very shallow along Santa Gertrudis Creek
132	8S/1W-7D	70-390; 430-500	135	82.0%	Brown Clay Streaks 135'-175'
135	7S/3W-27M10	70-170	50	0.0%	Silty clay 50'-69'
141	8S/2W-11P	120-190; 215-235; 270-380; 430-510	104 1/	0.0%	Silt & sand 104'-185'; Well 11L1 is 112'
144	7S/3W-27D	983-1123; 1143-1283; 1343-1483; 1503-1743	25	0.0%	Sand with silty clay 25'-45'
146	7S/3W-28	50-190	42	0.0%	
150	7S/3W-27P	250-490; 510-950; 990-1070	125	0.0%	
152	8S/1W-5K	70-470; 490-540	130	90.8%	Forebay
153	8S/1W-5K3	50-220	170	99.0%	Forebay
154	8S/1W-5L2	50-220	100 1/	99.0% 2/	Forebay
157	8S/1W-5L	50-210	128	96.8%	Forebay
158	8S/1W-5K	50-210	128 1/	96.5%	Forebay
205	7S/3W-35A	150-1000	10	0.0%	Sandy clay 10'-20'
210	8S/2W-12K	48-228	140	94.0%	Clay cobblestones 160'-167', 175'-227'
218	8S/2W-20B5	48-289	40	0.0%	Old 28; clay with sand layer 40'-60'; now monitoring wells 427, 428 and 429
220	7S/3W-26Q1	114-450	58	0.0%	Clay 58' - 73'
223	8S/2W-20C1	48-250	163 1/	94.0%	CAT Well; east of Wildomar Fault; nearby Exh 16 wells 17Q @62' & 17M @55' are also east of Wildomar Fault
224	8S/2W-15D	48-250	166 1/	68.0%	Old Well 50, clay 106'-138'
230	8S/2W-11J1	24-31; 32.5-34; 35-40; 61-65; 70-76; 80-85; 86.5-91; 92.5-98.5	>119	100.0%	Old Well 30, depth of well is 119'
231	8S/2W-20B6	80-120; 150-270	140 1/	0.0%	Old 104, P-34, Clay 20'-23'; 35'-41'; East of Wildomar Fault
232	8S/2W-11J3	95-135; 175-215; 235-295	115 1/	92.0%	Old 111, 105, P-31; coarse sand & clay 135' - 155'
233	8S/2W-12K2	95-135; 175-215; 235-295	145	88.0%	Old 112, P32; sand and clay at 145'-220'
234	8S/2W-11P1	80-100; 120-140; 200-240; 280-320; 340-400	162 1/	74.0%	Brown Clay at 125'; sand and clay at 125'-140'
235	8S/3W-1Q1	Unknown	Shallow	0.0%	
240	8S/2W-11L1	48-298	112	86.0%	Old Well No. 40; clay 112'-136'
301	7S/3W-18Q1	140-280; 280-520; 540-640	26	0.0%	Old JR1; blue clay 26'-32'
466	8S/3W-1P2	106-822	49	0.0%	Old 219, Cantarini, hard clay 49'-60'
467	8S/2W-12K1	50-100; 100-140	140	100.0%	Old 221, JK, Exh. 16, Monitoring well since 1983

^{1/} In 2015, Watermaster, Rancho California WD and Camp Pendleton agreed to the revised depths of younger alluvium for indicated wells. See discussion in Appendix F.

^{2/} Percent younger alluvium for Well No. 154 provided by Rancho California WD.

TABLE 7.8

SANTA MARGARITA RIVER WATERSHED **RANCHO CALIFORNIA WATER DISTRICT** WELL PRODUCTION FROM YOUNGER AND OLDER ALLUVIUM

2014-15 Quantities in Acre Feet

VELL NO.		QYAL	QTOAL	TOTAL
101	2/	0.00	543.00	543.00
102	2/, 3/	0.00	125.00	125.00
106	2/	0.00	102.00	102.00
108	2/	0.00	615.00	615.00
109	4/	372.96	71.04	444.00
110	4/	1,186.31	36.69	1,223.00
113	_,	0.00	322.00	322.00
118	2/	0.00	688.00	688.00
119	1/	0.00	527.00	527.00
120		0.00	1,401.00	1,401.00
121	41	0.00	0.00	0.00
122	1/	0.00	473.00	473.00
123	4/	95.55	51.45	147.00
124		0.00	428.00	428.00
125		0.00	0.00	0.00
126		0.00	881.00	881.00
128		0.00	0.00	0.00
129		0.00	0.00	0.00
130		0.00	934.00	934.00 684.00
131	41	0.00	684.00	574.00
132	4/	470.68	103.32	771.00
133	3/	0.00	771.00	57.00
135	3/	0.00	57.00	
138		0.00	2,418.00	2,418.00 919.00
139 140		0.00 0.00	919.00 1,365.00	1,365.0
141		0.00	475.00	475.0
143		0.00	684.00	684.0
144		0.00	447.00	447.0
145		0.00	172.00	172.00
146	3/	0.00	16.00	16.00
149	OI.	0.00	248.00	248.0
151		0.00	780.00	780.0
152	4/	2,220.06	224.94	2,445.0
153	4/	1,972.08	19.92	1,992.0
154	٦,	606.87	6.13	613.0
155	3/	0.00	10.00	10.0
156	O/	0.00	783.00	783.0
157	4/	1,398.76	46.24	1,445.0
158	4/	1,995.62	72.38	2,068.0
201		0.00	0.00	0.0
203		0.00	612.00	612.0
205		0.00	1,664.00	1,664.0
207		0.00	0.00	0.0
208		0.00	0.00	0.0
209		0.00	0.00	0.0
210	4/	626.98	40.02	667.0
211	1/	0.00	482.00	482.0
215		0.00	0.00	0.0
216		0.00	0.00	0.0
217		0.00	860.00	860.0
231		0.00	0.00	0.0
232	4/	718.52	62.48	781.0
233	4/	704.00	96.00	800.0
234	4/	109.52	38.48	148.0
235		0.00	1,494.00	1,494.0
301		0.00	0.00	0.0
302		0.00	0.00	0.0
309	_	0.00	2,204.00	2,204.0
	_	12,477.91	25,053.09	37,531.0

^{1/} A portion of 1,482 acre feet from Well Nos. 119, 122 and 211 was delivered to Pechanga Indian Reservation for their use.

A portion of 1,452 acre feet for feleases to streams from Well Nos. 113, 122 and 211 was delivered to Fedhaga indian reservation.
 Includes 26 acre feet of releases to streams from Well Nos. 101, 102, 108 and 118.
 Includes 207 acre feet pumped directly to the recycled water system from Well Nos. 102, 135, 146 and 155.
 Permitted point of re-diversion pursuant to Permit 7032.

7.2.9 Western Municipal Water District

Western Municipal Water District operations within the Santa Margarita River Watershed are comprised of three categories. First, Western MWD wholesales imported water to Rancho California WD. Deliveries to Rancho California WD are included under Rancho California WD. Second, Western MWD serves water to its Murrieta Division in the vicinity of the City of Murrieta. Third, Western MWD serves imported water to its Improvement District A near the southern boundary of Riverside County, along the I-15 freeway. Improvement District A is operated by Rancho California WD under an operations and maintenance contract on behalf of Western MWD.

Murrieta Division

In November 2005, Western MWD merged with the Murrieta County Water District assuming their operations in an area in the vicinity of the City of Murrieta. Prior Watermaster Reports present information under Murrieta County Water District.

All of the Murrieta Division of Western MWD wells are located in the Murrieta-Temecula Groundwater Area. Interlocutory Judgment No. 30 indicates the younger alluvium deposits in Murrieta Valley extend in various depths to a maximum of approximately 30 feet from the ground surface.

The Court noted that it was impossible, based on evidence available in 1962, to determine with exactness the depth of the younger alluvial deposits throughout the Valley. However, the Court did retain continuing jurisdiction so that subsequent findings could be made, if needed. Older alluvial deposits are found below the younger alluvium.

Six of the seven Murrieta Division wells are perforated at depths of 106 feet or more. The Holiday Well has perforations beginning at a depth of 60 feet, which is well below the maximum depth of younger alluvium found by the Court in 1962. In addition, there has been no production from the Holiday Well since March 2006. Accordingly, all of Murrieta Division well production is from the older alluvium under a groundwater appropriative right.

In Water Year 2014-15, the Murrieta Division of Western MWD produced 642 acre feet of water from the North Well and 399 acre feet from the New Clay Well for a total well production of 1,041 acre feet. Western MWD imported 820 acre feet in 2014-15 as shown on Appendix Table A-10.

The following table itemizes	s the production	from the Murrieta	Division wells:
------------------------------	------------------	-------------------	-----------------

Well Designation <u>7S/3W</u>	Well <u>Name</u>	2014-15 Production Acre Feet	De	Water Year epth to vater in Feet 2015	Well Depth <u>Feet</u>	Perforated Interval <u>Feet</u>
20	New Clay	399	311	360***	940	300 - 350 370 - 470 680 - 790 830 - 900
20C9	Holiday	0	61	63**	307	60 - 307
20G5	House	0	*	*	252	120 - 252
17R2	Lynch	0	30	30	212	172 – 212
18J2	North	642	275	286***	650	240 – 460 500 – 640
20D	South	0	173	173	446	120 - 446
7M	Alson	0	*	*	416	106 – 416
TOTAL		1,041				

^{*} Not reported.

Western MWD's Murrieta Division production for the period 1966 through 2015 is shown on Appendix Table B-11.

Improvement District A

In Water Year 2014-15, imports to Improvement District A amounted to approximately 29 acre feet as shown on Appendix Table A-11. Deliveries to Improvement District A through turnout WR-13 for the period 1966 through 2015 are shown on Appendix Table B-12.

7.2.10 <u>U. S. Marine Corps - Camp Pendleton</u>

Camp Pendleton is located on the coastal side of the Santa Margarita River Watershed. Water was provided by ten wells that produced 4,690 acre feet in Water Year 2014-15. This production is from the younger alluvium and is based on riparian and appropriative rights. In 2014-15, there was no agricultural use and 4,690 acre feet were used for Camp Supply. Camp Supply includes domestic and commercial uses as well as irrigation for landscaping and park areas. Camp Pendleton water use is located both inside and outside the Watershed. A total of 1,816 acre feet were used inside the Watershed and 2,311 acre feet were exported to areas of the Base outside the Watershed. The production and use of water for Camp Pendleton are shown on Appendix Table A-8.

^{**} February 2015 measurement.

^{***} Pumping level.

Beginning in December 2008, all wastewater for Camp Pendleton is treated at the Southern Region Tertiary Treatment Plant replacing the regional treatment Plant Nos. 1, 2, 3, and 13. On March 11, 2009, the Regional Water Quality Control Board issued Order No. R9-2009-0021 for a Master Reclamation Permit for the Camp Pendleton Southern Region Tertiary Treatment Plant. Wastewater effluent is discharged to either: (1) approved areas for use of recycled water for irrigation purposes; or (2) the Oceanside Outfall under **NPDES** Permit No. CA0109347, Order No. R9-2003-0155. Order No. R9-2008-0096. The approved areas for use of recycled water are located both within and outside the Watershed. In Water Year 2014-15, the total amount of recycled water for Camp Pendleton was 2,012 acre feet as shown on Appendix Table A-8. Of the total amount of recycled water, 49 acre feet were used inside the Watershed; 401 acre feet were used outside the Watershed; and 1,562 acre feet were exported to the Oceanside Outfall. An additional 563 acre feet of brine byproduct from the Southern Advanced Water Treatment Plant were exported to the Oceanside Outfall. The total amount exported to the Oceanside Outfall in 2014-15 was 2,125 acre feet.

Production and estimated use inside and outside the Watershed, as well as wastewater reclamation and use, are shown in Appendix Table B-9 for the period 1966 through 2015. It is noted, the format and reporting shown on Appendix Table B-9 were changed for the Annual Watermaster Report for Water Year 2008-09. Prior reports show for the period 1966 through 2003, reclaimed use inside the Watershed reported as recharged wastewater from ponds and recharge areas. In addition, the prior reports distinguished the source of the recharged wastewater between wastewater treated within or outside the Watershed at the various regional treatment plants. The format and reporting for Water Year 2014-15, on Appendix Tables A-8 and B-9, reflect current and anticipated operations for the foreseeable future. Accordingly, the prior format is obsolete and the reader is directed to prior reports from 2008, and earlier, for additional information regarding historical wastewater operations.

7.2.11 U. S. Naval Weapons Station, Fallbrook Annex

The U. S. Naval Weapons Station (NWS) occupies about 9,148 acres northeast of Camp Pendleton. Since 1969, the NWS has relied on imported water delivered via Fallbrook PUD for its supply. Wastewater is exported from the NWS, Fallbrook Public Utility District and the Watershed via an outfall line maintained by Fallbrook PUD with an easement across Camp Pendleton. In 2014-15, 44 acre feet were imported of which three acre feet of wastewater were exported, as shown on Appendix Table A-9. Imports and use for the period 1966 through 2015 are shown on Appendix Table B-10.

7.3 Indian Reservations

Water is used on the Indian Reservations in the Watershed in accordance with federal reserved rights described in Section 6. Water use information for the Cahuilla, Pechanga and Ramona Indian Reservations in the Watershed is described in the following sections:

7.3.1 Cahuilla Indian Reservation

In general, domestic water use on the Cahuilla Indian Reservation is not measured; however reports for 2014-15 indicate that 355 people reside on the Reservation. These residents use water primarily for domestic purposes. Annual domestic water use, based on 125 gallons per capita per day, amounts to a total annual use of about 50 acre feet from wells listed in Appendix C. In addition, reports indicate Reservation non-irrigated lands are used for the grazing of 500 cattle. Based on a daily requirement of 10 gallons per head per day, the annual use is estimated to be about six acre feet. An additional five acre feet pumped from well 7S/2E-26B3 were put to commercial use at a casino.

7.3.2 Pechanga Indian Reservation

On December 21, 2006, the Pechanga Band of Luiseño Mission Indians and Rancho California WD entered into a Groundwater Management Agreement for the Wolf Valley Groundwater Basin. The Pechanga Band and Rancho California WD agreed to jointly manage groundwater pumping from the basin and to manage the basin to protect groundwater resources. Among other things, the agreement provides for Rancho California WD to deliver pumped groundwater from its wells to Pechanga.

During 2014-15, Pechanga received 11 acre feet of delivered groundwater from Rancho California WD. In addition, the Pechanga Water System produced 804 acre feet from wells, and received 358 acre feet of recycled water from Eastern MWD, resulting in a total production for Pechanga of 1,173 acre feet. The monthly production and uses for the Pechanga Indian Reservation are shown on Appendix Table A-5. Information about Pechanga Water System wells is shown below:

		End of W	ater Year		
Well		Dep	th to	Well	Perforated
Designation	Well	Groundwa	iter in Feet	Depth	Interval
<u>8S/2W</u>	<u>Name</u>	<u>2014</u>	<u>2015</u>	Feet	<u>Feet</u>
29A2	Kelsey	154	152	425	105 - 415
29B10	Eduardo	142	166	697	437 - 687
29B11	Eagle III	183	181	645	275 - 635
29J3	South Boundary	147	165	350	150 - 340
28M5	Cell Tower	N/A	N/A	518	372 - 432
					468 - 508
28R1	Ballpark Well	121	98	1,000	126 - 996
19Q1	Zone V Rock 1	48	46	451	210 - 430

The total groundwater pumping for the Pechanga Water System wells increased from 765 acre feet in Water Year 2013-14, to 804 acre feet in Water Year 2014-15. The total pumping in Wolf Valley by Rancho California WD Well Nos. 119, 122 and 211, for both the District's use and for delivery to Pechanga, increased from 1,313 acre feet in 2013-14 to 1,482 acre feet in 2014-15. Therefore, the total pumping in Wolf Valley for 2014-15 increased by 208 acre feet.

The wells listed above are in areas of younger alluvium at ground surface. The depth of the younger alluvium in Wolf Valley was estimated by representatives of Rancho California WD and the United States, for Rancho California WD Well No. 495 (8S/2W-20E) and Well No. 119 (8S/2W-19J), to be in the range of 120 to 170 feet in depth. Thus, based on available well construction data, production is from both the younger alluvium and the older alluvium. Under state law, production from the wells that originate in the older alluvium can be considered to be under a groundwater appropriative right or an overlying right, depending on the circumstances at each well.

Production and uses for the Pechanga Indian Reservation for Water Years 1991 through 2015 are shown on Appendix Table B-6.

7.3.3 Ramona Indian Reservation

The Ramona Indian Reservation occupies 560 acres of land of which 321 acres are inside the Watershed. The water supply is provided for domestic use by two individual wells. Total production for 2014-15 is reported as 2.19 acre feet, or approximately two acre feet.

7.4 Small Water Systems

There are a number of small water systems in the Watershed. These range from relatively permanent structures, to those catering to recreational vehicles and campgrounds. Water production from wells is shown on Appendix Table A-11 for Quiet Oaks Mobile Home Park, Hawthorn Water System, Rancho California Outdoor Resorts, Jojoba Hills SKP Resort, Cottonwood Elementary, and Hamilton Schools. Data for previous Water Years are shown on Appendix Table B-12.

7.5 Irrigation Water Use

Estimated water production reported by substantial users for irrigation in the Santa Margarita River Watershed is shown on Table 7.1 to be 5,591 acre feet. This quantity includes 4,983 acre feet of well production and 608 acre feet of surface diversion as shown in Appendix C.

SECTION 8 - UNAUTHORIZED WATER USE

8.1 General

From time to time, there are complaints of unauthorized water uses of various types in the Watershed. Such complaints are investigated in accordance with the powers and duties of the Watermaster. The status of the current list of unauthorized uses is described as follows:

8.2 <u>Unauthorized Small Storage Ponds</u>

Many small dams and reservoirs have been constructed on streams in the Watershed. The legal basis for these ponds is described in the 1988-89 Watermaster Report. Basically, the Court has held that storage of water in ponds less than 10 acre feet in capacity and used for stock watering is a valid use of riparian water. The Court has also held that:

The temporary or non-seasonal impoundment by riparian owners for the purpose of providing a head for irrigation or for the purpose of temporarily accumulating sufficient water to make possible efficient irrigation is a proper riparian use of water.

Criteria for determining non-seasonal storage of irrigation water have yet to be developed.

8.3 Rancho California Water District Water Use

A number of unauthorized water use issues raised by the United States are settled so long as the CWRMA between the United States on behalf of Camp Pendleton and Rancho California Water District is in effect. As further explained in Section 11, many of these issues are described in Appendix F.

8.4 Exportation of Treated Wastewater Derived from Native Waters

Camp Pendleton continues to assert that the exportation of treated wastewater, the source of which is the native waters of the Santa Margarita River System, without a legal basis for such exportation is an unauthorized water use. On May 17, 2013, the United States Court of Appeals for the Ninth Circuit issued an Order granting the parties' joint motion to dismiss the appeals in *United States of America and Fallbrook Public Utility District v. Eastern Municipal Water District and Rancho California Water District* (CV 04-8182 CBM (RNBx), United States District Court, Central District of California) and thus the August 4, 2009 Judgment in this case stands.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 9 - THREATS TO WATER SUPPLY

9.1 General

General threats to the long-term water supply in the Santa Margarita River Watershed, which have been described in previous Watermaster reports, are as follows:

- 1. High nitrate concentrations in Rainbow Creek, Anza Valley and the Murrieta-Temecula areas.
- 2. Potential overdraft conditions at various locations in the Watershed.
- 3. Potentially adverse salt balance conditions in the upper Santa Margarita River area.
- 4. High concentrations of arsenic, fluoride, and manganese in the Murrieta-Temecula area.
- 5. Quagga mussel infestation in imported supplies from the Colorado River system.

9.2 High Nitrate Concentrations

In past years, high concentrations of nitrate have been measured in Anza Valley and in Rainbow Creek. Conditions in Anza Valley were generally described in the 1993-94 report. Additional water quality data for Anza Valley have been collected periodically by the Riverside County Department of Health Services and the USGS.

As described in prior Watermaster reports, in 1999 the Regional Water Quality Control Board, San Diego Region (Regional Board) began preparation of a plan for Total Maximum Daily Loads (TMDLs) for Total Nitrogen and Total Phosphorus on Rainbow Creek. On February 9, 2005, the Regional Board adopted Resolution No. R9-2005-0036, an amendment to the Basin Plan to include the Total Nitrogen and Total Phosphorus TMDLs and implementation plan. The State Water Resources Control Board, on November 16, 2005, and the Office of Administrative Law, on February 1, 2006, subsequently approved the Basin Plan amendment. The U.S. Environmental Protection Agency granted final approval of the TMDLs on March 22, 2006.

The full plan and implementation programs are presented on the Regional Board's website:

http://www.waterboards.ca.gov/sandiego/water_issues/programs/tmdl s/rainbowcreek.shtml. Recent data show high concentrations of nitrate pose a risk to water supplies from the Murrieta-Temecula Groundwater Area. In January 2006, Western MWD ceased production from the Holiday Well because nitrate concentrations exceeded the Maximum Contaminant Level (MCL) of 45 mg/l. The depth to the top of the perforated interval for the Holiday Well is only 60 feet and the high nitrate concentrations appear to be a result of nearby septic systems and agricultural practices. Concentrations of nitrate for some of the other Western MWD and Rancho California WD wells in the Murrieta-Temecula Groundwater Area have been detected in the range of 20 to 26 mg/l, which is below the MCL. The other Western MWD and Rancho California WD wells have deeper perforated intervals than the Holiday Well.

9.3 Potential Overdraft Conditions

Previous Watermaster reports have noted concerns about overdraft conditions in Anza Valley and in the Murrieta-Temecula Groundwater Area. Previous studies for Anza Valley include 1976 and 1988 reports by the U. S. Geological Survey and a 1990 report by a consultant to Riverside County. No further studies relative to groundwater use in Anza Valley are available. Historical measurements of groundwater levels for Anza Mutual Water Company's Well No. 1 (7S/3E-21G1) located in Anza Valley are plotted in this report on Figure 4.4. Water levels in Anza Mutual Water Company Well No. 1 rose by seven feet between September 30, 2014 and September 30, 2015.

No recent published studies of safe yield are available for the Murrieta-Temecula Groundwater Area. Groundwater resources in the area are managed by Rancho California WD, Western MWD, and the Pechanga Band. Annual groundwater production programs are prepared with the goal of maximizing production within the apparent safe yield of the basin. Each year, groundwater levels and well production combined with other information including water quality, natural and artificial recharge, pump settings, and well construction factors, are used to develop the recommended production programs for several hydrogeologic sub-areas. Production rates are commonly lowered in sub-areas where water levels have declined over several years, and production rates are increased in sub-areas where decline has not occurred. As a final check, the recommended production rates are checked using the groundwater model for the Murrieta-Temecula Groundwater Area.

In addition, Rancho California WD in cooperation with Camp Pendleton is in the process of developing a multi-level groundwater monitoring network, pursuant to the CWRMA. The purpose of the network is to collect data for use in assessing safe yield operations. In September 2006, the USGS began drilling and constructing the Pala Park Groundwater Monitoring Well as part of this network. The monitoring well was completed with six piezometers and continuous water level recording devices. In 2009, the groundwater monitoring network was expanded to include the Wolf Valley Monitoring Well previously constructed by the USGS under a cooperative program with the Pechanga Band. In 2013, two additional groundwater monitoring wells were constructed by the USGS under contract with Rancho California WD. The two additional wells are the Temecula Creek Groundwater Monitoring Well and the VDC Recharge Basin Groundwater Monitoring Well. Groundwater levels and water quality data for the four monitoring wells are reported in the annual CWRMA report.

Groundwater level data for three additional wells in the Murrieta-Temecula Groundwater Area are included in this report as Figures 4.1, 4.3 and 4.5. Water levels in the Windmill Well (8S/2W-12H1) located at the eastern part of Pauba Valley declined by 4.9 feet in 2014-15. Water levels in Well 7S/3W-20C9 in the Murrieta Division of Western MWD area declined by two feet in 2014-15.

Well 8S/2W-29G1 on the Pechanga Indian Reservation in Wolf Valley became dry at the end of 2003-04. The declining water levels in Well 8S/2W-29G1 appear to be attributed to recent relatively dry hydrologic conditions and pumping of the nearby New Kelsey Well. To allow continued monitoring of water levels on the Reservation, Well No. 29G1 has been replaced with Well No. 8S/2W-29B9 which showed water levels declined 1.2 feet in 2014-15.

9.4 Salt Balance

A key issue in management of a groundwater basin is potential build-up of salts from imported water supplies and use of recycled water. Such a build-up could decrease the usability of waters in a basin. Consideration must be given to measures that allow desalination of water supplies and export of salts from a basin to offset the salt load in water entering the groundwater basin.

The Total Dissolved Solids (TDS) concentration for imported supplies into the Watershed is shown on Table 5.3. During 2014-15, the reported TDS concentrations ranged from 507 to 662 mg/l as compared to concentrations for 2013-14 ranging from 411 to 576 mg/l. The increased levels for TDS in 2014-15 are attributed to a greater percentage of the imported supplies derived from the Colorado River compared to supplies from the State Water Project.

The salt balance for the Murrieta-Temecula Groundwater Area is increasingly of interest due to increased imported supplies to meet existing and future demands, and also increased use of reclaimed wastewater for irrigation. The potential salt loading can be illustrated by estimating the total salts imported into the basin by the major purveyors overlying the groundwater area. The net imported supplies for the major purveyors are provided on Table 5.2 and the individual production and use tables are included in Appendix A. Assuming the groundwater area is subject to salt loading from net imports for Eastern MWD, Elsinore Valley MWD, Western MWD (Murrieta Division), and Rancho California WD (Rancho Division); the total net imports for Water Year 2014-15 were 42,800 acre feet. It is noted, imports for a portion of the Rancho California WD, Santa Rosa Division, potentially contribute to salt loading for the groundwater area but such contribution is ignored for this illustration. Applying the monthly TDS concentrations from Table 5.3 to the monthly net imports for these major purveyors results in an estimated total annual salt import for Water Year 2014-15 of 34,900 tons compared to the estimated salt import of 37,700 tons for 2013-14 and 32,200 tons for 2012-13.

The salt balance for the Murrieta-Temecula Groundwater Area is affected by the export of wastewater from the Watershed. In 2014-15, Elsinore Valley MWD exported 1,328 acre feet of wastewater for treatment outside the Watershed. During 2014-15, Eastern MWD exported 7,002 acre feet of treated wastewater for reuse outside the Watershed. Additional treated wastewater may have been exported from the Watershed through recirculation in the system, but such additional amounts have not been determined. At an average TDS concentration of 650 mg/l, there are approximately 1,768 pounds of salt in every acre foot of wastewater. Thus in 2014-15, approximately 7,400 tons of salt were exported by Elsinore Valley MWD and Eastern MWD through the export of 8,330 acre feet of wastewater. For comparison in 2013-14, approximately 8,300 tons of salt were exported with the export of 9,424 acre feet of wastewater.

The use of recycled water for irrigation is also a consideration in evaluating the salt balance for the Murrieta-Temecula Groundwater Area. The reuse within the groundwater area does not import additional salts into the Watershed; rather the source of water supply further concentrates the salts in contrast to relatively lower TDS levels for other sources of water supplies. The total use of recycled water by Eastern MWD, Elsinore Valley MWD, Rancho California WD, and the Pechanga Band within the Santa Margarita River Watershed for 2014-15 was 5,819 acre feet compared to 6,135 acre feet in 2013-14, and compared to 690 acre feet in 1986-87. Assuming an average TDS concentration of wastewater of 650 mg/l, the salt loading for 5,819 acre feet of recycled water is approximately 5,100 tons. It is expected that the use of recycled water within the Watershed will increase in the future.

The salt balances of the Murrieta-Temecula Groundwater Area, the Santa Margarita River, and the groundwater basins on Camp Pendleton are affected by operational and maintenance discharges by Rancho California WD from wells into Murrieta Creek, Temecula Creek and Santa Gertrudis Creek. In 2014-15, wells discharged 26 acre feet, as shown below, together with the TDS for the most recent sample for each well. Additional water quality data for the wells are provided in Appendix D.

Well No.	Release Acre Feet	TDS mg/l	Most Recent Sample Date	
101	40	600	0/17/14	
101	12	680	9/17/14	
102	1	700	6/20/95	
106	0	390	7/28/15	
108	2	390	8/05/15	
118	<u>11</u>	620	9/03/14	
Total	26			

The salt balances for the Santa Margarita River, and the groundwater basins on Camp Pendleton, are also influenced by discharges by Rancho California WD of imported supplies into Santa Margarita River as part of make-up flows under the CWRMA. During 2014-15, the discharge of imported supplies to the Santa Margarita River as

make-up flows from outlet WR-34 was 2,914 acre feet. During Water Year 2014-15, 492 acre feet were discharged from the potable connection to the Santa Margarita River. Discharges from the potable connection are comprised of a blend of groundwater and imported supplies.

In March 2014, Rancho California WD completed the Temecula Valley Basin Salt and Nutrient Management Plan. The plan was prepared pursuant to the State Water Resources Control Board Recycled Water Policy adopted by Resolution No. 2009-0011 on February 3, 2009, as amended by Resolution No. 2013-0003 on January 22, 2013. In November 2012, Camp Pendleton completed the Salt and Nutrient Management Plan, Southern MCB Camp Pendleton, also prepared pursuant to the State Water Resources Control Board Recycled Water Policy cited above.

9.5 High Arsenic Concentrations

The maximum contaminant level (MCL) for arsenic is 10 ug/l. High concentrations of arsenic have been detected in groundwater wells for both the Murrieta Division of Western MWD and Rancho California WD, posing a risk to water supplies in the Murrieta-Temecula Groundwater Area. In November 2007, Western MWD ceased pumping from the New Clay Well due to arsenic levels exceeding the MCL. Pumping from the New Clay Well resumed in September 2012, under an approved monitoring plan after Western MWD completed well renovation measures. Pumping from the New Clay Well was again ceased in April 2013 due to arsenic levels exceeding the MCL. In April 2014, pumping from the New Clay Well was again resumed.

The elevated arsenic levels have significantly impacted groundwater pumping and distribution system operations for Rancho California WD. Two wells have been taken out of production due to arsenic levels exceeding the MCL. In 2014-15, four other wells showed levels exceeding the MCL with the wells still in operation. Three of the wells are operating under approved blending plans and the fourth well is being operated under increased monitoring with preparation of a tentative blending plan.

9.6 High Fluoride Concentrations

The MCL for fluoride is 2 mg/l, and samples exhibiting high concentrations of arsenic often show high concentrations of fluoride in the Murrieta-Temecula Groundwater Area. High levels of fluoride are impacting operations for Rancho California WD. In 2014-15, two wells showed fluoride levels exceeding the MCL with the wells in operation under approved blending plans.

9.7 <u>High Manganese Concentrations</u>

The MCL for manganese is 50 ug/l, and high concentrations of manganese have been detected in wells for both the Murrieta Division of Western MWD and Rancho California WD. In 2014-15, two Rancho California WD wells were in operation under approved manganese sequestering plans. In 2014-15, nine out of ten active groundwater supply wells for Camp Pendleton showed manganese levels exceeding the MCL with groundwater treated under approved treatment plans.

9.8 Quagga Mussel

In early January 2007, the invasive, non-native Quagga mussel was discovered in Lake Mead. Subsequently, upon thorough inspection, MWD discovered the mussel throughout the Colorado River Aqueduct system including in August 2007, finding the mussels in Lake Skinner. To date, no mussels have been found in Diamond Valley Lake.

The Quagga mussel is indigenous to the Ukraine and was discovered in the United States in September 1989 with the first sighting in the Great Lakes. The Quagga mussel is a small freshwater mollusk ranging in size from microscopic in the embryonic state to about two inches in length at the adult stage. The mussels can be transported during the larval stage with currents or running water, and at the adult stage by attaching to hard surfaces, such as boats.

The Quagga mussel is a filter feeder removing food and nutrients from the water column, decreasing the food source for zooplankton and therefore, altering the food web. The filtration of the water also alters water clarity impacting aquatic plants and water chemistry. The economic impact is also significant because these species can rapidly colonize on hard surfaces, clogging water intake structures, pipes, and screens and reducing pumping and distribution capacities. Costs are also associated with maintenance of facilities and control of the species.

Since the discovery of Quagga mussels in the Colorado River Aqueduct and Lake Skinner, MWD has implemented various control activities. In July 2007, the aqueduct was shut down for ten days for inspection, chlorination, and removal of adult populations. Also in July 2007, MWD initiated continuous chlorination in the Colorado River Aqueduct to control the spread of Quagga mussels. Additionally, as part of ongoing maintenance activities for the Colorado River Aqueduct, MWD subsequently shut down the aqueduct in October 2007, January and March 2008, October 2009, and April and May 2010, for approximately three weeks each shutdown, resulting in desiccation of Quagga mussels present at those times. Subsequently, MWD routinely shuts down the aqueduct, once or twice annually, for ongoing maintenance activities and for Quagga mussel desiccation. Releases from Lake Skinner are chlorinated at the outlet tower prior to distribution through the raw water delivery system.

Effective October 10, 2007, Assembly Bill 1683 added Section 2301(a)(1) to the California Fish and Game Code prohibiting the release of Quagga mussels into the waters of the State. Assembly Bill 1683 also requires development of a Quagga mussel control plan. On December 8, 2007, MWD temporarily suspended required releases of water to Tucalota Creek from Lake Skinner and Warm Springs Creek from the San Diego Canal near Diamond Valley Lake. These required releases would have been made in accordance with Memoranda of Agreement for releasing native inflows from the reservoirs. On March 6, 2008, MWD provided notice to the parties in *United States of America v. Fallbrook Public Utility District*, et al., regarding the temporary suspension of required releases of native water inflows from Lake Skinner and Diamond Valley Lake.

On June 23, 2008, MWD provided notice to the parties in *United States of America v. Fallbrook Public Utility District*, *et al.*, regarding the resumption of required releases of native water inflows from Lake Skinner and Diamond Valley Lake, according to MWD's Action Plan submitted to California Department of Fish and Wildlife on May 30, 2008. On April 5, 2010, the California Department of Fish and Wildlife approved the Quagga Mussel Control Plan for Lake Skinner and MWD is operating under the approved raw water discharge plan outlined in the Quagga Mussel Control Program for releases to Tucalota Creek. To meet release requirements at Diamond Valley Lake, MWD is operating under the May 30, 2008 Action Plan and June 23, 2008 Notice describing provisions for releases to Warm Springs Creek from the State Water Project Eastside Pipeline.

Infestation by the Quagga mussel has also altered Rancho California WD operations in accordance with the CWRMA. Beginning on April 10, 2008, Rancho California WD periodically ceased making releases of raw water from Outlet WR-34 on the MWD Pipeline No. 5 to meet make-up flow requirements for the Santa Margarita River. Alternatively, Rancho California WD releases make-up flows from its treated water distribution system at the System River Meter located just upstream of the Murrieta Creek at Temecula gaging station, or from the potable connection to the WR-34 discharge location. The treated water is de-chlorinated prior to release into Murrieta Creek.

In response to the threat of infestation of Quagga mussel, Rancho California WD has developed three separate control plans that constitute an overall action plan. These plans were updated in 2012 and are comprised of the following: (1) Dreissena Mussel Response and Control Action Plan, (2) Vail Lake Rapid Response Plan, and (3) Vail Lake Conveyance System Dreissena Mussel Control Plan, collectively referred to as the Plans. On September 14, 2012, the California Department of Fish and Wildlife approved the amended Plans that include the following key components:

- Substrate monitoring utilizing coupon sampling equipment at Vail Lake and the Santa Margarita River at a sampling location approximately 100 feet downstream of the Outlet WR-34 for releases of make-up water in accordance with CWRMA.
- Raw MWD water is released into the Santa Margarita River only when chlorination is being performed at Lake Skinner.
- All watercraft vessels, trailers, and equipment are being inspected before launching in Vail Lake.
- Installation of chlorination, filtration, and turbulence devices within the Vail Lake Pipeline to result in 100 percent mortality of mussels passing through the system for delivery of imported supplies to Vail Lake.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 10 - WATER QUALITY

10.1 Surface Water Quality

The USGS collected continuous water quality measurements for dissolved oxygen, pH, specific conductance, and temperature at the Santa Margarita River near Temecula gaging station during 2014-15. Data collected at the station are published by the USGS. The highest average daily high and the lowest average daily low for each parameter for each month are shown on Table 10.1 for Water Year 2014-15.

Surface water quality data collected by the USGS in 2004-05 for Cahuilla Creek are shown on Appendix Table D-12. No surface water quality data for Cahuilla Creek were collected in 2014-15.

Surface water quality data collected in prior years by Camp Pendleton, Eastern MWD, and Rancho California WD are listed in earlier Watermaster reports.

10.2 Groundwater Quality

During 2014-15, water quality data was collected from wells at Western MWD – Murrieta Division, Rancho California WD, Pechanga Indian Reservation, and Camp Pendleton.

Western MWD – Murrieta Division sampled two wells in 2014-15 as shown in Appendix Table D-3. Both wells were subjected to standard chemical analysis in addition to samplings for nitrates only. The North Well was sampled 9 times and included three samples subjected to standard chemical analysis and one sample subjected to TDS only. The New Clay Well was sampled ten times and included one sample subjected to standard chemical analysis and nine samples analyzed for nitrates only. Concentrations of nitrates were below the Maximum Contaminant Level (MCL) of 45 mg/l with results reported to be below the laboratory detection limit.

Water quality data for Rancho California WD wells are shown on Appendix Table D-4. Samples were collected from 38 wells during 2014-15. Of the 38 wells, 26 wells were analyzed for both nitrates and TDS only. Nitrate concentrations ranged up to 26 mg/l as nitrate, with the MCL being 45 mg/l as nitrate. Nineteen of the remaining wells were subjected to standard chemical analysis, 33 wells were sampled for TDS only, and 15 wells were sampled for nitrates only. Samples from two wells (Well 109 and Well 122) showed TDS concentrations exceeding 750 mg/l, the Basin Plan objective. Wells 120 and 158, which showed TDS concentrations exceeding 750 mg/l in prior years, showed reduced TDS concentrations for 2014-15, ranging from 350 to 480 mg/l and 660 to 700 mg/l, respectively. During 2014-15, 22 wells showed TDS concentrations ranging from 500 to 750 mg/l. Wells 119 and 123 showed increased levels from prior years with TDS concentrations ranging from 540 to 710 mg/l and 550 to 730 mg/l, respectively.

TABLE 10.1

SANTA MARGARITA RIVER WATERSHED

RANGES IN AVERAGE DAILY CONCENTRATION OF DISSOLVED OXYGEN, PH, SPECIFIC CONDUCTANCE AND TEMPERATURE AT SANTA MARGARITA RIVER NEAR TEMECULA

Water Year 2014-15


COLLECTION MONTH/YEAR	DISSOL OXYG mg	EN	рН		SPECI CONDUC microsiem	TANCE	TEMPERA Degrees (
2014	<u>High</u>	Low	<u>High</u>	Low	<u>High</u>	<u>Low</u>	<u>High</u>	Low
October	8.4	7.4	8.2	7.7	1,030	841	24.9	21.7
November	9.5	7.3	8.2	7.7	1,480	933	21.9	16.3
December	12.7	6.0	8.2	6.8	1,740	198	17.9	2.4
2015								
January	12.1	9.9	7.8	6.9	1,100	442	13.6	3.6
February	10.4	7.3	8.2	7.3	1,280	442	21.4	12.4
March **	10.7	8.1	8.2	7.4	1,130	277	20.6	11.1
April	9.9	8.3	8.2	7.8	1,040	882	20.4	17.8
May	10.1	6.1	8.3	7.2	1,360	167	20.8	14.1
June	9.2	6.2	8.1	7.5	1,800	465	24.6	20.5
July **	7.9	3.1	8.2	7.1	1,280	405	28.7	23.2
August	7.8	7.1	8.3	8.0	1,070	973	28.5	26.7
September	7.8	1.6	8.1	7.2	1,490	455	28.0	24.0

^{**-} Partial Record: Indicates months with interruptions in record at times due to malfunction of recording equipment. High and low values indicated for days with reported data. Daily data and number of days with no record can be viewed at the following website: http://web10capp.er.usgs.gov/adr06_lookup/search.jsp searching by site number 11044000.

Total dissolved solids concentrations for Rancho California WD Well No. 210 are shown on Figure 10.1 for samples collected since 1957, when the well was constructed. The figure shows a decline in TDS from approximately 900 mg/l for the samples collected during the 1960's to the 400-600 mg/l range in recent years. Trend analyses for other wells throughout the Murrieta-Temecula area show a mix of increasing and decreasing trends in TDS levels depending upon location and aquifer.

Figure 10.1

TOTAL DISSOLVED SOLIDS CONCENTRATION 8S/2W-12K - RCWD WELL NO. 210




Appendix Table D-5 shows water quality data collected by the USGS from wells on Indian Reservations. In 2014-15, samples were collected from five wells on the Pechanga Indian Reservation. For the Pechanga wells, TDS concentrations ranged from 255 to 364 mg/l.

In 2014-15, no samples were collected from wells on the Cahuilla Indian Reservation.

During 2014-15, groundwater samples were collected from ten wells at Camp Pendleton as shown on Appendix Table D-6. All ten wells were subjected to standard chemical analysis. During 2014-15, samples show all ten wells with TDS concentrations exceeding the Basin Plan Objective of 750 mg/l. Six of the ten wells showed TDS concentrations that exceeded those in prior years, one well remained at the same TDS concentration and three wells showed a decline of TDS concentrations compared to the previous year.

Historical TDS concentrations for Camp Pendleton Well 7A2 are shown on Figure 10.2 for samples collected since mid-1950. The figure shows a decline between mid-1950 and 1970, then a period of increasing concentrations to levels in the 550-950 mg/l range. Analysis of the sample collected in 2014-15 indicated TDS concentrations of 860 mg/l, an increase of 90 mg/l compared to the sample collected in 2013-14.


TOTAL DISSOLVED SOLIDS CONCENTRATION
10S/4W-7A2 - CAMP PENDLETON



Historical nitrate concentrations for the same well (7A2) are shown on Figure 10.3. The one sample collected in Water Year 2014-15 showed a nitrate concentration of 2.3 mg/l, a decrease from the prior year.

Figure 10.3

NITRATE CONCENTRATION 10S/4W-7A2 - CAMP PENDLETON



Year

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 11 - COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

11.1 General

On August 20, 2002, the Cooperative Water Resource Management Agreement (CWRMA) between Camp Pendleton and Rancho California WD was approved by the Court. The CWRMA provisions specify required accounting will be reported on a calendar year basis and, accordingly, Section 11 and Appendix E present data reported on a calendar year basis. However, the remainder of the Annual Watermaster Report is prepared on a water year basis requiring the CWRMA calendar year reporting to be converted to a water year basis to be incorporated into other sections of the report. The water year period begins on October 1 and concludes on September 30 of the following year.

It is noted that prior Annual Watermaster Reports served as the annual report required under CWRMA. Beginning in calendar year 2011, a separate annual report has been prepared by the Watermaster and submitted to the Court to meet the requirements of CWRMA. Section 11 continues to be included in the Annual Watermaster Report focusing on the accounting and operations related to Make-Up Water releases and flow requirements for the Santa Margarita River at the Gorge. Section 11 also includes an overview of other topics included in the stand-alone Annual CWRMA Report.

The CWRMA provides that on May 1 of each year, the Technical Advisory Committee is to compute a hydrologic index for the year based on streamflow and precipitation between October and April. In May 2015, the hydrologic index was determined and the year classified as a "Below Normal" hydrologic year. The hydrologic year establishes the required flows at the Santa Margarita River near Temecula gaging station for the calendar year. Required flows for 2015, a "Below Normal" year, are listed in Section 5 of the CWRMA and are shown on Table 11.1.

As indicated above, CWRMA calendar year accounting must be converted to a water year basis for other sections of the annual report. The data for October through December 2014 for the various accounts are needed to convert the amounts shown on Table 11.1 to water year values. These data for October through December 2014 were reported in the prior year Annual Watermaster Report. To assist the reader in calculating water year amounts for various CWRMA operations, Table 11.2 in the current report is a repeat of Table 11.1 from the prior year's report. Additional information concerning the operations underlying the values reported on Table 11.2 can be found in the prior year's report.

Prior to implementation of the CWRMA, each year there were contentions raised by Camp Pendleton with respect to various aspects of the Annual Watermaster Report. These contentions are settled so long as that agreement is in effect. Accordingly, there is no need to raise those particular issues or publish them in the main text of the annual report or in related correspondence. Rather, the issues are provided in Appendix F.

TABLE 11.1

SANTA MARGARITA RIVER WATERSHED

COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT MONTHLY SUMMARY OF REQUIRED FLOWS, DISCHARGES, CREDITS AND ACCOUNTS

2015 CALENDAR YEAR - BELOW NORMAL YEAR

FULL	756.0	562.7	3,736.4	0			4,897.1	4,909.5	CALENDAR YEAR TOTAL
5,000.0	0.0	0.0	330.6	0	5.3	5.3	325.7	324.7	Dec
5,000.0	0.0	0.0	257.3	0	4.5	4.5	268.0	268.0	Nov
5,000.0	0.0	0.0	233.0	0	3.9	3.9	248.3	246.3	Oct
5,000.0	0.0	0.0	217.6	0	4.1	4.1	249.7	249.7	Sep
5,000.0	0.0	0.0	252.3	0	4.4	4.4	270.7	269.8	Aug
5,000.0	0.0	0.0	215.8	0	4.3	4.3	320.7	328.3	Jul
5,000.0	0.0	0.0	282.5	0	4.9	4.9	300.3	314.8	Jun
5,000.0	0.0	0.0	286.0	0	5.7	2.7	668.8	669.2	May
5,000.0	189.0	126.3	414.3	0	8.0	8.3	494.1	493.9	Apr
5,000.0	195.3	169.1	437.6	0	8.0	8.3	619.2	636.1	Mar
5,000.0	176.4	105.8	370.4	0	8.0	8.3	492.1	488.3	Feb
5,000.0	195.3	161.5	439.0	0	8.0	8.3	639.5	620.4	Jan
AF	AF	AF 4/	AF 3/	Flow	cfs 2/	cfs 1/	AF	AF	Month
Cumulative Balance	Input	Climatic Credits Earned	Discharge from WR-34	Running Average is Less than Required	Section 5 Flows	Maintenance Requirement	USGS Website Daily Discharge	USGS Official Discharge	
Camp Pendleton Groundwater Bank 5/	Camp Pendlet	:	· ·	No. of Days 10-day		Minimum Flow			

^{1 -} Required flows for January through April are equal to 11.5 cfs less 3.2 cfs of credits (749 AF of Climatic Credit earned in 2014 and 4.5 AF of CAP Credit earned in 2014).

^{2 -} The Table in Section 5 of the CWRMA sets forth guaranteed monthly flows at the Gorge once the Hydrologic Condition for the calendar year is established. 3 - CAP Credits equal the WR-34 discharge in excess of 4,000 AF. No CAP Credits were earned in 2015.

^{4 -} Climatic Credits equal the WR-34 discharges less actual Flow Requirements, which is the flow indicated in Section 5 of the CWRMA less applicable credits but not less than 3.0 cfs.

^{5 -} Camp Pendleton's rights to groundwater equal the flow indicated in Section 5 of the CWRMA less the Actual Flow Maintenance Requirement, which cannot be less than 3.0 cfs. Input to the Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

TABLE 11.2

SANTA MARGARITA RIVER WATERSHED

COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT MONTHLY SUMMARY OF REQUIRED FLOWS, DISCHARGES, CREDITS AND ACCOUNTS

2014 CALENDAR YEAR - BELOW NORMAL YEAR

			Minimum Flow		No. of Days 10-day			Camp Pendlet	Camp Pendleton Groundwater Bank 5/
	USGS Official Discharge	USGS Website Daily Discharge	Maintenance Requirement	Section 5 Flows	Running Average is Less than Required	Discharge from WR-34	Climatic Credits Eamed	Input	Cumulative Balance
Month	AF	ÁF	cfs 1/	cfs 2/	Flow	AF 3/	AF 4/	AF	AF
Jan	605.8	605.8	8.6	8.0	0	599.5	212.0	105.4	5,000.0
Feb	1,995.8	1,995.8	9.6	8.0	0	506.7	168.9	95.2	5,000.0
Mar	3,822.5	3,813.6	9.6	8.0	0	502.4	165.5	105.4	5,000.0
Apr	589.1	583.5	9.6	8.0	0	577.8	202.8	102.0	5,000.0
May	326.5	350.9	5.7	5.7	0	336.0	0.0	0.0	5,000.0
Jun	274.1	291.6	4.9	4.9	0	270.7	0.0	0.0	5,000.0
Jul	264.4	264.6	4.3	4.3	0	248.1	0.0	0.0	5,000.0
Aug	272.1	272.1	4.4	4.4	0	252.3	0.0	0.0	5,000.0
Sep	243.6	243.6	4.1	4.1	0	224.9	0.0	0.0	5,000.0
Oct	235.0	239.8	3.9	3.9	0	216.5	0.0	0.0	5,000.0
Nov	176.1	178.5	3.0	4.5	0	164.4	0.0	0.06	5,000.0
Dec	3,508.6	3,508.6	3.3	5.3	0	109.5	0.0	124.0	5,000.0
CALENDAR									
YEAR TOTAL	12,313.6	12,348.3			0	4,008.8	749.2	622.0	FULL

Required flows for January through April are equal to 11.5 cfs less 1.7 cfs of credits (406 AF of Climatic Credit earned in 2013).
 The Table in Section 5 of the CWRMA sets forth guaranteed monthly flows at the Gorge once the hydrologic condition for the calendar year is established.
 CAP Credits equal the WR-34 discharge in excess of 4,000 AF. Credits earned in 2014 equal to 8.8 AF.
 Climatic Credits equal the WR-34 discharges less actual Flow Requirements, which is the flow indicated in Section 5 of the CWRMA less applicable credits but not

less than 3.0 cfs.

^{5/} Camp Pendleton's rights to groundwater equal the flow indicated in Section 5 of the CWRMA less the Actual Flow Maintenance Requirement, which cannot be less than 3.0 cfs. Input to the Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

11.2 Required Flows

Under the CWRMA, Rancho California WD guarantees that the ten-day running average of the measured flows at the Santa Margarita River near Temecula gaging station shall meet the required flows for each month during the year. In order to meet the required flows, Rancho California WD discharges Make-Up Water from two primary sources, both discharging into the river at the same location immediately upstream from the USGS gaging station for Santa Margarita River near Temecula. The first primary source of Make-Up Water is raw water from MWD Aqueduct No. 5 discharged at Outlet WR-34. The second primary source of Make-Up Water is from the Rancho California WD treated water distribution system through a potable connection to the WR-34 outlet pipe. In prior years, Make-Up Water was also discharged from the treated water distribution system to Murrieta Creek from two system discharge meters collectively referred to as the System River Meter. The two discharge meters are located on opposite sides of Murrieta Creek, immediately downstream of the USGS gaging station for Murrieta Creek at Temecula, which is located approximately 2,000 feet upstream of the confluence of Temecula Creek and Murrieta Creek. The System River Meter is operable as a secondary source of Make-Up Water if needed.

Flow requirements are based on two-thirds of the median natural flow of the Santa Margarita River at the Gorge for a given hydrologic year type. During the winter period (January through April), Rancho California WD shall maintain a ten-day running average equal to 11.5 cfs, less carry-over credits, less requested foregone Make-Up Water, but not less than 3.0 cfs. Rancho California WD may earn Climatic Credits in Below Normal and Critically Dry years if it has provided Make-Up Water in excess of the Actual Flow Requirement. The Climatic Credit is equal to the Make-Up Water released, less the Actual Flow Requirement, less credits. The Actual Flow Requirement is determined on May 1 of each year and applied retroactively to the flows during the winter period. During the non-winter period (May through December), Rancho California WD shall maintain a ten-day running average equal to the flow requirements specified in the CWRMA as determined on May 1st, less any foregone Make-Up Water agreed to by Camp Pendleton and Rancho California WD. When Rancho California WD is required to provide Make-Up Water in any calendar year in excess of 4,000 acre feet, it may apply CAP Credits for such excess during the following two winter periods. At no time is Rancho California WD required to make up more than 11.5 cfs.

The measured daily flows, the ten-day running average, and the differences between the running average and the required flows are shown in Appendix E. Two listings of daily discharges are shown in the tables in Appendix E: the USGS official discharge and the USGS website discharge. The discharges shown on the website are those that dictate daily decisions regarding the quantities of Make-Up Water required and those discharges are used to compute the ten-day running average. The official discharge is a more refined estimate developed later by the USGS for publication.

The number of days each month when the ten-day running average was less than the required flows is summarized on Table 11.1. For calendar year 2015, there were no days when the running average was less than the required flows under normal CWRMA operations.

During calendar year 2015, the total releases by Rancho California WD to meet CWRMA flow requirements were 3,736 acre feet as shown on Table 11.1. The releases were comprised of 3,244 acre feet of raw water from Outlet WR-34 and 492 acre feet from the potable connection at Outlet WR-34 during a MWD raw water shut down in February and March 2015.

Climatic Credits of 749 acre feet were used in calendar year 2015, and Climatic Credits of 563 acre feet were earned in calendar year 2015 in accordance with CWRMA provisions. In calendar year 2015, 4.5 acre feet of CAP Credits were used and no CAP Credits were accumulated for use in subsequent years to meet any required releases by Rancho California WD.

The CWRMA also provides that Camp Pendleton may acquire rights to groundwater above the Gorge by foregoing its right to Make-Up Water, or to the extent that the Actual Flow Maintenance Requirements are less than the flows in the table in Section 5 of CWRMA. The maximum cumulative balance for the Camp Pendleton groundwater account is 5,000 acre feet. During calendar year 2015, 756 acre feet were calculated as input to the groundwater account but the balance was already at the maximum balance of 5,000 acre feet and no additional water was credited to the account.

11.3 Water Quality

The U. S. Geological Survey continuously monitors four parameters of water quality at the Santa Margarita River near Temecula gaging station, including dissolved oxygen, pH, specific conductance, and temperature. The daily averages for each of these parameters are reported annually. Monthly highs and lows for each parameter are listed in Table 10.1 for the water year ending September 30, 2015.

11.4 Monitoring Programs

The CWRMA provides for the establishment of two monitoring programs: (1) Section 5(g) provides for a program to assess the impacts of operations on water supply, water quality and riparian habitat within Camp Pendleton, and; (2) Section 7(d) provides for a program to assess safe yield operations of Rancho California WD through the use of a multi-level groundwater monitoring network and periodic updates of the CWRMA Groundwater Model.

During 2007-08, Camp Pendleton initiated the Section 5(g) program named as the Lower Santa Margarita River Watershed Monitoring Program (LSMRWM Program) to evaluate whether the increased flows under CWRMA influence threatened and endangered species, riparian and wetland habitats, or water quality downstream. The LSMRWM Program will also support other water quality monitoring and watershed

management activities in the Santa Margarita River Watershed. A copy of the Statement of Work for the LSMRWM Program was provided in the 2007 and 2008 Annual Watermaster Reports. The monitoring was funded for a two-year period and the final report, *Hydrological and Biological Support to Lower Santa Margarita River Watershed Monitoring Program Water Years* 2008-2009 was published on February 21, 2010, under a cooperative program between Camp Pendleton and the United States Bureau of Reclamation.

In September 2006, the USGS under contract with Camp Pendleton and Rancho California WD constructed a multi-level monitoring well for the Murrieta-Temecula Groundwater Basin in accordance with Section 7(d) of CWRMA. The Pala Park Groundwater Monitoring Well is located near the confluence of Pechanga and Temecula creeks and was completed to a total depth of 1,499 feet. Six piezometers were installed for continuous water level recording in the saturated zone for the lower five screened intervals and for the upper-most screened interval to detect moisture in the unsaturated zone. The USGS monitoring program for the Pala Park Groundwater Monitoring Well is included in the ongoing Watermaster budget beginning in Water Year 2007-08.

In 2009, the groundwater monitoring program was expanded to include the Wolf Valley Monitoring Well that was previously constructed under a cooperative agreement between the USGS and the Pechanga Band. Two piezometers are installed at the Wolf Valley Well. The groundwater level monitoring for the Wolf Valley Monitoring Well was previously funded by the Pechanga Band, but is now included in the ongoing Watermaster budget beginning in Water Year 2009-10.

In 2013, two additional groundwater monitoring wells were constructed by the USGS under contract with Rancho California WD. The groundwater level monitoring for these additional wells is also included in the ongoing Watermaster budget. The Temecula Creek Groundwater Monitoring Well was drilled in April 2013 to a depth of 1,720 feet, and was completed with five piezometers. The VDC Recharge Basin Groundwater Monitoring Well was drilled in August 2013 to a depth of 1,033 feet, and was completed with six piezometers.

Information concerning the construction of the monitoring wells, groundwater levels, and water quality data can be found at the following website: http://ca.water.usgs.gov/temecula/. Information obtained from the website as well as supplemental information for the groundwater monitoring wells is provided in the Annual CWRMA Report.

In 2010, 2011, and 2012, the water quality monitoring program also included collecting data for the two sources of supply for recharge at the head of Pauba Valley: (1) imported supplies for recharge at Rancho California WD VDC Recharge Facilities, and; (2) native supplies from Temecula Creek as sampled at Vail Lake. Funding from the Watermaster budget was used to collect and analyze the data which are provided in the Annual CWRMA Report.

In 2012, the water quality monitoring program also included collecting data from selected groundwater production wells operated by Rancho California WD within Pauba Valley. These wells were selected to compliment the water quality data for the monitoring wells and the two sources of supply for recharge at the head of Pauba Valley. Previously, groundwater production wells operated by Rancho California WD were included in the 2004 and 2007 sampling programs for the Groundwater Ambient Monitoring and Assessment (GAMA) program implemented by the California State Water Resources Control Board. Data reported for 2013 were collected with funding from the Watermaster budget. In 2013, funding from the Watermaster budget was used to analyze archived, age-dating samples that were collected during 2012. The samples from two groundwater production wells, Well Nos. 109 and 234, were analyzed for tritium and carbon isotopes.

In 2007, Camp Pendleton and Rancho California WD initiated an effort to update the CWRMA Groundwater Model in accordance with Section 7(d). Work on updating the groundwater model was completed in 2014 and 2015 with publication of the April 25, 2015 (revised January 8, 2015) report prepared by GEOSCIENCE Support Services, Inc., entitled Surface and Ground Water Model of the Murrieta-Temecula Ground Water Basin, California, Model Update and Refinement Report. The model update included the following: (1) development of GSFLOW which is a coupled surface water and groundwater model that includes a Precipitation-Runoff Modeling System (PRMS) and MODFLOW, (2) refinement of the groundwater model cell size, active/inactive boundaries and locations of recharge and discharge, (3) development of a three-dimensional lithologic model based on lithologic and geophysical borehole logs from wells in the area, (4) refinement of groundwater model layer elevations based on the results from the lithologic model, and (5) update of the surface water and groundwater model with data through 2008.

WATERMASTER SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 12 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE TASKS, EXPENDITURES AND REQUIREMENTS

12.1 General

Projected tasks over the next five years are listed below in two categories: normal tasks, which are part of the usual Watermaster office operation; and additional tasks, which are foreseen but are not part of the normal office operations.

12.2 Normal Tasks

Tasks that are normally part of the Watermaster Office operation are as follows:

- 1. Update List of Substantial Users
- 2. Collect Water Production, Use, Import and Availability Data
- 3. Collect Well Location, Construction and Water Level Data
- 4. Administer Water Rights
- 5. Collect Water Quality Data
- 6. Monitor Water Quality and Water Right Activities
- 7. Administer Lake Skinner and Diamond Valley Lake MOU's
- 8. Administer Steering Committee Matters
- 9. Prepare Court Reports/Budgets
- 10. Monitor Streamflow and Water Quality Measuring
- 11. Data Management
- 12. Administer Cooperative Water Resource Management Agreement

12.3 Additional Tasks

Tasks that have been identified but which are not part of normal operations are as follows:

- 1. Prepare List of All Water Users under Court Jurisdiction
- 2. Prepare Inventory of Ponds and Reservoirs
- 3. Determine Salt Balance

12.4 Projected Expenditures

Projected expenditures for the current year and over the next five years are listed as follows:

Year		Watermaster Office	USGS Groundwater Monitoring	USGS Gaging Stations	Total
Current Year	2015-16	\$473,625	\$45,500	\$196,975	\$716,100
Projected Years	2016-17	\$525,150	\$53,250	\$193,700	\$772,100
	2017-18	\$520,600	\$54,800	\$199,500	\$774,900
	2018-19	\$556,200	\$56,400	\$205,500	\$818,100
	2019-20	\$592,900	\$58,100	\$211,700	\$862,700
	2020-21	\$610,700	\$59,800	\$218,000	\$888,500

SECTION 13 - WATERMASTER OFFICE BUDGET

The budget for the Watermaster Office is established on an annual basis and is approved by the Court upon acceptance of the Annual Watermaster Report. The budget is presently funded from equal assessments paid by the Steering Committee; however, the Court retains the right to assess other parties in the future. An audit is conducted annually by an independent auditor and the independent auditor's report is submitted for review by the parties and the Court as part of the Annual Watermaster Report.

13.1 Comparison of Budget and Actual Costs for 2014-15

The Watermaster Budget for 2014-15 of \$679,700 was approved by the Court upon acceptance of the July 2014 Annual Watermaster Report for Water Year 2012-13. The Independent Auditor's Report and Report to the Steering Committee for Watermaster of the Santa Margarita River Watershed for Fiscal Year Ended September 30, 2015, dated December 16, 2015, are included in Appendix G. A comparison of the budget and actual costs for 2014-15 is shown on Table 13.1. The actual costs for 2014-15 were \$658,095 compared to the budget of \$679,700, resulting in a favorable variance of \$21,605. An explanation of individual line item variances is provided in Appendix G.

13.2 Proposed Budget for 2016-17

The proposed Watermaster Budget for 2016-17 is published in the Annual Watermaster Report for 2014-15 and is determined to be final and accepted by the Court upon noticing and completion of the 30-day period for parties to file an objection to the report. Accordingly, the budget for 2016-17 is referred to in this report as the proposed budget. The proposed Watermaster Budget for 2016-17, along with a comparison to the approved budget for 2015-16 is shown on Table 13.2. The total budget for 2016-17 is \$772,100. This budget includes \$525,150 for the Watermaster Office and \$246,950 for USGS gaging station operations and monitoring. The budgeted cost for services provided by the U.S. Geological Survey is based on the annual renewal of a cooperative agreement with the Watermaster.

SANTA MARGARITA RIVER WATERSHED **COMPARISON OF WATERMASTER BUDGET AND ACTUAL COSTS**

TABLE 13.1

WATER YEAR 2014-15

		Water Year	<u> 2014-15</u>	
Line Item	Approved Budget 2014-15 1/	Actual Costs 2014-15 2/	Actual Cos Approved 2014	Budget
Watermaster Office	\$	\$	\$	%
Accounting Services	\$8,600	\$6,652	-\$1,948	-22.7%
Audit	6,600	6,585	-15	-0.2%
Clerical/Analyst	109,300	104,437	-4,863	-4.4%
Conference/Training	1,200	1,116	-84	-7.0%
Equipment and Furniture	1,000	0	-1,000	-100.0%
Human Resources Services	1,000	0	-1,000	-100.0%
Insurance	600	575	-25	-4.2%
IT System/Computer	10,000	2,231	-7,769	-77.7%
Legal Services	20,000	21,235	1,235	6.2%
Miscellaneous	2,250	130	-2,120	-94.2%
Postage	1,900	1,400	-500	-26.3%
Printing	9,000	10,722	1,722	19.1%
Publications	3,200	3,140	-60	-1.9%
Rent	18,000	18,000	0	0.0%
Supplies	1,800	1,121	-679	-37.7%
Telephone	3,000	2,895	-105	-3.5%
Travel	900	1,049	149	16.6%
Watermaster Services				
Consulting Services	222,000	217,266	-4,734	-2.1%
Travel Reimbursement	26,400	25,047	-1,353	-5.1%
SUBTOTAL WATERMASTER OFFICE	\$446,750	\$423,601	-\$23,149	-5.5%
USGS				
Gaging Station	\$165,450	\$166,547	\$1,097	0.7%
Surface Water Quality	23,800	23,958	158	0.7%
Groundwater Monitoring - Water Levels	43,700	43,989	289	0.7%
Groundwater Monitoring - Water Quality	0	0	0	0.0%
SUBTOTAL USGS	\$232,950	\$234,494	\$1,544	0.7%
TOTAL	\$679,700	\$658,095	-\$21,605	-3.3%

^{1/} Budget for 2014-15 approved by the Court as reported in the Annual Watermaster Report for Water Year 2012-13, published July 2014.
Actual Costs from Financial Statements for period ending September 30, 2015.

^{2/}

SANTA MARGARITA RIVER WATERSHED
PROPOSED WATERMASTER BUDGET FOR WATER YEAR 2016-17

		Water Year 2	2016-17	
Line Item	Proposed Budget 2016-17 1/	Approved Budget 2015-16 2/	Approve	se Over d Budget 5-16
Watermaster Office	\$	\$	\$	%
Accounting Services	\$8,500	\$8,400	\$100	1.2%
Audit	6,600	6,600	0	0.0%
Clerical/Analyst	114,200	115,700	-1,500	-1.3%
Conference/Training	1,600	1,400	200	14.3%
Equipment and Furniture	1,000	1,000	0	0.0%
Human Resources Services	800	800	0	0.0%
Insurance	600	600	0	0.0%
IT System/Computer	10,000	10,000	0	0.0%
Legal Services	30,000	20,000	10,000	50.0%
Miscellaneous	41,050	1,325	39,725	2,998.1%
Postage	2,000	2,000	0	0.0%
Printing	11,500	10,000	1,500	15.0%
Publications	3,300	3,300	. 0	0.0%
Rent	18,000	18,000	0	0.0%
Supplies	1,900	1,900	0	0.0%
Telephone	3,000	3,000	0	0.0%
Travel	1,500	1,000	500	50.0%
Watermaster Services	•	,		
Consulting Services	242,000	241,000	1,000	0.4%
Travel Reimbursement	27,600	27,600	´ 0	0.0%
SUBTOTAL WATERMASTER OFFICE	\$525,150	\$473,625	\$51,525	10.9%
USGS				
Gaging Station	\$177,800	\$172,175	\$5,625	3.3%
Surface Water Quality	15,900	24,800	-8,900	-35.9%
Groundwater Monitoring - Water Levels	53,250	45,500	7,750	17.0%
Groundwater Monitoring - Water Quality	0	0	0	0.0%
SUBTOTAL USGS	\$246,950	\$242,475	\$4,475	1.8%
TOTAL	\$772,100	\$716,100	\$56,000	7.8%

^{1/} Proposed budget for 2016-17; final budget to be approved by the Court upon acceptance of the Annual Watermaster Report for Water Year 2014-15.

Budget for 2015-16 approved by the Court as reported in the Annual Watermaster Report for Water Year 2013-14, published in August 2015.

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

APPENDIX A WATER PRODUCTION AND USE WATER YEAR 2014-15



TABLE A-1

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT 2014-15

	TOTAL	1,228	1,186	1,293		1,268	1,156	1,268	1,166	1,204	1,200	1,173	1,149	1,124		14,415
WATER	OTHER REUSE 5/	22	367	991		1,049	712	525	236	496	364	205	(262)	(6)		4,696
RECYCLED WATER	REUSE OUTSIDE SMRW	947	623	162		114	337	541	642	200	575	671	1,075	815		7,002
	REUSE IN SMRW 4/	259	196	140		105	107	202	288	208	261	297	336	318		2,717
			=	=		=	=	=	_	_	=	=	_	_	_	_
	TOTAL	1,693	1,052	957		769	842	824	1,299	1,285	1,126	1,396	1,357	1,277		13,877
	3/ SSO	85	53	48		38	42	41	65	49	56	70	99	64		694
USE	TOTAL	1,608	666	606		731	800	783	1,234	1,221	1,070	1,326	1,289	1,213		13,183
	ром	1,177	775	720		623	638	620	928	946	795	979	956	006		10,057
	СОММ	411	221	176		102	155	145	295	265	253	333	322	304		2,982
	AG	20	ო	13		9	7	18	=	10	22	4	*	თ		144
İ		_ = =	=			=	=	=								
	TOTAL	1,693	1,052	957		169	842	824	1,299	1,285	1,126	1,396	1,357	1,277		13,877
	NET IMPORT	1,693	1,052	957		769	842	824	1,299	1,285	1,126	1,396	1,357	1,277		13,877
PRODUCTION	EXPORT FROM SMRW 2/	392	439	0		0	0	221	0	0	308	0	211	0		1,571
PR	IMPORT 1/	2,085	1,491	957		492	842	1,045	1,299	1,285	1,434	1,396	1,568	1,277		15,448
	WELLS	0	0	0		0	0	0	0	0	0	0	0	0		0
	MONTH	2014 OCT	NOV	DEC	2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT		TOTAL

No sewage diverted to RCWD for 2015 Water Year for treatment at Santa Rosa Water Reclamation Facility.
Reuse within Watershed includes 973 AF sold to RCWD, 358 AF sold to Pechanga Band, and 108 AF sold to Elsinore Valley MWD. Other Reuse includes changes of storage in Winchester and Sun City storage ponds, evaporation and percolation losses.
There were no discharges to Temescal Creek in the Santa Ana Watershed in Water Year 2015. Does not include deliveries to Rancho California WD, Elsinore Valley MWD or Western MWD.
 Portion of imported supplies exported for delivery to Eastern MWD's retail customers located outside the Watershed.
 Loss = 5%
 No sewage diverted to RCWD for 2015 Water Year for treatment at Santa Rosa Water Reclamation Facility.

TABLE A-2

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

2014-15

ER 3/	TOTAL REUSE		22	13	80		က	7	10	16	21	18	27	20	34	199
RECYCLED WATER 3/	REUSE OUTSIDE SMRW		თ	ည	က		7	က	2	9	တ	∞	-	တ	21	91
RECY	REUSE INSIDE SMRW		13	∞	2		-	4	5	10	12	10	16	=	13	108
			=	=	= :			_	_		_		_	_	_	
ORTED	TOTAL WASTEWATER EXPORT		113	107	113		112	104	112	107	114	107	114	103	122	1,328
WASTEWATER EXPORTED	REUSE OUTSIDE SMRW		თ	5	က		2	က	5	9	თ	∞	11	თ	21	91
WASTEV	UNTREATED WASTEWATER		104	102	110		110	101	107	101	105	66	103	94	101	1,237
			=													
	TOTAL USE		969	540	382		273	355	386	575	542	491	209	525	620	5,992
	LOSS 2/		40	31	22		16	20	22	33	31	28	35	30	35	343
USE 1/	TOTAL DELIVERED		656	509	360		257	335	364	542	511	463	572	495	585	5,649
]	DOM		491	397	300		233	284	305	417	398	372	438	389	448	4,472
	СОММ		163	111	29		24	51	29	124	112	8	133	104	135	1,165
	AG		2	-	~		0	0	0	~~	~-	-		7	2	12
•		_	_	=	==		=	_	_	_		_	_	_	=	==
_	TOTAL		969	540	382		273	355	386	575	545	491	209	525	620	5,992
PRODUCTION	MPORT		969	540	382		273	355	386	575	545	491	209	525	620	5,992
PRC	WELLS IMPORT TOTAL		0	0	0		0	0	0	0	0	0	0	0	0	0
	MONTH	2014	OCT	NOV	DEC	2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL

^{1/} Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2. 2/ Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for

water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

3/ EVMWD receives recycled water treated at the RCWD Santa Rosa Water Reclamation Facility via EMWD Palomar Pipeline through a wheeling agreement. In Water Year 2015, 861 acre feet of wastewater were delivered from EVMWD to RCWD for treatment at the Santa Rosa Water Reclamation Facility. In Water Year 2015, EVMWD received 199 acre feet of recycled water via EMWD and re-used 108 acre feet within the Watershed.

TABLE A-3

FALLBROOK PUBLIC UTILITY DISTRICT

2014-15

	EXPORT FROM SMRW		69	103	109		126	82	68	71	114	84	92	82	62	1,086
ATER	FROM E. U.S. NWS		~	0	—		0	0	_	0	0	0	0	0	0	က
WASTEWATER	REUSE FIN IN SMRW		7	~	0			τ-	2	2	•	2	2	က	7	19
	FROM		72	104	109		127	86	92	73	115	86	94	82	64	1,107
	TOTAL USE IN SMRW	=	765	702	376	_	208	380	331	546	515	457	533	522	584	5,919
	LOSS 4/		46	42	23		12	23	20	33	3	27	32	31	35	355
SMRW USE	TOTAL DELIVERED IN SMRW		719	099	353		196	357	311	513	484	430	501	491	549	5,564
SMR	ром		197	178	138		108	124	125	166	164	146	158	157	165	1,826
	СОММ		34	72	22		14	15	14	30	20	22	22	19	20	304
	AG		488	410	193		74	218	172	317	300	262	321	315	364	3,434
		! =	=	_		=	=	_						=		
	~															
ICTION	TOTAL SMRW PRODUCTION		765	702	376		208	380	331	546	515	457	533	522	584	5,919
IRW PRODUCTION	SMRW TOTAL SMRW SMRW IMPORT PRODUCTION			702 702							515 515					5,919 5,919
SMRW PRODUCTION				702				380	331	546		457	533	522		
- 1	SMRW SMRW LAKE IMPORT SKINNER		0 765	0 702	0 376 		0 208	0 380	0 331	0 546	0 515	0 457	0 533	0 522	0 584	0 5,919
SMRW	SMRW		0 765	702	0 376 	-	0 208	0 380	0 331	0 546	515	0 457	0 533	0 522	0 584	5,919
SMRW	SMRW SMRW LAKE IMPORT SKINNER	=	1,309 0 765	0 702	380 0 376 		526 0 208	697 0 380	920 0 331	1,042 0 546	0 515	1,055 0 457	897 0 533	0 522	961 0 584	0 5,919
SMRW	TOTAL SMRW SMRW DISTRICT LAKE IMPORT 3/	=	1,309 0 765	928 0 702	380 0 376 		526 0 208	697 0 380	920 0 331	1,042 0 546	826 826 0 515	1,055 0 457	897 897 0 533	1,098 0 522	961 0 584	10,639 0 5,919
- 1	TOTAL TOTAL SMRW SMRW DISTRICT DISTRICT LAKE IMPORT SUPPLY SKINNER IMPORT 2/ 3/	=	1,309 0 765	928 0 702	380 380 0 376 	-	526 0 208	697 0 380	920 0 331	1,042 0 546	826 826 0 515	1,055 1,055 0 457	897 897 0 533	1,098 0 522	961 961 0 584	10,639 0 5,919

Diverted under Permit No. 11356.
 Includes 113 acre feet from Capra Well located in San Luis Rey Watershed and remaining supply from San Diego County Water Authority.
 A portion of the District is outside the Santa Margarita River Watershed.
 Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

^{5/} United States Naval Weapons Station.

TABLE A-4

DELIVERIES IN DOMENIGONI VALLEY METROPOLITAN WATER DISTRICT

ī		·	0 108 0 74 0 3									
	108	108 74 3	108 74 3	108 74 3	108 74 3 16 36	108 74 3 16 80	108 47 36 80 84 134	108 47 80 36 80 80 90	108 26 36 36 36 36 53 53	108 74 36 36 134 90 90 153	108 74 36 80 134 90 153 147	108 74 36 80 134 90 147 112
	0	000	000	000 0	000 00	000 000	000 0000	000 00000	000 00000	000 000000	000 0000000	000 0000000
			8 4 E 0 0 0									
	108	108	108	108 74 3 3	108 74 3 3 16	108 74 74 3 16 16 80	108 74 74 3 3 16 18 19 134	108 74 74 3 36 80 134 90	108 36 134 134 153	108 36 134 134 137 137	108 36 134 134 137 137	108 36 36 134 134 117 117
	108	108 74 3	108 74	108	108 74 3 16 36	108	108 74 3 16 116 116 117 118	108 3 4 16 16 18 19 19 19 19 19 19 19 19 19 19 19 19 19	108 3 16 116 134 153	108 3 1 16 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	108 3 116 116 118 1194 1197 1177 1174	108 3 16 16 18 174 112 117 117
	108	108 74 3	108 74 3	108 74 3 16	108 74 3 16 36	108 74 3 16 36 80	108 74 74 16 36 80 80	108 74 36 80 80 90	108 74 36 80 80 90 134	108 74 36 36 80 80 90 153 137	108 74 36 80 80 90 90 137 147	108 74 36 36 80 134 147 112
C	> 0	000	000	000 0	000 00	000	0000	00000	000000			
: 	- }	- - ≥ 0	- > O & -	.>∪ <u>&</u> >	.>o <u>e</u> >a	SO ESUR	.>o &>a&x	:>O &>B & R & >	.>o	.>p. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	.>o	NOV NOV DEC 2015 JAN FEB MAY MAY JUNE JULY AUG

^{1/} Construction water2/ Points of delivery located at metered pumps on San Diego Canal and thus the losses in the MWD system are zero.

TABLE A-5

PECHANGA INDIAN RESERVATION

2014-15

Quantities in Acre Feet

	TOTAL USE		106	74	90		47	8	83	122	88	151	109	124	128	1,173
	5/ 5/		7	9	4		0	7	0	$\widehat{\Xi}$	₹	4	~	14	က	4
USE 4/	TOTAL DELIVERED		66	89	56		47	78	83	123	88	147	108	110	125	1,132
_	ром		12	80	9		7	∞	∞		ග	12	14	9	10	115
	сомм	:	87	9	20		40	70	75	112	79	135	94	100	115	1,017
	AG		0	0	0		0	0	0	0	0	0	0	0	0	0
			===	=		 		=	=		=			=	==	
	TOTAL		106	74	09		47	80	83	122	89	151	109	124	128	1,173
NOI	RECYCLED WATER FROM EMWD 3/		29	14	ω		4	21	29	43	25	29	36	52	41	358
PRODUCTION	DELIVERED GROUNDWATER FROM RCWD 2/		_	0	0		0	0	0	0	0	0	0	0	0	
	WELLS ON RESERVATION 1/		99	09	22		43	29	54	79	64	92	73	72	87	804
	MONTH	2014	OCT	NOV	DEC	2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL

^{1/} Total production attributed to Eduardo, Eagle III, Kelsey, Ballpark and Zone V Rock 1 wells.

Water provided from Rancho California WD Well Nos. 119, 122, and 211.

Table A-5 only to illustrate water budget for Reservation. Actual production for Watershed accounted for on Table A-1 and Table 7.1 for Eastern MWD. Recycled water provided by Eastern MWD via Wheeling Agreement with Rancho California WD shown as a component of production for 3 5

Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, Pechanga had no agricultural use in the SMR Watershed during Water Year 2015. 4

Loss determined as Total Production less Total Delivered. 2/

TABLE A-6

RAINBOW MUNICIPAL WATER DISTRICT 2014-15

	TOTAL	1 አጉ	139	94		48	22	78	116	144	78	143	134	147	1,333
	3/	Œ) မ	4		7	2	ო	2	9	ო	9	2	9	54
11	TOTAL DELIVERED	149	133	06		46	55	75	111	138	75	137	129	141	1,279
USE 1/	DOMESTIC	ά	. 2	13		10	თ	12	14	16	10	16	16	16	168
	COMMERCIA L 2/	C	0	0		0	0	0	0	0	0	0	0	0	0
	AG	131	115	77		36	46	63	26	122	65	121	113	125	1,11
,				_					_		_	_	_	=	
NC	TOTAL IN WATERSHED	155	139	94		48	22	78	116	144	78	143	134	147	1,333
PRODUCTION	IMPORT TO DISTRICT	2 300	1,385	486		787	1,303	1,489	1,960	1,380	1,617	1,767	1,965	1,919	18,358
	LOCAL	Û	0	0		0	0	0	0	0	0	0	0	0	0
	MONTH	2014 OCT	NOV	DEC	2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL

^{1/} Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.

^{2/} There is minimal commercial use within the SMRW portion of the Rainbow District service area, however, due to reporting limitations commercial use cannot be distinguished and therefore is included in the Agricultural Use category.

^{3/} Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

TABLE A-7

SANTA MARGARITA RIVER WATERSHED

MONTHLY WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT

RECYCLED WATER	REUSED IN SMRW 9/		233	218	244		242	1 210	270	270	256	290	1 266	1 266	529	2,994	
VAIL	RELEASE AND RECHARGE 8/			0	9 -		0	7	0	0	700	- 38	-	29	788	147	
	ТОТАГ	_	6,671	4,914	1,842		2,947	3,472	4,932	5,842	4,492	5,968	5,285	6,518	5,421	58,304	
	<i>11</i> SSOT		45	(1,086)	(1,126)		285	434	1,609	742	(1,146)	1,480	(584)	1,072	(189)	1,533	
	TOTAL		6,629	6,000	2,968		2,662	3,038	3,323	5,100	5,638	4,488	5,869	5,446	5,610	56,771	
USE	IMPORT RECHARGE TO STORAGE 6/		(19)	185	(220)		300	(354)	(121)	6)	78	38	43	(33)	53	(83)	
n	SMR F RELEASE 5/		222	168	110		14	371	439	415	287	284	217	260	218	3,432	
	DOM F		2,714	2,619	1,641		1,204	1,363	1,480	2,028	2,359	1,806	2,303	2,170	2,223	23,910	
	сомм		1,046	953	530		326	405	484	817	911	687	920	845	812	8,736	
	AG		2,666	2,075	206		391	1,253	1,041	1,849	2,003	1,673	2,386	2,204	2,328	20,776	
	1	=	=	4	=	==	7	- 2	_	- 2	2	- 8	5			4	
	ТОТА		6,67	4,91	1,842		2,94	3,472	4,93	5,84	4,49	5,96	5,28	6,51	5,42	58,304	
	NET		4,245	2,712	819		1,638	1,649	2,819	3,462	2,372	3,617	2,877	4,011	3,352	33,573	
	EXPORT 4/		20	37	17		o	16	17	53	59	32	36	40	37	349	
PRODUCTION	IMPORT 3/		4,295	2,749	836		1,647	1,665	2,836	3,491	2,401	3,649	2,913	4,051	3,389	33,922	
Ф	NET WELLS		2,426	2,202	1,023		1,309	1,823	2,113	2,380	2,120	2,351	2,408	2,507	2,069	24,731	
	EXPORT 2/		56	93	16		12	13	13	50	27	19	30	23	22	251	
	WELLS 1/		2,452	2,232	1,039		1,321	1,836	2,126	2,400	2,147	2,370	2,438	2,530	2,091	24,982	
	MONTH	2014	OCT	NOV	DEC	2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	TOTAL	
		%	0	Z	Δ	7	1 🕏	ũ	Σ	Ā	Σ	₹	₹	Ã	S	ř.	

Wells recovered 25,042 AF from older alluvium (including stream releases) and 147 AF from Vail recharge. Does not include 207 AF pumped from Wells 102, 135, 146 and 155 directly into recycled water system. An additional 11 AF was delivered to Pechanga Indian Reservation and is shown on Table A-5.

Groundwater used in San Mateo Watershed. Includes 18,700 AF to Santa Rosa Division); 12,248 AF direct recharge; and 2,914 AF from MWD WR-34.

Import used in San Mateo Watershed.

²⁴ AF into Murieta Creek from Wells 101, 102, and 118; 2 AF into Santa Gertrudis Creek from Well 108; 0 AF from System River Meter, 492 AF from potable connection to WR-34 outlet pipe and 2,914 AF from MWD Outlet WR-34. 9849

^{12,248} AF of direct recharge less 12,331 AF of import recovery.

Vail releases and the related Vail recharge are computed as Total Release less Inflow to be bypassed. Includes 207 AF pumped from Wells 102, 135, 146 and 155 directly into recycled water system. Does not include 1,331 AF recycled water purchased from EMWD.

TABLE A-8

SANTA MARGARITA RIVER WATERSHED

MONTHLY WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON 2014-15

	NET EXPORT		353	323	275			292	284	344	333	305	286	303	316	596		3,710
EXPORTS	WASTEWATER RETURNS 9/		124	103	74			9/	98	105	108	87	83	26	100	84		1,127
	TOTAL 8/		477	426	349			368	370	449	441	392	369	400	416	380		4,837
			=	=	=	=	_	=	=	=	_	=	=	=	=	=	=	=
	TOTAL		228	219	198			214	196	237	224	218	202	206	22	212		2,575
4/	ED TO E OUTFALL BRINE 7/		64	53	31			37	40	22	58	4	47	38	42	52		563
WASTEWATER 4/	EXPORTED TO OCEANSIDE OUTFALL RECYCLED BRINE 6/ 7/		116	138	164			170	135	140	110	136	102	122	115	114		1,562
>	ED USE OUT SMRW		42	24	7			ည	19	37	25	34	49	41	55	41		401
	RECYCLED USE IN OUT SMRW SMRW 5/		9	4	-			7	2	က	4	4	4	ιO	თ	2		49
		_	_	_	_	_	_				_	_	_	=	_	_	_	=
	TOTAL IN SMRW		200	166	120			123	138	168	174	139	135	156	161	136		1,816
	TOTAL EXPORT		255	211	152			156	176	215	221	178	171	199	204	173		2,311
1/	MP SUPPLY I OUT RW SMRW 3/		255	211	152			156	176	215	221	178	171	199	204	173		2,311
USE 1/	CAMP SI IN SMRW 3/		200	166	120			123	138	168	174	139	135	156	161	136		1,816
	LTURE OUT SMRW		0	0	0			0	0	0	0	0	0	0	0	0		0
	AGRICULTURE IN OUT SMRW SMRW 2/		0	0	0			0	0	0	0	0	0	0	0	0		0
		=	=	=	=	_	=	=	=	=	=	<u>-</u>	=	=	=	=		=
z	TOTAL		516	430	300			316	327	440	45	36.	353	393	40	36,		4,690
PRODUCTION	CAMP SUPPLY		519	430	303			316	354	440	453	361	353	393	407	361		4,690
۵	AG LOCAL		0	0	0			0	0	0	0	0	0	0	0	0		0
	MONTH	2014	OCT	NOV	DEC		2015	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT		TOTAL

 ^{1/} Use equals Production less Brine byproduct from Southern Advanced Water Treatment Plant (SAWTP) beginning February 2013. Assumes no other losses.
 2/ There was no agricultural irrigation in Water Year 2015.
 3/ Camp Supply water use is divided with 44% used inside the SMRW and 56% used outside the SMRW.
 4/ All wastewater treated at Southern Regional Tertiary Treatment Plant (SRTTP) beginning December 2008.
 5/ Recycled use for irrigation of golf course, landscaping and park areas.
 6/ Recycled water not used but rather exported to Oceanside Outfall.
 7/ Brine from SAWTP exported to Oceanside Outfall.
 8/ Agriculture and Camp Supply use outside the SMRW, recycled use outside the SMRW, recycled by (4,690 - 563) AF equals 48.75%. Wastewater returns estimated at 48.75% of Camp Supply use outside of SMRW.

TABLE A-9

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

	ď	PRODUCTION				USE	Ш		•	WASTEWATER
MONTH	LOCAL	IMPORT TO WATERSHED 1/	TOTAL	d	AG	COMM/ DOM	LOSS 2/	TOTAL		EXPORTED
2013 OCT	0.0	4.0	0.4	<u> </u>	0.0	9. 9.	4.0	4.0		1.0
NOV	0.0	3.7	3.7		0.0	3.4	0.3	3.7		0.0
DEC	0.0	3.7	3.7		0.0	3.4	0.3	3.7		1.0
2014										
NAC	0.0	3.1	3.1		0.0	2.8	0.3	3.1		0.0
FEB	0.0	2.7	2.7		0.0	2.5	0.2	2.7		0.0
MAR	0.0	3.1	3.1		0.0	2.8	0.3	3.1		1.0
APR	0.0	3.8	3.8		0.0	3.5	0.3	3.8		0.0
MAY	0.0	3.4	3.4		0.0	3.1	0.3	3.4	=	0.0
JONE	0.0	4.0	4.0		0.0	3.6	0.4	4.0	=	0.0
JULY	0.0	3.9	3.9		0.0	3.5	0.4	3.9	=	0.0
AUG	0.0	3.8	3.8		0.0	3.5	0.3	3.8		0.0
SEPT	0.0	5.0	5.0		0.0	4.5	0.5	5.0		0.0
									=	
TOTAL	0.0	44.2	44.2		0.0	40.2	4.0	44.2		3.0

^{1/} Import via Fallbrook Public Utility District2/ Loss = 10% of Use

TABLE A-10

WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

2014-15

	<u>α</u> .	PRODUCTION	7)	USE 1/		
MONTH YEAR	WELLS	WELLS IMPORT TOTAL	TOTAL	AG	СОММ	МОО	TOTAL DELIVERED	LOSS 2/	TOTAI
2014 OCT	- - - -	70	208	 C	2	144		с,	36
) 	87		146	 o c	- 0	15	141	יי כ	2 4

1											
111 97 208 0 61 144 87 59 146 0 40 101 17 70 87 0 26 74 18 11 0 24 72 104 48 152 0 28 77 106 71 177 0 49 117 99 52 151 0 46 113 104 86 190 0 50 118 106 98 204 0 51 130 104 67 171 0 54 128 104 86 190 0 54 128 106 98 204 0 61 108 104 67 171 0 61 108 1 104 820 1,861 0 546 1,274 1	114										
87 59 146 0 40 101 17 70 87 0 26 74 33 61 94 0 24 72 59 50 109 0 28 77 104 48 152 0 56 92 106 71 177 0 49 117 99 52 151 0 46 113 104 86 190 0 50 118 106 98 204 0 51 130 104 67 171 0 51 108 1 104 820 1,861 0 546 1,274 1	CT	111	26	208		0	61	144	205	က	208
17 70 87 11 0 26 74 33 61 94 11 0 24 72 59 50 109 11 0 28 77 104 48 152 11 0 56 92 106 71 177 11 0 49 117 99 52 151 11 0 46 113 104 86 190 11 0 50 118 106 98 204 11 0 51 130 104 67 171 11 0 61 108 1 104 820 1,861 11 0 546 1,274 1	0	87	59	146		0	40	101	141	2	146
33 61 94 0 24 72 59 50 109 0 24 77 77 104 48 152 0 56 92 117 104 86 190 0 50 118 118 1106 98 204 0 51 113 104 67 177 0 54 128 118 104 67 177 0 54 128 118 104 67 177 0 54 128 118 119 104 67 178 0 54 128 118 119 104 67 178 0 546 1,274 1	ĒC	17	70	87		0	26	74	100	(13)	87
33 61 94 0 24 72 59 50 109 0 28 77 104 48 152 0 56 92 106 71 177 0 49 117 99 52 151 0 46 113 104 86 190 0 50 118 110 61 172 0 54 128 106 98 204 0 51 130 104 67 171 0 546 1,274 1	015										
59 50 109 0 28 77 104 48 152 0 56 92 106 71 177 0 49 117 99 52 151 0 46 113 104 86 190 0 50 118 111 61 172 0 54 128 106 98 204 0 54 128 104 67 171 0 61 108	AN	33	61	94		0	24	72	96	(2)	94
104 48 152 0 56 92 106 71 177 0 49 117 99 52 151 0 46 113 104 86 190 0 50 118 111 61 172 0 54 128 106 98 204 0 51 130 104 67 171 0 61 108 1 1041 820 1,861 0 546 1,274 1	EB	59	20	109		0	28	77	105	4	109
106 71 177 0 49 117 99 52 151 0 46 113 104 86 190 0 50 118 111 61 172 0 54 128 106 98 204 0 51 130 104 67 171 0 61 108 1 1,041 820 1,861 0 546 1,274 1	IAR	104	48	152		0	26	92	148	4	152
99 52 151 0 46 113 104 86 190 0 50 118 111 61 172 0 54 128 106 98 204 0 51 130 104 67 171 0 61 108 1,041 820 1,861 0 546 1,274 1	PR	106	71	177		0	49	117	166	-	177
104 86 190 0 50 118 111 61 172 0 54 128 106 98 204 0 51 130 104 67 171 0 61 108 I 0 546 1,274 1	АУ	66	52	151		0	46	113	159	(8)	151
111 61 172 0 54 128 106 98 204 0 51 130 104 67 171 0 61 108 1041 820 1,861 0 546 1,274 1	JNE	104	86	190		0	20	118	168	22	190
106 98 204 0 51 130 104 67 171 0 61 108 1,041 820 1,861 0 546 1,274 1	JLY	111	61	172	_	0	24	128	182	(10)	172
104 67 171 0 61 108 	ne	106	86	204	_	0	51	130	181	23	204
. 1,041 820 1,861 0 546 1,274 1	EPT	104	29	171	==	0	61	108	169	2	171
	OTAL	1,041	820	1,861		0	546	1,274	1,820	41	1,861

Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014.
 The updated definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, WMWD had no agricultural use in the SMR Watershed during Water Year 2015.
 Loss = Total Production less Total Delivered

TABLE A-11

SANTA MARGARITA RIVER WATERSHED

MISCELLANEOUS WATER PRODUCTION AND IMPORTS

2014-15

	IMPORT				PRO	PRODUCTION			
MONTH	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	RANCHO CALIFORNIA OUTDOOR RESORTS 1/	QUIET OAKS MOBILE HOME PARK 1/	LAKE RIVERSIDE ESTATES	HAWTHORN WATER SYSTEM 2/	JOJOBA HILLS SKP RESORT	COTTONWOOD ELEMENTARY 3/, 5/	HAMILTON SCHOOLS 41, 5/
2014			Ē						
OCT	3.20	2.07	54.73	2.10	53.16	0.50	7.84	1.95	1.26
NOV	2.30	2.07	30.94	1.70	31.82	0:30	5.47	1.76	1.31
DEC	1.40	1.28	12.68	1.40	0.98	0.20	5.02	0.18	0.70
2015					2.10	0:30	4.68	0.16	0.18
JAN	1.60	1.50	23.82	1.40	25.29	0.30	4.80	0.38	0.37
FEB	1.90	2.12	22.46	1.30	24.71	0.50	5.73	1.10	0.77
MAR	2.40	3.66	44.16	1.60	17.88	09:0	6.10	1.44	0.61
APR	2.40	76.0	44.29	1.90	38.44	0.70	5.61	1.44	1.04
MAY	2.30	0.82	40.59	2.20	40.40	0.70	7.39	1.44	1.04
JUNE	2.90	2.55	51.29	2.30	41.18	0.80	6.44	1.44	1.04
JULY	2.70	2.80	34.51	2.50	45.08	0.80	7.08	1.44	1.27
AUG	3.10	2.48	72.14	2.50	47.02	0.70	5.73	1.44	1.27
SEPT	3.00	2.48	22.93	2.30					
TOTAL	29.20	24.80	454.55	23.20	368.06	6.40	71.89	14.17	10.86

Annual production estimated based on partial-year meter readings, monthly quantities calculated assuming typical monthly distribution.

Monthly quantities calculated using monthly distribution estimate based on total annual gallons produced.

Cottonwood Elementary is in the Hemet Unified School District, located in Aguanga and within the Watershed Boundary.

Includes both Hamilton High School and Hamilton Elementary in Anza. Both schools are in the Hemet Unified School District and are within the Watershed Boundary. 7 7 6 4 3

Monthly quantities for months with missing records calculated assuming monthly averages.

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

APPENDIX B WATER PRODUCTION AND USE WATER YEAR 1965-66 THROUGH WATER YEAR 2014-15

TABLE B-1

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT Quantities in Acre Feet

	TOTAL	100	100	100	100	101	119	242	217	193	253	289	314	375	497	269	619	761	841	925	1,015	1,109	1,204	1,300	2,094	3,554	3,953	4,626	5,846	6,062	5,972	6,327	7,462	7,874	8,318	9,028	10,168	11,178
	RECHARGE	100	100	100	100	101	119	242	217	193	253	155	70	75	147	220	304	386	466	525	265	209	554	650	1,030	2,133	2,385	2,020	0	0	0	0	0	0	0	0	0	0
RECYCLED WATER	RELEASE TO R RIVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0 0	0	245	192	0	0	0	0	0	0	0	0	0	0
RECYCLE	OTHER REUSE 4/																											(285)	694	2,551	520	882	2,374	1,063	(15)	1,208	462	4,681
	REUSE OUTSIDE SMRW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (> C	0	0	066	2,465	1,357	2,473	2,319	2,139	3,070	3,664	3,249	4,863	2,955
	REUSE IN SMRW 3/	0	0	0	0	0	0	0	0	0	0	134	244	300	350	375	375	375	375	400	450	009	650	650	1,058	1.282	1,323	1,709	2,687	2,154	2,979	3,126			4,669 7/			3,542 10/
	TOTAL USE	1.604	1,630	1,464	1,741	1,417	1,383	1,470	1,533	1,601	1,969	7,638	3,378	2,926	2,183	1,473	866	1,433	1,317	935	993	686	1,244	2,051	1,431	9.935	9,120	5,917	7,382	1,807	5,259	3,692	5,357	4,996	7,886	6,303	8,130	9,062
	LOSS T	80	82	73	87	71	69																	103								1,534)					406	
2/	TOTAL I	1.524	1,548	1,391	1,654	1,346	1,314	1,396	1,456	1,521	1,871	2,506	3,209	2,780	2,074	1,399	948	1,361	1,251	888	943	940	1,182	1,948	4,209	9.438	8,664	5,621	7,013	4,567	4,996	5,226 (5,090	4,746	7,493	5,989	7,724	8,610
USE 2/	ром т	4	4	5	9	7	∞	∞	10	9	7	120	423	371	290	283	285	323	120	244	319	239	543	1,424	3,064	8.587	8,635	5,585	7,013	4,551	4,996	5,226	5,090	4,746	7,493	5,989	7,724	8,610
	СОММ	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	> c	0 0	0	0	0	0	0	0	0	0	0	0	0	0
	AG	1.520	1,544	1,386	1,648	1,340	1,306	1,388	1,447	1,511	1,859	2,356	2,723	2,409	1,784	1,116	663	1,038	1,131	644	624	700	638	524	1,146	851	53	36	0	16	0	0	0	0	0	0	0	0
		4	=	4	_	7	_ _		<u>-</u>		_ _ _	<u>=</u>	<u>+</u>	<u> </u>		3	=	= 8		ري 	=	_ _	4	=:	==		_	7	_		_ _	2		 	_ _ _	 	=	=
	TOTAL	1.604	1,630	1,46	1,741	1,417	1,383	1,47	1,533	1,60	1,96	2,63	3,37	2,92	2,18	1,47	66	1,43	1,317	93	66	86	1,24	2,051	24,43	60,0	9,12	5,91	7,38	4,80	5,259	3,69	5,357	4,996	7,886	6,303	8,130	90'6
	NET IMPORT	1.604	1,630	1,464	1,741	1,417	1,383	1,470	1,533	1,601	1,969	2,493	2,947	2,551	1,894	1,192	716	1,112	1,211	669	629	760	1,155	2,047	3,746	9,479	8,593	5,393	7,150	4,625	4,960	3,284	5,117	4,327	7,256	5,948	8,117	9,062
PRODUCTION	EXPORT FROM SMRW	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 62	7,142	4,893	1,894	2,932	6,914	6,770	1,809	1,492	2,719	1,923	3,271	4,954	5,113
PR	IMPORT 1/	1.604	1,630	1,464	1,741	1,417	1,383	1,470	1,533	1,601	1,969	2,493	2,947	2,551	1,894	1,192	716	1,112	1,211	669	629	760	1,155	2,047	3,746	0,370	13,486	7,287	10,082	11,539	11,730	5,093	609'9	7,118	9,179	9,219	12,777	14,175
	WELLS	0	0	0	0	0	0	0	0	0	0	145	431	375	289	281	282	321	106	236	314	229	88	4	685	432 456	527	524	232	182	299	408	240	699	630	322	13	0
	WATER	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003

TABLE B-1

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

RECYCLED WATER	RELEASE TO RIVER	0	0	0	0	0	0	0	0	0	0	0	0
RECYCI	OTHER REUSE 4/	5,427	8,986	7,396	4,593	6,864	5,241	4,803	5,140	4,525	3,459	3,627	4,696
	REUSE OUTSIDE SMRW	3,688	2,690	3,510	5,960	5,925	6,786	7,026	7,241	8,025	8,316	8,117	7,002
	REUSE IN SMRW 3/	3,221	2,664 11/	3,108 12/		1,450	2,615	2,882	2,561	2,364	2,937	2,937	2,717
					_	=	_	_	_	_			
	TOTAL	9,138	10,858	14,161	15,398	14,952	14,472	13,552	14,392	15,063	15,751	15,884	13,877
	SSOT	178	109	708	770	748	724	678	720	754	787	794	694
: 2/	TOTAL	8,960	10,749	13,453	14,628	14,204	13,748	12,874	13,672	14,309	14,964	15,090	13,183
USE 2/	ром	8,960	10,749	13,453	14,628	14,204	13,748	12,874	10,662	11,076	11,459	11,395	10,057
	сомм	0	0	0	0	0	0	0	2,879	3,137	3,388	3,553	2,982
	AG	0	0	0	0	0	0	0	131	96	117	142	144
		_	_	_	_						=		
	TOTAL	9,138	10,858	14,161	15,398	14,952	14,472	13,552	14,392	15,063	15,751	15,884	13,877
	NET	9,138	10,858	14,161	15,398	14,952	14,472	13,552	14,392	15,063	15,751	15,884	13,877
PRODUCTION	EXPORT FROM SMRW	8,243	5,478	6,873	5,763	3,762	2,447	1,472	283	1,356	457	8,051	1,571
4	IMPORT 1/	17,381	16,336	21,034	21,161	18,714	16,919	15,024	14,675	16,419	16,208	23,935	15,448
	WELLS	0	0	0	0	0	0	0	0	0	0	0	0
	WATER	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015

12,336 14,340 14,014 14,014 14,239 14,642 14,711 14,942 14,942

00000000000

TOTAL

RECHARGE

14,681 14,415

Includes 1,159 AF of sewage diverted to RCWD.

/9

Includes 905 AF of sewage diverted to RCWD.

Includes 1,201 AF of sewage diverted to RCWD. Includes 1,162 AF of sewage diverted to RCWD.

72 /6

Includes 1,219 AF of sewage diverted to RCWD.

^{1/} Does not include deliveries to RCWD, Elsinore Valley MWD and Western MWD.
2/ Beginning in 2011, Use reported based on metered customer demands.

Prior years reporting based on supply meter data and is not complete

for all categories.

Reuse within Watershed includes noted amount of sewage distributed to RCWD for

treatment by RCWD, recycled water sold to RCWD for delivery to RCWD customers, 3/

^{4/} Other Reuse includes changes in storage in Winchester and Sun City storage ponds, evaporation and percolation losses, and discharges to the Santa Ana Watershed. and beginning in 2009, recycled water sold to the Pechanga Band. Beginning in 2014, also includes recycled water delivered to Elsinore Valley MWD.

^{10/} Includes 1,056 AF of sewage diverted to RCWD. 11/ Includes 574 AF of sewage diverted to RCWD.

^{12/} Includes 910 AF of sewage diverted to RCWD. 13/ Includes 797 AF of sewage diverted to RCWD.

Page 1 of 2

SANTA MARGARITA RIVER WATERSHED MONTHLY WATER PRODUCTION AND USE

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

IR 3/	TOTAL																											
RECYCLED WATER 3/	REUSE OUTSIDE SMRW																											
RECY	REUSE INSIDE SMRW																											
ORTED	TOTAL WASTEWATER EXPORT		mente success										-		-													
WASTEWATER EXPORTED	REUSE OUTSIDE SMRW																											
WASTE	UNTREATED WASTEWATER																			4	55	74	114	134	140	150	170	185
	TOTAL				-						760	740	11 969	798	678	658	816	808	882	938	1,032	1,341	2,255	2,421	2,190	2,964	3,232	3,127
	LOSS 7										c	o c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
USE 1/	TOTAL DELIVERED										760	4.5	969	798	829	658	816	808	882	938	1,032	1,341	2,255	2,421	2,190	2,964	3,232	3,127
	DOM																									2,341	2,452	2,507
	СОММ																									84	93	100
	AG																									539	289	520
	тотаг				=	=	= :				769	742	1 969	798	678	658	816	808	882	938	1,032	1,341	2,255	2,421	2,190	2,964	3,232	3,127
PRODUCTION	IMPORT										560	740	969	798	829	658	816	808	882	938	1,032	1,341	2,255	2,421	2,190	2,964	3,232	3,127
PROD	WELLS										c	o c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	WATER YEAR	1066	1966 1967	1968 1969	1970	1971	1972	19/3	1975	1976	1977 1978	1970	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995

TABLE B-2

MONTHLY WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

ER 3/	TOTAL REUSE																			83	199
RECYCLED WATER 3/	REUSE OUTSIDE SMRW																			36	91
RECY	REUSE INSIDE SMRW																			53	108
ORTED	TOTAL WASTEWATER EXPORT	_							_				_							1,307	1,328
WASTEWATER EXPORTED	REUSE OUTSIDE SMRW																			36	91
WASTE	UNTREATED WASTEWATER	213	226	247	254	279	310	412	483	009	927	938	837	901	1,069	1,120	1,130	1,205	1,245	1,271	1,237
	TOTAL	4,197	4,296	5,100	6,133	7,174	6,215	1,596	7,091	8,438	8,215	9,819	0,811	9,951	9,075	7,926	7,425	7,398	7,158	7,413	5,992
	LOSS To	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				103	
USE 1/	TOTAL DELIVERED	4,197	4,296	5,100	6,133	7,174	6,215	7,596	7,091	8,438	8,215	9,819	10,811	9,951	9,075	7,926	7,150	7,176	6,880	7,310	5,649
	ром	3,217	3,330	3,037	3,586	4,114	3,475	4,521	4,363	5,104	2,067	5,574	6,152	2,687	6,913	6,075	5,539	5,426	5,227	5,601	4,472
	СОММ	109	118	1,396	1,626	1,971	1,815	1,902	2,665	3,238	3,044	4,118	4,509	4,149	2,015	1,718	1,517	1,723	1,637	1,693	1,165
	AG	871	848	299	921	1,089	925	1,173	63	96	104	127	150	115	147	133	94	27	16	16	12
	TOTAL	4,197	4,296	5,100	6,133	7,174	6,215	1,596	7,091	8,438	8,215	9,819	10,811	9,951	9,075	7,926	7,425	1,398	7,158	7,413	5,992
PRODUCTION	IMPORT	4,197	4,296	5,100	6,133	7,174	6,215	7,596	7,091	8,438	8,215	9,819	10,811	9,951	9,075	7,926	7,425	7,398	7,158	7,413	5,992
PROD	WELLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	WATER	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015

Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.
 For period prior to 2011, assumes no loss. For 2011 to present, loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.
 EVMWD receives recycled water treated at the RCWD Santa Rosa Water Reclamation Facility via EMWD Palomar Pipeline through a wheeling agreement.

TABLE B-3.1

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

PRODUCTION

LOSS 7 SMRW TOTAL COMM/ DOM AG **PRODUCTION** TOTAL SMRW SMRW IMPORT TOTAL SMRW IMPORT **FALLBROOK** IMPORT IMPORT IMPORT AREA AREA DELUZ DISTRICT TOTAL WELLS DIVERSIONS SKINNER DIVERSIONS DELIVERED LAKE SKINNER TOTAL LAKE WATER YEAR

USE IN SMRW TOTAL

USE

3,916 3,210 3,967 3,597 4,627 5,232 5,299 5,590 6,596 8,630 7,079 6,720 8,506 7,831 7,831 7,831 8,585 8,656 8,656 8,656 2,891 3,630 3,407 2,857 3,427 9,160 3,236 4,165 4,710 4,769 5,318 5,936 7,832 6,476 6,191 7,322 8,017 3,063 2,572 3,085 2,601 3,266 3,067 3,524 3,571 3,571 8,074 7,529 8,326 9,153 7,460 2,706 2,878 2,314 328 319 531 617 681 775 732 868 816 965 1,174 1,265 1,498 1,678 2,077 2,319 2,281 2,348 2,144 1,862 1,871 2,735 2,253 2,253 2,253 2,254 2,386 2,789 2,703 3,200 3,504 3,504 3,504 3,504 3,504 4,40 4,40 4,30 5,688 5,6 3,404 2,857 3,427 2,891 3,407 3,916 3,967 3,597 4,627 5,232 5,239 5,590 6,596 6,596 6,596 6,596 6,738 7,073 8,585 8,656 8,061 9,160 10,118 8,008 3,916 3,210 5,212 5,202 5,723 7,079 3,538 3,405 3,967 3,597 4,627 6,404 8,543 6,720 8,506 3,423 2,837 7,831 8,585 8,656 8,033 9,066 10,103 7,962 2,852 3,351 2,852 3,423 2,837 3,405 3,405 3,172 3,833 3,833 3,833 4,196 4,196 4,551 4,762 5,213 6,549 5,274 5,473 5,791 5,670 5,474 6,059 6,358 5,091 4,751 5,897 12,848 11,975 11,904 11,465 10,329 12,820 11,898 12,589 12,327 11,279 11,169 9,508 11,411 9,458 11,794 11,350 12,411 14,884 13,172 13,823 11,068 13,054 10,572 12,777 11,901 0 0 0 0 0 134 213 431 651 1,805 1,969 2,609 2,358 2,986 2,559 3,745 2,871 1,191 2,794 3,007 11,169 9,508 10,610 13,147 13,435 12,626 12,865 13,602 13,270 12,298 15,429 14,256 15,383 15,313 16,179 9,458 11,794 11,350 12,911 11,492 14,460 11,411 13,054 0 0 0 0 0 20 20 97 187 187 87 176 16 13 178 305 00000

TABLE B-3.1

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

PRODUCTION

LOSS 2/
TOTAL IN SMRW
СОММ/
AG
TOTAL SMRW PRODUCTION 1/
TOTAL SMRW IMPORT
FALLBROOK AREA SMRW APORT IMPORT
FALLE AREA IMPORT
DELUZ FALLB - AREA AREA IMPORT IMPORT
TOTAL DISTRICT IMPORT
WELLS
TOTAL LAKE LAKE SKINNER SKINNER DIVERSIONS DIVERSIONS DELIVERED
WATER YEAR D

TOTAL USE IN SMRW
LOSS 2/
TOTAL IN SMRW
COMM/ DOM
AG
ral RW ICTION

USE

7,938	7,011	7,333	6,541	7,993	7,894	6,382	7,430	9,365	8,398	9,580	9,130	11,749	6,369	10,679	12,292	8,951	8,557	7,203
452	333	385	225	335	294	339	411	324	448	359	(648)	509	1,134	702	521	497	510	432
7,486	6,678	6,948	6,316	7,658	7,600	6,043	7,019	9,041	7,950	9,221	9,778	11,240	8,235	6,977	11,771	8,454	8,047	6,771
2,201	2,349	2,666	2,798	3,247	3,249	2,798	3,271	3,903	3,537	4,036	3,737	4,222	3,581	4,019	4,500	3,962	3,896	3,195
5,285	4,329	4,282	3,818	4,411	4,351	3,245	3,748	5,138	4,413	5,185	6,041	7,018	4,654	5,958	7,271	4,492	4,151	3,576
938	011	333	541	7,993	894	382	430	365	398	280	130	749	11 698	629	292	951	557	203
7,5	7,1	7,7	9	7,5	7,8	6,	7,5	6	80,	6	ග	-	6	10,	12,	80,	8	7,7
7,893	6,925	7,250	6,538	7,993	7,894	6,382	7,430	9,365	8,398	9,580	9,130	11,749	8,108	10,573	12,292	8,920	8,557	7,183
4,943	4,915	5,004	4,330	5,260	5,206	4,579	5,858	099'9	5,836	6,680	5,737	6,722	5,007	6,579	7,205	5,613	5,790	4,754
10,748	10,685	10,878	9,412	11,435	11,317	9,954	12,735	14,478	12,687	14,522	12,471	14,613	10,885	14,303	15,664	12,202	12,588	10,314
2,950	2,010	2,246	2,208	2,733	2,688	1,803	1,572	2,705	2,562	2,900	3,393	5,027	3,101	3,994	5,087	3,307	2,767	2,438
13,698	12,695	13,124	11,620	14,168	14,005	11,757	14,307	15,983	15,249	17,422	15,864	19,640	13,986	18,297	20,750	15,508	15,355	12,752
45	98	83	က	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
													1,261	106	0	31	0	20
													1,261	106	0	31	0	20
1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010

Total SMRW production equals SMRW Import plus 30% local (1966-1971).
 Loss = Total production less total use.

TABLE B-3.2

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

	LOSS 4/	459	296	376	402	355
SMRW USE	TOTAL DELIVERED IN SMRW	6,059	6,658	6,981	7,176	5,564
SM	DOM	1,990	2,060	2,140	2,129	1,826
	СОММ	327	337	300	329	304
	AG	3,742	4,261	4,541	4,688	3,434
		_	=	_	_	
CTION	TOTAL SMRW PRODUCTION	6,518	7,254	7,357	7,578	5,919
SMRW PRODUCTION	SMRW	6,234	7,254	7,357	7,578	5,919
SN	SMRW LAKE SKINNER	284	0	0	0	0
			_	_	_	
	TOTAL DISTRICT SUPPLY 3/	11,548	12,579	12,593	13,068	10,639
CTION	TOTAL DISTRICT IMPORT 2/	11,264	12,579	12,593	13,068	10,639
DISTRICT WIDE PRODUCTION	LAKE SKINNER DIVERSIONS DELIVERED	284	0	0	0	0
DISTRIC	TOTAL LAKE SKINNER DIVERSIONS 1/	284	0	0	0	0
	WATER YEAR	2011	2012	2013	2014	2015

6,518 7,254 7,357 7,578 5,919

TOTAL USE IN SMRW

Includes production from Capra Well located in San Luis Rey Watershed and supply from San Diego County Water Authority. Diverted under Permit No. 11356.

^{7 7 8 4}

A portion of the District is outside the Santa Margarita River Watershed.

Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

TABLE B-4

SANTA MARGARITA RIVER WATERSHED

ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION

FALLBROOK PUBLIC UTILITY DISTRICT

WATER	TOTAL WASTEWATER PRODUCTION 1/	PERCENT WASTEWATER FROM SLR WATERSHED 2/	WASTEWATER IMPORTED FROM SLR WATERSHED	PERCENT WASTEWATER FROM SMRW	WASTEWATER WASTEWATER FROM REUSED IN SMRW SMRW	WASTEWATER REUSED IN SMRW	WASTEWATER FROM U.S. NWS 3/	WASTEWATER EXPORTED FROM SMRW 4/
1966	395	19	75	80	320		0	0
1967	460	20	92	80	368		0	0
1968	524	20	105	80	419		0	0
1969	588	21	123	62	465		0	0
1970	652	22	143	78	509		0	0
1971	717	22	158	78	559		0	0
1972	782	23	180	22	602		0	0
1973	847	24	203	9/	644		0	0 ,
1974	912	25	228	75	684		0	0
1975	926	25	244	75	732		0	0
1976	1,040	26	270	74	770		0	0
1977	1,105	27	298	73	807		0	0
1978	1,170	28	328	72	842		0	0
1979	1,234	28	346	72	888		0	0
1980	1,298	29	376	71	922		0	0
1981	1,363	30	409	70	954		0	0
1982	1,428	31	443	69	985		0	0
1983	1,492	31	463	69	1,029			1,003
1984	1,556	32	498	89	1,058			1,032
1985	1,621	33	535	29	1,086		26 E	1,060
1986	1,685	ጿ	573	99	1,112			1,094
1987	1,750	8	595	99	1,155		27	1,128
1988	1,815	35	635	92	1,180		25	1,155
1989	1,881	36	229	64	1,204		22	1,182
1990	1,952	34	664	99	1,298		27	1,271
1991	1,622	40	649	09	973		7	962
1992	1,730	37	639	63	1,090		7	1,083
1993	2,051	38	780	62	1,271		16	1,255
1994	1,834	42	761	28	1,073		5	1,068
1995	1,941	40	922	09	1,165		12	1,153

Page 2 of 2

ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION SANTA MARGARITA RIVER WATERSHED

FALLBROOK PUBLIC UTILITY DISTRICT

WATER	TOTAL WASTEWATER PRODUCTION 1/	PERCENT WASTEWATER FROM SLR WATERSHED 2/	WASTEWATER IMPORTED FROM SLR WATERSHED	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER WASTEWATER FROM REUSED IN SMRW SMRW	WASTEWATER FROM U.S. NWS 3/	WASTEWATER EXPORTED FROM SMRW 4/
1996	1.799	42	759	58	1.040		5	1,035
1997	1,780	42	753	28	1,027		9	1,021
1998	2,297	35	807	65	1,490		8	1,482
1999	2,175	36	793	64	1,382		2	1,377
2000	2,164	8	738	99	1,426		7	1,419
2001	2,191	35	191	65	1,424	24	∞	1,392
2002	2,061	39	799	61	1,262	28	တ	1,225
2003	2,276	39	886	61	1,390	21	10	1,359
2004	2,199	38	836	62	1,363	26	80	1,329
2005	2,505	42	1,048	28	1,457	24	16	1,417
2006	2,479	42	1,050	28	1,429	26	80	1,395
2007	1,951	52	1,019	48	932	29	12	891
2008	1,940	22	1,102	43	838	28	1	199
2009	1,900	25	1,028	46	872	31	12	828
2010	1,972	51	1,012	49	096	27	7	926
2011	2,006	72	1,076	46	930	21	8	901
2012	1,955	51	266	49	958	21	თ	928
2013	1,886	51	963	49	923	20	က	006
2014	1,840	20	916	20	924	22	9	968
2015	2,006	45	899	55	1,107	19	က	1,086

Measured quantities available for Total Wastewater in Water Year 1969 and July 1989.
 All other quantities are estimated (1966-1989).
 San Luis Rey Watershed
 United States Naval Weapons Station

San Luis Rey Watersneu
 United States Naval Weapons Station
 Prior to 1983, Wastewater was discharged into Fallbrook Creek, located in the SMRW.
 After 1983, Wastewater was discharged into an ocean outfall located outside the SMRW.

TABLE B-5

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

METROPOLITAN WATER DISTRICT DELIVERIES IN DOMENIGONI VALLEY

Quantities in Acre Feet

	TOTAL USE	000000000000000000000000000000000000000
	LOSS 2/	000000000000000000000000000000000000000
	TOTAL DELIVERED	000000000000000000000000000000000000000
USE	GW RECHARGE	000000000000000000000000000000000000000
	COMM/ DOM 1/	000000000000000000000000000000000000000
	AG	000000000000000000000000000000000000000
•		
	TOTAL IN SMRW	000000000000000000000000000000000000000
PRODUCTION	IMPORT TO SMRW	
	WELLS	
	WATER	1966 1967 1969 1970 1971 1972 1975 1976 1976 1980 1981 1984 1985 1986 1986 1986 1987

TABLE B-5

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

METROPOLITAN WATER DISTRICT DELIVERIES IN DOMENIGONI VALLEY

Quantities in Acre Feet

WATER WELLS IMPORT TO TOTAL IN AG DOMM DOM 1 GW RECHARGE 1 TOTAL LOSS TOTAL LUSS TOTAL LUSS 1992 0 <t< th=""><th></th><th></th><th>PRODUCTION</th><th></th><th></th><th></th><th></th><th>USE</th><th>***</th><th></th><th></th></t<>			PRODUCTION					USE	***		
0 0	WATER	WELLS	IMPORT TO SMRW	TOTAL IN SMRW		AG	COMM/ DOM 1/	GW RECHARGE	TOTAL DELIVERED	LOSS 2/	TOTAL USE
0 0	12	0	0	0		0	0	0	0	0	0
0 0	3	0	0	0		0	0	0	0	0	0
0 547 547 1 354 193 0 547 0 0 1,005 1,005 1,005 1 763 242 0 1,005 0 0 3,521 1,005 1 763 2,891 39 1,005 0 0 5,023 5,023 1 494 2,978 399 3,781 0 0 7,12 1 92 356 264 712 0 0 689 16 96 26 264 712 0 0 689 16 569 26 0 184 689 0 0 496 495 1 495 0 0 766 0 0 766 766 1 766 0 0 766 0 0 496 160 1 566 0 0 766 0 0 4	4	0	0	0		0	0	0	0	0	0
0 1,005 1,005 1,005 1,005 1,005 1,005 1,005 1,005 1,005 1,005 0 1,005 0 1,005 0 1,005 0 1,005 0 1,005 0 1,005 0 1,005 0 0 1,005 0 0 1,005 0 0 1,005 0 0 1,005 0 0 0 0 1,005 0	5	0	547	547		354	193	0	547	0	547
0 3,521 591 2,891 39 3,521 0 0 5,023 193 4,403 427 5,023 0 0 7,72 7,72 112 193 4,403 427 5,023 0 0 689 689 189 192 3,56 264 7,712 0 0 689 689 18 569 26 0 184 689 0 0 695 595 18 569 26 0 0 495 0 0 766 766 184 689 0 0 495 0 0 495 0 0 495 0 0 495 0 0 495 0 0 660 0 0 660 0 0 660 0 0 660 0 660 0 0 660 0 0 465 0 0 660 0 0 465 0 0 0 0 0 0 0 </td <td>96</td> <td>0</td> <td>1,005</td> <td>1,005</td> <td></td> <td>763</td> <td>242</td> <td>0</td> <td>1,005</td> <td>0</td> <td>1,005</td>	96	0	1,005	1,005		763	242	0	1,005	0	1,005
0 5,023 5,023 1 193 4,403 427 5,023 0 0 3,781 3,781 1 404 2,978 399 3,781 0 0 712 712 1 92 356 264 712 0 0 689 689 1 569 26 76 184 689 0 0 496 495 1 495 0 0 495 0 689 0 689 0 689 0 689 0 689 0 689 0 689 0 689 0 689 0 0 495 0 0 699 0 689 0 0 699 0 689 0 0 699 0 699 0 699 0 0 699 0 699 0 0 699 0 0 690 0 690 0	2	0	3,521	3,521		591	2,891	39	3,521	0	3,521
0 3,781 3,781 1, 404 2,978 399 3,781 0 0 712 712 1 92 356 264 712 0 0 689 689 1 505 0 184 689 0 0 689 1 506 26 0 0 495 0 0 766 1 766 0 0 495 0 0 766 1 766 0 0 766 0 0 506 1 506 0 0 766 0 0 660 660 1 660 0 0 506 0 0 660 1 660 0 0 660 0 0 506 0 0 493 1 493 0 0 465 0 0 465 0 0 0 465 1 465 1 466 0 0 0 465 0	86	0	5,023	5,023		193	4,403	427	5,023	0	5,023
0 712 712 712 712 11 92 356 264 712 0 0 689 689 11 505 0 184 689 0 0 496 495 11 569 26 0 595 0 0 496 495 11 766 0 495 0 0 766 766 11 566 0 766 0 0 556 56 11 566 0 0 766 0 0 660 660 11 660 0 0 660 0 0 660 11 660 0 0 0 660 0 0 465 465 14 465 0 0 0 465 0 0 336 13 336 0 0 0 0 466 0	60	0	3,781	3,781		404	2,978	399	3,781	0	3,781
0 689 689 1 505 0 184 689 0 0 496 495 1 495 0 0 495 0 0 496 495 1 766 0 0 495 0 0 766 766 1 766 0 766 0 0 556 1 556 0 766 0 0 660 660 1 660 0 766 0 0 660 660 1 660 0 660 0 0 660 1 660 0 0 660 0 0 660 1 660 0 0 660 0 0 465 1 465 0 0 660 0 1 372 372 1 372 0 0 466 0 0 </td <td>00</td> <td>0</td> <td>712</td> <td>712</td> <td>_</td> <td>92</td> <td>356</td> <td>264</td> <td>712</td> <td>0</td> <td>712</td>	00	0	712	712	_	92	356	264	712	0	712
0 595 595 1 569 26 0 595 0 0 496 495 1 495 0 495 0 0 766 766 1 766 0 766 0 0 556 1 556 0 766 0 766 0 0 506 1 506 0 0 556 0 0 660	_	0	689	689	=	505	0	184	689	0	689
0 496 495 495 0 495 0 495 0 0 495 0 0 766 0 766 0 0 766 0 0 766 0 0 766 0 0 766 0 0 766 0 0 766 0 0 766 0 0 766 0 0 766 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 660 0 0 0 660 0 0 0 0 0 0 0 0 0 0 0 <t< td=""><td>20</td><td>0</td><td>595</td><td>595</td><td></td><td>569</td><td>26</td><td>0</td><td>595</td><td>0</td><td>262</td></t<>	20	0	595	595		569	26	0	595	0	262
0 766 766 1 766 0 766 0 0 556 1 556 0 0 556 0 0 506 1 506 0 0 556 0 0 600 660 1 660 0 660 0 0 493 493 1 465 0 660 0 0 465 1 465 0 0 493 0 0 372 372 1 372 0 372 0 0 466 1 465 0 0 465 0 0 892 892 1 466 0 0 466 0 0 1,074 1,074 1,074 0 0 1,090 1,090 0	33	0	496	495		495	0	0	495	0	495
0 556 556 556 0 556 0 0 506 506 506 0 556 0 0 660 660 660 0 660 0 0 493 493 493 0 660 0 0 465 465 0 0 465 0 0 372 372 0 0 465 0 0 336 336 0 372 0 0 466 466 0 0 466 0 0 892 892 466 0 0 466 0 0 1,074 1,074 1,074 0 1,090 0 1,090 0	4	0	992	992		992	0	0	166	0	992
0 506 506 1 506 0 506 0 0 660 660 1 660 0 0 660 0 0 493 493 1 493 0 660 0 0 465 465 1 465 0 493 0 0 372 372 0 0 465 0 0 466 1 466 0 0 466 0 0 892 892 1 466 0 0 466 0 0 1,074 1,074 1 1,074 0 1,090 0 1,090 0	55	0	556	556		556	0	0	556	0	556
0 660 660 660 1 660 0 660 0 660 0 0 660 0 0 493 0 0 493 0 0 493 0 0 493 0 0 493 0 0 493 0 0 0 465 0 0 465 0 0 465 0 0 372 0 0 372 0 372 0 372 0 372 0 0 465 0 0 465 0 0 466 0 0 466 0 0 466 0 0 466 0 0 466 0 0 466 0 0 0 466 0	90	0	206	206		506	0	0	206	0	206
0 493 493 493 0 493 0 0 465 465 465 0 0 465 0 0 372 372 372 0 0 465 0 0 336 336 466 0 0 336 0 0 466 466 466 0 0 466 0 0 892 466 0 0 892 0 892 0 0 1,074 1,074 1,074 0 0 1,074 0 0 1,090 1,090 1,090 0 0 1,090 0	7(0	099	099		099	0	0	099	0	099
0 465 465 465 0 0 465 0 0 465 0 0 372 0 0 372 0 0 372 0 0 372 0 0 0 372 0	88	0	493	493		493	0	0	493	0	493
0 372 372 372 0 0 372 0 0 336 336 0 336 0 0 466 466 466 0 466 0 0 892 892 0 892 0 0 1,074 1,074 1,074 0 1,074 0 0 1,090 1,090 0 1,090 0 1,090 0	6	0	465	465		465	0	0	465	0	465
0 336 336 336 0 0 336 0 0 466 466 466 0 0 466 0 0 892 892 0 0 892 0 0 1,074 1,074 1,074 0 1,074 0 0 1,090 1,090 1,090 0 1,090 0	0	0	372	372	-	372	0	0	372	0	372
0 466 466 466 0 0 466 0 0 892 892 0 0 892 0 0 1,074 1,074 1,074 0 1,074 0 0 1,090 1,090 1,090 0 1,090 0		0	336	336	_	336	0	0	336	0	336
0 892 892 892 0 0 892 0 0 0 892 0 0 0 1,074 1,074 1,074 0 0 0 1,090 1,090 0 1,090 1,090 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2	0	466	466	_	466	0	0	466	0	466
0 1,074 1,074 1,074 0 0 1,074 0 0 1,074 0 0 1,090 1,090	3	0	892	892	_	892	0	0	892	0	892
0 1,090 1,090 1 1,090 0 0 1,090 0	4	0	1,074	1,074	_	1,074	0	0	1,074	0	1,074
	5	0	1,090	1,090		1,090	0	0	1,090	0	1,090

^{1/} Construction Water
2/ Points of delivery located at metered pumps on San Diego Canal and thus the losses in the MWD system are zero.

TABLE B-6

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

PECHANGA INDIAN RESERVATION Quantities in Acre Feet

	TOTAL USE	58 66 63 171 171 179 245 245 255
	3/ 3/	N N N N N N N N N N N N N N N N N N N
USE 2/, 4/	TOTAL DELIVERED	N N N N N N N N N N N N N N N N N N N
n	DOM	58 66 66 70 711 711 741
	СОММ	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	AG	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	TOTAL	58 66 67 77 171 173 374 295
:	RECYCLED WATER FROM EMWD	00000000
PRODUCTION 1/	DELIVERED GROUNDWATER FROM RCWD	
PR	WELLS ON RESERVATION	58 66 91 70 63 145 145 177 241 370
	SURFACE DIVERSION	00000044444
	WATER YEAR	1966 1967 1968 1970 1971 1972 1974 1975 1975 1976 1976 1977 1986 1987 1988 1989 1990 1990 1990 1990 1990 1990

TABLE B-6

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

PECHANGA INDIAN RESERVATION

Quantities in Acre Feet

USE 2/, 4/	TOTAL
_	DOM
	COMM
	AG
	TOTAL
	RECYCLED WATER FROM EMWD
PRODUCTION 1/	DELIVERED GROUNDWATER FROM RCWD
d	WELLS ON RESERVATION
	SURFACE
	WATER

WATER	SURFACE	WELLS ON RESERVATION	DELIVERED GROUNDWATER FROM RCWD	RECYCLED WATER FROM EMWD	TOTAL		AG	СОММ	Mod	TOTAL DELIVERED	3/ 3/	TOTAL USE
2002	4	460	0	0	464	 =	73	194	174	441	23	464
2003	4	009	0	0	604	: ===	78	354	148	280	24	604
2004	4	721	0	0	725	=	81	537	71	689	36	725
2005	0	809	0	0	809	-	140	401	61	602	9	809
2006	0	754	0	0	754	===	159	401	194	N/R	N/R	754
2007	0	919	154	0	1,073		275	517	229	1,021	52	1,073
2008	0	865	412	0	1,277		299	370	282	1,251	26	1,277
2009	0	702	250	268	1,220		548	44	195	1,184	36	1,220
2010	0	561	230	394	1,185		531	364	235	1,130	55	1,185
2011	0	632	201	326	1,159		468	418	257	1,143	16	1,159
2012	0	699	177	329	1,175		513	405	215	1,133	42	1,175
2013	0	798	77	393	1,268		611	415	219	1,245	23	1,268
2014	0	765	171	442	1,378		0	1,133	162	1,295	83	1,378
2015	0	804	11	358	1,173		0	1,017	115	1,132	41	1,173

N/R--Not reported.

Records prior to 1991 not available.
 For period 1991 through 2006, use shown as reported to Watermaster and published in prior Watermaster reports.
 For 2007, loss assumed to be 5% for all use types, for prior years any losses shown as reported to Watermaster. For 2007, loss assumed to be 5% for all use types; for prior years any losses shown as reported to Watermaster. For 2008 to present, loss determined as Total Production less Total Delivered.

had no agricultural use in the SMR Watershed beginning in Water Year 2014. An undetermined amount of agricultural use reported in prior years would be reported as commercial use under the revised definitions. definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, Pechanga Band 4/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated

TABLE B-7

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATER PRODUCTION AND USE

Quantities in Acre Feet

RAINBOW MUNICIPAL WATER DISTRICT

USE

PRODUCTION

TOTAL USE LOSS 5/, 6/ DELIVERED TOTAL DOMESTIC 3 COMMERCIAL 31, 4/ ₽ **Q** TOTAL IN WATERSHED IMPORT TO DISTRICT LOCAL WATER YEAR

1,377 1,252 1,689 1,650 2,037 1,516 2,239 2,248 2,347 2,347 2,347 2,347 3,390 3,068 3,410 2,945 3,390 3,300 3,000 7,252 1,139 1,150 1,146 1,146 1,146 1,134 1,134 1,134 1,134 1,134 1,136 1,005 1,354 1,324 1,324 1,534 1,000 1,000 1,756 1,873 1,997 1,755 2,758 2,758 2,758 2,758 2,353 2,365 2,365 2,365 1,877 1,368 1,377 1,253 1,689 1,650 2,037 1,616 2,037 2,239 2,343 2,489 3,153 3,410 2,945 3,390 3,068 3,410 2,945 3,390 2,945 3,390 3,068 3,410 1,661 13,917 18,764 18,338 22,633 17,955 22,768 13,856 24,878 26,038 26,038 27,660 35,036 27,334 24,957 32,526 28,612 29,023 29,449 29,070 32,034 34,612 27,754 26,056 23,766 22,173 20,935 15,301 1968 1969

TABLE B-7

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

RAINBOW MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

USE

Z	
2	
ŗ	•
Ξ	
ç	
۵	
۵	_

1			_			_		_		٠.	_	٠.		٠.	٠.		٠.	
TOTAL	1,601	1,727	2,217	1,804	1,676	1,510	1,888	1,610	1,851	2,262	1,790	1,852	1,453	1,492	1,892	1,713	1,732	1,333
1, 6/ 5/, 6/	145	157	202	163	152	137	172	146	168	206	162	169	132	136	172	156	131	72
TOTAL DELIVERED	1,456	1,570	2,015	1,641	1,524	1,373	1,716	1,464	1,683	2,056	1,628	1,683	1,321	1,356	1,720	1,557	1,601	1,279
DOMESTIC 3/	141	159	154	202	156	136	149	133	154	185	167	220	174	105	118	116	191	168
COMMERCIAL 3/, 4/																	0	0
AG 2/	1,315	1,411	1,861	1,439	1,368	1,237	1,567	1,331	1,529	1,871	1,461	1,463	1,147	1,251	1,602	1,441	1,410	1,111
	_		_	_	=	_		_	_	_	_	_	_	_	_			
TOTAL IN WATERSHED	1,601	1,727	2,217	1,804	1,676	1,510	1,888	1,610	1,851	2,262	1,790	1,852	1,453	1,492	1,892	1,713	1,732	1,333
IMPORT TO DISTRICT	19,693	24,961	30,446	27,214	32,854	29,156	33,686	25,135	29,797	32,939	24,390	27,075	20,769	18,599	21,152	21,863	22,926	18,358
LOCAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WATER	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015

¹⁹⁶⁶ through 1982 estimated to be 9% of total District imports. 1966 through 1982 estimated to be 80.2% of total deliveries to SMRW. 37.4

For 1966 through 2013, Commercial Use and Domestic Use reported as combined Commercial/Domestic Use; Table B-7 now shows the combined amount under the Domestic Use category. For 1966 through 1982, combined Commercial/Domestic Use estimated to be 10.7% of total deliveries to SMRW.

There is minimal commercial use within the SMRW portion of the District service area. Beginning in 2014, an undetermined amount of Commercial Use is now reported under Agricultural Use category. 4

From 1989 through 2013, Loss was calculated as 10% of total deliveries.

District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant Beginning in 2014, Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine for all months. 6 2

TABLE B-8

SANTA MARGARITA EIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT

75
ä
Acre
w
.≌
۳.
₩
≝
Ħ
ij
Ħ
ıtite
ntitie
ıntitie
antitie
antitie
antitie
antitie
uantitie
uantitie
tantiitie
Suantitie
Quantitie

RECYCLED WATER	MURRIETA CREEK DISCHARGE	0	· c	o c	o C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0 () (0	0										0 /	
RECYCL	REUSE IN SMRW	0	c	0 0	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	82	168	133	352	374	3/8	1,936	1,753		693 11/	1,376 11/		3,550 11/		4,519 11/	3,780 11/	3,257 11/	4,284 11/	4,796 11/
AKE	IRRIGATION 6/	185	1136	300	269	540	1.541	203	524	1,066	369	20	0	0	0	0	0	0	715	1,144	1,201	1,053	273	0	0	0	0	_:	_ : _ :	_ : >	_: o :	0	_	-0	0	0	0	0	0	0	0	0
VAIL LAKE	RELEASE II AND RECHARGE	0	c	o C	o C	0 0	0	0	0	0	0	0	0	0	0	10,944	6,802	6,058	12,113	6,612	5,027	8,722	8,089	4,844	0	0	6,253	2,244	31,704	8,469	11,158	9,427	1,725	4,514	1,010	(49)	(361)	(314)	(658)	(101)	(1,269)	1,399
	TOTAL		-				-	-				=		_	=	_	=	-				-			49,026	55,271	47.741	46,899	42,440	49,111	48,219	29,686	60,972	46,435	65,088	83,347	68,244	79,043	75,918	87,449	74,901	87,853
	2/ 5/																								6,327	7,870	488	3,487	-103	1,418	-631	2,543	-2,442	-1,409	1,317	4,316	3,529	3,924	2,849	5,941	4,007	4,032
	TOTAL																								42,699	47,401		43,412	42,543	47,693	48,850	57,143	63,414	47,844	63,771	79,031	64,715	75,119	73,069	81,508	70,894	83,821
1	IMPORT RECHARGE TO STORAGE	0	c	o C	· C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	/6 0		0 10/	0	o (o ·	0	0	164	0	2,286	8,008	2,374	1,454	2,750	5,094	5,162	6,163
USE 12/	SMR RELEASE																								852	905	785	683	919	46/	1,464	2,149	2,978	459	1,044	1,067	514	715	4,896	3,201	3,384	4,923
	DOM																								13,198	14,916	10,603	9,672	10,618	12,370	13,779	16,330	18,635	16,273	19,610	23,783	22,866	26,573	26,044	29,314	26,656	30,209
	COMM 4/																								3,316	3,940	2,941	2,406	2,141	7,377	2,526	2,752	3,350	2,805	3,674	2,162	4,053	5,285	4,457	4,883	4,790	5,190
	AG/DOM 3/																																			3,339	4,525	5,345	4,645	5,549	5,083	6,448
	AG																								25,333	27,643	32,924	30,651	29,265	32,534	31,081	35,912	38,287	28,307	37,157	40,672	30,383	35,747	30,277	33,467	25,819	30,888
	TOTAL	0	4 288	5.100	3.617	6.721	7,960	8,369	7,726	10,163	10,357	11,928	12,367	14,704	18,380	22,747	30,894	26,009	22,427	32,376	31,531	38,171	41,299	39,221	49,026	55,271	47,741	46,899	42,440	49,111	48,219	29,686	60,972	46,435	65,088	83,347	68,244	79,043	75,918	87,449	74,901	87,853
	NET	0	C	0	0	0	0	0	0	0	0	119	1,845	5,774	7,009	10,126	15,282	13,378	5,752	6,716	7,158	11,174	7,564	17,854	22,895	22,030	21,238	16,931	11,411	16,386	15,108	23,600	26,992	19,584	34,490	55,409	41,823	54,148	50,744	62,408	47,614	60,611
z	EXPORT 2/ IN	0	c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	o (o	0	0	0	0	0	0	0	0	183	762	578	725
PRODUCTION	IMPORT E	0	C	0	0	0	0	0	0	0	0	119	1,845	5,774	7,009	10,126	15,282	13,378	5,752	6,716	7,158	11,174	7,564	17,854	22,895	22,030	21,238	16,931	11,411	15,385	15,108	23,600	26,992	19,584	34,490	55,409	41,823	54,148	50,927	63,170	48,192	61,336
PRO	NET II																																						25,174	25,041	27,287	27,242
	EXPORT 1/ V																																									317
	WELLS		4 288	5,100	3,617	6,721	7,960	8,369	7,726	10,163	10,357	11,809	10,522	8,930	11,371	12,621	15,612	12,631	16,675	25,660 8/	24,373	26,997	33,735	21,367	26,131	33,241	26,503	29,968	31,029	32,725	33,111	36,086	33,980	26,851	30,598	27,938	26,421	24,895	25,238	25,353	27,606	27,559
	YEAR	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1884	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006

TABLE B-8

SANTA MARGARITA EIVER WATERSHED

ANNUAL WATER PRODUCTION AND USE

RANCHO CALIFORNIA WATER DISTRICT

Quantities in Acre Feet

WATER	MURRIETA CREEK DISCHARGE 7/	0	0	0	0	0	0	0	0	0
RECYCLED	REUSE IN SMRW	4,730 11/	4,355 11/	4,191 11/	3,998 11/				3,145 11/	2,994 11/
	NOI	0	0	0	0	0	0	0	0	0
VAIL LAKE	IRRIGATION 6/									
VAIL	RELEASE AND RECHARGE	704	4,845	1,236	801	2,470	(2)	2,614	85	147
	TOTAL	91,099	76,561	77,723	66,261	66,834	66,558	67,727	72,726	58,304
	2/ SSOT	6,251	2,499	2,802	3,387	1,638	2,671	2,435	2,829	1,533
	TOTAL	84,848	74,062	74,921	62,874	65,196	63,887	65,292	69,897	56,771
77	IMPORT RECHARGE TO STORAGE	2,247	1,417	2,357	2,075	5,239	702	325	(264)	(83)
USE 12	SMR RELEASE	3,859	4,092	5,302	3,913	4,399	3,708	2,530	4,126	3,432
	DOM	31,820	31,759	30,159	26,778	25,747	26,604	27,594	28,925	23,910
	COMM 4/	5,063	4,785	4,306	3,766	3,847	4,217	4,401	10,956	8,736
	AG/DOM 3/	7,049	5,621	5,986	4,886	5,010	5,785	6,331	0	0
	AG	34,810	26,388	26,811	21,456	20,954	22,871	24,111	26,154	20,776
	TOTAL	91,099	76,561	77,723	66,261	66,834	11 855'99	67,727	72,726	58,304
	NET IMPORT	63,818	50,683	50,270	40,894	39,411	41,900	40,571	46,603	33,573
z	EXPORT 2/ II	974	770	718	513	431	495	541	534	346
PRODUCTION	IMPORT E	64,792	51,453	50,988	41,407	39,842	42,395	41,112	47,137	33,922
PR	NET	27,281	25,878	27,453	25,367	27,423	24,658	27,156	26,123	24,731
	EXPORT 1/	364	361	367	318	302	284	289	289	251
	WELLS	27,645	26,239	27,820	25,685	27,725	24,942	27,445	26,412	24,982
	YEAR	2007	2008	2009	2010	2011	2012	2013	2014	2015
L		.,	•	.,	•	•		• •		.,

Groundwater used in San Mateo Watershed.
 Import used in San Mateo Watershed.
 Beginning in 2014, the Domestic and Agricultural portions of AG/DOM are reported in their respective categories of use.
 Beginning in 2014, Commercial use includes golf course and landscape uses, previously these uses were reported as

Agricultural use.
5/ Loss = Total production less total use.
6/ Irrigation 1966 to 1976 by pumping from Vail Lake. Figures from 1966 to 1971 supplied by USGS; 1972 to present supplied by RCWD.

Discharge from 2MGD Demonstration project.
 Includes 98 acre feet from wells out of groundwater area.
 Includes 98 acre feet from wells out of groundwater area.
 Import recharge was 2,294 AF but portion remaining in storage was not computed due to lack of data.
 Import recharge was 701 AF but portion remaining in storage was not computed due to lack of data.
 Does not include EMWD recycled water production.
 Water Use definitions for all major water purveyors were updated and reconciled in Water Year 2013-14.
 The updated definitions are provided on Table 7.2.

TABLE B-9

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON
EXCLUDING NAVAL WEAPONS STATION SHOWN ON TABLE B-10
Quantities in Acre Feet

	NET EXPORT 9/	_	_																							_		_	_	_	_					_	_	
	TOTAL	1,893	2,156	2,080	2,189	2,145	2,011	2,068	2,137	2,055	2,519 1	7,447	805,2	2,446	2,493	2,506	2,368	2,254	2,494	2,443	2,619	2,240	3,166	3,396	2,747	2,728	2,651	2,760	3,180	2,814	2,733	2,774	3,429	3,230	3,228	3,563	3,594	3,369
WASTEWATER 4/	EXPORTED TO OCEANSIDE OUTFALL RECYCLED BRINE 7/																																					
	RECYCLED USE IN OUT SMRW SMRW 5/, 6/	1,893	2,156	2,080	2,189	2,145	2,011	2,068	2,137	2,055	2,519	2,447	2,358	2,446	2,493	2,506	2,368	2,254	2,494	2,443	2,619	2,240	3,166	3,396	2,747	2,728			2,975 205				2,920 509					2,900 469
	SM III	=													== :	=	_	=	=	=								=	=			=	=	=	=	=	:=	
	TOTAL IN SMRW	2,455	2,427	2,557	2,485	2,778	2,583	2,597	2,580	2,579	2,252	2,650	2,306	2,282	3,527	2,679	2,812	2,710	2,157	2,336	2,456	2,434	2,492	2,487	2,482	2,112	1,545	1,726	1,617	1,919	1,972	2,622	2,660	2,752	2,560	2,989	2,713	2,752
	TOTAL EXPORT	3,251	3,180	3,368	3,276	3,809	3,527	3,543	3,544	3,532	3,098	3,619	3,194	3,071	4,756	3,651	3,892	3,761	3,000	3,243	3,377	3,326	3,444	3,457	3,418	2,971	2,168	2,426	2,329	2,702	2,781	3,577	3,644	3,742	3,558	4,072	3,653	3,701
USE 1/	P SUPPLY OUT SMRW 3/	2,579	2,694	2,767	2,763	3,134	3,028	3,045	2,932	2,978	2,636	3,0/9	2,588	2,964	4,104	3,142	2,999	2,878	2,425	2,585	2,725	2,745	2,774	2,711	2,896	2,449	1,830	1,878	1,678	1,805	2,180	2,967	2,994	3,116	2,909	3,282	3,027	2,979
	CAMP SI IN SMRW 3/	2,026	2,117	2,172	2,058	2,347	2,264	2,278	2,189	2,224	7,957	2,305	1,918	2,213	3,109	2,353	2,241	2,146	1,790	1,916	2,039	2,062	2,064	2,010	2,148	1,779	1,329	1,376	1,201	1,345	1,588	2,232	2,244	2,352	2,145	2,483	2.314	2,290
	. >	672	486	601	573	675	200	498	612	554	462	98.0	909	107	653	208	893	883	575	929	652	581	670	746	522	522	338	548	651	897	601	610	029	979	649	790	626	722
	AGRICULTURE IN OUT SMRW SMRI	429	310	385	367	431	319	319	391	355	295	345	388	69	417	326	571	564	367	420	417	372	428	477	334	333	216	320	416	574	384	390	416	400	415	206	399	462
	TOTAL	5,706	5,607	5,925	5,761	6,587	6,110	6,140	6,124	6,111	066,6	6,269	2,500	5,353	8,283	6,330	6,704	6,471	5,157	5,579	5,833	5,760	2,936	5,944	2,900	5,083	3,713	4,152	3,946	4,621	4,753	6,199	6,304	6,494	6,118	7,061	6.366	6,453
PRODUCTION	CAMP	4,605	4,811	4,939	4,821	5,481	5,291	5,323	5,121	5,202	4,593	5,384	4,506	5,177	7,213	5,495	5,240	5,024	4,215	4,501	4,764	4,807	4,838	4,721	5,044	4,228	3,159	3,254	2,879	3,150	3,768	5,199	5,238	5,468	5,054	5,765	5,341	5,269
PR	AG LOCAL \$	1,101	796	986	940	1,106	819	817	1,003	606	/2/	882	994	176	1,070	835	1,464	1,447	942	1,078	1,069	953	1,098	1,223	856	855	554	898	1,067	1,471	985	1,000	1,066	1,026	1,064	1,296	1.025	1,184
•	WATER	1966	1967	1968	1969	1970	1971	1972	1973	1974	19/5	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002

TABLE B-9

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

EXCLUDING NAVAL WEAPONS STATION SHOWN ON TABLE B-10 U.S.M.C. - CAMP PENDLETON

Quantities in Acre Feet

	NET EXPORT 9/							4,243	4,068	4,075	3,923	4,233	4,276	3,710
1		2		2	- /-	2	_		=	2		<u> </u>		ī0
	TOTAL	3,10	2,98	3,01	2,74	2,72	2,787	2,50	2,24	2,88	2,78	2,72	2.67	2,57
/#	TO JTFALL BRINE 8/											364	558	563
WASTEWATER 4/	EXPORTED TO OCEANSIDE OUTFALL RECYCLED BRIN 71 8		2,544	2,526	2,298	2,309	2,430	1,966	1,839	2,562	2,395	1,956	1,600	1,562
	OUSE OUT SMRW	415	444	489	449	416	357	488	396	320	393	403	484	401
	RECYCLED USE IN OUT SMRW SMRV 5/, 6/	2,687	0	0	0	0	0	49	9	0	49	0	29	49
					=	=	=	=	=	=	=	_		
	TOTAL IN SMRW	2,713	2,875	2,648	2,898	3,075	3,182	2,866	2,874	2,607	1,869	2,690	2,523	1,816
	TOTAL	3,767	3,890	3,571	3,943	4,160	3,739	3,532	2,908	2,634	2,807	2,690	2,733	2,311
USE 1/	IP SUPPLY OUT SMRW 3/	2,992	3,142	2,768	3,010	3,315	2,712	2,923	2,465	2,582	2,807	2,690	2,733	2,311
	CAMP SI IN SMRW 3/	2,218	2,396	2,134	2,301	2,535	2,603	2,593	2,672	2,583	1,869	2,690	2,523	1,816
	rure Out Smrw	775	748	803	933	845	1,027	609	443	25	0	0	0	0
	AGRICULTURE IN OUT SMRW SMRV	495	479	514	265	540	579	273	202	24	0	0	0	0
ſ		=	ئ 	<u> </u>	=	2	=	<u></u>	<u></u>	=	<u> </u>	4	4	=
z	TOTAL	6,48	6,76	6,21	6,84	7,23	6,921	6,39	5,78	5,24	4,67	5,74	5,81	4,69
PRODUCTION	CAMP	5,210	5,538	4,902	5,311	5,850	5,315	5,516	5,137	5,165	4,676	5,744	5,814	4,690
ā	AG LOCAL	1,270	1,227	1,317	1,530	1,385	1,606	882	645	9/	0	0	0	0
	WATER	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015

^{3 5 4}

Use equals Production less Brine byproduct from Southern Advanced Water Treatment Plant (SAWTP) beginning February 2013. Assumes no other losses. For years 1966 through 2007, agricultural water use is divided with 39% used inside SMRW and 61% used outside SMRW, thereafter proportions provided by Camp Pendleton. Perit to 1969 44% used inside the SMRW and 65% used outside the SMRW. For years 1969 through 2007, Camp Supply water use inside SMRW equals 44% of sum of Camp Supply production plus Naval Wespons Station import, less the NWS import. Annual proportions provided by Camp Pendleton beginning 2008.

All wastewater treated at Southern Regional Tertiary Treatment Plant (SRTTP) beginning December 2008.

For years 1966 through 2003, recycled use inside SMRW reported as recharged wastewater from ponds and recharge areas. See prior reports from 2008 and earlier for additional information.

^{47.00,20,90}

Recycled use for irrigation of golf course, landscaping and park areas.

Recycled water not used but rather exported to Oceanside Outfall.

Brine from SAWTP exported to Oceanside Outfall.

Net Export equals the sum of Agriculture Out, Camp Supply Out, Recycled Out and Export to Oceanside Outfall, minus Wassewater Return, as shown on Table A-Rs.

TABLE B-10

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

Quantities in Acre Feet

WASTEWATER	EXPORTED	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	26	26	18	27	25	22	27	-
•									_																=	=	_
	TOTAL USE	87	92	108	138	152	115	115	115	115	115	115	115	115	115	115	115	115	115	115	102	94	116	120	128	145	109
USE	LOSS 2/	6	თ	7	25	27	15	10	10	10	10	10	10	10	10	10	10	10	10	10	တ	o	-	7	12	13	10
'n	COMM/ DOM	62	83	26	113	125	100	105	105	105	105	105	105	105	105	105	105	105	105	105	93	85	105	109	116	132	66
	AG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
				_			_																=	=	=		=
	TOTAL	87	92	108	138	152	115	115	115	115	115	115	115	115	115	115	115	115	115	115	102	94	116	120	128	145	109
PRODUCTION	IMPORT TO WATERSHED 1/	0	0	0	0	0	9/	115	115	115	115	115	115	115	115	115	115	115	115	115	102	94	116	120	128	145	109
	LOCAL	87	92	108	138	152	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	WATER	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991

TABLE B-10

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX Quantities in Acre Feet

WASTEWATER	EXPORTED	7	16	ນ	12	2	9	æ	5	7	8	თ	10	8	16	∞	12	-	12	7	ω	တ	က	9	က
•			_	_	_	_	_										=	_							
	TOTAL	66	117	73	125	100	109	26	11	104	73	26	88	73	40	64	70	82	74	69	45	48	47	58	44
USE	LOSS 2/	O	7	7	-	တ	10	თ	10	တ	7	თ	∞	7	4	9	9	7	7	9	4	4	4	Ŋ	4
Ü	COMM/ DOM	06	106	99	114	91	66	88	101	92	99	88	80	99	36	28	64	75	29	63	41	44	43	53	40
	AG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			_	=	_				=						_	_					_				_
	TOTAL	66 6	117	73	125	100	109	26	111	104	73	26	88	73	40	64	70	82	74	69	45	48	47	58	44
PRODUCTION	IMPORT TO WATERSHED 1/	66	117	73	125	100	109	26	111	104	73	26	88	73	40	64	70	82	74	69	45	48	47	58	44
	LOCAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	WATER	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015

1/ Estimate 1969 through 1984 - Records not available2/ Loss = 10% of Use

TABLE B-11

SANTA MARGARITA RIVER WATERSHED ANNUAL WATER PRODUCTION AND USE

WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

Quantities in Acre Feet

USE 1/

PRODUCTION

WATER YEAR	WELLS	IMPORT	TOTAL		AG	СОММ	ром	TOTAL DELIVERED	LOSS 2/	TOTAL USE
1966	41		41		0	0	37	37	4	4
1967	45		45		0	0	41	41	4	4
1968	54	0	72		0	0	49	49	5	35
1969	54		54		0	0	49	49	5	35
1970	73		73		0	0	99	99	7	77
1971	83		83	_	3	0	72	75	8	8
1972			=======================================		10	0	91	101	10	+
1973	92		92		=	0	72	84	80	36
1974	132		132	_	4	0	107	120	12	13
1975	153		153		18	0	121	139	14	150
1976	117		117	_	22	0	8	106	=	117
1977	170		170		21	0	134	155	15	17(
1978	169		169		19	0	135	154	15	169
1979	197		197		19	0	160	179	18	197
1980	218		218		20	0	178	198	20	218
1981	265		265		30	0	211	241	24	26
1982	230		230		21	0	188	209	21	23(
1983	216		216		4	0	182	196	20	216
1984	304		304		26	0	250	276	28	304
1985	308		308		19	0	261	280	28	308
1986	305		305		22	0	255	277	28	306
1987	326		326		23	0	273	296	30	326
1988	303		303		13	35	262	275	28	300
1989	286	0	286		7	72	262	344	(4)	286
1990	465		465		13	76	266	355	110	46
1991	459		459	=	15	88	250	353	106	456
1992	492		492		9	122	302	430	62	492
1993	508		208	_	4	105	323	432	9/	206

TABLE B-11

ANNUAL WATER PRODUCTION AND USE SANTA MARGARITA RIVER WATERSHED

WESTERN MUNICIPAL WATER DISTRICT **MURRIETA DIVISION**

Quantities in Acre Feet

USE 1/

PRODUCTION

TOTAL USE

TOTAL DELIVERED
DOM DE
СОММ
AG
TOTAL
•
IMPORT .

512 521 629 638 603 1,123 1,123 1,579 1,867 2,309 2,549 2,701 2,300 2,515 2,201 2,301 2,303 2,303 3,303

definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, WMWD had no agricultural use in the SMR Watershed during Water Year 2015. An undetermined amount of agricultural use reported 1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated in prior years would be reported as commercial use under the revised definitions.

Loss = Total Production less Total Delivered 5

TABLE B-12

SANTA MARGARITA RIVER WATERSHED MISCELLANEOUS WATER PRODUCTION AND IMPORTS

Quantities in Acre Feet

	HAMILTON SCHOOLS		
	COTTONWOOD		
	JOJOBA HILLS SKP RESORT		
N	HAWTHORN WATER SYSTEM		
PRODUCTION	LAKE RIVERSIDE ESTATES	249.52 247.42 339.77 279.04 192.09	130.06
	QUIET OAKS MOBILE HOME PARK	23.50 23.50 12.24 12.24 23.20	22.60
	OUTDOOR RESORTS RANCHO CALIFORNIA	2,4 4 4 2,8 6 4 4,2 8 6 7 8 6 9 8 6 9 8 6 9 8 8 6 9 8 8 6 9 8 9 9 9 9	69.54
	ANZA MUTUAL WATER COMPANY	33.00 37.00 35.06 32.16	45.69
IMPORT	WESTERN MWD IMPORTS TO IMPROVEMENT DISTIRCT A	23.50 27.00 27.00 27.00 3.4.40 3.4.20 3.5.00 24.20 3.5.00	29.10
	WATER	1966 1967 1968 1970 1972 1973 1975 1976 1976 1978 1980 1981 1984 1986 1986 1987 1988 1989 1989 1989 1989 1989	1995

TABLE B-12

SANTA MARGARITA RIVER WATERSHED MISCELLANEOUS WATER PRODUCTION AND IMPORTS

Quantities in Acre Feet

	HAMILTON SCHOOLS														18.68	N/R	N/R	N/R	15.09	15.60	10.86
	COTTONWOOD ELEMENTARY																				14.17
	JOJOBA HILLS SKP RESORT					53.28	74.87	91.83	74.70	74.89	96.99	64.68	96.99	65.50	67.86	55.39	26.97	69.12	76.77	75.17	71.89
N	HAWTHORN WATER SYSTEM							82.87	81.61	94.19	55.87	40.25	37.22	21.56	25.36	24.01	19.27	26.37	16.76	8.91	6.40
PRODUCTION	LAKE RIVERSIDE ESTATES	219.73	233.56	134.96	209.55	316.57	274.25	323.65	255.93	350.80	208.08	268.60	421.56	334.31	347.51	255.19	270.44	310.31	341.29	378.96	368.06
	QUIET OAKS MOBILE HOME PARK	21.96	30.25	24.41	25.70	24.58	23.21	24.43	34.56	32.20	18.09	27.30	19.80	23.30	23.30	23.30	23.30	23.30	34.30	27.30	23.20
	OUTDOOR RESORTS RANCHO CALIFORNIA	58.59	83.42	87.42	70.74	90.10	208.64	216.13	201.63	216.77	187.06	198.92	480.70	483.69	492.26	510.42	494.40	506.40	655.20	560.30	454.55
	ANZA MUTUAL WATER COMPANY	45.53	43.87	39.54	33.30	44.67	45.00	41.10	44.04	40.44	38.26	51.36	39.33	34.13	34.13	36.97	27.17	26.22	28.30	29.28	24.80
IMPORT	WESTERN MWD IMPORTS TO IMPROVEMENT DISTIRCT A	35.10	30.40	31.00	40.70	41.90	58.70	64.40	42.40	20.30	62.20	02:80	45.30	53.90	20.90	62.30	52.10	48.50	34.84	35.40	29.20
	WATER	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015

N/R -- Not reported.

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

APPENDIX C SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNI	DWATER AREA							
Vail Custodial Services	43425 Sage Road	917-050-007	82.19	Total				
and	44175 Sage Road	917-050-009	309.74	!				
Vail Lake Rancho California	Aguanga, CA 92536	581-070-013 581-070-015	43.10 2.73	of				
Rancho California		581-070-015	157.21	01				
		581-150-013	120.56	į		8S/1E-7N(1)	Total	
		581-150-016	25.37	30.00	Alfalfa	8S/1E-7N(2)	of	
						8S/1E-7Q(1)		
						8S/1E-7Q(2)	90.00	
Val Verde Partners	43023 Hwy 79	583-040-022	97.78	Total		8S/1E-19Q(1)	0.00	
	Aguanga, CA 92536	583-040-021	13.45	1	Oats and	8S/1E-19Q(2)	0.00	
	m/t P.O. Box 1974	583-130-055	40.00	of	Pasture			
	Rancho Santa Fe	583-120-092	160.00					
	CA 92067	583-060-003-9	41.60	13.45		8S/1E-29L - Diversion	on	52.0
Zen-Kamata, LLC	42551 Hwy 79	583-040-024	23.48	0.00				
	Aguanga, CA 92536	583-040-025	23.12	0.00				
	m/t 2635 N. First St., Ste. 213	583-040-026	23.16	0.00				
	San Jose, CA 95134	583-040-027	22.64 25.52	0.00 0.00				
		583-040-028 583-040-029	19.89	0.00		8S/1E-19K	0.00	
		303-040-023	13.03	0.00		8S/1E-19G4	0.00	
						8S/1E-29L - Diversion	on	0.0
Lee, Chong Suk and	43900 Highway 79	583-130-029	10.09	16.61	Row Crops,	8S/1E-29	53.50	
Juyeon P.	Aguanga, CA 92536 m/t 27434 Bolandra Court Temecula, CA 92591	583-130-030	11.64	Total	Grapes & Fruit			
Aguanga	44375 Hwy 79	583-120-083	68.09	Total	Row Crops	8S/1E-28N1	Total	
Properties, LLC	44201 Hwy 79	E00 400 000	400.00	ļ	Pow Orana	8S/1E-28N(2) 8S/1E-29H	İ	
(Twin Creek Ranch)	Aguanga, CA 92536 m/t Chester Mason	583-120-090 583-120-091	132.82 39.57	ļ	Row Crops Row Crops	8S/1E-33D	 	
	P. O. Box 892378	303-120-031	39.37	1	Now Oropa	337 Im 000	of	
	Temecula, CA 92589	583-140-014	48.03	i	Row Crops	8S/1E-33F	Ï	
	·	583-140-015	40.00	of	Row Crops	8S/1E-33G1	l	
		583-140-016	40.00		Row Crops	8S/1E-33B	0.00	
		583-140-018	10.09					
		583-140-019	10.12					
		583-140-020 583-150-001	10.15 80.00		Row Crops			
		083-100-001	00.00	0.00	Row Crops			

SANTA MARGARITA RIVER WATERSHED SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUND	WATER AREA (Cont.)							
Twin Legacy, LLC Yanik, Robert	41750 Highway 79 Aguanga, CA 92536	917-050-006	233.57	70.00	Row Crops	8S/1W-13Q1 8S/1W-13Q2	Total 	
		917-170-003	80.81	38.00	Row Crops		of	
		917-290-001	126.26	38.00	Row Crops			
		917-290-002	82.25	16.00	Compost		689.60	
Harris, Leslie K. and Jeannette	44700 Sage Road	581-160-025	18.10	17.00	Citrus & Grass	8S/1E-18J(1) 8S/1E-18J(2)	0.00 0.00	
Harris, Dolores G.	44444 Sage Road Aguanga, CA 92536	581-150-009	7.00	10.00	Fruit	8S/1E-18H(1) 8S/1E-18H(2)	0.00	
		581-160-015	7.42	6.00	Fruit	, ,	0.00	
		581-180-004	20.00	0.00				
		581-180-020	20.00	0.00		8S/1E-17M	21.70	
		581-180-021	2.15	0.00		8S/1E-17E	46.43	
		581-180-022	30.00	0.00				
Valley-Wide Recreation and Parks District	901 W. Esplanade Ave San Jacinto, CA 92582	581-170-009	7.82	7.82	Grass	Used 8S/1E-17E ov	vned by Harris	
Wilson Creek Farms	44200 Sage Road	581-170-012	190.40	40.00	Row Crops**	8S/1E-17B	380.00	
	Aguanga, CA 92536	581-170-013	99.63	50.00	Alfalfa	8S/1E-17H	5.50	
	m/t P. O. Box 2921	581-180-005	2.76					
	Hemet, CA 92546	581-180-009	120.00	20.00	Row Crops			
		581-190-013	280.00	20.00	Row Crops			
		581-190-014	40.00		•			
Wilson Creek	44200 Sage Road	581-070-002	160.00					
Development, LLC	Aguanga, CA 92536	581-070-005	640.00			8S/1E-9Q - Diversion	n	375.0
	m/t P. O. Box 2921	581-100-013	80.08			8S/1E-10		
	Hemet, CA 92546	581-100-019	30.00					
		581-100-020	10.00					
		581-100-022	20.00					
		581-100-038	9.53					
		581-100-039	9.23					
		581-100-040	8.91					
Marine 1				** Plus riparian r	estoration.			

TOTAL AGUANGA GROUNDWATER AREA

392.88

1,286.73

427.00

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREEK A	ABOVE AGUANGA GROUN	DWATER AREA						
Agri-Empire, Inc.	m/t P. O. Box 490	113-090-01*	377.07	0.00				
• •	San Jacinto, CA 92383	113-130-01*	150.09	0.00		9S/2E-17D - Spring		0.0
		113-140-03	196.54	0.00		9S/2E-16N2	58.00	
						9S/2E-16M	110.00	
						9S/2E-16F1	27.00	
						9S/2E-16N1	15.00	***
* Land leased from the						9S/2E-16F2	0.00	
State of California						9S/2E-16K - Diversion	on	0.0
		114-020-09	37.16	0.00				
** Land leased from		114-020-12 **	108.78	0.00				
Arlie W. and		114-030-07	93.38	0.00				
Coral R. Bergman		114-030-34	137.50	0.00				
		114-030-36	29.55	0.00				
*** Water used to	37126 Hwy 79	113-140-01 **	358.62	0.00		9S/2E-16B(1)	0.00	
replenish fishing pond	Warner Springs, CA 92086	110 140 01	000.02	0.00		9S/2E-16B(2)	0.00	
replement horning porta	vvainci opinigs, or szooo					9S/2E-16G	0.00	
		113-140-02 **	38.75	0.00		00.22 100		
		113-140-03	196.54	0.00				
174 G	000101111	440 000 00	40.00	-		00/45 404	S	
Hill Springs Farm, LLC	38642 Highway 79	112-030-38	40.00	Total		9S/1E-12A	Domestic	
	Warner Springs, CA 92086	112-030-67	67.41	!		9S/1E-1M - Diversio		0.0
	m/t P.O. Box 1946 Duarte, CA 91009	112-030-72 112-030-74	129.90 70.50	I of	Grapes	9S/1E-1Q(1)	0.00	0.0
	Duane, CA 91009	112-030-74	70.50	OI	Winery/	9S/1E-1Q(1) 9S/1E-1Q(2)	71.50	
		113-060-012	63.21	65.00	Landscape	9S/2E-7D	9.00	
		113-000-012	03.21	05.00	Lanuscape	9S/2E-7E - Diversio		0.0
	05400454 70	444.070.007	70.40	T-1-1	M4	00/05 0754	Total	
ovingier Family Trust	35490 Highway 79	114-070-007	76.42	Total	Pasture	9S/2E-27R1 9S/2E-27R2	Total	
	Warner Springs, CA 92086					9S/2E-27J	l i	
		114-070-27	19.15			90/2E-2/J	<u> </u>	
		114-070-27	19.15	of			of	
		114-070-34	167,94	i			1	
		114-080-014	42.51	i			i	
		114-080-013	21.30	i			i	
		114-120-042	78.41	169.95		9S/2E-35D1	i	
		111111111111111111111111111111111111111		,,,,,,,		9S/2E-35D1	645.81	
						(A-2)-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
OTAL TEMECULA C	REEK A GROUNDWATER AREA							

	CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
	WILSON CREEK ABO ANZA VALLEY	OVE AGUANGA GROUNDW	ATER AREA						
1	Greenwald, Alvin G.	55255 Mitchell Road Anza, CA 92539 m/t 6010 Wilshire Blvd., #500 Los Angeles, CA 90036	573-180-001	156.38	0.00		7S/3E-17E	0.00	
	Miller, Frank C. Grabowski-Miller, Jane	55520 Hwy 371 Anza, CA 92539	573-200-007 573-200-008 573-200-009	18.88 18.31 36.40	8.00 16.00 2.00 26.00	Row Crops Vetch/grain Grapes Row Crops	7S/3E-17(M) 7S/3E-17(N) 7S/3E-17(P)	7.00 0.00 63.00	
	Anza Development Corp Lanik, Gordon	m/t P.O. Box 391273 Anza, CA 92539	573-200-004 573-200-005 573-200-006 573-200-010	18.24 18.50 18.89 18.68	0.00 0.00 0.00 0.00				
	Agri-Empire, Inc.	P.O. Box 490 San Jacinto, CA 92383							
		Section 10	575-050-044	14.36	0.00				
		Section 11	575-060-002	133.93	0.00		7S/3E-11N4 7S/3E-11P3	260.30 76.60	
		Section 13	575-100-009 575-100-032 575-100-033 575-100-034 575-100-035 575-100-037 575-100-039 575-100-040 575-100-041 575-100-042	19.94 89.02 89.08 37.63 157.20 27.91 57.80 7.91 0.88 19.93 60.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00				
		Section 14	575-110-021 575-110-027 575-110-030 575-310-002 575-310-011 575-310-012 575-310-013 575-310-027 575-310-027	143.75 54.45 74.86 39.09 80.00 80.00 17.46 0.75 17.46	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	Organic Row Crops	7S/3E-14D1 7S/3E-14C2	0.00 163.00	
		Section 15	575-080-010 575-080-014 575-080-015 575-080-017 575-080-018 575-080-019 575-080-021 575-080-022 575-080-024 575-080-027 575-080-027	4.77 9.92 4.35 9.75 10.13 31.29 20.00 20.00 20.00 20.00 38.80	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0				

WILSON CREEK ABOVE AGU, ANZA VALLEY (Cont.) Agri-Empire, Inc. (Cont.)	ANGA GROUND Section 17 Section 20	573-180-011 576-060-009 576-060-031 576-060-033 576-060-038 576-070-003 576-070-005	39.74 8.26 16.09 79.45 5.41 80.00 116.57	0.00 Total I of I				
Agri-Empire, Inc. (Cont.)	Section 20	576-060-009 576-060-031 576-060-033 576-060-038 576-070-003 576-070-005	8.26 16.09 79.45 5.41 80.00	Total of 	*			
		576-060-031 576-060-033 576-060-038 576-070-003 576-070-005	16.09 79.45 5.41 80.00	 of 	8			
	Section 21	576-060-033 576-060-038 576-070-003 576-070-005	79.45 5.41 80.00	 	*			
	Section 21	576-060-038 576-070-003 576-070-005	5.41 80.00	 	8			
	Section 21	576-070-003 576-070-005	80.00	 				
	Section 21	576-070-005		j				
	Section 21		116.57					
	Section 21	E76 400 004		84.00	Potato			
		576-100-061	37.71	37.70	Potato			
		576-110-001	160.00	160.00	Polato	7S/3E-21P(1) 7S/3E-21P(2)	204.40 0.00	
		576-110-002	28.00	0.00				
		576-110-003	2.00	0.00				
		576-110-004	50.00	0.00				
		576-110-006	19.29	Total		7S/3E-21	87.00	
		576-110-007	17.82	1		7S/3E-21R3	212.00	
		576-110-008	17.00	of		7S/3E-21R(4)	193.00	
				i				
		576-110-009	18.41	65.30	Potato			
	Section 22	575-130-003	19.55	0.00				
		575-130-006	40.89	0.00				
		575-130-008	18.56	0.00				
		575-130-009	20.06	0.00				
		575-130-010	20.07	0.00				
		575-130-011	19.19	0.00				
		575-130-012	18.18	0.00				
		575-130-013	19.02	0.00				
		575-130-014	19.00	0.00				
		575-130-015	17.58	0.00				
		575-120-012	88.03	0.00				
		575-120-018	20.45	0.00				
		575-120-019	20.45	0.00				
		575-120-028***	4.68	0.00				
		575-120-029***	4.68	0.00				
		575-120-030***	4.68	0.00				
		575-120-031***	4.23	0.00				
		575-120-032	4.69	0.00				
		575-120-033	4.69	0.00				
** Land leased from		575-120-034	4.68	0.00				
Dionisios & Irini Argyros		575-120-035	4.28	0.00				
	Section 23	575-140-006	9.90	0.00				
	OCCION 23	575-140-006	90.48	0.00				

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK AB ANZA VALLEY (Cont.)	OVE AGUANGA GROUNDW	ATER AREA						
Burnett, Gregory V.	36990 Bonita Vista Anza, CA 92539 m/t P. O. Box 391111 Anza, CA 92539	573-040-001 573-040-002 573-050-001	235.20 30.00 246.33	10.00 0.00 0.00	Nursery/ Landscape	7S/3E-5	7.00	
Cahuilla Indian	Domestic and C	Commercial Wells R	eported by Bure	eau of Indian Affa	irs		Total	
Reservation	Wells in	Wells out of		a with OVAL and	I - OTOM		ļ	
	Basement Complex	Watershed	vven	s with QYAL and/	OF Q TOAL			
	7S/2E-14L1	8S/3E-2A1	7S/2E-14J1		7S/3E-31L		i	
	7S/2E-25D1	8S/3E-2B1	7S/2E-14M1	7S/2E-33C1	7S/3E-31L2		!	
	7S/2E-26B1	8S/3E-2D1	7S/2E-14M2		7S/3E-34E1		!	
	7S/2E-26B2 7S/2E-26B3	8S/3E-2E1 8S/3E-2G1	7S/2E-14R1 7S/2E-23A1		7S/3E-34N1		!	
	75/2E-26B3 7S/2E-34E1	8S/3E-2H1	7S/2E-23A1 7S/2E-23D1		7S/3E-34Q1 8S/2E-4D1			
	7S/2E-34E1 7S/2E-36A1	8S/3E-2K1	7S/2E-23D1 7S/2E-23F1		8S/2E-4N1		}	
	7S/2E-36J1	03/3L-2K1	7S/2E-23G1		8S/2E-4N2		1	
	7S/2E-36R1		7S/2E-23H1	7S/3E-28A1	8S/2E-4P1		i	
	7S/3E-26A1		7S/2E-23K1		8S/2E-4R1		i	
	7S/3E-29Q1		7S/2E-23M1	7S/3E-28D1	8S/2E-4R2		of	
	7S/3E-30H1		7S/2E-23P1		8S/3E-5Q1		i	
	7S/3E-31A1		7S/2E-23Q1	7S/3E-29M1	8S/3E-6J1		i	
	7S/3E-31N1		7S/2E-25C1	7S/3E-30P1			1	
	7S/3E-31Q1		7S/2E-25F1	7S/3E-30Q1			1	
	7S/3E-32D1		7S/2E-25R1	7S/3E-30R1			1	
	7S/3E-32D2		7S/2E-26E1				1	
	8S/3E-6B1		7S/2E-26L1	7S/3E-30R3			1	
	8S/3E-6B2		7S/2E-27A1				ļ	
	8S/3E-6G1		7S/2E-27H1	7S/3E-31F1			50.00	
	8S/3E-6R1		7S/2E-28N1			Domestic	50.00	
						Commercial Stock Watering	5.00	
SUBTOTAL ANZA VAL	LLEY			409.00			1,328.30	
WILSON CREEK AB LEWIS VALLEY	OVE AGUANGA GROUNDWA	ATER AREA						
Moon Valley Nurseries	39850 Sage Road Hemet, CA 92343	571-080-012	80.00	40.00	Olive Trees	7S/1E-20Q	44.00	
SUBTOTAL LEWIS VA	ALLEY	A		40.00			44.00	
TOTAL WILSON CRI	EEK A GROUNDWATER AREA			449.00			1,372.30	

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEMECU	JLA GROUNDWATER AREA							
Louidar Mount Palomar Winery	33820 Rancho California Rd. Temecula, CA 92591	943-040-011 943-060-010 943-060-011	19.22 90.76 26.47	18.00 10.00 24.00	Citrus Citrus Citrus	7S/2W-28L	0.00	**
		943-110-009 943-120-014	4.31 17.71	3.00 15.00	Grapes Grapes			
		943-120-024	32.08	25.00	Grapes			
		943-120-025	83.98	12.00	Grapes			
		943-120-026 943-120-027	30.02 0.49					
		943-120-027	0.19					
		943-120-029	0.08					
		943-120-030	0.09					
		943-120-031 943-120-032	2.40 0.41					
		943-120-033	4.59					
** All water purchased from	n RCWD for Water Year 2014-15.							
Anza Grove	c/o McMillan Farm Mgt.	942-180-002	40.28	40.00	Citrus			
Cavaletto, Selina J.	29379 Rancho Cal. Rd, #201	942-240-003	40.83	40.00	Citrus			
Lassalette Enterprise	Temecula, CA 92390	942-240-004	40.83	40.00	Citrus	70/014/ 0004	1.00	
		942-240-005	39.31	35.00	Citrus	7S/2W-26B1 7S/2W-26B2	1.00 294.00	
* Portion of water purchase	ed from RCWD for Water Year 2014-	15.						
Mendoza, Bertha	38695 Highway 79 South Aguanga, CA	917-240-019	54.13	0.00				
Giddings, Richard	38055 Highway 79 South Aguanga, CA	917-150-002	117.76	0.00				
Vail Lake Groves, LLC	38695 Highway 79 South	917-240-015	20.00	0.00				
	Aguanga, CA	917-150-006	120.00	110.00	Citrus	8S/1W-21K(1)	262.00 0.00	
	m/t 29400 Rancho Cal. Road Temecula, CA 92593					8S/1W-21K(2) 8S/1W-21P(1)	0.00	
	10/100dia, 0/1 02000					8S/1W-21P(2)	0.00	
Wild Horse Peak	Highway 79 South	942-120-007	26,14	26.00	Grapes			
Vineyard Mountain	Temecula, CA	943-230-001	108.86	60.00	Grapes	7S/2W-26L	0.00	
	m/t 3719 South Plaza Drive	917-250-004	80.00	Total		8S/1W-25Q(1)	0.00	
	Santa Ana, CA 92704	917-250-005	80.00	of I		8S/1W-25P(1) 8S/1W-25N(1) - Sprin	26.50 a 3	0.0
		917-250-007	240.00	220.00	Grapes	8S/1W-36K - Spring 4		0.0
						8S/1W-36H - Spring 6		0.0
						8S/1W-36K(1) 8S/1W-36K(2)	26.00 26.00	
						8S/1W-36K(2)	75.00	
* Portion of water purchase	ed from RCWD for Water Year 2014	-15.	~~~~			8S/1W-36L - Stream	Diversion	0.0
Regency Properties	44051 Rainbow Cyn Rd.	922-220-002	86.11	Total		8S/2W-19(D)	58.86	
Temecula Creek Golf	Temecula, CA 92592	922-220-003 922-220-004	5.75 52,18					
		922-220-004	14.36					
		922-220-008	3.99	of				
		922-230-002	59.29					
		922-230-003 922-230-004	1.00 40.00					
		922-230-004	25.00					
* Danklan afor t		922-230-008	16.11	47.00	Grass			
	ed from RCWD for Water Year 2014-	15.						
Carson, Carol J. Murrieta Six Cs LLC	25471 Hayes Ave Murrieta, CA 92562	909-260-036 909-260-042	8.87 4.31	7.00 3.50	Pasture Pasture	7S/3W-29G	39.90	1
TOTAL MUSICITY		3 4 5 5 4					809.26	0.0
IUIAL WUKKE [A-1	TEMECULA GROUNDWATER	K AKTA		735.50			X114 7h	

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION PF LOCATION TWP/RNG/SEC	WELL RODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARITA DE LUZ CREEK	A RIVER BELOW GORGE							
Stehly Family Holdings, LLC	40922 DeLuz Road Fallbrook, CA 92028 m/t 13268 McNally Road Valley Center, CA 92082	101-271-28	45.01	10.00	Avocados and Citrus	8S/4W-29D(1) 8S/4W-29D(2)	1.00 16.00	
Prestininzi, Pete and Dorothy N.	2525 E. Mission Road Fallbrook, CA 92028 Richmond Truck Trail and DeLuz Murrieta Road	101-220-12 101-210-53	31.63 50.44	6.00 12.00	Pasture & Flowers Avocados and Citrus	8S/4W-20A(1) 8S/4W-20H(1) 8S/4W-20H(2) 8S/4W-20A - Diversion	16.00 16.00 14.00	0.0
Alfred Varela Sr. Family Living Trust Varela, Alfred	41125 DeLuz Road Fallbrook, CA 92028	101-210-11	15.23	8.50 0.50	Avocados Citrus	8S/4W-20Q(1) 8S/4W-20Q(2)	Total of 21.60	
.ake Forest, LLC	41257 DeLuz Road Fallbrook, CA 92028 m/t 26051 Glen Canyon Dr. Laguna Hills, CA 92653	101-210-12	30.28	9.00 15.00 1.00	Avocados Citrus Row crops	8S/4W-20Q(1) 8S/4W-20Q(2) 8S/4W-20Q(3)	Total of 50.00	***************************************
Wagner Family Trust	41128 DeLuz Road Fallbrook, CA 92028	101-210-23 101-210-22	17.19 4.55	15.00 3.00	Avocados Persimmons	8S/4W-20P(1) 8S/4W-20P(2) 8S/4W-20P(3)	0.00 0.00 19.60	
Lee, Charles and Catherine	44952 Vista Del Mar Temecula, CA 92590	933-120-016 933-120-017 933-120-018 933-120-019	9.39 9.48 8.47 9.63 20.00	Total of 36.00 12.50	Avocados, Citrus and Macadamia Nuts Avocados	8S/4W-15L	0.00	**
* All water purchased from	m RCWD for Water Year 2014-15.	933-120-042	20.00	12.50	Avocados			
Chambers Family, LLC	40888 DeLuz-Murrieta Road 38664 DeLuz Road Fallbrook, CA 92028 m/t Thomas Montllor 910 N. Pacific St., Apt. 38 Oceanside, CA 92054	101-571-03 102-130-42	41.72 54.37	40.00 5.00	Flowers Fruit	8S/4W-28A 8S/4W-28A - Diversion	52.00	* 8.0
Portion of water purchas	ed from FPUD for Water Year 2014-1	15.						
Welburn Family Trust Welburn, Douglas and Sue	40787 DeLuz-Murrieta Rd. Fallbrook, CA 92028	101-571-19 101-571-20 101-571-21	4.01 4.00 14.28		Gourds Gourds Fruit Trees, Melons and Avocados	8S/4W-28G1	40.00	
Poladian, Jacqueline Bluebird Ranch	2193 Calle Rociada Fallbrook, CA m/t P. O. Box 1089	101-312-01	82.29 58.17		Flowers	8S/4W-31L 8S/4W-31L - Diversion 8S/4W-31K(1)	Total	31.4
	Fallbrook, CA 92088	101-012-02	00.17	5.00	Avocados	8S/4W-31K(2) 8S/4W-31K(3)	162.18	
Norman and Deborah Vanginkel Trust	39452 DeLuz Road Fallbrook, CA 92028 m/t 21136 Trailside Drive Yorba Linda, CA 92887	101-312-03	80.08	8.00	Nursery Stock	8S/4W-31J(2) 8S/4W-31J(3) 8S/4W-31J(4) 8S/4W-31J(5)	11.00 0.00 38.00 0.00	
		102-052-04 102-731-02	22.04 4.26		Avocados			
Ross Lake, LLC Rose, William and Joanne	39985 Daily Road Fallbrook, CA 92028	101-430-30 101-480-14 101-500-01	16.39 13.20 16.62	Total of	Avocados Limes Flowers	8S/4W-34- Lake Diver	sion	** 0.0
** All water purchased from	m FPUD for Water Year 2014-15							
SUBTOTAL DELUZ C	DEEK			325.00			457.38	39.4

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2014-15	IRRIGATED CROP 2014-15	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARITA SANDIA CREEK	RIVER BELOW GORGE (C	ont.)						
Serafina Holdings, LLC	40376 Sandia Creek Fallbrook, CA 92028	101-360-40	126.32	25.00 11.00 30.00	Avocados Grapes Olives	8S/4W-25P(1) 8S/4W-25P(3) 8S/4W-25P(3)	Total I of I	
						8S/4W-25P - Diversion	129.10 on	0.00
SUBTOTAL SANDIA C	REEK			66.00			129.10	0.00
SANTA MARGARITA R	IIVER							
San Diego State University Foundation	47981 Willow Glen Rd. Temecula, CA 92592 SDSU Foundation 5500 Campanile Dr. San Diego, CA 92182-4614	918-040-011 918-060-017	120.00 40.00	5.00 15.00	Citrus Avocados	8S/3W-33Q1 8S/3W-33Q(2) 8S/3W-33Q - Diversi	4.31 0.00 on	41.30
SUBTOTAL SANTA MA	ARGARITA RIVER			20.00			4.31	41,30
TOTAL SANTA MAR	GARITA RIVER BELOW GO	RGE		411.00			590.79	80.78
LOWER MURRIETA								
Ronnenberg Family Trust (Sage Ranch Nursery)	42522 E. Benton Rd. Aguanga, CA 92536 m/t c/o Cliff Ronnenberg 11292 Western Avenue Stanton, CA 90680	571-020-046 571-020-047 571-020-048 571-020-049 571-020-004 571-520-007 571-520-008	81.09 40.80 36.75 148.86 1.50 109.50 99.43 80.23	Total 		7S/1E-7D	5.50	
		571-520-012 915-140-069 915-140-070 470-210-007 470-220-004	77.54 91.56 21.39 53.62 109.23	300.00	Olive trees	7S/1E-7E - Diversion	ı	100.00
EG High Desert Properties, LLC	39800 E. Benton Rd. Temecula, CA 92390 m/t 12881 Bradley Avenue Sylmar, CA 91342	915-120-045	37.45	10.00	Pasture	7S/1W-10R(1) 7S/1W-10R(2) 7S/1W-10R(3) 7S/1W-10R(4) 7S/1W-10R(5) 7S/1W-10R(6) 7S/1W-10R(7)	Total of 38.00 Domestic 0.00 0.00	
TOTAL LOWER MUR	RIETA			310.00			43.50	100.00
GRAND TOTAL				2,533.33			5,038.89	613.38
GRAND TOTAL	Not including Cahuilla Indian Re	eservation		2,533.33			4,983.89	607.78

SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

APPENDIX D WATER QUALITY DATA

·		

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids	Chemical Constituents - mg/l							
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	нсоз	NO3
Holiday Well	06/16/89	1300	775	122	39	100	2	178	66	372	40
7S/3W-20C09	10/18/91										25
. 0.0 20000	11/15/91	At 146 40					***		,		26
	12/13/91	m er er									28
	01/10/92	***									27
	02/07/92										27
	05/01/92	***					***				32
	05/29/92							****			28
	08/21/92				~~~						27
	01/22/93	960	605	83	29	83	2	130	84	278	33
	10/15/93						***				32
	03/30/94						** ***				44
	06/22/94							***			35
	09/14/94					*****					31
	12/07/94							m 100 mm			30
	03/01/95										32
	06/21/95										11
	09/13/95									***	27
	12/06/95										26
											15
	03/27/96									***	24
	06/06/96										22
	09/11/96										55
	11/08/96								~~~		25
	11/14/96								***		24
	12/05/96			***							
	03/27/97				***						20
	06/18/97										21
	12/03/97										18
	03/25/98							450			21
	04/22/98	1090	680	89	29	85	1	150	76	290	22
	06/17/98		***								23
	10/01/98										25
	12/02/98		24 00 100								28
	02/24/99							***			33
	03/24/99										26
	09/09/99										36
	12/03/99										32
	07/12/00										21
	08/04/00	1290	790	110	36	99		180	110	320	21
	10/24/01	***	***								17
	03/06/02										15
	07/11/02		780							310	
	10/03/03		800	113						332	
	04/21/04	***									11
	01/27/05		980	160	47					440	
	03/30/05	***									35
	01/26/06	1700	1000	160	48	130	1.6	240	130		46
	01/30/06		***								49

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Const	ituents - r	ng/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
House Well	06/16/89	660	345	34	3	95	2	87	60	153	<1
7S/3W-20G06	02/27/91	770						110	65	168	<1
70,011 20000	03/01/91	730						110			<1
	03/08/91	680	420	42	5	90	2	110	68	122	<1
	05/10/91	750						110		122	<1
	10/11/91	750									<1
	11/08/91							****			<1
	05/22/92	****									<1
	08/14/92										<1
	01/22/93	720	415	40	5	106	2	100	68	168	<1
	09/07/94	720			_					100	<1
	12/27/95				****	****				** 10* 10*	<1
	03/22/95	***				~~~					<1
	06/14/95	• •									<1
	09/06/95	***							***		<1
	12/27/95										<1
	03/20/96	****							****		<2
	06/12/96										<2
	09/04/96	****									<2
	12/26/96										<2
	03/19/97	****	W 10 10								<2
	06/12/97										<2
	12/30/97		*****					-			<2
	03/18/98										<2
	04/15/98	660	360	30	3	94	1	91	62	130	<2
	06/10/98		10 M FW								<2
	10/01/98		en 100 mm				*****				<2
	12/23/98	We der de									<2
	02/17/99										<2
	03/17/99	***									<2
	06/09/99										<2
	09/01/99										<2
	12/22/99										ND
	03/15/00	640	370	29	3	92	2	82	61	130	<2
	06/07/00										<2
	09/27/00										<2
	10/24/01										<2
	03/06/02										<2
	07/11/02										
		620	440	24		102		0.7		170	NID
	10/03/03	630	380	34	3	103		87		140	ND
	04/21/04				***		***				<2
South Well	09/07/90	690	405	62	17	68	2	83	56	229	4
7S/3W-20D	10/04/91										2
	11/01/91										3
	11/26/91										2
	05/15/92										<1
	10/01/93										2
	09/28/94										1
	12/21/94										
											3 2
	03/15/95										2

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Const	tituents - r	mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
O	00/07/05										
South Well	06/07/95										2
7S/3W-20D	09/27/95	***		****							2
(Cont)	12/20/95								*****		3
	03/13/96							***			2
	06/15/96						***			***	3 3
	09/25/96					***	***			***	3
	12/18/96 04/09/97										2
	06/04/97						***				2
	03/11/98		40.00							***	<2
	04/08/98	820	500	73	18	67	2	92	73	250	3
	06/03/98	020	300	7.5						200	3
	10/01/98							***			3
	12/16/98							w			2
	03/10/98							***			2
	06/09/99										2
	09/22/99										<2
	12/15/99										ND
	02/09/00	810	460	55	14	84	1	99	63	210	<2
	05/03/00										<2
	08/04/00	780	440	47	9	100		99	48	210	<2
	08/23/00										<2
	10/24/01	***				****					<2
	03/20/02	w ** **									4
	07/11/02		460						***	180	
	10/03/03		460	59				***		207	
	04/21/04							***			<2
	01/27/05		610	110	28					300	
	03/30/05						***				5
	01/26/06	800	440	42	9.1	110	1.2	120	65		1.2
	04/12/06	M ****									6.1
	05/10/06										1.6
	06/14/06		***								1.4
	07/12/06							-	****		<1
	08/09/06										1.4
	09/13/06						***				1.5
	10/11/06										1.4
	11/08/06	***									1.3
	12/13/06										1.3
	01/10/07										1.4
	02/13/07										5.3
	03/14/07										1.2
	04/11/07										<2
	05/09/07										<2
	06/13/07										1.2
	07/11/07		400	40		400		440		200	4.7
	08/15/07	800	480	40	8.5	100	<1	110	61	200	1.1
	09/12/07										5.6
	11/14/07										1.4
	12/04/07										1.2 4.6
	01/24/08										4.0

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Chemical Constituents - mg/l								
Location	Sampled	umhos	Solids (mg/l)	Са	Mg	Na	K	CI	SO4	нсоз	NO3
South Well	03/26/08		***				N W 40			***	3.9
7S/3W-20D	04/23/08			***		***					4.1
(Cont)	06/09/08					***				***	4.1
,	07/14/08	60 NO NO	***								5.1
	09/08/08	***						200.400.000			4.9
	01/19/09										6.7
	11/13/09	1300	820	120	34	110	1.8	200	140	320	
	11/17/09										5.8
	11/09/11						***				1.6
	01/26/12		*****								1.5
North Well	06/16/89	730	390	40	7	98	2	98	45	201	<1
7S/3W-18J02	10/25/91										<1
	11/22/91									~~~	<1
	05/08/92	***									<1
	08/28/92	***									<1
	01/22/93	680	405	39	8	99	2	100	51	183	<1
	10/22/93	6W 395 PG									<1
	07/08/94	810	520			87		130	53		<1
	09/21/94										<1
	12/14/94										<1
	03/08/95		en 10 40								<1
	06/28/95										<1
	09/20/95										<1
	12/13/95		** ****								<1
	03/06/96										<2
	06/26/96										<2
	09/18/96	***									<2
	12/11/96	****						***			<2
	06/25/97	₩₩									<2
	07/08/98	760	460	49	9	100	2	110	51	220	<2
	10/01/98		****								<2
	12/09/98									****	<2
	02/03/99										<2
	03/03/99							***			<2
	06/23/99										<2
	09/22/99										<2
	12/08/99										<2
	01/05/00	780	440	47	9	100		99	48	210	<2
	05/03/00										<2
	07/19/00										<2
	10/24/01									****	<2
	03/06/02										<2
	07/11/02		420							180	
	10/03/03		440	53							
	04/21/04										<2
	01/27/05		440	59	10					230	
	03/30/05		450								<2
	01/26/06	820	450	60	11	96	2	120	52		1
	05/10/06										<1
	07/19/06										<1
	08/16/06										<1
	09/20/06										<1

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids		Chemical Constituents - mg/l						
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
North Well	10/18/06										<1
7S/3W-18J02	11/15/06										<1
(Cont)	01/17/07			***							<1
	02/21/07				***						<2
	03/21/07	***	***				****				<2
	04/18/07	****	****					***			<2
	05/16/07										<2
	07/23/07	**************************************	500								***
	07/26/07	900 MM MM	540					****		***	
	08/15/07	830	520	59	11	89	1.2	110	54	230	<2
	09/19/07					***		***			<2
	12/04/07										1.5
	01/24/08										1.8
	03/26/08										2.5
	04/23/08		~~~								2.0
	05/19/08			***							2.2
	06/16/08		***								2.1
	07/21/08		****								<2
	09/15/08						***			de 10 to	2.0
	01/19/09		*****								1
	02/23/09						W-W-10			****	<2
	03/16/09						***			****	<2
	04/20/09										<2
											<2
	05/18/09		470		4.4		4.6	100	 54	220	<2
	06/02/09		470	54	11	92	1.6	100		230	
	06/08/09		410	57	10	89	1.6	110	54		<2
	06/15/09							440			<1
	07/07/09		490	51	10	87	1.5	110	56		
	07/20/09		460	54	10	90	1.7	110	52		<2
	08/03/09		480	49	9	82	1.4	120	49	220	<2
	08/25/09							***			1.2
	09/08/09		460	55	11	97	1.7	120	52	220	<2
	09/21/09										1.1
	10/05/09	780	470	55	11	97	1.8	110	53	220	<2
	10/19/09										<2
	11/02/09	790	470	55	11	91	1.7	110	53	220	<2
	11/16/09						***				<2
	12/07/09		480	56	11	94	1.8	110	52	220	<1
	12/21/09										<2
	01/04/10		470	57	11	91	1.7	110	52	220	<2
	01/18/10										<2
	02/01/10		460	59	13	87	1.7	110	54		1.2
	02/17/10										1.1
	03/01/10		460	56	11	88	1.7	110	55		<2
	03/15/10		400								<2
					11	92		110	52		<2
	04/07/10		450	56			1.5				<2
	04/19/10		450				4.5	110			
	05/03/10		450	57	11	92	1.5	110	52		<2
	05/17/10										1.1
	06/01/10		520	52	11	90	1.9	100			<2
	06/21/10										<2

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Const	tituents - r	ng/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
North Well	07/19/10		****							E = 12	<2
7S/3W-18J02	08/02/10		470	52	10	88	1.7	100	47	220	<2
(Cont)	08/16/10										<2
(oonly	11/17/10		510	51	20	78	3.6	94	160	120	<2
	02/01/11	860	480	59	12	95	1.7	110	54	220	<2
	04/04/11	800	460	53	11	93	1.6	110	52	210	<2
	04/18/11										<2
	06/21/11		***					Pr 04 Pr			<2
	07/18/11					****					<1.0
	08/16/11	***								***	<1.0
	09/19/11	W-44-04									<1.0
	10/03/11	770	470	55	11	97	1.9	110	54	210	<1.0
											<1.0
	10/17/11		440		44			110	54	200	<1.0
	11/02/11		440	55	11	92	1.8			200	1.1
	11/15/11				40		4.0	400			
	12/06/11	820	510	52	10	95	1.6	120	55	200	1.0
	12/19/11										1.1
	12/28/11		440	53	11	93	1.8	110	54	200	<1.0
	01/04/12		480	53	10	94	1.7	110	57	200	<1.0
	01/16/12										<1.0
	02/01/12	830	510	57	11	93	2.1	120	58	220	<1.0
	02/06/12		M 10 10							***	<1.0
	02/15/12	810	450	52	10	88	1.7	120	55	210	<1.0
	03/01/12	760	460	62	13	87	1.8	120	57	230	1.0
	03/19/12										<1.0
	04/16/12		PR 40 MA								1.1
	04/17/12										1.2
	05/02/12		460	52	11	96	1.8	120	61	210	<1.0
	05/14/12		***								<1.0
	06/04/12		460	50	10	92	1.8	88	110	200	1.2
	06/19/12									***	<1.0
	07/02/12		510	54	11	93	1.7	120	55	210	1.0
	07/17/12										<1.0
	07/25/12										<1.0
	08/01/12		470	56	11	98	1.7	110	54	210	<1.0
	08/13/12		-70								<1.0
	09/10/12		440	52	10	96	1.9	110	54	210	<1.0
										2.10	<1.0
	09/17/12			52		94	1.6	110	53	210	<1.0
	10/01/12		480		10					210	<1.0
	10/15/12		450		40		4.7		56	220	<1.0
	11/05/12		450	57	12	94	1.7	120		220	<1.0
	11/19/12		400								
	11/27/12		460				4	400			
	12/04/12		480	61	12	94	1.5	120	61	230	1.1
	12/17/12										1.1
	01/07/13		510	63	13	98	1.7	110	58		<1.0
	01/21/13										<1.0
	02/05/13	860	490	60	12	92	2.1	120	61	230	<1.0
	02/19/13										<1.0
	03/04/13	850	520	63	12	96	1.6	120	61	230	<1.0
	03/18/13										<1.0
	04/16/13										<1.0
	05/06/13		470	61	13	90	1.6	120	60	230	<1.0
	30,00,10	0.0	1,10	٠.				0			

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

Site	Date	Specific Conductance	Total Dissolved Solids	d Chemical Constituents - mg							
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3	NO3
North Well	05/20/13				***	***	***			m m ==	<1.0
7S/3W-18J02	06/04/13	990	470	63	12	98	1.8	120	61	230	<1.0
(Cont)	06/17/13										<1.0
, ,	07/01/13	870	470	64	13	98	1.7	110	58	230	<1.0
	07/15/13										<1.0
	08/01/13	880	510	61	12	98	1.6	120	62	230	1.0
	08/19/13										<1.0
	09/04/13	850	480	61	12	94	1.4	120	58	230	<1.0
	09/16/13										<1.0
	10/01/13	860	470	60	12	94	1.6	110	59	220	<1.0
	10/14/13	***	*** ***			****					<1.0
	11/04/13	860	480	58	11	95	1.7	130	61	230	<1.0
	11/18/13	***	*****								1.1
	12/02/13	880	490	65	13	99	1.8	120	60	230	1.4
	12/16/13	***									<1.0
	01/07/14	860	450	62	12	98	1.7	110	55	220	<1.0
	01/21/14										<1.0
	02/10/14	800	470	65	13	100	1.7	120	62	230	1.1
	02/18/14										1.2
	03/17/14										1.0
	04/01/14	820	480	59	11	99	1.6	120	64	230	<1.0
	04/14/14							****			<1.0
	06/09/14										<1.0
	06/16/14	880	490	65	13	100	1.7	120	60	240	1.2
	07/07/14	860	500	64	13	98	1.6	120	59	230	1.2
	07/14/14										<1.0
	08/04/14	890		64	13	100	1.7	120	61	230	1.3
	08/18/14										1.6
	11/03/14										<2.0
	11/10/14				40	400	4.0	400		220	<1.0
	03/03/15	960	520	67	13	100	1.9	120	63	230	<1.0
	03/03/15		480								<2.0
	03/10/15				***	*******	***				<2.0
	04/14/15										<2.0
	07/13/15 07/20/15										<2.0
	08/10/15	880	540	63	13	94	 1.6	130	64		<2.0
	00/10/15	000	540	03	13	94	1.0	130	04	240	~2.0
New Clay Well	03/09/04	480	340	23	1	87	1	79	64	98	<2
7S/3W-20	01/26/06	590	310	20	1.2	93	1.2	85	57		<1
	01/31/06										7.2
	01/31/06	44 M M									6.9
	04/04/06										<1
	04/12/06	***									<1
	05/10/06										<1
	06/07/06	*									<1
	07/05/06	***									<1
	08/02/06										<1
	09/06/06										<1
	10/04/06							***			<1
	11/01/06										<1
	12/06/06		me eas ma								<1

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents - r	ng/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
New Clay Well	01/04/07					w.===	****				<1
7S/3W-20	02/07/07								***	***	<1
(Cont)	03/07/07										<2
7S/3W-20	04/04/07										<2
(Cont)											<2
(Cont)	05/02/07			***			W-10 10				<2
	06/06/07		w	****	~~~	~~~	***				
	07/05/07							***			<2
	08/01/07			40							<2
	08/15/07		270	13	<1	91	1	65	50	83	<2
	09/05/07									****	<2
	12/04/07							***		***	<2
	03/26/08										<1
	04/23/08										<1
	05/05/08										<1
	06/02/08										<1
	07/07/08	~~~									<1
	09/02/08										<2
	01/19/09	Ma 200 NO					~~~				<2
	11/13/09	630	350	25	4.7	97	1.5	84	76	110	
	11/17/09										<2
	08/25/11	700	380	30	2.7	110	1.8	97	62	150	<1.0
	05/21/12		500		2.1		1.0				<0.20
	06/01/12		340	19	<1.0	93	1.4	83	56	110	<1.0
											<1.0
	10/04/12		340	20	<1.0	96	1.1	84	55	110	
	11/05/12		320	18	<1.0	93	1.1	82	60	100	<1.0
	11/14/12										<1.0
	12/04/12		340	16	<1.0	91	<1.0	74	58	96	<1.0
	12/10/12										<1.0
	01/07/13		340	19	<1.0	96	1.1	78	57	93	<1.0
	01/14/13										<1.0
	02/05/13		300	17	<1.0	85	2.0	75	57	98	<1.0
	02/11/13										<1.0
	03/04/13	590	300	19	<1.0	98	<1.0	82	58	150	<1.0
	03/11/13										<1.0
	04/09/13	520	280	18	<1.0	91	1.0	74	56	80	<1.0
	05/05/14	610	340	23	<1.0	93	1.3	84	60	100	<1.0
	05/12/14										<1.0
	05/28/14			23	<1.0	100	1.3				
	06/02/14		340	22	<1.0	94	1.1	81	58	100	<1.0
	06/16/14										<1.0
	07/07/14	560	310	21	<1.0	94	1.2	80	56	94	<1.0
	08/11/14										<1.0
	08/11/14	560	270	21	<1.0	92	1.2	81	62	98	<1.0
	11/03/14	580 580	360	20	<1.0	95	1.2	82	59	95	<1.0
	12/01/14										<1.0
	01/06/15										<1.0
	02/03/15										<1.0
	03/03/15		***								<1.0
	04/07/15										<2.0
	05/05/15										<2.0
	06/15/15		***							***	<1.0
	07/06/15										<2.0
	09/01/15										<2.0

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT MURRIETA DIVISION

Site			Total Dissolved Solids			Chem	ical Const	ituents - r	ng/l		
Location	Sampled	Conductance umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
Lynch Well 7S/3W-17R02	06/16/89	760	410	70	17	55	1	86	30	262	8
Morris Well 7S/3W-19R	09/07/90	530	280	38	7	68	3	50	49	168	3
Alson Well	06/06/90	1520	915	138	46	110	1	250	81	433	31
7S/3W-7M	07/21/98	1260	880	100	37	120	<1	180	92	330	23
	09/09/98	1200	850	110	39	120	<1	180	100	320	23
	05/03/00										20
	05/19/00	1290	800	97	36	110	<1	180	96	330	19
	11/28/01	1290	750	93	33	110	<1	180	96	310	17
	03/06/02										20
	07/01/02		650							270	
	10/03/03	880	550	80	26	95		ND	ND	259	ND
	01/27/05	1100	640	100	32	110		150	81	320	
	01/26/06	1500	870	120	41	120	1.2	230	120		18
	04/12/06				***						19
	05/10/06										18
	06/28/06										20
	07/26/06										20
	08/23/06										18
	09/27/06										21
	10/25/06	***			***						22
	11/22/06										22
	12/27/06										21
	01/24/07						****				22
	02/28/07										22
	03/29/07										23
	04/25/07										19

Page Intentionally Blank

TABLE D-4

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Specific Dissolved Chemical Constituents - mg/l Site Date Conductance Solids HCO3 NO3 Mg CI SO4 Location Ca Na ĸ Sampled umhos (mg/l) No. 101 06/01/88 810 495 76 15 79 8 116 16 314 7S/3W-34G1 08/05/88 <1 630 365 30 101 35 107 3 05/23/90 6 91 08/04/93 860 465 76 78 2 120 22 275 <1 14 <2 08/09/96 2 15 820 480 69 14 83 110 310 10/16/97 <2 17 08/11/99 840 510 70 14 85 2 110 300 <2 06/25/02 <2 870 500 66 14 85 2.5 120 15 250 <2 08/14/02 <2 06/11/03 ------<2 06/15/04 ------------06/14/05 <1 08/09/05 880 440 75 15 87 2.5 140 22 300 <1 <1 06/07/06 ------------------<2 ---06/01/07 ---___ ___ ---------<2 06/03/08 620 ---<2 08/11/08 1000 550 91 18 110 2.9 150 36 300 09/09/08 620 ---01/08/09 ------840 ---------<2 06/25/09 810 ___ ---------03/24/10 ___ ------620 ------___ ---<2 06/02/10 ---670 ---09/01/11 620 ---------12/09/11 610 ---------03/07/12 ---650 ___ ---<1 06/12/12 650 ------------___ ___ ---09/13/12 ------650 ------------12/07/12 690 ---03/06/13 640 ------------<1.0 06/07/13 640 95 19 110 2.8 180 43 310 <1.0 09/11/13 1100 700 12/12/13 690 ___ ------03/14/14 660 ---06/10/14 1300 710 93 18 120 3.0 200 49 320 06/19/14 <1.0 ---680 09/17/14 ------No. 102 01/04/89 695 370 9 2 134 101 25 195 <1 8S/3W-2Q1 01/15/92 930 615 38 4 160 3 160 55 250 <1 05/17/95 850 475 21 144 120 130 98 <1 <1 06/20/95 1190 26 2 207 2 150 220 131 700 <2 06/09/97 14 No. 105 07/06/89 500 280 30 6 66 2 71 22 134 7S/3W-25M1 03/17/93 480 310 17 2 80 67 22 110 14

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/i)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 106	06/29/88	920	485	38	5	143	3	182	66	70	16
7S/3W-26R1	05/13/92	880	515	35	4	142	2	180	72	110	17
70/344-20141	05/16/95	870	495	32	3	138	2	160	57	116	14
	07/07/97		495			130		100			8
	07/20/98										9
	07/20/99										9
	07/06/00	***									8
	05/01/01	490	300	7	<1	96	<1	70	23	100	8
	07/10/01	430						70	23		12
	07/10/01										8
	07/07/03	***									6.8
	05/11/04						1	80		88	8
	05/11/04	530	310	9	<1	93					8
	07/13/04							***			6.5

	07/19/06										6.1
	05/02/07	550	290	8.8	<1	91	<1	84	26	85	3.7
	07/03/07							***			6
	07/07/08		370							~~~	12
	01/13/09	****	440								
	04/16/09		310		***						
	07/01/09		340								6.8
	03/18/10		440	~							
	05/06/10	720	410	23	1.6	120	1.5	130	57	100	12
	06/02/10	***	390								***
	07/13/10										2
	09/01/10		340							M- 40-M	
	12/09/10	***	410								
	04/15/11		400						·		
	07/06/11		300				****				6
	10/04/11	***	320								***
	01/31/12		430							***	
	04/09/12		430								
	10/02/12		380		***						
	01/17/13		440								
	04/04/13		360	***	***						
	05/01/13	730	420	22	1.4	120	1.4	120	56	100	9.8
	07/18/13		400								11
	10/01/13		380								
	01/07/14		360								
	04/07/14	***	400								
	07/02/14		320								5.9
	10/01/14		310								
	01/21/15		640	***			'				
	04/22/15		410								
	07/28/15		390				***				10
No. 107	04/11/88	490	365	19	4	73	2	69	22	116	15
7S/3W-26J1	05/29/91	950	535	63	15	104	3	130	120	171	11

TABLE D-4

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	tituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 108	05/25/88	780	455	51	11	96	2	120	68	153	14
7S/3W-25E1	05/29/91	930	500	59	14	104	3	130	110	153	10
	05/13/94	640	395	23	5	100	2	120	51	104	7
	05/16/95			***							5
	05/13/97	540	300	7	<1	110	<1	110	15	85	4
	05/05/99										8
	05/16/00	630	350	7	<1	110	<1	130	12	65	3
	05/02/01						***				2
	11/19/02	~									2
	04/14/05										2
	04/18/06		****								1
	05/12/06	750	360	8.2	<1	140	<1	190	7.9	50	1.1
	02/13/08				***		***				1.4
	08/06/08		400	****							
	02/05/09		340				***				2.2
	05/08/09	730	380	7.2	<1	130	<1	170	9.4	60	<2.0
	08/05/09		370	***							
	02/03/10										3
	05/06/10		380		***	***					
	08/13/10		350								
	11/03/10		380								
	02/02/11		350								2
	05/05/11		380		***						
	08/02/11		400								
	11/01/11		350								
	02/08/12		350								<2.0
	05/02/12	700	380	7.2	<1	130	1.2	180	10	63	2.3
	11/06/12		350								
	02/07/13	***	380								2.1
	05/01/13		350		***						
	08/13/13	w=	400								
	10/23/13		390								
	10/31/13		440								
	11/12/13		340	***							
	02/04/14		360	****							2.1
	05/01/14		480							***	
	08/05/14		380								
	11/05/14		400								
	02/06/15		460								2.2
	05/14/15	760	400	7.7	< 0.50	140	1.0	180	10	71	1.9
	05/14/15		410								
	08/05/15		390								

TABLE D-4

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	tituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 400	00/04/00	4400	000	400	25	400		400	200	200	***
No. 109	06/01/88	1400	920	136	35	120	4	100	300	296	
8S/2W-17J1	08/05/88					400		400	070	075	10
	06/12/91	1330	800	110	26	120	5	120	270	275	9
	06/22/94	1370	1010	138	32	124	5	140	320	287	7
	06/06/95										8
	06/13/97	1440	1010	130	31	140	4	140	330	280	10
	07/16/97							***			2.2 as N
	04/14/99									***	12
	04/11/00										13
	06/21/00	1330	870	120	28	130	4	120	280	270	3.2
	04/10/01										13
	06/11/03	1400	970	140	32	130	4	130	340	290	12
	06/19/03	1400	970	150	32	120	4.2	130	340	290	12
	01/07/04		***								13
	01/11/05										13
	01/04/06										12
	07/12/06	1300	930	130	30	130	4.8	130	280	280	12
	01/10/07		NO. 400 NO.								13
	01/04/08										13
	07/07/08		810								
	01/13/09		860								16
	04/02/09		810								
	07/06/09		770								
	01/05/10										14
	04/07/10		930								
	07/01/10	***	1000								
	10/06/10		830								
	01/12/11		920								14
	01/25/12		880								12
	04/03/12		910								
	10/02/12		880	***							12
	01/17/13		950								12
	04/03/13		830		***		***				
	07/02/13		910				***				***
	10/03/13		770								
	01/09/14	***	710								14
	04/09/14		800								
	07/09/14		770								
	10/01/14		750								
	01/08/15		900								13
	04/08/15		740								
	07/02/15	***	740				-				
	07/07/15	1100	670	110	23	110	3.6	110	180	270	14
No. 110	03/31/88	1100	630	70	23	132	6	115			3
8S/1W-06K1	03/11/93	1010	610	60	21	124	5	110	200	201	3
	04/27/95				****					***	1
	07/20/99										<2
	07/06/00										2
	07/10/01										2

TABLE D-4

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	iical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
N= 440	00/44/00	050	500	50	20	04	_	74	190	100	<2
No. 110	03/11/02	850	500	58	20	81	5			160	
8S/1W-06K1	07/03/02	****	All should			***					<2
(Cont)	09/16/03								***		2
	09/01/04										2
	03/02/05	810	510	56	21	79	4.9	76	170	150	<2
	09/07/05										1.8
	09/06/07	***									2
	03/04/08	980	560	59	21	95	4.6	110	160	190	2.5
	01/20/09		610								
	04/02/09		550				***				***
	07/09/09	***	560								
	01/06/10		560				***				
	04/07/10	***	630								
	07/01/10		730								
	09/01/10								***		<2
	10/07/10		600								
	01/12/11		520								
	04/05/11		560		***						
	07/06/11	***	530								
	09/02/11			****							3.8
	10/13/11		470								
	02/16/12		440				***				
	04/04/12		400								
	09/05/12										1.5
	10/09/12		380	***							
	01/09/13		420				***				
	04/08/13	****	420								
	07/09/13		450					***	***		
No. 113	03/28/88	700	400	41	12	87	2	11	20	192	18
7S/2W-25H01	03/21/91	570	290	21	5	79	2	88		119	11
	03/03/94	700	410	46	13	86	2	120		189	19
	04/27/95										24
	03/20/97	880	500	53	15	96	2	140			22
	07/20/98		300								23
	09/16/98										22

	02/25/99							***			19
	04/14/99		***								17
	06/03/99					***					21
	09/14/99			***							22
	10/21/99										25
	11/02/99									***	22
	12/14/99						***				23
	01/11/00			***							18
	03/07/00	810	470	75	16	59	2	70	94	200	11
	04/11/00									***	23
	05/03/00	***									24
	06/21/00		***								23
	09/13/00										23
	10/06/00		***	***							21
	10/00/00										

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 113	02/14/01						~				16
7S/2W-25H01	05/30/01						***				23
(Cont)	06/12/01			***							22
	08/01/01	~~~	***								22
	11/13/01										22
	05/01/02										19
	08/06/02										20
	11/05/02	***									21
	02/07/03										22
	03/05/03	1000	610	65	19	110	2.5	160	41	260	26
	08/05/03										21
	11/13/03		***								24
	02/10/04										24
	05/04/04										23
	08/10/04			***							24
											25
	11/17/04										25
	02/09/05	AA 10°AA									23
	05/12/05										
	11/02/05			***							25
	02/14/06	***									24
	03/08/06	880	540	54	15	100	2.3	140	31	210	24
	05/11/06										24
	08/03/06										21
	11/08/06										23
	02/07/07							***		***	24
	05/01/07		***								23
	08/07/07		North Ad								23
	02/12/08							***			22
	05/06/08		540								21
	08/11/08		530								21
	11/06/08		570							***	24
	02/05/09		530								21
	03/03/09		520		15	97	2.1	150		210	22
		930		56							19
	05/11/09		F20		* mer						20
	08/04/09	***	520								
	02/02/10		510							***	22
	05/07/10		600	***							22
	08/10/10		540					****			22
	11/03/10		520								21
	02/15/11		550							***	20
	05/04/11	***	550								20
	08/03/11		540								20
	11/02/11		540								21
	02/02/12		580								21
	05/03/12	***	570								20
	08/09/12	***									20
	11/02/12		600								21
	02/12/13		550								22

TABLE D-4

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Specific Dissolved Chemical Constituents - mg/l Site Date Conductance Solids Location Sampled umhos (mg/l) Ca Mg Na K CI SO4 HCO3 NO3 08/14/13 No. 113 540 20 ---7S/2W-25H01 11/06/13 ---520 ---21 ---02/07/14 20 (Cont) ---480 ___ ___ ------04/21/15 550 04/21/15 990 61 17 110 2.5 150 47 200 21 510 05/19/15 580 22 ---------08/04/15 21 550 ___ No. 118 08/08/90 715 480 14 162 120 79 101 8S/3W-11B 09/26/90 09/10/93 860 525 19 1 178 1 130 94 198 <1 06/20/95 <1 ---970 09/16/96 560 230 <2 33 2 180 2 120 120 0.2 as N 07/23/97 ------09/16/98 2 11/02/99 1040 580 46 4 170 2 130 100 240 <2 <2 09/20/00 ---------------08/18/02 <2 11/08/02 94 240 <2 1100 590 46 4.5 160 1.3 140 09/23/03 <2 12/30/04 <2 01/25/05 <2 ---09/07/05 <1 240 <1 11/03/05 980 55 5 1.7 140 110 590 150 09/05/07 1.1 09/08/08 670 <2 11/06/08 1100 640 71 150 150 1.9 150 140 250 ND 12/05/08 660 ------------03/03/09 ___ 620 ------------___ ------06/04/09 610 ---___ 03/03/10 640 ---------06/02/10 630 09/02/10 2.2 ---640 ---------12/08/10 640 ------03/02/11 ---650 ---------------___ ---06/08/11 640 09/02/11 620 2 12/06/11 610 ---------------------06/12/12 640 70 140 130 250 1.1 11/14/12 1100 680 7.2 150 2.0 12/05/12 610 03/06/13 610 09/17/13 600 <1.0 ---12/10/13 640 ---03/12/14 600 ------------------06/05/14 ---630 ---<1.0 09/03/14 620

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids		Chem	iical Cons	stituents	- mg/l			
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	S04	180	NO3
No. 110	07/146/06	450	280	44	9	35	<1	39	18	180	15
No. 119	07/16/96										12
8S/2W-19J	08/14/97										3.1 as N
	12/24/97		320								3.3 as N
	03/04/98		380								3.8 as N
	06/04/98		400								3.0 as IN
	06/12/98		400								3.7 as N
	09/16/98		400								3.1 as 14
	01/08/99		430								28
	04/13/99										
	06/02/99	***	560					~~~	450		4.8 as N
	07/27/99	940	640	103	21	58	1	70			30
	09/14/99	~~~					~~~				22
	09/14/99										4.8 as N
	10/26/99	~	~~~								24
	11/02/99										22
	12/14/99		560								22
	04/04/00			***							20
	12/14/00							***			4.6 as N
	03/29/01										20
	06/20/01	~~~									4.2 as N
	09/14/01										4.2 as N
	09/28/01										18
	11/16/01										16
	05/23/02		480								18
	07/24/02		490	81	15	49	1.1	51	90	240	19
	11/08/02										15
	02/19/03										17
	02/10/04		***								15
	02/10/04										10
			600	95	20	63	1.4	64	140	260	13
	07/06/05				20						15
	02/07/06										15
	02/07/07										15
	02/12/08					***					13
	05/14/08		520		47		4.4				14
	07/08/08		520	88	17	57	1.4	66			
	08/11/08		480					***			13
	11/17/08		520								16
	02/05/09		460								13
	05/11/09		560								12
	08/04/09		540		***			****			14
	01/12/10		580				***				15
	04/09/10		560								13
	07/01/10		620								14
	10/07/10		610								14
	01/12/11		480								13
	04/12/11		560								12
	07/07/11		560	85	18	60	1.9	84	1 120	250	16
	10/13/11		610								15
	01/10/12		520								14
	04/03/12		550								
	10/04/12		550								15

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Con	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
											17
No. 119	01/16/13	***	530							***	18
8S/2W-19J	04/12/13		540								
(Cont)	07/03/13	***	540				****				16
	10/03/13		500								17
	01/28/14		600	**-							21
	04/16/14		540								21
	07/10/14	860	560	90	18	60	, 1.2	73	110	260	18
	07/10/14		500								
	10/02/14		600								· 18
	01/20/15		540								19
	04/14/15		710								17
	07/07/15		600						***		. 17
No. 400	00/00/00	£70	330	6	1	116	1	82	31	113	11
No. 120	06/20/90				<1	122	1	85			12
8S/2W-17G	06/10/93		340	6				88			14
	07/19/96		360	6	<1	120	1			120	10
	06/16/97				***			~~~			9
	08/14/97									400	
	06/02/99		360	6	<1	122	<1	84			10
	06/06/00									***	11
	06/13/01										12
	06/01/02	670	370	8.1	<1	130	1	86	46	130	11
	06/11/03	***	***								12
	06/22/04										15
	06/15/05	720	410	11	<1	140	1.3	90	62	140	12
	06/07/06									***	11
	06/01/07		***								10
	06/05/08		400	11	<1	140	104	89	66	140	10
	06/05/08		400								10
	09/15/08		350								
	08/21/09		500								11
	02/02/10		440		***						
	05/05/10		440								
	08/09/10		430					***	. <i>-</i>		11
	11/03/10		400								***
			440								
	02/02/11										***
	05/04/11		450 420								10
	08/02/11										
	11/03/11		380								
	02/07/12		430								
	05/03/12		410	****		***					10
	08/09/12		400								
	11/01/12		440								
	02/07/13		810								
	05/02/13		410								40
	08/19/13		460								12
	11/07/13		450								***
	02/04/14		430								

TABLE D-4

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/i)	Ca	Mg	Na	K	Cl	SO4	504 HCO3 100 150 28 290 56 270 65 190 100 210 100 210	NO3
No. 120	05/06/14		420		4.0	450	4 7				4.0
8\$/2W-17G	06/03/14	820	600	22	1.6	150	1.7	98			16
(Cont)	08/08/14		410		***						13
	11/05/14		460								
	02/04/15		350								
	05/07/15		480		***		***				
	08/06/15		450	***	***						12
No. 121	10/27/89	900	475	63	14	99	2	109	28	290	<1
7S/3W-34J	05/19/92	1000	560	72	17	120	3	170	56	270	<1
	07/18/97										ND
	07/24/97		640							***	ND
	08/20/97	***	***								ND
	09/03/97		M140 M1								ND
	06/19/02										ND .
No. 122	06/23/97	***		***	***	***		***			6
8S/2W-20P1	07/25/97	660	460		13	44	1	61			8
03/2VV-2UP I				64							9
	10/10/97										
	12/23/97		400								1.8 as N
	03/25/98	***	450		***		***				2.2 as N
	06/03/98										2.4 as N
	06/05/98	***	460		***	***					
	09/17/98										2.2 as N
	01/08/99		450								
	06/03/99		470								2.1 as N
	04/13/99						***				9
	09/21/99										2.1 as N
	03/07/00				***						16
	04/04/00										9
	06/28/00	780	470	79	16	62	1	73	100	210	11
	12/13/00				***		***				2.5 as N
	03/27/01										2.5 as N
	04/18/01		No All Mil				***				10
	06/20/01										2.4 as N
	09/13/01										2.7 as N
	12/13/01		550								
	05/14/02	***	570				***				9
	03/05/03			****						***	10
	03/16/04										12
	03/17/05										9
	03/11/05										9.4
	03/06/07									***	9.7
											8.5
	03/03/08		620								0.5
	03/07/08		620								
	10/08/08		620								
	01/20/09		680							***	

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 122	03/10/09	****			***	***					8.9
8S/2W-20P1	04/16/09		660								
(Cont)	07/14/09		670								
	03/15/10		640		~~~						10
	03/10/11				***						9.6
	05/25/11		670								
	08/04/11		680								
	01/10/12		680								***
	03/06/12			***							9.1
	04/03/12	***	730								
	08/07/12	1100	710	110	20	87	1.9	84	190	260	8.0
	10/04/12		680								
	01/17/13		720								
	03/07/13	***								~~~	8.4
	04/17/13		700								
	07/03/13		740								
	10/03/13		700								
	01/28/14		730								
	03/13/14										9.5
	04/16/14		680								***
	07/10/14		620								
	10/02/14		730				***			***	
	01/13/15		710								
	03/10/15										8.9
	04/14/15		770				***				
	07/07/15		690								***
	08/07/15	1000	710	110	20	85	1.9	92	200	260	9.0
No. 123	06/06/90	1100	690	69	27	132	6	130	170	281	4
8S/1W-7B	06/10/93	1120	690	74	25	136	6	120	190		5
	02/05/97	930	550	55	18	110	5	83	130	250	1.3
	04/27/99		***								3
	06/02/99		***								3
	07/20/99										2
	08/11/99										2
	09/14/99						***				2
	10/21/99										2
	11/02/99			***			***				2
	02/09/00	1150	610	59	20	100	5	83	150	240	3
	02/09/01	***									3
	03/10/03	880	550	59	20	87	4.5	80	180	170	<2
	02/03/04							***			2
	02/14/05			***							2
	02/14/06										3.6
	03/14/06	890	530	65	22	88	5	91	180	180	2.3
	04/24/07			***			***				1.4
	05/01/07										2.7
	06/05/07										2.2
	07/05/07										2.5
	08/07/07		***								2.2
	09/05/07										2.1
	09/06/07	***								***	2
	10/03/07									260 281 250 250 240 170 180 180	2
	12/13/07										1.9

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Specific Dissolved Chemical Constituents - mg/l Site Date Conductance Solids CI SO4 HCO3 Location Ca NO3 Sampled umhos (mg/l) Mg Na ĸ 01/10/08 1.4 No. 123 ---8S/1W-7B 02/13/08 1.1 ---------___ ---(Cont) 03/03/08 ------1.3 ------___ ---.... 03/07/08 540 ---04/08/08 2.2 05/12/08 2.4 ---------06/23/08 ---2.7 ___ ___ 2.9 07/08/08 ------------------------08/12/08 ---2.6 ---------09/15/08 ---------2.7 11/06/08 2.6 12/05/08 ------ND 01/07/09 640 ------------___ ------02/04/09 ___ 1.6 5 03/09/09 980 610 62 21 97 98 180 110 <2.0 04/02/09 600 <2.0 05/07/09 <2.0 ---<2.0 06/01/09 ------------------07/09/09 <2.0 590 ------08/05/09 ___ ... <2.0 ---------------01/06/10 590 1.4 02/02/10 1.1 03/03/10 1.2 ___ ---------------04/08/10 600 ---1.2 05/06/10 ---------1.5 ___ ---------___ ---<2 06/02/10 07/01/10 750 <2 08/10/10 ------2.4 09/01/10 ------2.1 ---<2 10/07/10 ---630 ---------___ ------<2 11/01/10 ---------------------12/02/10 <2 01/12/11 570 ---2 ---2 02/15/11 ---------------2 ---03/09/11 ---___ ------------___ 2 04/05/11 ---580 ---05/05/11 ---------___ 2 2 06/07/11 07/06/11 600 2 ---2 08/03/11 ------------___ ------------2.3 09/02/11 ---------------2.2 10/13/11 550 ------11/10/11 ---<2 12/07/11 <2 ---01/06/12 540 <2.0 ---------___ ----09/05/12 ------.... 1.4 ---1.2 10/10/12 360 ---___ ___ ---11/01/12 1.6 11/28/12 710 450 46 69 4.3 69 110 150 1.7 16 1.9 12/05/12 ---------------440 1.3 01/09/13

ND - None Detected

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
No. 123	02/12/13		***	****	***		w #5 TM	***	***		1.4
8S/1W-7B	03/06/13										1.6
(Cont)	04/08/13		430								1.8
(*******)	05/07/13										1.9
	06/05/13										1.7
	07/09/13		470					***			2.2
	08/15/13										1.8
	09/05/13										1.6
	10/08/13		490						***		1.7
	11/06/13		450								1.7
	12/11/13			***							1.9
	01/14/14	M 40 M	530								1.5
	02/06/14				***						2.0
	03/05/14										1.3
	04/09/14	***	550		~~~						1.8
	05/08/14										
											1.8
	06/03/14	~~~	 	***				***			2.1
	07/03/14		540								2.1
	08/07/14			***	***						2.1
	09/03/14										1.2
	10/02/14		550	****							1.3
	11/06/14										1.7
	12/04/14										2.0
	01/21/15		730								1.8
	02/05/15	***									2.0
	03/05/15	920	570	61	21	89	5.1	82	160	160	2.1
	04/15/15		550				****				2.2
	05/06/15										2.3
	06/02/15										2.4
	07/14/15		660								2.4
	08/04/15										2.5
	09/09/15		***	***					***		2.5
No. 124	06/20/90	660	380	38	4	92	3	97	48	153	13
8S/2W-11R1	07/22/93	690	430	42	5	89	3	90			17
	07/18/95										11
	10/26/99	700	420	45	4	94	3	97	61		16
	07/06/00										17
	07/10/01										16
	07/03/02										10
	10/02/02		330	24	2.4	92	1.9	75	38		10
	01/08/03				2						2.3 as N
	07/01/03										8.3
	07/07/04										9.4
	07/06/05										8.4
	10/05/05	580	360	19	2.4	96	1.6	74			7.8
	09/26/06		300		2.4			74			17
	09/05/07		***								8.2
	10/28/08	780	490	52	6.5	84	3.1	91	84		1.8
	01/13/09	760	390					91			1.0
	04/07/09		330								
	07/09/09		320								
	01/06/10		320 390								**************************************
	04/08/10										
		***	360								
	07/01/10		390		**-						10
	10/06/10		320								10
	01/04/11		390								

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Con:	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	К	CI	SO4	НСО3	NO3
No. 124	04/05/11		390		***						
8S/2W-11R1	07/06/11		350							***	
(Cont)	10/12/11	610	390	23	2.5	95	2.2	80		150	9.8
(COIII)	10/12/11	010	320		2.0		2.2				10
	01/10/12		330					***			
	04/04/12		410	***	***					***	0.2
	10/09/12		360		***						9.3
	03/20/13		480			***					
	04/08/13		410								
	07/19/13		360		***						
	10/08/13		360								11
	01/14/14	to torus	350								
	04/09/14		400								
	07/24/14		460								
	10/02/14		350	22	2.3	100	1.7	78	45	150	9.6
	10/02/14		370							***	
	01/07/15		390								
	04/23/15		490	***						***	
	07/16/15		360				***	~~~			
No. 125	06/20/90	740	425	17	5	132	3	99	54	186	4
8S/2W-12H	06/10/93		450	18	5	140	3	150			3
00/200-1211	06/20/95					140		150			2
											2
	06/09/97						***				
	09/17/98					405					3
	06/03/99		440	10	3	135	2	89			<2
	11/02/99		***								3
	11/15/00										2
	07/24/01		***								4
	06/19/02	700	400	8.8	2.3	130	1.8	87	54	170	<2
	07/03/02										2
	01/13/03	***									.38 as N
	07/01/03							***			<2
	06/09/04										<2
	06/14/05		350	8.3	2.1	130	1.6	82	52	180	1.8
	06/13/06										2.8
	06/05/07										1.6
			460	17	4.6	150	2.4	93			2.7
	06/10/08					130	2.4				
	09/15/08		370		****						
	12/05/08		450								
	03/04/09		440			***					
	06/01/09		560								<2.0
	07/27/10		480								3.7
	10/06/10		430								***
	01/14/11	****	420								***
	04/05/11		390								
No. 126	05/04/88	480	290	4	<1	106	<1	53	3 14	64	<1
8S/2W-15H	07/06/89		270	2	1	108	<1	55		98	<1
	07/18/95		315	1	<1	122	<1	72			<1
	07/07/97										<2
	07/16/97		***								0.2 as N
	07/23/97										0.2 as N
			No air air								0.4 as N
	08/20/97		***								
	09/03/97										0.2 as N
	09/17/97					400					0.2 as N
	07/20/98	520	330	2	<1	120	<1	5€	3 11	130	<2

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	tituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 126	09/16/98	***	300			***					0.4 as N
8S/2W-15H	04/14/99										2
(Cont)	04/11/00										<2
(/	04/11/01										2
	07/12/01	530	300	2	<1	100	<1	53	12	140	<2
	06/20/02										<2
	08/06/02	AL APPAR				***					<2
	01/08/03										0.25 as N
	11/04/03			~~~							<2
	07/22/04	520	310	1.5	ND	110	ND	59	10	120	0.27 as N
	11/03/04	***									<2
	11/02/05										<1
	11/08/06					m==					<1
	07/03/07	530	330	1.4	<1	110	<1	62	10	140	<2
	11/14/07			***	***						1.9
	08/07/08		280								****
	02/04/09		280								***
	05/06/09		280								
	08/04/09		270	***							
	02/03/10	w ** **	290								
	05/06/10	***	390			***					***
	07/13/10	530	300	1.6	<1	110	<1	58	11	130	<2
	08/24/10		330								
	11/03/10		300								1.5
	02/04/11		280		****						
	05/03/11		300								
	08/02/11	7.77	280								
	11/01/11		270								<2
	02/06/12		350		-						
	05/02/12		330	***							
	08/06/12		290								
	11/05/12		320								1.9
	02/05/13		290								
	05/01/13		280								***
	08/01/13		290								
	08/01/13		310	2.4	<1.0	120	<1.0	81	13		2.3
	11/04/13		280	2.4	-1.0	120	-1.0			170	<1.0
	02/04/14		270								
	08/04/14		270								****
	11/12/14		280								2.5
	02/04/15		260								2
	05/05/15		270								***
	08/04/15		250								
No. 128	07/06/00	400	220	27	3	54	2	59	7	101	25
	07/06/89		230	27	2		2 2				24
7S/3W-36M	07/08/92		230	21		59 66		55 65			19
	07/20/95		275	16	2	66	1	65			15
	07/07/97	270	260	10	 -1	 71		40			14
	07/20/98		260	12	<1	71	1	48			
	06/02/99						***				13
	06/08/01	400						4.4	40		14
	07/10/01	400	230	10	<1	68	<1	44			12
	06/20/02										12
	01/08/03										12

TABLE D-4

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Specific Dissolved Chemical Constituents - mg/l Site Solids Date Conductance SO4 HCO3 NO3 CL Location Sampled umhos (mg/l) Ca Mg Na K 01/14/04 10 No. 128 92 13 240 1 67 48 11 7S/3W-36M 07/14/04 390 8.3 1 01/11/05 6 (Cont) ---------7.9 ---01/10/06 ---11/29/89 430 260 16 66 2 71 16 92 9 No. 129 3 7S/2W-20L 08/08/90 440 280 20 5 64 2 72 14 119 10 12 04/01/92 74 16 110 13 275 6 60 2 09/10/93 470 24 11 08/09/96 460 270 19 3 67 2 70 15 100 53 02/04/97 2 81 14 130 20 12/20/00 550 330 44 13 47 20 03/22/01 ---20 04/17/01 ---------------------18 05/02/01 ---------20 06/08/01 ------19 10/16/01 ------18 11/13/01 ___ ___ ---------16 02/26/02 ------------------------14 05/23/02 ---___ ___ ------------15 09/18/02 69 64 0 4 No. 130 02/17/88 650 365 16 1 132 1 02/14/91 68 56 122 8S/2W-11R 640 365 <1 132 4 1 3 04/24/91 72 81 4 02/09/94 650 410 3 <1 148 1 146 05/16/95 4 02/05/97 780 450 4 <1 170 <1 78 82 150 5 05/14/97 ___ ------------------5 04/14/99 76 77 5 02/10/00 750 440 4 <1 170 <1 170 04/12/00 5 ------6 05/25/00 ---------6 05/24/01 ---------------___ 5 05/24/02 ---___ ___ ---___ 87 96 180 5 02/19/03 820 460 4.1 <1 170 <1 05/04/04 5.1 05/12/05 5 02/14/06 800 450 4.1 <1 170 <1 83 91 200 5.1 4.5 05/12/06 ---------------------------4.5 ___ 05/01/07 ---------05/07/08 440 ---------___ 4.1 08/12/08 470 ------------11/09/08 560 02/11/09 840 440 4.6 <1 170 <1 91 110 150 4.8 3.5 05/11/09 480 ---------------------08/31/09 470 ___ ---------02/04/10 480

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 130	05/06/10		410						***		4.5
8S/2W-11R	08/11/10		460								
(Cont)	11/01/10		480	***							
()	12/02/10	***	400								
	07/15/11		480	***							
	08/04/11										4.7
	10/13/11		490								***
	01/10/12		460								
	02/09/12	810	480	4.4	<1.0	160	1.2	80	100	180	4.0
	08/08/12										4.2
	10/09/12		480								
	01/03/13		500								
	04/08/13		490								
	07/09/13		460				***				
	08/15/13										4.2
	10/08/13		470								
	01/14/14		470								***
	04/09/14		500				***				
	07/08/14		480								
	08/07/14	***									4.7
	10/02/14		520	***							
	02/20/15	880	480	5.1	< 0.50	170	< 0.50	81	110	180	4.1
	04/15/15		470								***
	07/14/15		510							***	
	08/04/15									***	4.4
No. 131	03/10/88	530	270	4	<1	108	1	57	52		1
8S/1W-12J	03/21/91	630	335	7	<1	120	1	74	65	98	3
	03/03/94	660	345	9	<1	124	2	86	73	119	2
	03/30/95										2
	03/20/97	660	370	6	<1	125	1	81	73	100	2
	07/07/97	aa ar-ar							***		<2
	07/27/98										2
	06/03/99										<2
	03/07/00	720	380	9	<1	140	2	81	80	130	3
	06/21/00									***	2
	06/27/01	***									2
	06/05/02							***			<2
	03/13/03	700	390	8	<1	130	1.4	88	88	130	3
	06/11/03							***			<2
	06/09/04		***								<2
	06/15/05										2
	03/07/06	710	420	9	<1	140	1.5	93	93	130	3
	06/07/06										1.7
	06/26/07	***									2.4
	06/04/08		390								1.5
	09/15/08		330								-
	12/03/08	****	430								
	03/04/09	640	370	6	<1	130	1.2	71	77	130	<2.0
	03/04/09		380								
	06/02/09	***	360								<2.0
	03/03/10		380								
	06/02/10		360								2
	09/01/10		360								

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l			
Location	Sampled	Conductance umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
No. 424	00/00/44		420								
No. 131	03/02/11		430							***	2
8S/1W-12J	06/07/11		360								
(Cont)	09/02/11		330						~~~	***	
	12/07/11		420				****				
	03/02/12		410							***	
	06/05/12		350								1.5
	09/05/12		370				***		***	***	
	12/04/12		370		***	***					
	03/06/13		350								
	06/05/13		360		*						1.8
	09/04/13		370								
	12/04/13		370								
	03/11/14	***	440							***	
	06/03/14		460								3.4
	09/03/14		380								
	06/03/15		370	***							2.2
	09/09/15		380							***	
No. 132	04/18/88	1000	620	94	13	103	6	109	153	235	2
8S/1W-07D	05/08/91	920	590	64	19	110	5	100		201	<1
00/11/0/2	05/13/94	730	460	50	15	78	5	73	110	195	1
	05/16/95	750				70		, ,	110		<1
					17		4	90	130	223	1
	07/18/95	860	520	59		100					2
	07/20/98	900	590	69	20	110	5	89	150	230	
	01/06/99										2
	02/03/99										2
	04/14/99										3
	06/03/99								***		3
	07/27/99										5
	08/11/99							***			4
	09/15/99										4
	10/21/99										4
	11/02/99										3
	12/15/99										3
	05/03/00		***								2
	05/16/01	800	500	57	17	74	5	63	180	150	3
	05/01/02		***								2
	05/03/05							-			<2
	05/12/06		****	***	***						3.2
	05/01/07										4.7
	05/03/07	820	500	53	16	64	4.4	72		160	3.2
	05/06/08		670				7.7	12			3.6
	08/12/08		690 650	***			***				***
	11/06/08		650 570								
	02/05/09	***	570				***				
	05/11/09	***	590								<2.0
	08/05/09		600	***							
	02/03/10	***	580								
	05/06/10	960	600	67	22	88	5.6	96	220	170	1.2
	08/10/10		570								
	11/01/10		610								
	02/15/11		580								
	05/04/11		590								2
	00.0 11										_

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Sito	Dete	Specific	Total Dissolved			Chem	ical Con	stituents	- mg/l		
Site Location	Date Sampled	Conductance umhos	Solids (mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 132	08/03/11		580			****				***	
8S/1W-07D	11/02/11		510								
(Cont)	02/08/12		450								
(00.11)	05/02/12		420								3.3
	08/08/12		360								
	11/01/12		370								
	01/29/14		520								***
	02/06/14	***	460	***							
	05/15/14		510								1.5
	08/06/14		500								
	11/06/14		540			***					
	02/05/15		530				***				
	05/07/15		520								1.2
	08/07/15		570								
	00/01/10		0,0								
No. 133	03/28/90	970	605	50	20	112	5	120	131	235	3
8S/1W-7C	03/11/93		580	48	19	120	4	110	140	204	3
00/11/-/0	06/06/95										2
	07/18/95		680	26	10	142	2	120	100	174	2
	06/23/97							.20			3
	07/20/98		500	24	9	140	2	96	93	170	2
	08/02/00										3
	03/28/01	800	460	22	10	130	2	98	100	170	<2
	08/02/01		400								<2
	09/18/02						***				2
	09/16/03										2
	03/12/04		500	25	10	130	2.4	95	99		2
	03/07/07		500	26	9.7	140	2.4	94			2.3
			500		5.1	140	2.4				2.1
	03/03/08		480		***						2.1
	03/07/08										
	07/08/08		470 540								
	01/07/09		540								2.6
	03/04/09		400								2.0
	04/02/09		460								
	07/09/09		450								
	01/06/10		490	277	10	110	2.4	110	110		3
	03/03/10		460	37	16	110	3.1	110			
	04/08/10		490								
	07/08/10		470					***			
	10/06/10		460				***				
	01/12/11		490								2.0
	03/09/11		400				*****				2.9
	04/05/11		460								
	07/06/11		440								
	10/13/11		470								
	10/09/12		490	***			***				2.0
	12/12/12		470					~~~			2.8
	01/15/13		470					400			
	03/07/13		510	36	15	110	3.0	100			3.0
	04/08/13		470				****				
	07/09/13		470								
	10/08/13		500								
	01/14/14		490								
	03/11/14										3.7
	04/09/14		530								
	07/08/14		540	***							

SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/i		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
No. 133	10/02/14	===	500	***							
8S/1W-7C	01/15/15		460								
(Cont)	03/04/15					***					2.8
	04/15/15		490								
	07/15/15	****	500				An 10 mg				***
No. 135	05/24/89	2450	1390	122	65	300	2	410	225	464	33
7S/3W-27M	06/06/90	1540	945	73	36	215	1	250	150	323	13
	12/11/90	4400	2670	270	109	480	4	1030	380	314	<1
	08/06/92	1800	810	63	33	170	i	200	160	281	
	01/16/97										3.7 as N
	02/04/97										3.5 as N
	02/12/97										4.0 as N
	02/20/97										3.4 as N
										~~~	3.4 as N
	02/25/97										
	03/04/97				~~~						3.7 as N
	03/18/97	~~~									3.3 as N
	03/25/97		***								3.5 as N
	04/08/97										3.4 as N
	04/15/97										3.4 as N
	04/22/97										3.5 as N
	05/06/97	1930	1050	97	48	220	2	340	190	360	3.3 as N
	05/14/97		***								3.4 as N
	05/21/97			-				****			3.3 as N
	06/04/97								***		3.3 as N
	06/11/97										3.3 as N
	06/18/97										3.3 as N
	06/25/97										3.3 as N
	07/02/97			***	***						3.3 as N
	09/17/97	1960	1260					430	220		13
No. 138	10/30/90		240	19	2	74	2	71	13		18
8S/2W-6F	10/06/93		240	11	<1	70	1	56	10		14
	10/11/96		270	9	<1	78	1	55			15
	04/14/99			***							5
	06/03/99		***								3
	10/26/99	430	240	10	<1	76	1	60			19
	03/13/00									***	5
	03/22/01										17
	03/13/02										21
	06/20/02						***				16
	10/02/02	440	220	10	<1	75	1.2	58	7.8	96	17
	06/12/03										16
	12/30/04	***									5
	01/27/05										12
	10/18/05	430	280	11	<1	72	1.3	65	8.3	110	18
	01/06/06										17
	01/10/07	***									16
	01/08/08		***				***				16
	10/08/08	430	220	12	59	82	1.1	59		,	18
	01/08/09		220	12							18
	01/12/09		280								
	04/08/09		250								

TABLE D-4

#### WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Specific Dissolved Chemical Constituents - mg/l Site Date Conductance Solids CI SO4 HCO3 Location Sampled umhos (mg/l) Ca Mg ĸ NO3 07/06/09 No. 138 240 8S/2W-6F 01/06/10 ------16 ---250 ------(Cont) 04/08/10 270 ---07/14/10 260 10/05/10 230 ------01/12/11 190 ------17 -------------___ ---04/06/11 290 ___ ------------___ ---07/07/11 250 17 10/04/11 440 240 10 1.0 78 1.9 62 10 110 10/04/11 200 01/17/12 260 ---16 ------------04/03/12 280 ---------------10/02/12 290 ---01/03/13 240 ---14 04/03/13 230 07/02/13 ---220 ---------10/10/13 ------230 220 16 01/07/14 ------------04/22/14 ---220 ------07/09/14 260 10/02/14 260 10 ND 81 1.2 67 11 110 16 430 17 01/14/15 210 ------04/09/15 ---------260 ------------------07/02/15 240 7 No. 139 12/29/87 460 295 24 7 65 1 60 11 104 7S/2W-32G 11/23/92 450 275 32 9 46 60 13 134 20 2 2.8 12/19/95 500 2 72 12 156 298 36 12 50 03/25/97 ___ ----------10 03/13/00 9 03/28/01 8 29 73 13 140 03/11/02 530 280 10 57 2 03/09/04 8 78 13 150 6 03/09/05 520 310 21 7.7 72 1.3 03/09/06 ---9.9 03/07/07 6.9 04/15/08 550 340 40 14 43 80 10 150 1.9 07/17/08 330 ---------------10/08/08 320 ------------01/13/09 390 ------07/06/09 290 ---04/08/09 5.8 310 05/17/10 320 ------------08/09/10 ___ 340 ---8.9 10/21/10 ------------------11/03/10 290 ------02/09/11 340 04/21/11 570 39 45 97 16 140 12 340 15 2.3 05/04/11 340 ---------07/07/11 350 ---___ ------08/04/11 320

ND- None Detected

TABLE D-4

#### WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Dissolved Specific Chemical Constituents - mg/l Site Date Conductance Solids Location Sampled umhos (mg/l) Ca Mg Na K CI SO4 HCO3 NO3 No. 139 10/05/11 6.1 7S/2W-32G 11/02/11 ---310 ------------02/09/12 (Cont) 330 ----------05/02/12 320 08/09/12 310 10/02/12 ------------5.4 ---11/02/12 360 ___ ___ ---___ ---___ 02/07/13 ---320 ---------05/02/13 300 08/13/13 330 10/10/13 ---4.9 ------11/07/13 340 ---___ ... ---310 02/05/14 04/09/14 560 370 32 13 64 1.8 92 13 150 5.2 05/20/14 300 08/07/14 370 3.4 10/01/14 ---11/06/14 310 ___ ---~-----------------02/05/15 320 05/14/15 320 ___ ---___ ---08/07/15 320 13 No. 140 02/18/88 560 325 33 10 65 2 77 14 153 7S/2W-33F 01/15/92 450 18 107 2 235 11 2 88 68 12 02/28/95 560 325 36 11 58 2 94 14 140 03/25/97 8 02/27/98 650 360 31 11 76 95 16 130 09/17/98 8 ___ ------~~~ ---11 05/16/01 ___ -------370 2 4 02/01/01 650 31 12 72 110 21 150 05/24/02 7 04/05/05 680 390 37 2.3 140 18 150 16 69 4.4 04/06/06 ---------___ ---------3 04/24/07 26 04/08/08 630 340 9.5 79 1.9 110 21 140 27 04/08/08 350 2.7 07/07/08 360 01/07/09 400 ---------------------4.6 04/15/09 ---380 ---------07/06/09 360 ------------------01/06/10 ---350 ------04/08/10 350 ---2.1 07/14/10 360 ---------10/05/10 ---------350 01/12/11 ---280 ------.... 2.4 100 19 130 04/05/11 640 360 26 9.4 82 1.9 04/05/11 340 2.7 10/05/11 360 01/17/12 380 ---390 ------04/03/12 ---------10/02/12 ---370 ---01/21/14 ---380 ------2.8 03/12/14 04/03/14 660 330 32 12 2.1 120 23 140 3.2 3.3 04/03/14 330 ------------07/08/14 380

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 140	10/01/14		370				NV 10. 100				
7S/2W-33F	01/20/15		340								
(Cont)	04/09/15		350								2.1
(Gone)	07/02/15		360					****		***	
No. 141	01/06/88	780	440	64	11	82	3	65	91	217	13
8S/2W-11P	01/30/92	820	500	63	13	95	3	79	110	238	19
	03/30/95	840	490	58	11	100	3	70	97	241	14
	03/25/97										15
	03/26/98	760	480	62	12	90	3	69	86	230	16
	01/04/99						****				14
	02/12/99	***	***								19
	10/21/99										17
	11/03/99	***	***								14
	12/14/99										14
	06/20/00		***								15
	01/04/01	700	450	52	6	84	3	75	70	190	15
	09/28/01										18
	11/08/02						***				15
	09/16/03				***						19
	01/13/04	760	490	65	11	84	3.1	70	90	220	21
	01/06/05	, 00	400								18
	01/06/06										16
	06/04/08		410								11
	12/05/08		480 440								
	03/04/09		390								10
	06/02/09										16
	01/05/10	760	450	62	8.1	84	3.5	77	68		10
	03/03/10	***	480								13
	06/02/10		400								
	09/01/10	***	370								
	01/12/11		460								
	04/05/11		420								40
	06/07/11										12
	07/06/11		360								***
	10/11/11	***	420			-					
	01/10/12		400								
	04/03/12		510								
	06/05/12		***								12
	10/09/12	***	400								
	01/03/13		490		***						
	01/03/13	830	490	70	10	89	3.6	80	81	220	17
	04/17/13		460	***							***
	06/06/13										13
	07/09/13		450								
	10/08/13		390						. <del></del>		
	01/28/14		520								
	04/09/14		420								
	06/03/14										16
	07/09/14		400					****			
	10/02/14		410							217 238 241 230 190 220 200 220 200 220 200	
	01/21/15		600								
	04/08/15		400				***				
	06/03/15		400								13
			420								
	07/07/15		420								

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСОЗ	NO3
No. 143	01/15/88	670	345	8	2	134	1	91	57	95	11
8S/2W-17J	10/17/90	660	345	25	4	112	2	89	62	140	12
00/217 170	03/03/94	690	370	24	3	114	2	93	68	131	11
	03/30/95										11
	03/25/97	600	330	15	2	110	1	87	44	89	9
	07/18/97										2.0 as N
	07/23/97										2.0 as N
	08/20/97										2.3 as N
	09/03/97				***	***				***	2.2 as N
	09/17/97	***									2.0 as N
	09/17/98		350								2.3 as N
	10/21/99		330								2.3 as N
	03/07/00	730	400	21	3	120	2	84	68	140	12
	10/13/00	730									8
	10/13/00									AN 40 AN	8
					****						
	11/19/02										10
	01/13/03					440				400	2.1 as N
	03/10/03	650	370	14	1.9	110	1	92	52	130	10
	01/07/04	~			****						12
	01/18/05										10
	01/06/06										8.7
	06/08/06	560	270	9.5	1.3	100	1	86	<0.5	100	7.2
	01/10/07			***						***	7.3
	01/04/08	MA AM AM									7.1
	01/08/09		***	***							9
	02/04/09		300								
	05/11/09		290								
	08/05/09		300								
	01/05/10										6.5
	02/04/10		320				***				
	05/06/10		330								
	08/13/10		280				***				
	11/01/10		350								
	01/13/11										9.1
	02/09/11		320								***
	05/04/11		300				***				
	08/03/11		320								
	11/02/11		370	***							
	01/06/12										7.2
	02/09/12		300								
	05/10/12		300								
	06/05/12	540	320	7.3	1.1	100	1.0	73	21	100	5.9
	08/07/12		310								

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Con	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 143	11/01/12		290						***	***	
8S/2W-17J	01/03/13										8.5
(Cont)	02/10/13	***	360								
(00111)	05/02/13		290								***
	08/19/13		330							***	
	11/07/13		290		***						
	01/09/14							~~~	***		6.4
	02/05/14	****	280		~~~						
	05/06/14		270								****
	08/08/14	***	260	***							***
	11/06/14		320					***			
	01/08/15	***		***	~~~						11
	02/04/15		240								
	05/07/15	***	300								
	06/02/15	590	300	6.4	<0.50	100	< 0.50	79			6.3
	08/07/15		270		-0.00	,00	-0.50				
No. 144	09/14/88	610	335	8	<1	114	1	95			<1
7S/3W-27D3	12/19/95	730	420	34	1	124	1	120			<1
	12/20/00	690	400	28	1	120	<1	120	35	170	<2
	05/22/01										<2
	08/20/02	~~~	***								<2
	08/27/03										<2
	12/16/03	630	420	33	1.8	110	1	110	28	170	<2
	08/12/04										<2
	10/11/05										2
	12/07/06	670	370	21	1	98	1.2	110	27	150	<1
	08/07/07			***							<2
	08/11/08		320								<2
	02/09/09		340								
	05/08/09		360								
	08/05/09		370								<2
	02/04/10		380								
	05/06/10		410				****				
	08/10/10	***	370								<2
	11/10/10		400								
	02/02/11		340								
	05/04/11		350				*****				
	08/09/11	***	340								<2
	11/02/11		320								
	02/08/12		320								***
	05/03/12		340								
	08/09/12	*****	330		***	***					<1.0
	11/02/12		370								
	12/04/12	660	350	23	1.2	110	<1.0	100	26	150	<1.0
	02/06/13		350								
	05/03/13	***	360								
	08/14/13		340								<1.0
	11/07/13		350								
	02/05/14		340								
	05/14/14		340								
	08/07/14		340								<1.0
	11/05/14		370					****			
	02/18/15		380								
	05/14/15		310								
	08/19/15		380								< 0.47

TABLE D-4

### WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/i)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 145	10/04/90	800	490	43	8	110	2	110	78	171	<1
7S/3W-28C	10/06/93	650	375	23	3	106	1	85	58	146	<1
	11/27/96	650	340	26	2	110	1	87	48	150	<2
	02/04/97	670	370	24	2	110	1	87	55	160	<2
	01/28/98										<2
	01/04/99										<2
	10/26/99	690	400	29	3	110	1	96	61	170	<2
	01/06/00	***									<2
	01/25/01										<2
	01/18/02						***				<2
	10/09/02	690	390	26	2.3	110	1.2	94	52	160	<2
	01/15/03	***									<2
	01/07/04								***		<2
	01/13/05										<2
	10/11/05		430	33	2.7	120	1.4	100	54	180	<1
	10/18/05	700	440	34	2.8	120	1.5	100	59	180	<1
	04/13/06								***		<1
	01/19/07										<1
	01/04/08			***					***		<2
	08/11/08	***	360								
	10/08/08	720	400	37	3.2	100	1.3	95	56	150	ND
	01/06/09										ND
	02/03/09		390								
	05/08/09		410				No. 100 NA				
	08/05/09		400								
	01/07/10		***								<2
	02/04/10	m ##	400								
	05/07/10		470								***
	08/10/10		390				***				
	11/10/10		410								
	01/12/11					***					<2
	02/09/11		390								***
	05/05/11	***	380								***
	08/04/11		360		***						
	10/05/11	670	380	28	2.6	110	1.6	100	49	160	<2
	11/10/11		400								
	01/12/12		No. 10. Ac.								<1.0
	02/08/12		510								
	05/17/12		440								
	08/09/12		410								
	11/06/12		600								
	01/16/13										<1.0
	02/07/13		400								***
	05/03/13		390	****							
	08/14/13		370								

ND- None Detected

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	tituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 145	11/07/13		390			***				***	
7S/3W-28C	01/28/14	***									<1.0
(Cont)	02/11/14		350								
()	05/21/14		440							***	***
	08/19/14		370	***							
	10/09/14	690	400	42	0.026	110	1.4	100	55	180	<1.0
	11/14/14		440							***	
	01/27/15										< 0.47
	02/18/15		420							# H-M	
	05/19/15		460								***
	08/06/15		390		***	***					
No. 146	12/10/96	900	500	57	23	98	<1	100	64	280	15
7S/3W-28	03/02/00	***	50 40 50					***			4
No. 149	06/15/93										5
8S/1W-2C	10/10/01										4
	03/11/02	1040	610	61	23	120	4	100	170	250	4
	12/11/02										3.2
	01/23/03										4
	03/12/03	1000	600	59	22	120	3.7	100	170	230	3
	01/13/04										4
	01/11/06										2.5
	03/09/06	940	580	56	21	110	3.8	87	160	220	2.7
	01/24/07										2.4
	03/11/08		550	-~-					***		No. 40. 40
	07/08/08		590								
	01/08/09		590								2.6
	03/04/09	900	590	52	20	100	3.6	93	170	210	2.5
	04/02/09		570		***						
	07/13/09	***	560								
	01/07/10		570								2.6
	04/08/10		570								
	05/12/11		570								2
	08/03/11	***	600								
	11/09/11		620				~~~				
	02/09/12		580								
	03/02/12	970	600	59	20	99	4.4	95	180		2.3
	05/03/12		600	***							2.0
	08/08/12		610				***				
	11/01/12		620								***
	02/10/13		600								
	05/14/13		610	***				***		***	1.8
	08/15/13		580								
	11/06/13		560		***						
	02/06/14		580							***	
	05/08/14		620								4.8
	08/07/14		560								
	11/06/14		550								***
	02/05/15		570	***							
	03/11/15	910	580	55	22	110	3.8	90	160	190	2.1
	05/15/15		630								2.0
	08/04/15	***	560								****
No. 149A	08/26/88		540	71	211	96	1	115			18
7S/3W-28A	10/31/91	800	480	36	13	122	3	93	110	195	

TABLE D-4

### WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site	Date	Specific Conductance	Total Dissolved Solids			Chen	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 150	09/29/88	1950	1235	134	29	225	2	290	220	390	15
7S/3W-27P	12/21/91	1000	590	74	17	108	4	130	110	207	
No. 151	07/25/91	860	485	53	16	103	4	90	130	183	
8S/2W-2G	07/28/91	730	400	39	12	100	3	91	58	177	
	07/29/91	600	340	9	2	122	5	63	34	204	***
	10/17/91	510	295	3	<1	118	1	45	10	137	
	08/10/94	550	340	. 3	<1	110	1	59	22	119	<1
	06/16/97		~						***		<2
	08/14/97	540	300	2	<1	110	<1	44	10	160	<2
	09/16/98							***			<2
	01/06/00	510	300	1	<1	110	<1	33	4.6	180	<2
	01/06/05										<2
	05/12/09	530	380	1	1	110	<1	36	7.7	140	<2.0
	05/05/10										<2
	10/28/10		290		***					***	-
	12/01/10		290							W 49 44	
	03/09/11		310								
	05/03/11		310								<2
											~~
	06/02/11		280	~~~							
	09/06/11	***	310							AA 44 104	
	12/06/11		300				***				
	03/05/12	400	290	4.0		440			4.0	400	
	05/02/12	490	300	1.3	<1	110	<1	38	4.2	180	<1
	06/05/12		240								
	09/04/12		300				***				
	12/03/12		290							***	
	03/06/13		260					***			
	05/01/13										<1.0
	06/05/13		260								
	09/03/13		280								
	01/29/14		340								
	03/13/14		280								***
	05/01/14										<1.0
	06/02/14		290								
	09/03/14		280							~~~	
	12/01/14		250								
	03/03/15		340							***	
	05/05/15	500	280	1.3	< 0.50	110	< 0.50	38	3.8	170	< 0.47
	05/05/15										< 0.47
	06/01/15		290				***				
	09/02/15		290							***	
No. 151 7S/3W-34B	09/20/88 Abandoned	5780	3410	280	114	840	5	1660	670	369	<1
No. 152	01/11/02	860	550	64	20	77	6	75	190	160	<2
8S/1W-5K2	01/08/03		550		20						<2
OU IVIONA	01/07/04										<2
	01/07/04	850	510	71		77	4.6	85	190		<2
	01/04/06				25				190		1.1
				****	***						
	01/10/07		 E10								<1
	04/08/08		510 580								
	01/02/09		580								ND
	04/06/09		620								

ND - None Detected

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

No. 152 07/13/09 610 (Cont) 04/19/10 620 10/07/10 580			· mg/l	stituents ·	cal Cons	Chemi			Dissolved Solids	Specific Conductance	Date	Site			
8S/1W-5K2 01/06/10 740	3 NO3	нсоз	SO4	CI	K	Na	Mg	Ca			Sampled	Location			
8S/1W-5K2 01/06/10 740				***					610	***	07/13/09	No. 152			
(Cont) 04/19/10 670	1.7								740						
07/08/10 620 10/07/10 580				***					670			(Cont)			
10/07/10 580									620			(/			
									580						
	3.8								710		01/11/11				
04/13/11 490									490		04/13/11				
07/12/11 460									460	~~~	07/12/11				
10/06/11 420									420		10/06/11				
01/11/12 270	<1.1								270		01/11/12				
04/12/12 330									330		04/12/12				
10/10/12 420									420		10/10/12				
11/28/12 760 590 54 20 70 5.2 80 110 1		170	110	80	5.2	70	20	54	590	760	11/28/12				
01/09/13 530	1.8								530		01/09/13				
04/11/13 380				***					380		04/11/13				
07/10/13 530									530		07/10/13				
10/16/13 540									540		10/16/13				
01/16/14 850 510 65 24 77 4.7 74 180 1		140	180	74	4.7	77	24	65	510	850	01/16/14				
01/16/14 540	<1.0								540		01/16/14				
04/02/14 510							***		510		04/02/14				
07/03/14 550									550		07/03/14				
10/09/14 520	***								520	***	10/09/14				
01/13/15 620	1.2								620		01/13/15				
04/21/15 620	***								620	***					
07/15/15 580							***		580		07/15/15				
No. 153 12/29/93 804 485 53 18 92 5 86 120 2	214 <1	214	120	86	5	92	18	53	485	804	12/29/93	No. 153			
	150 <2														
04/11/00	2											00/11/1 0110			
06/14/01	<2														
	140 <2	140	190	80	4.2	75	22	63	500						
* " * <del> </del>	140 3	140	110												
04/04/06	2.3														
04/04/07	<2														
	170 1.9	170	170	100	4.3	79	23	62	560	920					
01/02/09 570															
04/06/09 610	<2.0														
07/13/09 590															
01/06/10 560															
04/08/10 610	1														
07/08/10 590															
10/07/10 540				***											
01/11/11 640															
	170 2	170	130	92	3.8	93	17	45	520	850					

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids (mg/l)			Chem	- mg/l				
Location	Sampled	umhos		Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 153	04/13/11		490								2
8S/1W-5K3	07/12/11		450								
(Cont)	10/06/11		380								***
(00/10)	01/11/12		280					***			
	04/12/12	***	300								<1.0
	10/10/12		390								-1.0
	01/09/13		420							**=	***
	04/11/13		390								<1.0
	07/10/13		470							20.00	
	10/16/13		540			***					***
	01/15/14		550							****	
	04/02/14	880	560	62	23	80	4.2	78	180	150	<1.0
	04/02/14		540		2.0						
	07/03/14		550								
	10/09/14		520							***	****
	01/13/15		600								
	04/21/15		580								1.3
	07/15/15		600								
	07/13/13		000								
No. 154 8S/1W-5L2	01/28/94	930	530	46	20	106	6	89	130	214	3
No. 155	09/16/93	680	355	22	2	108	1	90	64	104	<1
7S/3W-28C	02/23/95	760	445	30	3	126	1	120	82		4
	06/06/95										5
	08/14/97										4
	02/25/98	880	540	43	5	130	1	100	100	190	5
	07/27/98										3
	02/09/00										2
	09/13/00	690	410	23	2	120	<1	100	72	130	2
	02/14/01										5
	02/21/02										2
	02/28/03						***	***			<2
	01/07/04	600	360	10	<1	120	<1	100			<2
	02/23/04										6
	10/11/05			***							2
	02/16/05										5
	02/07/06	****	***							***	4.9
	02/07/07	No. op ob									2.5

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

No. 156   OB/11/08   670   350   48   13   78   2.2   70   62   190   1.9	Site	Date	Specific Conductance	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
75/3/W-18  08/11/08  08/08/09	Location	Sampled			Ca	Mg	Na	K	CI	SO4	нсоз	NO3	
75/3/W-18  08/11/08  08/08/09	No. 450	00/44/00	670	350	40	12	70	2.2	70	62	190	1 Q	
05/08/09													
08/05/09 410 1.5 02/03/10 370 1.5 05/07/10 470	13/300-10												
02/03/10													
SSIO7110													
08/10/10													
11/10/10													
02/09/11													
05/04/11 400													
08/04/11 660 380 44 11 72 1.8 75 53 180 2 08/04/11													
08/04/11													
11/10/11													
02/08/12 340													
05/03/12 360 1.3 08/09/12 360 1.3 11/02/12 420													
08/08/12 380 1.3 11/02/12 420													
11/02/12													
02/06/13 390													
05/02/13 370 1.2 08/14/13 390 1.2 11/07/13 390													
08/14/13 370 1.2 11/07/13 390 1.2 02/05/14 390													
11/07/13 390													
02/05/14 390									***				
05/23/14													
08/07/14 650 380 42 11 78 1.8 86 62 170 1.5 11/105/14 400					***								
11/05/14 400													
02/10/15 510						11							
05/14/15 380 1.3  No. 157													
No. 157  04/13/99  930  600  59  21  110  7  95  150  240     240  82  88/1W-5L  04/11/00   06/14/01   04/02/02  830  520  60  22  78  41  78  190  150  22  04/04/07    04/08/08  1100  640  68  24  110  4.3  130  170  230  26  07/08/09   01/07/10   04/08/10   01/07/10   04/08/10   01/07/10   04/08/10   01/07/10   04/08/10   01/07/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/10   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08   04/08/08													
No. 157  04/13/99  930  600  59  21  110  7  95  150  240													
88/1W-5L 04/11/00 2 06/14/01 2 06/14/01 2 04/02/02 830 520 60 22 78 4.1 78 190 150 2 04/14/05 720 420 47 18 69 3.2 74 120 150 2 04/08/07		08/06/15	***	400								1.3	
06/14/01	No. 157	04/13/99	930	600	59	21	110	7	95	150	240		
04/02/02 830 520 60 22 78 4.1 78 190 150 <2 04/14/05 720 420 47 18 69 3.2 74 120 150 2 04/04/07 <2 04/08/08 1100 640 68 24 110 4.3 130 170 230 2.6 07/08/08 580	8S/1W-5L	04/11/00											
04/14/05 720 420 47 18 69 3.2 74 120 150 2 04/04/07		06/14/01											
04/04/07 < < < < < < <		04/02/02	830	520	60	22	78	4.1	78	190			
04/08/08 1100 640 68 24 110 4.3 130 170 230 2.6 07/08/08 580 01/02/09 560		04/14/05	720	420	47	18	69	3.2	74	120			
07/08/08 580		04/04/07											
01/02/09 560		04/08/08	1100	640	68	24	110	4.3	130	170	230	2.6	
04/06/09 640 <2.0 07/13/09 590 <2.0 01/07/10 660		07/08/08		580				-					
07/13/09 590		01/02/09		560							***		
01/07/10 660		04/06/09		640								<2.0	
01/07/10 660		07/13/09		590								***	
07/08/10 610		01/07/10		660									
07/08/10 610												<2	
10/07/10 540													
01/11/11 590 04/13/11 830 520 49 17 84 3.4 89 120 180 <2 04/13/11 490 <2 07/12/11 460													
04/13/11 830 520 49 17 84 3.4 89 120 180 <2 04/13/11 490 <2 07/12/11 460													
04/13/11 490 <2 07/12/11 460					49	17	84	3.4	89	120	180	<2	
07/12/11 460												<2	

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Data	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
Location	Date Sampled			Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 157	01/11/12		260			****	***	***			
8S/1W-5L	04/12/12	***	330								<1.0
(Cont)	10/10/12		360								
	11/28/12	930	530	68	25	82	5.1	110	110	230	1.1
	01/09/13		470								
	04/11/13		370								1.1
	07/10/13	200	480								
	10/16/13		510								
	01/16/14		510								
	04/02/14	960	540	66	24	79	4.1	81	190	160	1.2
	04/02/14		560				***				
	07/03/14		560								
	10/09/14		520								
	01/13/15		630								
	04/21/15		590								1.0
	07/15/15		630							***	
No. 158	06/21/94	1090	620	67	23	124	7	120	170	259	
8S/1W-5K	04/14/99	1050	660	63	24	120	7	110	160	270	<2
	04/11/00		***								2
	06/14/01										2
	04/02/02	900	550	61	22	92	5.7	93	190	180	<2
	04/14/05	800	450	51	19	79	4.6	83	150	160	2
	04/04/06										3.9
	04/04/07										4.6
	04/08/08	1300	760	77	25	140	6.4	150	180	280	3.5
	07/08/08		750								***
	01/02/09		640								
	04/06/09	***	650								<2.0
	07/13/09		670				***				
	01/06/10		810								
	04/08/10		800								1.5
	07/08/10		680	****	***	***					
	10/07/10		750								
	01/11/11		710		***				***		
	04/13/11	870	510	43	16	100	4.8	97	130		2
	04/13/11		530							***	2
	07/12/11		610								
	10/06/11		570	***							
	02/09/12		520								***
	04/12/12										<1.0
	05/02/12		460								
	08/08/12		550		***						
	11/01/12	***	740					***			
	02/12/13		470								
	04/11/13										1.3
	05/14/13		620	***							
	08/14/13		710			****					****
	11/06/13		720								
	02/06/14		710								***
	04/02/14	1200	700	70	25	120	6.2	120		250	1.7
	05/08/14		660					***			
	08/06/14		480				***				
	11/13/14	****	700					***			
	02/05/15		670								
	04/21/15										1.2
	05/06/15		680								
	08/05/15		660								

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	itituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 201	03/28/91	530	315	19	6	83	2	83	16	110	2
7S/2W-27J	03/11/93	460	300	8	2	87	1	51	20	146	<1
No. 202 7S/2W-36J1	12/11/88	740	440	47	18	84	3	97	48	223	17
No. 203	05/18/88	960	580	50	39	110	4	96	115	275	
8S/1W-6P1	06/29/88	970	530	44	36	112	4	120	123	250	5
	06/12/91	800	415	21	17	108	3	91	90	174	2
	06/22/94	980	645	59	38	99	4	130	130	256	4
	06/07/95							***			5
	06/23/97	880	530	31	26	120	3	100	110	230	4
	08/14/97										3
	11/02/99									***	5
	06/22/00	820	580	94	18	58	<1	63	110	250	22
	07/12/00	880	570	43	33	120	3	100	130	240	7
	08/08/00										6
	11/22/00				***						5
	11/20/01										5
	11/08/02		***				***				4
	01/08/03										.90 as N
	06/10/03	850	460	31	23	100	2.2	92	100	220	5
	11/04/03										5
	11/18/04										7
	06/08/06	940	540	39	32	110	3	100			5.5
	06/01/07	340	J-10						700		5.1
	06/04/08		520								4.3
	09/16/08		450								
	12/02/08		500								
											***
	03/04/09		470								2.7
	06/01/09		440	***							2.1
	03/03/10		460				4				3.3
	06/02/10		490			****	***				3.5
	09/01/10	***	440								
	12/08/10		450		***		***				
	03/31/11		490								
	06/02/11		430	***							3.2
	09/02/11		420								
	12/07/11		450		4.5	440		70			2.2
	06/05/12	740	430	19	15	110	2.3	72			3.2
	09/05/12		440								
	12/05/12	***	410				****				
	03/06/13		420								
	06/05/13		400								2.7
	09/05/13		430								***
	12/05/13	***	440								
	03/11/14		430								

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	tituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 203			480								4.4
8S/1W-6P1	06/03/14		440								
	09/04/14										
(Cont)	03/11/15	700	410	47	40	440				170	2.8
	06/02/15	780	420	17	13	110	1.8	76	93		2.6
	06/02/15		400	***						***	2.0
	09/24/15		480			***	***				
No. 204	05/22/91	740	425	50	12	85	3	120	18	198	19
7S/2W-26G	05/13/94	690	375	37	7	85	3	130	19	125	19
No. 205	03/28/88	500	290	23	3	81	2	83	27	107	21
7S/3W-35A	03/13/91	490	275	22	3	75	2	62	23	113	21
10/01/100/1	03/03/94	510	275	20	2	72	2	72	24	104	20
	04/26/95										22
	03/25/97	480	270	20	2	75	2	66	18	110	21
	05/09/01	410	270	21	3	67	1	60	17	120	23
	11/13/01	410	270	21							21
											20
	02/19/02										18
	05/14/02	~~~	***								20
	08/27/02						***				18
	11/20/02			***					***		
	01/08/03										4.5 as N
	03/31/03	***	***	***					***		18
	06/11/03	***									18
	09/16/03				***						21
	12/04/03										20
	03/09/04										18
	06/09/04		** ** **	***							18
	09/01/04		10 10 20								19
	12/07/04										20
	03/08/05	~				·					21
	06/07/05	***	***								17
	09/13/05						***				16
	12/05/05										15
	03/09/06	***									17
	06/07/06										17
	04/15/09		290	19	2	71	1.4	68	18	120	20
	07/14/09		270								20
	01/06/10		280								17
	04/08/10		200		***						14
	04/20/10		290								
	07/20/10		260								16
			240								15
	10/05/10										19
	01/04/11		210								15
	04/12/11		280								
	07/08/11		260								14
	10/04/11	***	260								16
	01/12/12	***	250								16

### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	tituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
No. 205	04/03/12	***	300								18
7S/3W-35A	04/24/12	470	260	16	1.4	73	1.6	70	18	98	16
(Cont)	10/02/12		240								15
(/	01/03/13		270								15
	04/03/13		250								14
	07/02/13		270								18
	10/02/13		280								16
	01/07/14		280			***	***				14
	04/15/14		280	***							15
	07/03/14		280								14
	10/09/14	***	290								15
	01/07/15		340								18
	04/22/15	490	260	19	1.6	80	1.7	76	22	100	14
	04/22/15		310								***
	07/16/15		330								
No. 207	09/01/88	510	245	1	<1	108	<1	54	26	82	<1
8S/2W-14B	09/14/88	480	305	3	<1	106	<1	58	23	24	1
	08/14/91	480	245	1	<1	100	<1	52	28	55	<1
	08/10/94	440	285	2	<1	91	1	56	29	76	2
	08/15/97	510	280	2	<1	97	<1	52	25	98	<2
	07/27/98										2
	12/27/00	480	280	2	<1	100	<1	53	30	120	2
No. 208	09/01/88	680	415	44	15	77	3	119	14	186	18
7S/2W-35M	09/14/88	690	440	44	14	77	3	129	14	183	16
	08/14/91	600	340	23	7	89	2	85	18	162	4
	08/10/94	560 .	370	22	6	89	2	93	20	156	5
	06/06/95										4
	08/12/96	***								***	2
	07/27/99										15
	08/18/99		****								20
No. 209	05/22/91	790	435	40	14	105	2	150	35	162	8
7S/2W-28J	05/13/94	760	525	64	22	48	3	150	15	153	25
	06/20/95										5
	05/15/97	690	390	10	3	130	<1	110	56	130	1.3
No. 210	04/15/59	1366		101	23	150	10	149	200		3
8S/2W-12K	01/18/63	400	926	99	30	17.5	4.5	145	255		4
	11/30/67	1415	890	136	5	152	10	146	230		3
	07/26/68	1250	825	96	22	144	8	130	190		5
	09/06/68	1310	840	82	26	132	5	142	222		12
	07/19/73	1200	579	84	21.4	149	6.8	122	237	301	19.7

### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Specific Dissolved Chemical Constituents - mg/l Site Date Conductance Solids Location Sampled umhos Ca Mg K CI SO4 HCO3 NO₃ (mg/l) 287 15 No. 210 08/08/75 1140 695 84 14 150 6 101 190 36 8S/2W-12K 06/22/76 1240 675 76 26 142 7 101 205 278 (Cont) 10/13/76 1120 640 92 22 100 6 110 170 262 5 06/16/77 84 18 6 170 259 11 1130 610 114 110 05/20/80 340 30 152 9 580 8 75 4 51 67 04/03/86 540 235 3.5 800 65 17 86 4.5 75 112 07/15/86 87 250 830 560 72 19 86 4 118 4 4 03/28/88 1030 575 76 22 93 5 99 143 247 09/25/91 1040 600 74 20 120 5 120 160 238 5 09/19/94 645 460 52 14 79 4 70 100 198 09/16/96 3 ---------3 09/16/98 ___ .... *** ___ ------2 12/15/98 01/04/99 2 02/03/99 2 04/08/99 ---3 ___ ---------3 06/02/99 ------------4 09/07/99 ... ---------10/21/99 ---5 12/15/99 5 5 05/03/00 74 09/13/00 64 17 100 4 190 180 830 560 4 05/08/01 ---------___ ---05/13/02 ------3 01/08/03 .52 as N 08/20/03 2.2 09/16/03 830 560 65 18 78 4.5 76 180 160 2 3.2 08/10/04 ---08/02/05 ------------------5.4 08/15/06 6.7 08/14/07 ---------12.0 08/12/08 590 7.6 ---------------03/05/09 520 ------___ ___ ---------06/02/09 ---570 ------08/05/09 ------4.9 03/03/10 600 ------06/02/10 ------600 ---___ 3.6 08/11/10 ---___ ------------09/08/10 600 ___ ---12/08/10 590 ---___ ---03/09/11 620 ------06/08/11 600 ---3.8 11/10/11 600 ------___ ___ ---02/09/12 ---560 ---___ ---05/02/12 ---540 ---------08/09/12 490 09/05/12 840 530 5.6 86 150 180 12

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Con	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 210	11/01/12		500		***			*****	***		2.8
8S/2W-12K	02/12/13		460								
(Cont)	05/03/13		420								***
(00/11)	08/15/13		420								
	11/14/13		440								2.4
	02/05/14		430								
	05/15/14		480								
	08/06/14		440								
	11/06/14		520								2.1
											2.1
	02/05/15		520								
	05/07/15		530								
	08/07/15		510							400	
	09/09/15	840	510	60	19	79	5.0	81	160	160	2.0
No. 211	04/08/97	720	400	67	14	54	1	59	65	220	13
8S/2W-20R1	12/23/97	***	410	***							3.1 as N
	03/25/98		620								3.6 as N
	06/03/98										3.4 as N
	06/05/98		480								
	09/17/98										3.3 as N
	12/17/98		430					56	66		16
	06/03/99		430								3.4 as N
	12/14/99		310								10
	04/04/00		430	71	14	52	1	57		220	17
	06/22/00		400								15
	12/13/00										4.5 as N
	03/27/01									***	4.5 as N
											2.7 as N
	06/20/01										4.7 as N
	09/13/01		450	~~~						***	
	11/13/01		450								40
	05/14/02		370								12
	07/15/03		370	61	11	46	1.2	46	51	220	11
	12/09/08		480	***							22
	03/09/09		560					***			17
	06/02/09		480								14
	01/12/10		360								6.3
	04/15/10	***	500								16
	07/21/10		510								15
	10/07/10		540		***						14
	01/18/11		550								15
	04/06/11	***	560								16
	07/07/11		520								13
	09/01/11	840	460	86	16	56	1.2	66	100	260	13
	10/12/11		420								14
	01/10/12	****	520			***					14
	04/18/12		510								14
	10/02/12		520								13
	01/10/13		520								13
											12
	04/17/13		510 540								
	07/03/13		540								14
	10/03/13		550								14
	01/28/14		560								15
	04/16/14		430								11
	07/10/14		590							~~~	14

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Constit	tuents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
No. 211	09/04/14	840	590	92	17	60	1.3	67	100	260	13
8S/2W-20R1	10/02/14	0-70	630								13
(Cont)	11/13/14	880	610	93	18	63	1.3	71	120	260	13
(COIII)	01/13/15		370				1.5				12
	04/14/15		650								12
	07/07/15	****	550								12
No. 212	03/28/88	640	330	42	2	74	3	81	33	146	14
8S/2W-11N	09/25/91	600	320	41	2	82	4	86	35	146	14
No. 215	08/15/90	650	380	40	13	71	3	100	14	162	11
7S/2W-34M	09/26/90		***								13
	06/22/94	630	400	41	13	67	2	110	16	159	11
	06/16/97	630	370	29	9	81	2	110	16		6
	08/15/97										7
	08/11/04	630	380	35	12	76	2.6	100	14	150	<2
	09/09/04										9
	06/26/06	***									6.6
	06/05/07	***									2.4
	08/14/07	590	320	22	7.3	85	2.2	88	16	150	2.2
	12/02/08		370								
	03/09/09	~ ~ ~	380						***		
	06/04/09		300	****			***				
	03/04/10		340	***	***						
	06/18/10		340								
	08/18/10	580	330	20	6.5	79	1.9	82	16	150	2.5
	09/03/10		330								2.2
	12/17/10		350							***	
	03/15/11	***	250				***				
	06/07/11	10.00	320							***	
	12/06/11		320								
No. 216	06/01/88	480	280	25	4	65	2	71	11	134	***
8S/2W-7W	06/29/88		275	29	5	59	3	81	7	110	26
	06/12/91	500	285	30	5	59	2	76	9	113	23
	05/27/92		285	33	6	53	2	72	10	119	20
	04/25/01	490	300	28	4	55	2	74		120	12
	09/21/04	540	320	31	5.6	53	2.1	74			14
	10/26/04										15
	11/02/04										15
	11/10/04										16
	10/18/05						***				19
	10/12/06	***									19
	09/07/07	510	300	28	4.7	57	3.5	82	12	110	18
	10/03/07										17
	04/23/09						***				14
	03/18/10		370								
	04/08/10										12
	06/10/10		380								

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
*******************	******	***************************************									
No. 216	09/01/10		340								
8S/2W-7W	09/01/10	570	320	41	6.9	58	2.3	86	16	130	16
(Cont.)	12/08/10		360								
	12/14/10	***	390							***	
	06/08/11		390								
	08/10/11	***		***			***				15
	12/08/11		400								
	06/08/12		420				~~~				
No. 217	03/28/88	580	285	8	1	108	1	81	20	113	15
8S/2W-17M1	08/10/88	570	280	8	1	105	1	82	20	55	13
	08/14/91	570	305	17	2	99	2	74	28	134	16
	08/10/94	610	365	20	3	97	2	82	38	134	16
	08/15/97	660	370	20	3	107	1	80	41	130	13
	05/09/00										15
	10/12/00	650	380	19	2	110	1	81	49	150	16
	05/14/01			***							17
	05/14/02	***		***							12
	10/15/03	690	400	25	3.3	110	1.6	84	58	150	16
	05/06/04	***					***				17
	05/11/06		***	****							15
	05/15/07	***					***				16
	05/06/08		400								14
	08/12/08		430								
	05/11/09		400								13
	08/05/09		400								***
	02/02/10		390								
	05/06/10		480								17
	08/09/10	***	470								
	11/16/10		420								
	02/02/11		410								
	05/04/11		440						***		15
	08/02/11	***	440							***	
	11/03/11		400								
	02/07/12	***	420				***				
	05/02/12		440								16
	08/07/12		450								
	10/02/12	790	440	31	4.0	120	1.7	89	79	170	16
	11/01/12		440		***					***	
	02/06/13		440		***						
	05/02/13		440								17
	08/19/13		470								
	11/05/13		450								

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	НСО3	NO3
No. 047	00/05/44										
No. 217	02/05/14		420						***	***	
8S/2W-17M1	08/08/14		470								***
(Cont)	11/05/14		460								
	12/18/14	***									19
	02/04/15		380		~~~		***				
	05/07/15	***	450								15
	08/06/15		470		~~~	***					
No. 231	08/15/90	1280	805	126	18	120	5	100	310	244	9
8S/2W-20B6	09/26/90				too toront						6
	03/04/92	1700	1270	180	51	160	6	140	510	332	5
	06/20/95	1640	1300	171	44	124	6	75	520	287	5.3
	02/27/98				****					***	3
	05/16/00										5
	05/24/01	1490	1080	140	35	120	5	120	340	330	3
	05/13/02										2
	07/12/05			***		***		***			2.2
	07/20/06	***									3.7
	05/02/07	1400	830	120	27	110	4	130	250	300	2.1
	03/07/08		900						250		2.4
No. 232	08/15/90	960	500	74	40	440	5	00	400	005	30
8S/2W-11J3	09/26/90		590	71	19	110		98	130	235	35
03/244-1193					40	400			400		
	09/25/91	980	565	74	19	106	5	98	120	244	37
	09/19/94	805	495	54	14	92	4	80	110	207	15
	09/13/96	4000									22
	11/04/97	1000	660	76	20	110	4	97	130	230	29
	07/27/98										38
	12/10/98	50 M W									22
	01/06/98						***				30
	01/29/99	***		***	***			****			10
	02/03/99			***							26
	02/24/99	~								,	37
	04/08/99			***						~	33
	04/21/99	m									34
	06/23/99										33
	07/08/99										36
	08/25/99									***	33
	09/21/99										31
	10/06/99										30
	11/17/99										32
	12/14/99		***								32
	01/18/00	***									31
	02/29/00										10
	03/21/00										25
	04/11/00	***		***	***						29
	05/25/00										26
	06/21/00										26
	07/11/00										25

#### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 222	00/42/00	000	500	0.5	47	405		04	450	240	24
No. 232	09/13/00		590	65	17	105	4	91	150	210	21
8\$/2W-11J3	10/06/00										18
(Cont)	11/08/00			***				***			17
	12/13/00				***						20 19
	01/04/01 02/28/01										10
	04/10/01										20
	10/10/01										26
	05/14/02	***			***						22
	08/06/02										4*
	01/08/03										6.0 as N
	03/31/03										0.0 as N
	06/10/03										31
	07/08/03										30
	08/20/03		***								28
	09/16/03	1100	680	67		110	4.3	100		240	33
	10/14/03				18				130		31
											23
	01/14/04									***	21
	02/10/04	***					***	***			25
	04/14/04				***						26 26
	05/06/04										
	06/22/04									***	25 25
	07/14/04							***	***		
	08/10/04	***	***			***	***		***		31
	09/08/04										26
	10/26/04										15
	11/18/04								***		26
	12/07/04	***					***				16
	01/10/05										20
	02/14/05						***				14
	03/11/05										11
	04/13/05										25
	06/08/05								****		24
	07/12/05								***		22
	08/02/05										18
	09/20/05						***				19
	10/18/05			***							18
	11/08/05										18
	12/06/05										19
	01/04/06										15
	02/14/06			****	***						18
	03/13/06										8.3
	04/18/06										12
	05/12/06		*								15
	06/22/06										11
	07/19/06										13
	08/15/06										14
	11/02/06										15
	01/10/07										13
	02/07/07							***			15
	03/14/07										15
	04/17/07										14
	05/01/07	***	~~~				***			~~~	13

^{*} Sample may have been switched with Well 233

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site Location No. 232 BS/2W-11J3 (Cont)	06/01/07 07/05/07 08/14/07 10/03/07 12/05/07	Conductance umhos	Solids (mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
8S/2W-11J3	07/05/07 08/14/07 10/03/07	***	***								
8S/2W-11J3	07/05/07 08/14/07 10/03/07	***									4.4
	08/14/07 10/03/07										11
(Cont)	10/03/07		***								12
											14
	12/05/07										13
							***			***	12
	01/08/08	***					***				11
	02/13/08										6.9
	03/04/08						***	***			9.7
	03/07/08		610								
	04/08/08	***	~~~				****				13
	05/07/08										12
	07/10/08		580								***
	07/28/08		***								12
	08/12/08		~~~				***				13
	12/03/08										14
	01/13/09	***	660								14
	02/05/09										13
	03/04/09		***			***					12
	04/02/09		580								13
	05/11/09										11
	06/02/09									***	11
	07/13/09	***	580			***					12
	08/05/09					***					12
	01/06/10		590					***			12
	02/03/10		330								10
	03/10/10										8.5
	04/08/10		570								12
											13
	05/07/10										13
	06/03/10				***	***					
	07/08/10		570						***		13
	08/10/10		***		***						14
	09/02/10										3.6
	10/06/10		590								15
	11/16/10										13
	12/01/10	***									14
	01/04/11		490	***							7.9
	03/09/11										8.4
	04/05/11		560							***	13
	05/03/11										11
	06/08/11			***							11
	07/06/11		590								10
	08/03/11										10
	09/02/11										10
	10/14/11		610								1.
	11/02/11										11
	12/07/11									***	11
	01/11/12		590								9.9
	02/02/12		550							***	9.4

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Con	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
											0.7
No. 232	03/07/12				~~~	***					9.7
8S/2W-11J3	04/04/12		580			***					8.4
(Cont)	05/02/12				***						9.4
	06/05/12							***			9.6
	08/08/12									400	10
	09/05/12		610	69	19	100	4.5	99	200	190	11
	10/17/12		620								10
	11/01/12										11
	12/04/12	***								10.10.10	10
	01/09/13		610								9.9
	02/12/13					***					11
	03/12/13							***			10
	04/11/13		600								12
	05/02/13										13
	06/05/13	No. 10-10	***								11
	07/10/13		580								12
	08/14/13				***						12
	09/05/13								***		13
	10/15/13		630								14
	11/06/13									~~	14
	12/05/13						-				14
	01/15/14		620								16
	02/05/14	***									15
	03/12/14			***						***	11
	04/03/14		560								11
	05/27/14						***				8.7
	06/04/14										14
	07/16/14	M M. 49	610	***							14
	08/06/14							***	***		16
	09/03/14	****	***								16
	10/08/14	***	610								15
	11/06/14										17
										202	15
	12/09/14										13
	01/07/15		690								17
	02/05/15				***						
	03/05/15						***				8.8
	04/16/15		600								16
	06/04/15						***				9.0
	07/14/15		580				*				18
	08/04/15										19
	09/10/15	900	530	64	17	97	3.8	89	150	200	11
No. 233 (Old 112)	06/15/88	900	535	71	21	100	5	96			4
8S/2W-12K2	03/27/91	1020	580	66	19	114	5	95	140	247	12
	03/03/94	740	425	50	14	75	4	71	100	186	2
	04/27/95										6
	03/27/97	880	510	57	15	100	4	81	120	220	4
	01/04/99										5
	02/03/99										4
	04/08/99										4
	06/03/99										4
	20,00,00										•

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

No. 233 (Old 112)   O7/20/99	Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
SSZW-12K2					Ca	Mg	Na	K	CI	SO4	нсоз	NO3
85/ZW-12K2	No. 233 (Old 112)	07/20/99	***	***				**-	***		***	5
(Cont)												4
10/21/99			***	***								4
11/03/99	(/											5
04/11/00 970 670 684 18 110 4 85 150 230 10/06/00												4
10/06/00			970		64	18		4		150	230	4
10/10/01												3
08/06/02												4
01/13/03												26*
07/07/03												1 as N
07/13/04 07/12/05 04/04/06 07/12/05 04/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/06 08/04/07 08/04/08 08/04/07 08/04/08 08/04/08 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/09 08/04/04/04/04 08/04/04/04/04 08/04/04/04/04 08/04/04/04/04 08/04/04/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/04/04 08/												2.7
07/12/105												3
04/04/06 980 600 75 20 87 4.5 93 180 180 08/04/06 08/04/06												2.8
08/04/06												7.3
08/14/07												11
08/13/08 530												8,1
02/05/09 960 580 70 20 88 4.7 100 160 200 05/11/09 610												6.1
04/02/09 960 580 70 20 88 4.7 100 160 200 05/11/09 610												0.1
05/11/09 610												
08/04/09												6.8
02/02/10												
05/06/10 08/10/10 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/03/11 07/02/11 08/08/12 08/08/12 08/08/12 08/08/12 08/08/12 08/08/12 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 08/08/13 09/08/08/13 09/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/13 00/08/08/14 00/08/08/14 00/08/08/14 00/08/08/14 00/08/08/14 00/08/08/14 00/08/08/14 00/08/08/14 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/15 00/08/08/08/08/08/08/08/08/08/08/08/08/0												5
08/10/10 580												
07/02/11 630												
08/03/11			***		***			***				5.1
10/14/11 620												
01/10/12												4.2
04/12/12 930 560 67 20 93 5.5 91 190 180 04/12/12 570 08/08/12 570 08/08/12												
04/12/12 570												
08/08/12			930	560	67	20	93	5.5	91	190	180	4.7
10/17/12 540		04/12/12	***	570	***							***
01/09/13 520		08/08/12										5.3
04/11/13 500		10/17/12		540								
07/10/13 440		01/09/13		520								***
08/15/13		04/11/13		500								
10/15/13 490		07/10/13		440								
01/15/14 480		08/15/13		****								4.1
01/15/14 480		10/15/13		490								
04/17/14 550												
07/16/14 450												
08/06/14												
No. 234 (Old 114)  No. 234 (Old 114)  O3/31/88  840  A80  A80  A80  A80  A80  A80  A												2.8
No. 234 (Old 114)  03/31/88  840  08/2W-11P  09/26/96  09/26/96  09/26/97  00/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/15  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14/16  00/1/14				480								
No. 234 (Old 114)  03/31/88  840  03/2W-11P  03/27/91  09/26/96  00/20/97  00/04/97  00/4/16/15  880  510  57  18  82  5.0  78  130  160												
No. 234 (Old 114)  03/31/88  840  480  480  54  15  100  4  61  109  241  8S/2W-11P  03/27/91  1020  605  69  19  114  5  77  138  256  06/20/95   09/26/96   02/04/97										130	160	2.4
07/14/15 510												
No. 234 (Old 114)  03/31/88  840  480  54  15  100  4  61  109  241  88/2W-11P  03/27/91  1020  605  69  19  114  5  77  138  256  06/20/95   09/26/96   02/04/97												
88/2W-11P 03/27/91 1020 605 69 19 114 5 77 138 256 06/20/95												2.3
06/20/95		03/31/88	840	480	54	15	100	4	61	109	241	18
06/20/95	8S/2W-11P	03/27/91	1020	605	69	19	114	5	77	138	256	37
09/26/96												11
02/04/97											20 00 00	9
				***	***							12
		04/25/97	840	500	56	15	95	4	77	120		8
01/19/99												12

^{*} Sample might have been switched with Well 232

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Data	Specific	Total Dissolved			Chem	ical Con	stituents	- mg/l		
Location	Date Sampled	Conductance umhos	Solids (mg/l)	Ca	Mg	Na	K	CI	S04	НСО3	NO3
No. 234 (Old 114)	02/12/99						~~~	***	***		16
8S/2W-11P	04/21/99									***	15
(Cont)	06/03/99								***		16
<b>(/</b>	07/27/99										18
	08/19/99										17
	09/21/99										16
	10/26/99										13
	04/13/00	900	550	64	18	10	4	70	150	220	13
	07/06/00										12
	07/12/01										7
	08/02/01										<2
	11/20/02		***								3
	12/11/02	850	520	62	17	80	3.7	74	170	170	4
	11/04/03										10
	11/05/04							***			10
	11/03/05										12
	12/06/05	890	620	70	19	89	4.1	85	180	200	12
	11/08/06										14
	11/16/07										16
	08/12/08	***	610	***		***					
	11/06/08		570			00	4.0	07	400	220	20
	12/03/08	960	660	83	21	89	4.9	87	160	230	20
	02/05/09	*** *** ***	590					***			
	05/07/09		620								
	08/04/09 02/03/10		590 610								***
	05/06/10		680								
	08/10/10		610								
	08/11/10		610								
	11/01/10		610								21
	02/09/11		620								
	05/03/11	***	620				****			***	
	08/03/11	***	570								
	11/02/11		560								20
	12/06/11	990	660	71	20	99	4.2	91	160	240	21
	05/03/12		620							***	
	08/08/12	***	620								***
	11/01/12		620							***	22
	02/07/13		580								
	05/02/13		610								
	08/15/13		620	~~~			***				
	11/07/13		620								21
	02/05/14	***	640								
	05/15/14	~~~	630							***	
	08/13/14	***	610								
	11/06/14		620								25
	11/19/14										23
	12/09/14	780	630	73	21	110	4.5	97	160	230	26
	02/06/15	***	670	****							25
	05/07/15		620	***							23
	08/06/15	30 M A0	590								23
lo. 235 (Old 137)	06/24/88	460	310	40	10	41	2	58			15
IS/3W-1Q1	06/20/90	420	230	22	4	56	2	50			18
	06/10/93	370	235	15	2	65	2	51	9		17
	07/16/96	410	230	16	2	60	1	48			20
	06/09/97										17

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	нсоз	NO3
No. 235 (Old 137)	06/03/99	390	240	13	1	63	1	46	6.7	98	17
8S/3W-1Q1	11/03/99	350	240	13				40	0.7		16
(Cont)	11/09/00										15
(OOIII)	11/20/01	***									13
	06/11/02	380	210	10	<1	62	1.2	48	7.2	100	16
	11/05/02	300	210				1.2	40	1.2		17
	11/18/03	***						***			11
	11/18/05										18
	06/22/05	380	230	9	<1	68	1.1	49		96	16
	11/08/05	500	230				1, 1		1.5		17
	11/14/06										16
	06/11/08	400	210	11	1	72	1.4	48		100	15
	07/07/08	400	200				1.4		0.4		
	01/13/09	***	260				***				
	04/07/09		210								***
	07/13/09	***	200							***	
	01/06/10	***	230								
	04/08/10		220								
	07/14/10	400 AM 100	220								***
	10/05/10										
	11/16/10	~ ~ ~	180							***	15
	01/12/11	~~~	 170								15 
				12	1.2		1.7				16
	08/17/11	380	210	13	1.2	65	1.7	48		100	
	08/17/11		230							***	
	11/02/11 02/09/12		200	***	***	***	***				15
			200								
	05/03/12 08/09/12		220 200	****							
									****		1.4
	11/02/12	40 At W	220					***			14
	02/10/13		230								
	05/02/13		200								
	09/10/13		220					***			
	11/07/13		250								14
	02/05/14		200								***
	05/20/14	270	180	0.4	-4.0		4.0	 		440	45
	08/07/14	370	190	9.4	<1.0	68	1.2	51	8.9	110	15
	11/05/14		230							***	15
	02/04/15		110								
	05/14/15		230					***			
	08/07/15		190				***				
No. 301	07/29/92	500	290	20	6	80	1	45		143	<1
7S/3W-18Q1	02/27/97	580	350	45	16	48	2	49	54	200	4
	08/15/97										6
	12/27/00	570	360	49	15	53	2	55	57	180	7
	02/22/02										<2
	05/14/02	550	340					57	50		3
	12/11/02	580	350	***							2.5

### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Total Dissolved Specific Chemical Constituents - mg/l Site Date Conductance Solids Location Ca CI SO4 HCO3 NO3 Sampled umhos Mg Na (mg/l) No. 302 04/11/88 690 360 36 6 100 77 65 192 <1 7S/3W-18H 05/15/91 760 425 58 9 87 2 83 72 220 <1 05/14/92 270 48 48 12 2 90 <1 870 238 <1 05/05/94 88 530 69 16 84 2 110 <1 05/16/95 ------07/16/96 530 320 60 54 2 <2 05/13/97 560 500 73 14 94 2 110 86 240 07/27/99 <2 520 320 51 50 130 <2 05/17/00 11 1 99 <1 06/13/00 520 310 <2 ------------<2 07/11/00 ---------... 790 <2 12/20/01 500 ------110 140 ---12/11/02 870 510 ND 06/19/03 620 370 22 3.8 95 <1 77 63 140 <2 <2 03/17/04 830 110 85 510 ---<2 06/22/04 ------------09/21/04 900 550 110 82 ---<2 No. 309 08/15/90 690 370 19 3 119 2 140 25 73 5 7S/3W-27H 04/11/91 <.001 09/25/91 730 365 2 150 27 82 19 2 122 5 08/11/94 2 30 5 730 430 20 2 120 160 73 18 02/16/95 07/16/97 1.1 as N 07/23/97 1.2 as N ---08/20/97 ---1.1 as N ---___ ___ ------___ ---09/03/97 ------... ---___ ___ 1.1 as N ... ---09/18/97 1.1 as N 10/03/97 790 520 21 2 130 2 170 33 85 6 08/06/98 6 ---09/16/98 460 ---1.4 as N ---------___ 07/20/99 ---------6 ------450 2 05/10/00 ---20 130 <1 ---85 07/06/00 6 08/02/00 740 450 21 2 140 180 38 87 1 07/19/01 ------------11/19/02 ------------5 01/13/03 1.1 as N ------------08/20/03 880 490 21 2.1 140 1.5 190 33 83 5 01/07/04 6 11/11/05 6

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	nical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
No. 309	01/04/06		***								5.4
7S/3W-27H	12/07/06	870	470	21	1.9	140	2	190	36	84	5.4
(Cont)	01/10/07										5.3
	01/08/08							***			5.4
	08/12/08		470	***						****	
	01/06/09										6.7
	02/03/09		450								
	04/01/09			25	2.9						***
	05/11/09		460								
	08/04/09		450		***						
	01/07/10										5.7
	02/02/10		480								***
	05/06/10		500							***	
	08/09/10		490					****			
	11/10/10		460								
	01/04/11										5.8
	02/02/11		480								
	05/04/11		470								
	08/04/11		480								
	11/02/11	***	460								
	01/17/12									***	5.5
	02/08/12		480								***
	05/03/12		490							***	
	08/09/12		440								
	11/02/12		500								
	12/04/12	950	500	24	2.5	150	1.7	190	45	92	5.8
	01/10/13	950			2.5	130	1.7	130			5.5
			400								3.5
	02/05/13	***	490								
	05/02/13		470								
	08/14/13		460				***		***		
	11/05/13		460								 
	01/21/14		400	***							5.9
	02/05/14		480								
	05/23/14	***	560								
	06/26/14		480					200			
	06/26/14		510				***	220		***	
	06/26/14		510					200			***
	06/26/14		530					240		***	
	06/26/14		510					240			
	06/26/14	***	430				***	210			
	06/26/14		480					200			
	06/26/14		410					180		***	
	08/07/14		480								***
	11/05/14		520				***			***	
	01/08/15										6.5
	02/06/15		590	****							
	05/14/15		490								

#### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents - m	ng/l	
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3*	NO3
Pechanga Indian	Reservation						********	*********			
8S/2W-28M03	08/26/99	562	319	38	13	52	0.77	68	15	***	2.59 as N
	08/12/03	534	344	40.7	14.7	53.5	0.86	58.9	14.1		4.21 as N
	08/19/04	708	440	61.4	22.5	51	0.93	87.6	52		6.16 as N
	08/02/05	746	459	69.7	26.9	44.3	1.01	87.8	61.8		5.09 as N
	08/02/06	678	413	55.9	21	42.6	0.85	74.9	43.1	153	8.25 as N
	09/04/07	663	392	53.7	19.5	51.1	0.92	70.1	32.1	158	8.32 as N
8S/2W-28M05	09/01/09	457	253	10.7	0.483	77.7	0.53	65.6	17.4	91	0.08 as N
	07/26/10	***	261	11	0.942	83.3	0.53	78.3	17.1		E 0.048
	08/31/11	482	272	10.7	0.999	86.0	0.49	77.8	16.9	88	0.052
	08/13/13	475	281	12.3	1.14	81.9	0.51	77.6	15.8	87.9	<.177
	09/17/14	475	256	10.9	0.98	83.9	0.52	74.2	15.1	85.9	0.177
	07/29/15	459	255	10	1.03	79.8	0.44	72.9	15.8	85	<0.177
8S/2W-28Q02	10/05/89	629	378	48	19	49	0.7	76	14	169	4.2 as N
	07/26/90	613	383	48	18	47	0.6	75	12	171	3.9 as N
3S/2W-28Q02	07/18/91	618	379	49	18	49	0.7	83	14	172	3.0 as N
	07/28/93	620	400	51	20	47	0.7	63	15	174	9.6 as N
	08/17/94	641	396	51	21	50	8.0	60	17	179	11.0 as N
	08/31/95	653	396	53	21	48	0.7	60	19	184	12.0 as N
	08/28/96							***			11.0 as N
	08/12/97	614	411	47	19	47	0.7	63	15	176	8.9 as N
	08/19/98	625	402	47	20	47	0.7	60	14		9.85 as N
	08/21/02	598	394	47	19	46	0.7	64	15	200	8.5 as N
	08/12/03	604	405	48.8	19.8	47.8	0.7	69.1	14.0		7.1 as N
	08/18/04	615	386	51.6	20.2	45.6	0.9	78.8	16.5		4.03 as N
	08/02/05	822	514	76.8	30.2	54	8.0	93.7	30.9		14.7 as N
8S/2W-28R01	08/03/89	495	286	41	4.0	60	0.9	37	13	177	1.1 as N
	07/26/90	525	296	48	4.8	54	1.0	45	14	191	1.5 as N
	07/17/91	462	261	31	3.2	66	8.0	44	12	155	.8 as N
	07/27/93	445	269	44	4.4	43	0.5	28	14	170	1.9 as N
	08/15/94	421	232	32	3.3	55	0.9	28	11	156	1.5 as N
	08/30/95	375	200	21	2.2	55	0.6	31	11	129	.7 as N
	08/27/96	***									1.5 as N
	08/13/97	398	241	20	2.1	59	0.62	37	11	130	.572 as N
	08/20/98	481	282	36	3.9	60	0.85	38	14	167	1.1 as N
	08/25/99	446	252	28	3.1	59	0.66	41	12		.758 as N
	08/22/00	456	265	29	3.3	61	0.73	39	14		.759 as N
	08/21/01	522	320	51	5.9	48	1.0	42	16		1.73 as N
	08/21/02	457	284	33	3.7	61	0.87	41	13		1.09 as N
	08/12/03	518	330	55	6.5	50.4	1.1	39.7	14.3		1.94 as N
	08/18/04	516	317	56.8	6.2	47.9	1.4	42.6	14.2		1.64 as N

^{* -} Alkalinity as CaC03 E - estimated

#### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Di4.	Data	Specific	Total Dissolved			Che	mical C	onstitue	ents - m	ng/l	
Site Location	Date Sampled	Conductance umhos	Solids (mg/l)	Са	Mg	Na	K	CI	SO4	HCO3*	NO3
Pechanga Indian	Reservation (	Continued)									
8S/2W-28R01	08/03/05	541	333	60.5	6.5	45.3	1.2	40.2	14.1		2.23 as N
(Cont)	09/10/08	480	278	37.2	4.67	62.4	1.14	41.2	11.4	160	
` '	08/04/09	543	329	50	5.49	55.5	1.12	38.7	18.4	194	1.78 as N
	07/26/10	564	335	58.3	6.57	49.9	1.12	41.9	18.7	203	9.89
	08/22/11	548	357	55.0	6.75	52.9	1.07	41.3	18.8	187	10.5
	08/21/12	507	287	44.7	5.19	60.5	0.95	39.2	17.4	178	8.33
	07/24/13	498	302	43.9	4.87	60.6	0.91	39.8	17.6	178	7.63
	09/17/14	592	339	59.3	7.23	54.7	1.17	43.4	20.8	206	10
	07/29/15	589	364	64.5	7.79	55.9	1.22	44.9	20.6	212	10.5
8S/2W-29A01	08/02/89	346	207	31	11	24	0.4	18	7.0	131	2.0 as N
	07/24/90	354	193	32	11	25	0.4	24	6.7	133	2.0 as N
	07/18/91	361	194	32	10	26	0.4	25	6.0	134	1.8 as N
	08/15/94	363	216	33	12	25	0.5	24	7.7	132	2.6 as N
	08/31/95	363	208	32	11	23	0.4	21	8.1	137	2.6 as N
	08/28/96	***	****								2.9 as N
	08/12/97	368	238	32	12	24	0.44	22	7.4	138	3.05 as N
	08/19/98	411	246	36	11	31	0.45	25	8.2	153	2.94 as N
	08/25/99	375	222	33	12	23	0.39	20	6.7		3.81 as N
	08/22/00	374	237	33	12	24	0.42	18	7.3		3.48 as N
	08/21/01	374	236	34	12	24	0.46	20	7.3		3.56 as N
	08/02/05	382	243	38.7	11.6	27.1	0.53	27.6	7.7		2.79 as N
8S/2W-29A02	08/02/06	392	242	36.2	10.9	26.6	0.43	29.4	7.94	139	2.64 as N
	08/04/09	394	245	29.8	11.3	32.2	0.64	34.5	7.38	133	0.81 as N
	07/26/10		268	37.5	11.9	32.5	0.55	38.5	12.9		E 10.8
	08/22/11	434	299	35.9	12.0	35.7	0.59	41.9	12.7	132	9.30
	08/21/12	465	298	42.0	13.2	38.1	0.55	42.4	15.8	148	11.8
	07/24/13	464	297	39.7	13.6	37.0	0.62	45.6	16.3	147	11.3
	09/17/14	481	284	38.7	13.2	36.4	0.63	46	16.3	145	11.2
	07/29/15	485	298	41.3	14.4	38.5	0.63	47.9	18.6	146	12.1
8S/2W-29B02	03/01/90	456	257	5.5	0.14	89	8.0	66	22	100	
	03/06/90	456	256	5.9	0.13	90	0.7	66	20	99	<0.1 as N
8S/2W-29B03	03/06/90	478	275	14	1.9	84	0.8	65	16	123	<0.1 as N
8S/2W-29B05	03/02/90	397	229	29	9.5	43	1.2	35	4.9	141	1,8 as N
8S/2W-29B06	03/02/90	406	259	34	11	38	8.0	38	10	143	
	03/06/90	427	240	32	11	40	1.0	40	8.1	148	1.2 as N
8S/2W-29B07	03/07/90	396	230	8.6	2.5	71	0.9	51	11	102	<0.1 as N
	08/16/90	371	199	8.4	1.8	69	8.0	50	14	106	<0.1 as N

^{* -} Alkalinity as CaC03 E - estimated

#### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Ο.H	Data	Specific	Total Dissolved			Che	mical C	onstitue	ents - m	ng/l	
Site Location	Date Sampled	Conductance umhos	Solids (mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3*	NO3
Pechanga Indian	Reservation (	Continued)		*********		*********		222222			
8S/2W-29B08	03/07/90	464	272	31	9.4	52	1.2	58	12	134	0.45 as N
	08/16/90	458	261	34	9.1	48	1.1	59	17	135	0.4 as N
8S/2W-29B09	03/07/90	343	210	21	9.2	39	1.0	24	6.7	131	1.3 as N
	08/17/90	317	197	26	10	26	1.1	22	3.4	130	1.6 as N
8S/2W-29B10	08/19/98	367	223	12	0.64	75	0.62	50	10		<.05 as N
	08/26/99	393	219	12	0.72	68	0.56	46	11		<.05 as N
	08/22/00	393	228	12	0.76	69	0.58	43	11		<.05 as N
	08/21/01	398	231	11	0.62	72	0.57	49	15		.04 as N
	08/12/03	387	239	11.3	0.65	75.1	0.57	47.2	18.4		2.41as N
	08/18/04	390	232	11.2	0.64	72.6	0.64	48	20.8		<.06 as N
	08/02/05	404	242	12.5	0.67	69.9	0.65	47.2	23.2	***	<.06 as N
	08/03/06	381	222	12.3	0.77	62.8	0.54	40.3	17.3	110	<.06 as N
	09/04/07	430	237	12.1	0.70	78.3	0.65	47.2	27.5	107	<.06 as N
	09/15/08	420	242	11.2	0.664	77.3	0.59	45.3	29.6	106	E .03 as N
	08/04/09	381	217	12.1	0.76	66	0.64	39.9	23.7	108	E .03 as N
	07/26/10	394	220	11.4	0.67	71.6	0.64	42.2	26	107	E 0.079
	08/22/11	421	265	11.5	0.697	75.5	0.58	45.5	31.0	99	0.115
	08/21/12	432	245	12.8	0.734	82.4	0.62	47.1	34.9	106	<.177
	07/24/13	451	264	13.6	0.756	83.6	0.63	49.2	43.1	107	<.177
	09/17/14	490	274	14.8	0.853	84.8	0.67	51.1	52	105	0.177
	07/29/15	498	289	16.2	0.975	91.7	0.75	52.9	56.5	107	<0.177
8S/2W-29B11	08/02/06	483	285	30.1	7.84	51.5	0.93	57.1	11.8	138	1.44 as N
	08/04/09	497	281	33	8.51	51	0.98	52.6	16.6	140	2.33 as N
	07/26/10		287	34.7	9.09	53.4	1.05	56.8	15.3		E 10.3
	08/22/11	482	308	32.7	9.52	53.0	1.00	54.2	16.0		10.9
	08/21/12	492	300	35.9	10.0	55.9	1.03	54.3	17.9	142	11.9
	07/24/13	505	300	36.2	10.1	57.2	1.05	54.5	20.4	144	12.3
	09/17/14	542	315	37.1	10.4	55.3	1.11	56.2	23.9	145	13.8
	07/29/15	530	315	39.9	11.3	56.4	1.18	56.5	24.8	146	12.5
8S/2W-29F3	08/03/06	378	251	21.9	7.67	38.9	1.9	47.2	10.4	104	0.46 as N
8S/2W-29J02	08/26/99	565	329	39	15	47	1.6	66	14	. <del></del>	2.67 as N
	08/22/00	562	337	39	15	47	1.5	65	14		2.70 as N
	08/21/01	574	351	40	15	50	1.6	70	15		2.63 as N
	08/21/02	554	345	41	16	50	1.8	68	14		2.93 as N
	08/12/03	592	372	45.4	16.6	54.2	1.65	78.2	15.4		2.41 as N
	08/19/04	598	362	48.8	16.9		1.88	80	17		3.06 as N
8S/2W-29J03	08/02/06	532	337	40.3	13.2	43.1	1.34	44.8	17.5	152	8.48 as N

^{* -} Alkalinity as CaC03 E - estimated

TABLE D-5

## SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON INDIAN RESERVATIONS**

Total **Specific** Dissolved Chemical Constituents - mg/l Site Date Conductance Solids Mg K SO4 HCO3* NO3 Location Sampled umhos (mg/l)Ca Na Pechanga Indian Reservation (Continued) .47 as N 8S/2W-34B04 10/05/89 617 371 51 8.2 67 1 58 30 192 .50 as N 07/26/90 605 341 50 8 65 1 31 194 .87 as N 185 07/18/91 27 564 339 46 7.4 67 53 07/27/93 267 170 18 2.8 34 0.5 14 9.7 96 1.10 as N .35 as N 8S/2W-35D01 08/03/89 660 358 43 5.5 1.2 78 35 169 07/26/90 669 384 41 4.9 92 1.5 82 36 176 .40 as N .39 as N 175 07/17/91 641 371 40 4.4 98 1.7 81 36 07/27/93 638 374 49 5.9 79 1.8 71 27 199 .34 as N .16 as N 08/16/94 30 29 163 601 334 3.2 95 1.5 71 08/30/95 587 322 33 4 81 1.5 68 25 178 .11 as N 72 29 167 .10 as N 08/27/96 596 352 28 3.3 92 1.4

^{* -} Alkalinity as CaC03

TABLE D-5

#### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents - m	ng/l	
Location	Sampled		(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3*	NO3
Cahuilla Indian R	teservation										
7S/2E14M01	12/14/83	1220	708	130	40	45	11	53	390	98	0.04 as N
7S/2E-23H01	05/18/06	428	288	39.6	5.7	33.7	3.1	31	14		8.26 as N
7S/2E-23Q01	05/18/06	245	160	15.6	2.55	26.6	2.5	29.5	5.4	***	1.07 as N
7S/2E-26B03	07/11/07	296	197	23.7	3.04	31	2.94	33.9	7.64	76	1.79 as N
7S/2E-33N1	08/02/89	355	206	16	2.1	53	3.5	48	15	78	.73 as N
7S/2E-36J01	02/03/84	<del></del>	252	43	4.4	36	4.8	32	5.4		3.40 as N
7S-3E-14P03	08/10/05	1080	741	113	42.4	70	9.7	66.8	296		.15 as N
7S-3E-20J05	08/23/07	753	466	49.4	7.09	89.2	3.19	87.9	83.6	110	6.88 as N
7S/3E-21L01	05/27/53 08/02/89 08/01/90	1050	 675 610	66 90 87	20 19 18	70 100 100	3.5 3.4	67 84 85	76 190 180	216 217	3.1 as N 3.0 as N
	07/17/91 08/23/07	995 1040	636 677	93 96.1	18 20.2	100 90.9	3.7 3.67	95 96.2	180 169		2.5 as N 3.42 as N
7S/3E-31L02	02/03/84		184	23	4.8	24	2.9	24	0		2.0 as N
7S/3E-31N01	07/27/84	684	412	69	12	37		75	12	!	
7S/3E-34E01	07/07/76 09/22/77 07/19/78 06/28/79 07/02/80		  190 	25 25 26 26 26	4.6 4.9 5.1 5 4.9	21 23 22 22 23	4.2 4.4 4.5 4.3 4.7	26 25 24 24 28		 5	4.0 as N  3.7 as N  3.7 as N
	07/02/80 07/08/81 06/29/82 08/10/83 08/21/84	309 311 306 319		27 27 27 30	5 5.3 5 5.3	23 27 23 24	4.7 4.9 4.8 4.3	26 27 29 29	7.7 10 7.7 7.2	81 88 90 92	4.1 as N 4.0 as N 3.8 as N 3.7 as N
	08/01/85	321		28	5.2	24	4.6	29	7.0	86	3.5 as N

^{* -} Alkalinity as CaC03

TABLE D-5

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

Site	Date	Specific Conductance	Total Dissolved Solids			Che	mical C	onstitue	ents - n	ng/l	
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3*	NO3
Cahuilla Indian F	Reservation (Co	ontinued)									
7S/3E-34E01	08/14/87	332	207	29	5.6	25	4.8	28	8.0	96	3.5 as N
	07/20/89	338	204	30	5.6	26	5.0	29	7.0	98	3.3 as N
	07/31/91	337	109	31	5.5	25	4.5	31	6.3	99	3.5 as N
	07/16/91	335	209	31	5.9	26	4.7	32	6.3	99	3.5 as N
8S/2E-4P01	01/21/86	1870		190	54	64	7.9	480	13	136	4.0 as N
	05/18/06	794	441	59.8	19.3	44.1	4.44	101	10.4		5.45 as N
8S/3E-2A01	02/05/86	591		54	11	43	3.2	93	21	103	3.4 as N
8S/3E-2D01	07/08/81	293	***	17	2.2	39	1.7	30	8.8	68	2.5 as N
	07/24/85	279		11	1.2	42	1.5	28	8		2.1 as N
8S/3E-2E01	12/07/50		## ##	30	10	53	***	50	14		41-92 AN
	11/15/51			38	8	43		50	6		
	05/27/76			39	9.4	32	2.2	49	12		4.9 as N
	09/22/77		280	39	9.6	33	2.6	42	8.4		
	07/19/78			42	10	36	2.4	57	13		5.7 as N
	06/28/79		284	40	9	32	2.8	42	9		
	07/02/80			34	6.5	22	2.4	27	7.4		0
	07/08/81	296		33	4.8	19	1.9	36	1	61	2.0 as N
	06/29/82	494		43	9.7	41	3	54	14	127	5.7 as N
	07/26/83	427	~~~	40	9.6	32	3	42	9.7		4.8 as N
	08/21/84	428		42	9.3	32	2.9	39	9.6	129	4.7 as N
	08/13/87	428	276	39	9.4	32	3.2	37	9.6	129	4.6 as N
	08/10/05	424	283	42.4	10.2	33.6	3.4	.39.9	9.14		4.88 as N
8S/3E-2K01	09/22/77			43	10	48	3.2	65	18		
	07/19/78			42	9.8	48	3.4	68	17		3.7 as N
	06/28/79		342	46	10	46	3.1	69	19		
	07/02/80			64	12	92	2.7	140	48		4.1 as N
	06/29/82	454	***	41	10	38	3.7	46	13	129	3.6 as N
	08/10/83	435		39	9.5	32	3.6	43	13	133	3.6 as N
	08/21/84	561		50	11	48	3.1	68	27		4.0 as N
	08/01/85	472	gar han man	41	9.7	34	3.4	48	15		3.7 as N
	08/13/87	451	282	40	9.9	31	3.4	41	16		3.6 as N
	07/20/89	531	323	46	11	41	3.4	60	22		3.6 as N
	08/01/90	508	310	46	11	38	3.3	60	19		3.8 as N
	07/16/91	522	306	50	10	39	3.3	61	21	139	3.7 as N

^{* -} Alkalinity as CaC03

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

#### Total

Location   Sampled   umhos   (mg/l)   Ca   Mg   Na   K   Cl   SO4   HCO3   NO3	Site	Date	Specific Conductance	Dissolved Solids			Che	mical	Consti	tuents	s - mg/l	
10S/SW-26C1					Ca	Mg	Na		CI	SO4	HCO3	NO3
0764 1217 734 79.2 27.8 144.0 1.6 180 150.0 248.9	10S/5W-26C1	10/60	1060	639	66.5	24.0	116.0		160	110.0	264.0	trace
05/65	(Bldg 220001)		1190	718	60.0	33.2		3.8	190			1.4
01/66			1217		79.2	27.8	144.0		180			
06 66			1485									
01/67												
08/67 880 99.2 38.1 156.0 3.6 160 230.0 322.1 5.3 02/68 768 65.6 6.0 3.2 156.0 3.6 160 02/68 88.0 02/68 852 66.0 3.2 0 162.0 3.2 166.0 164.0 236.7 0 0 11/69 852 66.0 32.0 162.0 3.2 166.0 210.0 249.0 0 11/69 87.0 31.0 140.0 3.6 164 180.0 262.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												
02/68												
04/69												
11/99												
07770												
12/70												
09/71												
05/72												
10/72												
10/73												
02/76												
09/76												
03/77												
10/78				651	67.0	28.0	173.0	3.1	128	160.0	254.0	4.4 as N
10/80				694	70.0	25.0	120.0	3.5	139	145.0	253.8	<1 as N
04/81 1160 737 82.4 22.4 126.0 3.6 140 134.0 268.4 <0.5 as N 11/81 1300 863 97.6 31.5 169.0 2.2 204 209.0 248.9 0.8 as N 11/81 950 573 74.0 18.3 120.0 2.1 144 130.0 224.5 0.3 as N 05/82 1100 663 80.8 26.6 140.0 1.5 181 138.0 268.4 <0.5 as N 05/82 1100 663 80.8 26.6 140.0 1.5 181 138.0 268.4 <0.5 as N 03/83 1000 603 84.0 20.5 144.0 3.2 152 143.0 273.3 <0.5 as N 05/84 1150 694 80.0 27.6 126.0 3.1 133 150.0 283.0 0.2 as N 06/85 1100 680 89.0 26.0 140.0 3.0 150 64.0 440.0 <0.4   09/85 1242 724 78.0 28.0 122.0 6.0 154 149.1 244.4 <0.4   05/86 1387 750 85.2 29.1 130.7 4.3 166 130.8 242.6 <1   06/89 1302 734 78.1 23.0 85.9 136 145.0 212.0 <0.4   01/91 1271 81.0 36.1 152.0 166 <0.04   06/91 1290 752 99.0 32.4 133.0 166 130.8 242.6 <1   06/93 1290 764 68.3 27.5 149.0 159 135.0 279.0 <0.4   06/93 1290 764 68.3 27.5 149.0 168 130.0 265.0 <0.4   03/94 1210 783 100.0 37.1 100.0 145 167.0 2.2   08/94 1160 741 87.5 35.5 96.1 141 187.0 2.2   08/94 1160 741 87.5 35.5 96.1 141 187.0 4.23   06/96 1300 764 91.0 33.0 130.0 167 136.0 252.0 06/96 1300 764 91.0 33.0 130.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <2.0 151 148.0 292.0 <2 as N  12/97 1210 790 81.0 29.0 130.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <2.0 151 148.0 292.0 <2 as N  12/97 1210 790 81.0 29.0 130.0 130.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <2.0 151 148.0 292.0 <2 as N  12/97 1210 790 81.0 29.0 140.0 3.0 155 156.0 240.0 ND  04/98 1200 790 81.0 29.0 140.0 3.0 165 156.0 240.0 ND  04/98 1200 790 81.0 29.0 140.0 3.0 165 156.0 240.0 ND  04/98 1220 769 88.0 30.0 127.0 3.0 160 140.0 281.0 ND  04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND		06/79	1100	663	72.0	27.3	125.0	3.0	134	142.0	258.6	
11/81		10/80	1200	693	78.8	23.7	136.0	3.3	172	136.0		
11/81 950 573 74.0 18.3 120.0 2.1 144 130.0 224.5 0.3 as N 05/82 1100 663 80.8 26.6 140.0 1.5 181 138.0 268.4 <0.5 as N 03/83 1000 603 84.0 20.5 144.0 3.2 152 143.0 273.3 <0.5 as N 05/84 1150 694 80.0 27.6 126.0 3.1 133 150.0 283.0 0.2 as N 06/85 1100 680 89.0 26.0 140.0 3.0 150 64.0 440.0 <0.4 09/85 1242 724 78.0 28.0 122.0 6.0 154 149.1 244.4 <0.4 05/86 1387 750 85.2 29.1 130.7 4.3 166 130.8 242.6 <1 06/89 1302 734 78.1 23.0 85.9 136 145.0 212.0 <0.4 01/91 1271 81.0 36.1 152.0 166 13.0 237.0 <0.4 03/92 1210 792 99.0 32.4 133.0 167 136.0 237.0 <0.4 03/92 1210 792 99.0 32.4 133.0 167 136.0 237.0 <0.4 03/92 1210 792 91.0 29.8 146.0 159 135.0 279.0 <0.4 03/94 1210 783 100.0 37.1 100.0 145 167.0 2.2 08/94 1160 741 87.5 35.5 96.1 141 187.0 4.2 08/94 1160 741 87.5 35.5 96.1 141 187.0 4.2 08/94 1160 741 87.5 35.5 96.1 141 187.0 4.2 08/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 764 91.0 33.0 140.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <2.0 151 148.0 292.0 <2 as N 12/97 1200 690 81.0 29.0 140.0 3.0 165 156.0 240.0 ND 04/98 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND 04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND												
05/82         1100         663         80.8         26.6         140.0         1.5         181         138.0         268.4         <0.5 as N						31.5						
03/83         1000         603         84.0         20.5         144.0         3.2         152         143.0         273.3         <0.5 as N												
05/84         1150         694         80.0         27.6         126.0         3.1         133         150.0         283.0         0.2 as N           06/85         1100         680         89.0         26.0         140.0         3.0         150         64.0         440.0         <0.4												
06/85         1100         680         89.0         26.0         140.0         3.0         150         64.0         440.0         <0.4												
09/85         1242         724         78.0         28.0         122.0         6.0         154         149.1         244.4         <0.4           05/86         1387         750         85.2         29.1         130.7         4.3         166         130.8         242.6         <1												
05/86         1387         750         85.2         29.1         130.7         4.3         166         130.8         242.6         <1           06/89         1302         734         78.1         23.0         85.9          136         145.0         212.0         <0.4												
06/89         1302         734         78.1         23.0         85.9          136         145.0         212.0         <0.4           01/91         1271          81.0         36.1         152.0          166           <0.04												
01/91       1271        81.0       36.1       152.0        166         <0.04												
06/91         1290         752         99.0         32.4         133.0          167         136.0         237.0         <0.4												
03/92 1210 792 91.0 29.8 146.0 159 135.0 279.0 <0.4 06/93 1290 764 68.3 27.5 149.0 168 130.0 265.0 <0.4 03/94 1210 783 100.0 37.1 100.0 145 167.0 2.2 08/94 1160 741 87.5 35.5 96.1 141 187.0 4.23 06/95 1330 806 97.7 37.4 142.0 207 166.0 <0.04 01/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 751 93.0 30.0 130.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <2.0 151 148.0 292.0 <2 as N 12/97 1200 690 81.0 29.0 140.0 3.0 155 150.0 250.0 ND 04/98 1200 790 83.0 31.0 101.0 3.0 165 156.0 240.0 ND 06/98 1230 714 85.0 30.0 136.0 3.0 163 158.0 29.3 ND 02/99 1250 731 84.0 29.0 127.0 3.0 168 160.0 317.0 ND												
06/93         1290         764         68.3         27.5         149.0          168         130.0         265.0         <0.4           03/94         1210         783         100.0         37.1         100.0          145         167.0          2.2           08/94         1160         741         87.5         35.5         96.1          141         187.0          4.23           06/95         1330         806         97.7         37.4         142.0          207         166.0          <0.04												
03/94 1210 783 100.0 37.1 100.0 145 167.0 2.2 08/94 1160 741 87.5 35.5 96.1 141 187.0 4.23 06/95 1330 806 97.7 37.4 142.0 207 166.0 <0.04 01/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 751 93.0 30.0 130.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <0.07 151 148.0 292.0 <0.07 151 148.0 292.0 <0.07 151 12/97 1200 690 81.0 29.0 140.0 3.0 155 150.0 250.0 ND 04/98 1200 790 83.0 31.0 101.0 3.0 165 156.0 240.0 ND 06/98 1230 714 85.0 30.0 136.0 3.0 163 158.0 293.0 ND 06/99 1250 731 84.0 29.0 127.0 3.0 168 160.0 317.0 ND 04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND												
08/94         1160         741         87.5         35.5         96.1          141         187.0          4.23           06/95         1330         806         97.7         37.4         142.0          207         166.0          <0.04												2.2
06/95     1330     806     97.7     37.4     142.0      207     166.0      <0.04												4.23
01/96 1300 764 91.0 33.0 140.0 177 142.0 363.0 06/96 1300 751 93.0 30.0 130.0 164 156.0 252.0 06/97 1215 758 88.0 29.0 130.0 <2.0 151 148.0 292.0 <2 as N 12/97 1200 690 81.0 29.0 140.0 3.0 155 150.0 250.0 ND 04/98 1200 790 83.0 31.0 101.0 3.0 165 156.0 240.0 ND 06/98 1230 714 85.0 30.0 136.0 3.0 163 158.0 293.0 ND 02/99 1250 731 84.0 29.0 127.0 3.0 160 140.0 281.0 ND 04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND												< 0.04
06/96     1300     751     93.0     30.0     130.0      164     156.0     252.0        06/97     1215     758     88.0     29.0     130.0     <2.0												
12/97     1200     690     81.0     29.0     140.0     3.0     155     150.0     250.0     ND       04/98     1200     790     83.0     31.0     101.0     3.0     165     156.0     240.0     ND       06/98     1230     714     85.0     30.0     136.0     3.0     163     158.0     293.0     ND       02/99     1250     731     84.0     29.0     127.0     3.0     160     140.0     281.0     ND       04/99     1220     769     88.0     30.0     127.0     3.0     168     160.0     317.0     ND									164	156.0	252.0	
04/98     1200     790     83.0     31.0     101.0     3.0     165     156.0     240.0     ND       06/98     1230     714     85.0     30.0     136.0     3.0     163     158.0     293.0     ND       02/99     1250     731     84.0     29.0     127.0     3.0     160     140.0     281.0     ND       04/99     1220     769     88.0     30.0     127.0     3.0     168     160.0     317.0     ND			1215	758	88.0	29.0	130.0	<2.0	151			<2 as N
06/98 1230 714 85.0 30.0 136.0 3.0 163 158.0 293.0 ND 02/99 1250 731 84.0 29.0 127.0 3.0 160 140.0 281.0 ND 04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND			1200		81.0	29.0						ND
02/99 1250 731 84.0 29.0 127.0 3.0 160 140.0 281.0 ND 04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND			1200		83.0	31.0						ND
04/99 1220 769 88.0 30.0 127.0 3.0 168 160.0 317.0 ND												ND
												ND
05/01 1300 794 98.0 36.0 130.0 3.0 173 179.0 317.0 ND												
		05/01	1300	794	98.0	36.0	130.0	3.0	173	179.0	317.0	ND

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Date	Specific Conductance	Total Dissolved Solids			Che	mical	Consti	tuents	- mg/l	
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
10S/5W-18M5	06/89	1156	688	74.6	24.4	67.9		130	138.0		8.9
(Bldg 23073)	01/90	1120	630	86.4	32.3	101.0		156	166.0		<0.05
(Previously	04/90	1160	720	98.8	34.8	107.0		152	146.0		1.4
reported as	01/91	1202	700	84.1	40.5	117.0		162			<0.04
10S/4W-18M4)	06/91	1180	736	102.0	37.1	106.0		163	138.0		<0.4 0.89
	03/94 08/94	1020 1110	658	69.6	27.8 32.2	104.0 178.0		135 144	140.0 157.0		<0.44
	06/95	1170	684 679	81.4 95.3	35.2	113.0		144	116.0		13.8
	06/96	1100	682	86.0	32.0	95.0		155			<0.0
	02/97	1180	640	79.0	32.0	110.0		142			<2 as N
	06/97	1117	709	85.0	33.0	110.0	<5.0	150			<2 as N
	12/97	1100	700	82.0	33.0	110.0	3.0	141	157.0		ND
	03/98	1100	710	83.0	33.0	100.0	3.0	182			ND
	06/98	1200	720	85.0	34.0	119.0	4.0	159	154.0	281.0	ND
	02/99	1020	613	70.0	30.0	85.0	4.0	130	85.0	179.0	8
	05/00	1020	709	81.0	33.0	94.0	4.0	146	149.0	220.0	ND
	08/00	1160	728	83.0	33.0	89.0	4.0	161	178.0	232.0	ND
	02/01	1200	736	85.0	35.0	116.0	4.0	164	180.0		0.7
	04/01	1200	606	85.0	34.0	112.0	4.0	154			ND
	09/01	1250	761	90.0	37.0	115.0	4.0	166			ND
	11/01	1290	737	91.0	37.0	118.0	3.0	181	207.0		0
	02/02		781	89.0	36.0	123.0	4.6	170			1.3
	04/02		755	90.0	37.0	116.0	4.1	175			1
	05/02		750	92.0	38.0	110.0	4.0	157			0.6
	07/02		753	90.0	37.0	114.0	4.0	171	196.0		0
	01/03	1350	816	96.0	40.0	131.0	4.6	160			0
	04/03 10/03	1210 1290	738 752	95.0	27.0 37.0	118.0 134.0	3.9 5.0	175 167			0
	01/04	1230	752 717	91.0 93.0	38.0	111.0	6.0	159			0
	04/04	1280	717	82.0	36.0	112.0	6.0	168			2.2
	07/04	1080	739	88.0	37.0	92.0	7.0	156			0
	11/04	1230	563	91.0	38.0	124.0	4.8	172			ō
	01/05		687	96.0	39.0	124.0	4.0	172			Õ
	04/07	1240	770	98.0	40.0	100.0	3.8	160			0
	04/08	1370	908	100	42	110	3.7	180			<2
	04/09	1300	800	97	39	120	3.7	140			8.7
	8/11/10	1300	780	97	39	110	3.6	180	220		<2
	4/22/11	1300	810	90	37	110	3.6	170			<2
	4/20/12	1200	810	94	38	120	3.8	160	220		2.0
	4/18/13	1200	780	88	37	100	3.9	160			<2
	3/18/15	1400	890	100	42	130	3.7	170	240	240	<2

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Specific Dissolved Chem Site Date Conductance Solids							hemical Constituents - mg/l						
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3		
***************************************	* ************		MA ME SEC 100 NO 100 ON AN AN AN AN AN AN AN AN	m		***************************************							
10S/5W-23J1	05/56	1090	685	61.5	24.3	142.0		142	110.0	293.0	0.06		
(Bldg 2301)	12/56	1060	666	67.0	27.0	96.0		124	85.0	274.0			
(Replaced by Well	12/57	***	780	66.3	23.9	159.0		138	155.0	308.0	10.6		
23001)	05/59	1100	691	75.2	25.3	112.0		136	152.0	297.7			
	01/60	1120	704	72.7	27.3	116.5		112	144.0	291.0			
	10/60	1045	657	63.2	21.4	99.0	3.6	140	112.0	242.0	0		
	05/61 05/62	1280	770	76.0	36.5	136.0	3.0	124	195.0	299.6 275.7	0		
	01/63	1133 1111	712 698	68.8 72.0	30.3 35.1	136.0 127.0	2.0 2.8	128 128	175.0 199.0	275.7 268.4			
	06/63	1108	696	78.4	25.4	118.0	2.9	148	130.0	258.6	0 as N		
	07/64	1165	732	74.4	27.8	128.0	1.2	139	160.0	268.4	0 as 14		
	05/65	1130	710	80.0	26.4	145.0	2.1	148	120.0	268.4	0.14		
	01/66	1100	736	88.0	18.1	142.0	2.8	124	155.0	263.5	1.8		
	06/66	***	736	75.2	29.3	138.0	2.7	145	175.0	295.2	4.8		
	01/67	***	744	76.8	25.9	118.0	3.0	136	125.0	287.9	2.2		
	08/67	***	680	70.4	28.3	128.0	2.3	140	100.0	292.8	8.4		
	02/68		660	48.0	19.5	130.0	2.8	124	119.0	234.0	6.1		
	04/69		708	70.0	28.0	126.0	2.5	128	170.0	278.0	0		
	11/69		684	73.0	28.0	126.0	2.8	138	165.0	273.0	0		
	05/70		716	74.0	25.0	122.0	0.1	134	170.0	210.0	4.4		
	12/70	1090	385	78.0	25.0	126.0	2.6	142	170.0	250.0	3.1		
	09/71	1025	644	75.0	38.0	120.0	2.7	124	190.0	229.0	0.9		
	05/72	1050	660	75.0	21.0	124.0	2.3	124	155.0	244.0	2.2		
	10/73	1140	716	74.0	22.0	128.0	2.8	136	160.0	220.0	0.5 as N		
	06/74	1060	680	74.0	13.0	131.0	2.9	158 119	138.0 170.0	220.0 248.9	0.01 as N 2.0 as N		
	02/76 09/76	1050 1100	660 691	73.6 58.0	25.4 32.0	136.0 146.0	2.9 2.6	140	148.0	321.8	2.6 as N		
	03/77	1080	679	69.0	29.0	110.0	3.0	128	155.0	259.0	4.3 as N		
	01/78	1100	691	70.0	23.0	147.0	3.0	140	135.0	259.0	4.4 as N		
	10/78	1150	723	74.0	22.0	120.0	2.9	134	149.0	248.9	<1 as N		
	04/79	1000	628	70.4	22.4	118.0	2.6	122	138.0	239.1	<1 as N		
	10/80	1150	745	74.0	22.5	128.0	3.0	152	138.0	239.1	0.2 as N		
	05/81	1020	580	67.2	17.3	116.0	3.1	132	111.0	205.0	<0.5 as N		
	03/83	900	599	65.6	19.5	129.0	2.8	136	129.0	234.2	<0.5 as N		
	12/83	1000	628	72.4	22.4	127.0	2.6	140	150.0	249.0	<0.1 as N		
	05/84	1100	691	78.8	25.9	120.0	2.8	130	150.0	254.0	0.2 as N		
	06/85		691	59.0	26.0	130.0	3.0	140	70.0	440.0	3.5		
	09/85		705	66.0	26.0	110.0	6.0	150	144.0	226.6	<0.4		
	06/89	1139	662	71.5	21.7	80.8		117	128.0	209.0	<0.4		
	01/90	1150	632	90.6	32.4	102.0		160	170.0		< 0.5		
	01/91	1112		73.7	32.0	128.0		136	136.0		<0.04		
	06/91	1090	662	87.4	29.7	117.0		140	121.0		<0.4		
	03/92 03/93	1080 1210	644 674	74.2	25.8	133.0 117.0		127 127	118.0 124.0		1.3 <0.4		
	06/93	1210 1090	674 670	72.8 63.9	24.5 25.7	117.0		127	124.0		<0.4		
	03/94	1120	683	73.9	25.7	121.0		141	130.0		<0.4		
	03/84	1120	003	13.8	21.0	121.0		1+1	150.0		~U. <del>4</del>		

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Specific Dissolved Chemical Constituents - mg/l te Date Conductance Solids										
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	НСО3	NO3
10S/5W-23J1	08/94	1160	707	78.9	28.2	129.0		139	153.0		<0.44
(Bldg 2301)	06/95	1160	742	88.2	28.8	131.0		165			< 0.04
(Replaced by Well	01/96	1300	690	79.0	29.0	140.0		147	131.0	292.0	
23001)	06/96	1020	674	82.0	29.0	120.0		134	129.0		
(Cont)	02/97	1100	650	74.0	27.0	150.0		126			<2 as N
	03/97	1073	630	77.0	28.0	130.0		142			<2 as N
	02/99	1180	647	75.0	27.0	125.0	3.0	150			ND
	04/99	1240	722	81.0	30.0	124.0	3.0	157			ND ND
	08/99	1180	735	79.0	29.0	120.0	3.0 3.0	190 100			ND
	12/99 02/00	1190 1110	699 723	83.0 81.0	30.0 30.0	118.0 116.0	3.0	90			ND
	05/00	1070	714	81.0	29.0	115.0	3.0	170			ND
	08/00	1200	735	80.0	29.0	117.0	3.0	150			ND
	02/01	1230	730	84.0	31.0	132.0		158			ND
	04/01	1190	636	81.0	30.0	123.0	3.0	146			ND
	09/01	1300	751	88.0	32.0	132.0	3.0	155			ND
	10/01	1380	757	88.0	33.0	133.0	3.0	152		311.0	ND
	02/02	1220	724	86.0	31.0	124.0	2.6	146	156.0	293.0	ND
	04/02	1210	726	89.0	32.0	124.0	2.8	151	162.0		
	07/02	1280	735	85.0	31.0	129.0	3.1	155			ND
	10/02		701	87.0	31.0	141.0	2.9	157			ND
	01/03		760	88.0	32.0	139.0	3.5	146			ND
	02/03			68.0	32.0	139.0	3.5	450			ND
	04/03		708	87.0	32.0	127.0	2.8	158			0 as N
	10/03		696 678	82.0 87.0	30.0 31.0	144.0 121.0	3.0 4.0	167 151			0 as N
	01/04 04/04		697	82.0	31.0	121.0	4.0	151			0 as N
	07/04		702	87.0	31.0	98.0	5.0	138			0 as N
	10/04		879	89.0	31.0	102.0	5.0	158			0 as N
	02/05		704	88.0	31.0	134.0	3.1	157			0 as N
	04/05		755	88.0	30.0	121.0	2.7	132			0 as N
	07/05		725	83.0	29.0	117.0	2.8	153		- 206.0	0 as N
	04/07		708	89.0	32.0	120.0	2.6	150	170.0		0
	04/08	1210	718	90	32	100	2.5	150			<2
	04/09		720	90	32	110	2.6	130			<2
	04/14/10		740	92		120	2.6	150			<2
	04/22/11	1200	770	90	32	110	2.6	160			<2 <2
	04/20/12		790	96		120	2.9	160			<2
	05/02/13	1200	790	93	34	120	2.8	160	190	240	~2
10S/5W-23J8	06/11/14	1300	810	100	35	120	2.7	160	200	250	<2
(Bldg 23001)	03/13/15		820	98		120	2.9	160			<2
(2.09 20001)	00/10/10	1200	<b>5</b> 5								
10S/4W-18E3	06/89	1166	758	80.5		67.4		132			9.5
(Bldg 230093)	01/90		748	97.4		106.0		178			<0.05
•	04/90		733	99.6		112.0		159			2.5
	06/91		680	97.6		100.0		139			2.7
	02/94		731	83.3		104.0		142			11.1
	08/94		725	84.3		102.0		147			1 14
	06/95	932	636	75.4	29.1	86.6		102	2 140	0	14

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Date	Specific Conductance	Dissolved Solids								
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
10S/4W-18E3	06/96	1117	710	92.0	36.0	93.0		180	297	206.0	***
(Bldg 230093)	02/97	1100	686	89.0	38.0	110.0		157	166		<2 as N
(Cont)	03/97	1116	673	87.0	36.0	110.0		147	113		<2 as N
	06/97	1131	779	90.0	37.0	99.0	<5.0	151	177		<2 as N
	09/98	1160	727	83.0	36.0	90.0	3.0	160			ND
	10/99	1200	325	88.0	39.0	117.0	4.0	130			ND ND
	02/00	1100	739 717	84.0 80.0	37.0 35.0	100.0 96.0	4.0 4.0	130 168			2
	05/00 02/01	1030 1360	717 798	97.0	44.0	111.0	4.0	184	212		ND
	04/01	1310	728	94.0	42.0	114.0	4.0	168			ND
	09/01	1330	791	96.0	42.0	115.0	4.0	173			1
	03/02	1320	778	102.0	44.0	123.0	4.4	196			1
	04/02		808	101.0	44.0	117.0	4.0	183			1.1
	07/02		778	96.0	42.0	114.0	3.7	180	214	209.0	ND
	10/02	1360	763	97.0	41.0	126.0	4.0	180	207	214.0	ND
	01/03	1290	749	96.0	40.0	116.0	3.7	172			ND
	04/03	1210	783	99.0	42.0	129.0	3.9	176			1.3
	10/03	1320	775	97.0	41.0	126.0	5.0	168			0
	01/04	1270	763	101.0	42.0	106.0	6.0	162			0
	04/04	1320	781 784	96.0	43.0 43.0	105.0 89.0	6.0 6.0	179 169			0
	07/04 10/04	1370 1300	764 857	100.0 99.0	42.0	88.0	6.0	188			0
	01/05		760	99.0	42.0	115.0	4.3	170			2.7
	07/05		724	89.0	36.0	91.0	3.5	133			0 as N
	11/05		815	101.0	40.0	113.0	4.1	153			0 as N
	04/06		832	110.0	44.0	120.0	3.8	180		220.0	0 as N
	04/07	1298	806	100.0	45.0	110.0	3.7	180	247	230.0	0
	04/08		816	92	40	100	3.4	150			4.7
	04/09	1300	840	100	43	120	3.8	150			<2
	04/28/10	1200	700	83	36	99	3.4	140			2.8
	07/27/11	1200	810	88	39	98	3.4	160			4.3
	04/25/12		830	95	42	100	4.0	170			<2 <2
	05/08/13	1300	800	88	37 41	120	3.6 3.5	170 170			<2
	06/24/14 03/16/15	1300 1300	820 810	95 86	38	120 120	3.9	170			<2
10S/4W-7R2	06/89	1281	765	76.5	25.1	82.4		149	153	209.0	10.3
(Bldg 260003)	04/89	1270	788	104.0	36.5	126.0		173	161		2.6
, -	06/91	1400	836	111.0	41.1	130.0		195	155	215.0	0.04
	02/94	1260	738	83.3	32.0	131.0		169			<0.04
	08/94	1260	738	84.3	33.7	129.0		166			<0.44
	06/95		897	93.6	35.2	129.0	***	202			0.69
	02/97		720	84	36	130		150			<1 as N
	03/97		708	83	35	130	 0	152			<2 as N
	06/97		831	94	34	120	<5.0	185			<2 as N
	12/97		700 700	84 84	36 36	120 120	3.0 3.0	150 150			ND ND
	12/97 03/98		700 780	84 85	36	110	3.0	187			ND
	06/98		734	83	35	110	3.0	160			ND
	02/99		663	76	32	102	3.0	150			ND

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Total Specific Dissolved Chemical Constituents - mg/l Date Conductance Solids										
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3
10S/4W-7R2	08/99	1120	727	76	33	99	3.0	156	230	281	ND
(Bldg 260003)	10/99	1130	660	78	33	120	3.0	110			ND
(Cont)	02/00	1030	592	79	35	96	3.0	120			ND
, ,	05/00	1010	699	76	33	96	3.0	129			ND
	08/00	1140	720	77	33	87	3.0				ND
	12/02	1120	617	73	32	102	3.6	132			0.4
	01/03	1150	689 717	76 82	34 37	113 122	3.6 4.0	135 164			ND ND
	04/03 05/03	1190 1190	/ 1 /	02		122	4.0	156			ND
	10/03	1250	737	81	37	130	5.0	163			0
	01/04	1240	694	86	39	107	6.0	153			0
	04/04	1320	750	84	40	108	6.0	170	210		0
	07/04	1100	761	92	41	88	7.0	172			0
	10/04	1280	893	93	41	88	6.0	179			0
	02/05	1270	839	99	44	121	5.2	180			0
	04/05	1300	880	98	41	109	3.8	158			0 as N 0 as N
	07/05 11/05	1380 1310	870 865	101 104	43 43	109 115	4.0 3.8	430 164			0 as N
	04/06	1220	810	100	43	110	3.8	170			0 as N
	04/07	1400	856	99	44	110	3.6	170			0
	04/08	1290	888	91	39	100	3.4	160		207	2.6
10S/4W-7R3	04/09	1300	830	100	45	110	4.5	170			<2
(Bldg 260002)	04/13/10	1300	800	100	43	100	3.6	160			<2 <2
	04/13/11 04/25/12	1300 1300	870 860	96 100	42 44	98 110	3.7 3.6	160 170			<2
	04/18/13	1300	840	96	41	100	4.0	180			<2
	04/23/14	1300	830	94	41	110	3.9	170			<2
	03/18/15	1300	850	100	42	120	3.9	160			<2
10S/4W-7H2	08/56	1060	882	78.0	30.0	112.0		150			
(Bldg 260071)	01/60 10/60	820 1300	500	55.2 74.5	14.7 20.5	85.0 126.0	4.3	76 182			
	05/61	1390	793 840	100.0	20.5	170.0	3.3	170			
	05/62	1220	744	70.4	39.0	142.0	2.4	184			
	01/63		740	65.6	26.4	162.0	2.4	166			0.7
	07/63	1100	671	64.0	25.4	118.0	2.7	148			0.0 as N
	01/64	1020	622	70.4	33.2	117.0	2.7	172			3.3
	07/64	1400	854	83.2	27.3	134.0	1.4	164			
	04/65		909	97.6	23.4	152.0	4.7	196			0.9
	01/66 06/66		832 768	102.0 86.4	28.0 26.3	166.0 150.0	3.1 3.1	194 184			6.6 6.9
	01/67		768	72.0	29.3	128.0	3.1	174			6.9
	08/67		608	57.6	24.4	116.0	2.4	132			10.2
	02/68		572	67.2	17.6	105.0	2.4	118			0
	09/68		636	74.0	19.0	112.0	3.0	144			0.4
	04/69		820	72.0	33.0	138.0	2.8	180	140		0.9
	11/69		604	66.0	24.0	116.0	2.8	140			1.8
	05/70	1075	640	65.0	26.0	115.0	2.4	142			3.1
	09/71	1075	656	77.0	24.0	120.0	2.8	144	125	273.0	1.3

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Date	Specific Conductance	Total Dissolved Solids			Chemical Constituents - mg/l					
Location	Sampled	umhos	(mg/l) 	Са	Mg	Na	K	CI	SO4	НСО3	NO3
10S/4W-7H2	05/72	1000	610	46.0	24.0	117.0	2.4	140	130	141.0	0
(Bldg 260071)	10/72	1110	677	88.0	26.0	105.0	3.6	144	126	283.0	3.5
(Cont)	10/73	1120	683	75.0	23.0	118.0	2.7	132	130	200.0	0.6 as N
	06/74	1210	712	72.0	19.0	150.0	3.1	208	112	195.0	0.01 as N
	01/75	850	519	61.0	21.0	93.0	2.4	102	95	212.0	2.3 as N
	02/76	1200	732	91.2	20.5	126.0	3.2	176	130	244.0	2.6 as N 4.2 as N
	09/76	1200	732	48.0	29.0	180.0	2.4	192	123 140	336.7 342.0	4.2 as N
	03/77 01/78	1400 1000	854 610	94.0 66.0	33.0 23.0	158.0 100.0	2.8 2.7	216 128	123	205.0	4.4 as N
	10/78	1300	793	82.0	31.0	134.0	2.7	160	157	258.6	<1 as N
	04/79	1200	793 732	84.8	28.3	144.0	3.1	164	116	312.3	<1 as N
	01/80	1450	885	93.0	30.0	163.0	3.0	196	200	273.0	<1 as N
	10/80	1050	591	70.4	21.7	104.0	3.7	140	125	219.6	2.0 as N
	05/81	1000	645	72.4	21.7	105.0	3.5	128	123	209.8	<0.5 as N
	05/82		811	100.8	35.9	176.0	1.6	269	198	263.5	<0.5 as N
	03/83	890	669	77.2	23.7	95.0	3.4	132	136	209.8	0.65 as N
	12/83	1000	610	70.4	23.7	123.0	2.6	136	150	224.0	0.5 as N
	05/84	1100	671	77.2	24.6	116.0	2.7	133	155	244.0	0.2 as N
	09/84	1300	650	6.6	29.0	120.0	2.6	200	170	250.0	12
	11/84	1100	671	81.6	23.4	124.0	2.7	149	175	249.0	1.2 as N
	05/86	1592	994	104.7	39.7	167.3	4.4	232	167	301.8	<1 as N
	06/89	1137	826	79.1	28.5	85.5		157	158	246.0	12.6
	01/90	1290	772	96.3	38.6	116.0		184	179	252.0	0.9/1.2
	04/90	1320	817	109.0	42.1	128.0		177	167	249.0	5.4
	01/91	401		87.3	44.4	103.1		205	179		1.1
	03/93	1500	824	92.6	33.1	136.0		194	154	277.0	1.8
	03/94	1370	827	103.0	36.4	135.0		163	145		0.9
	08/94	1270	762	91.1	35.5	129.0		162	172		5.64
	06/95		771	100.0	35.8	127.0		197	178		2.8
	06/96		751	96.0	36.0	120.0		162	174	247.0	1.1
	02/97	1300	830	100.0	41.0	150.0		186	161	186.0	<2 as N
	06/97	1323	831	94.0	36.0	140.0	<5.0	158	149	271.0 220.0	2 as N ND
	12/97	1200	670	91.0	36.0	120.0	3.0	150	169	220.0	1.5
	12/97 03/98	1200	710	87.0	35.0 36.0	120.0 120.0	2.0 3.0	152 201	182 168	240.0	ND
	06/98		810 830	89.0 91.0	36.0	140.0	2.0	185	150	366.0	ND
	02/99		663	75.0	31.0	106.0	3.0	150	150	238.0	5
	05/99		711	75.0	32.0	85.0	4.0	150	180	268.0	ND
	08/99		692	74.0	30.0	94.0	2.0	100	400	207.0	ND
	10/99		757	86.0	35.0	120.0	3.0	154	100	295.0	3
	08/00		766	83.0	33.0	89.0	2.0	184	150	323.0	ND
	02/01	1140	707	85.0	35.0	107.0	2.0	152		232.0	4.9
			, 51								
	04/01	1190	718	88.0	37.0	112.0	3.0	153	193	218.0	5
	04/01 09/01	1190 1200	718 729	88.0 89.0	37.0 38.0	112.0 106.0	3.0 3.0	153 158	193 192		5 4.6

### SANTA MARGARITA RIVER WATERSHED

### WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Site	Date	Specific Conductance	Total Dissolved Solids		Chemical Constituents - m						
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3	NO3
10S/4W-7H2	02/02	1190	726	94.0	39.0	106.0	2.7	147	184		5.9 6.6
(Bldg 260071) (Cont)	04/02 07/02	1190 1200	724 755	91.0 88.0	38.0 37.0	107.0 107.0	2.9 3.1	153 162	204 201	173.0 180.0	6.6
(Cont)	10/02	1250	733 722	91.0	38.0	99.0	2.6	150	197	177	6.2
	01/03	1260	781	95.0	39.0	119.0	3.2	144	204		4.5
	04/03	1310	776	93.0	38.0	125.0	3.0	178	217	185	4.1
	04/04	1660	890	112.0	47.0	143.0	4.0	208	162	370	ND
	07/04	1460	785	98.0	38.0	109.0	4.0	186	191	275	3.4
	05/06	1380	870	100.0	41.0	110.0	2.3	180	240		3.0
	04/07	1300	812	99.0	41.0	110.0	2.5	160	230		5.2
	04/09	1300	830	100	43	110	2.9	170	260 230		4.7 4.2
	04/22/10 04/20/11	1300 1400	790 860	100 97	42 42	110 110	2.7 3.2	170 180	250 250		2.4
	04/20/11	1200	840	93	42	110	3.2	160	220		5.1
	04/14/13	1300	830	88	40	100	3.6	160	220		12
	04/28/14	1400	860	93	42	110	3.1	170	220		3.7
	08/13/15	1300	910	100	46	120	3.3	180	260		3
10S/4W-7A2	05/56	920	651	59.0	22.0	100.0		104	94	213.0 207.4	
(Bldg 260073) (Replaced by	05/59 01/60		745 840	52.8 51.2	16.5 17.6	60.3 95.0		84 98	41 92	210.0	
Well 26073)	10/60	870	566	62.0	23.0	80.0	4.2	110	104	234.0	0
Well 20075)	05/61	1180	710	72.0	34.0	114.0	3.3	104	150	227.0	
	05/62	797	518	63.2	23.4	75.0	2.0	100	96	214.7	
	01/63	1195	730	64.0	24.9	157.0	3.1	162	183	220.0	0
	07/63	574	610	57.6	19.5	85.0	2.7	102	100	244.0	0.3 as N
	01/64	760	494	59.2	19.3	82.0	3.3	100	85	253.7	0.5 as N
	07/64	980	637	64.0	21.5	94.0	1.4	100	95	241.6	
	04/65	1230	800	73.3	22.5	106.0	4.5	120	110	248.9	1.3
	01/66	***	448			86.0	2.5	82	75	190.3	9.7
	06/66		540	60.8	21.0	81.0	2.5	102	95	222.0	9.1
	01/67 08/67	***	544 504	60.8	19.5 20.0	88.0 79.0	2.9 2.1	106 96	69 58	229.4 214.7	6.9 8
	02/68		456	54.4 60.8	17.6	86.0	2.7	94	78	222.0	0
	09/68		600	67.0	18.0	90.0	3.0	110	96	232.0	0
	04/69		428	46.0	18.0	73.0		76	90	183.0	3.1
	11/69		476	59.0	18.0	88.0	2.7	98	110	198.0	0.9
	05/70		416	54.0	18.0	79.0	2.6	92	90	151.0	2.9
	12/70	780	507	64.0	16.0	89.0	2.7	100	90	222.0	10.1
	05/72	990	644	77.0	24.0	86.0	2.8	116	135	207.0	0
	10/72	965	627	77.0	27.0	94.0	2.9	104	145	239.0	5.3
	10/73	960	624	72.0	19.0	105.0	2.8	112	140	195.0	0.9 as N
	06/74	950	548	68.0	19.0	101.0	3.1	138 98	102 95	207.0 217.0	0.35 as N 2.2 as N
	.01/75 02/76	840 820	546 533	58.0	22.0 20.5	87.0 76.0	2.7 3.0	106	95 88	217.0	2.2 as N 2.2 as N
	09/76	900	585	68.8 48.0	45.0	98.0	2.3	116	112	258.6	3.0 as N
	03/77	900	585	70.0	23.0	76.0	2.8	123	113	195.0	2.6 as N
	01/78	950	618	64.0	24.0	100.0	2.7	124	108	200.0	4.3 as N
	10/78	1050	683	74.0	20.0	80.0	3.0	113	128	205.0	<1 as N
	04/79	950	618	65.6	19.5	98.0	3.1	109	118	190.3	<1 as N

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

#### Total

Site	Date	Specific Conductance	Dissolved Solids			Che					
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3	NO3
10S/4W-7A2	01/80	1000	650	67.0	23.0	99.0	3.1	128	111	187.0	<1 as N
(Bldg 260073) (Replaced by	10/80 05/81	900 810	546 585	67.2 57.2	20.5 14.4	86.0 83.0	3.4 3.4	108 92	86 84	205.0 180.6	2.3 as N 0.7 as N
Well 26073) (Cont)	11/81 05/82	800 930	451 605	57.2 68.8	16.3 21.5	85.0 97.0	2.0 1.6	92 115	110 96	185.4 205.0	0.5 as N <0.5 as N
	03/83 09/84	900 1000	663 530	78.8 51.0	23.7 23.0	95.0 80.0	3.4 2.9	132 110	135 110	209.8 200.0	0.7 as N 4.2
	11/84 09/85 05/86	850 1007 1051	553 593 623	67.2 66.0 72.6	28.3 26.0 26.5	73.0 64.0 79.5	2.9 5.8 3.5	111 124 131	137 139 124	190.0 180.6 153.6	1.7 as N 6 8.8
	06/89 01/89	1073 1080	688 572	72.6 72.1 91.2	23.9 34.2	59.6 80.2	3.5 	120 151	124 140 178	184 174	15.9 1.4
	04/90 06/91	1130 1190	718 718	111.0 113.0	42.1 40.3	91.0 93.8		148 173	167 180	175	9.1 7.5
	03/93 03/94	1370 1210	708 783	86.9 100.0	32.8 37.1	93.3 100.0		147 145	93.3 167	200	4.9 2.2
	08/94 06/95	1160 1200	741 788	87.5 99.4	35.5 37.5	96.1 101.0		141 173	184 200		4.23 2.9
	06/96 02/97 03/97	1129 1100 1109	739 690 695	91.0 82.0 91.0	37.0 35.0 39.0	90.0 140.0 93.0		188 127 137	312 131 191	206 180 166	<2 as N 2.2 as N
	06/97 12/97	1096 1100	749 690	89.0 84.0	36.0 36.0	90.0 83.0	<5.0 4.0	138 140	178 181		2 as N <.2 as N
	05/99 08/99	1050 1040	648 696	78.0 78.0	32.0 33.0	111.0 84.0	3.0 4.0	171 120	390	207	ND ND
	10/99 02/00	1070 1010	663 559	78.0 83.0	34.0 36.0	90.0 82.0	4.0 4.0	132 140	120 190	220	6 as N 4 as N
	05/00 02/01	972 1200	688 753	80.0 92.0	34.0 40.0	79.0 100.0	4.0 3.0	144 164	167 212	195	4 as N ND
	04/01 09/01 11/01	1210 1200 1220	736 741 750	91.0 93.0 92.0	40.0 41.0 41.0	103.0 98.0 106.0	5.0 4.0 4.0	159 153 170	217 202 228	183	4.2 7.6 8.0
	02/02 04/02	1230	769 793	99.0 101.0	43.0 45.0	101.0 102.0	4.2 4.5	173 170	218 229	195	7.9 8.5
	07/02 10/02	1350	784 788	98.0 102.0	43.0 45.0	103.0 104.0	4.3 4.3	183 175	239 241	159	4.8 3.4
	01/03 04/03	1330 1260	825 721	108.0 90.0	45.0 40.0	121.0 102.0	5.4 4.3	180 170	231 228		2.4 9.9
	10/03 01/04 04/04	1340 1390 1270	791 800 739	94.0 99.0 86.0	41.0 46.0 42.0	121.0 105.0 98.0	6.0 7.0 6.0	180 173 160	268 264 252	136	3 4.1 5.1
	07/04 10/04	1390 1290	739 764 943	97.0 95.0	42.0 45.0 44.0	87.0 84.0	7.0 7.0	176 178	262 262 267	163	3.7 3.6
	01/05 04/05 07/05	1030 1060 1120	610 630 750	76.0 77.0 81.0	35.0 34.0 35.0	93.0 82.0 84.0	3.8 3.2 3.4	136 125 129	194 174	155 139	6.9 2.71 0 as N

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Date	Specific Conductance	Total Dissolved Solids	Chemical Constituents - mg/l								
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3	
10S/4W-7A2	11/05	1170	790	94.7	41.2	97.9	3.7	138	199	156	7.53	
(Bldg 260073)	04/06	1140	704	91.0	39.0	98.0	4.5	150	220		7.3	
(Replaced by	04/07	1200	716	97	44	97	3.7	160	240		4.2	
Well 26073)	04/08	1270	900	98	45	97	3.8	180	260		14	
(Cont)	04/09	1200	780	94	42	100	3.7	130	230		22	
	04/13/10 04/13/11	1300 1200	770 780	93 83	42 38	100 93	3.8 3.5	160 150	240 220		8.7 3.9	
	04/19/12	1300	790 790	92	42	94	3.8	160	240		6.2	
	04/17/13	1200	780	85	40	94	4.3	160	230		2.1	
	04/23/14	1200	770	84	40	93	3.7	150	220		2.8	
	08/24/15	1300	860	90	43	97	3.6	170	240	200	2.3	
10S/5W-23G3	06/91	1160	684	83.4	28.3	125.0		145			<0.04	
(Bldg 33926)	03/92 03/93	1060 1182	674 584	75.9	24.1 21.1	127.0		139	111 101		<0.4 <0.4	
	06/93	1020	623	67.8 60.5	21.1	110.0 116.0		135 125			<0.4	
	03/94	1120	665	80.0	25.0	122.0		129	117		1.8	
	08/94	1150	699	78.7	26.4	125.0		141	118		<0.44	
	06/95	1060	673	75.9	23.1	118.0		158	114		< 0.04	
	01/96	1200	619	71.0	24.0	120.0		139				
	07/96											
10S/5W-23K2 (Bldg 33924)	06/89 04/89	1207 1240	698 728	75.6 100.0	22.8 32.9	84.0		138 158			<0.4 1.3	
(Replaced by	01/91	1193	120	80.6	35.2	129.0 131.0		21	146		<0.04	
Well 3300924	06/91	1160	676	88.1	29.6	118.0		141	129		<0.04	
10S/5W-23G9)	03/92	1130	705	76.7	26.0	126.0		149			< 0.4	
	06/92	1130	717	66.8	26.7	124.0		146			<0.4	
	03/93	1285	331	72.1	23.8	115.0		131			<0.4	
	02/97	1200	780	89.0	32.0	130.0		166			<2 as N	
	03/97 06/97	1230 1231	700 778	94.0 91.0	34.0 31.0	140.0 130.0	<2.0	187 171	162 165		<2 as N <2 as N	
	12/97	1200	710	82.0	30.0	130.0	2.0	156			ND	
	03/98	1200	710	82.0	30.0	110.0	2.0	191	146		ND	
	06/98	1170	658	79.0	28.0	123.0	2.0	157	151	293	ND	
	02/99	1170	698	75.0	27.0	123.0	3.0	160			ND	
	04/99	1210	667	76.0	27.0	118.0	3.0	148			ND	
	08/99	1140	714	79.0	27.0	116.0	3.0	180			ND	
	10/99 02/00	1150 1050	721 619	80.0 82.0	28.0 28.0	131.0 108.0	3.0 3.0	110 100			ND ND	
	05/00	1060	716	80.0	29.0	112.0	3.0	173			ND	
	08/00	1210	722	82.0	29.0	105.0	3.0	162			ND	
	04/01	1210	705	85.0	30.0	130.0	3.0	163		281	ND	
	09/01	1190	672	81.0	30.0	125.0	3.0	152			ND	
	10/01	1200	680	81.0	29.0	143.0	3.0	162			ND	
	02/02	1160	675	80.0	29.0	129.0	3.5	143			ND	
	04/02 07/02	1180 1210	682 706	84.0 80.0	31.0	124.0	2.9	151 156			ND ND	
	10/02	1210	669	83.0	29.0 30.0	127.0 122.0	2.9 2.9	150			8	
	01/03	1320	801	97.0	34.0	140.0	2.8	154			ND	

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Date	Specific Conductance	Dissolved Solids	Chemical Constituents - mg/l								
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3	NO3	
10S/5W-23K2	04/03	1330	743	89.0	32.0	133.0	2.8	165	183	234	ND	
(Bldg 33924)	10/03	1210	712	87.0	31.0	135.0	4.0	155	177		ND	
(Replaced by	04/04	1320	713	85.0	32.0	121.0	5.0	165	167		ND	
Well 3300924 10S/5W-23G9)	07/04 10/04	1070 1230	703 806	89.0 91.0	32.0 33.0	101.0 102.0	5.0 5.0	147 166	173 183		ND ND	
(Cont)	02/05	1310	837	104.0	37.0	136.0	4.2	175	191		0 as N	
(00111)	07/05		750	83.0	29.0	114.0	2.7	139			ND	
	11/05		750	91.9	29.6	119.0	3.1	144	171	225	ND	
	04/06		774	92.0	32.0	120.0	2.8	160	180		ND	
	04/07	1010	706	86.0	29.0	120.0	2.7	150	170		0	
	04/08	1270	792	91	30	110	2.6	160	190		<2 <2	
	04/09 04/15/10	1300 1200	800 740	100 95	34 34	120 120	2.7 2.8	160 150	200 180		<2	
	04/27/11	1200	740	87	29	110	2.7	160	170		<2	
	04/30/12		800	92	32	110	2.6	170	190		<2	
	05/16/13	1200	740	92	32	120	3.0	160	190	220	<2	
10S/5W-23G9	06/12/14		780	90	30	120	2.4	160	190		<2	
(Bldg 330924)	03/13/15	1200	780	94	34	120	2.2	160	200	240	<2	
10S/5W-13R2	01/90	1030	540	96.0	26.6	94.8		141	130		0.7	
(Bldg 230063)	06/91	1150	702	98.7	32.0 28.4	109.0		149 140	125 139		1.3 0.9	
	06/93 03/94	1130 1020	705 658	72.0 69.6	28.4	107.0 104.0		135	140		0.89	
	06/95		636	92.5	30.7	115.0		149	151		14.2	
	06/96		680	91.0	31.0	100.0		148	251			
	06/97	1082	708	85.0	29.0	110.0	<5.0	135	145		<2 as N	
	12/97		640	81.0	28.0	100.0	2.0	119	128		ND	
	03/98		620	85.0	31.0	110.0	2.0 3.0	161	144 140		ND 0.68	
	06/98 09/98	1100 1160	680 662	83.0 81.0	30.0 28.0	109.0 90.0	3.0	137 144	90		ND	
	04/01	1100	612	83.0	29.0	106.0	3.0	131	146		3.5	
	09/01	1150	679	89.0	31.0	103.0	2.0	142	156	241	3.2	
	11/01	1130	658	87.0	30.0	104.0	2.0	148	169		3.4	
	02/02		674	85.0	30.0	112.0	3.2	140	160		3.1	
	04/02 07/02		682 676	89.0 83.0	32.0 30.0	106.0 111.0	2.7 2.7	142 145	167 64		2.8 2.3	
	10/02		711	87.0	31.0	110.0	2.7	149	175		ND	
	01/03		713	91.0	33.0	106.0	2.7	138	165		2	
	05/03		728	93.0	33.0	112.0	2.9	155	183		2.2	
	10/03		741	93.0	33.0	123.0	3.0	188	212		0 as N	
	04/04		701	87.0	32.0	103.0	4.0	163	186		ND	
	07/04	1270	701	220.0	32.0	103.0	4.0	163	186		0 as N	
	4/25/12 3/19/15		790 780	100 93	37 34	120 100	2.8 2.6	160 150	220 220		<2 2.1	
10S/4W-7D1	03/99		765	91.0	34.0	127.0	2.0	190			ND	
(Previously	06/99		706	76.0	31.0	88.0	2.2	163			ND	
reported as	08/99		690	76.0	32.0	93.0	3.0	160			ND 4	
10S/4W-7A3 (Bldg 260072)	10/99 05/00		660 702	76.0 79.0	32.0 34.0	100.0 94.0	3.0 3.0	131 177			ND	
(Sidy 200012)	08/00		732	84.0	36.0	89.0	3.0	155			5	

### SANTA MARGARITA RIVER WATERSHED

### WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Site	Date	Specific Conductance	Total Dissolved Solids	Chemical Constituents - mg/l									
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	НСО3	NO3		
10S/4W-7D1	02/01	1230	753	89.0	39.0	113.0	2.0	170	198	220	2.7		
(Previously	04/01	1230	726	89.0	39.0	115.0	4.0	160	191	243 217	2.9 5.3		
reported as	09/01	1210	735	89.0	39.0	107.0	4.0	153 168	185 205	217	5.6		
10S/4W-7A3 (Bldg 260072)	11/01 02/02	1240	725 765	89.0 97.0	39.0 43.0	117.0 109.0	3.0 3.4	155	198	234	4.7		
, ,	04/02	1250 1290	765 790	98.0	44.0	109.0	3.4	158	208	200	3.9		
(Cont)	07/02	1290 1320	809	96.0	43.0	117.0	3.7	182		200	ND		
	10/02	1380	787	99.0	43.0	117.0	3.7	170		203	2.8		
	01/03	1370	810	101.0	44.0	134.0	4.0	155		217	ND		
	04/03	1440	789	93.0	40.0	125.0	3.6	177		216	2.1		
	10/03	1370	820	91.0	40.0	130.0	4.0	175		180	4.3		
	01/04	1350	747	97.0	42.0	114.0	6.0	168		184	2.1		
	04/04	1400	766	92.0	42.0	112.0	6.0	162		198	2		
	07/04	1410	784	98.0	43.0	92.0	6.0	171		200	3.8		
	11/04	1290	831	100.0	43.0	134.0	4.2	176		203	ND		
	01/05	1310	804	102.0	44.0	125.0	3.7	184	241	200	2.7		
	04/05	1100	690	78.0	34.0	84.0	3.2	128	177	162	2.6		
	07/05	1160	716	84.0	35.0	96.0	3.0	136		166	0 as N		
	11/05	1180	785	92.5	40.4	97.1	3.8	138	202	174	5.93 as N		
	04/06	1280	786	98.0	43.0	110.0	3.3	160	220	233	7.1		
	04/07	1400	784	98.0	43.0	110.0	3.4	165		230	5		
	04/08 11/09	1230	840	88	40	98	3.4	160		169	7.1 <2		
	04/13/10	1300	820	96	42	120	3.5	170	240	220	4.5		
	07/27/11	1200	800	89	39	110	3.2	150	200	220	5.0		
	04/19/12	1200	860	97	42	120	3.8	180	210		<2		
	04/18/13	1500	960	120	45	150	4.0	200	210		<2		
	03/16/15	1300	860	100	43	110	2.4	170	270	220	2.1		
10S/5W-23G4 (Bldg 330925)	06/99 08/99	1070 1090	668 657	69 72	23 25	106 115	1.7 2.0	163 180			ND ND		
(Diag 550525)	10/99	1150	716	79	27	140	2.0	120			ND		
	02/00	956	522	67	23	117	2.0	90			ND		
	05/00	1040	686	77	27	116	2.0	181		307	ND		
	08/00	1180	722	80	28	105	2.0	155			ND		
	02/01	1100	706	73	25	125	2.0	149		268	ND		
	04/01	1170	701	81	29	128	2.0	154	149	282	ND		
	09/01	1180	671	80	28	126	2.0	149	142	271	ND		
	10/01	1180	678	81	28	132	2.0	161	156	281	ND		
	02/02	1170	685	80	28	134	2.8	143	144	279	ND		
	04/02	1200	711	87	31	127	2.3	150	204		ND		
	07/02	1180	730	83	29	130	2.5	158	151	230	ND		
	10/02	1180	649	78	27	115	2.1	135			ND		
	01/03	1210	740	87	30	129	2.2	145	154		ND		
	04/03		681	79	27	128	2.5	150	152		ND		
	10/03	1160	647	80	27	136	3.0	152	155		ND		
	04/04	1140	604	66	24	117	3.0	147	133		ND		
	08/04	1180	657	68	24	99	4.0	140	114		ND		
	10/04	1170	712	85	29	97	5.0	160	172		ND		

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

#### Total

Site	Date	Specific Conductance	Total Dissolved Solids		Chemical Constituents - mg/l								
Location	Sampled	umhos	(mg/l)	Са	Mg	Na	K	CI	SO4	HCO3	NO3		
10S/5W-23G4	02/05	1070	661	84	29	125	3.3	154	148		ND		
(Bldg 330925)	07/05	1050	655	72	23	118	2.0	127			ND		
(Cont)	11/05	1080	665	76	23	121	2.0	135	125		ND ND		
	05/06 04/07	1110 950	650 632	71 72	24 25	120 120	1.9 1.9	140 140	130 130		0		
	04/07		672	73	25	120	1.8	150	130		<2		
	04/09	1100	670	76	26	120	2.1	150	140		<2		
	04/22/10	1100	660	71	24	120	1.8	140	120		<2		
	04/20/11	1200	720	83	29	110	2.1	150	170		<2		
	04/30/12		720	83 82	29 29	120 110	2.0 2.4	150 160	160 170		<2 <2		
	04/17/13 04/24/14	1200 1300	750 770	82 88	31	120	2.4	160	180		<2		
	03/24/15		780	91	32	120	2.3	160	190		<2		
10S/5W-23K3	06/99		700	75.0	27.0	106.0	2.2	163	155		ND ND		
(Bldg 330923)	08/99 10/99	1170 1170	722 723	79.0 78.0	28.0 28.0	114.0 140.0	3.0 3.0	330 120	161 140		ND ND		
	02/00	1120	723	83.0	30.0	117.0	3.0	120	157		ND		
	02/01	1240	758	85.0	31.0	136.0	3.0	167	152		ND		
	04/01	1220	735	85.0	31.0	135.0	3.0	162	154		ND		
	09/01	1240	682	81.0	29.0	132.0	3.0	162	144		ND		
	10/01	1330	746	87.0	32.0	134.0	3.0	166	156		ND		
	02/02 04/02		720 691	83.0 82.0	29.0 29.0	140.0 127.0	3.5 2.7	150 145	155 142		ND ND		
	07/02		738	81.0	29.0	134.0	3.1	167	151		ND		
	10/02		716	85.0	30.0	137.0	2.9	150	162		ND		
	01/03	1340	826	100.0	35.0	141.0	2.6	156	185		0.4		
	04/03		733	85.0	30.0	129.0	2.6	162	171		ND		
	10/03		800	84.0	30.0	141.0	3.0	160 154	173 172		ND ND		
	02/04 04/04		698 706	83.0 78.0	29.0 28.0	120.0 121.0	4.0 4.0	163	170		ND		
	07/04		700	84.0	30.0	99.0	5.0	158	169		ND		
	10/04		857	86.0	30.0	97.0	5.0	159	172		ND		
	02/05		685	87.0	31.0	125.0	3.7	159	168		ND		
	04/05		760	91.0	30.0	122.0	2.6	149	148		ND		
	07/05 11/05		755 735	83.0 92.8	29.0 29.5	115.0 123.0	2.6 3.0	135 141	165		ND ND		
	04/06		735 720	89.0	31.0	120.0	2.7	160	170		ND		
	04/07	1010	718	87.0	30.0	120.0	2.6	160	170		0		
	04/08		754	91	32	110	2.5	160	180		ND		
	04/09		760	92	33	120	2.7	160	180		<2		
	04/15/10		760	98	34	120	2.6	160	180		<2 <2		
	04/13/11 04/16/12	1300 1200	760 760	88 98	30 34	110 120	2.6 2.9	160 170	180 190		<2		
	04/10/12		780	95	33	130	3.3	160	190		<2		
10S/5W-26C3	09/01		819	101.0	38.0	138.0	3.0	173	175		ND		
(Bldg 220002)	10/01	1370	814	104.0	38.0	131.0	3.0	199	198		ND ND		
	02/02 04/02		834 808	99.0 104.0	36.0 39.0	128.0 124.0	3.0 3.2	172 180	183 184		ND ND		
	07/02		829	104.0	37.0	137.0	3.3	187	193		ND		
	10/02		793	98.0	35.0	143.0	3.4	179	195		ND		

# SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

#### **WELLS ON CAMP PENDLETON**

Total

Site	Date	Specific Conductance	Dissolved Solids			Che	mical	nical Constituents - mg/l				
Location	Sampled	led umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3	
10S/5W-26C3	01/03	1300	806	94.0	33.0	144.0	2.0	163	180	235	ND	
(Bldg 220002)	04/03	1290	759	94.0	33.0	137.0	3.1	182	198	230	ND	
(Cont)	04/03	1290	759	94.0	32.0	137.0	3.1	182	198	230	ND	
` ,	10/03	1340	761	90.0	31.0	146.0	4.0	162	188	210	ND	
	01/04	1320	743	94.0	32.0	124.0	5.0	182	212	203	ND	
	04/04	1350	731	90.0	32.0	127.0	5.0	184	197	235	ND	
	07/04	1100	773	91.0	32.0	98.0	5.0	167	197	215	ND	
	10/04	1290	826	93.0	32.0	106.0	5.0	187	185		ND	
	02/05	1260	735	101.0	35.0	127.0	3.7	175	188	215	ND	
	04/05	1300	760	98.0	33.0	122.0	2.8	160	184	200	ND	
	07/05	1450	1260	97.0	33.0	119.0	2.9	154		200	ND	
	11/05	1240	795	99.0	32.0	122.0	2.9	159	169	202	ND	
	06/06	1300	796	95.0	34.0	140.0	2.9	180	170	250	ND	
	04/07	1080	764	91.0	31.0	130.0	2.9	190	190	250	0	
	04/08	1260	694	80	29	140	2.7	180	150	286	<2	
10S/5W-18B1	04/01/10	1400	840	100	42	110	3.6	170	230	240	<2	
(Bldg 260018)	04/20/11	1400	880	100	41	100	3.4	180	250	220	<2	
	04/25/12	1300	910	100	44	120	3.8	180		230	<2	
	04/18/13	1300	880	98	42	120	4.2	180	240	220	<2	

### TABLE D-12

### SANTA MARGARITA RIVER WATERSHED WATER QUALITY DATA

### SURFACE STREAMS SAMPLED BY USGS ON CAHUILLA CREEK

Site	Date	Specific Conductance	Total Dissolved Solids			Chem	ical Cons	stituents	- mg/l		
Location	Sampled	umhos	(mg/l)	Ca	Mg	Na	K	CI	SO4	HCO3	NO3
Cahuilla Creek	02/28/05	644	446	41.90	11.20	76.90	10.10	****			.23 @N
Cahuilla Creek Below Highway 371	02/28/05	476	337	34.20	10.10	51.90	3.69	36.9			.64 @N
Unnamed Tributary to Cahuilla Creek	02/14/05	783	529	64.00	17.50	80.70	8.94	35.2		AN 90 40	3.05 @N

## SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

### **APPENDIX E**

COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS CALENDAR YEAR 2015

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

# JANUARY 2015 - BELOW NORMAL YEAR

CAMP PENDLETON

											GROL	UNDWAT	GROUNDWATER BANK	
ı	USGS Official	USGS Daily Website	10-Day Running Average of	Minimum Flow Maintenance Requirement	Running Average Less Required	WR-34 Make-Up	ike-Up	Climatic Credit Earned	dit Earned	!				Cumulative
Day	Discharge	Discharge	Website Discharge	//	Flow	Discharge	rge	12		Input /3	Input	Ontbut	Output	Balance
_	ofs 	cfs	cfs	cts	cfs	cts	ΑF	cts	AF	cts	ΑF	cts	ΑF	AF
1	0.69	0.69				0.0	0.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
7	13.0	12.0				0.0	0.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
m	8.7	8.7				4.4	8.7	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
4	7.8	8.2				6.5	12.8	1.6	3.2	3.2	6.3	0.0	0.0	5,000.0
S	6.7	8.3				7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
9	7.9	8.3				7.7	15.3	2.9	5.7	3.2	6.3	0.0	0.0	5,000.0
7	6.7	8.3				7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
80	6.7	8.3				7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
6	7.9	8.2				7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
10	7.9	8.3				7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
11	8.1	8.5	8.7	8.3	0.4	7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
12	7.9	8.3	8.3	8.3	0.0	7.7	15.3	2.9	5.7	3.2	6.3	0.0	0.0	5,000.0
13	6.7	8.2	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
14	8.0	8.3	8.3	8.3	0.0	7.9	15.7	3.1	6.1	3.2	6.3	0.0	0.0	5,000.0
15	8.0	8.4	8.3	8.3	0.0	8.0	15.8	3.1	6.2	3.2	6.3	0.0	0.0	5,000.0
16	8.0	8.3	8.3	8.3	0.0	7.9	15.6	3.0	0.9	3.2	6.3	0.0	0.0	5,000.0
11	7.9	8.3	8.3	8.3	0.0	7.9	15.6	3.0	0.9	3.2	6.3	0.0	0.0	5,000.0
18	8.0	8.3	8.3	8.3	0.0	7.9	15.6	3.0	0.9	3.2	6.3	0.0	0.0	5,000.0
19	8.0	8.4	8.3	8.3	0.0	7.9	15.6	3.0	0.9	3.2	6.3	0.0	0.0	5,000.0
70	7.9	8.3	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
21	7.9	8.3	8.3	8.3	0.0	7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
22	8.0	8.3	8.3	8.3	0.0	7.9	15.6	3.0	0.9	3.2	6.3	0.0	0.0	2,000.0
23	8.0	8.4	8.3	8.3	0.0	7.9	15.6	3.0	0.9	3.2	6.3	0.0	0.0	5,000.0
24	6.7	8.3	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
22	7.9	8.3	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
76	6.7	8.3	8.3	8.3	0.0	7.7	15.3	2.9	5.7	3.2	6.3	0.0	0.0	5,000.0
27	7.9	8.3	8.3	8.3	0.0	7.7	15.3	2.9	5.7	3.2	6.3	0.0	0.0	5,000.0
28	7.9	8.3	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
53	8.0	8.4	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
30	7.9	8.3	8.3	8.3	0.0	7.8	15.4	2.9	5.8	3.2	6.3	0.0	0.0	5,000.0
31	6.7	8.3	8.3	8.3	0.0	7.8	15.4	5.9	5.8	3.2	6.3	0.0	0.0	5,000.0
TOTAL SFD	312.8	322.4	174.7	174.3	0.4	221.8		81.3		99.2		0.0		
TOTAL AF	620.4	639.5	346.5	345.7	0.8		439.0		161.5		195.3		0.0	5,000.0

Required flows for January through April are equal to 11.5 cfs less 3.2 cfs of credits (749 AF of Climatic Credit earned in 2014 and 4.5 AF of CAP Credit earned in 2014).
 Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater balance did not increase due to account balance maximum of 5,000 AF.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

# FEBRUARY 2015 - BELOW NORMAL YEAR

CAMP PENDLETON	GROUNDWATER BANK
•	R9

Dav	USGS Official Discharde	USGS Daily Website Discharge	10-Day Running Average of Website Discharae	Minimum Flow Maintenance Requirement	Running Average Less Required Flow	WR-34 Make-Up Discharge	ake-Up	Climatic Credit Earned	dit Earned	Input /3	Input	Output	Output	Cumulative Balance
	cfs	cts	cfs	cts	cfs	cfs	AF	cfs	AF	cfs	AF	cfs	AF	AF
٢	7.9	8.3	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
7	7.9	8.3	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
က	8.0	8.3	8.3	8.3	0.0	7.9	15.6	3.0	6.0	3.2	6.3	0.0	0.0	5,000.0
4	8.0	8.4	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
3	8.0	8.4	8.3	8.3	0.0	7.7	15.3	2.9	5.7	3.2	6.3	0.0	0.0	5,000.0
9	8.3	8.3	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
7	8.4	8.4	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
80	8.1	8.1	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
6	8.2	8.2	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
10	8.4	8.4	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
11	7.8	7.8	8.3	8.3	0.0	6.6	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
12	8.9	8.9	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
13	8.4	8.4	8.3	8.3	0.0	6.6	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
14	8.2	8.2	8.3	8.3	0.0	6.6	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
15	8.2	8.2	8.3	8.3	0.0	6.6	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
16	8.4	8.4	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
17	8.2	8.2	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
18	8.4	8.4	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
19	8.5	8.5	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
20	8.2	8.2	8.3	8.3	0.0	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
21	8.1	8.1	8.4	8.3	0.1	9.9	13.0	1.7	3.4	3.2	6.3	0.0	0.0	5,000.0
22	9.2	9.2	8.4	8.3	0.1	7.1	14.0	2.2	4.4	3.2	6.3	0.0	0.0	5,000.0
23	23.0	23.0	9.6	8.3	1.5	3.0	6.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
24	8.3	8.3	6.6	8.3	1.6	4.5	9.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
25	8.3	8.3	6.6	8.3	1.6	7.1	14.0	2.2	4.4	3.2	6.3	0.0	0.0	2,000.0
76	8.3	8.3	6.6	8.3	1.6	7.1	14.0	2.2	4.4	3.2	6.3	0.0	0.0	5,000.0
27	8.3	8.3	6.6	8.3	1.6	7.1	14.0	2.2	4.4	3.2	6.3	0.0	0.0	2,000.0
28	8.3	8.3	6.6	8.3	1.6	7.1	14.0	2.2	4.4	3.2	6.3	0.0	0.0	5,000.0
CEN CEN	246.0	1 970	242 4	7327	0.7	187.6		53.1		9 68		0.0		
TOTAL AF	488.3	492.1	480.2	461.0	19.2	2	370.4	- - -	105.8	) }	176.4	}	0.0	5,000.0

Required flows for January through April are equal to 11.5 cfs less 3.2 cfs of credits (749 AF of Climatic Credit earned in 2014 and 4.5 AF of CAP Credit earned in 2014).
 Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

## MARCH 2015 - BELOW NORMAL YEAR

**GROUNDWATER BANK CAMP PENDLETON** 

				i i					***************************************			***************************************	***************************************	
i	USGS Official	USGS Daily Website	10-Day Running Average of	Maintenance Requirement	Running Average Less Required	WR-34 Make-Up	ake-Up	Climatic Credit Earned	dit Earned	9			,	Cumulative
Day	Cfs	Cfs	website Discharge cfs	cfs	cfs	Cfs	AF	cfs	AF	cfs	AF	cfs	AF	AF
-	37.0	37.0	12.7	හ හ	4.4	2.0	4.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
7	26.0	26.0	14.5	8.3	6.2	0.0	0.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
m	17.0	17.0	15.4	8.3	7.1	0.0	0.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
4	8.4	8.4	15.3	8.3	7.0	2.5	5.0	0.0	0.0	3.2	6.3	0.0	0.0	5,000.0
5	8.1	8.1	13.8	8.3	5.5	7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
9	8.4	8.4	13.8	8.3	5.5	7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
7	8.2	8.2	13.8	8.3	5.5	7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
80	8.3	8.3	13.8	8.3	5.5	7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
6	8.2	8.2	13.8	8.3	5.5	7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
10	8.3	8.3	13.8	8.3	5.5	7.6	15.0	2.7	5.4	3.2	6.3	0.0	0.0	5,000.0
11	5.4	5.4	10.6	8.3	2.3	5.3	10.5	0.5	6.0	3.2	6.3	0.0	0.0	5,000.0
12	6.7	6.3	8.7	8.3	0.4	6.2	12.2	1.3	2.6	3.2	6.3	0.0	0.0	5,000.0
13	14.0	13.0	8.3	8.3	0.0	11.6	23.1	6.7	13.2	3.2	6.3	0.0	0.0	5,000.0
14	9.6	8.8	8.3	8.3	0.0	7.5	14.9	2.7	5.3	3.2	6.3	0.0	0.0	5,000.0
15	9.1	8.3	8.3	8.3	0.0	8.1	16.0	3.2	6.4	3.2	6.3	0.0	0.0	5,000.0
16	9.1	8.3	8.3	8.3	0.0	8.1	16.0	3.2	6.4	3.2	6.3	0.0	0.0	5,000.0
17	8.6	8.1	8.3	8.3	0.0	7.8	15.5	3.0	5.9	3.2	6.3	0.0	0.0	5,000.0
18	8.7	8.3	8.3	8.3	0.0	8.3	16.5	3.5	6.9	3.2	6.3	0.0	0.0	5,000.0
19	8.7	8.3	8.3	8.3	0.0	8.2	16.3	3.4	6.7	3.2	6.3	0.0	0.0	5,000.0
20	8.7	8.3	8.3	8.3	0.0	8.3	16.4	3.4	6.8	3.2	6.3	0.0	0.0	5,000.0
21	8.7	8.3	8.6	8.3	0.3	8.3	16.5	3.5	6.9	3.2	6.3	0.0	0.0	5,000.0
22	8.7	8.3	8.8	8.3	0.5	8.2	16.3	3.4	6.7	3.2	6.3	0.0	0.0	5,000.0
23	8.6	8.2	8.3	8.3	0.0	8.2	16.3	3.4	6.7	3.2	6.3	0.0	0.0	5,000.0
24	8.8	8.4	8.3	8.3	0.0	8.3	16.5	3.5	6.9	3.2	6.3	0.0	0.0	5,000.0
25	8.7	8.3	8.3	8.3	0.0	8.3	16.4	3.4	6.8	3.2	6.3	0.0	0.0	5,000.0
56	8.7	8.3	8.3	8.3	0.0	8.3	16.4	3.4	6.8	3.2	6.3	0.0	0.0	5,000.0
27	8.6	8.3	8.3	8.3	0.0	8.3	16.5		6.9	3.2	6.3	0.0	0.0	5,000.0
28	8.6	8.3	8.3	8.3	0.0	8.4	16.6		7.0	3.2	6.3	0.0	0.0	5,000.0
53	8.3	8.3	8.3	8.3	0.0	8.4	16.6		7.0	3.2	6.3	0.0	0.0	5,000.0
30	8.2	8.2	8.3	8.3	0.0	8.3	16.5	3.5	6.9	3.2	6.3	0.0	0.0	5,000.0
31	8.3	8.3	8.3	8.3	0.0	8.4	16.6		7.0	3.2	6.3	0.0	0.0	5,000.0
010 14101	2000	040	040 A	257.3	613	220.0		25.2		000		C		
TOTAL AF	636.1	619.2	631.7	510.3	121.4	6.027	437.6	9	169.1	1	195.3	3	0.0	5,000.0

Required flows for January through April are equal to 11.5 cfs less 3.2 cfs of credits (749 AF of Climatic Credit earned in 2014 and 4.5 AF of CAP Credit earned in 2014).
 Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

## APRIL 2015 - BELOW NORMAL YEAR

**GROUNDWATER BANK** CAMP PENDLETON

8.4         8.4         8.3         8.3         0.0         8.3         165         3.5         6.9         3.2           8.2         8.3         8.3         0.0         8.3         165         3.5         6.9         3.2           8.4         8.4         8.3         0.0         8.3         165         3.5         6.9         3.2           8.2         8.3         8.3         0.0         8.3         165         3.5         6.9         3.2           8.4         8.4         8.3         0.0         8.3         164         3.4         6.8         3.2           8.4         8.4         8.3         0.0         8.3         164         3.4         6.8         3.2           8.4         8.4         8.3         0.0         8.3         164         3.4         6.8         3.2           8.4         8.4         8.3         8.3         0.0         7.4         14.2         2.7         5.4         3.2           8.5         8.3         0.0         7.4         14.2         2.5         4.9         3.2           8.4         8.3         8.3         0.0         7.4         14.2         2	Day	USGS Official Discharge	USGS Daily Website Discharge	10-Day Running Average of Website Discharge	Minimum Flow Maintenance Requirement /1	Running Average Less Required Flow	WR-34 Make-Up Discharge cfs AF	lake-Up arge AF	Climatic Credit Earned /2 cfs AF	dit Earned	Input /3	Input	1	Output	Output Output cfs AF
8.3 8.3 8.3 8.3 8.3 6.0 8.3 165 3.5 6.9 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3	٠	00	∞		00		ς; 2 α		3 5	o: 0	6			. 6	63
8.2         8.2         8.3         8.3         0.0         8.2         16.3         3.4         6.7           8.4         8.4         8.4         8.3         8.3         0.0         8.3         16.5         3.5         6.9           8.3         8.3         0.0         8.3         16.5         3.5         6.9         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3         6.6         8.3	- 7	. 8	8.3	8.8	. &	0.0	8 6 6	16.5	3.5		3.2		6.3		0.0
8.3       8.3       8.3       8.3       16.5       3.5       6.9         8.4       8.4       8.3       8.3       0.0       8.3       16.5       3.5       6.9         8.4       8.4       8.3       8.3       0.0       8.3       16.4       3.4       6.8         8.4       8.4       8.3       8.3       0.0       8.3       16.4       3.4       6.8         8.4       8.4       8.3       8.3       0.0       8.3       16.4       3.4       6.8         8.4       8.4       8.3       8.3       0.0       7.4       14.6       3.4       6.8         8.2       8.2       0.0       7.4       14.6       2.7       5.4         8.4       8.4       8.3       8.3       0.0       7.4       14.6       2.5       5.0         8.4       8.4       8.3       8.3       0.0       7.7       14.1       2.3       4.6       6.8         8.5       8.5       8.3       0.0       7.7       14.2       2.5       5.0         8.4       8.4       8.3       8.3       0.0       7.7       14.5       2.5       4.6	ო	8.2	8.2	8.3	8.3	0.0	8.2	16.3	3.4	6.7	3.2		6.3	6.3 0.0	
8.4         8.4         8.4         8.3         8.3         16.5         3.5         6.9         3.2         8.3         8.3         9.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         3.4         6.8         3.2         8.3         8.3         9.0         8.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         3.4         6.8         3.2         8.3         8.3         9.0         8.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         3.4         6.8         3.2         8.3         8.3         16.4         14.4         6.8         3.2         8.3         8.3         16.4         14.6         5.2         4.6         3.2         3.2         8.2         8.3         8.3         8.3         9.0         7.7         14.5         2.3         8.4         8.3         8.3         9.0         7.7         14.5	4	8.3	8.3	8.3	8.3	0.0	8.3	16.5	3.5	6.9	3.2		6.3		0.0
8.2         8.2         8.3         8.3         0.0         8.2         164         3.4         6.6         3.2         8.3         2.2         8.3         6.6         3.2         8.3         6.6         3.2         8.3         6.6         3.4         6.8         3.2         8.3         1.64         3.4         6.8         3.2         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.3         8.3         1.64         3.4         6.8         3.2         8.3         8.2         8.3         9.0         7.7         14.1         2.3         4.6         3.2         8.3         8.2         8.3         9.0         7.7         14.1         2.3         4.5         8.2         8.2         8.3         8.3         8.3         8.3         8.3         8.3         <	5	8.4	8.4	8.3	8.3	0.0	8.3	16.5	3.5	6.9	3.2		6.3		0.0
8.3         8.3         8.3         16.4         3.4         6.8         3.2           8.4         8.4         8.3         8.3         16.4         3.4         6.8         3.2           8.4         8.4         8.3         8.3         0.0         8.3         16.4         3.4         6.8         3.2           8.4         8.4         8.3         8.3         0.0         7.6         16.1         3.3         6.5         3.2           8.2         8.2         0.0         7.6         14.6         2.7         5.4         9.2           8.4         8.4         8.3         0.0         7.7         14.2         2.3         4.6         3.2           8.7         8.7         0.0         7.7         14.1         2.3         4.5         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.1         2.3         4.5         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5	9	8.2	8.2	8.3	8.3	0.0	8.2	16.2	3.3	9.9	3.2		6.3		0.0
84         84         83         83         164         34         68         32           84         84         83         83         00         81         164         34         68         32           84         84         83         83         00         76         164         34         68         32           83         83         83         00         77         160         27         54         32           84         84         83         83         00         77         144         25         50         32           81         81         83         00         77         144         25         50         32           82         82         00         77         144         25         50         32           82         83         83         00         77         144         25         45         32           84         84         83         83         00         77         145         24         32           84         84         83         83         00         67         13         49         49           84 </td <th>7</th> <td>8.3</td> <td>8.3</td> <td>8.3</td> <td>8.3</td> <td>0.0</td> <td>8.3</td> <td>16.4</td> <td>3.4</td> <td>6.8</td> <td>3.2</td> <td></td> <td>6.3</td> <td></td> <td>0.0</td>	7	8.3	8.3	8.3	8.3	0.0	8.3	16.4	3.4	6.8	3.2		6.3		0.0
84         84         84         83         83         00         83         164         34         68         32           83         83         83         00         76         161         33         65         32           84         84         83         83         00         74         146         25         50         32           84         84         83         00         74         146         25         50         32           85         82         83         00         77         141         25         50         32           85         85         83         00         77         141         23         46         32           85         85         83         00         77         141         23         46         32           84         84         83         83         00         77         145         25         43         32           84         84         83         83         00         77         145         25         43         32           84         84         83         83         00         77         133	∞	8.4	8.4	8.3	8.3	0.0	8.3	16.4	3.4	6.8	3.2		6.3		0.0
84         84         83         83         0.0         8.1         16.1         3.3         6.5         3.2           8.2         8.3         8.3         0.0         7.4         14.6         2.5         5.4         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.6         2.5         5.0         3.2           8.1         8.4         8.3         8.3         0.0         7.7         14.1         2.3         4.6         3.2           8.2         8.2         8.3         0.0         7.7         14.1         2.3         4.6         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.1         2.3         4.5         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.9         3.2 <td< td=""><th>6</th><td>8.4</td><td>8.4</td><td>8.3</td><td>8.3</td><td>0.0</td><td>8.3</td><td>16.4</td><td>3.4</td><td>6.8</td><td>3.2</td><td></td><td>6.3</td><td></td><td>0.0</td></td<>	6	8.4	8.4	8.3	8.3	0.0	8.3	16.4	3.4	6.8	3.2		6.3		0.0
8.3         8.3         8.3         8.3         0.0         7.6         15.0         2.7         54         3.2           8.4         8.4         8.3         8.3         0.0         7.2         14.6         2.5         5.0         3.2           8.1         8.1         8.3         0.0         7.7         14.6         2.5         5.0         3.2           8.2         8.2         8.3         0.0         7.7         14.1         2.3         4.5         3.2           8.4         8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.5         3.2           8.4         8.4         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.5         3.2         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.0         3.2         4.3         3.2	10	8.4	8.4	8.3	8.3	0.0	8.1	16.1	3.3	6.5	3.2		6.3		0.0
8.2         8.2         8.3         8.3         0.0         7.4         14.6         2.5         5.0         3.2           8.4         8.4         8.3         8.3         0.0         7.1         14.1         2.3         4.6         3.2           8.2         8.2         8.3         0.0         7.7         14.2         2.3         4.6         3.2           8.5         8.3         8.3         0.0         7.7         14.5         2.7         5.4         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         7.7         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         6.7         13.3         1.9         3.7         3.2           8.4         8.4         8.3         8.3         0.0         6.7         11.7         0.6         1.1         3.2           8.4         8.4         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2	11	8.3	8.3	8.3	8.3	0.0	7.6	15.0	2.7	5.4	3.2	_	5.3		0.0
8.4         8.4         8.3         8.3         0.0         7.2         14.2         2.3         4.6         3.2           8.1         8.1         8.3         8.3         0.0         7.1         14.1         2.3         4.6         3.2           8.5         8.5         8.3         8.3         0.0         7.7         15.0         2.7         5.4         3.2           8.4         8.4         8.3         8.3         0.0         7.7         15.3         2.9         5.7         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         4.9         3.2           8.4         8.4         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           8.4         8.4         8.3	12	8.2	8.2	8.3	8.3	0.0	7.4	14.6	2.5	5.0	3.2	မှ	ო		0.0
8.1         8.1         8.3         8.3         0.0         7.1         14.1         2.3         4.5         3.2           8.2         8.5         8.3         8.3         0.0         7.7         15.3         2.9         5.7         3.2           8.4         8.4         8.3         8.3         0.0         7.7         15.3         2.9         5.7         3.2           8.4         8.4         8.3         8.3         0.0         6.7         1.3         2.2         4.3         3.2           8.4         8.4         8.3         8.3         0.0         6.4         10.5         1.5         3.0         3.2           8.4         8.4         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           7.9         8.0         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.3         8.3         8.3         8.3         0.0         5.6         11.2         0.0         1.0         0.0         1.0         0.0         1.1         3.2         3.2         3.2         3.2         3.2         3.2         3.2	13	8.4	8.4	8.3	8.3	0.0	7.2	14.2	2.3	4.6	3.2	Q	ω		0.0
8.2         8.2         8.3         8.3         0.0         7.6         15.0         2.7         5.4         3.2           8.4         8.4         8.3         8.3         0.0         7.7         15.3         2.9         5.7         3.2           8.4         8.4         8.3         8.3         0.0         7.0         13.9         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         6.7         13.3         1.9         3.7         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.5         3.0         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.1         3.2           8.4         8.3         8.3         0.0         6.4         12.6         1.1         3.2           8.4         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         1.1         3.2           8.4	14	8.1	8.1	8.3	8.3	0.0	7.1	14.1	2.3	4.5	3.2	Ö	က		0.0
8.5         8.5         8.3         8.3         0.0         7.7         15.3         2.9         5.7         3.2           8.4         8.4         8.3         8.3         0.0         7.3         14.5         2.5         4.9         3.2           8.4         8.4         8.3         8.3         0.0         6.7         13.9         2.2         4.9         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.5         3.0         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.5         3.0         3.2           8.3         8.3         0.0         6.4         12.6         1.5         3.0         3.2           8.3         8.3         8.3         0.0         5.5         10.0         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.4         3.2           8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3	15	8.2	8.2	8.3	8.3	0.0	7.6	15.0	2.7	5.4	3.2		8		0.0
84       8.4       8.3       8.3       0.0       7.3       14.5       2.5       4.9       3.2         8.3       8.3       8.3       0.0       7.0       13.9       2.2       4.3       3.2         8.4       8.4       8.3       8.3       0.0       6.7       13.3       1.9       3.7       3.2         8.4       8.4       8.3       8.3       0.0       6.4       12.6       1.5       3.0       3.2         8.3       8.3       0.0       6.4       10.7       0.6       1.1       3.2         8.3       8.3       0.0       5.4       10.7       0.6       1.1       3.2         8.4       8.3       8.3       0.0       5.6       10.9       0.7       1.3       3.2         8.4       8.4       8.3       8.3       0.0       5.6       10.9       0.7       1.3       3.2         8.3       8.3       8.3       0.0       5.6       10.9       0.7       1.3       3.2         8.3       8.3       8.3       0.0       5.4       10.7       0.6       1.1       3.2         8.3       8.3       8.3       0.0	16	8.5	8.5	8.3	8.3	0.0	7.7	15.3	2.9	2.7	3.2	6.3			0.0
8.3         8.3         8.3         0.0         7.0         13.9         2.2         4.3         3.2           8.4         8.4         8.3         8.3         0.0         6.7         13.3         1.9         3.7         3.2           8.4         8.4         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           8.4         8.4         8.3         8.3         0.0         6.4         10.7         0.6         1.1         3.2           7.9         8.0         8.3         8.3         0.0         5.5         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.6         10.0         0.7         1.3         3.2           8.1         8.3         8.3         0.0         5.0         10.0         0.0         4.9         9.8         0.1         0.2         0.4         3.2           8.2         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         0.2	11	8.4	8.4	8.3	8.3	0.0	7.3	14.5	2.5	4.9	3.2	6.3		0.0	
8.4         8.4         8.3         8.3         0.0         6.7         13.3         1.9         3.7         3.2           8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.5         3.0         3.2           8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           7.9         8.0         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.1         8.3         8.3         0.0         5.6         10.0         0.0         4.9         9.8         0.1         0.2         3.2           8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         8.3         8.3         8.3         8.3         8.3         8.3         8.3	18	8.3	8.3	8.3	8.3	0.0	7.0	13.9	2.2	4.3	3.2	6.3		0.0	
8.4         8.4         8.3         8.3         0.0         6.4         12.6         1.5         3.0         3.2           8.4         8.4         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           7.9         8.0         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.3         8.3         0.0         5.0         10.0         0.0         4.9         9.8         0.0         4.9         9.8         0.0         4.9         9.8         0.0         4.9         9.8         0.0         4.9         9.8         0.0         4.9         9.8         0.0         4.9         1.8         3.2         9.2         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8         9.8	19	8.4	8.4	8.3	8.3	0.0	6.7	13.3	1.9	3.7	3.2	6.3		0.0	
8.4         8.4         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.3         10.6         0.5         1.0         3.2           7.9         8.0         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.3         8.3         0.0         5.0         10.0         0.2         0.4         3.2           8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.6         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.6         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.6         11.2         0.8	20	8.4	8.4	8.3	8.3	0.0	6.4	12.6	1.5	3.0	3.2	6.3		0.0	
8.3         8.3         8.3         8.3         0.0         5.3         10.6         0.5         1.0         3.2           7.9         8.0         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.3         8.3         8.3         0.0         5.0         10.0         0.2         0.4         3.2           8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.2         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.6         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.6         11.5         0.9         1.6         3.2           8.3         8.3         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           249.0         249.1         249.0	21	8.4	8.4	8.3	8.3	0.0	5.4	10.7	9.0	~	3.2	6.3		0.0	
7.9         8.0         8.3         8.3         0.0         5.5         10.9         0.7         1.3         3.2           8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.3         8.3         8.3         0.0         5.0         10.0         0.2         0.4         3.2           8.1         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.2         8.3         8.3         0.0         5.7         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.7         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.6         11.5         1.9         3.2           8.3         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           49.0         249.0         249.0         0.0         20.8         63.9         96.0           493.9         494.1         493.9         0.0         20.8         414.3         126.3	22	8.3	8.3	8.3	8.3	0.0	5.3	10.6	0.5	1.0	3.2	6.3		0.0	
8.4         8.4         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.3         8.3         8.3         0.0         5.0         10.0         0.2         0.4         3.2           8.1         8.3         8.3         0.0         4.9         9.8         0.1         0.2         3.2           8.2         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.3         8.3         8.3         0.0         5.7         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.6         11.5         1.0         1.9         3.2           8.3         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           8.3         8.3         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           493.9         494.1         493.9         0.0         208.8         63.9         96.0	23	7.9	8.0	8.3	8.3	0.0	5.5	10.9	0.7	1.3	3.2	6.3		0.0	
8.3     8.3     8.3     8.3     0.0     5.0     10.0     0.2     0.4     3.2       8.1     8.1     8.3     8.3     0.0     4.9     9.8     0.1     0.2     3.2       8.2     8.3     8.3     0.0     5.4     10.7     0.6     1.1     3.2       8.3     8.3     0.0     5.7     11.4     0.9     1.8     3.2       8.3     8.3     0.0     5.8     11.5     1.0     1.9     3.2       8.3     8.3     8.3     0.0     5.6     11.2     0.8     1.6     3.2       249.0     249.0     249.0     249.0     0.0     208.8     63.9     63.9     96.0       493.9     494.1     493.9     0.0     414.3     126.3     96.0	24	8.4	8.4	8.3	8.3	0.0	5.6	11.2	0.8	1.6	3.2	6.3		0.0	
8.1     8.1     8.3     8.3     0.0     4.9     9.8     0.1     0.2     3.2       8.3     8.3     8.3     0.0     5.4     10.7     0.6     1.1     3.2       8.2     8.3     8.3     0.0     5.7     11.4     0.9     1.8     3.2       8.3     8.3     8.3     0.0     5.8     11.5     1.0     1.9     3.2       8.3     8.3     8.3     0.0     5.6     11.2     0.8     1.6     3.2       249.0     249.0     249.0     249.0     0.0     208.8     63.9     63.9     96.0       493.9     494.1     493.9     0.0     414.3     126.3     96.0	25	8.3	8.3	8.3	8.3	0.0	5.0	10.0	0.2	4.0	3.2	6.3		0.0	
8.3         8.3         8.3         8.3         0.0         5.4         10.7         0.6         1.1         3.2           8.2         8.3         8.3         0.0         5.7         11.4         0.9         1.8         3.2           8.3         8.3         8.3         0.0         5.8         11.5         1.0         1.9         3.2           8.3         8.3         8.3         0.0         5.6         11.2         0.8         1.6         3.2           249.0         249.1         249.0         249.0         0.0         208.8         63.9         96.0           493.9         494.1         493.9         493.9         0.0         414.3         126.3	26	8.1	8.1	8.3	8.3	0.0	4.9	8.6	0.1	0.2	3.2	6.3		0.0	
8.2 8.2 8.3 8.3 0.0 5.7 11.4 0.9 1.8 3.2 8.3 8.3 0.0 5.8 11.5 1.0 1.9 3.2 8.3 8.3 0.0 5.8 11.5 1.0 1.9 3.2 8.3 8.3 8.3 0.0 5.6 11.2 0.8 1.6 3.2 8.3 8.3 8.3 0.0 5.6 11.2 0.8 1.6 3.2 8.3 8.3 8.3 0.0 208.8 63.9 96.0	27	8.3	8.3	8.3	8.3	0.0	5.4	10.7	9.0	1.1	3.2	6.3		0.0	
8.3 8.3 8.3 0.0 5.8 11.5 1.0 1.9 3.2 8.3 8.3 0.0 5.6 11.2 0.8 1.6 3.2 249.0 249.1 249.0 249.0 0.0 208.8 63.9 96.0 493.9 494.1 493.9 0.0 414.3 126.3	28	8.2	8.2	8.3	8.3	0.0	5.7	11.4	0.9	1.8	3.2	6.3		0.0	
8.3 8.3 8.3 0.0 5.6 11.2 0.8 1.6 3.2 249.0 249.1 249.0 249.0 0.0 208.8 63.9 96.0 493.9 494.1 493.9 0.0 414.3 126.3	29	8.3	8.3	8.3	8.3	0.0	5.8	11.5	1.0	1.9	3.2	6.3		0.0	
249.0 249.1 249.0 249.0 0.0 208.8 63.9 96.0 493.9 494.1 493.9 493.9 0.0 414.3 126.3	30	8.3	8.3	8.3	8.3	0.0	5.6	11.2	8.0	1.6	3.2	6.3		0.0	
249.0         249.1         249.0         249.0         0.0         208.8         63.9         96.0           493.9         494.1         493.9         493.9         0.0         414.3         126.3	;														
493.9 494.1 493.9 493.9 0.0 414.3 126.3	TOTAL SED	249.0	249.1	249.0	249.0	0.0	208.8		63.9		96.0			0.0	0.0
	TOTAL AF	493.9	494.1	493.9	493.9	0.0		414.3		126.3		189.0			0.0

^{1 -} Required flows for January through April are equal to 11.5 cfs less 3.2 cfs of credits (749 AF of Climatic Credit earned in 2014 and 4.5 AF of CAP Credit earned in 2014).
2 - Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

MAY 2015 - BELOW NORMAL YEAR

Cumulative Output Balance	AF AF	0.00 5,000.0	0.0 5,000.0						0.00 5,000.0					0.0 5,000.0							0.0 5,000.0			0.00 5,000.0						0	0.00 5,000.0	0		0.00 5,000.0
Output	cfs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Input	AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Input	cts	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Climatic Credit Earned	AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0
Climatic	cfs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								*					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
WR-34 Make-Up Discharge	AF	7.8	7.6	7.6	7.6	7.4	7.2	8.3	9.8	9.6	9.8	10.4	12.0	11.9	10.8	0.0	0.0	0.2	10.5	11.4	11.5	11.9	12.2	12.0	11.5	11.5	12.1	8.5	11.4	11.4	11.1	11.0		286.0
WR-34 Disc	cfs	3.9	3.8	3.8	3.8	3.7	3.6	4.2	4.9	4.8	4.9	5.2	6.1	6.0	5.4	0.0	0.0	0.1	5.3	5.7	5.8	0.9	6.2	6.1	5.8	5.8	6.1	4.3	5.7	5.7	5.6	5.5	143.8	
Running Average Less Required Flow	cfs											0.0	0.0	0.0	0.7	14.2	16.2	16.0	16.0	16.0	16.0	16.0	16.1	16.1	15.4	9.1	0.0	0.0	0.0	0.0	0.0	0.0	160.6	318.5
Minimum Flow Maintenance Requirement /1	cfs											5.7	2.7	5.7	5.7	2.7	2.5	5.7	5.7	5.7	5.7	2.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	2.7	5.7	5.7	119.7	237.4
10-Day Running Average of Website Discharge	cfs											5.7	5.7	5.7	6.4	19.9	21.9	21.7	21.7	21.7	21.7	21.7	21.8	21.8	21.1	7.6	5.7	5.7	5.7	5.7	5.7	2.7	280.3	556.0
USGS Daily Website Discharge	cfs	5.8	5.8	5.8	5.8	5.8	5.8	5.4	5.9	2.7	5.7	5.5	5.7	5.7	13.0	141.0	25.0	3.7	5.6	5.7	5.8	5.9	6.2	6.1	5.8	5.7	6.2	4.2	5.7	5.8	5.8	5.6	337.2	668.8
USGS Official Discharge	cfs I	5.8	5.8	5.8	5.8	5.8	5.8	5.4	5.9	5.7	5.7	5.6	5.7	5.7	13.0	141.0	25.0	3.7	5.9	0.9	6.1	5.9	6.2	6.1	5.8	5.7	6.1	3.9	5.4	2.7	5.8	5.6	337.4	669.2
Day		1	7	ო	4	2	9	7	œ	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	22	76	27	28	29	30	31	TOTAL SFD	TOTAL AF

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year. 2 - Climatic Credits not applicable in May through December.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

## JUNE 2015 - BELOW NORMAL YEAR

Cumulative Balance	AF	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	5,000.0	2,000.0	5,000.0	5,000.0	5,000.0	5,000.0	0000	0,000.0
Output	AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	ć	5.
Output	cts	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Input	AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	ć	0.0
Input	cfs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dit Earned	AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	o o	0.0
Climatic Credit Earned	cfs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
ake-Up Irge	AF	9.7	9.5	9.2	9.1	10.2	8.6	9.4	9.5	9.4	8.7	0.6	8.6	8.9	9.1	9.3	9.5	9.7	9.4	9.5	9.6	9.6	9.7	9.6	8.6	8.6	8.6	9.4	9.2	9.2	9.3	L G	787.5
WR-34 Make-Up Discharge	cfs	4.9	4.8	4.6	4.6	5.1	4.9	4.7	4.8	4.7	4.4	4.5	4.3	4.5	4.6	4.7	4.8	4.9	4.7	4.8	4.8	4.8	4.9	4.8	4.9	4.9	4.9	4.7	4.6	4.6	4.7	141.9	
Running Average Less Required Flow	cfs											0.2	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.7	7.6
Minimum Flow Maintenance Requirement /1	cfs											4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	98.0	194.4
10-Day Running Average of Website Discharge	cfs											5.1	5.1	5.0	2.0	5.0	4.9	5.0	5.0	5.0	4.9	4.9	4.9	6.4	4.9	4.9	4.9	4.9	4.9	4.9	5.2	99.3	197.0
USGS Daily Website Discharge		4.9	5.2	5.4	5.0	5.1	5.0	4.9	8.4	5.0	5.3	4.9	5.1	4.9	4.9	4.8	4.8	5.0	4.9	4.9	4.8	4.8	5.0	4.8	4.9	4.9	5.3	4.9	4.8	4.8	7.6	151.4	300.3
USGS Official Discharge	sto	4.8	4.9	5.2	5.2	5.4	5.3	5.1	5.1	5.3	5.7	5.2	5.4	5.2	5.2	5.1	5.1	5.2	5.1	5.2	5.1	5.1	5.3	5.1	5.2	5.2	5.6	5.2	5.1	5.0	8.1	158.7	314.8
Dav		1	8	ຕ	4	ري -	9	7	80	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	76	27	28	53	30	TOTAL SFD	TOTAL AF

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year. 2 - Climatic Credits not applicable in May through December.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

## JULY 2015 - BELOW NORMAL YEAR

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year. 2 - Climatic Credits not applicable in May through December.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

AUGUST 2015 - BELOW NORMAL YEAR

Day	USGS Official Discharge	USGS Daily Website Discharge	10-Day Running Average of Website Discharge	Minimum Flow Maintenance Requirement /1	Running Average Less Required Flow	WR-34 Make-Up Discharge	ake-Up irge	Climatic Credit Earned	lit Earned	Input	Input	Output	Output	Cumulative Balance
	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	AF	cts	AF	cfs	AF	AF
-	4.4	4.4				3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	4.4	4.4				3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
m	4.5	4.5				3.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4	4.3	4.7				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
žÇ	4.3	4.3				4.3	8.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9	4.4	4.4				4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	4.4	4.4				4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
80	4.4	4.4				4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6	4.5	4.5				4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10	4.5	4.5				4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11	4.4	4.4	4.5	4.4	0.1	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12	4.4	4.4	4.5	4.4	0.1	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13	4.4	4.4	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14	4.4	4.4	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15	4.3	4.3	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16	4.3	4.3	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	4.3	4.4	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18	4.3	4.3	4.4	4.4	0.0	4.3	8.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19	4.4	4.4	4.4	4.4	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20	4.5	4.5	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	4.3	4.3	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	4.4	4.4	4.4	4.4	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23	4.4	4.4	4,4	4.4	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24	4.4	4.4	4.4	4.4	0.0	4.2	8.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
25	4.7	4.7	4.4	4.4	0.0	4.2	8.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
56	4.4	4.4	4.4	4.4	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	4.3	4.3	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
78	4.3	4.3	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
	4.3	4.3	4.4	4.4	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
30	4.4	4.4	4.4	4.4	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
31	4.3	4.3	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	136.0	136.5	92.6	92.4	0.2	126.8		0.0		0.0		0.0		
TOTAL AF	269.8	270.7	183.7	183.3	0.4		252.3		0.0		0.0		0.0	5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year. 2 - Climatic Credits not applicable in May through December.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

# SEPTEMBER 2015 - BELOW NORMAL YEAR

CAMP PENDLETON	GROUNDWATER BANK
J	S. G.

Dav	USGS Official Discharge	USGS Daily Website Discharge	10-Day Running Average of Website Discharge	Minimum Flow Maintenance Requirement /1	Running Average Less Required	WR-34 Make-Up	ake-Up	Climatic Credit Earned	dit Earned	i ti	n T	O office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the office of the	C tild	Cumulative Ralance
6	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	AF	cfs	AF	1	AF	AF
٠	4.	4.1				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5.000.0
7	4.1	4.1				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
က	4.1	4.1				3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4	4.1	4.1				3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
2	4.1	4.1		*		3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9	4.1	4.1				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	4.5	4.5				3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
∞	4.8	4.8				3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6	4.1	4.1				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10	4.1	4.1				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11	4.1	4.1	4.2	4.1	0.1	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12	4.1	4.1	4.2	4.1	0.1	3.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13	4.1	4.1	4.2	4.1	0.1	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14	4.1	4.1	4.2	4.1	0.1	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15	0.9	0.9	4.4	4.1	0.3	2.1	4.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16	4.0	4.0	4.4	4.1	0.3	3.5	7.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	4.1	4.1	4.4	4.1	0.3	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18	4.1	4.1	4.3	4.1	0.2	3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19	4.1	4.1	4.3	4.1	0.2	3.5	7.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20	4.1	4.1	4.3	4.1	0.2	3.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	4.1	4.1	4.3	4.1	0.2	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	4.2	4.2	4.3	4.1	0.2	3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23	4.2	4.2	4.3	4.1	0.2	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24	4.1	4.1	4.3	4.1	0.2	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	4.1	4.1	4.1	4.1	0.0	3.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
26	4.1	4.1	4.1	4.1	0.0	3.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	4.1	4.1	4.1	4.1	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
28	4.1	4.1	4.1	4.1	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
53	4.1	4.1	4.1	4.1	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	000
30	3.9	3.9	4.1	4.1	0.0	3.6	7.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	125.9	125.9	84.7	82.0	2.7	109.7	1	0.0	Ċ	0.0	ć	0.0	c c	9
TOTAL AF	249.7	249.7	168.0	162.6	5.4		217.6		0.0		0.0		0.0	5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year. 2 - Climatic Credits not applicable in May through December.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

# OCTOBER 2015 - BELOW NORMAL YEAR

cfs         cfs         cfs         cfs         AF         AF         Cfs         AF	Day	USGS Official Discharge	USGS Daily Website Discharge	10-Day Running Average of Website Discharge	Minimum Flow Maintenance Requirement /1	Running Average Less Required Flow	WR-34 Make-Up Discharge	ike-Up	Climatic Credit Earned	dit Earned	Input	Input	Output	Output	Cumulative Balance
3.9         3.9         3.9         3.9         3.7         7.2         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th></th> <th>sjo -</th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>AF</th> <th></th> <th></th> <th>cts</th> <th>AF</th> <th>cfs</th> <th>AF</th> <th>AF</th>		sjo -	cfs	cfs	cfs	cfs	cfs	AF			cts	AF	cfs	AF	AF
3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9 <th>٢</th> <td>3.9</td> <td>3.9</td> <td></td> <td></td> <td></td> <td>3.7</td> <td>7.3</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000</td>	٢	3.9	3.9				3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000
3.5         8.3         1.9         7.5         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>2</th> <td>3.9</td> <td>3.9</td> <td></td> <td></td> <td></td> <td>3.6</td> <td>7.2</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000</td>	2	3.9	3.9				3.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000
8.2         8.3           3.5         3.9         3.7         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	က	3.9	3.9				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
3.4         3.9         3.0         5.9         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>4</th> <td>8.2</td> <td>8.3</td> <td></td> <td></td> <td></td> <td>1.9</td> <td>3.7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	4	8.2	8.3				1.9	3.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
35         39         39         43         64         00         00         00         00         00           39         39         43         58         75         00         00         00         00         00           39         39         43         39         04         38         75         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00 <th>S</th> <td>3.4</td> <td>3.9</td> <td></td> <td></td> <td></td> <td>3.0</td> <td>5.9</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.</td>	S	3.4	3.9				3.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
37         37         37         46         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	9	3.5	3.9				3.2	6.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         4.3         3.9         4.3         3.9         7.7         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>7</th> <td>3.7</td> <td>3.7</td> <td></td> <td></td> <td></td> <td>3.4</td> <td>6.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	7	3.7	3.7				3.4	6.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         4.3         3.9         7.5         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>∞</th> <td>3.9</td> <td>3.9</td> <td></td> <td></td> <td></td> <td>3.7</td> <td>7.4</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	∞	3.9	3.9				3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         4.3         3.9         7.6         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>6</th> <td>3.9</td> <td>3.9</td> <td></td> <td></td> <td></td> <td>3.8</td> <td>7.5</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	6	3.9	3.9				3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         4.3         3.9         7.7         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>10</th> <td>3.9</td> <td>3.9</td> <td></td> <td></td> <td></td> <td>3.8</td> <td>7.6</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>2,000.0</td>	10	3.9	3.9				3.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	2,000.0
3.9         3.9         4.3         3.9         0.4         3.9         7.8         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>11</th> <td>3.9</td> <td>3.9</td> <td>4.3</td> <td>3.9</td> <td>4.0</td> <td>3.9</td> <td>7.7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	11	3.9	3.9	4.3	3.9	4.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.0         4.0         4.3         3.9         0.4         3.9         7.8         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>12</th> <td>3.9</td> <td>3.9</td> <td>4.3</td> <td>3.9</td> <td>0.4</td> <td>3.9</td> <td>7.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.(</td>	12	3.9	3.9	4.3	3.9	0.4	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.(
3.9         3.9         3.9         3.9         3.9         7.7         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>13</th> <td>4.0</td> <td>4.0</td> <td>4.3</td> <td>3.9</td> <td>0.4</td> <td>3.9</td> <td>7.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	13	4.0	4.0	4.3	3.9	0.4	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         0.0         3.9         7.7         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>14</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>3.9</td> <td>7.7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	14	3.9	3.9	3.9	3.9	0.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9 <th>15</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>3.9</td> <td>7.7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	15	3.9	3.9	3.9	3.9	0.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         3.9         0.0         3.8         7.5         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>16</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>3.8</td> <td>9.7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	16	3.9	3.9	3.9	3.9	0.0	3.8	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         0.0         4.0         8.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>17</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>3.8</td> <td>7.5</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	17	3.9	3.9	3.9	3.9	0.0	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         0.0         4.0         8.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>18</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.0</td> <td>8.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	18	3.9	3.9	3.9	3.9	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         0.0         4.0         8.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>19</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.0</td> <td>8.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	19	3.9	3.9	3.9	3.9	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         3.9         0.0         4.1         8.1         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>20</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.0</td> <td>8.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	20	3.9	3.9	3.9	3.9	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         3.9         0.0         4.0         8.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>21</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.1</td> <td>8.1</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.(</td>	21	3.9	3.9	3.9	3.9	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.(
3.9         3.9         3.9         3.9         0.0         4.0         8.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>22</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.1</td> <td>8.1</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.(</td>	22	3.9	3.9	3.9	3.9	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.(
3.9         3.9         3.9         3.9         3.9         0.0         4.1         8.1         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>23</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.0</td> <td>8.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	23	3.9	3.9	3.9	3.9	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         0.0         4.1         8.2         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>24</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.1</td> <td>8.1</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	24	3.9	3.9	3.9	3.9	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         0.0         4.1         8.1         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>25</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.1</td> <td>8.2</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	25	3.9	3.9	3.9	3.9	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9         3.9         3.9         3.9         3.9         0.0         4.0         8.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>76</th> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>3.9</td> <td>0.0</td> <td>4.1</td> <td>8.1</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.(</td>	76	3.9	3.9	3.9	3.9	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.(
3.9 3.9 3.9 3.9 0.0 4.0 7.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	27	3.9	3.9	3.9	3.9	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3.9 3.9 3.9 0.0 3.9 7.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	28	3.9	3.9	3.9	3.9	0.0	4.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
3.9 3.9 3.9 0.0 3.9 7.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	53	3.9	3.9	3.9	3.9	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
3.9 3.9 3.9 3.9 0.0 3.9 7.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0   0.0 0.0	30	3.9	3.9	3.9	3.9	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
124.2 125.2 83.1 81.9 1.2 117.2 0.0 0.0 0.0 0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.	31	3.9	3.9	3.9	3.9	0.0	3.9	7.8	0.0	0:0	0.0	0.0	0.0	0.0	5,000.0
246.3 248.3 164.8 162.4 2.4 233.0 0.0 0.0 0.0	TOTAL SFD	124.2	125.2	83.1	81.9	1.2	117.2		0.0		0.0		0.0		
	TOTAL AF	246.3	248.3	164.8	162.4	2.4		233.0		0.0		0.0		0.0	5,000.

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.2 - Climatic Credits not applicable in May through December.

# SANTA MARGARITA RIVER WATERSHED COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA

# **NOVEMBER 2015 - BELOW NORMAL YEAR**

**GROUNDWATER BANK** CAMP PENDLETON

45 45 45 45 45 45 45 45 45 45 45 45 45 4	Dav	USGS Official Discharge	USGS Daily Website	10-Day Running Average of Website Discharge	Minimum Flow Maintenance	Running Average Less Required	WR-34 Make-Up	ke-Up	Climatic Credit Earned	dit Earned	i du	<u>-</u>	Ş	C et et et	Cumulative
4.5         4.5         4.5         8.9         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th></th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>cfs</th> <th>AF</th> <th></th> <th>AF</th> <th>cfs</th> <th>AF</th> <th>cfs</th> <th>AF</th> <th>AF</th>		cfs	cfs	cfs	cfs	cfs	cfs	AF		AF	cfs	AF	cfs	AF	AF
45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         60         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00<	1	4.5	4.5					8.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         89         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	2	4.5	4.5					9.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         60         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00<	က	4.5	4.5					8.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         45         45         89         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	4	4.5	4.5				4.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         45         45         45         45         45         45         46         88         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         <	5	4.5	4.5				4.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         46         88         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00<	9	4.5	4.5				4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         89         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	7	4.5	4.5				4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
46         46         46         46         46         46         46         46         46         46         46         46         46         47         48         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0	80	4.5	4.5				4.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         45         45         46         48         88         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	6	4.6	4.6				4.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         45         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60         60<	10	4.5	4.5				4.4	8 8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
44         44         45         45         45         40         44         88         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	11	4.5	4.5	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
45         45         45         45         45         45         45         45         60         44         88         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         <	12	4.4	4.4	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.(
4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         4.5         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0         6.0 <th>13</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.4</td> <td>8.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	13	4.5	4.5	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
45         45         45         45         45         45         45         60         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00         00<	14	4.5	4.5	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.5         4.5         4.5         4.5         4.5         0.0         44         8.8         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0	15	4.5	4.5	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.5         4.5         4.5         4.5         0.0         4.4         8.8         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>16</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.4</td> <td>8.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	16	4.5	4.5	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.6         4.6         4.5         4.5         4.5         4.5         6.0         6.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>11</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.4</td> <td>8.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	11	4.5	4.5	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.5         4.5         4.5         4.5         0.0         4.3         8.6         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>18</th> <td>4.6</td> <td>4.6</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.4</td> <td>8.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	18	4.6	4.6	4.5	4.5	0.0	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.6         4.6         4.5         4.5         0.0         4.3         8.6         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>19</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.3</td> <td>9.8</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	19	4.5	4.5	4.5	4.5	0.0	4.3	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.5         4.5         4.5         4.5         0.0         4.2         8.4         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>20</th> <td>4.6</td> <td>4.6</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.3</td> <td>8.6</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.</td>	20	4.6	4.6	4.5	4.5	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
4.5         4.5         4.5         4.5         0.0         4.3         8.5         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>21</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.2</td> <td>8.4</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.</td>	21	4.5	4.5	4.5	4.5	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
4.5         4.5         4.5         4.5         0.0         4.3         8.6         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th>22</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.3</td> <td>8.5</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	22	4.5	4.5	4.5	4.5	0.0	4.3	8.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.5     4.5     4.5     4.5     0.0     4.4     8.7     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0 <th>23</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.3</td> <td>8.6</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	23	4.5	4.5	4.5	4.5	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.6     4.6     4.6     4.5     4.5     0.0     4.3     8.6     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0 <th>24</th> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.4</td> <td>8.7</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	24	4.5	4.5	4.5	4.5	0.0	4.4	8.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.7     4.7     4.6     4.5     0.1     4.3     8.5     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0 <th>25</th> <td>4.6</td> <td>4.6</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>4.3</td> <td>8.6</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	25	4.6	4.6	4.5	4.5	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.6     4.6     4.6     4.5     0.1     3.8     7.5     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0 <th>76</th> <td>4.7</td> <td>4.7</td> <td>4.6</td> <td>4.5</td> <td>0.1</td> <td>4.3</td> <td>8.5</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	76	4.7	4.7	4.6	4.5	0.1	4.3	8.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.4     4.4     4.5     4.5     0.0     3.7     7.3     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0 <th>27</th> <td>4.6</td> <td>4.6</td> <td>4.6</td> <td>4.5</td> <td>0.1</td> <td>3.8</td> <td>7.5</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	27	4.6	4.6	4.6	4.5	0.1	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.3     4.5     4.5     0.0     3.7     7.4     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0     0.0 <th>28</th> <td>4.4</td> <td>4.4</td> <td>4.5</td> <td>4.5</td> <td>0.0</td> <td>3.7</td> <td>7.3</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>5,000.0</td>	28	4.4	4.4	4.5	4.5	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4.3	29	4.3	4.3	4.5	4.5	0.0		7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.
135.1 135.1 90.2 90.0 0.2 129.2 0.0 0.0 0.0 0.0 0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0	30	4.3	4.3	4.5	4.5	0.0		7.4		0.0	0.0	0.0	0.0	0.0	5,000.
135.1 135.1 90.2 90.0 0.2 129.2 0.0 0.0 0.0 0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.															
268.0 268.0 178.9 178.5 0.4 257.3 0.0 0.0 0.0 0.0	TOTAL SFD	135.1	135.1	90.2	0.06	0.2	129.2		0.0	,	0.0	,	0.0	4	i
	TOTAL AF	768.0	268.0	178.9	178.5	9.4		257.3		0.0		0.0		0.0	5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year. 2 - Climatic Credits not applicable in May through December.

## COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS SANTA MARGARITA RIVER NEAR TEMECULA SANTA MARGARITA RIVER WATERSHED

**DECEMBER 2015 - BELOW NORMAL YEAR** 

GROUNDWATER BANK CAMP PENDLETON

5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000.0 5,000. 5,000.0 5,000.0 5,000.0 Cumulative Balance 5,000.0 5,000.0 Output 0.0 AF Output cts 0.0 0.0 Input AF Input cts Climatic Credit Earned 0.0 AF cts 330.6 10.4 0.7 0.7 0.7 0.3 0.3 WR-34 Make-Up ΑF Discharge  $0.0069 \times 0.009 \times 0.0$ 166.4 cts Running Average Less Required Flow cts Minimum Flow Requirement /1 Maintenance 111.3 220.8 cts Website Discharge 10-Day Running 111.3 220.8 Average of 164.2 325.7 **JSGS Daily** Discharge Website cts **USGS Official** 163.7 324.7 Discharge cts TOTAL SFD TOTAL AF Day 

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.2 - Climatic Credits not applicable in May through December.

## SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

### **APPENDIX F**

ANNUAL REPORT ISSUES SUBORDINATED DURING EFFECTIVE PERIOD OF THE COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

### APPENDIX F

### SANTA MARGARITA RIVER WATERSHED

### ANNUAL REPORT ISSUES SUBORDINATED DURING EFFECTIVE PERIOD OF THE COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

### Introduction

Prior to implementation of the Cooperative Water Resource Management Agreement (CWRMA) entered into by Rancho California Water District (RCWD) and the United States on behalf of Camp Pendleton, there were contentions raised by Camp Pendleton each year, with respect to various aspects of the Annual Watermaster Report. These contentions are settled so long as CWRMA is in effect. Accordingly, there is no need to raise those particular issues or publish them in the main text of the annual report or in related correspondence.

However, the respective positions on these issues need to be preserved and protected from any finding of waiver, and there is a need to continue to collect related data in the event of need in the future.

Therefore, the applicable textual material in the previous annual reports and related comments and responses have been gathered here for preservation and maintenance of rights, with the understanding that the previous annual exchange of applicable contentions in the process of preparing the annual report is no longer necessary.

### Issues Reserved

Section 3, Surface Water Availability and Use: In the absence of CWRMA implementation, Camp Pendleton disputes the method of calculation used in the annual report in Subsection 3.2 (Surface Water Diversions) and Table 3.3 (Surface Water Diversions to Storage for Vail Lake) for presentation of the information regarding Vail Lake and further asserts its belief that the Vail Dam impoundment fails to comply with the 1940 Stipulated Judgment.

Section 4, Subsurface Water Availability and Use: In the absence of CWRMA implementation, and with respect to Figure 4.1 (Water Level Elevations – Windmill Well) and to Subsections 4.3 (Water Levels) and 4.4 (Groundwater Storage), Camp Pendleton is concerned about the apparent excessive pumping in the Upper Basin, and further asserts its belief that the lengthy and significant drawdown and concomitant loss in storage adversely affect the water supply for adjacent and downstream users holding senior water rights.

<u>Section 7, Water Production and Use:</u> First, in the absence of CWRMA implementation, and with regard to the local production figures shown in Table 7.1 (Water Production and Use), Camp Pendleton is concerned about the high level of groundwater production from the Upper Basin, a level that Camp Pendleton believes to be substantially greater than the safe yield.

Second, in the absence of CWRMA implementation, and with regard to Footnote 4 of Table 7.1 (distinction between RCWD pumping of older alluvium water and of Vail recovery water), Camp Pendleton has serious reservations as to the accounting system that is being used as well as the legal and technical bases upon which such system has been formulated.

Third, in the absence of CWRMA implementation, and as to the RCWD part of Subsection 7.2.8 (Water Purveyors – Rancho California Water District), Camp Pendleton has serious reservations as to the accounting system that is being used as well as the legal and technical bases upon which such system has been formulated. These reservations include the following:

- 1. As to the "Vail Appropriation" part: Representatives of the United States contend that under the 1940 Stipulated Judgment storage of water in Vail Lake is limited to Rancho California Water District's share of the flood waters of the Santa Margarita River system. However, to date, the parties have not agreed on a definition of "flood waters."
- 2. As to the "Division of Local Water" part: In 1995 well logs and geophysical logs of all Rancho California WD wells were reviewed by representatives of the United States and Rancho California WD to determine the depths of the younger alluvium. There was general agreement between the parties about the depth of the younger alluvium in production wells, except for ten wells shown on Table 7.7 of the 1994-95 report. In 2015, Watermaster, Rancho California WD and Camp Pendleton reviewed available geologic reports, geologic cross sections, well completion reports, driller logs, and geophysical logs to develop new geologic cross sections to delineate the depth of younger alluvium. The parties reached consensus on the depth of younger alluvium for wells previously in dispute as indicated in Table 7.7.

<u>Section 8, Unauthorized Water Use</u>: In the absence of CWRMA implementation, and with respect to water use by RCWD, Camp Pendleton asserts the following:

- 1. Such use is in violation of the 1940 Stipulated Judgment by reason of, among other things, Vail Lake operations in excess of entitlement and pumping from both younger and older alluvium in excess of entitlement, which contentions RCWD disputes;
- 2. Rediversion and use of water impounded by Vail Dam are not in accord with terms of Permit 7032;
- 3. Unauthorized pumping is being done, including pumping from the younger alluvium outside of Pauba Valley without a permit and pumping from the older alluvium in violation of Court adjudications.

<u>Section 9, Threats to Water Supply</u>: In the absence of CWRMA implementation, and with respect to Subsection 9.3 (Potential Overdraft Conditions) and as noted in the foregoing comments to Sections 4 and 7, Camp Pendleton is seriously concerned regarding the apparent excessive pumping in the Upper Basin.

### **DRAFT**

## SANTA MARGARITA RIVER WATERSHED ANNUAL WATERMASTER REPORT WATER YEAR 2014-15

## APPENDIX G INDEPENDENT AUDITOR'S REPORT WATER YEAR 2014-15

	nes A. Rotherham, C O & Managing Partr	
,	y T. Hosaka, CPA cired	
Jan	nes C. Nagel, CPA	

Retired

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED

INDEPENDENT AUDITORS' REPORT

FOR THE FISCAL YEAR ENDED SEPTEMBER 30, 2015

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED

### **INTRODUCTORY SECTION**

**SEPTEMBER 30, 2015** 

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED TABLE OF CONTENTS SEPTEMBER 30, 2015

	Page <u>Number</u>
INTRODUCTORY SECTION	
Table of Contents	i
FINANCIAL SECTION	1
Independent Auditors' Report	2 - 3
Statement of Net Assets	4
Statement of Activities	5
Statement of Cash Flows	6
Notes to Financial Statements	7 - 11
SUPPLEMENTARY INFORMATION SECTION	12
Statement of Activities - Budget and Actual	13
OTHER INDEPENDENT AUDITORS' REPORTS SECTION	14
Independent Auditors' Report on Internal Control Over Financial Reporting and on Compliance and Other Matters Based on an Audit of Financial Statements	
Performed in Accordance with Government Auditing Standards	15 - 16
FINDINGS AND RECOMMENDATIONS SECTION	17
Schedule of Audit Findings and Questioned Costs	18 - 19
Summary Schedule of Prior Audit Findings	20

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED

FINANCIAL SECTION

**SEPTEMBER 30, 2015** 

James A. Rotherham, CPA CEO & Managing Partner

Roy T. Hosaka, CPA Retired

James C. Nagel, CPA Retired

### INDEPENDENT AUDITORS' REPORT

Steering Committee Watermaster of the Santa Margarita River Watershed Fallbrook, California

### Report on the Financial Statements

We have audited the accompanying financial statements of Watermaster of the Santa Margarita River Watershed, which comprise the statement of net assets as of September 30, 2015, and the related statements of activities and cash flows for the fiscal year then ended, and the related notes to the financial statements.

### Management's Responsibility for the Financial Statements

Management is responsible for the preparation and fair presentation of these financial statements in accordance with accounting principles generally accepted in the United States of America; this includes the design, implementation, and maintenance of internal control relevant to the preparation and fair presentation of financial statements that are free from material misstatement, whether due to fraud or error.

### Auditor's Responsibility

Our responsibility is to express an opinion on these financial statements based on our audit. We conducted our audit in accordance with auditing standards generally accepted in the United States of America and the standards applicable to financial audits contained in *Government Auditing Standards*, issued by the Comptroller General of the United States. Those standards require that we plan and perform the audit to obtain reasonable assurance about whether the financial statements are free from material misstatement.

An audit involves performing procedures to obtain audit evidence about the amounts and disclosures in the financial statements. The procedures selected depend on the auditor's judgment, including the assessment of the risks of material misstatement of the financial statements, whether due to fraud or error. In making those risk assessments, the auditor considers internal control relevant to the entity's preparation and fair presentation of the financial statements in order to design audit procedures that are appropriate in the circumstances, but not for the purpose of expressing an opinion on the effectiveness of the entity's internal control. Accordingly, we express no such opinion. An audit also includes evaluating the appropriateness of accounting policies used and the reasonableness of significant accounting estimates made by management, as well as evaluating the overall presentation of the financial statements.

We believe that the audit evidence we have obtained is sufficient and appropriate to provide a basis for our audit opinion.

### INDEPENDENT AUDITORS' REPORT Page 2

### Opinion

In our opinion, the financial statements referred to above present fairly, in all material respects, the financial position of Watermaster of the Santa Margarita River Watershed as of September 30, 2015, and the changes in its net assets and its cash flows for the fiscal year then ended in accordance with accounting principles generally accepted in the United States of America.

### Other Matters

### Other Information

Our audit was conducted for the purpose of forming an opinion on the financial statements as a whole. The supplementary information as listed in the table of contents is presented for purposes of additional analysis and is not a required part of the financial statements. Such information is the responsibility of management and was derived from and relates directly to the underlying accounting and other records used to prepare the financial statements. The information has been subjected to the auditing procedures applied in the audit of the financial statements and certain additional procedures, including comparing and reconciling such information directly to the underlying accounting and other records used to prepare the financial statements or to the financial statements themselves, and other additional procedures in accordance with auditing standards generally accepted in the United States of America. In our opinion, the information is fairly stated in all material respects in relation to the financial statements as a whole.

### Other Reporting Required by Government Auditing Standards

In accordance with *Government Auditing Standards*, we have also issued our report dated December 16, 2015, on our consideration of Watermaster of the Santa Margarita River Watershed's internal control over financial reporting and on our tests of its compliance with certain provisions of laws, regulations, contracts, and grant agreements and other matters. The purpose of that report is to describe the scope of our testing of internal control over financial reporting and compliance and the results of that testing, and not to provide an opinion on internal control over financial reporting or on compliance. That report is an integral part of an audit performed in accordance with *Government Auditing Standards* in considering Watermaster of the Santa Margarita River Watershed's internal control over financial reporting and compliance.

Hosako, Ribirdam & Company

San Diego, California December 16, 2015

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED STATEMENT OF NET ASSETS SEPTEMBER 30, 2015

### **ASSETS**

Current assets:		
Cash and cash equivalents (Note 3)	\$	242,061
Short-term investments (Note 4)		201,068
Accounts receivable		102,300
Prepaid expenses	£1-1-1	200
Total current assets		545,629
Fixed assets, net of depreciation (Note 5)	•	4,252
Total assets	\$	549,881
LIABILITIES AND NET ASSETS		
Current liabilities:		
Advanced assessments (Note 2)	_\$	153,450
Total current liabilities		153,450
Net assets:		
Unrestricted		396,431
Total net assets		396,431
Total liabilities and net assets	\$	549,881

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED STATEMENT OF ACTIVITIES FOR THE FISCAL YEAR ENDED SEPTEMBER 30, 2015

### Revenues

Assessments Interest	\$ 679,700 637
Total revenues	680,337
Expenses	
Watermaster fees:	
Consulting services	217,266
Travel reimbursements	25,048
Other expenses:	
Gauging station operation	234,494
Rent	18,000
Accounting services	6,652
Supplies	1,121
Insurance	575
Printing	10,722
Audit	6,585
Legal services	21,235
Publications	3,140
Clerical / Analyst	104,437
Telephone / Internet	2,895
Travel	1,049
Postage	1,400
Conference / Training	1,116
IT System / Computer	2,230
Depreciation expense	867
Miscellaneous	130
Total expenses	658,962
Change in net assets	21,375
Net assets - beginning	 375,056
Net assets - ending	\$ 396,431

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED STATEMENT OF CASH FLOWS FOR THE FISCAL YEAR ENDED SEPTEMBER 30, 2015

### Cash flows used by operating activities:

Depreciation Receipts from customers Receipts from interest Payment to suppliers and vendors	\$	867 585,200 637 (658,962)
Net cash used in operating activities	··· ····	(72,258)
Cash flows from financing activities:		
Increase in short-term investments		(51)
Net cash used in financing activities		(51)
Change in cash and cash equivalents		(72,309)
Cash and cash equivalents - beginning		314,370
Cash and cash equivalents - ending	\$	242,061
Reconciliation of operating revenues to net cash used by operating activities:		
Change in net assets	\$	21,375
Adjustment to reconcile net income to net cash provided by operating activities:		
Depreciation		867
(Increase) Decrease in Accounts receivable Increase (Decrease) in		(102,300)
Advanced assessments		7,800
Net cash used in operating activities	\$	(72,258)

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED NOTES TO FINANCIAL STATEMENTS SEPTEMBER 30, 2015

### **NOTE 1 - ORGANIZATION**

### Nature of operations

Watermaster of the Santa Margarita River Watershed (Watermaster) was created by order of the United States District Court, Southern District of California (Court). The Court, as part of its continuing jurisdiction in the case of United States vs. Fallbrook Public Utility District et al., has authority to make judicial determination of all water rights within the Santa Margarita River Watershed. The Watermaster is empowered by the Court to administer and enforce the provisions of a Modified Final Judgment and Decree entered April 6, 1966, and subsequent instructions and orders of the Court. On November 15, 2005, the Court issued an Order authorizing the Steering Committee to execute an Employment Agreement with Charles W. Binder, DBA Binder & Associates Consulting, Inc., to serve as Watermaster.

A Steering Committee was appointed by the Court to assist the Watermaster and the Court. The Steering Committee is comprised of representatives from the United States (Camp Pendleton Marine Corps Base), Rancho California Water District, Fallbrook Public Utility District (FPUD), Eastern Municipal Water District, Metropolitan Water District of Southern California, the Pechanga Band of Luiseño Mission Indians, and Western Municipal Water District.

The fees and expenses of the Watermaster during the water year ended September 30, 2015, were, per court order, paid from equal assessments against the Steering Committee members. The Court retains the right to assess other parties in the watershed in future years. Pursuant to an agreement between the Watermaster and the United States Geological Survey (USGS). The USGS provides operations and maintenance services for stream gauging stations and groundwater monitoring wells in the watershed.

### NOTE 2 - SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES

### A. Basis of accounting

The accounting policies of the Watermaster substantially conform to generally accepted accounting principles. The accounting records are maintained on an accrual basis. Revenue is recognized when earned and expenses are recorded upon incurrence of a liability. Accounts receivable represent amounts due from Steering Committee members.

### B. Cash and cash equivalents

Cash and cash equivalents are from time to time variously composed of cash in banks and liquid investments with original maturities of three months or less.

### C. Investments

The Watermaster presents its investments in accordance with Accounting Standards. Investments in marketable securities with readily determinable fair values and all investments in debt securities are reported at their fair values in the Statement of Net Assets. The fair values of these investments are subject to change based on the fluctuations of market values. Unrealized gains and losses are included in the change in net assets. Investment income and gains restricted by a donor or by the Watermaster are reported as increases in unrestricted net assets if the restrictions are met (either by the passage of time or by use) in the reporting period in which the income and gains are recognized.

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED NOTES TO FINANCIAL STATEMENTS SEPTEMBER 30, 2015

### NOTE 2 - SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES (CONTINUED)

### D. Accounts receivable

Watermaster considers accounts receivable to be fully collectible; accordingly, no allowance for doubtful accounts is required.

### E. Fixed assets

Fixed assets are recorded at cost and depreciated under the straight-line method over their estimated useful lives of 3 to 10 years. Repair and maintenance costs, which do not extend the useful lives of the asset, are charged to expense. The cost of assets, sold or retired, and related amounts of accumulated depreciation are eliminated from the accounts in the year of disposal, and any resulting gain or loss is included in the earnings. Management has elected to capitalize and depreciate all assets costing \$2,000 or more; all other assets are charged to expense in the year incurred.

### F. Advanced assessments

Advanced assessments represent amounts levied or collected in the current year that apply to the next fiscal year.

### G. Use of estimates

The preparation of financial statements in conformity with generally accepted accounting principles requires management to make estimates and assumptions that affect certain reported amounts and disclosures. Accordingly, actual results could differ from those estimates.

### H. Classification of items

Certain items may have been classified different from one year to another.

### Income taxes

Watermaster was created by order of the Court and is exempt from taxation.

### J. Excess of expenses over budgets

Excess of actual expenses over budgeted amounts in individual accounts were as follows:

Gauging station operation	\$ (1,544)
Printing	\$ (1,722)
Legal services	\$ (1,235)
Travel	\$ (149)
Depreciation expense	\$ (867)

Excess actual expenses over budgeted amounts were immaterial for the fiscal year ended September 30, 2015.

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED NOTES TO FINANCIAL STATEMENTS SEPTEMBER 30, 2015

#### NOTE 2 - SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES (CONTINUED)

#### K. New GASB Pronouncements

The Watermaster implemented the following Governmental Accounting Standards Board pronouncements:

#### Governmental Accounting Standards Board Statement No. 68

Effective June 30, 2015, the Watermaster implemented GASB Statement No. 68, Accounting and Financial Reporting for Pensions – an amendment of GASB Statement No. 27 (GASB Statement No. 68), and GASB Statement No. 71, Pension Transition for Contributions Made Subsequent to the Measurement Date – an amendment of GASB Statement No. 68 (GASB Statement No. 71). GASB Statement No. 68 requires that the Watermaster record the Net Pension Liability or Asset of its defined benefit pension plan as of the measurement date. GASB Statement No. 71 relates to amounts that are deferred and amortized at the time GASB Statement No. 68 is first implemented.

#### Governmental Accounting Standards Board Statement No. 63

In June 2011, the GASB issued Statement No. 63, *Financial Reporting of Deferred Outflows of Resources, Deferred Inflows of Resources, and Net Position.* This Statement is designed to improve financial reporting by standardizing the presentation of deferred outflows of resources and deferred inflows of resources into the definitions of the required components of the residual measure and by renaming that measure as net position, rather than net assets.

#### **NOTE 3 - CASH AND CASH EQUIVALENTS**

Cash and cash equivalents at September 30, 2015, consisted of the following:

Total cash and cash equivalents	\$ 242,061
Money market	 269,391
Cash in banks	\$ (27,330)

Cash balances held in banks are insured up to \$250,000 by the Federal Deposit Insurance Corporation (FDIC). In addition, the Watermaster has entered into a contract with Pacific Western Bank to collateralize deposits in the amount of 110 percent up to \$1,000,000 of any deposits in excess of \$250,000. At September 30, 2015, the Watermaster had no funds deposited with Pacific Western Bank in excess of \$250,000 secured under the contract with Pacific Western Bank. The remaining cash balances at September 30, 2015 held at Wells Fargo and Union Bank of California were less than the \$250,000 and thus insured by FDIC.

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED NOTES TO FINANCIAL STATEMENTS SEPTEMBER 30, 2015

#### **NOTE 4 - SHORT-TERM INVESTMENTS**

Short-term investments at September 30, 2015, are stated at Fair Market Value and consist of the following:

	Cost	Fair Value	(	Carrying Value
Unrestricted:		 	***************************************	
Pacific Western Bank				
Certificate of deposit	\$ 50,823	\$ 51,068	\$	51,068
Union Bank		•		,
Certificate of deposit	 150,000	 150,000		150,000
Total unrestricted	\$ 200,823	\$ 201,068	\$	201,068

Short-term investment activity for the fiscal year ended September 30, 2015, consisted of the following:

	Unres	Unrestricted	
Interest and dividends	\$	637	
Net investment return	\$	637	

Watermaster realized a gain or loss on the Union Bank certificate of deposit when it earned its interest. During the fiscal year, Watermaster recognized the entire interest income related to the Union Bank certificate of deposit in the amount of \$637.

#### **NOTE 5 - FIXED ASSETS**

Fixed assets at September 30, 2015, consisted of the following:

Computer equipment	\$ 10,862
Office furniture and equipment	19,461
Less: accumulated depreciation	 (26,071)
Total fixed assets, net of depreciation	\$ 4,252

During the fiscal year ended September 30, 2015, \$867 was charged to depreciation expense.

#### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED NOTES TO FINANCIAL STATEMENTS SEPTEMBER 30, 2015

#### **NOTE 6 - RELATED PARTY TRANSACTIONS**

The Watermaster has entered into an agreement with Fallbrook Public Utility District (FPUD), which is a member of the Watermaster Steering Committee, whereby FPUD provides office space and accounting services. Rent of office space and accounting services for the fiscal year ended September 30, 2015, were \$18,000 and \$6,652, respectively.

Data management and clerical support services are performed at the Watermaster office by an FPUD employee under contract. Watermaster reimburses FPUD for the actual cost of wages and fringe benefits. For the fiscal year ended September 30, 2015, these reimbursements totaled \$104,437.

#### **NOTE 7 - OPERATING LEASES**

The Watermaster leases a copier and electronic storage under operating lease arrangements. Future minimum lease payments under the signed lease arrangements are as follows:

Year Ending		1	Lease	
September 30,		Pa	Payments	
2016		\$	4,903	
2017			3,253	
2018			3,103	
	Total	\$	11,259	

The Watermaster will receive no sublease rental revenue, nor pay any contingent rentals for these leases. At September 30, 2015, Watermaster's lease expense was \$4,903.

#### **NOTE 8 - SUBSEQUENT EVENTS**

The Watermaster's management has evaluated events or transactions that may occur for potential recognition or disclosure in the financial statements from the balance sheet date through December 16, 2015, which is the date the financial statements were available to be issued. Management has determined that there were no subsequent events or transactions that would have a material impact on the current year financial statements.

#### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED SUPPLEMENTARY INFORMATION SECTION SEPTEMBER 30, 2015

#### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED STATEMENT OF ACTIVITIES - BUDGET AND ACTUAL FOR THE FISCAL YEAR ENDED SEPTEMBER 30, 2015

	Original/ Final Budget Actual		Variance Favorable (Unfavorable)		
Revenues					
Assessments Interest	\$	679,700 <u>-</u>	\$ 679,700 637	\$	- 637_
Total revenues		679,700	680,337		637
Expenses					
Watermaster fees:					
Consulting services		222,000	217,266		4,734
Travel reimbursements		26,400	25,048		1,352
Other expenses:					
Gauging station operation		232,950	234,494		(1,544)
Rent		18,000	18,000		
Accounting services		8,600	6,652		1,948
Human resources services		1,000	· -		1,000
Supplies		1,800	1,121		679
Insurance		600	575		25
Printing		9,000	10,722		(1,722)
Audit		6,600	6,585		15
Legal services		20,000	21,235		(1,235)
Publications		3,200	3,140		60
Clerical / Analyst		109,300	104,437		4,863
Telephone / Internet		3,000	2,895		105
Travel		900	1,049		(149)
Postage		1,900	1,400		500
Conference/Training		1,200	1,116		84
Office equipment and furniture		1,000	-		1,000
IT System/Computer		10,000	2,230		7,770
Depreciation expense		-	867		(867)
Miscellaneous		2,250	 130		2,120
Total expenses		679,700	 658,962	-	20,738
Change in net assets		-	21,375		21,375
Net assets - beginning		375,056	 375,056		<u> </u>
Net assets - ending	\$	375,056	\$ 396,431	\$	21,375

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED

#### OTHER INDEPENDENT AUDITORS' REPORTS SECTION

**SEPTEMBER 30, 2015** 

CEO & Managing Partner
.....Roy T. Hosaka, CPA
Retired

James C. Nagel, CPA

Retired

James A. Rotherham, CPA

INDEPENDENT AUDITORS' REPORT ON INTERNAL CONTROL OVER FINANCIAL REPORTING AND ON COMPLIANCE AND OTHER MATTERS BASED ON AN AUDIT OF FINANCIAL STATEMENTS PERFORMED IN ACCORDANCE WITH GOVERNMENT AUDITING STANDARDS

Steering Committee Watermaster of the Santa Margarita River Watershed Fallbrook, California

We have audited, in accordance with the auditing standards generally accepted in the United States of America and the standards applicable to financial audits contained in *Government Auditing Standards* issued by the Comptroller General of the United States, the financial statements of Watermaster of the Santa Margarita River Watershed, which comprise the statement of net assets as of September 30, 2015, and the related statements of activities and cash flows for the fiscal year then ended, and the related notes to the financial statements, and have issued our report thereon dated December 16, 2015.

#### Internal Control Over Financial Reporting

In planning and performing our audit of the financial statements, we considered Watermaster of the Santa Margarita River Watershed's internal control over financial reporting (internal control) to determine the audit procedures that are appropriate in the circumstances for the purpose of expressing our opinion on the financial statements, but not for the purpose of expressing an opinion on the effectiveness of Watermaster of the Santa Margarita River Watershed's internal control. Accordingly, we do not express an opinion on the effectiveness of Watermaster of the Santa Margarita River Watershed's internal control.

A deficiency in internal control exists when the design or operation of a control does not allow management or employees, in the normal course of performing their assigned functions, to prevent, or detect and correct, misstatements on a timely basis. A material weakness is a deficiency, or a combination of deficiencies, in internal control, such that there is a reasonable possibility that a material misstatement of the entity's financial statements will not be prevented, or detected and corrected on a timely basis. A significant deficiency is a deficiency, or a combination of deficiencies, in internal control that is less severe than a material weakness, yet important enough to merit attention by those charged with governance.

Our consideration of internal control was for the limited purpose described in the first paragraph of this section and was not designed to identify all deficiencies in internal control that might be material weaknesses or significant deficiencies. Given these limitations, during our audit we did not identify any deficiencies in internal control that we consider to be material weaknesses. However, material weaknesses may exist that have not been identified.

INDEPENDENT AUDITORS' REPORT ON INTERNAL CONTROL OVER FINANCIAL REPORTING AND ON COMPLIANCE AND OTHER MATTERS BASED ON AN AUDIT OF FINANCIAL STATEMENTS PERFORMED IN ACCORDANCE WITH GOVERNMENT AUDITING STANDARDS
Page 2

#### **Compliance and Other Matters**

As part of obtaining reasonable assurance about whether Watermaster of the Santa Margarita River Watershed's financial statements are free from material misstatement, we performed tests of its compliance with certain provisions of laws, regulations, contracts, and grant agreements, noncompliance with which could have a direct and material effect on the determination of financial statement amounts. However, providing an opinion on compliance with those provisions was not an objective of our audit, and accordingly, we do not express such an opinion. The results of our tests disclosed no instances of noncompliance or other matters that are required to be reported under *Government Auditing Standards*.

#### Purpose of this Report

The purpose of this report is solely to describe the scope of our testing of internal control and compliance and the results of that testing, and not to provide an opinion on the effectiveness of the Watermaster's internal control or on compliance. This report is an integral part of an audit performed in accordance with *Government Auditing Standards* in considering the Watermaster's internal control and compliance. Accordingly, this communication is not suitable for any other purpose.

Horaka, Flotherham & Company

San Diego, California December 16, 2015

	,	

# WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED FINDINGS AND RECOMMENDATIONS SECTION SEPTEMBER 30, 2015

### WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED SCHEDULE OF AUDIT FINDINGS AND QUESTIONED COSTS FOR THE FISCAL YEAR ENDED SEPTEMBER 30, 2015

#### A. Summary of Auditors' Results

1.	Financial Statements				
	Type of auditors' report issued:	Unquali	fied	_	
	Internal control over financial reporting:				
	One or more material weaknesses identified?	Yes	X_	.No	
	One or more significant deficiencies identified that are not considered to be material weaknesses?	Yes	_X_	None Reported	
	Noncompliance material to financial statements noted?	Yes	X_	No	
2.	Federal Awards				
	Internal control over major programs:				
	One or more material weaknesses identified?	Yes	N/A	No	
	One or more significant deficiencies identified that are not considered to be material weaknesses?	Yes	N/A	None Reported	
	Type of auditors' report issued on compliance for major programs:	N/A	·		
	Any audit findings disclosed that are required to be reported in accordance with section .510(a) or Circular A-133?	Yes	N/A	No	
	Identification of major programs:				
	CFDA Number(s) Name of Federal Progra	am or Cluste	<u>er</u>		
	The Organization did not have over \$500,000 in Federal Expenditures.				
	Dollar threshold used to distinguish between type A and type B programs:	N/A			
	Auditee qualified as low-risk auditee?	Yes	N/A	No	

## WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED SCHEDULE OF AUDIT FINDINGS AND QUESTIONED COSTS (CONTINUED) FOR THE FISCAL YEAR ENDED SEPTEMBER 30, 2015

Α.	Summary of Auditors' Results (continued)	
	3. State Awards	
	Internal control over state programs:	
	One or more material weaknesses identified?	Yes <u>N/A</u> No
	One or more significant deficiencies identified that are not considered to be material weaknesses?	Yes <u>N/A</u> None Reported
	Type of auditors' report issued on compliance	
	for state programs:	N/A
В.	Financial Statement Findings	
	None	
C.	Federal Award Findings and Questioned Costs	
	None	
D.	State Award Findings and Questioned Costs	
	None	

# WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED SUMMARY SCHEDULE OF PRIOR AUDIT FINDINGS SEPTEMBER 30, 2015

Findings/Recommendations	Current Status	Explanation If Not Implemented
None	N/A	N/A

	nes A. Rotherham, CPA D & Managing Partner
•	
,	T. Hosaka, CPA ired
Jam	nes C. Nagel, CPA

Retired

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED

REPORT TO THE STEERING COMMITTEE

**SEPTEMBER 30, 2015** 

James A. Rotherham, CPA CEO & Managing Partner

·····

Roy T. Hosaka, CPA Retired

James C. Nagel, CPA Retired

To the Steering Committee
Watermaster of the Santa Margarita River Watershed
Fallbrook, California

We have audited the financial statements of Watermaster of the Santa Margarita River Watershed (Watermaster), for the year ended September 30, 2015, and have issued our report thereon dated December 16, 2015. Professional standards require that we provide you with the following information related to our audit.

### Our Responsibility Under U.S. Generally Accepted Auditing Standards and Government Auditing Standards

As stated in our engagement letter, our responsibility, as described by professional standards, is to plan and perform our audit to obtain reasonable, but not absolute, assurance about whether the financial statements are free of material misstatement and are fairly presented in accordance with U.S. generally accepted accounting principles. Because an audit is designed to provide reasonable, but not absolute, assurance and because we did not perform a detailed examination of all transactions, there is a risk that material misstatements may exist and not be detected by us.

As part of our audit, we considered the internal control of Watermaster. Such considerations were solely for the purpose of determining our audit procedures and not to provide any assurance concerning such internal control.

As part of obtaining reasonable assurance about whether the financial statements are free of material misstatement, we performed tests of Watermaster's compliance with certain provisions of laws, regulations, contracts, and grants. However, the objective of our tests was not to provide an opinion on compliance with such provision.

#### **Significant Accounting Policies**

Management is responsible for the selection and use of appropriate accounting policies. In accordance with the terms of our engagement letter, we will advise management about the appropriateness of accounting policies and their application. The significant accounting policies used by Watermaster are described in Note 2 to the financial statements. New accounting policies were adopted and the applications of existing policies were changed during the year ended September 30, 2015. We noted no transactions entered into by Watermaster during the year that were both significant and unusual, and of which, under professional standards, we are required to inform you, or transactions for which there is a lack of authoritative guidance or consensus.

#### **Accounting Estimates**

Accounting estimates are an integral part of the financial statements prepared by management and are based on management's knowledge and experience about past and current events and assumptions about future events.

Watermaster of the Santa Margarita River Watershed Steering Committee Report Page 2 of 2

#### **Audit Adjustments**

For purposes of this letter, professional standards define an audit adjustment as a proposed correction of the financial statements that, in our judgment, may not have been detected except through our auditing procedures. An audit adjustment may or may not indicate matters that could have a significant effect on Watermaster's financial reporting process (that is, cause future financial statements to be materially misstated).

#### **Disagreements With Management**

For purposes of this letter, professional standards define a disagreement with management as a matter, whether or not resolved to our satisfaction, concerning a financial accounting, reporting, or auditing matter that could be significant to the financial statements or the auditors' report. We are pleased to report that no such disagreements arose during the course of our audit.

#### **Consultations With Other Independent Accountants**

In some cases, management may decide to consult with other accountants about auditing and accounting matters, similar to obtaining a "second opinion" on certain situations. If a consultation involves application of an accounting principle Watermaster's financial statements or a determination of the type of auditor's opinion that may be expressed on those statements, our professional standards require the consulting accountant to check with us to determine that the consultant has all the relevant facts. To our knowledge, there were no such consultations with other accountants.

#### **Issues Discussed Prior to Retention of Independent Auditors**

We generally discuss a variety of matters, including the application of accounting principles and auditing standards, with management each year prior to retention as Watermaster's auditors. However, these discussions occurred in the normal course of our professional relationship and our responses were not a condition to our retention.


#### Difficulties Encountered in Performing the Audit

We encountered no difficulties in dealing with management in performing and completing our audit.

This report is intended solely for the information and use of management and Steering Committee, and is not intended to be and should not be used by anyone other than these specified parties.

Hosaka, Rotherham & Company

San Diego, California December 16, 2015



Rancho California Water District
Planning and Capital Projects Geographic Information Services June 2016





1 inch = 4 miles