

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 2015-16

UNITED STATES OF AMERICA

V.

FALLBROOK PUBLIC UTILITY DISTRICT, ET AL.

CIVIL NO. 51-CV-1247-GPC-RBB

**MICHAEL J. PRESZLER
WATERMASTER
895 EMBARCADERO DRIVE, SUITE 105
EL DORADO HILLS, CA 95762
(916) 542-7895**

January 2018

Table of Contents

	<u>Page No.</u>
SECTION 1 – SUMMARY	1
SECTION 2 - INTRODUCTION.....	5
2.1 Background.....	5
2.2 Authority.....	5
2.3 Scope.....	5
2.4 Current Watermaster/Appointment.....	6
2.5 Watermaster Accounting.....	6
SECTION 3 - SURFACE WATER AVAILABILITY AND USE.....	7
3.1 Surface Flow	7
3.2 Surface Water Diversions.....	13
3.3 Water Storage.....	13
SECTION 4 - SUBSURFACE WATER AVAILABILITY	19
4.1 General	19
4.2 Extractions	19
4.3 Water Levels	21
4.4 Groundwater Storage.....	27
4.4.1 Santa Margarita Groundwater Basin	27
4.4.2 Murrieta-Temecula Groundwater Basin.....	29
4.4.3 Anza Groundwater Basin.....	32
SECTION 5 - IMPORTS/EXPORTS.....	33
5.1 General	33
5.2 Water Year 2015-16.....	37
5.3 Water Years 1966 through 2016	37
5.4 Lake Skinner	42
5.5 Diamond Valley Lake	43
SECTION 6 - WATER RIGHTS.....	45
6.1 General	45
6.2 Appropriative Surface Water Rights	47
6.3 Fallbrook PUD Changes of Point of Diversion and Place of Use for Permit No. 11356.....	51

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

6.4	Federal Reserved Water Rights for Cahuilla and Ramona Indian Reservations	52
6.5	Federal Reserved Water Rights for Pechanga Indian Reservation	53
6.6	California Statewide Groundwater Elevation Monitoring Program.....	54
6.7	Sustainable Groundwater Management Act.....	55
SECTION 7 - WATER PRODUCTION AND USE		57
7.1	General	57
7.2	Water Purveyors	58
7.2.1	Anza Mutual Water Company.....	58
7.2.2	Eastern Municipal Water District.....	61
7.2.3	Elsinore Valley Municipal Water District	64
7.2.4	Fallbrook Public Utility District	64
7.2.5	Lake Riverside Estates.....	65
7.2.6	Metropolitan Water District of Southern California.....	65
7.2.7	Rainbow Municipal Water District.....	65
7.2.8	Rancho California Water District	65
7.2.9	Western Municipal Water District.....	74
7.2.10	U. S. Marine Corps - Camp Pendleton	75
7.2.11	U. S. Naval Weapons Station, Fallbrook Annex	76
7.3	Indian Reservations	76
7.3.1	Cahuilla Indian Reservation.....	77
7.3.2	Pechanga Indian Reservation	77
7.3.3	Ramona Indian Reservation	78
7.4	Small Water Systems.....	78
7.5	Irrigation Water Use	78
SECTION 8 - UNAUTHORIZED WATER USE		79
8.1	General	79
8.2	Unauthorized Small Storage Ponds	79
8.3	Rancho California Water District Water Use	79
8.4	Exportation of Treated Wastewater Derived from Native Waters.....	79
SECTION 9 - THREATS TO WATER SUPPLY		81
9.1	General	81
9.2	High Nitrate Concentrations	81

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

9.3	Potential Overdraft Conditions	82
9.4	Salt Balance	83
9.5	High Arsenic Concentrations.....	85
9.6	High Fluoride Concentrations.....	85
9.7	High Manganese Concentrations	85
9.8	Quagga Mussel.....	86
SECTION 10 - WATER QUALITY		89
10.1	Surface Water Quality	89
10.2	Groundwater Quality	89
SECTION 11 – COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT		95
11.1	General	95
11.2	Required Flows	98
11.3	Water Quality	99
11.4	Monitoring Programs.....	99
11.5	Groundwater Model.....	101
SECTION 12 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE ACTIVITIES		103
12.1	General	103
12.2	Normal Tasks	103
12.3	Additional Tasks.....	103
12.4	Projected Expenditures	104
SECTION 13 - WATERMASTER OFFICE BUDGET		105
13.1	Comparison of Budget and Actual Costs for 2015-16	105
13.2	Proposed Budget for 2017-18	105

LIST OF TABLES

	<u>Page No.</u>
Table 3.1 Stream Gaging Stations	8
Table 3.2 Measured Surface Water Flow 2015-16.....	9
Table 3.3 Surface Diversions to Storage for Vail Lake.....	14
Table 3.4 Surface Water Diversions to Storage for Lake O’Neill.....	15
Table 3.5 Surface Water Diversions to Use	16
Table 3.6 Water in Storage	17
Table 4.1 Water Production by Substantial Users.....	20
Table 4.2 Groundwater Storage at Camp Pendleton	28
Table 4.3 Changes in Groundwater Storage Murrieta-Temecula Groundwater Basin (Water Budget Method)	30
Table 4.4 Changes in Groundwater Storage Murrieta-Temecula Groundwater Basin (Groundwater Level Method).....	31
Table 5.1 Storage in State Water Project and Colorado River Reservoirs	34
Table 5.2 Imports/Exports 2015-16	38
Table 5.3 Total Dissolved Solids Concentration of Imported Water	39
Table 5.4 Imports/Exports 1966 through 2016	40
Table 6.1 Appropriative Water Rights, Permits and Licenses	48
Table 6.2 Pre-1914 Appropriative Water Rights.....	50
Table 7.1 Water Production and Use	59
Table 7.2 Definitions of Water Use by Municipal Water Purveyors	60
Table 7.3 Water Deliveries to Temecula Valley Regional Water Reclamation Facility Service Area	63
Table 7.4 Rancho California Water District, Permit 7032 Operations.....	67
Table 7.5 Rancho California Water District, Rancho Division Return Flow Credits 2015-16	69
Table 7.6 Rancho California Water District, Santa Rosa Division Return Flow Credits 2015-16	70
Table 7.7 Percent Production From Younger Alluvium In Rancho California Water District Wells.....	72

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Table 7.8 Rancho California Water District Well Production From Younger and Older Alluvium 73

Table 10.1 Ranges in Average Daily Concentration of Dissolved Oxygen, pH, Specific Conductance and Temperature at Santa Margarita River Near Temecula..... 90

Table 11.1 Monthly Summary of Required Flows, Discharges, Credits and Accounts, Cooperative Water Resource Management Agreement 2015 Calendar Year 96

Table 11.2 Monthly Summary of Required Flows, Discharges, Credits and Accounts, Cooperative Water Resource Management Agreement 2016 Calendar Year 97

Table 13.1 Comparison of Watermaster Budget and Actual Costs for 2015-16 106

Table 13.2 Proposed Watermaster Budget for 2017-18 107

LIST OF FIGURES

	<u>Page No.</u>
Figure 1.1 Local Production 2007 through 2016	2
Figure 1.2 Imports 2007 through 2016	2
Figure 1.3 Total Production 2007 through 2016	3
Figure 3.1 Annual Streamflow for Santa Margarita River Near Temecula.....	11
Figure 3.2 Annual Precipitation for Wildomar Gage	12
Figure 4.1 Water Level Elevations Well No. 8S/2W-12H1.....	21
Figure 4.2 Water Level Elevations Well No. 10S/4W-7J1	22
Figure 4.3 Water Level Elevations Well No. 7S/3W-20C9.....	23
Figure 4.4 Water Level Elevations Well No. 7S/3E-21G1	24
Figure 4.5 Water Level Elevations Pechanga Indian Reservation Wells.....	25
Figure 4.6 Water Level Elevations Well No. 6S/2W-9K.....	26
Figure 5.1 Storage in State Water Project 2007 through 2016.....	35
Figure 5.2 Storage in Colorado River Reservoirs 2007 through 2016.....	35
Figure 10.1 Total Dissolved Solids Concentration RCWD Well 8S/2W-12K	91
Figure 10.2 Total Dissolved Solids Concentration Camp Pendleton well 10S/4W-7A2.	92
Figure 10.3 Nitrate Concentration Camp Pendleton Well 10S/4W-7A2.....	93

APPENDICES

Appendix A-Production and Use Water year 2015-16

Table A-1	Eastern Municipal Water District
Table A-2	Elsinore Valley Municipal Water District
Table A-3	Fallbrook Public Utility District
Table A-4	Metropolitan Water District
Table A-5	Pechanga Indian Reservation
Table A-6	Rainbow Municipal Water District
Table A-7	Rancho California Water District
Table A-8	U.S.M.C. Camp Pendleton
Table A-9	U.S. Naval Weapons Station, Fallbrook Annex
Table A-10	Western Municipal Water District-Murrieta Division
Table A-11	Miscellaneous Water Production and Import

Appendix B-Production and Use Water Years 1965-66 through 2015-16

Table B-1	Eastern Municipal Water District
Table B-2	Elsinore Valley Municipal Water District
Table B-3.1	Fallbrook Public Utility District
Table B-3.2	Fallbrook Public Utility District
Table B-4	Fallbrook Public Utility District (Wastewater)
Table B-5	Metropolitan Water District
Table B-6	Pechanga Indian Reservation
Table B-7	Rainbow Municipal Water District
Table B-8	Rancho California Water District
Table B-9	U.S.M.C. Camp Pendleton
Table B-10	U.S. Naval Weapons Station, Fallbrook Annex
Table B-11	Western Municipal Water District-Murrieta Division
Table B-12	Miscellaneous Water Production and Import

Appendix C-Substantial Users 2015-16

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

Appendix D-Water Quality Data

		<u>Last Published</u>
Table D-1	Surface Streams Sampled by Camp Pendleton	1992-93
Table D-2	Surface Streams Sampled by Rancho California Water District	1998-99
Table D-2.1	Nutrient Sampling by Rancho California Water District	2002-03
Table D-3	Wells in Western Municipal Water District-Murrieta Division	2015-16
Table D-4	Wells in Rancho California Water District	2015-16
Table D-5	Wells on Indian Reservations	2015-16
Table D-6	Wells on Camp Pendleton	2015-16
Table D-7	Eastern Municipal Water District	1992-93
Table D-8	Eastern Municipal Water District	1992-93
Table D-9	Eastern Municipal Water District	1992-93
Table D-10	Eastern Municipal Water District	1993-94
Table D-11	Wells in Domenigoni Valley	1994-95
Table D-12	Surface Water Sampled by USGS on Cahuilla Creek	2015-16
Table D-13	Wells in Anza Area	2015-16

Appendix E-Cooperative Water Resource Management Agreement required Flows and Accounts-Calendar Year 2016

Appendix F-Annual Report Issues Subordinated During Effective Period of the Cooperative Water Resource Management Agreement

Appendix G-Independent Auditor’s Report for Water Year 2015-16 and Report to the Steering Committee, dated September 30, 2016

Map

Major Water Purveyors.....Bound at Back of Report

SECTION 1 – SUMMARY

Section 1 - A summary of the Santa Margarita River Watershed Annual Watermaster Report for the 2015-16 Water Year.

Section 2 - This Annual Watermaster Report is prepared pursuant to the U. S. District Court Order dated March 13, 1989. The Court has retained jurisdiction over all surface flows of the Santa Margarita River Watershed and all underground waters determined by the Court to be subsurface flow of streams or creeks or which are determined by the Court to add to, support, or contribute to the Santa Margarita River stream system. The Watershed is adjudicated, as to all underground waters, basins, surface flow, streams and subsurface flows that add to, support, or contribute to the Santa Margarita River stream system. Local vagrant groundwaters that do not support the Santa Margarita River stream system are outside Court jurisdiction.

Section 3 - Surface water flows varied in Water Year 2015-16. Flows for long-term stations on Murrieta Creek at Temecula, Santa Margarita River near Temecula, and Santa Margarita River at Ysidora were 23%, 46% and 13% of their long-term averages, respectively. Flows at Temecula Creek near Aguanga were 9% of the long-term average. Direct surface diversions to use totaled 622 acre feet, which reflects an increase of 9 acre feet from the prior year. The total quantity of water in storage in the Watershed on September 30, 2016, was 591,886 acre feet, of which 8,698 acre feet were Santa Margarita River water and 583,188 acre feet were imported water.

Section 4 - Groundwater extractions were 36,456 acre feet during 2015-16 as shown on Table 4.1, compared to 37,292 acre feet in 2014-15. Water purveyors pumped 32,339 acre feet, and 4,117 acre feet were pumped by other substantial users. Total local production, including groundwater extractions and surface diversions in 2015-16 was 37,078 acre feet. This compares with 37,905 acre feet in 2014-15, and represents a decline of about two percent. Total annual local production for use for the period 2007 through 2016 is shown on Figure 1.1.

Section 5 - During 2015-16, 64,242 acre feet of net imports were distributed for use within the Watershed, as shown on Table 5.2. This compares with 62,677 acre feet in 2014-15, and represents an increase of about two and a half percent (2.5%). Annual imports for the period 2007 through 2016 are shown on Figure 1.2 and Table 5.4. Exports of wastewater and native water for use outside the Watershed in 2015-16 were 16,460 acre feet. This compares with 18,076 acre feet in 2014-15, and represents a decrease of nine percent.

Section 6 - Water rights consist primarily of riparian and overlying rights. Other rights include appropriative rights and federal reserved rights. Water purveyors in the Santa Margarita River Watershed also exercise groundwater appropriative rights. Except for surface water appropriative rights, water rights generally have not been quantified in the Watershed. Appropriative surface water rights on file with the State Water Resources Control Board amount to 990,989 gallons per day. This corresponds to 1.53 cubic feet per second (cfs) or 3.04 acre feet per day of direct diversion rights and 54,313.5 acre feet of active storage rights.

Figure 1.1





Figure 1.2




WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Section 7 – Total imported supplies plus local production during Water Year 2015-16 totaled 101,320 acre feet compared to 100,582 acre feet reported in 2014-15. Of that quantity, 30,868 acre feet were used for agriculture; 15,093 acre feet were used for commercial purposes; 40,566 acre feet were used for domestic purposes; 0 acre feet were discharged to Murrieta Creek; 9 acre feet were discharged to Santa Gertrudis Creek; and 4,089 acre feet were discharged by Rancho California WD from Metropolitan Water District of Southern California (MWD) Outlet WR-34 and 0 acre feet were discharged from the potable connection to the Santa Margarita River during 2015-16, pursuant to the Cooperative Water Resource Management Agreement (CWRMA). It is noted, commercial use includes 387 acre feet of recycled water and thus the commercial use of production is 14,706 acre feet. The overall system loss was 5,411 acre feet. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses. These data are shown on Table 7.1.

Total annual production for the period 2007 through 2016 is shown on Figure 1.3.

Figure 1.3



WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Section 8 - Use of water from small storage ponds may be unauthorized. Camp Pendleton has taken the position that exportation of treated wastewater, the source of which is the native waters of the Santa Margarita River system, without legal authority for such exportation, is an unauthorized use of water.

Section 9 - Threats to water supply include high nitrate levels in Rainbow Creek and Anza Valley in past years, potential overdraft conditions in the Murrieta-Temecula and Anza groundwater basins, and salt balance issues in the upper Watershed. Additional threats have been recently identified, including high concentrations of nitrates in both Anza Valley and Murrieta-Temecula areas, arsenic, fluoride and manganese in the Murrieta-Temecula area, as well as the discovery of the Quagga mussel in imported supplies.

Section 10 - The U. S. Geological Survey (USGS) monitored surface water quality at the Temecula gaging station on the Santa Margarita River.

Groundwater samples from wells were analyzed for water quality by Camp Pendleton, Western MWD - Murrieta Division, Rancho California WD, Pechanga Band, and Anza Valley groundwater basin area during 2015-16. The two primary constituents of interest are nitrates and total dissolved solids (TDS). The Basin Plan Objective for TDS of 750 mg/l was exceeded in all ten of the wells sampled at Camp Pendleton. Seven wells sampled by Rancho California WD showed concentrations exceeding 750 mg/l.

Section 11 - The Cooperative Water Resource Management Agreement between Camp Pendleton and Rancho California Water District was approved by the District Court on August 20, 2002. During the 2016 calendar year, Rancho California WD discharged 3,906 acre feet into the Santa Margarita River to meet flow requirements under the Agreement.

Section 12 - Projected Watermaster expenditures for the next five years are listed.

Section 13 – The actual Watermaster costs for Water Year 2015-16 were \$734,460 compared to the Court approved budget of \$716,100, resulting in an unfavorable variance of \$18,360. A total Watermaster budget for Water Year 2017-18 is proposed to be \$755,085. This budget includes \$498,035 for the Watermaster Office and \$257,050 for operation of gaging stations and groundwater monitoring by USGS.

SECTION 2 - INTRODUCTION

2.1 Background

On January 25, 1951, the United States of America filed Complaint No. 1247 in the United States District Court for the Southern District of California to seek an adjudication of all respective water rights within the Santa Margarita River Watershed. The Final Judgment and Decree was entered on May 8, 1963, and appealed to the U.S. Court of Appeals. A Modified Final Judgment and Decree was entered on April 6, 1966. Among other things, the Decree provides that the Court:

. . . retains continuing jurisdiction of this cause as to the use of all surface waters within the watershed of the Santa Margarita River and all underground or sub-surface waters within the watershed of the Santa Margarita River, which are determined in any of the constituent parts of this Modified Final Judgment to be a part of the sub-surface flow of any specific river or creek, or which are determined in any of the constituent parts of this Modified Final Judgment to add to, contribute to, or support the Santa Margarita River stream system.

In March 1989, the Court issued an Order appointing the Watermaster to administer and enforce the provisions of the Modified Final Judgment and Decree and subsequent orders of the Court. The appointing Order described the Watermaster's powers and duties as well as procedures for funding and operating the Watermaster's office. Also in 1989, the Court appointed a Steering Committee that at the conclusion of 2015-16 was comprised of representatives from the United States, Eastern Municipal Water District, Fallbrook Public Utility District, Metropolitan Water District of Southern California, Pechanga Band of Luiseño Mission Indians, Western Municipal Water District, and Rancho California Water District. The purposes of the Steering Committee are to assist the Court, to facilitate litigation, and to assist the Watermaster.

2.2 Authority

Section II of the appointing Order requires that the Watermaster submit a written report containing findings and conclusions to the Court promptly after the end of each water year.

2.3 Scope

The subjects addressed in this report are responsive to Section II of the appointing Order. Information and data contained in this report are based on information reported to the Watermaster by the various water users within the Watershed and others. Therefore, the Watermaster does not guarantee the completeness and accuracy of the information presented in this report, although most of the data presented are based on measurements. Estimates by the Watermaster are so noted.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

2.4 Current Watermaster/Appointment

On November 30, 2016 the Court issued an Order appointing a replacement Watermaster for the Santa Margarita River Watershed. Michael J. Preszler was nominated by the Steering Committee and appointed by the Court and is the current Santa Margarita River Watershed Watermaster.

2.5 Watermaster Accounting

This paragraph serves to notice the Court that the Watermaster Office accounting services provided by Fallbrook Public Utility District have been transferred to Rancho California Water District as of October 1, 2017.

SECTION 3 - SURFACE WATER AVAILABILITY AND USE

3.1 Surface Flow

Over the years, flows in the Santa Margarita River Watershed have been measured at the stations listed on Table 3.1. A number of these stations have been discontinued. During Water Year 2015-16, the USGS operated 13 stations under an agreement with the Watermaster. These include three stations where Riverside County Flood Control and Water Conservation District shares the local costs with the Watermaster. In addition to stream flows, the USGS also measures water surface elevation and precipitation at Vail Lake.

The USGS also operates several stations in the Watershed under contract with Camp Pendleton. These include stream gaging stations on Fallbrook Creek and on the outlet channel and spillway for Lake O'Neill. The USGS operated a tidal water level recorder at the mouth of the Santa Margarita River from October 1989 until October 20, 2010, when it was removed.

Monthly flows for stations in Water Year 2015-16 are shown on Table 3.2. Those flows consist of final USGS discharge determinations approved for publication by the USGS. Official USGS discharges for Water Year 2015-16 are published by the USGS at the following website: <http://waterdata.usgs.gov/ca/nwis/sw>.

In considering the historical record of flow at these stations, it should be recognized that the long-term averages include variations in Watershed conditions such as level of development, groundwater production, return flows, impoundments and vegetative use as well as hydrologic conditions, changes in gaging station locations and other factors. Descriptions of the various historical locations of gaging stations may be found in the publication, Water Resources Data - California, which was published annually by the USGS in hard copy form through Water Year 2003-04. For subsequent years, the gaging station descriptions can be found at the website provided above.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.1

SANTA MARGARITA RIVER WATERSHED
STREAM GAGING STATIONS THROUGH WATER YEAR 2015-16

Station Name	Station No.	Area Sq. Miles	Entity	Period Of Record
Temecula Creek Near Aguanga	11042400	131	USGS	August 1957 to Present
Wilson Creek Above Vail Lake Near Radac	11042490	122	USGS	October 1989 to September 1994
Temecula Creek At Vail Dam	11042520	320	USGS	February 1923 to October 1977
Vail Lake Near Temecula (Reservoir Storage)	11042510	320	USGS	October 1948 to Present
Pechanga Creek Near Temecula	11042631	13.1	USGS	October 1987 to Present
Warm Springs Creek Near Murrieta	11042800	55.4	USGS	October 1987 to Present
Murrieta Creek Near Murrieta	11042700	30.0	USGS	October 1997 to Present
Santa Gertrudis Creek Near Temecula	11042900	90.2	USGS	October 1987 to Present
Murrieta Creek At Temecula	11043000	222	USGS	October 1924 to Present
Santa Margarita River Near Temecula	11044000	588	USGS	February 1923 to Present
Rainbow Creek Near Fallbrook	11044250	10.3	USGS	November 1989 to Present
Santa Margarita River At FPUD Sump 1/	11044300	620	USGS	October 1989 to Present
Sandia Creek Near Fallbrook	11044350	21.1	USGS	October 1989 to Present
Santa Margarita River Tributary Near Fallbrook	11044600	0.52	USGS	October 1961 to September 1965
DeLuz Creek Near DeLuz	11044800	33.0	USGS	October 1992 to Present
DeLuz Creek Near Fallbrook 2/	11044900	47.5	USGS/ USMC	October 1951 to September 1967 October 1989 to September 1990 April 2002 to February 2003
Santa Margarita River Near DeLuz Station	11045000	705	USGS	October 1924 to September 1926
Fallbrook Creek Near Fallbrook 3/	11045300	6.97	USGS/ USMC	October 1993 to Present
Santa Margarita River At Ysidora 4/	11046000	723	USGS	February 1923 to Present

1/ Record includes measurements for Santa Margarita near Fallbrook (#11044500) for October 1924 to September 1980.

2/ Recorded by USMC, Camp Pendleton October 1967 to 1977.

3/ Recorded by USMC, Camp Pendleton for October 1964 to September 1977 and October 1989 to September 1993.

4/ Station temporarily operated as SMR at USMC Diversion Dam near Ysidora (#11045050) from February 26, 1999 to September 27, 2001.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.2
SANTA MARGARITA RIVER WATERSHED
MEASURED SURFACE WATER FLOW
2015-16
Quantities in Acre Feet

GAGING STATION	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	WATER YEAR TOTAL	ANNUAL AVERAGE THROUGH 2015	YEARS OF RECORD THROUGH 2015
Temecula Creek Near Aguanga (11042400)	4	13	25	197	158	68	23	8	1	0	0	0	498	5,260	58
Pechanga Creek Near Temecula 1/ (11042631)	0	0	0	1	0	0	0	0	0	0	0	0	1	411	28
Warm Springs Creek Near Murrieta (11042800)	1	0	2	412	82	24	26	0	0	16	0	2	566	2,910	28
Murrieta Creek Near Murrieta 2/, 3/ (11042700)	0	0	0	616	0	0	0	0	0	0	0	0	616	2,430	8
Santa Gertrudis Creek Near Temecula (11042900)	8	0	0	440	6	8	0	0	0	0	0	0	462	2,530	28
Murrieta Creek At Temecula (11043000)	17	2	2	2,026	141	83	4	6	4	3	2	4	2,293	10,053	91
Santa Margarita River Near Temecula (11044000)	245	268	325	2,904	649	619	541	355	291	266	275	245	6,983	15,088 20,390	67 (1949-2015) 26 (1923-48)
Rainbow Creek Near Fallbrook (11044250)	9	0	30	205	21	19	2	1	0	0	0	0	287	2,400	26
Santa Margarita River At FPUD Sump (11044300)	259	289	419	2,997	912	640	611	337	243	173	188	198	7,266	28,020	26
Sandia Creek Near Fallbrook (11044350)	79	76	94	351	225	158	92	93	35	14	14	33	1,264	6,300	26
DeLuz Creek Near DeLuz (11044800)	0	0	13	154	15	0	0	0	0	0	0	0	182	7,400	22
Fallbrook Creek Near Fallbrook (11045300)	0	0	15	111	28	30	8	3	0	0	0	0	195	1,073 1,462 5/	27 (1989-2015) 12 (1965-76)
Santa Margarita River At Ysidora (11046000)	44	46	75	1,908	700	320	307	244	4	0	0	252	3,900	31,095 4/ 31,390	67 (1949-2015) 26 (1923-48)

1/ In summer 2006, gaging location was moved upstream 0.4 miles from prior location to current location 100 feet upstream of Metropolitan Water District pipe crossing, 0.4 miles upstream of the Rainbow Canyon Road/Old Highway 395 Bridge.

2/ Previously published as Murrieta Creek at Tenaja Road.

3/ Continuous record stopped on February 22, 2005, due to bridge construction. Only discharge measurements were taken from February 2005 until September 2007. Annual Average as reported by USGS

4/ Includes record of two years at Santa Margarita River at USMC Diversion Dam near Ysidora station.

5/ Includes wastewater flows.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Total flows at four long-term stations, for Water Years 2014-15 and 2015-16, are compared with their averages in the tabulation below. Average flows for the Santa Margarita River stations near Temecula and near Ysidora are shown for two periods: before and after Vail Dam was constructed (1923 to 1948, and 1949 to 2015).


	<u>TOTAL FLOW</u>		<u>AVERAGE FLOW</u>
	<u>2014-15 Acre Feet</u>	<u>2015-16 Acre Feet</u>	<u>Through 2015 Acre Feet</u>
Temecula Creek Near Aguanga	460	498	5,260 (1957-2015)
Murrieta Creek At Temecula	3,569	2,293	10,053 (1925-2015)
Santa Margarita River Near Temecula	7,990	6,983	15,088 (1949-2015) 20,390 (1923-1948)
Santa Margarita River At Ysidora*	6,770	3,900	31,095 (1949-2015) 31,390 (1923-1948)

* At various locations

The foregoing tabulation indicates the flows for Water Year 2015-16 were below normal for all four stations. Flows for long-term stations on Temecula Creek near Aguanga, Murrieta Creek at Temecula, Santa Margarita River near Temecula and Santa Margarita River at Ysidora were 9%, 23%, 46% and 13% of their long-term averages, respectively.

The Santa Margarita River near Temecula station is of particular interest relative to discharge requirements specified in the CWRMA between Camp Pendleton and Rancho California WD, as described in Section 11. The long-term time series for annual streamflow for Santa Margarita River near Temecula is provided on Figure 3.1, showing the 2015-16 flows were in the third quartile and 84.9% of the flows for the prior year.

Figure 3.1




It is also interesting to review long-term precipitation records relative to long-term streamflow. Figure 3.2 shows the long-term time series for annual precipitation for the Wildomar gage maintained by the Riverside County Flood Control and Water Conservation District. The Wildomar gage is specified in the CWRMA for determining hydrologic year types in establishing Rancho California WD discharge requirements to meet flows for the Santa Margarita River near Temecula. The long-term average precipitation for the Wildomar gage for the period 1914 through 2016 is 13.97 inches. The reported precipitation for Water Year 2015-16 is 8.17 inches, which is in the first quartile for the period of record.

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

Monthly flows shown on Table 3.2 consist primarily of naturally occurring surface runoff, including return flows, except for Rancho California WD discharges into the Santa Margarita River and Murrieta Creek. Most of the Rancho California WD discharges are pursuant to the CWRMA. During Water Year 2015-16, the total discharges from MWD Meter WR-34 into the Santa Margarita River equaled 4,089 acre feet. The outlet from WR-34 is located just upstream from the Santa Margarita River near Temecula gaging station. In 2009, Rancho California WD extended a pipeline from its distribution system to discharge at the same location as the outlet WR-34. During Water Year 2015-16, there were no discharges from the potable connection to the Santa Margarita River and there were no discharges to Murrieta Creek from the System River Meter.

Figure 3.2

**Annual Precipitation for Wildomar Gage
 1914 through 2016**



During 2015-16, Rancho California WD made no releases from wells into Murrieta Creek, and 9 acre feet from wells into Santa Gertrudis Creek.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

3.2 Surface Water Diversions

Surface diversions to surface water storage and groundwater storage are shown on Table 3.3 for Vail Lake and Table 3.4 for Lake O'Neill. In general, diversions to surface storage at Vail Lake and Lake O'Neill are computed as being equal to inflow less spill, however, diversion to surface storage at Vail Lake excludes inflow during the period from May 1 through October 31 when Permit 7032 does not allow such diversions. Inflow to Vail Lake is calculated as the sum of evaporation, spill, releases and change of storage. Inflow into Vail Lake during the period when diversions are not permitted is released and not credited to groundwater storage.

Direct surface diversions for Water Year 2015-16 are shown on Table 3.5. The use is primarily irrigation. Estimated consumptive uses, losses and returns are also shown.

3.3 Water Storage

Major water storage facilities in the Santa Margarita River Watershed are listed on Table 3.6, together with the water in storage on September 30, 2015 and September 30, 2016. Total Santa Margarita River stream system water in storage at the end of Water Year 2015-16 totaled 8,698 acre feet, compared to 14,864 acre feet at the end of the previous year. Imported water in storage in Lake Skinner and Diamond Valley Lake, both operated by MWD, is also shown on Table 3.6.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.3

SANTA MARGARITA RIVER WATERSHED
SURFACE WATER DIVERSIONS TO STORAGE FOR VAIL LAKE
2015-16

Quantities in Acre Feet

	Surface Water Storage		
	2013-14	2014-15	2015-16
Storage End of Prior Year	20,780	17,470	14,440
Inflow - Total	1,662	1,091	1,428
Inflow to be Bypassed ^{1/}	726	626	698
Spill	0	0	0
Diversions to Surface Storage ^{2/}	936	465	730
Annual Evaporation	4,161	3,348	2,472
Releases - Total	811	773	5,116
Release to GW Storage ^{3/ 4/}	85	147	4,418
Change of Storage	(3,310)	(3,030)	(6,160)
Storage End of Year	17,470	14,440	8,280
	Groundwater Storage		
Recharge Release from Vail Lake	85	147	4,418
Recovered Vail Lake Recharge Water from GW Storage ^{5/}	85	147	4,418

Data reported by Rancho California WD except end of year storage reported by USGS.

- 1/ Inflow to be bypassed Oct 1 through Oct 31 and May 1 through Sept 30.
- 2/ Inflow less Spill less Inflow to be Bypassed.
- 3/ Total Release less Inflow to be Bypassed.
- 4/ Vail Lake operations shown in Table 3.3 reflect water year operations to be consistent with reporting in the Annual Watermaster Report. However, Permit 7032 specifies calendar year reporting and a continuous operating season of May through October for bypasses overlapping two water years. The value of 4,418 acre feet for Release to GW Storage is correct but misleading because the bypass season continues into October 2016. Inspection of Rancho California WD records for May through October 2016 shows total Inflow to be bypassed in the amount of 648 acre feet with total Releases of 749 acre feet, resulting in 101 acre feet of excess releases during the Permit bypass season of May through October 2016.
- 5/ See Table 7.4.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.4

SANTA MARGARITA RIVER WATERSHED
SURFACE WATER DIVERSIONS TO STORAGE FOR LAKE O'NEILL
2015-16

Quantities in Acre Feet

	Surface Water Storage		
	2013-14	2014-15	2015-16
Storage End of Prior Year	444	414	424
Inflow - Total	1,669 ^{1/}	1,822 ^{2/}	1,710 ^{3/}
Spill	0	0	0
Diversions to Surface Storage	1,669 ^{4/}	1,822 ^{4/}	1,710 ^{4/}
Annual Evaporation	405	376	383
Releases - Total	825	1,204	881
Release to GW Storage	825	1,204	881
Apparent Seepage to GW	469 ^{5/}	232 ^{5/}	445 ^{5/}
Change of Storage	(30)	10	(6)
Storage End of Year	414	424	418
	Groundwater Storage		
Recharge Release from Lake O'Neill	1,294 ^{6/}	1,436 ^{6/}	1,326 ^{6/}
Deliveries to Recharge Ponds	156	932	573
Indirect Recharge from Ditch System	1,236	894	719
TOTAL	2,686	3,262	2,618

1/ 1,449 AF diverted from the Santa Margarita River, 113 AF estimated inflow from Fallbrook Creek, 36 AF from local runoff, and 71 AF from rainfall on lake surface.

2/ 1,476 AF diverted from the Santa Margarita River, 203 AF estimated inflow from Fallbrook Creek, 37 AF from local runoff, and 106 AF from rainfall on lake surface.

3/ 1,392 AF diverted from the Santa Margarita River, 195 AF estimated inflow from Fallbrook Creek, 38 AF from local runoff, and 85 AF from rainfall on lake surface.

4/ Inflow less Spill.

5/ Includes seepage losses, leakage through flashboards and gates, and unaccounted for water.

6/ Includes Release to GW Storage and Apparent Seepage to GW from Lake O'Neill.

7/ Dredging operations for Lake O'Neill occurred during Water Year 2012. The preparation for and the actual dredging operation affected various operations for Lake O'Neill during Water Years 2011, 2012, and 2013 to varying levels within each particular year, including timing and amount of diversions from Santa Margarita River for both deliveries to Lake O'Neill and the recharge ponds, and Recharge Release from Lake O'Neill.

TABLE 3.5

SANTA MARGARITA RIVER WATERSHED
SURFACE WATER DIVERSIONS TO USE
2015-16

Quantities in Acre Feet

DIVERTER	Surface Diversions	Consumptive Use 1/	Loss 2/	Return 3/
Blue Bird Ranch	31.5	21.2	3.2	7.1
James Carter	52.0	35.1	5.2	11.7
Chambers Family, LLC	7.0	4.7	0.7	1.6
Serafina Holdings, LLC	0.0	0.0	0.0	0.0
Sage Ranch Nursery	100.0	67.5	10.0	22.5
Ross Lake, LLC	0.0	0.0	0.0	0.0
Val Verde Partners	10.0	6.8	1.0	2.2
Wilson Creek Development, LLC	375.0	253.1	37.5	84.4
Cahuilla Indian Reservation	5.6	3.8	0.6	1.2
San Diego State University	41.3	27.9	4.1	9.3
TOTAL	622.4	420.1	62.3	140.0

1/ Consumptive Use equals 75% of Diversions less Losses.

2/ Losses equal 10% of Diversions.

3/ Returns equal 25% of Diversions less Losses.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 3.6

SANTA MARGARITA RIVER WATERSHED
WATER IN STORAGE
2015-16
Quantities in Acre Feet

Santa Margarita River Storage	Total Capacity 1/	Water in Storage	
		9/30/2015	9/30/2016
Dunn Ranch Dam	90	0	0
Upper Chihuahua Creek Reservoir	47	0	0
Vail Lake	49,370	14,440	8,280
Lake O'Neill	1,670	424	418
SUBTOTAL	51,177	14,864	8,698
Imported Water Storage			
Lake Skinner	44,000	31,447	38,138
Diamond Valley Lake	810,000	319,268 R	545,050
SUBTOTAL	854,000	350,715 R	583,188
TOTAL STORAGE	905,177	365,579 R	591,886

1/ Capacity shown is current capacity reported by owner. Original capacity or decreed capacity may not be reflected in this table.
R - Revised from CDEC

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 4 - SUBSURFACE WATER AVAILABILITY

4.1 General

Much of the water from the Santa Margarita River stream system is obtained by pumping subsurface water. The Court has identified two basic types of subsurface water in the interlocutory judgments incorporated into the 1966 Modified Final Judgment and Decree. One type is vagrant, local, percolating waters that do not add to, support or contribute to the Santa Margarita River or its tributaries. Such waters have been determined to be outside the continuing jurisdiction of the Court. These waters are typically found in the basement complex and/or residuum deposits in the Watershed.

Other subsurface waters were found by the Court to add to, support and contribute to the Santa Margarita River and/or its tributaries. Aquifers containing such waters have been designated by the Court as younger alluvium and older alluvium. Younger alluvial deposits are commonly exposed along streams and in valleys. Older alluvium may be found underneath younger alluvium and is not limited to areas along stream channels. Older alluvium may or may not be exposed at ground surface. The use of subsurface water found in younger and older alluvium is generally under the continuing jurisdiction of the Court and is reported upon in this report.

4.2 Extractions

Total production of Santa Margarita River water by substantial water users in the Watershed from all sources is listed on Table 4.1 by hydrologic area, along with estimated consumptive use and return flows. Recovery of imported water that has been directly recharged is not included on Table 4.1. Substantial water users include water purveyors as well as private irrigators who irrigate eight acres or more or use an equivalent quantity of water.

In 2015-16, production by water purveyors totaled 32,339 acre feet, compared to 32,309 acre feet in 2014-15. Monthly quantities are shown in Appendix A and annual production for the period 1966 through 2016 is shown in Appendix B.

The quantities of subsurface extractions by private irrigators are based on the irrigated acreage and the crop type. These quantities are reported in Appendix C to total 4,117 acre feet in 2015-16. Of the subsurface extractions, 75 percent is estimated to have been consumptively used and 25 percent to have been return flow. Return flow is that portion of the total deliveries that is not consumed. Although return flows average about 25 percent, such flows are affected with the type of use (domestic, commercial and irrigation), the type of irrigation application (drip, micro-sprinkler, furrow), and exports from watersheds. Efforts are currently under way to modify Return Flow calculations for better estimation.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 4.1

SANTA MARGARITA RIVER WATERSHED
SANTA MARGARITA RIVER WATER PRODUCTION BY SUBSTANTIAL USERS
2015-16

HYDROLOGIC AREA	WATER PURVEYOR PRODUCTION ACRE FEET	OTHER IRRIGATED ACRES *	OTHER IRRIGATION PRODUCTION ACRE FEET *	TOTAL GROUNDWATER PRODUCTION ACRE FEET	SURFACE WATER DIVERSIONS ACRE FEET *	TOTAL PRODUCTION ACRE FEET	ESTIMATED CONSUMPTIVE USE ACRE FEET 1/, 2/	ESTIMATED RETURN FLOW ACRE FEET 2/
Wilson Creek	471	170 ^{3/}	312	783	6	789	591	198
Above Aguanga GWA <i>(Lake Riverside, Anza MWC, Includes Anza Valley (Cahuilla, Ramona, Hamilton Schools))</i>								
Temecula Creek	18	235	952	970	0	970	728	243
Above Aguanga GWA <i>(Quiet Oaks MHP)</i>								
Aguanga GWA	396	398	1,288	1,684	385	2,069	1,523	546
<i>(Outdoor Resorts, Jobjoba Hills Cottonwood Elementary)</i>								
Upper Murrieta Creek <i>(Warm Springs Creek above 7S/3W-14)</i>	0	0	0	0	0	0	0	0
Lower Murrieta Creek <i>(Santa Gertrudis/Tucalota Creek above 7S/2W-18 -- Includes FPU D Diversion from Lake Skinner)</i>	0	310	44	44	100	144	101	44
Murrieta-Temecula GWA <i>(RCWD**, WMWD (Murrieta Division), EMWD, Pechanga and Hawthorn)</i>	27,226	725	815	28,041	52	28,093	21,066	7,027
Santa Margarita River Below the Gorge 958 320 030								
DeLuz Creek	0	333	502	502	38	540	402	138
Sandía Creek	0	66	200	200	0	200	150	50
Rainbow Creek	0	0	0	0	0	0	0	0
Santa Margarita River <i>(USMC)</i>	4,228	20	4	4,232	41	4,273	1,373	462
TOTAL	32,339	2,257	4,117	36,456	622 ^{4/}	37,078	25,933	8,734

1/ Estimated consumptive use is equal to 75% of Total Groundwater Production plus 75% of Surface Diversions less 10% (CU = .75{GW + .90 * SW}).

2/ Camp Pendleton consumptive use and return flow calculated for portion of production used within Santa Margarita River Watershed. Portion of production used within Watershed for 2015-16 equals 1,789 AF.

3/ Includes lands overlying deep aquifer in Anza Valley.

4/ Includes surface water diversion for irrigation, commercial and domestic use.

* Data taken from Appendix C.


** RCWD pumped an additional 202 AF that was exported to the San Mateo Watershed and an additional 191 AF pumped directly into recycled water system.

4.3 Water Levels

Water levels in selected wells in the Watershed are measured periodically by various entities. Historical water levels in five wells at various locations in the Watershed are shown in this report on Figures 4.1, 4.2, 4.3, 4.4, 4.5 and 4.6.

Figure 4.1 shows water levels in Well No. 8S/2W-12H1 (Windmill Well) located in the Rancho California WD service area downstream from Vail Lake. Note the extended drawdown from 1945 to 1978, the major recoveries during the wet years in 1980 and 1993, and the effect of relatively dry years after 1980 and after 1993. Water levels increased by 0.13 feet between September 30, 2015 and September 30, 2016. It should be noted that the Windmill Well is located in Pauba Valley about 1.5 miles downslope from the Valle de los Caballos (VDC) recharge area, where releases from Vail Lake as well as imported water are recharged. In Water Year 2015-16, 10,228 acre feet of imported water were recharged in the VDC of which 68 percent was recovered in the same year. As shown on Appendix Table A-7, a total of 3,300 acre feet of previously recharged import water was unrecovered from groundwater storage in Water Year 2015-16.

Figure 4.1




Collar El. 1216.7 Feet; Depth 515 Feet; Drilled in Alluvium
 Ref: RCWD reports (1920-2016)

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.2 shows water levels at Camp Pendleton in Well No. 10S/4W-7J1, a monitoring well located in the Upper Sub-basin. Fluctuations in recent years illustrate recharge during the winter months and drawdown each summer, with the water levels ranging from approximately 79 to 91 feet in elevation. Water levels in Well 7J1 increased 0.03 feet in the period between September 2015 and September 2016.

Figure 4.2




Ground El. 91.4 Feet; Depth 141 Feet; Perf. Unknown; Drilled in Alluvium
Camp Pendleton Records

* Data shown for Well No. 10S/4W-7J1 except for period October 1999 through
September 2007 data shown for Well No. 10S/4W-7J4.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.3 shows water levels from Holiday Well No. 7S/3W-20C9 in the Murrieta Division service area of Western MWD. The Holiday Well was used as a production well until February 2006, but now is used only as a monitoring well. Water levels in this well declined by twelve feet between February 28, 2015 and September 30, 2016. It is noted for Water Year 2016, water level measurements for Holiday Well were only taken in July, August, and September 2016.

Figure 4.3




Ground El. 1090 Feet; Depth 307 Feet; Perf. 60 - 307 Feet
Western Municipal Water District

1/ Water level measurements were taken only in July, August, and September 2016.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.4 shows water levels for Well No. 7S/3E-21G1, Anza Mutual Water Company Well No. 1, a production well located in the Anza Valley. Water levels in this well rose by eight feet between September 30, 2015 and September 30, 2016. As may be noted from Figure 4.4, recent measurements show annual 50 foot fluctuations in groundwater levels at this well, partly in response to the operation of nearby irrigation wells.

Figure 4.4




¹ Static water levels plotted after April 1999
Ground El. 3862.6 Feet; Depth 260 Feet; Perf. 20 - 260 Feet; Drilled in Alluvium
Anza Mutual Water Co. Well No. 1 (1987-2016); DWR Bulletin 91-22 (1950-73)

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.5 shows water levels at Well No. 8S/2W-29G1, located in Wolf Valley on the Kelsey Tract of the Pechanga Indian Reservation. The well is not used for water production. Water levels collected since 1925 reflect unconfined groundwater levels. As shown on Figure 4.5, the groundwater levels have fluctuated within an approximate 40 foot range above and below elevation 1,050 feet in response to wet years and dry periods until recently. In November 2004, this well went dry due to the preceding relatively dry hydrological conditions and pumping of the nearby New Kelsey Well on the Pechanga Reservation. In order to continue to monitor water levels on the Pechanga Indian Reservation, water levels for Well No. 8S/2W-29B9 are also shown on Figure 4.5. Well No. 8S/2W-29B9 is completed in the younger alluvium. As shown on Figure 4.5, water levels for Well No. 8S/2W-29B9 coincide with water levels for the common period of record for Well No. 8S/2W-29G1. Water levels in Well 8S/2W-29B9 declined by approximately 1 foot in 2015-16 (0.94 feet).

Figure 4.5




8S/2W-29G1: Ground El. 1091.1 Feet; Depth 159.1 Feet
8S/2W-29B9: Ground El. 1075.93 Feet; Depth 113.0 Feet
U.S. Geological Survey Records

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Figure 4.6 shows water levels for Well No. 6S/2W-9K, Metropolitan Water District Monitoring Well No. MO-6, located in the Domenigoni Valley. Water levels in this well rose by 2.9 feet between September 30, 2015 and September 30, 2016.

Figure 4.6



Ground El. 1445.8 Feet; Depth 115 Feet; Perf. 30.5 - 110 Feet; Drilled in Alluvium
Metropolitan Water District of Southern California

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Changes in water levels in the above noted wells between the end of the previous water year and the end of the 2015-16 Water Year are shown below:

<u>Well</u>	Water Elevation 2015 <u>Feet</u>	Water Elevation 2016 <u>Feet</u>	Change in Water Level <u>Feet</u>	
RCWD 8S/2W-12H1	1,101.4	1,101.5	Up	0.13
USMC 10S/4W-7J1	*87.8	87.8	Up	0.03
WMWD 7S/3W-20C9	1,027.0	**1,015.0	Down	12.0
Anza MWC 7S/3E-21G1	3,802.6	3,810.6	Up	8.0
Pechanga IR 8S/2W-29B9	970.2	969.2	Down	1.0
MWD 6S/2W-9K	*1,370.8	1,373.7	Up	2.9

* Revised

** Water level measurements only taken in July, August, and September 2016.

4.4 Groundwater Storage

Bulletin 118 Update 2003 prepared by the State of California Department of Water Resources describes three groundwater basins that are located entirely within the Santa Margarita River Watershed: Santa Margarita Valley, Temecula Valley, and Coahuila (Cahuilla) Valley. These basins are also known as the Santa Margarita Groundwater Basin, the Murrieta-Temecula Groundwater Basin, and the Anza Groundwater Basin. A fourth groundwater basin identified in Bulletin 118, the San Jacinto Groundwater Basin, is partially located within the Watershed. The portion of the San Jacinto Groundwater Basin located within the Watershed is known as the Domenigoni Sub-basin.

Groundwater storage in each of the Santa Margarita, Murrieta-Temecula, and Anza basins is described in this section. Information related to groundwater storage for the Domenigoni Sub-basin is currently under review.

4.4.1 Santa Margarita Groundwater Basin

The Santa Margarita Groundwater Basin is located along the Santa Margarita River at Camp Pendleton and includes three sub-basins: Upper, Chappo, and Ysidora. Useable groundwater storage is summarized on Table 4.2. Table 4.2 shows that the total combined storage for all the sub-basins between the depths of 5 and 100 feet is 48,100 acre feet. However, much of that storage is below sea level. Thus, the useable capacity is considered to be 28,700 acre feet as shown on Table 4.2. In 2015-16, useable groundwater storage in place was computed for all three sub-basins to be 25,743 acre feet. The useable storage in place for the three sub-basins amounted to 26,257 acre feet in 2014-15. Thus, there was a decrease in groundwater storage in place of 514 acre feet for the water year. It may be noted that classification of storage as useable is made without allowances for maintenance of riparian habitat.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 4.2
SANTA MARGARITA RIVER WATERSHED
GROUNDWATER STORAGE AT CAMP PENDLETON
2015-16
Quantities in Acre Feet

	Sub-basin			Total
	Upper	Chappo	Ysidora	
I. Available Storage				
A. Total Storage ^{1/}	12,500	27,000	8,600	48,100
B. Useable Storage	12,500	15,000 ^{2/}	1,200 ^{3/}	28,700
II. Unused Storage				
A. Wells used for Depth	10S/4W-7J1	10S/4W-18L1 ^{4/}	11S/5W-11D4	
B. Land Surface Elevation - Feet ^{5/}	93.8 R	75.9	18.8	----
C. Depth to Water - Feet ^{6/}	6.0	12.1	9.8	----
D. Depth below 5 Feet	1.0	7.1	4.8	----
E. Average Area - Acres ^{7/}	840	2,500	1,060	----
F. Specific Yield ^{8/}	0.216	0.130	0.090	----
G. Unused Storage below 5 Feet	181	2,317	458	2,957
III. Useable Storage in Place ^{9/}	12,319	12,683	742	25,743
IV. Useable Storage in Place 2014-15	12,373	13,180	704	26,257
V. Change in Storage 2015-16	(54.00)	(497.00)	38.08	(514.00)

1/ Computed by USGS (Worts, F. C., Jr. and Boss, R. F., *Geology and Ground-Water Resources of Camp Pendleton, CA, July 1954*) as the storage between depths of 5 and 100 feet.

2/ Storage between 5 foot depth and sea level.

3/ Storage between 5 foot depth and 10 feet above sea level.

4/ Well 10S/4W-18L1 was destroyed during 2012, depth to water extrapolated from measurements for Well 10S/5W-13G1.

5/ Reported by Camp Pendleton based on NAVD88 datum.

6/ Reported by Camp Pendleton as average values for month of September unless noted otherwise.

7/ Average area estimated over depth interval for unused storage.

8/ From Worts and Boss for depth interval of 5 to 50 feet.

9/ Useable storage includes stored water reserved for riparian habitat; however specific amount stored for such purposes not delineated.

R-Revised

4.4.2 Murrieta-Temecula Groundwater Basin

The Murrieta-Temecula Groundwater Basin is located along Murrieta and Temecula creeks in the Upper Santa Margarita River Watershed. Total groundwater storage at the end of Water Year 2001 was computed for each of 22 hydrologic sub-areas that make up the Groundwater Basin. These computations were based on the areal extent of each sub-area, the thickness of each of three aquifers, (younger alluvium, Pauba aquifer and Temecula aquifer), a specific yield for each aquifer, and the depth to water in each aquifer at the end of the water year. Specific yields were based on unconfined conditions for all aquifers. The total groundwater storage in the uppermost 500 feet as of September 30, 2001, was estimated at 1,340,556 acre feet.

Since 2001, annual changes in groundwater storage have been computed using two different methodologies for comparison; a water budget method and a groundwater level method.

The water budget method determines the change in storage as the difference between the major elements of inflow and outflow for the groundwater area. Table 4.3 shows the changes for Water Years 2012 through 2016. The change in groundwater storage for Water Year 2015-16, using the water budget method, is calculated as a decline of 7,318 acre feet. It is noted, the return flow from Rancho California WD groundwater production was revised in Water Year 2014-15 to subtract the groundwater pumped directly to the recycled water system from the calculation as reflected in Footnote 6. The revision was applied to previous water years and is reflected on Table 4.3.

The groundwater level method is based on the changes in water levels in key wells in hydrologic sub-areas. Changes in storage under the groundwater level method for Water Years 2012 through 2016 are shown on Table 4.4. The change in groundwater storage for Water Year 2015-16, using the groundwater level method, is calculated as a decline of 2,439 acre feet.

The foregoing two methods are based on independent measurements and estimates. The estimates from the two methods are generally comparable for the period 2001 through 2016. However, the estimates from the two methods for certain years indicate differences in the results. It will take testing over a number of years under varying hydrologic conditions to refine these approaches. Such testing may include comparing the estimates obtained from these two methods with values computed with the groundwater model that is used for implementation of the CWRMA between Camp Pendleton and Rancho California WD.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE 4.3

**SANTA MARGARITA RIVER WATERSHED
CHANGES IN GROUNDWATER STORAGE
MURRIETA-TEMECULA GROUNDWATER BASIN
Water Budget Method
Quantities in Acre Feet**

<u>Elements of Inflow</u>	<u>Water Year Ending</u>				
	2012	2013	2014	2015	2016
Releases from Vail ^{1/}	901	3,259	811	773	5,116
Releases from Lake Skinner ^{2/}	0	51	61	100	70
Freshwater Releases to Stream ^{3/}	3,708	2,530	4,126	3,432	4,098
Reclaimed Water Released to Stream ^{4/}	0	0	0	0	0
Recharged Imported Water ^{5/}	14,643	11,395	12,069	12,248	10,228
Return Flow from RCWD Groundwater Production ^{6/}	8,847 R	8,785 R	8,551 R	8,579	7,577
Return Flow from Import Direct Use ^{7/}	3,015	3,457	3,920	2,268	2,669
Return Flow from Applied Wastewater ^{8/}	1,288	1,349	1,399	1,314	1,433
Underflow and Tributary Inflow ^{9/}	4,119	2,149	6,777	5,959	3,829
Subtotal	36,521 R	32,975 R	37,714 R	34,673	35,020
<u>Elements of Outflow</u>					
Riparian Evapotranspiration and Underflow ^{10/}	508	508	508	508	508
Total RCWD Groundwater Production ^{11/}	39,060	38,763	39,413	37,531	33,144
Net Pumping by Others ^{12/}	2,138	2,277	2,226	2,044	1,703
Surface Outflow ^{13/}	6,737	4,220	8,959	7,990	6,983
Subtotal	48,443	45,768	51,106	48,073	42,338
<u>Change in Groundwater Storage</u>	(11,922) R	(12,793) R	(13,392) R	(13,400)	(7,318)

- 1/ Table 3.3, Total Releases.
 - 2/ Section 5.4.
 - 3/ Table A-7, SMR Release.
 - 4/ Table A-7, Reclaimed Wastewater, Murrieta Creek Discharge (ceased October 18, 2002).
 - 5/ Table A-7, Footnote 3.
 - 6/ Table 7.8, Total Production minus releases to streams, minus pumped directly to recycled water system, multiplied by 0.23.
 - 7/ Rancho Division Direct Use Imports, Table A-7 Footnote 3, multiplied by 0.23.
 - 8/ The sum of: (Reclaimed Wastewater Table A-7, Reuse in SMRW) plus (Table A-1, Reuse in SMRW), multiplied by 0.23.
 - 9/ Murrieta Creek at Temecula Flow times 1.6697 which is based on a correlation between Murrieta Creek at Temecula flow and Tributary Inflow, Areal Recharge and Subsurface Inflow for the period 1977-1998 as shown in Table II-10, Vol. II, Geology and Hydrology, Surface and Ground Water Model of the Murrieta-Temecula Ground Water Basin, California, dated January 31, 2003.
 - 10/ Table II-10, Vol. II, Geology and Hydrology, Surface and Ground Water Model of the Murrieta-Temecula Ground Water Basin, California, dated January 31, 2003.
 - 11/ Table 7.8 Total Production.
 - 12/ The sum of Groundwater Production from: [Table A-1 (EMWD), A-5 (Pechanga IR), A-10 (WMWD Murieta Division, previously A-5), Appendix C, Murrieta-Temecula Groundwater Area], multiplied by 0.77.
 - 13/ Table 3.2 Santa Margarita River near Temecula.
- R - Revised.

TABLE 4.4

SANTA MARGARITA RIVER WATERSHED
CHANGES IN GROUNDWATER STORAGE
 MURRIETA-TEMECULA GROUNDWATER BASIN
 Groundwater Level Method

Sub-area	Key Aquifer	Specific Yield/ Storativity	Key Well	Aquifer Area Acres	Water Depth at End of Water Year Feet						Change in Depth Feet						Change in Storage in Water Year Acres Feet					
					2012	2013	2014	2015	2016	2012	2013	2014	2015	2016	2012	2013	2014	2015	2016			
1	Temecula	0.0036	510	1371	215.40	225.00	233.50	235.20	240.70	(3.69)	(9.60)	(8.50)	(1.70)	(5.50)	(18)	(47)	(42)	(8)	(27)			
2	Pauba	0.0398	439	479	30.75	37.40	42.40	40.99	43.40	(4.75)	(6.65)	(5.00)	1.41	(2.41)	(91)	(127)	(95)	27	(46)			
3	Pauba	0.0309	146	802	29.61	33.52	39.44	37.12	48.80	(3.39)	(3.91)	(5.92)	2.32	(11.68)	(84)	(97)	(147)	57	(289)			
4	Pauba	0.0350	101	694	175.15	175.32	155.87	172.06	63.54	(14.04)	(0.17)	19.45	(16.19)	108.52	(341)	(4)	472	(393)	2,636			
5	Pauba	0.0319	102	1322	62.05	79.20	128.18	103.20	107.20	22.93	(17.15)	(48.98)	24.98	(4.00)	967	(723)	(2,066)	1,053	(169)			
6	Pauba	0.0698	495	1562	78.76	70.80	64.80	63.54	63.00	10.36	7.96	6.00	1.26	0.54	1130	868	654	137	59			
7	Pauba	0.0012	211	719	108.66	101.00	118.00	121.00	115.27	9.34	7.66	(17.00)	(3.00)	5.73	8	7	(15)	(3)	5			
8	Oyal	0.20	492	339	27.79	28.03	28.85	28.44	29.30	0.81	(0.24)	(0.82)	0.41	(0.86)	55	(16)	(56)	28	(58)			
9	Pauba	0.0891	492	496	27.79	28.03	28.85	28.44	29.30	0.81	(0.24)	(0.82)	0.41	(0.86)	36	(11)	(36)	18	(38)			
10	Oyal	0.0746	426	2066	318.00	321.08	336.80	331.40	330.70	20.00	(3.08)	(15.72)	5.40	0.70	149	(23)	(117)	40	5			
11	Oyal	0.20	422	1438	40.05	39.60	38.70	39.31	38.60	(7.01)	0.45	0.90	(0.61)	0.71	(2,016)	129	259	(175)	204			
12	Pauba	0.0634	422	1413	65.00	67.20	71.19	73.32	77.20	(2.40)	(2.20)	(3.99)	(2.13)	(3.88)	(609)	39	78	(53)	62			
13	Oyal	0.20	417	1769	93.00	96.74	111.15	115.33	115.20	(5.34)	(3.74)	(14.41)	(4.18)	0.13	(1,889)	(1,323)	(5,098)	(1,479)	(348)			
14	Pauba	0.0422	417	752	93.00	96.74	111.15	115.33	115.20	(5.34)	(3.74)	(14.41)	(4.18)	0.13	(169)	(119)	(457)	(133)	4			
15	Oyal	0.20	484	898	55.25	77.16	74.12	78.73	77.40	(27.77)	(21.91)	3.04	(4.61)	1.33	(4,987)	(3,935)	546	(828)	239			
16	Pauba	0.0198	484	398	55.25	77.16	74.12	78.73	77.40	(27.77)	(21.91)	3.04	(4.61)	1.33	(219)	(173)	24	(36)	10			
17	Temecula	0.0036	462	2084	409.80	421.20	364.57	543.30	450.41	(1.30)	(11.40)	56.63	(178.73)	92.89	(10)	(86)	425	(1,341)	697			
18	Temecula	0.0036	464	1347	329.60	330.20	332.40	332.20	330.50	(1.10)	(0.60)	(2.20)	0.20	1.70	(5)	(3)	(11)	1	8			
19	Temecula	0.0036	509	1967	527.30	532.20	543.70	548.90	550.60	(5.70)	(4.90)	(11.50)	(5.20)	(1.70)	(40)	(35)	(81)	(37)	(12)			
20	Pauba	0.0036	139	2008	536.90	547.74	570.91	568.90	576.10	(6.51)	(10.84)	(23.17)	2.01	(7.20)	(47)	(78)	(167)	15	(52)			
21	Pauba	0.0967	129	1546	230.25	234.11	240.48	245.51	260.00	(4.29)	(3.86)	(6.37)	(5.03)	(14.49)	(641)	(577)	(952)	(752)	(2,166)			
22	Temecula	0.0036	466	1562	336.22	325.26	340.81	352.93	343.70	(11.00)	10.96	(15.55)	(12.12)	9.23	(62)	62	(87)	(68)	52			
23	Pauba	0.0738	493	3231	279.64	279.49	286.12	281.33	290.30	(4.13)	0.15	(6.63)	4.79	(8.97)	(985)	36	(1,581)	1,142	(2,139)			
24	Pauba	0.1392	463	2303	54.40	56.00	57.40	60.00	60.10	(0.60)	(1.60)	(1.40)	(2.60)	(0.10)	(192)	(513)	(449)	(834)	(32)			
25	Pauba	0.0325	Lynch	1008	77.00	**	**	30.00	30.00	(5.00)	---	---	---	0.00	(164)	---	---	---	0			
TOTAL															(11,113)	(7,564)	(10,477)	(4,412)	(2,439)			

1/ Well not measured for year with dashes; Sub-area excluded for change in storage calculation for years with no measurement.

2/ Key Well 101 designated for Sub-area 4 in Year 2011; previously Well 401 designated as the Key Well.

3/ Key Well 102 designated for Sub-area 5 in Year 2011; previously Well 402 designated as the Key Well.

4/ Key Well 484 designated for Sub-area 13 in Year 2011; previously Well 414 designated as the Key Well.

5/ Key Well 510 for Sub-area 1 renamed in Year 2012; previously the well was named as Well 301.

6/ Key Well 509 for Sub-area 16 renamed in Year 2012; previously the well was named as Well 209.

* Sub-area is located within Murrieta Division of Western MWD; Sub-areas 1 through 21 are located in Rancho California WD.

** No water level data for the Lynch Well was provided by Western Municipal Water District for Water Years 2012-13 and 2013-14, due to incorrect groundwater level readings.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

4.4.3 Anza Groundwater Basin

The Anza Groundwater Basin is located along Cahuilla Creek in the upper portion of the Santa Margarita River Watershed.

The most recent study that determined storage volumes was conducted by Riverside County in 1990. That study concluded that the groundwater storage of about 182,200 acre feet in 1950 had decreased to about 165,000 acre feet in 1986. The study also concluded that “. . . basin hydrogeologic features, production facilities’ conditions, and locations/depths of storage . . .” limited the useable portion to 40% of the groundwater storage or about 56,200 acre feet in 1986.

During Water Years 2005 through 2009, groundwater level measurements were made by the USGS in Anza Valley under contract with the Bureau of Indian Affairs. In 2013, the USGS resumed groundwater level measurements as part of a study on behalf of the High Country Conservancy as the Local Project Sponsor under a California Department of Water Resources Integrated Regional Water Management (IRWM) Planning Grant. Rancho California WD is the managing agency for the Upper Santa Margarita Watershed IRWM Planning Region and contracted with the USGS to conduct the groundwater level measurements. The results of the recent USGS study are published in the report *Aquifer Geometry, Lithology, and Water Levels in the Anza-Terwilliger Area – 2013, Riverside and San Diego Counties, California*, USGS Scientific Investigation Report 2015-5131. The data from these measurements are available at the USGS website: <http://nwis.waterdata.usgs.gov/ca/nwis/gwlevels>.

The wells included in the program can be located by selecting the latitude-longitude box selection criteria and specifying the following bounds:

North Latitude - 33° 37' 00"
South Latitude - 33° 30' 00"
West Longitude - 116° 48' 00"
East Longitude - 116° 38' 00"

Efforts are currently under way for an Anza Baseline Groundwater Management study. Planning proposals have been submitted to the California Department of Water Resources, Integrated Regional Water Management Plan. Objectives include maximization of groundwater potential, protect and improve local surface water quality and promote economic, social, land use and environmental sustainability.

SECTION 5 - IMPORTS/EXPORTS

5.1 General

Court Orders require the Watermaster to determine the quantities of imported water used in the Watershed. Most of the water imported into the Santa Margarita River Watershed is delivered by Metropolitan Water District of Southern California (MWD) to local districts. MWD obtains its water from the State Water Project (SWP) and the Colorado River. Both the SWP and the Colorado River system have major storage reservoirs to provide long-term carryover storage. The quantities of water in storage at the end of the water year in the major reservoirs in each system are indicated on Table 5.1. Total storage in the SWP for the last ten years is shown graphically on Figure 5.1. Similarly, total storage for the Colorado River Reservoirs for the last ten years is shown on Figure 5.2. It may be seen from Table 5.1 that during Water Year 2015-16, water in storage in the SWP increased from 1.78 million acre feet on September 30, 2015, to 2.58 million acre feet on September 30, 2016. Storage on September 30, 2016 corresponds to about 49 percent of the total SWP storage capacity.

Water in storage in the Colorado River system decreased slightly from 29.9 million acre feet on September 30, 2015 to 29.8 million acre feet on September 30, 2016. On September 30, 2016, those reservoirs contained 46 percent of their total combined capacity.

The California Department of Water Resources prepares projections of water availability in the SWP for the coming year (2017) on a monthly basis from February through May. The report DWR Bulletin 120-4-17 dated May 1, 2017, indicated that statewide precipitation October 1 through April 30, 2017 was 170 percent of average compared to 110 percent last year. As of April 14, 2017, the SWP allocation for 2017 will meet eighty five percent of contractors' requests.

The following entities imported water directly or indirectly from MWD into the Santa Margarita River Watershed:

- Eastern Municipal Water District
- Elsinore Valley Municipal Water District
- Fallbrook Public Utility District
- Rainbow Municipal Water District
- Rancho California Water District
- U. S. Naval Weapons Station – Fallbrook Annex
- Western Municipal Water District

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 5.1

SANTA MARGARITA RIVER WATERSHED
**STORAGE IN STATE WATER PROJECT
AND COLORADO RIVER RESERVOIRS**
Thousands of Acre Feet 1/

STATE WATER PROJECT RESERVOIRS

Reservoir	Total Capacity	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Oroville	3,540	1,568	1,097	1,337	1,755	3,045	1,977	1,633	1,076	1,057	1,619
San Luis (State Share)	1,060	445	200	224	415	874	389	283	214	324	439
Pyramid	171	166	163	166	164	164	169	167	168	168	167
Castaic	324	313	268	200	260	284	264	285	108	114	232
Silverwood	73	73	71	70	70	71	71	72	71	68	73
Perris	132	66	69	62	61	66	72	73	55	47	48
Total	5,300	2,631	1,868	2,059	2,725	4,504	2,942	2,513	1,692	1,778	2,578
Percent of Capacity		50%	35%	39%	51%	85%	56%	47%	32%	34%	49%

MAJOR COLORADO RIVER RESERVOIRS

Reservoir	Total Capacity	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Flaming Gorge	3,789	3,063	3,024	3,394	3,154	3,467	3,030	2,818	3,284	3,450	3,207
Blue Mesa	941	687	650	651	609	699	340	348	599	726	665
Navajo	1,709	1,510	1,319	1,314	1,412	1,327	1,035	933	1,081	1,392	1,310
Powell	27,000	11,929	14,509	15,463	15,267	17,593	13,929	10,934	12,286	12,333	12,824
Mead	28,537	12,505	12,013	10,933	10,092	12,977	13,135	12,362	10,121	9,854	9,620
Mohave	1,818	1,545	1,586	1,501	1,575	1,610	1,606	1,624	1,645	1,606	1,627
Havasu	648	576	584	564	560	585	561	560	583	581	579
Total	64,442	31,815	33,685	33,820	32,669	38,258	33,636	29,579	29,599	29,942	29,832
Percent of Capacity		49%	52%	52%	51%	59%	52%	46%	46%	46%	46%

1/ Storage reported for end of water year on September 30.

Figure 5.1

STORAGE IN STATE WATER PROJECT
Water Years 2007 through 2016
Total Capacity is 5.3 Million Acre Feet





Figure 5.2

STORAGE IN COLORADO RIVER RESERVOIRS
Water Years 2007 through 2016
Total Capacity is 64.4 Million Acre Feet



WATERMASTER
SANTA MARGARITA RIVER WATERSHED

In addition to net deliveries through member agencies, MWD, pursuant to a Court Order, imported 1,186 acre feet of water into the Santa Margarita River Watershed for irrigation of lands in Domenigoni Valley during 2015-16.

Water is also imported into the Santa Margarita River Watershed from adjacent watersheds. Such importation occurs from the Santa Ana Watershed where Elsinore Valley MWD delivers water to a portion of its service area that is inside the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from imports or from wells outside the Santa Margarita River Watershed.

At Camp Pendleton there is a pipeline connection to wells located in the Las Flores Creek Watershed to the north of the Santa Margarita River Watershed. Water can be either imported or exported through that line, depending on relative water demands and pumping capacities.

Exportations from the Santa Margarita River Watershed include water pumped at Camp Pendleton that is used in the San Luis Rey River Watershed to the south or in the Las Flores Creek Watershed to the north. The wastewater that is derived from the exported potable water is returned to the Watershed for treatment at the Southern Region Tertiary Treatment Plant. Recycled water is used for irrigation both within and outside the Watershed. Treated wastewater in excess of recycled use is exported for discharge at the Oceanside Outfall. Wastewater from the Fallbrook area and the Naval Weapons Station is exported by the Fallbrook Public Utility District and wastewater in the Elsinore Valley MWD is exported by Elsinore Valley MWD. Rancho California WD exports water into the San Mateo Creek Watershed.

Eastern MWD uses a 24-inch pipeline along Winchester Road to transport wastewater from the Temecula Valley Regional Water Reclamation Facility to areas within the Watershed for reuse as well as for export of up to 10 MGD from the Watershed. Eastern MWD uses a second, 48-inch pipeline along Palomar Valley for delivery of recycled water for reuse and export from the Watershed. Rancho California WD also delivers wastewater to the Palomar Pipeline under an agreement with Eastern MWD to provide coordinated operation of their respective wastewater systems and thus such wastewater originating from Rancho California WD can also be reused or exported through the operation of the Palomar Pipeline by Eastern MWD. The exported wastewater can be reused outside the Watershed, delivered to storage facilities or discharged to Temescal Creek. In 2015-16, Eastern MWD did not export wastewater for discharge to Temescal Creek. During 2015-16, Rancho California WD had no deliveries of wastewater to the Palomar Pipeline and thus no export of wastewater for discharge to Temescal Creek can be attributed to wastewater originating from Rancho California WD.

The following paragraphs of this report describe imports and exports during Water Year 2015-16 and during the period 1966 through 2016. A discussion of MWD's Lake Skinner and Diamond Valley Lake operations is also provided.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

5.2 Water Year 2015-16

During Water Year 2015-16, a total of 64,242 acre feet of net imported supplies were distributed for use in the Watershed. This compares with 62,677 acre feet in 2014-15 and represents an increase of approximately two and a half percent (2.5%). The term net imports is used because several entities report gross imports into the Santa Margarita River Watershed but due to system configurations and operations, a portion of the gross imports may be transported to serve areas outside of the Watershed. Thus, the net imports reflect the quantities of imported supplies used within the Santa Margarita River Watershed. Net imports into the Watershed are listed on Table 5.2 for Water Year 2015-16.

The water exported from the Watershed for 2015-16 primarily includes wastewater except for Camp Pendleton and Rancho California WD. As described in Section 7, Camp Pendleton exports native water for use outside the Watershed. Also, Rancho California WD exports groundwater as part of a blended water supply to serve customers in the San Mateo Watershed. Exports from the Watershed for 2015-16 were 16,460 acre feet as shown on Table 5.2. This compares to 18,076 acre feet in 2014-15 and represents a decrease of about nine percent.

The quality of the water supplies imported through the MWD system in 2015-16 is indicated by the average monthly total dissolved solids at the Skinner Treatment Plant effluent line as shown on Table 5.3. The table also shows the percent of imported water obtained from the SWP.

5.3 Water Years 1966 through 2016

Water quantities imported by districts into the Santa Margarita River Watershed during Water Years 1966 through 2016 are shown on Table 5.4. Total imports to these districts are measured; however some districts serve lands outside the Watershed. For these districts, which include Eastern MWD, Elsinore Valley MWD, Fallbrook PUD and Rainbow MWD, the portion delivered in the Santa Margarita River Watershed must be estimated.

Review of the historical trend of total imports shown on Table 5.4 indicates significant year-to-year variations with relatively low imports in wet years and higher imports in dry years, combined with an underlying growth rate to serve increasing municipal water demands in the Murrieta-Temecula area.

Exports over the period 1966 through 2016 are also shown on Table 5.4. These include estimated water exports on Camp Pendleton less estimated wastewater returns, as well as an estimate of exports by Fallbrook PUD and the Naval Weapons Station after 1983, and Elsinore Valley MWD after 1986. Exports by Eastern MWD were initiated in 1992-1993, and Rancho California WD began quantifying export of water in 2002-03. Exports do not include water that naturally flows from the Santa Margarita River into the Pacific Ocean.

TABLE 5.2

SANTA MARGARITA RIVER WATERSHED
IMPORTS/EXPORTS

2015-16

Quantities in Acre Feet

NET IMPORTS

EXPORTS
3/

YEAR MONTH	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	MURRIETA DIVISION WESTERN MWD	RAINBOW MWD	RANCHO CAL WD	U.S. NAVAL WS	WESTERN MWD	TOTAL NET IMPORTS	-----CAMP PENDLETON-----			U.S. NAVAL WS	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	RANCHO CAL WD	TOTAL EXPORTS
										WASTEWATER RETURNS	EXPORTS	NET EXPORT						
										5/	4/	5/	6/					
2015																		
OCT	1,154	479	509	47	141	2,659	6	3	5,094	92	377	285	0	879	121	61	22	1,368
NOV	983	446	494	36	116	1,469	7	3	3,648	92	374	282	0	928	116	48	17	1,391
DEC	839	432	416	19	83	974	6	6	2,829	91	355	264	0	1,020	123	58	13	1,478
2016																		
JAN	753	296	212	17	62	1,443	2	5	2,825	71	334	263	0	1,103	119	52	7	1,544
FEB	871	298	235	56	36	1,892	3	4	3,454	85	352	267	0	984	107	47	9	1,414
MAR	705	351	324	88	89	2,468	3	2	4,143	92	361	269	0	939	115	73	10	1,406
APR	1,194	401	333	109	84	2,819	3	2	5,040	99	366	267	0	919	113	55	13	1,367
MAY	1,024	487	425	121	98	3,213	11	2	5,490	105	332	227	0	885	121	72	20	1,325
JUNE	1,348	599	503	154	99	4,459	6	3	7,347	110	414	304	1	813	115	62	18	1,313
JULY	1,637	696	676	138	166	5,176	8	3	8,707	115	430	315	0	774	124	64	22	1,299
AUG	1,370	714	653	114	147	5,096	5	5	8,342	116	411	295	0	769	131	71	25	1,290
SEPT	1,724	690	615	145	177	3,810	4	4	7,325	110	396	286	0	765	126	63	26	1,266
TOTAL	13,602	5,889	5,395	1,186	1,290	35,478	62	42	64,242	1,178	4,502	3,324	1	10,778	1,431	724	202	16,460

1/ Metropolitan Water District direct deliveries in Domenigoni Valley as shown on Table A-4.

2/ Improvement District A - Rainbow Canyon Only (WR-13).

3/ All exports are wastewater except as noted for Camp Pendleton and Rancho California WD.

4/ Agricultural and Camp Supply use outside the SMRW, recycled use outside the SMRW, plus export to Oceanside Outfall as shown on Table A-8.

5/ Estimated as recycled percentage of Camp Supply use outside the SMRW as shown on Table A-8.

6/ Includes Other Reuse shown on Table A-1, which includes changes of storage in Winchester and Sun City storage ponds, evaporation and percolation losses, and discharges to Temescal Creek in the Santa Ana Watershed.

7/ Includes groundwater used in San Mateo Watershed and wastewater exported via Palomar Valley Pipeline. Wastewater exported via Palomar Valley Pipeline in 2015-16 was zero.

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE 5.3

SANTA MARGARITA RIVER WATERSHED
TOTAL DISSOLVED SOLIDS
CONCENTRATION OF IMPORTED WATER

YEAR MONTH	TOTAL DISSOLVED SOLIDS MG/L 1/		PERCENT STATE PROJECT WATER 2/	
	<u>2014-15</u>	<u>2015-16</u>	<u>2014-15</u>	<u>2015-16</u>
OCT	549	652	17	0
NOV	608	660	5	0
DEC	624	668	0	0
JAN	628	663	0	0
FEB	639	659	0	2
MAR	605	584	0	22
APR	629	632	6	3
MAY	590	655	17	0
JUNE	507	637	40	2
JULY	561	580	25	19
AUG	648	585	6	16
SEPT	662	584	0	15

1/ As measured in the Skinner Treatment Effluent line.

2/ Skinner Plant treated a blend of California State Project Water and Colorado River water.

TABLE 5.4
SANTA MARGARITA RIVER WATERSHED
IMPORTS/EXPORTS

Quantities in Acre Feet

EXPORTS
5/

NET IMPORTS

WATER YEAR	NET IMPORTS										EXPORTS									
	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	MURRIETA DIVISION WESTERN MWD	RAINBOW MWD	RANCHO CAL WD	U.S. NAVAL WS	WESTERN MWD	TOTAL IMPORTS	EXPORTS	CAMP PENDLETON WASTEWATER RETURNS	NET EXPORT	U.S. NAVAL WS	EASTERN MWD	ELSINORE VALLEY MWD	FALLBROOK PUD	RANCHO CAL WD	TOTAL EXPORTS		
2008	14,952	9,951	8,920	493	2,180	1,790	50,683	82	54	89,105	4,774 6/	0	4,774	11	12,789	901	799	361	19,635	
2009	14,472	9,075	8,557	607	1,654	1,852	50,270	74	51	86,612	5,362 8/	1,119	4,243	12	12,027	1,069	829	367	18,547	
2010	13,552	7,926	7,183	385	1,462	1,453	40,894	69	62	72,986	5,143 8/	1,075	4,068	7	11,829	1,120	926	318	18,268	
2011	14,392	7,425	6,234	336	1,642	1,492	39,411	45	52	71,029	5,516 8/	1,441	4,075	8	12,381	1,130	901	302	18,797	
2012	15,063	7,398	7,254	466	1,371	1,892	41,900	48	48	75,440	5,595 8/	1,672	3,923	9	12,550	1,205	928	284	18,898	
2013	15,751	7,158	7,357	892	1,365	1,713	40,571	47	35	74,889	5,367 8/	1,254	4,113	3	11,775	1,245	900	289	18,325	
2014	15,884	7,413	7,578	1,074	1,407	1,732	46,603	58	35	81,785	5,375 8/	1,099	4,276	6	11,744	1,307	896	289	18,518	
2015	13,877	5,992	5,919	1,090	820	1,333	33,573	44	29	62,677	4,837 8/	1,127	3,710	3	11,698	1,328	1,086	251	18,076	
2016	13,602	5,889	5,395	1,186	1,290	1,298	35,478	62	42	64,242	4,502 8/	1,178	3,324	1	10,778	1,431	724	202	16,460	

1/ Includes DeLuz Heights MWD prior to 1991.

2/ Metropolitan Water District direct deliveries in Domenigoni Valley plus miscellaneous maintenance releases beginning 2009.

3/ For period 2003 to present, values shown are net imports excluding imported water delivered to San Mateo Watershed.

4/ Improvement District A - Rainbow Canyon Only (WR-13).

5/ All exports are wastewater except as noted for Camp Pendleton and Rancho Cal WD.

6/ Includes export of native water plus wastewater from in-basin use.

7/ Includes groundwater used in San Mateo Watershed and wastewater exported to Santa Ana Watershed.

8/ Includes export of native water plus recycled water.

N/R - Not Reported
P - Partial year data
E - Estimate
R - Revised

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

5.4 Lake Skinner

Lake Skinner is a 44,000 acre foot reservoir constructed by MWD on Tualota Creek, within the Santa Margarita River Watershed. The purpose of Lake Skinner is to provide regulatory and emergency storage capacity for water imported to southern California. MWD does not have a water right to store or divert local water in Lake Skinner. Accordingly, a Memorandum of Understanding and Agreement on Operation of Lake Skinner (MOU), dated November 12, 1974, approved by the Court on January 16, 1975, contains provisions to protect Santa Margarita River Watershed water users from potential effects of Lake Skinner on either subsurface or surface flows.

Protection against a decrease in subsurface flows caused by the dam is afforded by a provision in the MOU that requires MWD release water from Lake Skinner into Tualota Creek if groundwater levels in Well AV-28B fall below an elevation of 1,356.64 feet. During Water Year 2015-16, MWD released 67.10 acre feet for the specific purpose of groundwater replenishment to ensure the groundwater elevation in Well AV-28B was maintained above the indicated threshold elevation of 1,356.64 feet. For comparison purposes, the groundwater elevation was 1,356.85 feet on September 30, 2016, an increase of 0.15 feet compared to 1,356.70 feet on September 25, 2015.

In addition, operations at Lake Skinner periodically require miscellaneous maintenance releases from Lake Skinner into various creeks and their tributaries, including Tualota Creek, Rainbow Creek, Warm Springs Creek, and Murrieta Creek that also replenish groundwater levels. In 2015-16, MWD released 3.00 acre feet maintenance releases from Lake Skinner into Tualota Creek. Also MWD periodically makes maintenance releases from various points throughout the MWD distribution system. In 2015-16, MWD did not discharge any maintenance releases from the distribution system.

The MOU also provides that all local surface inflow that enters Lake Skinner will be released into Tualota Creek. In its 1980 modification, the MOU provides that local surface inflow is to be determined by using the hydrologic equation for Lake Skinner that is specified in the MOU. That equation is used to determine inflow and the related release for large flood events. However, in many years the local inflow is small compared to the large quantities of imported water inflow and outflow at Lake Skinner. The error of measurement for these large inflows and outflows is larger than the local inflow in many instances. Accordingly, MWD also monitors the flow in Tualota Creek, Rawson Creek and Middle Creek during storms and uses those observations to supplement the hydrologic equation.

On February 16, 2005, the Court approved an Order Amending the MOU to provide for diversion from Lake Skinner on Fallbrook PUD's behalf after specified releases are made, according to State Water Resource Control Board Permit 11356 and the amended Lake Skinner MOU. In 2015-16, MWD records show no local inflow to Lake Skinner and subsequently there were no required releases in accordance with the MOU. In 2015-16, no water was accumulated in Lake Skinner for diversion to Fallbrook PUD.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

5.5 Diamond Valley Lake

Diamond Valley Lake is located in Diamond and Domenigoni Valleys within the Santa Margarita River Watershed. The lake was created by three dams, one each at the east and west ends of Domenigoni/Diamond Valley and a saddle dam at the low point on the north rim. The West Dam intercepts flows in the headwaters of Warm Springs Creek, a tributary of the Santa Margarita River through Murrieta Creek. The drainage area for the headwaters of Warm Springs Creek above the West Dam is 17.2 square miles.

MWD does not have a water right to store local waters in the reservoir, now known as Diamond Valley Lake, so a Memorandum of Understanding and Agreement on Operation of Domenigoni Valley Reservoir (MOU) was developed and approved by the Court on January 19, 1995. Among other things, the MOU provides:

The quantity and quality of surface runoff that would flow past the West Dam in the absence of the Reservoir will be determined and a like quantity of water of similar quality will be released from the Reservoir or San Diego Canal (SDC) into Warm Springs Creek.

The MOU specifies that the required releases into Warm Springs Creek will be determined by measuring the surface water inflows into Goodhart Canyon Detention Basin. The detention basin receives surface water inflows from Goodhart Creek, which is located in an adjoining watershed that is tributary to the Santa Ana River. The drainage area of Goodhart Creek upstream of the detention basin is 4.2 square miles. The rainfall-runoff characteristics of the Goodhart Creek drainage area were determined to be the same as the rainfall-runoff characteristics of the Warm Springs Creek headwaters above the West Dam. Thus the required releases into Warm Springs Creek are equal to 4.1 times the measured inflow into Goodhart Canyon Detention Basin, as determined as the ratio of the drainage areas for the respective watersheds.

The total required releases into Warm Springs Creek during 2015-16 were 1.17 acre feet.

Although all surface waters within the Santa Margarita River Watershed in Domenigoni Valley and Diamond Valley are subject to the continuing jurisdiction of the Court, groundwater contained within the alluvium, north of the south line of Section 9, Township 6 South, Range 2 West, SBM is not considered by the Court to be a part of the Santa Margarita River system as long as groundwater levels are below an elevation of 1400 feet. During 2015-16, groundwater elevations in Well MO-6, which is located along the south line of Section 9, rose 2.9 feet from 1,370.8 feet at the beginning of the water year to 1,373.7 feet on October 4, 2016.

During 2015-16, there were no injections into the Domenigoni Valley groundwater basin pursuant to Agreements for Mitigation of Groundwater. However, pursuant to a Court Order, MWD imported 1,186 acre feet of water into the Santa Margarita River Watershed for irrigation of lands in Domenigoni Valley. As previously noted, the groundwater in the Domenigoni Valley groundwater basin is outside this Court's jurisdiction when groundwater levels are below an elevation of 1400 feet.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 6 - WATER RIGHTS

6.1 General

The Santa Margarita River Watershed is adjudicated in accordance with the Modified Final Judgment and Decree filed on April 6, 1966, in the U.S. District Court, Southern District of California in *U.S.A. v. Fallbrook Public Utility District, et al.* Water is used in the Watershed under a variety of water rights, as more specifically described in the Interlocutory Judgments incorporated into the Modified Final Judgment and Decree, as primarily riparian rights and overlying rights. Riparian rights belong to owners of land parcels located adjacent to streams in the Watershed or overlying younger alluvium deposits generally along the stream channels. Overlying rights were divided by the Court into two categories based on the location where the water is obtained and used. Water extracted from lands where subsurface waters add to, contribute to and support the Santa Margarita River stream system was found to be subject to the continuing jurisdiction of the Court. Lands in this category were identified by the Court and listed in Interlocutory Judgments. In general, these parcels of land overlie younger or older alluvium deposits. The Court has stated that the issue of apportionment of water rights has not been presented to the Court, but the Court would litigate the apportionment if and when in the future it becomes necessary to do so.

The other category of overlying use applies to parcels of land where subsurface flows do not add to, contribute to or support the Santa Margarita River stream system. These parcels were also identified by the Court and found to be outside the continuing jurisdiction of the Court. In general, these lands overlie basement complex or residuum deposits.

The Court also described a number of other rights in the Watershed. These included surface water appropriative water rights that have been administered by the State of California since 1914. These rights are discussed in the following subsection of this report.

In Interlocutory Judgment No. 41, the Court found that the United States reserved rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Cahuilla, Pechanga and Ramona Indian Reservations, including rights to the use of groundwater, sufficient for the present and future needs of the Indians residing thereon. In Interlocutory Judgment No. 44, the Court recognized and reserved water rights for lands within the Cleveland and San Bernardino National Forests and for lands being administered pursuant to the Taylor Grazing Act.

Since the early 1960's, there have been substantial changes in water use in the Watershed, especially in the Murrieta-Temecula Groundwater Area. During the 1950's and early 1960's, when this case was under active litigation, most of the water use in the Murrieta-Temecula area consisted of individual property owners pumping water for use on their own properties. In 1965, the Rancho California WD was formed. The District developed Agency Agreements with most of the landowners within the District. In these Agency Agreements, the landowners "...without transferring any water rights and privileges pertaining to said land..." designated the District as their exclusive agent for the development and management of their water supply. Thus, many landowners within the

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Rancho California WD are not exercising their overlying rights. Instead, Rancho California WD pumps groundwater and uses it throughout the District area as agent on behalf of the landowners.

The resulting change is that Rancho California WD presently produces groundwater in the Murrieta-Temecula Groundwater Area under a variety of rights: (1) recovery of water appropriated at Vail Lake, (2) recovery of import return flows and recharged imported water, (3) groundwater appropriative rights, and (4) as agent on behalf of the overlying landowners. Classification of Rancho California WD supplies into these various water right categories is discussed in Section 7 of this Report. Related to the change associated with Rancho California WD production is the increased production by Western MWD within its Murrieta Division. As discussed in Section 7 of this Report, all groundwater production in the Murrieta Division by Western MWD is classified as production from the older alluvium under a groundwater appropriative right.

Another change from the early 1960's is the large scale importation of water into the Santa Margarita River Watershed by Rancho California WD. A portion of such importation finds its way into the groundwater aquifers. The legal status of return flows from imported supplies as well as direct recharge of imported water was clarified by the final judgment in *City of Los Angeles v. City of San Fernando, et al.*, 1975 14 Cal.3rd 199. This decision in the Supreme Court of the State of California made two major findings with respect to imported water.

The first was that agencies have the right to recharge and store imported water in a groundwater basin and to extract the imported water for use, subject to applicable state and federal laws. In addition, agencies that import and deliver water to lands overlying a groundwater basin have a continuing right to extract the return flow from such water. The return flow is that portion of the imported supply that percolates into the groundwater basin. In the San Fernando case this portion was found to range from 20 percent to 35.7 percent of the imported supplies.

The Rancho Division of the Rancho California WD overlies the Murrieta-Temecula Groundwater Area. Thus a portion of the import supply delivered to the Rancho Division of Rancho California WD percolates into the underlying aquifers. Imported water is also supplied to the Santa Rosa Division within Rancho California WD, however only a relatively small part of this division overlies the Murrieta-Temecula Groundwater Area. Thus there is less imported water return flow from the Santa Rosa Division.

Camp Pendleton representatives contend that the Court has jurisdiction over imported water to the full extent that imported water, as well as its use, its returns and its products, affects in any significant manner the water rights within the Watershed over which the Court has traditionally asserted its jurisdiction. Other parties dispute the Court's jurisdiction over imported water.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

6.2 Appropriative Surface Water Rights

Another broad category of water rights used in the Watershed is surface water appropriative rights. Since 1914, these rights have been administered by the State Water Resources Control Board (SWRCB).

A list of current permits, licenses and other active rights obtained from the SWRCB is shown on Table 6.1. A permit by the SWRCB authorizes water diversion, sets terms for the water project's completion and development of water use, and may impose other conditions. After the permittee demonstrates that construction is complete, water is being put to use and the permit conditions have been met, the SWRCB can issue a license. The license remains in effect as long as the license conditions are met and the water is put to beneficial use.

Active direct diversion rights and storage rights from creeks in the Watershed are summarized below:

	<u>Direct Diversions Gallons Per Day</u>	<u>Direct Diversions Acre Feet/Year</u>	<u>Storage Acre Feet</u>
Cahuilla Creek/Valley	720	0.8	5
Cottonwood Creek	485,000	158	60
Cutca Creek/Spring	5,825	6.5	---
DeLuz Creek	4,700	5.3	100
Fern Creek	213,000	238.9	100
Kohler Canyon	158,000	177	40
Long Canyon Spring	89	0.34	---
Rainbow Creek	---	---	0.5
Rattlesnake Canyon	12,000	7.9	---
Temecula Creek	13,050	8.1	40,000
Tucalota Creek	---	---	10,000
Sandia Canyon	---	---	8
Sourdough Spring	55	0.1	---
Santa Margarita River	97,000	73.64	4,000
Nelson Creek	<u>1,550</u>	<u>1.7</u>	<u>---</u>
TOTAL	990,989	678.3	54,313.5

These direct diversion rights of 990,989 gallons per day correspond to 1.53 cfs or 3.04 acre feet per day. The value of 678.3 acre feet per year reflect the annual maximum allowed under the restrictions of such right. For example, rights associated with Rattlesnake Canyon (Application ID-A011161) show direct diversion of 12,000 gallons per day, with the restriction of diverting only from April 1 through October 31, which correlates to the listed 7.9 acre feet per year.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE 6.1

**SANTA MARGARITA RIVER WATERSHED
APPROPRIATIVE WATER RIGHTS**

PERMITS AND LICENSES

APPLICATION I.D.	PERMIT I.D.	OWNER	FILING DATE	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE	STATUS
A006629	003584	William H. & Sandra J. Cyrus	4/9/1930	Cahuilla Valley	Sec. 4, 7S, 3E	DD-0.8 AF/yr	D	License
A007035	003883	Nyla Lawler Trust	8/10/1931	Cutca Creek	Sec. 29, 9S, 1E	DD-6.4 AF/yr	D/I	License
A009137	005090	Hill Springs Farms, LLC	10/7/1937	Temecula Creek	Sec. 12, 9S, 1E	DD-0.5 AF/yr	D	License
A009291	005201	Richard W. Long	5/13/1938	Nelson Creek	Sec. 23, 8S, 5W	DD-1.7 AF/yr	D	License
A010806	006279	James R., Phyllis & Bruce Grammer	4/22/1944	Temecula Creek	Sec. 34, 9S, 2E	DD-3.2 AF/yr	D	License
A011161	006499	Roy C. Pursche & Barbara Booth	9/26/1945	Rattlesnake Canyon	Sec. 28, 9S, 2E	DD-7.9 AF/yr	D/I	License
A011518	007032	Rancho California Water District	8/16/1946	Temecula Creek	Sec. 10, 8S, 1W	ST-40,000 AF/yr	D/I/IN/M/R	Permit
A011587 1/	008511	U.S. Department of the Navy, Marine Corps Base Camp Pendleton	10/11/1946	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF/yr	D/I/M	Permit
A012178	011356	Fallbrook Public Utility District	11/28/1947	Tucalota Creek	Sec. 3, 7S, 2W	ST-10,000 AF/yr	D/I/M	Permit
A012179 1/	011357	U.S. Department of the Navy, Marine Corps Base Camp Pendleton	11/28/1947	Santa Margarita River	Sec. 12, 9S, 4W	ST-10,000 AF/yr	D/I/M	Permit
A013505	008166	Robert R. Baum	12/12/1949	Cottonwood Creek	Sec. 30, 8S, 4W	DD-158 AF/yr & ST-42 AF/yr	R/S	License
A017239	012312	Nancy A. Wiley	8/15/1956	Temecula Creek	Sec. 20, 9S, 2E	DD-0.1 AF/yr	D/E	License
A020507	014715	Robert R. Baum	11/24/1961	Cottonwood Creek	Sec. 19, 8S, 4W Sec. 30, 8S, 4W	ST-18 AF/yr	I/R	License
A020608	014716	Pete and Dorothy Prestininzi	2/13/1962	DeLuz Creek	Sec. 20, 8S, 4W	ST-100 AF/yr	D/I/R	License
A020742	013913	U. S. Cleveland National Forest	4/24/1962	Sourdough Spring	Sec. 25, 9S, 1E	DD-0.1 AF/yr	E	License
A021074	014087	U. S. Cleveland National Forest	12/7/1962	Cutca Spring	Sec. 17, 9S, 1E	DD-0.1 AF/yr	S/W	License
A021471A	015000	U. S. Department of Navy	9/23/1963	Santa Margarita River	Sec. 5, 10S, 4W Sec. 2, 11S, 5W	ST-4,000 AF/yr	D/I/M/Z	License
A021471B 1/	015000	U.S. Department of the Navy, Marine Corps Base Camp Pendleton	9/23/1963	Santa Margarita River	Sec. 32, 9S, 4W	ST-165,000 AF/yr	D/I/M/Z	Permit
A027756	019038	James R. Grammer	5/23/1983	Temecula Creek	Sec. 3, 10S, 2E	DD-4.3 AF/yr	I/W	License
A028133	019522	B&E Inv., Inc.	5/14/1984	Cahuilla Creek	Sec. 15, 8S, 2E	ST-5 AF/yr	E/H/I/R/S	Permit

OTHER RIGHTS

F005751S*	N/A	U. S. Cleveland National Forest	7/1/1984	Long Canyon Spring	Sec. 16, 9S, 1E	DD-0.34 AF/yr	E/R/S/W	Claimed
S000024**	N/A	Judge Dial Perkins	11/4/1966	Santa Margarita River	Sec. 12, 9S, 4W	DD-0.34 AF/yr	D	Inactive
S000751**	N/A	Lawrence Butler	5/27/1967	Fern Creek	Sec. 31, 8S, 4W	DD-238.9 AF/yr ST-100 AF/yr	I	Inactive
S011411**	N/A	Agri Empire, Inc.	7/3/2008	Kohler Canyon	Sec. 33, 9S, 2E	DD-177 AF/yr ST-40 AF/yr	I/S	Claimed
S012235**	N/A	Lenny F. Kuszmaul	8/27/1985	DeLuz Creek	Sec. 4, 9S, 4W	DD-5.3 AF/yr	D/I	Inactive
S014009**	N/A	San Diego State University	7/11/2004	Santa Margarita River	Sec. 27, 8S, 3W	DD-73.3 AF/yr	D/I/Z	Claimed
001583***	N/A	George F. Yackey	12/27/1977	Sandia Canyon	Sec. 25, 8S, 4W	ST-8.0 AF/yr	S	Unknown
002380***	N/A	Chris R. & Jeanette L. Duarte	12/16/1977	Rainbow Creek	Sec. 12, 9S, 3W	ST-0.5 AF/YR	S	Certified

KEY TO USE: DD - Direct Diversion D - Domestic R - Recreation E - Fire Protection H - Fish Culture
ST - Diversion to Storage I - Irrigation M - Municipal S - Stockwatering Z - Other
IN - Industrial W - Fish & Wildlife Protection and/or Enhancement

NOTES: * Federal Filing ** Statement of Diversion and Use *** Stock Filing N/A Not Applicable

1/ These three water rights (A011587, A012179, and A021471B) were assigned to the U.S. Department of the Navy, Marine Corps Base Camp Pendleton by U.S. Bureau of Reclamation in 2017 for purposes of developing the Santa Margarita River Project for the benefit of Fallbrook Public Utility District and the Department of the Navy Marine Corps Base Camp Pendleton.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Storage rights shown in Table 6.1 include 185,000 acre feet of storage rights on the Santa Margarita River held by the U.S. Department of the Navy, Marine Corps Base Camp Pendleton that have not been exercised. These three water rights (A011587, A012179, and A021471B) were assigned to the U.S. Bureau of Reclamation by Fallbrook Public Utility District and the Department of the Navy in 1974 for purposes of developing the Santa Margarita River Project for the benefit of Fallbrook Public Utility District and Department of the Navy Marine Corps Base, Camp Pendleton. In 2017, these water rights were assigned to the U.S. Department of the Navy, Marine Corps Base Camp Pendleton by the U.S. Bureau of Reclamation, for the purpose of developing the Santa Margarita Conjunctive Use Project being developed jointly by the U. S. Bureau of Reclamation, Department of the Navy Marine Corps Base, Camp Pendleton, and Fallbrook Public Utility District. The deadline for exercising these rights was set at December 31, 2008. On November 14, 2008, the U. S. Bureau of Reclamation filed petitions for time extensions for completion of beneficial use under the three permits. On September 14, 2009, change petitions were filed to amend the permits to conform to the Santa Margarita Conjunctive Use Project. Those extension and change petitions have been accepted and in accordance with SWRCB Order 2009-0063-EXEC they are under consideration in tandem.

Table 6.1 also lists other rights recognized by the SWRCB. These rights generally are based on Statements of Water Diversion and Use that have been filed with the SWRCB. Such statements include one by the United States on behalf of the Cleveland National Forest, which states that the diversion and use of water from Long Canyon Spring is made pursuant to a withdrawal and reservation of the land and resources for National Forest System purposes as of February 14, 1907.

Besides the federal filing, there are also Statements of Water Diversion and Use filed by other entities. Four of these statements represent riparian or pre-1914 appropriative diversions from DeLuz Creek, Fern Creek and Santa Margarita River that have been reported to the SWRCB. The other statement represents a pre-1914 appropriative right to divert water from a spring in Kohler Canyon into a 40 acre foot reservoir.

The last two rights noted on Table 6.1 represent filings made in 1977 pursuant to Subchapter 2.5 to Chapter 3 of Title 23 of the California Code of Regulations. That subchapter deals with Water Rights for Stockponds.

In addition to appropriative rights under SWRCB jurisdiction, there are a number of non-statutory appropriative rights that were established prior to 1914. These rights continue to be used to support diversions of water from the Santa Margarita River stream system. Such rights, which are listed in the various Interlocutory Orders developed in this litigation, are shown on Table 6.2.

On November 19, 1998, the SWRCB adopted Order No. 98-08 entitled "Order Revising Declaration of Fully Appropriated Stream Systems" to revise its prior Order Nos. 89-25 and 91-07. These Orders list the Santa Margarita River stream system as fully appropriated "from the mouth of the Santa Margarita River at the Pacific Ocean upstream including all tributaries where hydraulic continuity exists."

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 6.2

SANTA MARGARITA RIVER WATERSHED
PRE - 1914 APPROPRIATIVE WATER RIGHTS
Listed in Interlocutory Judgments

INTERLOCUTORY JUDGMENT	LISTED OWNER	CURRENT OWNER	DATE OF APPROPRIATION	SOURCE OF WATER	POINT OF DIVERSION	AMOUNT	USE
NO. 32	Anderson, Nina B.	Poladian, Jacqueline	April 11, 1892	Fern Creek	NW 1/4 of SE 1/4 Sec 31, T8S, R4W	32 gpm	Irrigation
NO. 32	Butler, Lawrence W. and Mary C.	Vanginkel, Norman Tr and Vanginkel, Deborah Tr San Diego Gas & Electric	Sept. 23, 1896	Fern Creek	NW 1/4 of SE 1/4 Sec 31, T8S, R4W	Capacity of 8 inch pipe	Irrigation
NO. 32	Wilson, Samuel M. and Hazel A.	Shirley, Bobbie	Aug. 3, 1911	DeLuz Creek	NW 1/4 of SW 1/4 Sec 32, T8S, R4W	50 miner's inches 65 AF/yr	Irrigation
NO. 24	United States	United States	1883	Santa Margarita River	Sec 5, T10S, R4W	20 cfs 1200 AF/yr	Domestic Irrigation Stock Water

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The consequences of this Order are as follows:

1. The Board is precluded from accepting any application to appropriate water from the Santa Margarita River System except where the proposed appropriation is consistent with conditions contained in the Declaration.
2. Initiation of a water right, pursuant to the Water Rights Permitting Reform Act of 1988 (Water Code Section 1228 *et seq.*), by registering small use domestic appropriations is precluded, except where the proposed appropriation is consistent with conditions contained in the Declaration. Small use domestic appropriations refer to uses that do not exceed direct diversions of 4,500 gallons per day or diversion by storage of 10 acre feet per year for incidental aesthetic, recreational, or fish and wildlife purposes.
3. Pursuant to Water Code Section 1206(a) the Board is authorized, but not required, to cancel pending applications where inconsistent with conditions contained in the Declaration; previous Orders implement a procedure for disposition of such applications pending on the effective date of the Declaration.

The Order provides for reconsideration of the Order either upon petition of an interested party or upon the Board's own motion.

6.3 Fallbrook PUD Changes of Point of Diversion and Place of Use for Permit No. 11356

On November 20, 2001, the Chief of the Division of Water Rights of the State Water Resources Control Board authorized an Order Approving Changes in Source Point of Diversion, Place of Use and Amending the Permit (No. 11356). The permit allows Fallbrook PUD to divert and store up to 10,000 acre feet per year at Lake Skinner. The Court approved an Order Amending the Memorandum of Understanding and Agreement on Operation of Lake Skinner on February 16, 2005. The Amendment provides for such diversions from Lake Skinner after specified releases are made.

On December 18, 2009, Fallbrook PUD filed a petition for a time extension for completion of beneficial use under Permit No. 11356. The petition was accepted and noticed by the SWRCB on February 23, 2009, and no protests were filed.

On May 25, 2012, the SWRCB issued Order WR 2012-0007-EXEC with an amended Permit No. 11356 extending the time to apply the water to full beneficial use by December 31, 2048.

6.4 Federal Reserved Water Rights for Cahuilla and Ramona Indian Reservations

The Cahuilla and Ramona Indian Reservations are both located in the Anza area. The Court found in Interlocutory Judgment No. 41 that the United States reserved water rights for the reservations as specified below.

Order No. 3 in Interlocutory Judgment No. 41 specifies for the Cahuilla Indian Reservation the following:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River which under natural conditions would be physically available on the Cahuilla Indian Reservation, including rights to the use of ground waters, sufficient for the present and future needs of the Indians residing thereon with priority dates of December 27, 1875, for lands transferred by the Executive Order of that date; March 14, 1887, for lands transferred by the Executive Order of that date; December 29, 1891, for lands transferred by the Executive Order of that date.

Order No. 1 in Interlocutory Judgment No. 41 specifies for the Ramona Indian Reservation the following:

IT IS ORDERED, ADJUDGED AND DECREED that the United States of America when it established the Ramona Indian Reservation intended to reserve and did reserve rights to the use of waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Ramona Reservation, including rights to the use of ground waters, sufficient for the present and future needs of the Indians residing thereon with a priority date of December 29, 1891.

On October 6, 2006, the Cahuilla Band of Indians filed a Motion to Intervene as Plaintiff-Intervenor in *United States of America v. Fallbrook Public Utility District, et al.* The Cahuilla Band also filed a Complaint asking the Court to quantify its federal reserved water rights by confirming elements of the water rights as declared and decreed by the Court in Interlocutory Judgment No. 41. On October 16, 2006, the Ramona Band of Cahuilla filed a similar motion and Complaint. On January 22, 2007, the Court issued an Order granting the Motions to Intervene and filing the Complaints in Intervention. On February 25, 2009, the Court ordered the Cahuilla Band and Ramona Band as plaintiffs to serve by April 30, 2009, all water right holders subject to the Court's jurisdiction within the entire Watershed. Service was completed and the parties commenced settlement negotiations. On April 1, 2009, the Cahuilla and Ramona Bands filed motions to dismiss claims against certain downstream defendants and to file second amended complaints to limit the claims to the Anza-Cahuilla Groundwater Area. On April 29, 2009, the Court issued an Order granting the motions. The parties are progressing with settlement negotiations and Court proceedings for quantification of each Band's federal reserved water rights based on the Second Amended Complaints.

6.5 Federal Reserved Water Rights for Pechanga Indian Reservation

The Court found in Interlocutory Judgment No. 41 that the United States reserved water rights for the Pechanga Indian Reservation in accordance with Order No. 7:

IT IS FURTHER ORDERED, ADJUDGED AND DECREED that the United States of America intended to reserve, and did reserve, rights to the use of the waters of the Santa Margarita River stream system which under natural conditions would be physically available on the Pechanga Indian Reservation, including rights to the use of ground waters sufficient for the present and future needs of the Indians residing thereon with priority dates of June 27, 1882, for those lands transferred by the Executive Order of that date; January 9, 1907, for those lands transferred by the Executive Order of that date; August 29, 1893, for those lands added to the Reservation by Patent on that date; and May 25, 1931, for those lands added to the Reservation by Patent of that date.

In 1974, the Pechanga Band of Luiseño Mission Indians filed a Motion to Intervene as a Plaintiff-Intervenor in *United States of America v. Fallbrook Public Utility District, et al.*, and in 1975 the Court granted the Motion. Rather than filing a complaint asking the Court to quantify its federal reserved water rights, the Pechanga Band is in the process of resolving its claims to water rights in the Santa Margarita River Watershed through a comprehensive settlement agreement with the United States and principal water districts, including Rancho California WD, Eastern MWD, and Metropolitan Water District. On December 17, 2009, Pechanga and Rancho California WD announced an agreement on a framework, developed with the assistance of Metropolitan Water District and the United States Federal Negotiating Team, to resolve Pechanga's water rights claims. On April 27, 2009, Pechanga and Rancho California WD agreed to a Settlement Conceptual Agreement and on June 11, 2009, the Rancho California WD Board approved the Settlement Conceptual Agreement. On November 16, 2009, the parties announced the Pechanga Water Rights Settlement Agreement was finalized. On December 11, 2009 and January 26, 2010, the Pechanga Indian Water Rights Settlement Act was introduced in the United States House of Representatives and Senate, respectively. The proposed legislation was reintroduced in the Senate on June 25, 2013, and in the House of Representatives on June 26, 2013. In 2015 and 2016, the parties continued negotiations for the settlement agreement and draft legislation in accordance with the February 26, 2015 guidance from the House Committee on National Resources and the Federal Criteria and Procedures. On February 3, 2016, Senate bill (S. 1983) was reported out of the Senate Committee on Indian Affairs. On June 23, 2016, a hearing on the proposed settlement was held before the House Natural Resources Subcommittee on Water, Power and Oceans. The parties continue the process to reach agreement and enactment of the ratifying legislation. Upon completion of that process, the parties will proceed with obtaining Court approval.

6.6 California Statewide Groundwater Elevation Monitoring Program

On November 6, 2009, the Governor for the State of California approved Senate Bill SBx7-6 Groundwater Elevation Monitoring (SBx7-6). SBx7-6 provides for a statewide program of reporting groundwater elevation data for groundwater basins and is implemented by the California Department of Water Resources (DWR). The program is referred to as the California Statewide Groundwater Elevation Monitoring (CASGEM) Program. The Bill defines “basins” or “sub-basins” to mean a groundwater basin or sub-basin identified and defined in DWR Bulletin No. 118. Three such basins (plus a portion of a fourth basin) are identified in DWR Bulletin No. 118 for the Santa Margarita River Watershed:

1. Basin No. 9-4—Santa Margarita Valley Groundwater Basin (located in San Diego County on federal lands within Camp Pendleton).
2. Basin No. 9-5—Temecula Valley Groundwater Basin (located in Riverside County in the area including the cities of Murrieta and Temecula and the Pechanga Indian Reservation).
3. Basin No. 9-6—Cahuilla Valley Groundwater Basin (also known as the Anza-Cahuilla Groundwater Basin; located in Riverside County in the upper-most portion of the Watershed in the area within the town of Anza and the Cahuilla and Ramona Indian Reservations).
4. Basin No. 8-5—San Jacinto Groundwater Basin, Domenigoni Sub-basin (located in Riverside County in Domenigoni Valley which is southwest of Diamond Valley Lake).

SBx7-6 establishes a procedure for a Monitoring Entity to coordinate the monitoring activities for a basin and on September 24, 2012, Rancho California WD was approved by DWR to become the Monitoring Entity for Basin No. 9-5 in the Temecula area. The monitoring plan was reviewed by the Watermaster and includes monitoring wells maintained by Rancho California WD, Western Municipal Water District, and the U.S. Geological Survey with funding through the Watermaster budget.

On September 17, 2015, Camp Pendleton Marines Corp Base submitted a request to DWR to be the CASGEM Monitoring Entity for Basin No. 9-4, which is located on Camp Pendleton. On October 8, 2015, Camp Pendleton was designated as the Monitoring Entity for Basin No. 9-4. Camp Pendleton developed the CASGEM monitoring plan for Basin No. 9-4 in cooperation with San Diego County.

Presently, there is no CASGEM monitoring plan for Basin No. 9-6 but efforts are ongoing to establish the CASGEM Monitoring Entity and develop a CASGEM monitoring plan. Eastern MWD is the approved Monitoring Entity for Basin No. 8-5.

Additional information regarding the CASGEM program, the approved monitoring plans, and groundwater monitoring data posted for Basin Nos. 8-5, 9-4, and 9-5 can be found at the following website: <http://www.water.ca.gov/groundwater/casgem/>.

6.7 Sustainable Groundwater Management Act

On September 16, 2014, Governor Brown signed the California Sustainable Groundwater Management Act (Act or SGMA) that was established as part of a comprehensive three-bill package that includes AB 1739 (Dickinson), SB 1168 (Pavley), and SB 1319 (Pavley) to provide the framework for statewide groundwater management by local authorities. The state agencies charged with administration of the Act are both the DWR and the SWRCB.

The Act pertains to all groundwater basins identified and defined in DWR Bulletin 118. However, the Act includes an exemption for adjudicated basins as provided in §10720.8(a) that specifically lists the Santa Margarita River Watershed as an exempted adjudicated area. Thus, the four DWR Bulletin No. 118 basins located within the Watershed are not subject to the general requirements of the Act. However, as specified in §10720.8(f), the Watermaster must comply with certain requirements under the Act, including reporting to DWR commencing on or before April 1, 2016.

On March 23, 2016, in accordance with §10720.8, the Watermaster completed the required profile and initial submittal on the DWR SGMA Reporting for Adjudicated Areas Website for the Santa Margarita River Watershed adjudication. Additionally, as part of the required initial submittal, the Watermaster submitted to DWR a letter and DVD containing PDF files of the principal governing final judgments, orders, and decrees for the Santa Margarita River Watershed adjudication in *United States of America v. Fallbrook Public Utility District, et al.*, Case No. 51-cv-1247-GPC-RBB. The submittal also contained copies of each of the annual reports prepared by the Watermaster under court order for submittal to the Court. These reports include the Annual Watermaster Report for 1989 through 2014 and the Annual CWRMA Report for 2011 through 2014. The SGMA Reporting for Adjudicated Areas Website can be found at the following website: <http://www.water.ca.gov/groundwater/sgm/adjudicated.cfm>.

As part of the annual reporting requirements, the Watermaster will submit to DWR copies of the Annual Watermaster Report and the Annual CWRMA Report to provide information for the DWR Bulletin No. 118 basins within the Watershed. Reporting for Water Year 2014-15 was completed on August 10, 2017. In addition, the groundwater monitoring data for the basins under the CASGEM Program fulfills a portion of the reporting requirements specified in §10720.8(f)(3)(A).

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 7 - WATER PRODUCTION AND USE

7.1 General

Water production and use data were obtained from several types of substantial users including water purveyors, Indian Reservations, mobile home parks and private landowners. Private landowners who qualify as substantial water users are those who irrigate eight or more acres or who produce or use an equivalent quantity of water.

Major water purveyors, who reported production and use data in the 2015-16 Water Year, are listed as follows:

- Anza Mutual Water Company
- Eastern Municipal Water District
- Elsinore Valley Municipal Water District
- Fallbrook Public Utility District
- Lake Riverside Estates
- Metropolitan Water District of Southern California
- Rainbow Municipal Water District
- Rancho California Water District
- U. S. Marine Corps, Camp Pendleton
- U.S. Naval Weapons Station, Fallbrook Annex
- Western Municipal Water District

Lake Riverside Estates is listed with major water purveyors although it does not deliver water to customers. However it does produce make-up water for losses from Lake Riverside.

In addition to the major purveyors, there are a number of smaller water systems in the Watershed. Of these, Quiet Oaks Mobile Home Park, Jojoba Hills SKP Resort, Rancho California Outdoor Resorts, Hawthorn Water System, Cottonwood Elementary, and Hamilton Schools are substantial users.

Three Indian Reservations, the Cahuilla, Pechanga and Ramona, are noted in Interlocutory Judgment No. 41, the Judgment that pertains to Water Rights on Indian Reservations in the Watershed. Estimates and/or measurements of water production and use are reported for the Cahuilla, Pechanga and Ramona Indian Reservations.

A portion of a fourth Reservation, the Pauma Mission Reserve Tract of the Pauma Yuima Band of Luiseño Mission Indians, is also located within the Watershed. However, this Reservation was not included in Interlocutory Judgment No. 41.

The final category of water users is private landowners who use water primarily for irrigation.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The water use data collected for Water Year 2015-16 is summarized on Table 7.1. Total imported supplies plus local production totaled 101,320 acre feet compared to 100,582 acre feet reported in 2014-15. Of that quantity, 30,868 acre feet were used for agriculture; 15,093 acre feet were used for commercial purposes; 40,566 acre feet were used for domestic purposes; 0 acre feet were discharged to Murrieta Creek; 9 acre feet were discharged to Santa Gertrudis Creek; and 4,089 acre feet were discharged by Rancho California WD during 2015-16, pursuant to the CWRMA and 0 acre feet were released from the potable connection into the Santa Margarita River. It is noted, the commercial use for Pechanga includes 387 acre feet of recycled water and thus this amount is double counted on Table 7.1 relative to production from the Santa Margarita River Watershed. Actual commercial use of production from the Watershed is 14,706 acre feet, reflecting the reduction of 387 acre feet of recycled water used by Pechanga. In order for the totals to balance on Table 7.1, the 387 acre feet of recycled water is subtracted from the indicated loss for Pechanga as reflected in Footnote 13 for Table 7.1.

The overall system loss was 5,411 acre feet, or 5.3% of total production. System gain or loss is the result of many factors including errors in measurement, differences between periods of use and periods of production, leakage and unmeasured uses.

Monthly production and use data for major water purveyors are attached to this report as Appendix A. Uses are listed under agricultural, commercial and domestic categories. The definition of agricultural, commercial and domestic uses varies for the different purveyors in the Watershed. The definitions for agricultural, commercial and domestic uses have varied over the years for the different purveyors in the Watershed. Water use definitions for all major water purveyors were updated and reconciled for Water Year 2013-14. The reconciliation resulted in near uniformity in water use definitions among the major water purveyors. Accordingly, definitions of these uses for major water purveyors are shown on Table 7.2. Similar data for Water Years 1966 through 2016 are summarized in tables presented in Appendix B. As noted above, water use definitions were updated in Water Year 2013-14 and thus water use reported for certain purveyors for prior years on the Appendix B tables can vary significantly as compared to the use categories for 2015-16. The reader is referred to Table 7.2, published in each annual report, to determine the particular use definitions for any particular year in question. Appendix C presents information on substantial users outside purveyor service areas.

7.2 Water Purveyors

7.2.1 Anza Mutual Water Company

Anza Mutual Water Company's service area is in the eastern part of the Watershed in the Anza Valley. Production is from two wells: Well No. 1 drilled in 1951, and perforated from 20 feet to 260 feet; and Well No. 2 drilled later to a depth of 287 feet and perforated in the bottom 130 feet. Production for Water Year 2015-16 was approximately 23 acre feet from Well No. 1. Production for Water Year 2015-16 was approximately 0.6 acre feet from Well No. 2. For Water Year 2015-16 total production from both wells was approximately 24 acre feet as shown in Appendix Table A-11. Water levels in Well No. 1 and Well No. 2 rose 8.0 feet and 8.5 feet respectively during Water Year 2015-16.

**WATERMASTER
SANTA MARGARITA RIVER WATERSHED**

TABLE 7.1

**SANTA MARGARITA RIVER WATERSHED
WATER PRODUCTION AND USE**

2015-16
Quantities in Acre Feet

	PRODUCTION				USE 1/				WATER RIGHT
	WELL/ SURFACE	IMPORT	TOTAL	AG	COMM	DOM	LOSS	TOTAL	
WATER PURVEYORS									
Anza Mutual Water Company	24	0	24	0	0	22	2 ^{2/}	24	Appropriative
Eastern MWD	0	13,602	13,602	140	3,399	9,383	680	13,602	Appropriative
Elsinore Valley MWD	0	5,889	5,889	10	1,147	4,396	336	5,889	-----
Fallbrook PUD	0	5,395	5,395	3,039	218	1,701	437	5,395	Appropriative
Lake Riverside Estates	379	0	379	0	379 ^{3/}	0	0	379	Appropriative
Metropolitan Water District	0	1,186 ^{15/}	1,186	1,186	0 ^{4/}	0	0	1,186	-----
Murrieta Division of Western MWD	642	1,290	1,932	0	723	1,168	41	1,932	Appropriative
Rainbow MWD	0	1,298	1,298	1,058	31	158	51	1,298	-----
Rancho California WD	25,823 ^{5/}	35,478 ^{6/}	61,301	20,758	7,876	21,819	10,848 ^{7/}	61,301	Various
U.S.M.C. - Camp Pendleton	4,228	0	4,228	0	----- ^{9/}	1,610	2,618 ^{2/10/}	4,228	Appropriative/ Riparian
U.S. Naval Weapons Station	0	62	62	0	----- ^{9/}	56	6 ^{2/}	62	-----
Western MWD Improvement Dist. A Through Rancho California WD	0	42	42	0	38	0	4 ^{2/}	42	-----
INDIAN RESERVATIONS									
Cahuilla	61	0	61	6 ^{16/}	5	50	0	61	Overlying/Reserved
Pechanga	755	0	755	0	960	101	(306) ^{13/}	755	Overlying/Reserved
Ramona	1	0	1	0	0	1	0	1	Overlying/Reserved
SMALL WATER SYSTEMS									
Quiet Oaks Mobile Home Park	18	0	18	0	3	13	2 ^{2/}	18	Riparian/Overlying
Outdoor Resorts	313	0	313	0	290	21	2 ^{2/}	313	Overlying
Jojoba Hills SKP Resort	69	0	69	0	0	62	7 ^{2/}	69	Overlying
Hawthorn Water System	6	0	6	0	0	5	1 ^{2/}	6	Appropriative
Cottonwood Elementary	14	0	14	0	13	0	1 ^{2/}	14	Overlying
Hamilton Schools	12	0	12	0	11	0	1 ^{2/}	12	Overlying
OTHER SUBSTANTIAL USERS	4,733 ^{11/}	0	4,733	4,671	0	0	62 ^{12/}	4,733	
TOTAL	37,078	64,242	101,320	30,868	15,093	40,566	14,793^{14/}	101,320	

1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.

2/ Assumes 10% system loss.

3/ Recreational Use.

4/ Construction use at Diamond Valley Lake.

5/ Includes 21,798 AF production from Older Alluvium plus 4,418 AF of Vail Recovery minus 202 AF exported to the San Mateo Watershed minus 191 AF pumped into recycled water system minus 0 AF delivered to Pechanga Band.

6/ Includes 21,519 AF direct use; 10,228 AF direct recharge; 4,089 AF from MWD WR-34; and minus 358 AF export.

7/ Includes 9 AF discharged into Santa Gertrudis Creek; 4,089 AF discharged into Santa Margarita River from MWD WR-34; 0 AF from System River Meter; 0 AF from potable connection to WR-34 outlet pipe; 3,300 AF of import remaining in storage; and a system loss of 3,450 AF.

8/ Listed with Agricultural use.

9/ Listed with Domestic use.

10/ Includes exports of 2,277 AF, brine production of 161 AF and a system loss of 180 AF.

11/ Includes 622 AF for surface diversion plus 4,172 AF from groundwater as shown in Appendix C, minus 61 AF on the Cahuilla Reservation.

12/ Loss is equal to 10% of surface diversions.

13/ Includes a system loss of 81 AF, minus 387 AF of reclaimed wastewater from EMWD, accounted for on Table A-1.

See Table A-5 for Pechanga production and use.

14/ Includes an overall system loss of 5,411 AF. Overall system loss is calculated by estimating the traditional system loss of comparing total production versus total use for each water purveyor.

15/ No additional waters were released by MWD from Lake Skinner into Tualota Creek for maintenance purposes and groundwater replenishment.

16/ Stock Watering

TABLE 7.2

SANTA MARGARITA RIVER WATERSHED
DEFINITIONS OF WATER USE
BY MUNICIPAL WATER PURVEYORS
2015-16

DISTRICT	AGRICULTURAL	DOMESTIC	COMMERCIAL
EASTERN MUNICIPAL WATER DISTRICT	Row crops, orchards, vineyards, sod farms, other commercially grown crops, dairies, horse ranches and other agricultural users, including agricultural allocation for agricultural/domestic meters	Single family and multi-family residential connections, including domestic allocation for agricultural/domestic meters	All other usage including commercial, industrial, institutional, golf courses, parks, recreation, landscaping, temporary and construction
ELSINORE VALLEY MUNICIPAL WATER DISTRICT	Same as EMWD	Same as EMWD	Same as EMWD
FALLBROOK PUBLIC UTILITY DISTRICT	Same as EMWD	Single family and multi-family residential connections, including first 20,000 gallons for agricultural/domestic meters	Same as EMWD
PECHANGA INDIAN RESERVATION	Same as EMWD	Same as EMWD	All other usage including resort, on-Reservation businesses, tribal facilities, commercial, industrial, institutional, golf courses, parks, recreation, landscaping, temporary and construction
RAINBOW MUNICIPAL WATER DISTRICT	Same as EMWD	Single family and multi-family residential connections, including first 19,448 gallons for agricultural/domestic meters	Same as EMWD
RANCHO CALIFORNIA WATER DISTRICT	Same as EMWD	Single family and multi-family residential connections, including first 1,600 cubic feet for agricultural/domestic meters	Same as EMWD
MURRIETA DIVISION OF WESTERN MUNICIPAL WATER DISTRICT	Same as EMWD	Same as EMWD	Same as EMWD
USMC, CAMP PENDLETON	Same as EMWD	Camp Supply - All usage except agricultural	Reported under Camp Supply

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Interlocutory Judgment No. 33 divides aquifers in Anza Valley into two categories: the shallow aquifer and the deep aquifer. Based on information available to the Court, the shallow aquifer was determined to include the younger and older alluvial deposits in the Anza Groundwater Basin, and extend to a maximum but variable depth of approximately 100 feet. The deep aquifer underlies the shallow aquifer in an area about one-half mile in width and two miles in length, within portions of Sections 16, 17, 21, 22, 27 and 28 of Township 7 South, Range 3 East, SBM. Anza Mutual Water Company's wells are within the area of the deep aquifer. From the perforated intervals in the wells, it may be concluded that most of the production from Well No. 1 and all of the production from Well No. 2 are from the deep aquifer. Interlocutory Judgment No. 33 concluded that waters contained in the deep aquifer did not add to, support or contribute to the Santa Margarita River stream system and were, therefore, declared to be outside the Court's jurisdiction.

Accordingly, most of the water produced by the Anza Mutual Water Company is outside the Court's jurisdiction. The relatively small portion pumped from the shallow aquifer in Well No. 1 is pumped under a groundwater appropriative right. Data for Water Years 1989 through 2016 are shown on Appendix Table B-12.

7.2.2 Eastern Municipal Water District

Eastern Municipal Water District is a member agency of Metropolitan Water District and its service area includes a portion of the Rancho California Water District and the Murrieta Division of Western Municipal Water District. Within the Watershed, Eastern MWD wholesales water to those districts and also retails water directly to consumers. Water sold to Rancho California WD and the Murrieta Division of Western MWD is not listed in this report as imported water to Eastern MWD.

Eastern MWD's service area outside Rancho California WD and the Murrieta Division of Western MWD is located in the northern part of the Watershed. Water for Eastern MWD's retail service area is all imported with no groundwater production during Water Year 2015-16.

Imports, not including water wholesaled to Rancho California WD or the Murrieta Division of Western MWD, or delivered to Elsinore Valley MWD, totaled 14,123 acre feet. A portion of that import, amounting to 521 acre feet, was exported from the Santa Margarita River Watershed for delivery to Eastern MWD's retail customers located outside the Watershed, resulting in net import to the Watershed of 13,602 acre feet. These data are shown on Appendix Table A-1.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

In addition to importing fresh water, Eastern MWD also reclaims wastewater at its Temecula Valley Regional Water Reclamation Facility. Disposition of wastewater from the Temecula Valley Regional Water Reclamation Facility (TVRWRF) service area for Water Years 2014-15 and 2015-16 is shown below:

<u>Use</u>	<u>2014-15</u>		<u>2015-16</u>	
	<u>Quantity</u> AF	<u>Percent</u> %	<u>Quantity</u> AF	<u>Percent</u> %
Reuse in Santa Margarita	2,717	19	3,278	23
Reuse outside Santa Margarita	<u>7,002</u>	<u>48</u>	<u>6,952</u>	<u>50</u>
Subtotal	9,719	67	10,230	73
Discharge to Dissipater at Temescal Creek	0	0	0	0
Other	<u>4,696</u>	<u>33</u>	<u>3,826</u>	<u>27</u>
TOTAL	14,415	100	14,056	100

It can be noted that the quantities of recycled water used within the Santa Margarita River Watershed increased from 2,717 acre feet in Water Year 2014-15 to 3,278 acre feet in Water Year 2015-16. During the same period, reuse outside the Santa Margarita River Watershed decreased from 7,002 acre feet to 6,952 acre feet. In 2015-16, it may be concluded that 23 percent of the recycled water was used in the Watershed and 50 percent was used outside the Watershed. No wastewater was discharged to the dissipater at Temescal Creek during Water Year 2015-16. The Other use decreased from 4,696 acre feet to 3,826 acre feet. This Other use includes changes of storage in Winchester and Sun City storage ponds, as well as evaporation and percolation losses.

Due to concerns about the potential export of native Santa Margarita water, the sources of water supply to the TVRWRF service area were determined and are shown on Table 7.3. In 2015-16, about 30 percent of the supply to the service area was groundwater. Thus, the percent of groundwater supply was greater than the percentage of wastewater reused within the Santa Margarita River Watershed, and on a proportional basis there was some export of native waters.

On August 4, 2009, a Judgment was entered in *United States of America and Fallbrook Public Utility District v. Eastern Municipal Water District and Rancho California Water District* (CV 04-8182 CBM (RNBx), United States District Court, Central District of California) pertaining to the contractual obligations of the 1990 Four Party Agreement and the export of treated wastewater from the Santa Margarita River Watershed. On May 17, 2012, the United States Court of Appeals for the Ninth Circuit issued an Order granting the parties' joint motion to dismiss the appeals in this matter and thus the August 4, 2009 Judgment stands. For purposes of this annual report the export of treated wastewater will be reported consistent with prior annual reports with no changes pursuant to the Judgment.

Estimates of water production and use for Eastern MWD for the period 1966 through 2016 are shown on Appendix Table B-1.

TABLE 7.3

**SANTA MARGARITA RIVER WATERSHED
WATER DELIVERIES TO TEMECULA VALLEY
REGIONAL WATER RECLAMATION FACILITY SERVICE AREA**

	2012		2013		2014		2015		2016	
	AF	%	AF	%	AF	%	AF	%	AF	%
Eastern MWD										
TVRWRf Service Area										
1. Groundwater	0		0		0		0		0	
2. Import	15,063		15,751		15,884		13,877		13,602	
3. Total	<u>15,063</u>		<u>15,751</u>		<u>15,884</u>		<u>13,877</u>		<u>13,602</u>	
Rancho California WD										
TVRWRf Service Area										
1. Groundwater 1/	7,902		8,802		7,789		8,201		9,029	
2. Import 2/	11,462		10,563		11,577		9,232		7,071	
3. Total 3/	<u>19,364</u>		<u>19,365</u>		<u>19,366</u>		<u>17,433</u>		<u>16,100</u>	
Total Deliveries to TVRWRf Service Area										
1. Groundwater	7,902	23.0%	8,802	25.1%	7,789	22.1%	8,201	26.2%	9,029	30.4%
2. Import	26,525	77.0%	26,314	74.9%	27,461	77.9%	23,109	73.8%	20,673	69.6%
3. Total	<u>34,427</u>	<u>100.0%</u>	<u>35,116</u>	<u>100.0%</u>	<u>35,250</u>	<u>100.0%</u>	<u>31,310</u>	<u>100.0%</u>	<u>29,702</u>	<u>100.0%</u>

1/ Based on the ratio of groundwater to total production in Rancho Division of RCWD.

2/ Based on the ratio of import to total production in Rancho Division of RCWD.

3/ Total RCWD deliveries in TVRWRf Service Area.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

7.2.3 Elsinore Valley Municipal Water District

Elsinore Valley Municipal Water District provides water to its service area around Lake Elsinore, a portion of which is within the Santa Margarita River Watershed. Elsinore Valley MWD obtains its supply from ten wells, all located outside the Watershed, and also imports Metropolitan Water District water through Eastern MWD and Western MWD.

As shown on Appendix Table A-2, Elsinore Valley MWD reports for 2015-16 that 5,889 acre feet were imported into the portion of its service area that is inside the Watershed, and 1,431 acre feet of wastewater were exported from that same area. In 2013-14, Elsinore Valley MWD began using recycled water treated at the Rancho California WD Santa Rosa Water Reclamation Facility via the Eastern MWD Palomar Pipeline through a wheeling agreement. In 2015-16, a total of 270 acre feet of recycled water were received via Eastern MWD and 109 acre feet were used within the Watershed.

Production and use for Elsinore Valley MWD for the period 1966 through 2016 are shown on Appendix Table B-2.

7.2.4 Fallbrook Public Utility District

The Fallbrook Public Utility District service area is located in both the San Luis Rey River and Santa Margarita River watersheds. In Water Year 2015-16, Fallbrook PUD imported a total of 9,998 acre feet, as shown on Appendix Table A-3. Fallbrook PUD has three wells within the Santa Margarita River Watershed; however, in 2015-16, there was no production from these wells. Additionally, in 2015-16, Fallbrook PUD reported no diversions from Lake Skinner, under Permit No. 11356, resulting in a total district-wide production of 9,998 acre feet. The total production for the portion of Fallbrook PUD service area that is within the Watershed, as shown on Appendix Table A-3, is 5,395 acre feet, or about 54 percent of the total district wide production.

In 2015-16, Fallbrook PUD treated 742 acre feet of wastewater from areas served within the Watershed, of which 17 acre feet were reused in the Watershed, and the remainder was exported. The wastewater production and distribution for 2015-16 is shown on Appendix Table A-3.

Production during the period 1966 through 2016 included direct diversions from the Santa Margarita River prior to 1972, as well as imported water and well production, as shown in Appendix B. During Water Year 2010-11, Fallbrook PUD revised its reporting methods for both water production and wastewater operations. The historical water production and use for the period 1966 through 2010 are provided on Appendix Table B-3.1 reflecting prior reporting methods, particularly for previous estimates associated with the DeLuz portion of the service area. Appendix Table B-3.2 is provided to show the current water production and use reflecting the revised reporting methods. The revised reporting methods include metered deliveries for the reported uses within the Watershed and application of a district-wide loss factor.

The Fallbrook PUD wastewater production and distribution for the period 1966 through 2016 are shown on Appendix Table B-4.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

7.2.5 Lake Riverside Estates

Lake Riverside Estates pumps water from Well No. 7S/2E-32C1, into Lake Riverside to replace evaporation losses. Production for 2015-16 was approximately 379 acre feet as shown on Appendix Table A-11. The production well was drilled in 1962 and is located in an area of younger alluvium in the Cahuilla Groundwater Basin. The well was drilled to a depth of 338 feet.

Interlocutory Judgment No. 33 indicates that the owners of lands in the Cahuilla Groundwater Basin have correlative overlying rights to the use of the groundwater that is the basis for this production. Data for Lake Riverside Estates for the period 1989 through 2016 are shown on Appendix Table B-12.

7.2.6 Metropolitan Water District of Southern California

Pursuant to a Court Order, Metropolitan Water District (MWD) imported 1,186 acre feet of water into the Santa Margarita River Watershed for irrigation of lands in Domenigoni Valley in Water Year 2015-16. MWD did not import any water for groundwater recharge and there was no water used for construction purposes. As previously noted, the groundwater in the Domenigoni Valley groundwater basin is outside this Court's jurisdiction when groundwater levels are below elevation 1400 feet. This production is shown on Appendix Table A-4, and production for the period 1966 through 2016 is shown on Appendix Table B-5.

7.2.7 Rainbow Municipal Water District

Rainbow Municipal Water District is located in San Diego County in the south-central part of the Watershed. In 2015-16, the District imported a total of 18,103 acre feet of water as shown on Appendix Table A-6. However, most of the District is in the San Luis Rey River Watershed and only about seven percent of the District's imported supply was delivered to the portion of the service area inside the Santa Margarita River Watershed. As shown on Appendix Table A-6, total deliveries of imported water in the Santa Margarita River Watershed in 2015-16 amounted to 1,298 acre feet.

Rainbow Municipal Water District import production for the period 1966 through 2016 is shown on Appendix Table B-7.

7.2.8 Rancho California Water District

Rancho California Water District serves water to a 99,600 acre service area in the central portion of the Watershed. The District produced water from 45 wells in 2015-16, and also imported water as shown on Appendix Table A-7. Use is shown under the categories of agriculture, commercial and domestic. In Water Year 2015-16, well production of native water included 26,025 acre feet from the Murrieta-Temecula Groundwater Area. A portion of the groundwater amounting to 202 acre feet was exported for use in the San Mateo Watershed, resulting in a net well production of 25,823 acre feet.

Import supplies totaled 35,836 acre feet of which 21,519 acre feet were used for direct use; 10,228 acre feet were recharged; and 4,089 acre feet were discharged by the

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

District to the Santa Margarita River from MWD Outlet WR-34 during 2015-16, pursuant to the CWRMA. A portion of that import amounting to 358 acre feet was exported from the Santa Margarita River Watershed to the San Mateo Watershed, resulting in net import to the Watershed of 35,478 acre feet.

During 2015-16, Rancho California WD use totaled 61,301 acre feet including 20,758 acre feet for agriculture; 7,876 acre feet for commercial; 21,819 acre feet for domestic; 4,098 acre feet were released into Santa Gertrudis Creek and the Santa Margarita River; and 3,450 acre feet were system loss. In 2015-16, a net amount of 3,300 acre feet of import water were recharged to storage.

In 2015-16, Rancho California WD did not export reclaimed wastewater from the Watershed via EMWD's Palomar Valley Pipeline.

Rancho California WD produces groundwater under a variety of rights as follows:

1. Recovery of water appropriated at Vail Lake
2. Recovery of import return flows and directly recharged imported water
3. Groundwater appropriative rights
4. As agent on behalf of overlying landowners

Vail Appropriation

Rancho California WD's Vail Dam appropriative rights are described in Application No. 11518 as amended on June 17, 1947, and in Permit 7032 originally issued on February 18, 1948. Permit 7032 was subsequently amended on July 28, 1971, and April 22, 2009. The water right provides that the District may store up to 40,000 acre feet in Vail Lake each year between November 1 and April 30, subject to applicable limitations. The water so stored may be used for recreational uses at Vail Lake and municipal, domestic, industrial, and irrigation uses within the entire service area of Rancho California WD. Such uses may be by direct diversion from Vail Lake or by recovery of water released from Vail Lake and spread downstream in Pauba Valley. Points of re-diversion for recovery from underground storage are permitted for 12 production wells: Rancho California WD Well Nos. 109, 110, 123, 132, 152, 153, 157, 158, 210, 232, 233, and 234.

As shown on Table 3.3, there were 4,418 acre feet of releases from Vail Lake during 2015-16 for groundwater recharge. Releases from Vail Lake for groundwater recharge for the period 1980 through 2016 are shown on Appendix Table B-8.

Permit 7032 operations for 2015-16 are summarized on Table 7.4. The recovery from groundwater recharge for 2015-16 was 4,418 acre feet corresponding to the amount released from Vail Lake for recharge.

It is noted, with the issuance of the amended Permit 7032 in 2009, the place of use, purposes of use, and permitted points of re-diversion were changed. Accordingly,

TABLE 7.4

SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
PERMIT 7032 OPERATIONS
 2015-16
 Quantities in Acre Feet

Diversion to Storage in Vail Lake ^{1/}		730
Release to Groundwater Storage ^{1/}		4,418
Recovery from Groundwater Storage ^{2/ 3/}		
Younger Alluvium	4,418	
Older Alluvium	<u>0</u>	
Total		4,418
Vail Recharge Account Balance from 2014-15		54,292
Release minus Recovery		0
Vail Recharge Account Balance for 2015-16		54,292

1/ See Table 3.3.

2/ Permitted Points of Re-Diversion RCWD Well Nos. 109, 110, 123, 132, 152, 153, 157, 158, 210, 232, 233 and 234.

3/ Total pumping from Vail recovery wells is greater than amount shown as recovered under Permit 7032. Total pumping from the 12 recovery wells is shown on Table 7.8.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

the reporting of Permit 7032 operations needs to be modified to reflect the changed conditions. Table 7.4 was modified in 2009 to reflect the changes subject to further refinement as part of the update of the CWRMA groundwater model. The reporting on Table 7.4 reflects the assumption that all water released from Vail Lake for recharge is recovered from the younger alluvium by pumping from the permitted recovery wells. The remainder of the pumping from the younger alluvium is apportioned to direct import recharge.

Imported Water Return Flows

Return flows for 2015-16, based on imported water use in the Rancho Division and Santa Rosa Division are shown on Tables 7.5 and Table 7.6, respectively.

In the following tables, imported water is allocated to agricultural, commercial and domestic uses in each of eight hydrogeologic areas in the Rancho Division service area and three hydrogeologic areas in the Santa Rosa Division service area. This allocation is the proportion of the total deliveries to each use that is made up of imported water. For 2015-16, 42.44 percent of the supply to the Rancho Division was imported and 62.90 percent of the supply to the Santa Rosa Division was imported.

In general the Santa Rosa Division does not overlie the groundwater area. However, there are several areas classified as being in the Santa Rosa Division that do overlie the groundwater area and generate return flows from imported supplies. Data from most of these lands have been reported since December 1991.

The percentage of imported water that becomes return flow varies according to the use as follows:

Agricultural Use	25%
Commercial Use	10%
Domestic Use	25%

Based on the foregoing factors, the total return flow credit for 2015-16 is computed to be 2,687.44 acre feet for the Rancho Division and 229.22 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6, respectively.

Some of the hydrogeologic areas overlie older alluvium and some overlie younger alluvium. Comparison of exposures of younger alluvium with maps of the District's hydrogeologic areas indicate that the Santa Gertrudis, Pauba, a portion of North Murrieta and half of the Murrieta-Wolf areas overlie younger alluvium. The areas of the Santa Rosa Division that overlie the groundwater area in the younger and older alluvium varies and are identified on Table 7.6. Import return flows in these areas can be credited against pumping from the younger alluvium. The credits for 2015-16 are 541.35 acre feet for the Rancho Division and 57.36 acre feet for the Santa Rosa Division, as shown on Tables 7.5 and 7.6, respectively. The total return flow credit for 2015-16 to offset younger alluvium production in future years is 598.71 acre feet.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 7.5
SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
RETURN FLOW CREDIT
2015-16
RANCHO DIVISION
Quantities in Acre Feet

HYDROGEOLOGIC AREAS									
	0 NO HYDRO- GEO CODE	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	2 SANTA GERTRUDIS QYAL	3 LOWER MESA QTOAL	4 PAUBA QYAL	5 SOUTH MESA QTOAL	6 UPPER MESA QTOAL	7 PALOMAR QTOAL	TOTAL
AGRICULTURAL									
Total Use	1,327.37	12.78	0.00	32.98	617.67	86.16	1,281.11	1,174.63	4,532.70
% Import	42.44	42.44	42.44	42.44	42.44	42.44	42.44	42.44	42.44
Import Use	563.36	5.42	0.00	14.00	262.15	36.57	543.73	498.54	1,923.78
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
Credit	140.84	1.36	0.00	3.50	65.54	9.14	135.93	124.63	480.94
COMMERCIAL									
Total Use	245.34	1,643.18	1,169.95	2,246.82	379.54	516.26	155.70	46.32	6,403.11
% Import	42.44	42.44	42.44	42.44	42.44	42.44	42.44	42.44	42.44
Import Use	104.13	697.40	496.55	953.60	161.08	219.11	66.08	19.66	2,717.61
% Credit	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
Credit	10.41	69.74	49.66	95.36	16.11	21.91	6.61	1.97	271.76
DOMESTIC									
Total Use	997.09	2,036.28	1,944.53	8,151.52	566.89	2,897.16	1,253.02	387.58	18,234.08
% Import	42.44	42.44	42.44	42.44	42.44	42.44	42.44	42.44	42.44
Import Use	423.19	864.24	825.30	3,459.68	240.60	1,229.62	531.81	164.50	7,738.93
% Credit	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
Credit	105.80	216.06	206.32	864.92	60.15	307.40	132.95	41.12	1,934.73
TOTAL USE	2,569.80	3,692.24	3,114.48	10,431.32	1,564.10	3,499.58	2,689.83	1,608.54	29,169.88
TOTAL									
Total Import Use	1,090.68	1,567.06	1,321.85	4,427.28	663.84	1,485.30	1,141.62	682.70	12,380.32
Total Credit	257.05 *	287.16	255.98	963.78	141.80	338.46	275.49	167.73	2,687.44
Total Credit Qyal		143.58	255.98		141.80				541.35
Total Credit Qtoal		143.58		963.78		338.46	275.49	167.73	1,889.03

* This credit not applied to either Qyal or Qtoal

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

TABLE 7.6

SANTA MARGARITA RIVER WATERSHED
 RANCHO CALIFORNIA WATER DISTRICT
 RETURN FLOW CREDIT
 2015-16
 SANTA ROSA DIVISION
 Quantities in Acre Feet

HYDROGEOLOGIC AREAS

	1 MURRIETA WOLF 1/2 QYAL 1/2 QTOAL	2 SANTA GERTRUDIS 2/3 QYAL 1/3 QTOAL	8 NORTH MURRIETA 1/4 QYAL 3/4 QTOAL	TOTAL
AGRICULTURAL				
Total Use	0.00	0.00	39.27	39.27
% Import	62.90	62.90	62.90	
Import Use	0.00	0.00	24.70	24.70
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	6.17	6.17
COMMERCIAL				
Total Use	3.75	0.00	884.25	888.00
% Import	62.90	62.90	62.90	
Import Use	2.36	0.00	556.15	558.51
% Credit	10.00	10.00	10.00	
Credit	0.24	0.00	55.61	55.85
DOMESTIC				
Total Use	0.00	0.00	1,063.35	1,063.35
% Import	62.90	62.90	62.90	
Import Use	0.00	0.00	668.79	668.79
% Credit	25.00	25.00	25.00	
Credit	0.00	0.00	167.20	167.20
TOTAL USE	3.75	0.00	1,986.86	1,990.61
TOTAL				
Total Import Use	2.36	0.00	1,249.64	1,252.00
Total Credit	0.24	0.00	228.99	229.22
Total Credit Qyal	0.12	0.00	57.25	57.36
Total Credit Qtoal	0.12	0.00	171.74	171.86

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Rancho California WD imported an additional 10,228 acre feet of water for direct groundwater recharge in 2015-16. The total amount of imported recharge water that was recovered in 2015-16 was 6,928 acre feet. Thus, 3,300 acre feet of water for direct groundwater recharge remains in groundwater storage.

Division of Local Water

During 2015-16, Rancho California WD pumped 33,144 acre feet of groundwater, comprised of 26,216 acre feet of local water and 6,928 acre feet of recovered imported water. The groundwater is pumped from both the younger alluvium and the older alluvium. The Court determined that water in both the younger alluvium and older alluvium adds to, contributes to and supports the Santa Margarita River stream system. The primary reason for differentiating between younger alluvium and older alluvium production is that, in California, production from the younger alluvium is generally considered to be governed by water rights that apply to the regulation of surface waters. Production from the older alluvium is generally considered to be governed by regulations that apply to groundwater. Of the 26,216 acre feet of local water, 0 acre feet were delivered to the Pechanga Indian Reservation under the terms of the Wolf Valley Groundwater Management Agreement. This production is shown on Appendix Table A-5.

During joint development of a groundwater model of the area it was necessary to develop estimates of the transmissivity for each aquifer. These estimates were based on pumping tests. The resulting transmissivity values were then used to estimate the relative groundwater production from each aquifer. For Rancho California WD wells, the percent production estimated to originate in the younger alluvium is shown on Table 7.7.

Production from the younger alluvium and older alluvium for 2015-16, using the percentages noted on Table 7.7 is presented on Table 7.8. In 2015-16, 11,346 acre feet were pumped from the younger alluvium and 21,798 acre feet were pumped from the older alluvium. The production of 11,346 acre feet from the younger alluvium, as shown on Table 7.8 is the recovery of 6,928 acre feet of direct import recharge and the recovery of 4,418 acre feet of Vail Lake recharge.

Imported water carryover to 2016-17 includes the following:

	<u>AF</u>
1. Carryover from 2014-15	64,003
2. Direct recharge of imported water in 2015-16	10,228
3. Imported recharge water recovered in 2015-16	(6,928)
4. Import return flow credit for 2015-16	<u>599</u>
5. Total carryover to 2015-16	67,902

Thus, the Imported Water Carryover Account balance of 67,902 acre feet remains available to offset younger alluvium production in future years.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 7.7

SANTA MARGARITA RIVER WATERSHED
PERCENT PRODUCTION FROM YOUNGER ALLUVIUM IN
RANCHO CALIFORNIA WATER DISTRICT WELLS

RCWD WELL NO.	LOCATION TOWNSHIP/ RANGE/ SECTION	PERFORATED INTERVAL FEET	YOUNGER ALLUVIUM FEET	PERCENT YOUNGER ALLUVIUM %	REMARKS
106	7S/3W-26R1	130-210; 250-310; 340-440; 700-740; 780-980	0	0.0%	No. 108 Winchester, clay 0'-40'
107	7S/3W-26J1	60-120; 190-260; 280-300; 390-590	58	0.0%	No. 105 - gravel & clay 58'-84'
108	7S/3W-25E1	60-110; 190-280; 350-410; 430-450; 470-490; 530-590	55	0.0%	Formerly No. 109 gravel/sandy clay 55'-70'
109	8S/2W-17J1	70-150; 170-210	145 1/	84.0%	Brown clay and gravel 75' to 105'
110	8S/1W-6K1	75-155	165	97.0%	Clay 165'-190'. Prior to 10/23/97 perf int. 70-150; 200-240; 320-380; 420-460
113	7S/2W-25H1	96-136; 275-462; 482-542	Shallow	0.0%	
116	8S/1W-6J	60-120; 140-200; 220-260; 270-330; 370-390	150	94.0%	Clay 150'-170'
119	8S/2W-19J	170-260; 300-470		0.0%	Perforated below 170'
123	8S/1W-7B	100-260; 300-380; 420-500	125 1/	65.0%	Brown Sand Clay 135'-210'
129	7S/2W-20L	180-290; 416-480; 520-600	Shallow	0.0%	Qyal very shallow along Santa Gertrudis Creek
132	8S/1W-7D	70-390; 430-500	135	82.0%	Brown Clay Streaks 135'-175'
135	7S/3W-27M10	70-170	50	0.0%	Silty clay 50'-69'
141	8S/2W-11P	120-190; 215-235; 270-380; 430-510	104 1/	0.0%	Silt & sand 104'-185'; Well 11L1 is 112'
144	7S/3W-27D	983-1123; 1143-1283; 1343-1483; 1503-1743	25	0.0%	Sand with silty clay 25'-45'
146	7S/3W-28	50-190	42	0.0%	
150	7S/3W-27P	250-490; 510-950; 990-1070	125	0.0%	
152	8S/1W-5K	70-470; 490-540	130	90.8%	Forebay
153	8S/1W-5K3	50-220	170	99.0%	Forebay
154	8S/1W-5L2	50-220	100 1/	99.0% 2/	Forebay
157	8S/1W-5L	50-210	128	96.8%	Forebay
158	8S/1W-5K	50-210	128 1/	96.5%	Forebay
161	8S/1W-5	To be provided by RCWD	N/A	98.7% 3/	
205	7S/3W-35A	150-1000	10	0.0%	Sandy clay 10'-20'
210	8S/2W-12K	48-228	140	94.0%	Clay cobblestones 160'-167', 175'-227'
218	8S/2W-20B5	48-289	40	0.0%	Old 28; clay with sand layer 40'-60'; now monitoring wells 427, 428 and 429
220	7S/3W-26Q1	114-450	58	0.0%	Clay 58' - 73'
223	8S/2W-20C1	48-250	163 1/	94.0%	CAT Well; east of Wildomar Fault; nearby Exh 16 wells 17Q @62' & 17M @55' are also east of Wildomar Fault
224	8S/2W-15D	48-250	166 1/	68.0%	Old Well 50, clay 106'-138'
230	8S/2W-11J1	24-31; 32.5-34; 35-40; 61-65; 70-76; 80-85; 86.5-91; 92.5-98.5	>119	100.0%	Old Well 30, depth of well is 119'
231	8S/2W-20B6	80-120; 150-270	140 1/	0.0%	Old 104, P-34, Clay 20'-23'; 35'-41'; East of Wildomar Fault
232	8S/2W-11J3	95-135; 175-215; 235-295	115 1/	92.0%	Old 111, 105, P-31; coarse sand & clay 135' - 155'
233	8S/2W-12K2	95-135; 175-215; 235-295	145	88.0%	Old 112, P32; sand and clay at 145'-220'
234	8S/2W-11P1	80-100; 120-140; 200-240; 280-320; 340-400	162 1/	74.0%	Brown Clay at 125'; sand and clay at 125'-140'
235	8S/3W-1Q1	Unknown	Shallow	0.0%	
240	8S/2W-11L1	48-298	112	86.0%	Old Well No. 40; clay 112'-136'
301	7S/3W-18Q1	140-280; 280-520; 540-640	26	0.0%	Old JR1; blue clay 26'-32'
466	8S/3W-1P2	106-822	49	0.0%	Old 219, Cantarini, hard clay 49'-60'
467	8S/2W-12K1	50-100; 100-140	140	100.0%	Old 221, JK, Exh. 16, Monitoring well since 1983

1/ In 2015, Watermaster, Rancho California WD and Camp Pendleton agreed to the revised depths of younger alluvium for indicated wells. See discussion in Appendix F.

2/ Percent younger alluvium for Well No. 154 provided by Rancho California WD.

3/ Estimated by Watermaster Office for Reporting

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 7.8

SANTA MARGARITA RIVER WATERSHED
RANCHO CALIFORNIA WATER DISTRICT
WELL PRODUCTION FROM YOUNGER AND OLDER ALLUVIUM

2015-16

Quantities in Acre Feet

WELL NO.		QYAL	QTOAL	TOTAL
101	2/	0.00	0.00	0.00
102	2/, 3/	0.00	97.00	97.00
106	2/	0.00	51.00	51.00
108	2/	0.00	643.00	643.00
109	4/	409.92	78.08	488.00
110	4/	1,098.04	33.96	1,132.00
113		0.00	592.00	592.00
118	2/	0.00	0.00	0.00
119	1/	0.00	360.00	360.00
120		0.00	1,378.00	1,378.00
121		0.00	0.00	0.00
122	1/	0.00	356.00	356.00
123	4/	24.70	13.30	38.00
124		0.00	535.00	535.00
125		0.00	0.00	0.00
126		0.00	784.00	784.00
128		0.00	0.00	0.00
129		0.00	0.00	0.00
130		0.00	744.00	744.00
131		0.00	1,224.00	1,224.00
132	4/	281.26	61.74	343.00
133		0.00	570.00	570.00
135	3/	0.00	64.00	64.00
138		0.00	2,251.00	2,251.00
139		0.00	790.00	790.00
140		0.00	1,222.00	1,222.00
141		0.00	385.00	385.00
143		0.00	649.00	649.00
144		0.00	444.00	444.00
145		0.00	239.00	239.00
146	3/	0.00	22.00	22.00
149		0.00	93.00	93.00
151		0.00	331.00	331.00
152	4/	2,146.51	217.49	2,364.00
153	4/	1,780.02	17.98	1,798.00
154		578.16	5.84	584.00
155	3/	0.00	8.00	8.00
156		0.00	571.00	571.00
157	4/	1,155.79	38.21	1,194.00
158	4/	1,919.39	69.62	1,989.00
161		478.70	6.31	485.00
164		0.00	0.00	0.00
201		0.00	0.00	0.00
203		0.00	645.00	645.00
205		0.00	1,691.00	1,691.00
207		0.00	0.00	0.00
208		0.00	0.00	0.00
209		0.00	0.00	0.00
210	4/	101.52	6.48	108.00
211	1/	0.00	430.00	430.00
215		0.00	0.00	0.00
216		0.00	0.00	0.00
217		0.00	742.00	742.00
231		0.00	0.00	0.00
232	4/	811.44	70.56	882.00
233	4/	544.72	74.28	619.00
234	4/	16.28	5.72	22.00
235		0.00	1,329.00	1,329.00
301		0.00	0.00	0.00
302		0.00	0.00	0.00
309		0.00	1,858.00	1,858.00
		11,346.44	21,797.56	33,144.00

1/ A portion of 1,146 acre feet from Well Nos. 119, 122 and 211 was delivered to Pechanga Indian Reservation for their use.

2/ Includes 9 acre feet of releases to streams from Well Nos. 101, 102, 108 and 118.

3/ Includes 191 acre feet pumped directly to the recycled water system from Well Nos. 102, 135, 146 and 155.

4/ Permitted point of re-diversion pursuant to Permit 7032.

7.2.9 Western Municipal Water District

Western Municipal Water District operations within the Santa Margarita River Watershed are comprised of three categories. First, Western MWD wholesales imported water to Rancho California WD. Deliveries to Rancho California WD are included under Rancho California WD. Second, Western MWD serves water to its Murrieta Division in the vicinity of the City of Murrieta. Third, Western MWD serves imported water to its Improvement District A near the southern boundary of Riverside County, along the I-15 freeway. Improvement District A is operated by Rancho California WD under an operations and maintenance contract on behalf of Western MWD.

Murrieta Division

In November 2005, Western MWD merged with the Murrieta County Water District assuming their operations in an area in the vicinity of the City of Murrieta. Prior Watermaster Reports present information under Murrieta County Water District.

All of the Murrieta Division of Western MWD wells are located in the Murrieta-Temecula Groundwater Area. Interlocutory Judgment No. 30 indicates the younger alluvium deposits in Murrieta Valley extend in various depths to a maximum of approximately 30 feet from the ground surface.

The Court noted that it was impossible, based on evidence available in 1962, to determine with exactness the depth of the younger alluvial deposits throughout the Valley. However, the Court did retain continuing jurisdiction so that subsequent findings could be made, if needed. Older alluvial deposits are found below the younger alluvium.

Six of the seven Murrieta Division wells are perforated at depths of 106 feet or more. The Holiday Well has perforations beginning at a depth of 60 feet, which is well below the maximum depth of younger alluvium found by the Court in 1962. In addition, there has been no production from the Holiday Well since March 2006. Accordingly, all of Murrieta Division well production is from the older alluvium under a groundwater appropriative right.

In Water Year 2015-16, the Murrieta Division of Western MWD produced 484 acre feet of water from the North Well and 158 acre feet from the New Clay Well for a total well production of approximately 642 acre feet. Western MWD imported 1,290 acre feet in 2015-16 as shown on Appendix Table A-10.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The following table itemizes the production from the Murrieta Division wells:

Well Designation <u>7S/3W</u>	Well Name <u>Name</u>	2015-16 Production <u>Acre Feet</u>	End of Water Year Depth to Groundwater in Feet		Well Depth <u>Feet</u>	Perforated Interval <u>Feet</u>
			<u>2015</u>	<u>2016</u>		
20	New Clay	158	360****	267****	940	300 – 350 370 – 470 680 – 790 830 – 900
20C9	Holiday	0	63**	75	307	60 – 307
20G5	House	0	*	160***	252	120 – 252
17R2	Lynch	0	30	30	212	172 – 212
18J2	North	484	286****	264****	650	240 – 460 500 – 640
20D	South	0	173	174	446	120 – 446
7M	Alson	0	*	*	416	106 – 416
TOTAL		642				

- * Not reported.
- ** February 2015 measurement.
- *** June 2016 measurement
- **** Pumping level.

Western MWD's Murrieta Division production for the period 1966 through 2016 is shown on Appendix Table B-11.

Improvement District A

In Water Year 2015-16, imports to Improvement District A amounted to approximately 42 acre feet as shown on Appendix Table A-11. Deliveries to Improvement District A through turnout WR-13 for the period 1966 through 2016 are shown on Appendix Table B-12.

7.2.10 U. S. Marine Corps - Camp Pendleton

Camp Pendleton is located on the coastal side of the Santa Margarita River Watershed. Water was provided by ten wells that produced 4,228 acre feet in Water Year 2015-16. This production is from the younger alluvium and is based on riparian and appropriative rights. In 2015-16, there was no agricultural use and 4,228 acre feet were used for Camp Supply. Camp Supply includes domestic and commercial uses as well as irrigation for landscaping and park areas. Camp Pendleton water use is located both inside and outside the Watershed. A total of 1,789 acre feet were used inside the Watershed and 2,277 acre feet were exported to areas of the Base outside the Watershed. The production and use of water for Camp Pendleton are shown on Appendix Table A-8.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Beginning in December 2008, all southern wastewater for Camp Pendleton is treated at the Southern Region Tertiary Treatment Plant replacing the regional treatment Plant Nos. 1, 2, 3, and 13 (Wastewater for the northern portion of the Base passes through the Northern Regional Treatment Plant. Wastewater from the central portion (Las Flores) passes through Sewage Treatment Plant 9 and then is injected along the coast). On March 11, 2009, the Regional Water Quality Control Board issued Order No. R9-2009-0021 for a Master Reclamation Permit for the Camp Pendleton Southern Region Tertiary Treatment Plant. Wastewater effluent is discharged to either: (1) approved areas for use of recycled water for irrigation purposes; or (2) the Oceanside Outfall under NPDES Permit No. CA0109347, Order No. R9-2003-0155, and Order No. R9-2008-0096. The approved areas for use of recycled water are located both within and outside the Watershed. In Water Year 2015-16, the total amount of recycled water for Camp Pendleton was 2,104 acre feet as shown on Appendix Table A-8. Of the total amount of recycled water, 41 acre feet were used inside the Watershed; 423 acre feet were used outside the Watershed; and 1,640 acre feet were exported to the Oceanside Outfall. An additional 161 acre feet of brine byproduct from the Southern Advanced Water Treatment Plant were exported to the Oceanside Outfall. The total amount exported to the Oceanside Outfall in 2015-16 was 1,801 acre feet.

Production and estimated use inside and outside the Watershed, as well as wastewater reclamation and use, are shown in Appendix Table B-9 for the period 1966 through 2016. It is noted, the format and reporting shown on Appendix Table B-9 were changed for the Annual Watermaster Report for Water Year 2008-09. Prior reports show for the period 1966 through 2003, reclaimed use inside the Watershed reported as recharged wastewater from ponds and recharge areas. In addition, the prior reports distinguished the source of the recharged wastewater between wastewater treated within or outside the Watershed at the various regional treatment plants. The format and reporting for Water Year 2015-16, on Appendix Tables A-8 and B-9, reflect current and anticipated operations for the foreseeable future. Accordingly, the prior format is obsolete and the reader is directed to prior reports from 2008, and earlier, for additional information regarding historical wastewater operations.

7.2.11 U. S. Naval Weapons Station, Fallbrook Annex

The U. S. Naval Weapons Station (NWS) occupies about 9,148 acres northeast of Camp Pendleton. Since 1969, the NWS has relied on imported water delivered via Fallbrook PUD for its supply. Wastewater is exported from the NWS, Fallbrook Public Utility District and the Watershed via an outfall line maintained by Fallbrook PUD with an easement across Camp Pendleton. In 2015-16, 62 acre feet were imported of which one (1) acre feet of wastewater were exported, as shown on Appendix Table A-9. Imports and use for the period 1966 through 2016 are shown on Appendix Table B-10.

7.3 Indian Reservations

Water is used on the Indian Reservations in the Watershed in accordance with federal reserved rights described in Section 6. Water use information for the Cahuilla, Pechanga and Ramona Indian Reservations in the Watershed is described in the following sections:

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

7.3.1 Cahuilla Indian Reservation

In general, domestic water use on the Cahuilla Indian Reservation is not measured; however reports for 2015-16 indicate that 355 people reside on the Reservation. These residents use water primarily for domestic purposes. Annual domestic water use, based on 125 gallons per capita per day, amounts to a total annual use of about 50 acre feet from wells listed in Appendix C. In addition, reports indicate Reservation non-irrigated lands are used for the grazing of 500 cattle. Based on a daily requirement of 10 gallons per head per day, the annual use is estimated to be about six acre feet. An additional five acre feet pumped from well 7S/2E-26B3 were put to commercial use at a casino.

7.3.2 Pechanga Indian Reservation

On December 21, 2006, the Pechanga Band of Luiseño Mission Indians and Rancho California WD entered into a Groundwater Management Agreement for the Wolf Valley Groundwater Basin. The Pechanga Band and Rancho California WD agreed to jointly manage groundwater pumping from the basin and to manage the basin to protect groundwater resources. Among other things, the agreement provides for Rancho California WD to deliver pumped groundwater from its wells to Pechanga.

During 2015-16, Pechanga received 0.04 acre feet of delivered groundwater from Rancho California WD. However, for accounting purposes this is rounded to zero for water year 2015-16. The Pechanga Water System produced 755 acre feet from wells, and received 387 acre feet of recycled water from Eastern MWD, resulting in a total production for Pechanga of 1,142 acre feet. The monthly production and uses for the Pechanga Indian Reservation are shown on Appendix Table A-5. Information about Pechanga Water System wells is shown below:

Well Designation <u>8S/2W</u>	Well Name	End of Water Year Depth to Groundwater in Feet		Well Depth Feet	Perforated Interval Feet
		<u>2015</u>	<u>2016</u>		
29A2	Kelsey	152	150	425	105 - 415
29B10	Eduardo	166	166	697	437 - 687
29B11	Eagle III	181	179	645	275 - 635
29J3	South Boundary	165	163	350	150 - 340
28M5	Cell Tower	N/A	N/A	518	372 - 432 468 - 508
28R1	Ballpark Well	98	91	1,000	126 - 996
19Q1	Zone V Rock 1	46	48	451	210 - 430

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The total groundwater pumping for the Pechanga Water System wells decreased from 804 acre feet in Water Year 2014-15, to 755 acre feet in Water Year 2015-16. The total pumping in Wolf Valley by Rancho California WD Well Nos. 119, 122 and 211, for both the District's use and for delivery to Pechanga, decreased from 1,482 acre feet in 2014-15 to 1,146 acre feet in 2015-16. Therefore, the total pumping in Wolf Valley for 2015-16 decreased by 336 acre feet.

The wells listed above are in areas of younger alluvium at ground surface. The depth of the younger alluvium in Wolf Valley was estimated by representatives of Rancho California WD and the United States, for Rancho California WD Well No. 495 (8S/2W-20E) and Well No. 119 (8S/2W-19J), to be in the range of 120 to 170 feet in depth. Thus, based on available well construction data, production is from both the younger alluvium and the older alluvium. Under state law, production from the wells that originate in the older alluvium can be considered to be under a groundwater appropriative right or an overlying right, depending on the circumstances at each well.

Production and uses for the Pechanga Indian Reservation for Water Years 1991 through 2016 are shown on Appendix Table B-6.

7.3.3 Ramona Indian Reservation

The Ramona Indian Reservation occupies 560 acres of land of which 321 acres are inside the Watershed. The water supply is provided for domestic use by two individual wells. Total production for 2015-16 is reported as 1.39 acre feet, or approximately one acre feet.

7.4 Small Water Systems

There are a number of small water systems in the Watershed. These range from relatively permanent structures, to those catering to recreational vehicles and campgrounds. Water production from wells is shown on Appendix Table A-11 for Quiet Oaks Mobile Home Park, Hawthorn Water System, Rancho California Outdoor Resorts, Jojoba Hills SKP Resort, Cottonwood Elementary, and Hamilton Schools. Data for previous Water Years are shown on Appendix Table B-12.

7.5 Irrigation Water Use

Estimated water production reported by substantial users for irrigation in the Santa Margarita River Watershed is shown on Table 7.1 to be 4,733 acre feet. This quantity includes 4,117 acre feet of well production and approximately 616 acre feet of surface diversion as shown in Appendix C.

SECTION 8 - UNAUTHORIZED WATER USE

8.1 General

From time to time, there are complaints of unauthorized water uses of various types in the Watershed. Such complaints are investigated in accordance with the powers and duties of the Watermaster. The status of the current list of unauthorized uses is described as follows:

8.2 Unauthorized Small Storage Ponds

Many small dams and reservoirs have been constructed on streams in the Watershed. The legal basis for these ponds is described in the 1988-89 Watermaster Report. Basically, the Court has held that storage of water in ponds less than 10 acre feet in capacity and used for stock watering is a valid use of riparian water. The Court has also held that:

The temporary or non-seasonal impoundment by riparian owners for the purpose of providing a head for irrigation or for the purpose of temporarily accumulating sufficient water to make possible efficient irrigation is a proper riparian use of water.

Criteria for determining non-seasonal storage of irrigation water have yet to be developed.

8.3 Rancho California Water District Water Use

A number of unauthorized water use issues raised by the United States are settled so long as the CWRMA between the United States on behalf of Camp Pendleton and Rancho California Water District is in effect. As further explained in Section 11, many of these issues are described in Appendix F.

8.4 Exportation of Treated Wastewater Derived from Native Waters

Camp Pendleton continues to assert that the exportation of treated wastewater, the source of which is the native waters of the Santa Margarita River System, without a legal basis for such exportation is an unauthorized water use. On May 17, 2013, the United States Court of Appeals for the Ninth Circuit issued an Order granting the parties' joint motion to dismiss the appeals in *United States of America and Fallbrook Public Utility District v. Eastern Municipal Water District and Rancho California Water District* (CV 04-8182 CBM (RNBx), United States District Court, Central District of California) and thus the August 4, 2009 Judgment in this case stands.

SECTION 9 - THREATS TO WATER SUPPLY

9.1 General

General threats to the long-term water supply in the Santa Margarita River Watershed, which have been described in previous Watermaster reports, are as follows:

1. High nitrate concentrations in Rainbow Creek, Anza Valley and the Murrieta-Temecula areas.
2. Potential overdraft conditions at various locations in the Watershed.
3. Potentially adverse salt balance conditions in the upper Santa Margarita River area.
4. High concentrations of arsenic, fluoride, and manganese in the Murrieta-Temecula area.
5. Quagga mussel infestation in imported supplies from the Colorado River system.

9.2 High Nitrate Concentrations

In past years, high concentrations of nitrate have been measured in Anza Valley and in Rainbow Creek. Conditions in Anza Valley were generally described in the 1993-94 report. Additional water quality data for Anza Valley have been collected periodically by the Riverside County Department of Health Services and the USGS. Four (4) commercial wells located in the Anza Valley groundwater basin area exceeded the Maximum Contaminant Level (MCL) for Nitrate (45 mg/L as NO₃ and 10 mg/L as N) during 2015-16. Historic nitrate concentrations for these wells, in addition to other wells located in the Anza Valley groundwater basin area as reported by Riverside County Department of Environmental Health, are listed in Appendix Table D-13.

As described in prior Watermaster reports, in 1999 the Regional Water Quality Control Board, San Diego Region (Regional Board) began preparation of a plan for Total Maximum Daily Loads (TMDLs) for Total Nitrogen and Total Phosphorus on Rainbow Creek. On February 9, 2005, the Regional Board adopted Resolution No. R9-2005-0036, an amendment to the Basin Plan to include the Total Nitrogen and Total Phosphorus TMDLs and implementation plan. The State Water Resources Control Board, on November 16, 2005, and the Office of Administrative Law, on February 1, 2006, subsequently approved the Basin Plan amendment. The U.S. Environmental Protection Agency granted final approval of the TMDLs on March 22, 2006.

The full plan and implementation programs are presented on the Regional Board's website:

http://www.waterboards.ca.gov/sandiego/water_issues/programs/tmdl/s/rainbowcreek.shtml

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Recent data show high concentrations of nitrate pose a risk to water supplies from the Murrieta-Temecula Groundwater Area. In January 2006, Western MWD ceased production from the Holiday Well because nitrate concentrations exceeded the MCL of 45 mg/l. The depth to the top of the perforated interval for the Holiday Well is only 60 feet and the high nitrate concentrations appear to be a result of nearby septic systems and agricultural practices. Concentrations of nitrate for some of the other Western MWD and Rancho California WD wells in the Murrieta-Temecula Groundwater Area have been detected in the range of 20 to 26 mg/l, which is below the MCL. The other Western MWD and Rancho California WD wells have deeper perforated intervals than the Holiday Well.

9.3 Potential Overdraft Conditions

Previous Watermaster reports have noted concerns about overdraft conditions in Anza Valley and in the Murrieta-Temecula Groundwater Area. Previous studies for Anza Valley include 1976 and 1988 reports by the U. S. Geological Survey and a 1990 report by a consultant to Riverside County. No further studies relative to groundwater use in Anza Valley are available. Historical measurements of groundwater levels for Anza Mutual Water Company's Well No. 1 (7S/3E-21G1) located in Anza Valley are plotted in this report on Figure 4.4. Water levels in Anza Mutual Water Company Well No. 1 rose by eight feet between September 30, 2015 and September 30, 2016.

No recent published studies of safe yield are available for the Murrieta-Temecula Groundwater Area. Groundwater resources in the area are managed by Rancho California WD, Western MWD, and the Pechanga Band. Annual groundwater production programs are prepared with the goal of maximizing production within the apparent safe yield of the basin. Each year, groundwater levels and well production combined with other information including water quality, natural and artificial recharge, pump settings, and well construction factors, are used to develop the recommended production programs for several hydrogeologic sub-areas. Production rates are commonly lowered in sub-areas where water levels have declined over several years, and production rates are increased in sub-areas where decline has not occurred. As a final check, the recommended production rates are checked using the groundwater model for the Murrieta-Temecula Groundwater Area.

In addition, Rancho California WD in cooperation with Camp Pendleton is in the process of developing a multi-level groundwater monitoring network, pursuant to the CWRMA. The purpose of the network is to collect data for use in assessing safe yield operations. In September 2006, the USGS began drilling and constructing the Pala Park Groundwater Monitoring Well as part of this network. The monitoring well was completed with six piezometers and continuous water level recording devices. In 2009, the groundwater monitoring network was expanded to include the Wolf Valley Monitoring Well previously constructed by the USGS under a cooperative program with the Pechanga Band. In 2013, two additional groundwater monitoring wells were constructed by the USGS under contract with Rancho California WD. The two additional wells are the Temecula Creek Groundwater Monitoring Well and the VDC Recharge Basin Groundwater Monitoring Well. Groundwater levels and water quality data for the four monitoring wells are reported in the annual CWRMA report.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Groundwater level data for three additional wells in the Murrieta-Temecula Groundwater Area are included in this report as Figures 4.1, 4.3 and 4.5. Water levels in the Windmill Well (8S/2W-12H1) located at the eastern part of Pauba Valley increased by 0.13 feet in 2015-16. Water levels in Well 7S/3W-20C9 in the Murrieta Division of Western MWD area declined by 12 feet in 2015-16.

Well 8S/2W-29G1 on the Pechanga Indian Reservation in Wolf Valley became dry at the end of 2003-04. The declining water levels in Well 8S/2W-29G1 appear to be attributed to recent relatively dry hydrologic conditions and pumping of the nearby New Kelsey Well. To allow continued monitoring of water levels on the Reservation, Well No. 29G1 has been replaced with Well No. 8S/2W-29B9 which showed water levels declined by nearly 1 foot in 2015-16 (0.94 feet).

9.4 Salt Balance

A key issue in management of a groundwater basin is potential build-up of salts from imported water supplies and use of recycled water. Such a build-up could decrease the usability of waters in a basin. Consideration must be given to measures that allow desalination of water supplies and export of salts from a basin to offset the salt load in water entering the groundwater basin.

The Total Dissolved Solids (TDS) concentration for imported supplies into the Watershed is shown on Table 5.3. During 2015-16, the reported TDS concentrations ranged from 580 to 668 mg/l as compared to concentrations for 2014-15 ranging from 507 to 662 mg/l. The increased levels for TDS in 2015-16 are attributed to a greater percentage of the imported supplies derived from the Colorado River compared to supplies from the State Water Project.

The salt balance for the Murrieta-Temecula Groundwater Area is increasingly of interest due to increased imported supplies to meet existing and future demands, and also increased use of reclaimed wastewater for irrigation. The potential salt loading can be illustrated by estimating the total salts imported into the basin by the major purveyors overlying the groundwater area. The net imported supplies for the major purveyors are provided on Table 5.2 and the individual production and use tables are included in Appendix A. Assuming the groundwater area is subject to salt loading from net imports for Eastern MWD, Elsinore Valley MWD, Western MWD (Murrieta Division), and Rancho California WD (Rancho Division); the total net imports for Water Year 2015-16 were 42,614 acre feet. It is noted, imports for a portion of the Rancho California WD, Santa Rosa Division, potentially contribute to salt loading for the groundwater area but such contribution is ignored for this illustration. Applying monthly TDS concentrations from Table 5.3 to monthly net imports for these major purveyors results in an estimated total annual salt import for Water Year 2015-16 of 35,900 tons compared to the estimated salt import of 34,900 tons for 2014-15 and 37,700 tons for 2013-14.

WATERMASTER
 SANTA MARGARITA RIVER WATERSHED

The salt balance for the Murrieta-Temecula Groundwater Area is affected by the export of wastewater from the Watershed. In 2015-16, Elsinore Valley MWD exported 1,431 acre feet of wastewater for treatment outside the Watershed. During 2015-16, Eastern MWD exported 6,952 acre feet of treated wastewater for reuse outside the Watershed. Additional treated wastewater may have been exported from the Watershed through recirculation in the system, but such additional amounts have not been determined. At an average TDS concentration of 650 mg/l, there are approximately 1,768 pounds of salt in every acre foot of wastewater. Thus in 2015-16, approximately 7,411 tons of salt were exported by Elsinore Valley MWD and Eastern MWD through the export of 8,383 acre feet of wastewater. For comparison in 2014-15, approximately 7,400 tons of salt were exported with the export of 8,383 acre feet of wastewater.

The use of recycled water for irrigation is also a consideration in evaluating the salt balance for the Murrieta-Temecula Groundwater Area. The reuse within the groundwater area does not import additional salts into the Watershed; rather the source of water supply further concentrates the salts in contrast to relatively lower TDS levels for other sources of water supplies. The total use of recycled water by Eastern MWD, Elsinore Valley MWD, Rancho California WD, and the Pechanga Band within the Santa Margarita River Watershed for 2015-16 was 6,340 acre feet compared to 5,819 acre feet in 2014-15, and compared to 690 acre feet in 1986-87. Assuming an average TDS concentration of wastewater of 650 mg/l, the salt loading for 6,340 acre feet of recycled water is approximately 5,600 tons. It is expected that the use of recycled water within the Watershed will increase in the future.

The salt balances of the Murrieta-Temecula Groundwater Area, the Santa Margarita River, and the groundwater basins on Camp Pendleton are affected by operational and maintenance discharges by Rancho California WD from wells into Murrieta Creek, Temecula Creek and Santa Gertrudis Creek. In 2015-16, wells discharged 9 acre feet, as shown below, together with the TDS for the most recent sample for each well. Additional water quality data for the wells are provided in Appendix D.

Well No.	Release Acre Feet	TDS mg/l	Most Recent Sample Date
101	0	680	9/17/14
102	0	700	6/20/95
106	0	410	7/25/16
108	9	420	8/02/16
118	0	620	9/03/14
Total		9	

The salt balances for the Santa Margarita River, and the groundwater basins on Camp Pendleton, are also influenced by discharges by Rancho California WD of imported supplies into Santa Margarita River as part of make-up flows under the CWRMA. During 2015-16, the discharge of imported supplies to the Santa Margarita River as

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

make-up flows from outlet WR-34 was 4,089 acre feet. During Water Year 2015-16, 0 acre feet were discharged from the potable connection to the Santa Margarita River. Discharges from the potable connection are comprised of a blend of groundwater and imported supplies.

In March 2014, Rancho California WD completed the Temecula Valley Basin Salt and Nutrient Management Plan. The plan was prepared pursuant to the State Water Resources Control Board Recycled Water Policy adopted by Resolution No. 2009-0011 on February 3, 2009, as amended by Resolution No. 2013-0003 on January 22, 2013. In November 2012, Camp Pendleton completed the Salt and Nutrient Management Plan, Southern MCB Camp Pendleton, also prepared pursuant to the State Water Resources Control Board Recycled Water Policy cited above.

9.5 High Arsenic Concentrations

The maximum contaminant level (MCL) for arsenic is 10 ug/l. High concentrations of arsenic have been detected in groundwater wells for both the Murrieta Division of Western MWD and Rancho California WD, posing a risk to water supplies in the Murrieta-Temecula Groundwater Area. In November 2007, Western MWD ceased pumping from the New Clay Well due to arsenic levels exceeding the MCL. Pumping from the New Clay Well resumed in September 2012, under an approved monitoring plan after Western MWD completed well renovation measures. Pumping from the New Clay Well was again ceased in April 2013 due to arsenic levels exceeding the MCL. In April 2014, pumping from the New Clay Well was again resumed.

The elevated arsenic levels have significantly impacted groundwater pumping and distribution system operations for Rancho California WD. Two wells have been taken out of production due to arsenic levels exceeding the MCL. In 2015-16, two other wells showed levels exceeding the MCL with the wells still in operation. These two wells are operating either under approved blending plans, or with plans to operate under increased monitoring with preparation of a tentative blending plan.

9.6 High Fluoride Concentrations

The MCL for fluoride is 2 mg/l, and samples exhibiting high concentrations of arsenic often show high concentrations of fluoride in the Murrieta-Temecula Groundwater Area. High levels of fluoride are impacting operations for Rancho California WD. In 2015-16, two wells showed fluoride levels exceeding the MCL with the wells in operation either under approved blending plans, or with plans to operate under increased monitoring with preparation of a tentative blending plan.

9.7 High Manganese Concentrations

The MCL for manganese is 50 ug/l, and high concentrations of manganese have been detected in wells for both the Murrieta Division of Western MWD and Rancho California WD. In 2015-16, two Rancho California WD wells were in operation under approved manganese sequestering plans. In 2015-16, eight out of ten active groundwater supply wells for Camp Pendleton showed manganese levels exceeding the MCL with groundwater treated under approved treatment plans.

9.8 Quagga Mussel

In early January 2007, the invasive, non-native Quagga mussel was discovered in Lake Mead. Subsequently, upon thorough inspection, MWD discovered the mussel throughout the Colorado River Aqueduct system including in August 2007, finding the mussels in Lake Skinner. To date, no mussels have been found in Diamond Valley Lake.

The Quagga mussel is indigenous to the Ukraine and was discovered in the United States in September 1989 with the first sighting in the Great Lakes. The Quagga mussel is a small freshwater mollusk ranging in size from microscopic in the embryonic state to about two inches in length at the adult stage. The mussels can be transported during the larval stage with currents or running water, and at the adult stage by attaching to hard surfaces, such as boats.

The Quagga mussel is a filter feeder removing food and nutrients from the water column, decreasing the food source for zooplankton and therefore, altering the food web. The filtration of the water also alters water clarity impacting aquatic plants and water chemistry. The economic impact is also significant because these species can rapidly colonize on hard surfaces, clogging water intake structures, pipes, and screens and reducing pumping and distribution capacities. Costs are also associated with maintenance of facilities and control of the species.

Since the discovery of Quagga mussels in the Colorado River Aqueduct and Lake Skinner, MWD has implemented various control activities. In July 2007, the aqueduct was shut down for ten days for inspection, chlorination, and removal of adult populations. Also in July 2007, MWD initiated continuous chlorination in the Colorado River Aqueduct to control the spread of Quagga mussels. Additionally, as part of ongoing maintenance activities for the Colorado River Aqueduct, MWD subsequently shut down the aqueduct in October 2007, January and March 2008, October 2009, and April and May 2010, for approximately three weeks each shutdown, resulting in desiccation of Quagga mussels present at those times. Subsequently, MWD routinely shuts down the aqueduct, once or twice annually, for ongoing maintenance activities and for Quagga mussel desiccation. Releases from Lake Skinner are chlorinated at the outlet tower prior to distribution through the raw water delivery system.

Effective October 10, 2007, Assembly Bill 1683 added Section 2301(a)(1) to the California Fish and Game Code prohibiting the release of Quagga mussels into the waters of the State. Assembly Bill 1683 also requires development of a Quagga mussel control plan. On December 8, 2007, MWD temporarily suspended required releases of water to Tualota Creek from Lake Skinner and Warm Springs Creek from the San Diego Canal near Diamond Valley Lake. These required releases would have been made in accordance with Memoranda of Agreement for releasing native inflows from the reservoirs. On March 6, 2008, MWD provided notice to the parties in *United States of America v. Fallbrook Public Utility District, et al.*, regarding the temporary suspension of required releases of native water inflows from Lake Skinner and Diamond Valley Lake.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

On June 23, 2008, MWD provided notice to the parties in *United States of America v. Fallbrook Public Utility District, et al.*, regarding the resumption of required releases of native water inflows from Lake Skinner and Diamond Valley Lake, according to MWD's Action Plan submitted to California Department of Fish and Wildlife on May 30, 2008. On April 5, 2010, the California Department of Fish and Wildlife approved the Quagga Mussel Control Plan for Lake Skinner and MWD is operating under the approved raw water discharge plan outlined in the Quagga Mussel Control Program for releases to Tualota Creek. To meet release requirements at Diamond Valley Lake, MWD is operating under the May 30, 2008 Action Plan and June 23, 2008 Notice describing provisions for releases to Warm Springs Creek from the State Water Project Eastside Pipeline.

Infestation by the Quagga mussel has also altered Rancho California WD operations in accordance with the CWRMA. Beginning on April 10, 2008, Rancho California WD periodically ceased making releases of raw water from Outlet WR-34 on the MWD Pipeline No. 5 to meet make-up flow requirements for the Santa Margarita River. Alternatively, Rancho California WD releases make-up flows from its treated water distribution system at the System River Meter located just upstream of the Murrieta Creek at Temecula gaging station, or from the potable connection to the WR-34 discharge location. The treated water is de-chlorinated prior to release into Murrieta Creek.

In response to the threat of infestation of Quagga mussel, Rancho California WD has developed three separate control plans that constitute an overall action plan. These plans were updated in 2012 and are comprised of the following: (1) Dreissena Mussel Response and Control Action Plan, (2) Vail Lake Rapid Response Plan, and (3) Vail Lake Conveyance System Dreissena Mussel Control Plan, collectively referred to as the Plans. On September 14, 2012, the California Department of Fish and Wildlife approved the amended Plans that include the following key components:

- Substrate monitoring utilizing coupon sampling equipment at Vail Lake and the Santa Margarita River at a sampling location approximately 100 feet downstream of the Outlet WR-34 for releases of make-up water in accordance with CWRMA.
- Raw MWD water is released into the Santa Margarita River only when chlorination is being performed at Lake Skinner.
- All watercraft vessels, trailers, and equipment are being inspected before launching in Vail Lake.
- Installation of chlorination, filtration, and turbulence devices within the Vail Lake Pipeline to result in 100 percent mortality of mussels passing through the system for delivery of imported supplies to Vail Lake.

SECTION 10 - WATER QUALITY

10.1 Surface Water Quality

The USGS collected continuous water quality measurements for dissolved oxygen, pH, specific conductance, and temperature at the Santa Margarita River near Temecula gaging station during 2015-16. Data collected at the station are published by the USGS. The highest average daily high and the lowest average daily low for each parameter for each month are shown on Table 10.1 for Water Year 2015-16.

Surface water quality data collected by the USGS in 2004-05 for Cahuilla Creek are shown on Appendix Table D-12. No surface water quality data for Cahuilla Creek were collected in 2015-16.

Surface water quality data collected in prior years by Camp Pendleton, Eastern MWD, and Rancho California WD are listed in earlier Watermaster reports.

10.2 Groundwater Quality

During 2015-16, water quality data was collected from wells at Western MWD – Murrieta Division, Rancho California WD, Pechanga Indian Reservation, Camp Pendleton, and the Anza Valley groundwater basin area.

Western MWD – Murrieta Division sampled two wells in 2015-16 as shown in Appendix Table D-3. Both wells were subjected to standard chemical analysis. North Well was sampled seven times and included six samples subjected to standard chemical analysis and one abbreviated analysis. The New Clay Well was sampled six times for standard chemical analysis. Concentrations of nitrates were below the Maximum Contaminant Level (MCL) of 45 mg/l with results reported to be below the laboratory detection limit.

Water quality data for Rancho California WD wells are shown on Appendix Table D-4. Samples were collected from 40 wells during 2015-16. Of the 40 wells, 28 wells were analyzed for both nitrates and TDS only. Nitrate concentrations ranged up to 22 mg/l as nitrate, with the MCL being 45 mg/l as nitrate. Twelve of the remaining wells were subjected to standard chemical analysis, 30 wells were sampled for TDS only, and 11 wells were sampled for nitrates only. Samples from seven wells (Wells 109, 132, 152, 153, 154, 157, and 158) showed TDS concentrations exceeding 750 mg/l, the Basin Plan objective. Well 122, which showed TDS concentrations exceeding 750 mg/l in prior years, showed reduced TDS concentrations for 2015-16, ranging from 700 to 750 mg/l. During 2015-16, 21 wells showed TDS concentrations ranging from 500 to 750 mg/l. A total of seven wells (120, 132, 152, 153, 157, 158, and 203) showed increased TDS concentrations from prior years, with five (132, 152, 153, 157, and 158) now exceeding the Basin Plan objective of 750 mg/l.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 10.1

SANTA MARGARITA RIVER WATERSHED
RANGES IN AVERAGE DAILY CONCENTRATION OF
DISSOLVED OXYGEN, PH, SPECIFIC CONDUCTANCE AND TEMPERATURE
AT SANTA MARGARITA RIVER NEAR TEMECULA

Water Year 2015-16


COLLECTION MONTH/YEAR	DISSOLVED OXYGEN mg/l		pH		SPECIFIC CONDUCTANCE microsiemens/cm		TEMPERATURE Degrees Celsius	
	High	Low	High	Low	High	Low	High	Low
2015								
October	8.4	3.3	8.3	7.2	1,410	243	26.6	19.5
November	9.5	7.9	8.3	7.8	1,120	1,060	22.9	15.1
December	10.3	9.2	8.0	7.6	1,280	1,030	15.2	9.4
2016								
January	10.6	6.7	8.0	7.2	1,460	151	13.4	7.8
February	10.8	9.2	8.1	7.2	1,100	190	14.7	7.6
March	10.2	7.6	8.4	7.4	1,310	251	17.7	10.2
April	11.8	8.7	8.5	8.1	1,180	820	20.1	17.2
May	9.2	7.9	8.3	8.0	1,060	869	22.4	19.3
June	8.3	7.3	8.3	7.8	1,110	868	26.2	22.0
July	8.0	7.0	8.2	7.8	1,000	952	28.1	25.9
August	7.7	6.8	8.2	7.8	1,010	930	28.6	26.8
September	7.9	6.7	8.5	7.6	994	850	28.7	23.7

** - Partial Record: Indicates months with interruptions in record at times due to malfunction of recording equipment. High and low values indicated for days with reported data. Daily data and number of days with no record can be viewed at the following website: http://web10capp.er.usgs.gov/adr06_lookup/search.jsp searching by site number 11044000.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Total dissolved solids concentrations for Rancho California WD Well No. 210 are shown on Figure 10.1 for samples collected since 1957, when the well was constructed. The figure shows a decline in TDS from approximately 900 mg/l for the samples collected during the 1960's to the 400-600 mg/l range in recent years. Trend analyses for other wells throughout the Murrieta-Temecula area show a mix of increasing and decreasing trends in TDS levels depending upon location and aquifer.

Figure 10.1



Appendix Table D-5 shows water quality data collected by the USGS from wells on Indian Reservations. In 2015-16, samples were collected from five wells on the Pechanga Indian Reservation. For the Pechanga wells, TDS concentrations ranged from 271 to 356 mg/l.

In 2015-16, no samples were collected from wells on the Cahuilla Indian Reservation.


WATERMASTER
SANTA MARGARITA RIVER WATERSHED

During 2015-16, groundwater samples were collected from ten wells at Camp Pendleton as shown on Appendix Table D-6. All ten wells were subjected to standard chemical analysis. During 2015-16, samples show all ten wells with TDS concentrations exceeding the Basin Plan Objective of 750 mg/l. Three of the ten wells indicated a TDS concentration that was the highest on record. Another three wells showed a decline of TDS concentrations compared to the previous year, and two wells were activated this year (no historical sample to compare to).

Historical TDS concentrations for Camp Pendleton Well 7A2 are shown on Figure 10.2 for samples collected since mid-1950. The figure shows a decline between mid-1950 and 1970, then a period of increasing concentrations to levels in the 550-950 mg/l range. Analysis of the sample collected in 2015-16 indicated TDS concentrations of 880 mg/l, an increase of 20 mg/l compared to the sample collected in 2014-15.

Figure 10.2


TOTAL DISSOLVED SOLIDS CONCENTRATION
10S/4W-7A2 - CAMP PENDLETON



WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Historical nitrate concentrations for the same well (7A2) are shown on Figure 10.3. The one sample collected in Water Year 2015-16 showed a nitrate concentration of 1.3 mg/l, a decrease from the prior year.

Figure 10.3



During 2015-16, groundwater samples were taken from fourteen (14) commercial wells located near the Anza Valley groundwater basin. Three (3) of these wells tested above the MCL for nitrate concentrations during 2015-16, as reported by the Riverside County Department of Environmental Health. Nitrate concentrations are reported in the Appendix Table D-13.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

Page Intentionally Blank

SECTION 11 – COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

11.1 General

On August 20, 2002, the Cooperative Water Resource Management Agreement (CWRMA) between Camp Pendleton and Rancho California WD was approved by the Court. The CWRMA provisions specify required accounting will be reported on a calendar year basis and, accordingly, Section 11 and Appendix E present data reported on a calendar year basis. However, the remainder of the Annual Watermaster Report is prepared on a water year basis requiring the CWRMA calendar year reporting to be converted to a water year basis to be incorporated into other sections of the report. The water year period begins on October 1 and concludes on September 30 of the following year.

It is noted that prior Annual Watermaster Reports served as the annual report required under CWRMA. Beginning in calendar year 2011, a separate annual report has been prepared by the Watermaster and submitted to the Court to meet the requirements of CWRMA. Section 11 continues to be included in the Annual Watermaster Report focusing on the accounting and operations related to Make-Up Water releases and flow requirements for the Santa Margarita River at the Gorge. Section 11 also includes an overview of other topics included in the stand-alone Annual CWRMA Report.

The CWRMA provides that on May 1 of each year, the Technical Advisory Committee is to compute a hydrologic index for the year based on streamflow and precipitation between October and April. In May 2016, the hydrologic index was determined and the year classified as a “Below Normal” hydrologic year. The hydrologic year establishes the required flows at the Santa Margarita River near Temecula gaging station for the calendar year. Required flows for 2016, a “Below Normal” year, are listed in Section 5 of the CWRMA and are shown on Table 11.1.

As indicated above, CWRMA calendar year accounting must be converted to a water year basis for other sections of the annual report. The data for October through December 2015 for the various accounts are needed to convert the amounts shown on Table 11.1 to water year values. These data for October through December 2015 were reported in the prior year Annual Watermaster Report. To assist the reader in calculating water year amounts for various CWRMA operations, Table 11.2 in the current report is a repeat of Table 11.1 from the prior year’s report. Additional information concerning the operations underlying the values reported on Table 11.2 can be found in the prior year’s report.

Prior to implementation of the CWRMA, each year there were contentions raised by Camp Pendleton with respect to various aspects of the Annual Watermaster Report. These contentions are settled so long as that agreement is in effect. Accordingly, there is no need to raise those particular issues or publish them in the main text of the annual report or in related correspondence. Rather, the issues are provided in Appendix F.

Flows, Discharges, Credits and Accounts,

TABLE 11.1

SANTA MARGARITA RIVER WATERSHED

MONTHLY SUMMARY OF REQUIRED FLOWS,
DISCHARGES, CREDITS AND ACCOUNTS
COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

2016 CALENDAR YEAR - BELOW NORMAL YEAR

Month	USGS Official Discharge		USGS Website Daily Discharge		Minimum Flow Maintenance Requirement	Section 5 Flows	No. of Days 10-day Running Average is Less than Required Flow	Discharge from WR-34	Climatic Credits Earned		Camp Pendleton Groundwater Bank	
	AF	AF	AF	AF					AF	AF	Input	Cumulative Balance
Jan	2,904.6	3,182.9	3,182.9	3,182.9	9.1	8.0	0	446.8	145.6	145.7	5,000.0	
Feb	647.6	637.7	637.7	637.7	9.1	8.0	0	448.8	146.4	136.3	5,000.0	
Mar	619.0	619.0	619.0	619.0	9.1	8.0	0	480.0	145.4	145.7	5,000.0	
Apr	541.1	541.1	541.1	541.1	9.1	8.0	0	521.9	185.9	141.0	5,000.0	
May	355.4	350.9	350.9	350.9	5.7	5.7	0	333.7	0.0	0.0	5,000.0	
Jun	291.6	291.6	291.6	291.6	4.9	4.9	0	285.7	0.0	0.0	5,000.0	
Jul	264.4	264.4	264.4	264.4	4.3	4.3	0	264.0	0.0	0.0	5,000.0	
Aug	273.9	272.3	272.3	272.3	4.4	4.4	0	255.4	0.0	0.0	5,000.0	
Sep	244.2	244.2	244.2	244.2	4.1	4.1	0	232.2	0.0	0.0	5,000.0	
Oct	239.8	239.8	239.8	239.8	3.9	3.9	0	222.0	0.0	0.0	5,000.0	
Nov	297.7	298.5	298.5	298.5	4.5	4.5	0	233.1	0.0	0.0	5,000.0	
Dec	3,203.1	3,207.9	3,207.9	3,207.9	5.3	5.3	0	182.1	0.0	0.0	5,000.0	
CALENDAR YEAR TOTAL	9,882.4	10,150.3	10,150.3	10,150.3		0	0	3,905.7	623.3	568.7	FULL	

- 1 - Required flows for January through April are equal to 11.5 cfs less 2.4 cfs of credits (563 AF of Climatic Credit earned in 2015 and 4.5 AF of CAP Credit earned in 2014).
- 2 - The Table in Section 5 of the CWRMA sets forth guaranteed monthly flows at the Gorge once the Hydrologic Condition for the calendar year is established.
- 3 - CAP Credits equal the WR-34 discharge in excess of 4,000 AF. No CAP Credits were earned in 2016.
- 4 - Climatic Credits equal the WR-34 discharges less actual Flow Requirements, which is the flow indicated in Section 5 of the CWRMA less applicable credits but not less than 3.0 cfs.
- 5 - Camp Pendleton's rights to groundwater equal the flow indicated in Section 5 of the CWRMA less the Actual Flow Maintenance Requirement, which cannot be less than 3.0 cfs. Input to the Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

TABLE 11.2

SANTA MARGARITA RIVER WATERSHED

MONTHLY SUMMARY OF REQUIRED FLOWS,
DISCHARGES, CREDITS AND ACCOUNTS
COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

2015 CALENDAR YEAR - BELOW NORMAL YEAR

Month	USGS Official Discharge		USGS Website Daily Discharge		Minimum Flow Maintenance Requirement	Section 5 Flows	No. of Days 10-day Running Average is Less than Required	Discharge from WR-34		Climatic Credits Eamed		Camp Pendleton Groundwater Bank	
	AF	AF	AF	AF				AF 3/	AF 4/	Input	Cumulative Balance		
Jan	620.4	639.5	8.3	8.0	0	439.0	161.5	195.3	5,000.0				
Feb	488.3	492.1	8.3	8.0	0	370.4	105.8	176.4	5,000.0				
Mar	636.1	619.2	8.3	8.0	0	437.6	169.1	195.3	5,000.0				
Apr	493.9	494.1	8.3	8.0	0	414.3	126.3	189.0	5,000.0				
May	669.2	668.8	5.7	5.7	0	286.0	0.0	0.0	5,000.0				
Jun	314.8	300.3	4.9	4.9	0	282.5	0.0	0.0	5,000.0				
Jul	328.3	320.7	4.3	4.3	0	215.8	0.0	0.0	5,000.0				
Aug	269.8	270.7	4.4	4.4	0	252.3	0.0	0.0	5,000.0				
Sep	249.7	249.7	4.1	4.1	0	217.6	0.0	0.0	5,000.0				
Oct	246.3	248.3	3.9	3.9	0	233.0	0.0	0.0	5,000.0				
Nov	268.0	268.0	4.5	4.5	0	257.3	0.0	0.0	5,000.0				
Dec	324.7	325.7	5.3	5.3	0	330.6	0.0	0.0	5,000.0				
CALENDAR YEAR TOTAL	4,909.5	4,897.1			0	3,736.4	562.7	756.0	FULL				

- 1 - Required flows for January through April are equal to 11.5 cfs less 3.2 cfs of credits (749 AF of Climatic Credit earned in 2014 and 4.5 AF of CAP Credit earned in 2014).
- 2 - The Table in Section 5 of the CWRMA sets forth guaranteed monthly flows at the Gorge once the Hydrologic Condition for the calendar year is established.
- 3 - CAP Credits equal the WR-34 discharge in excess of 4,000 AF. No CAP Credits were earned in 2015.
- 4 - Climatic Credits equal the WR-34 discharges less actual Flow Requirements, which is the flow indicated in Section 5 of the CWRMA less applicable credits but not less than 3.0 cfs.
- 5 - Camp Pendleton's rights to groundwater equal the flow indicated in Section 5 of the CWRMA less the Actual Flow Maintenance Requirement, which cannot be less than 3.0 cfs. Input to the Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

11.2 Required Flows

Under the CWRMA, Rancho California WD guarantees that the ten-day running average of the measured flows at the Santa Margarita River near Temecula gaging station shall meet the required flows for each month during the year. In order to meet the required flows, Rancho California WD discharges Make-Up Water from two primary sources, both discharging into the river at the same location immediately upstream from the USGS gaging station for Santa Margarita River near Temecula. The first primary source of Make-Up Water is raw water from MWD Aqueduct No. 5 discharged at Outlet WR-34. The second primary source of Make-Up Water is from the Rancho California WD treated water distribution system through a potable connection to the WR-34 outlet pipe. In prior years, Make-Up Water was also discharged from the treated water distribution system to Murrieta Creek from two system discharge meters collectively referred to as the System River Meter. The two discharge meters are located on opposite sides of Murrieta Creek, immediately downstream of the USGS gaging station for Murrieta Creek at Temecula, which is located approximately 2,000 feet upstream of the confluence of Temecula Creek and Murrieta Creek. The System River Meter is operable as a secondary source of Make-Up Water if needed.

Flow requirements are based on two-thirds of the median natural flow of the Santa Margarita River at the Gorge for a given hydrologic year type. During the winter period (January through April), Rancho California WD shall maintain a ten-day running average equal to 11.5 cfs, less carry-over credits, less requested foregone Make-Up Water, but not less than 3.0 cfs. Rancho California WD may earn Climatic Credits in Below Normal and Critically Dry years if it has provided Make-Up Water in excess of the Actual Flow Requirement. The Climatic Credit is equal to the Make-Up Water released, less the Actual Flow Requirement, less credits. The Actual Flow Requirement is determined on May 1 of each year and applied retroactively to the flows during the winter period. During the non-winter period (May through December), Rancho California WD shall maintain a ten-day running average equal to the flow requirements specified in the CWRMA as determined on May 1st, less any foregone Make-Up Water agreed to by Camp Pendleton and Rancho California WD. When Rancho California WD is required to provide Make-Up Water in any calendar year in excess of 4,000 acre feet, it may apply CAP Credits for such excess during the following two winter periods. At no time is Rancho California WD required to make up more than 11.5 cfs.

The measured daily flows, the ten-day running average, and the differences between the running average and the required flows are shown in Appendix E. Two listings of daily discharges are shown in the tables in Appendix E: the USGS official discharge and the USGS website discharge. The discharges shown on the website are those that dictate daily decisions regarding the quantities of Make-Up Water required and those discharges are used to compute the ten-day running average. The official discharge is a more refined estimate developed later by the USGS for publication.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

The number of days each month when the ten-day running average was less than the required flows is summarized on Table 11.1. For calendar year 2016, there were no days when the running average was less than the required flows under normal CWRMA operations.

During calendar year 2016, the total releases by Rancho California WD to meet CWRMA flow requirements were 3,906 acre feet as shown on Table 11.1. Of the 3,906 acre feet of releases, only raw water from MWD was used to meet the flow requirements. No potable water from Rancho California WD was used to meet the flow requirements.

Climatic Credits of 563 acre feet were used in calendar year 2016, and Climatic Credits of 623 acre feet were earned in calendar year 2016 in accordance with CWRMA provisions. In calendar year 2016, 4.5 acre-feet of CAP Credits were used and no CAP Credits were accumulated for use in subsequent years to meet any required releases by Rancho California WD.

The CWRMA also provides that Camp Pendleton may acquire rights to groundwater above the Gorge by foregoing its right to Make-Up Water, or to the extent that the Actual Flow Maintenance Requirements are less than the flows in the table in Section 5 of CWRMA. The maximum cumulative balance for the Camp Pendleton groundwater account is 5,000 acre feet. During calendar year 2016, 568.7 acre feet were calculated as input to the groundwater account but the balance was already at the maximum balance of 5,000 acre feet and no additional water was credited to the account.

11.3 Water Quality

The U.S. Geological Survey continuously monitors four parameters of water quality at the Santa Margarita River near Temecula gaging station, including dissolved oxygen, pH, specific conductance, and temperature. The daily averages for each of these parameters are reported annually. Monthly highs and lows for each parameter are listed in Table 10.1 for the water year ending September 30, 2016.

11.4 Monitoring Programs

The CWRMA provides for the establishment of two monitoring programs: (1) Section 5(g) provides for a program to assess the impacts of operations on water supply, water quality and riparian habitat within Camp Pendleton, and; (2) Section 7(d) provides for a program to assess safe yield operations of Rancho California WD through the use of a multi-level groundwater monitoring network and periodic updates of the CWRMA Groundwater Model.

During 2007-08, Camp Pendleton initiated the Section 5(g) program named as the Lower Santa Margarita River Watershed Monitoring Program (LSMRWM Program) to evaluate whether the increased flows under CWRMA influence threatened and endangered species, riparian and wetland habitats, or water quality downstream. The LSMRWM Program will also support other water quality monitoring and watershed management activities in the Santa Margarita River Watershed. A copy of the Statement

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

of Work for the LSMRWM Program was provided in the 2007 and 2008 Annual Watermaster Reports. The monitoring was funded for a two-year period and the final report, *Hydrological and Biological Support to Lower Santa Margarita River Watershed Monitoring Program Water Years 2008-2009* was published on February 21, 2010, under a cooperative program between Camp Pendleton and the United States Bureau of Reclamation.

In September 2006, the USGS under contract with Camp Pendleton and Rancho California WD constructed a multi-level monitoring well for the Murrieta-Temecula Groundwater Basin in accordance with Section 7(d) of CWRMA. The Pala Park Groundwater Monitoring Well is located near the confluence of Pechanga and Temecula creeks and was completed to a total depth of 1,499 feet. Six piezometers were installed for continuous water level recording in the saturated zone for the lower five screened intervals and for the upper-most screened interval to detect moisture in the unsaturated zone. The USGS monitoring program for the Pala Park Groundwater Monitoring Well is included in the ongoing Watermaster budget beginning in Water Year 2007-08.

In 2009, the groundwater monitoring program was expanded to include the Wolf Valley Monitoring Well that was previously constructed under a cooperative agreement between the USGS and the Pechanga Band. Two piezometers are installed at the Wolf Valley Well. The groundwater level monitoring for the Wolf Valley Monitoring Well was previously funded by the Pechanga Band, but is now included in the ongoing Watermaster budget beginning in Water Year 2009-10.

In 2013, two additional groundwater monitoring wells were constructed by the USGS under contract with Rancho California WD. The groundwater level monitoring for these additional wells is also included in the ongoing Watermaster budget. The Temecula Creek Groundwater Monitoring Well was drilled in April 2013 to a depth of 1,720 feet, and was completed with five piezometers. The VDC Recharge Basin Groundwater Monitoring Well was drilled in August 2013 to a depth of 1,033 feet, and was completed with six piezometers.

Information concerning the construction of the monitoring wells, groundwater levels, and water quality data can be found at the following website: <http://ca.water.usgs.gov/temecula/>. Information obtained from the website as well as supplemental information for the groundwater monitoring wells is provided in the Annual CWRMA Report.

In 2010, 2011, and 2012, the water quality monitoring program also included collecting data for the two sources of supply for recharge at the head of Pauba Valley: (1) imported supplies for recharge at Rancho California WD VDC Recharge Facilities, and; (2) native supplies from Temecula Creek as sampled at Vail Lake. Funding from the Watermaster budget was used to collect and analyze the data which are provided in the Annual CWRMA Report.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

In 2012, the water quality monitoring program also included collecting data from selected groundwater production wells operated by Rancho California WD within Pauba Valley. These wells were selected to compliment the water quality data for the monitoring wells and the two sources of supply for recharge at the head of Pauba Valley. Previously, groundwater production wells operated by Rancho California WD were included in the 2004 and 2007 sampling programs for the Groundwater Ambient Monitoring and Assessment (GAMA) program implemented by the California State Water Resources Control Board. Data reported for 2013 were collected with funding from the Watermaster budget. In 2013, funding from the Watermaster budget was used to analyze archived, age-dating samples that were collected during 2012. The samples from two groundwater production wells, Well Nos. 109 and 234, were analyzed for tritium and carbon isotopes.

11.5 Groundwater Model

In 2007, Camp Pendleton and Rancho California WD initiated an effort to update the CWRMA Groundwater Model in accordance with Section 7(d). Work on updating the groundwater model was completed in 2014 and 2015 with publication of the April 25, 2014 (revised January 8, 2015) report prepared by GEOSCIENCE Support Services, Inc., entitled *Surface and Ground Water Model of the Murrieta-Temecula Ground Water Basin, California, Model Update and Refinement Report*. The model update included the following: (1) development of GSFLOW which is a coupled surface water and groundwater model that includes a Precipitation-Runoff Modeling System (PRMS) and MODFLOW, (2) refinement of the groundwater model cell size, active/inactive boundaries and locations of recharge and discharge, (3) development of a three-dimensional lithologic model based on lithologic and geophysical borehole logs from wells in the area, (4) refinement of groundwater model layer elevations based on the results from the lithologic model, and (5) update of the surface water and groundwater model with data through 2008. Results from the model, such as an improved understanding of return flows, are anticipated to be included in future CWRMA and Watermaster annual reports.

SECTION 12 - FIVE YEAR PROJECTION OF WATERMASTER OFFICE ACTIVITIES

12.1 General

Projected tasks over the next five years are listed below in two categories: normal tasks, which are part of the usual Watermaster office operation; and additional tasks, which are foreseen but are not part of the normal office operations.

12.2 Normal Tasks

Tasks that are normally part of the Watermaster Office operation are as follows:

1. Update List of Substantial Users
2. Collect Water Production, Use, Import and Availability Data
3. Collect Well Location, Construction and Water Level Data
4. Administer Water Rights
5. Collect Water Quality Data
6. Monitor Water Quality and Water Right Activities
7. Administer Lake Skinner and Diamond Valley Lake MOU's
8. Administer Steering Committee Matters
9. Prepare Court Reports/Budgets
10. Monitor Streamflow and Water Quality Measuring
11. Data Management
12. Administer Cooperative Water Resource Management Agreement

12.3 Additional Tasks

Tasks that have been identified but which are not part of normal operations are as follows:

1. Prepare List of All Water Users under Court Jurisdiction
2. Prepare Inventory of Ponds and Reservoirs
3. Determine Salt Balance
4. SGMA Support
5. CASGEM Monitoring Entity for Basin No. 9-6

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

12.4 Projected Expenditures

Projected expenditures for the current year and over the next five years are listed as follows:

Year		Watermaster Office	USGS Groundwater Monitoring	USGS Gaging Stations	Total
Current Year	2016-17	\$525,150	\$53,250	\$193,700	\$772,100
Projected Years	2017-18	\$498,035	\$55,450	\$201,600	\$755,085
	2018-19	\$523,000	\$57,100	\$207,600	\$787,700
	2019-20	\$558,700	\$58,800	\$213,600	\$831,300
	2020-21	\$595,500	\$60,600	\$220,200	\$876,300
	2021-22	\$613,400	\$62,400	\$226,800	\$902,600

SECTION 13 - WATERMASTER OFFICE BUDGET

The budget for the Watermaster Office is established on an annual basis and is approved by the Court upon acceptance of the Annual Watermaster Report. The budget is presently funded from equal assessments paid by the Steering Committee; however, the Court retains the right to assess other parties in the future. An audit is conducted annually by an independent auditor and the independent auditor's report is submitted for review by the parties and the Court as part of the Annual Watermaster Report.

13.1 Comparison of Budget and Actual Costs for 2015-16

The Watermaster Budget for 2015-16 of \$716,100 was approved by the Court upon acceptance of the August 2015 Annual Watermaster Report for Water Year 2013-14. The Independent Auditor's Report and Report to the Steering Committee for Watermaster of the Santa Margarita River Watershed for Fiscal Year Ended September 30, 2016, dated April 4, 2017, are included in Appendix G. A comparison of the budget and actual costs for 2015-16 is shown on Table 13.1. The actual costs for 2015-16 were \$734,460 (total operating expenses less depreciation expense) compared to the budget of \$716,100, resulting in an unfavorable variance of \$18,360. An explanation of individual line item variances is provided in Appendix G.

13.2 Proposed Budget for 2017-18

The proposed Watermaster Budget for 2017-18 is published in the Annual Watermaster Report for 2015-16 and is determined to be final and accepted by the Court upon noticing and completion of the 30-day period for parties to file an objection to the report. Accordingly, the budget for 2017-18 is referred to in this report as the proposed budget. The proposed Watermaster Budget for 2017-18, along with a comparison to the approved budget for 2016-17 is shown on Table 13.2. The total budget for 2017-18 is \$755,085. This budget includes \$498,035 for the Watermaster Office and \$257,050 for USGS gaging station operations and monitoring. The budgeted cost for services provided by the U.S. Geological Survey is based on the annual renewal of a cooperative agreement with the Watermaster.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 13.1

SANTA MARGARITA RIVER WATERSHED
COMPARISON OF WATERMASTER BUDGET AND ACTUAL COSTS
WATER YEAR 2015-16

Line Item	<u>Water Year 2015-16</u>			
	Approved Budget 2015-16 1/	Actual Costs 2015-16 2/	Actual Costs Minus Approved Budget 2015-16	
	\$	\$	\$	%
Watermaster Office				
Accounting Services	\$8,400	\$5,213	-\$3,187	-37.9%
Audit	6,600	6,585	-15	-0.2%
Clerical/Analyst	115,700	101,463	-14,237	-12.3%
Conference/Training	1,400	4,844	3,444	246.0%
Equipment and Furniture	1,000	0	-1,000	-100.0%
Human Resources Services	800	126	-674	-84.3%
Insurance	600	575	-25	-4.2%
IT System/Computer	10,000	2,231	-7,769	-77.7%
Legal Services	20,000	34,545	14,545	72.7%
Miscellaneous	1,325	5	-1,320	-99.6%
Postage	2,000	1,704	-296	-14.8%
Printing	10,000	10,913	913	9.1%
Publications	3,300	1,675	-1,625	-49.2%
Rent	18,000	18,000	0	0.0%
Supplies	1,900	1,931	31	1.6%
Telephone	3,000	2,988	-12	-0.4%
Travel	1,000	1,539	539	53.9%
Watermaster Services				
Consulting Services	241,000	266,905	25,905	10.8%
Travel Reimbursement	27,600	33,124	5,524	20.0%
SUBTOTAL WATERMASTER OFFICE	\$473,625	\$494,366	\$20,741	4.4%
USGS				
Gaging Station	\$172,175	\$170,500	-\$1,675	-1.0%
Surface Water Quality	24,800	24,500	-300	-1.2%
Groundwater Monitoring - Water Levels	45,500	45,094	-406	-0.9%
Groundwater Monitoring - Water Quality	0	0	0	0.0%
SUBTOTAL USGS	\$242,475	\$240,094	-\$2,381	-1.0%
TOTAL	\$716,100	\$734,460	\$18,360	2.6%

1/ Budget for 2015-16 approved by the Court as reported in the Annual Watermaster Report for Water Year 2013-14, published August 2015.

2/ Actual Costs from Financial Statements for period ending September 30, 2016.

WATERMASTER
SANTA MARGARITA RIVER WATERSHED

TABLE 13.2

SANTA MARGARITA RIVER WATERSHED
PROPOSED WATERMASTER BUDGET FOR WATER YEAR 2017-18

Line Item	Water Year 2017-18			
	Proposed Budget	Approved Budget	Increase Over	
	2017-18 1/	2016-17 2/	Approved Budget 2016-17	
	\$	\$	\$	%
Watermaster Office				
Accounting Services	\$7,500	\$8,500	-\$1,000	-11.8%
Audit	7,000	6,600	400	6.1%
Clerical/Analyst	N/A	114,200	-114,200	-100.0%
Conference/Training	N/A	1,600	-1,600	-100.0%
Equipment and Furniture	N/A	1,000	-1,000	-100.0%
Human Resources Services	N/A	800	-800	-100.0%
Insurance	600	600	0	0.0%
IT System/Computer	10,000	10,000	0	0.0%
Legal Services	30,000	30,000	0	0.0%
Miscellaneous	2,500	41,050	-38,550	-93.9%
Postage	1,500	2,000	-500	-25.0%
Printing	7,000	11,500	-4,500	-39.1%
Publications	N/A	3,300	-3,300	-100.0%
Rent	N/A	18,000	-18,000	-100.0%
Supplies	N/A	1,900	-1,900	-100.0%
Telephone	N/A	3,000	-3,000	-100.0%
Travel	N/A	1,500	-1,500	-100.0%
Watermaster Services				
Consulting Services	406,935	242,000	164,935	68.2%
Travel Reimbursement	25,000	27,600	-2,600	-9.4%
SUBTOTAL WATERMASTER OFFICE	\$498,035	\$525,150	-\$27,115	-5.2%
USGS				
Gaging Station	\$185,050	\$177,800	\$7,250	4.1%
Surface Water Quality	16,550	15,900	650	4.1%
Groundwater Monitoring - Water Levels	55,450	53,250	2,200	4.1%
Groundwater Monitoring - Water Quality	0	0	0	0.0%
SUBTOTAL USGS	\$257,050	\$246,950	\$10,100	4.1%
TOTAL	\$755,085	\$772,100	-\$17,015	-2.2%

1/ Proposed budget for 2017-18; final budget to be approved by the Court upon acceptance of the Annual Watermaster Report for Water Year 2015-16.

2/ Budget for 2016-17 approved by the Court as reported in the Annual Watermaster Report for Water Year 2014-15, published in September 2016.

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 2015-16

APPENDIX A

WATER PRODUCTION AND USE

WATER YEAR 2015-16

January 2018

TABLE A-1

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT
2015-16

Quantities in Acre Feet

MONTH	PRODUCTION			USE					RECYCLED WATER				
	WELLS	IMPORT 1/	EXPORT FROM SMRW 2/	AG	COMM	DOM	TOTAL	LOSS 3/	TOTAL USE	REUSE IN SMRW 4/	REUSE OUTSIDE SMRW	OTHER REUSE 5/	TOTAL
2015													
OCT	0	1,154	0	11	251	834	1,096	58	1,154	299	676	203	1,178
NOV	0	983	0	7	219	708	934	49	983	215	555	373	1,143
DEC	0	839	0	8	166	623	797	42	839	176	206	814	1,196
2016													
JAN	0	753	0	3	109	603	715	38	753	130	94	1,009	1,233
FEB	0	871	0	5	329	493	827	44	871	137	225	759	1,121
MAR	0	776	71	4	121	545	670	35	705	251	497	442	1,190
APR	0	1,194	0	7	412	715	1,134	60	1,194	238	678	241	1,157
MAY	0	1,024	0	8	238	727	973	51	1,024	310	414	471	1,195
JUNE	0	1,454	106	12	313	956	1,281	67	1,348	312	772	41	1,125
JULY	0	1,637	0	18	429	1,108	1,555	82	1,637	408	865	(91)	1,182
AUG	0	1,714	344	21	363	918	1,302	68	1,370	430	908	(139)	1,199
SEPT	0	1,724	0	36	449	1,153	1,638	86	1,724	372	1,062	(297)	1,137
TOTAL	0	14,123	521	140	3,399	9,383	12,922	680	13,602	3,278	6,952	3,826	14,056

1/ Does not include deliveries to Rancho California WD, Elsinore Valley MWD or Western MWD.

2/ Portion of imported supplies exported for delivery to Eastern MWD's retail customers located outside the Watershed.

3/ Loss = 5%

4/ No sewage diverted to RCWD for Water Year 2016 for treatment at Santa Rosa Water Reclamation Facility.

5/ Reuse within Watershed includes 1,188 AF sold to RCWD, 387 AF sold to Pechanga Band, and 105 AF sold to Elsinore Valley MWD.

Other Reuse includes changes of storage in Winchester and Sun City storage ponds, evaporation and percolation losses. There were no discharges to Temescal Creek in the Santa Ana Watershed in Water Year 2016.

TABLE A-2

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION		USE 1/				WASTEWATER EXPORTED		RECYCLED WATER 3/					
	WELLS	IMPORT TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	TOTAL USE	UNTREATED WASTEWATER	REUSE OUTSIDE SMRW	TOTAL WASTEWATER EXPORT	REUSE INSIDE SMRW	REUSE OUTSIDE SMRW	TOTAL REUSE
2015														
OCT	0	479	1	81	370	452	27	479	104	17	121	10	17	27
NOV	0	446	1	76	344	421	25	446	104	12	116	8	12	20
DEC	0	432	0	74	333	407	25	432	109	14	123	7	14	21
2016														
JAN	0	296	0	32	247	279	17	296	110	9	119	2	9	11
FEB	0	298	0	36	245	281	17	298	101	6	107	2	6	8
MAR	0	351	0	45	286	331	20	351	106	9	115	5	9	14
APR	0	401	0	63	315	378	23	401	103	10	113	6	10	16
MAY	0	487	1	93	365	459	28	487	108	13	121	9	13	22
JUNE	0	599	1	130	434	565	34	599	102	13	115	12	13	25
JULY	0	696	2	171	483	656	40	696	106	18	124	16	18	34
AUG	0	714	2	175	496	673	41	714	109	22	131	19	22	41
SEPT	0	690	2	171	478	651	39	690	108	18	126	13	18	31
TOTAL	0	5,889	10	1,147	4,396	5,553	336	5,889	1,270	161	1,431	109	161	270

1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.

2/ Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

3/ EVMWD receives recycled water treated at the RCWD Santa Rosa Water Reclamation Facility via EMD Palomar Pipeline through a wheeling agreement. In Water Year 2016, 882 acre feet of wastewater were delivered from EVMWD to RCWD for treatment at the Santa Rosa Water Reclamation Facility. In Water Year 2016, EVMWD received 270 acre feet of recycled water via EMD and re-used 109 acre feet within the Watershed.

TABLE A-3

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

2015-16

Quantities in Acre Feet

MONTH YEAR	DISTRICT WIDE PRODUCTION				SMRW PRODUCTION			SMRW USE				WASTEWATER					
	TOTAL LAKE SKINNER DIVERSIONS 1/	LAKE SKINNER DIVERSIONS DELIVERED	TOTAL DISTRICT IMPORT 2/	TOTAL DISTRICT SUPPLY 3/	SMRW LAKE SKINNER	SMRW IMPORT	TOTAL SMRW PRODUCTION	AG	COMM	DOM	TOTAL DELIVERED IN SMRW	LOSS 4/	TOTAL USE IN SMRW	FROM SMRW	REUSE IN SMRW	FROM U.S. NWS 5/	EXPORT FROM SMRW
2015																	
OCT	0	0	859	859	0	509	509	301	18	149	468	41	509	62	1	0	61
NOV	0	0	769	769	0	494	494	297	17	140	454	40	494	49	1	0	48
DEC	0	0	528	528	0	416	416	240	15	127	382	34	416	58	1	0	57
2016																	
JAN	0	0	390	390	0	212	212	69	12	114	195	17	212	52	0	0	52
FEB	0	0	649	649	0	235	235	103	13	100	216	19	235	48	1	0	47
MAR	0	0	571	571	0	324	324	164	16	118	298	26	324	74	1	0	73
APR	0	0	808	808	0	333	333	169	15	122	306	27	333	56	1	0	55
MAY	0	0	876	876	0	425	425	236	18	137	391	34	425	73	1	0	72
JUNE	0	0	1,135	1,135	0	503	503	287	21	154	462	41	503	65	2	1	62
JULY	0	0	1,222	1,222	0	676	676	421	23	177	621	55	676	67	3	0	64
AUG	0	0	1,162	1,162	0	653	653	397	27	176	600	53	653	73	3	0	70
SEPT	0	0	1,029	1,029	0	615	615	355	23	187	565	50	615	65	2	0	63
TOTAL	0	0	9,998	9,998	0	5,395	5,395	3,039	218	1,701	4,958	437	5,395	742	17	1	724

1/ Diverted under Permit No. 11356.

2/ Includes 96 acre feet from Capra Well located in San Luis Rey Watershed and remaining supply from San Diego County Water Authority.

3/ A portion of the District is outside the Santa Margarita River Watershed.

4/ Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

5/ United States Naval Weapons Station.

TABLE A-4

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

METROPOLITAN WATER DISTRICT
DELIVERIES IN DOMENIGONI VALLEY

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE					
	WELLS	IMPORT TO SMRW	TOTAL IN SMRW	AG	COMM/ DOM 1/	GW RECHARGE	TOTAL DELIVERED	LOSS 2/	TOTAL USE
2015									
OCT	0	96	96	96	0	0	96	0	96
NOV	0	94	94	94	0	0	94	0	94
DEC	0	54	54	54	0	0	54	0	54
2016									
JAN	0	17	17	17	0	0	17	0	17
FEB	0	56	56	56	0	0	56	0	56
MAR	0	88	88	88	0	0	88	0	88
APR	0	109	109	109	0	0	109	0	109
MAY	0	121	121	121	0	0	121	0	121
JUNE	0	154	154	154	0	0	154	0	154
JULY	0	138	138	138	0	0	138	0	138
AUG	0	114	114	114	0	0	114	0	114
SEPT	0	145	145	145	0	0	145	0	145
TOTAL	0	1,186	1,186	1,186	0	0	1,186	0	1,186

1/ Construction water

2/ Points of delivery located at metered pumps on San Diego Canal and thus the losses in the MWD system are zero.

TABLE A-5

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

PECHANGA INDIAN RESERVATION

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION				USE 4/					
	WELLS ON RESERVATION 1/	DELIVERED GROUNDWATER FROM RCWD 2/	RECYCLED WATER FROM EMWD 3/	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 5/	TOTAL USE
2015										
OCT	68	0	26	94	0	79	13	92	2	94
NOV	55	0	21	76	0	67	7	74	3	77
DEC	53	0	11	64	0	53	7	60	4	64
2016										
JAN	43	0	3	46	0	35	5	40	6	46
FEB	47	0	11	58	0	49	5	54	2	56
MAR	56	0	24	80	0	63	5	68	11	79
APR	61	0	36	97	0	88	7	95	1	96
MAY	62	0	37	99	0	85	8	93	6	99
JUNE	84	0	65	149	0	124	11	135	15	150
JULY	66	0	51	117	0	100	10	110	8	118
AUG	87	0	57	144	0	120	12	132	12	144
SEPT	73	0	45	118	0	97	11	108	11	119
TOTAL	755	0	387	1,142	0	960	101	1,061	81	1,142

1/ Total production attributed to Eduardo, Eagle Ill, Kelsey, Ballpark and Zone V Rock 1 wells.

2/ Water provided from Rancho California WD Well Nos. 119, 122, and 211.

3/ Recycled water provided by Eastern MWD via Wheeling Agreement with Rancho California WD shown as a component of production for Table A-5 only to illustrate water budget for Reservation. Actual production for Watershed accounted for on Table A-1 and Table 7.1 for Eastern MWD.

4/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, Pechanga had no agricultural use in the SMR Watershed during Water Year 2016.

5/ Loss determined as Total Production less Total Delivered.

TABLE A-6

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE 1/					TOTAL USE
	LOCAL	IMPORT TO DISTRICT	TOTAL IN WATERSHED	AG	COMMERCIAL	DOMESTIC	TOTAL DELIVERED	LOSS 2/	
2015									
OCT	0	1,510	141	112	3	14	129	12	141
NOV	0	1,272	116	95	3	14	112	4	116
DEC	0	898	83	66	3	11	80	3	83
2016									
JAN	0	439	62	47	2	11	60	2	62
FEB	0	1,249	36	26	1	8	35	1	36
MAR	0	927	89	73	2	11	86	3	89
APR	0	1,576	84	68	2	11	81	3	84
MAY	0	1,588	98	81	2	12	95	3	98
JUNE	0	1,989	99	81	3	12	96	3	99
JULY	0	2,378	166	137	4	19	160	6	166
AUG	0	2,333	147	123	3	16	142	5	147
SEPT	0	1,944	177	149	3	19	171	6	177
TOTAL	0	18,103	1,298	1,058	31	158	1,247	51	1,298

1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.
 2/ Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

TABLE A-7

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE
RANCHO CALIFORNIA WATER DISTRICT

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION					USE							VAIL RELEASE AND RECHARGE 8/	RECYCLED WATER REUSED IN SMRW 9/			
	WELLS 1/ EXPORT 2/ IMPORT 3/ NET WELLS	EXPORT 2/ IMPORT 3/ NET WELLS	EXPORT 4/ IMPORT 3/ NET IMPORT	EXPORT 4/ IMPORT 3/ NET IMPORT	TOTAL	AG	COMM	DOM	SMR RELEASE 5/ 5/	IMPORT RECHARGE TO STORAGE 6/ 6/	TOTAL USE	LOSS 7/ 7/			TOTAL		
2015																	
OCT	2,298	22	2,276	2,689	30	2,659	4,935	1,827	644	1,993	233	110	4,807	128	4,935	166	229
NOV	2,936	17	2,919	1,494	25	1,469	4,388	1,822	599	1,662	257	467	4,807	(419)	4,388	1,329	232
DEC	2,873	13	2,860	993	19	974	3,834	1,328	479	1,402	330	642	4,181	(347)	3,834	1,569	234
2016																	
JAN	1,298	7	1,291	1,451	8	1,443	2,734	415	326	1,123	447	311	2,622	112	2,734	337	256
FEB	1,723	9	1,714	1,904	12	1,892	3,606	942	336	1,078	449	183	2,988	618	3,606	252	233
MAR	1,551	10	1,541	2,482	14	2,468	4,009	1,117	438	1,359	480	270	3,664	345	4,009	56	256
APR	2,066	13	2,053	2,838	19	2,819	4,872	1,420	507	1,449	523	52	3,951	921	4,872	180	238
MAY	2,552	20	2,532	3,240	27	3,213	5,745	1,976	691	1,900	337	534	5,438	307	5,745	383	251
JUNE	2,078	18	2,060	4,499	40	4,459	6,519	1,993	790	2,116	286	80	5,265	1,254	6,519	0	259
JULY	2,227	22	2,205	5,233	57	5,176	7,381	2,713	990	2,524	265	402	6,894	487	7,381	146	276
AUG	2,278	25	2,253	5,155	59	5,096	7,349	2,885	1,107	2,699	256	174	7,121	228	7,349	0	258
SEPT	2,145	26	2,119	3,858	48	3,810	5,929	2,320	969	2,514	235	75	6,113	(184)	5,929	0	231
TOTAL	26,025	202	25,823	35,836	358	35,478	61,301	20,758	7,876	21,819	4,098	3,300	57,851	3,450	61,301	4,418	2,953

1/ Wells recovered 21,798 AF from older alluvium (including stream releases) and 4,418 AF from Vail recharge. Does not include 191 AF pumped from Wells 102, 135, 146 and 155 directly into recycled water system. For Water Year 2015-16, there was no deliveries to Pechanga Indian Reservation and is shown on Table A-5.

2/ Groundwater used in San Mateo Watershed.

3/ Includes 21,519 AF direct use (11,605 AF to Rancho Division and 9,914 AF to Santa Rosa Division); 10,228 AF direct recharge; and 4,089 AF from MWD WR-34.

4/ Import used in San Mateo Watershed.

5/ 0 AF into Murrieta Creek from Wells 101, 102, and 118; 9 AF into Santa Gertrudis Creek from Well 108;

6/ 0 AF from System River Meter; 0 AF from potable connection to WR-34 outlet pipe and 4,089 AF from MWD Outlet WR-34.

7/ Loss = Total production less total use.

8/ Vail releases and the related Vail recharge are computed as Total Release less Inflow to be bypassed.

9/ Includes 191 AF pumped from Wells 102, 135, 146 and 155 directly into recycled water system. Does not include 1,550 AF recycled water purchased from EMWD.

TABLE A-8
 SANTA MARGARITA RIVER WATERSHED
 MONTHLY WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDELETON
 2015-16
 Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE 1/			WASTEWATER 4/			EXPORTS		
	AG LOCAL SUPPLY	CAMP SUPPLY	TOTAL	AGRICULTURE IN SMRW 2/	CAMP SUPPLY IN SMRW 3/	TOTAL EXPORT	RECYCLED USE IN SMRW 5/	EXPORTED TO OCEANSIDE RECYCLED 6/	EXPORTED TO OCEANSIDE BRINE 7/	TOTAL 8/	WASTEWATER RETURNS 9/	NET EXPORT
2015												
OCT	0	356	356	0	141	178	1	134	37	377	92	285
NOV	0	360	360	0	139	178	1	136	43	374	92	282
DEC	0	347	347	0	138	176	1	135	33	355	91	264
2016												
JAN	0	273	273	0	108	138	2	168	27	334	71	263
FEB	0	314	314	0	128	164	2	142	22	352	85	267
MAR	0	318	318	0	140	178	4	163	0	361	92	269
APR	0	342	342	0	151	191	4	137	0	366	99	267
MAY	0	362	362	0	159	203	8	88	0	332	105	227
JUNE	0	378	378	0	166	212	5	143	0	414	110	304
JULY	0	399	399	0	176	223	5	135	0	430	115	315
AUG	0	401	401	0	177	224	4	122	0	411	116	295
SEPT	0	378	378	0	166	212	4	137	0	396	110	286
TOTAL	0	4,228	4,228	0	1,789	2,277	41	1,640	161	4,502	1,178	3,324

1/ Use equals Production less Brine byproduct from Southern Advanced Water Treatment Plant (SAWTP) beginning February 2013. Assumes no other losses.

2/ There was no agricultural irrigation in Water Year 2016.

3/ Camp Supply water use is divided with 44% used inside the SMRW and 56% used outside the SMRW.

4/ All wastewater treated at Southern Regional Tertiary Treatment Plant (SRTTP) beginning December 2008.

5/ Recycled use for irrigation of golf course, landscaping and park areas.

6/ Recycled water not used but rather exported to Oceanside Outfall.

7/ Brine from SAWTP exported to Oceanside Outfall.

8/ Agriculture and Camp Supply use outside the SMRW, recycled use outside the SMRW, plus Oceanside Outfall.

9/ Percent Camp Supply reclaimed estimated as (2,266 - 161) AF divided by (4,228 - 161) AF equals 51.76%. Wastewater returns estimated at 51.76% of Camp Supply use outside of SMRW.

TABLE A-9

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION		USE			WASTEWATER	
	LOCAL	IMPORT TO WATERSHED 1/	AG	COMM/ DOM	LOSS 2/	TOTAL USE	EXPORTED
2015							
OCT	0.0	5.6	0.0	5.1	0.5	5.6	0.0
NOV	0.0	6.9	0.0	6.3	0.6	6.9	0.0
DEC	0.0	5.7	0.0	5.2	0.5	5.7	0.0
2016							
JAN	0.0	1.8	0.0	1.6	0.2	1.8	0.0
FEB	0.0	3.2	0.0	2.9	0.3	3.2	0.0
MAR	0.0	3.3	0.0	3.0	0.3	3.3	0.0
APR	0.0	2.8	0.0	2.5	0.3	2.8	0.0
MAY	0.0	10.5	0.0	9.5	1.0	10.5	0.0
JUNE	0.0	6.4	0.0	5.8	0.6	6.4	1.0
JULY	0.0	7.6	0.0	6.9	0.7	7.6	0.0
AUG	0.0	4.8	0.0	4.4	0.4	4.8	0.0
SEPT	0.0	3.8	0.0	3.5	0.3	3.8	0.0
TOTAL	0.0	62.4	0.0	56.7	5.7	62.4	1.0

1/ Import via Fallbrook Public Utility District

2/ Loss = 10% of Use

TABLE A-10

**SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE**

**WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

2015-16

Quantities in Acre Feet

MONTH YEAR	PRODUCTION			USE 1/					
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	TOTAL USE
2015									
OCT	104	47	151	0	56	96	152	(1)	151
NOV	103	36	139	0	60	82	142	(3)	139
DEC	93	19	112	0	46	69	115	(3)	112
2016									
JAN	56	35	91	0	39	54	93	(2)	91
FEB	52	59	111	0	39	58	97	14	111
MAR	0	113	113	0	46	70	116	(3)	113
APR	43	95	138	0	51	87	138	0	138
MAY	65	109	174	0	65	113	178	(4)	174
JUNE	29	176	205	0	72	124	196	9	205
JULY	22	207	229	0	84	143	227	2	229
AUG	64	238	302	0	85	144	229	73	302
SEPT	11	156	167	0	80	128	208	(41)	167
TOTAL	642	1,290	1,932	0	723	1,168	1,891	41	1,932

1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014.

The updated definitions are provided in Table 7.2. Based upon the revised definitions adopted

by the Watermaster, WMWD had no agricultural use in the SMR Watershed during Water Year 2016.

2/ Loss = Total Production less Total Delivered

TABLE A-11

SANTA MARGARITA RIVER WATERSHED
MISCELLANEOUS WATER PRODUCTION AND IMPORTS

2015-16

Quantities in Acre Feet

MONTH YEAR	IMPORT		PRODUCTION						
	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	RANCHO CALIFORNIA OUTDOOR RESORTS 1/	QUIET OAKS MOBILE HOME PARK 1/	LAKE RIVERSIDE ESTATES	HAWTHORN WATER SYSTEM 2/	JOJOBA HILLS SKP RESORT	COTTONWOOD ELEMENTARY 3/, 5/	HAMILTON SCHOOLS 4/, 5/
2015									
OCT	2.70	1.84	37.17	1.30	32.46	0.50	6.02	1.95	0.86
NOV	2.98	1.24	25.51	0.90	64.07	0.30	5.45	1.76	2.21
DEC	5.90	1.22	15.65	0.60	1.63	0.20	4.68	0.18	0.70
2016									
JAN	4.80	1.79	17.57	0.70	2.18	0.30	3.09	0.14	0.40
FEB	4.50	1.17	32.85	0.90	7.47	0.30	4.97	0.66	0.43
MAR	1.60	1.38	24.04	1.30	8.02	0.50	5.53	0.71	0.69
APR	1.80	1.33	17.57	1.60	32.70	0.60	5.53	0.75	1.00
MAY	2.50	1.90	34.23	1.90	12.78	0.70	6.23	0.69	1.03
JUNE	3.30	3.10	37.92	2.10	36.23	0.70	6.51	1.90	1.04
JULY	3.20	3.10	23.87	2.40	49.14	0.80	5.85	2.19	0.60
AUG	4.70	3.40	23.85	2.20	94.20	0.80	8.51	1.42	0.80
SEPT	4.40	2.22	22.68	1.80	38.16	0.70	6.69	1.92	2.28
TOTAL	42.38	23.69	312.90	17.70	379.04	6.40	69.08	14.27	12.04

1/ Annual production estimated based on partial-year meter readings, monthly quantities calculated assuming typical monthly distribution.

2/ Monthly quantities calculated using monthly distribution estimate based on total annual gallons produced.

3/ Cottonwood Elementary is in the Hemet Unified School District, located in Aguanga and within the Watershed Boundary.

4/ Includes both Hamilton High School and Hamilton Elementary in Anza. Both schools are in the Hemet Unified School District and are within the Watershed Boundary.

5/ Monthly quantities for months with missing records calculated assuming monthly averages.

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 2015-16

APPENDIX B

WATER PRODUCTION AND USE

WATER YEAR 1965-66 THROUGH WATER YEAR 2015-16

January 2018

TABLE B-1
 SANTA MARGARITA RIVER WATERSHED
 ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE Z/				RECYCLED WATER									
	WELLS	IMPORT 1/	EXPORT FROM SMRW	NET IMPORT	TOTAL	AG	COMM	DOM	TOTAL	LOSS	TOTAL USE	REUSE IN SMRW 3/	REUSE OUTSIDE SMRW	OTHER REUSE 4/	RELEASE TO RIVER	RECHARGE	TOTAL
1966	0	1,604	0	1,604	1,604	1,520	0	4	1,524	80	1,604	0	0	0	0	100	100
1967	0	1,630	0	1,630	1,630	1,544	0	4	1,548	82	1,630	0	0	0	0	100	100
1968	0	1,464	0	1,464	1,464	1,386	0	5	1,391	73	1,464	0	0	0	0	100	100
1969	0	1,741	0	1,741	1,741	1,648	0	6	1,654	87	1,741	0	0	0	0	100	100
1970	0	1,417	0	1,417	1,417	1,340	0	7	1,346	71	1,417	0	0	0	0	101	101
1971	0	1,383	0	1,383	1,383	1,306	0	8	1,314	69	1,383	0	0	0	0	119	119
1972	0	1,470	0	1,470	1,470	1,388	0	8	1,396	74	1,470	0	0	0	0	242	242
1973	0	1,533	0	1,533	1,533	1,447	0	10	1,456	77	1,533	0	0	0	0	217	217
1974	0	1,601	0	1,601	1,601	1,511	0	10	1,521	80	1,601	0	0	0	0	193	193
1975	0	1,969	0	1,969	1,969	1,859	0	11	1,871	98	1,969	0	0	0	0	253	253
1976	145	2,493	0	2,493	2,638	2,356	0	150	2,506	132	2,638	134	0	0	0	155	289
1977	431	2,947	0	2,947	3,378	2,723	64	423	3,209	169	3,378	244	0	0	0	70	314
1978	375	2,551	0	2,551	2,926	2,409	0	371	2,780	146	2,926	300	0	0	0	75	375
1979	289	1,894	0	1,894	2,183	1,784	0	290	2,074	109	2,183	350	0	0	0	147	497
1980	281	1,192	0	1,192	1,473	1,116	0	283	1,399	74	1,473	375	0	0	0	220	595
1981	282	716	0	716	998	663	0	285	948	50	998	375	0	0	0	304	679
1982	321	1,112	0	1,112	1,433	1,038	0	323	1,361	72	1,433	375	0	0	0	386	761
1983	106	1,211	0	1,211	1,317	1,131	0	120	1,251	66	1,317	375	0	0	0	466	841
1984	236	699	0	699	935	644	0	244	888	47	935	400	0	0	0	525	925
1985	314	679	0	679	989	624	0	319	943	50	989	450	0	0	0	565	1,015
1986	229	1,155	0	1,155	1,244	700	0	239	940	49	989	600	0	0	0	509	1,109
1987	89	2,047	0	2,047	2,047	638	0	543	1,182	62	1,244	650	0	0	0	554	1,204
1988	4	3,746	0	3,746	4,431	524	0	1,424	1,948	103	2,051	650	0	0	0	650	1,300
1989	685	8,578	2,977	5,601	6,093	1,146	0	3,064	4,209	222	4,431	1,058	0	0	0	1,636	2,694
1990	492	16,621	7,142	9,479	9,935	851	0	4,810	5,788	305	6,093	1,567	0	0	0	2,160	3,727
1991	456	13,486	4,893	8,593	9,120	29	0	8,587	9,438	497	9,935	1,282	0	0	0	2,272	3,554
1992	527	7,287	1,894	5,393	5,917	36	0	5,585	5,621	296	5,917	1,323	0	0	0	2,385	3,953
1993	524	10,082	2,932	7,150	7,382	0	0	7,013	7,013	369	7,382	1,709	0	0	0	2,020	4,626
1994	232	11,539	6,914	4,625	4,807	16	0	4,551	4,567	240	4,807	2,687	0	0	0	5,846	6,062
1995	182	11,730	6,770	4,960	5,259	0	0	4,996	4,996	263	5,259	2,154	0	0	0	0	6,062
1996	299	5,093	1,809	3,284	3,692	0	0	5,226	5,226	(1,534)	3,692	2,979	0	0	0	0	5,972
1997	408	6,609	1,492	5,117	5,357	0	0	5,090	5,090	267	5,357	3,126	0	0	0	0	6,327
1998	240	7,118	2,719	4,327	4,996	0	0	4,746	4,746	250	4,996	2,949	0	0	0	0	7,462
1999	669	9,179	1,923	7,256	7,886	0	0	7,493	7,493	393	7,886	3,741	0	0	0	0	8,318
2000	630	9,219	3,271	5,948	6,303	0	0	5,989	5,989	314	6,303	4,669	0	0	0	0	8,318
2001	355	12,777	4,954	8,117	8,130	0	0	7,724	7,724	406	8,130	4,571	0	0	0	0	9,028
2002	13	14,175	5,113	9,062	9,062	0	0	8,610	8,610	452	9,062	4,843	0	0	0	0	10,168
2003	0	17,381	8,243	9,138	10,858	0	0	8,960	8,960	178	9,138	3,542	0	0	0	0	11,178
2004	0	16,336	5,478	10,858	10,858	0	0	10,749	10,749	109	10,858	3,221	0	0	0	0	12,336
2005	0	21,034	6,873	14,161	14,161	0	0	13,453	13,453	708	14,161	2,664	0	0	0	0	14,340
2006	0	21,161	5,763	15,398	15,398	0	0	14,628	14,628	770	15,398	3,108	0	0	0	0	14,014
2007	0	18,714	3,762	14,952	14,952	0	0	14,204	14,204	748	14,952	3,550	0	0	0	0	14,103
2008	0					0	0					1,450	5,925	6,864	0	0	14,239

TABLE B-1
 SANTA MARGARITA RIVER WATERSHED
 ANNUAL WATER PRODUCTION AND USE

EASTERN MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 2/					RECYCLED WATER								
	WELLS	IMPORT 1/	EXPORT FROM SMRW	NET IMPORT	TOTAL	AG	COMM	DOM	TOTAL	LOSS	TOTAL USE	REUSE IN SMRW 3/	REUSE OUTSIDE SMRW	OTHER REUSE 4/	RELEASE TO RIVER	RECHARGE	TOTAL
2009	0	16,919	2,447	14,472	14,472	0	0	13,748	13,748	724	14,472	2,615	6,786	5,241	0	0	14,642
2010	0	15,024	1,472	13,552	13,552	0	0	12,874	12,874	678	13,552	2,882	7,026	4,803	0	0	14,711
2011	0	14,675	283	14,392	14,392	131	2,879	10,662	13,672	720	14,392	2,561	7,241	5,140	0	0	14,942
2012	0	16,419	1,356	15,063	15,063	96	3,137	11,076	14,309	754	15,063	2,364	8,025	4,525	0	0	14,914
2013	0	16,208	457	15,751	15,751	117	3,388	11,459	14,964	787	15,751	2,937	8,316	3,459	0	0	14,712
2014	0	23,935	8,051	15,884	15,884	142	3,553	11,395	15,090	794	15,884	2,937	8,117	3,627	0	0	14,681
2015	0	15,448	1,571	13,877	13,877	144	2,982	10,057	13,183	694	13,877	2,717	7,002	4,696	0	0	14,415
2016	0	14,123	521	13,602	13,602	140	3,399	9,383	12,922	680	13,602	3,278	6,952	3,826	0	0	14,056

1/ Does not include deliveries to RCWD, Elsinore Valley MWD and Western MWD.

2/ Beginning in 2011, Use reported based on metered customer demands.

Prior years reporting based on supply meter data and is not complete for all categories.

3/ Reuse within Watershed includes noted amount of sewage distributed to RCWD for treatment by RCWD, recycled water sold to RCWD for delivery to RCWD customers, and beginning in 2009, recycled water sold to the Pechanga Band. Beginning in 2014, also includes recycled water delivered to Elsinore Valley MWD.

4/ Other Reuse includes changes in storage in Winchester and Sun City storage ponds, evaporation and percolation losses, and discharges to the Santa Ana Watershed.

5/ Includes 905 AF of sewage diverted to RCWD.

6/ Includes 1,159 AF of sewage diverted to RCWD.

7/ Includes 1,162 AF of sewage diverted to RCWD.

8/ Includes 1,201 AF of sewage diverted to RCWD.

9/ Includes 1,219 AF of sewage diverted to RCWD.

10/ Includes 1,056 AF of sewage diverted to RCWD.

11/ Includes 574 AF of sewage diverted to RCWD.

12/ Includes 910 AF of sewage diverted to RCWD.

13/ Includes 797 AF of sewage diverted to RCWD.

TABLE B-2

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/				WASTEWATER EXPORTED			RECYCLED WATER 3/				
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	TOTAL USE	UNTREATED WASTEWATER	REUSE OUTSIDE SMRW	TOTAL WASTEWATER EXPORT	REUSE INSIDE SMRW	REUSE OUTSIDE SMRW	TOTAL REUSE
1966															
1967															
1968															
1969															
1970															
1971															
1972															
1973															
1974															
1975															
1976															
1977															
1978	0	569	569				569	0	569						
1979	0	712	712				712	0	712						
1980	0	696	696				696	0	696						
1981	0	798	798				798	0	798						
1982	0	678	678				678	0	678						
1983	0	658	658				658	0	658						
1984	0	816	816				816	0	816						
1985	0	808	808				808	0	808						
1986	0	882	882				882	0	882						
1987	0	938	938				938	0	938						
1988	0	1,032	1,032				1,032	0	1,032						
1989	0	1,341	1,341				1,341	0	1,341						
1990	0	2,255	2,255				2,255	0	2,255						
1991	0	2,421	2,421				2,421	0	2,421						
1992	0	2,190	2,190				2,190	0	2,190						
1993	0	2,964	2,964	539	84	2,341	2,964	0	2,964						
1994	0	3,232	3,232	687	93	2,452	3,232	0	3,232						

TABLE B-2

SANTA MARGARITA RIVER WATERSHED
MONTHLY WATER PRODUCTION AND USE

ELSINORE VALLEY MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/				WASTEWATER EXPORTED			RECYCLED WATER 3/				
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	TOTAL USE	UNTREATED WASTEWATER	REUSE OUTSIDE SMRW	TOTAL WASTEWATER EXPORT	REUSE INSIDE SMRW	REUSE OUTSIDE SMRW	TOTAL REUSE
1995	0	3,127	3,127	520	100	2,507	3,127	0	3,127	185					
1996	0	4,197	4,197	871	109	3,217	4,197	0	4,197	213					
1997	0	4,296	4,296	848	118	3,330	4,296	0	4,296	226					
1998	0	5,100	5,100	667	1,396	3,037	5,100	0	5,100	247					
1999	0	6,133	6,133	921	1,626	3,586	6,133	0	6,133	254					
2000	0	7,174	7,174	1,089	1,971	4,114	7,174	0	7,174	279					
2001	0	6,215	6,215	925	1,815	3,475	6,215	0	6,215	310					
2002	0	7,596	7,596	1,173	1,902	4,521	7,596	0	7,596	412					
2003	0	7,091	7,091	63	2,665	4,363	7,091	0	7,091	483					
2004	0	8,438	8,438	96	3,238	5,104	8,438	0	8,438	600					
2005	0	8,215	8,215	104	3,044	5,067	8,215	0	8,215	927					
2006	0	9,819	9,819	127	4,118	5,574	9,819	0	9,819	938					
2007	0	10,811	10,811	150	4,509	6,152	10,811	0	10,811	837					
2008	0	9,951	9,951	115	4,149	5,687	9,951	0	9,951	901					
2009	0	9,075	9,075	147	2,015	6,913	9,075	0	9,075	1,069					
2010	0	7,926	7,926	133	1,718	6,075	7,926	0	7,926	1,120					
2011	0	7,425	7,425	94	1,517	5,539	7,150	275	7,425	1,130					
2012	0	7,398	7,398	27	1,723	5,426	7,176	222	7,398	1,205					
2013	0	7,158	7,158	16	1,637	5,227	6,880	278	7,158	1,245					
2014	0	7,413	7,413	16	1,693	5,601	7,310	103	7,413	1,271				36	89
2015	0	5,992	5,992	12	1,165	4,472	5,649	343	5,992	1,237				108	199
2016	0	5,889	5,889	10	1,147	4,396	5,553	336	5,889	1,270				161	270

1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2.
 2/ For period prior to 2011, assumes no loss. For 2011 to present, loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.
 3/ EVMWD receives recycled water treated at the RCWD Santa Rosa Water Reclamation Facility via EIMWD Palomar Pipeline through a wheeling agreement.

TABLE B-3.1

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION										USE				
	TOTAL LAKE SKINNER DIVERSIONS DELIVERED	WELLS	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	FALLBROOK AREA IMPORT	FALLBROOK SMRW IMPORT	TOTAL SMRW IMPORT	TOTAL SMRW PRODUCTION 1/	AG	COMM/DOM	TOTAL IN SMRW	LOSS 2/	TOTAL USE IN SMRW		
1966		176	11,169	0	11,169	3,351	3,351	3,351	3,404	2,735	328	3,063	341	3,404	
1967		16	9,508	0	9,508	2,852	2,852	2,852	2,857	2,253	319	2,572	285	2,857	
1968		13	11,411	0	11,411	3,423	3,423	3,423	3,427	2,554	531	3,085	342	3,427	
1969		178	9,458	0	9,458	2,837	2,837	2,837	2,891	1,787	814	2,601	290	2,891	
1970		305	11,794	0	11,794	3,538	3,538	3,538	3,630	2,649	617	3,266	364	3,630	
1971		7	11,350	0	11,350	3,405	3,405	3,405	3,407	2,386	681	3,067	340	3,407	
1972		0	13,054	0	13,054	3,916	3,916	3,916	3,916	2,749	775	3,524	392	3,916	
1973		0	10,610	38	10,572	3,172	3,172	3,210	3,210	2,156	732	2,888	322	3,210	
1974		0	12,911	134	12,777	3,833	3,833	3,967	3,967	2,703	868	3,571	396	3,967	
1975		0	11,492	213	11,279	3,384	3,384	3,597	3,597	2,420	816	3,236	361	3,597	
1976		0	13,147	431	12,716	4,196	4,196	4,627	4,627	3,200	965	4,165	462	4,627	
1977		20	13,435	587	12,848	4,625	4,625	5,212	5,232	3,536	1,174	4,710	522	5,232	
1978		97	12,626	651	11,975	4,551	4,551	5,202	5,299	3,504	1,265	4,769	530	5,299	
1979		187	12,865	961	11,904	4,762	4,762	5,723	5,910	3,820	1,498	5,318	592	5,910	
1980		192	13,602	1,191	12,411	5,213	5,213	6,404	6,596	4,258	1,678	5,936	660	6,596	
1981		87	16,878	1,994	14,884	6,549	6,549	8,543	8,630	5,688	2,144	7,832	798	8,630	
1982		0	13,270	1,805	11,465	5,274	5,274	7,079	7,079	4,614	1,862	6,476	603	7,079	
1983		0	12,298	1,969	10,329	4,751	4,751	6,720	6,720	4,320	1,871	6,191	529	6,720	
1984		0	15,429	2,609	12,820	5,897	5,897	8,506	8,506	5,814	2,077	7,891	615	8,506	
1985		0	14,256	2,358	11,898	5,473	5,473	7,831	7,831	5,187	2,135	7,322	509	7,831	
1986		0	15,383	2,794	12,589	5,791	5,791	8,585	8,585	5,698	2,319	8,017	568	8,585	
1987		0	15,313	2,986	12,327	5,670	5,670	8,656	8,656	5,793	2,281	8,074	582	8,656	
1988		28	14,460	2,559	11,901	5,474	5,474	8,033	8,061	5,181	2,348	7,529	532	8,061	
1989		94	16,179	3,007	13,172	6,059	6,059	9,066	9,160	5,620	2,706	8,326	834	9,160	
1990		15	17,568	3,745	13,823	6,358	6,358	10,103	10,118	6,275	2,878	9,153	965	10,118	
1991		46	13,939	2,871	11,068	5,091	5,091	7,962	8,008	5,146	2,314	7,460	548	8,008	
1992		45	13,698	2,950	10,748	4,943	4,943	7,893	7,938	5,285	2,201	7,486	452	7,938	

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION										USE			
	TOTAL LAKE SKINNER DIVERSIONS DELIVERED	TOTAL DISTRICT IMPORT	DELUZ AREA IMPORT	FALLBROOK AREA IMPORT	TOTAL SMRW IMPORT	TOTAL SMRW PRODUCTION ^{1/}	AG	COMM/DOM	TOTAL IN SMRW	LOSS ^{2/}	TOTAL USE IN SMRW			
1993		86	12,695	2,010	10,685	4,915	6,925	7,011	4,329	2,349	6,678	333	7,011	
1994		83	13,124	2,246	10,878	5,004	7,250	7,333	4,282	2,666	6,948	385	7,333	
1995		3	11,620	2,208	9,412	4,330	6,538	6,541	3,818	2,798	6,316	225	6,541	
1996		0	14,168	2,733	11,435	5,260	7,993	7,993	4,411	3,247	7,658	335	7,993	
1997		0	14,005	2,688	11,317	5,206	7,894	7,894	4,351	3,249	7,600	294	7,894	
1998		0	11,757	1,803	9,954	4,579	6,382	6,382	3,245	2,798	6,043	339	6,382	
1999		0	14,307	1,572	12,735	5,858	7,430	7,430	3,748	3,271	7,019	411	7,430	
2000		0	15,983	2,705	14,478	6,660	9,365	9,365	5,138	3,903	9,041	324	9,365	
2001		0	15,249	2,562	12,687	5,836	8,398	8,398	4,413	3,537	7,950	448	8,398	
2002		0	17,422	2,900	14,522	6,680	9,580	9,580	5,185	4,036	9,221	359	9,580	
2003		0	15,864	3,393	12,471	5,737	9,130	9,130	6,041	3,737	9,778	(648)	9,130	
2004		0	19,640	5,027	14,613	6,722	11,749	11,749	7,018	4,222	11,240	509	11,749	
2005	1,261	0	13,986	3,101	10,885	5,007	8,108	9,369	4,654	3,581	8,235	1,134	9,369	
2006	106	0	18,297	3,994	14,303	6,579	10,573	10,679	5,958	4,019	9,977	702	10,679	
2007	0	0	20,750	5,087	15,664	7,205	12,292	12,292	7,271	4,500	11,771	521	12,292	
2008	31	0	15,508	3,307	12,202	5,613	8,920	8,951	4,492	3,962	8,454	497	8,951	
2009	0	0	15,355	2,767	12,588	5,790	8,557	8,557	4,151	3,896	8,047	510	8,557	
2010	20	0	12,752	2,438	10,314	4,754	7,183	7,203	3,576	3,195	6,771	432	7,203	

1/ Total SMRW production equals SMRW Import plus 30% local (1966-1971).

2/ Loss = Total production less total use.

TABLE B-3.2

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

FALLBROOK PUBLIC UTILITY DISTRICT
Quantities in Acre Feet

WATER YEAR	DISTRICT WIDE PRODUCTION				SMRW PRODUCTION			SMRW USE					
	TOTAL LAKE SKINNER DIVERSIONS 1/	LAKE SKINNER DIVERSIONS DELIVERED	TOTAL DISTRICT IMPORT 2/	TOTAL DISTRICT SUPPLY 3/	SMRW LAKE SKINNER	SMRW IMPORT	TOTAL SMRW PRODUCTION	AG	COMM	DOM	TOTAL DELIVERED IN SMRW	LOSS 4/	TOTAL USE IN SMRW
2011	284	284	11,264	11,548	284	6,234	6,518	3,742	327	1,990	6,059	459	6,518
2012	0	0	12,579	12,579	0	7,254	7,254	4,261	337	2,060	6,658	596	7,254
2013	0	0	12,593	12,593	0	7,357	7,357	4,541	300	2,140	6,981	376	7,357
2014	0	0	13,068	13,068	0	7,578	7,578	4,688	359	2,129	7,176	402	7,578
2015	0	0	10,639	10,639	0	5,919	5,919	3,434	304	1,826	5,564	355	5,919
2016	0	0	9,998	9,998	0	5,395	5,395	3,039	218	1,701	4,958	437	5,395

1/ Diverted under Permit No. 11356.

2/ Includes production from Capra Well located in San Luis Rey Watershed and supply from San Diego County Water Authority.

3/ A portion of the District is outside the Santa Margarita River Watershed.

4/ Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

TABLE B-4

SANTA MARGARITA RIVER WATERSHED
ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	TOTAL WASTEWATER PRODUCTION 1/	PERCENT WASTEWATER FROM SLR WATERSHED 2/	WASTEWATER IMPORTED FROM SLR WATERSHED	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER REUSED IN SMRW	WASTEWATER FROM U.S. NWS 3/	WASTEWATER EXPORTED FROM SMRW 4/
1966	395	19	75	81	320		0	0
1967	460	20	92	80	368		0	0
1968	524	20	105	80	419		0	0
1969	588	21	123	79	465		0	0
1970	652	22	143	78	509		0	0
1971	717	22	158	78	559		0	0
1972	782	23	180	77	602		0	0
1973	847	24	203	76	644		0	0
1974	912	25	228	75	684		0	0
1975	976	25	244	75	732		0	0
1976	1,040	26	270	74	770		0	0
1977	1,105	27	298	73	807		0	0
1978	1,170	28	328	72	842		0	0
1979	1,234	28	346	72	888		0	0
1980	1,298	29	376	71	922		0	0
1981	1,363	30	409	70	954		0	0
1982	1,428	31	443	69	985		0	0
1983	1,492	31	463	69	1,029		0	0
1984	1,556	32	498	68	1,058		26 E	1,003
1985	1,621	33	535	67	1,086		26 E	1,032
1986	1,685	34	573	66	1,112		26 E	1,060
1987	1,750	34	595	66	1,155		18 P	1,094
1988	1,815	35	635	65	1,180		27	1,128
1989	1,881	36	677	64	1,204		25	1,155
1990	1,952	34	664	66	1,298		22	1,182
1991	1,622	40	649	60	973		27	1,271
1992	1,730	37	639	60	1,090		11	962
1993	2,051	38	780	63	1,271		7	1,083
1994	1,834	42	761	62	1,271		16	1,255
1995	1,941	40	776	58	1,073		5	1,068
1996	1,799	42	759	60	1,165		12	1,153
1997	1,780	42	753	58	1,040		5	1,035
				58	1,027		6	1,021

TABLE B-4

SANTA MARGARITA RIVER WATERSHED
ANNUAL WASTEWATER PRODUCTION AND DISTRIBUTION

FALLBROOK PUBLIC UTILITY DISTRICT

Quantities in Acre Feet

WATER YEAR	TOTAL WASTEWATER PRODUCTION 1/	PERCENT WASTEWATER FROM SLR WATERSHED 2/	WASTEWATER IMPORTED FROM SLR WATERSHED	PERCENT WASTEWATER FROM SMRW	WASTEWATER FROM SMRW	WASTEWATER REUSED IN SMRW	WASTEWATER FROM U.S. NWS 3/	WASTEWATER EXPORTED FROM SMRW 4/
1998	2,297	35	807	65	1,490		8	1,482
1999	2,175	36	793	64	1,382		5	1,377
2000	2,164	34	738	66	1,426		7	1,419
2001	2,191	35	767	65	1,424	24	8	1,392
2002	2,061	39	799	61	1,262	28	9	1,225
2003	2,276	39	886	61	1,390	21	10	1,359
2004	2,199	38	836	62	1,363	26	8	1,329
2005	2,505	42	1,048	58	1,457	24	16	1,417
2006	2,479	42	1,050	58	1,429	26	8	1,395
2007	1,951	52	1,019	48	932	29	12	891
2008	1,940	57	1,102	43	838	28	11	799
2009	1,900	54	1,028	46	872	31	12	829
2010	1,972	51	1,012	49	960	27	7	926
2011	2,006	54	1,076	46	930	21	8	901
2012	1,955	51	997	49	958	21	9	928
2013	1,886	51	963	49	923	20	3	900
2014	1,840	50	916	50	924	22	6	896
2015	2,006	45	899	55	1,107	19	3	1,086
2016	1,581	53	839	47	742	17	1	724

1/ Measured quantities available for Total Wastewater in Water Year 1969 and July 1989.

All other quantities are estimated (1966-1989).

2/ San Luis Rey Watershed

3/ United States Naval Weapons Station

4/ Prior to 1983, Wastewater was discharged into Fallbrook Creek, located in the SMRW. After 1983, Wastewater was discharged into an ocean outfall located outside the SMRW.

E - Estimated

P - Partial Year Data

TABLE B-5
 SANTA MARGARITA RIVER WATERSHED
 ANNUAL WATER PRODUCTION AND USE
 METROPOLITAN WATER DISTRICT
 DELIVERIES IN DOMENIGONI VALLEY

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE					TOTAL USE
	WELLS	IMPORT TO SMRW	TOTAL IN SMRW	AG	COMM/ DOM 1/	GW RECHARGE	TOTAL DELIVERED	LOSS 2/	
1983	0	0	0	0	0	0	0	0	0
1984	0	0	0	0	0	0	0	0	0
1985	0	0	0	0	0	0	0	0	0
1986	0	0	0	0	0	0	0	0	0
1987	0	0	0	0	0	0	0	0	0
1988	0	0	0	0	0	0	0	0	0
1989	0	0	0	0	0	0	0	0	0
1990	0	0	0	0	0	0	0	0	0
1991	0	0	0	0	0	0	0	0	0
1992	0	0	0	0	0	0	0	0	0
1993	0	0	0	0	0	0	0	0	0
1994	0	0	0	0	0	0	0	0	0
1995	0	547	547	354	193	0	547	0	547
1996	0	1,005	1,005	763	242	0	1,005	0	1,005
1997	0	3,521	3,521	591	2,891	39	3,521	0	3,521
1998	0	5,023	5,023	193	4,403	427	5,023	0	5,023
1999	0	3,781	3,781	404	2,978	399	3,781	0	3,781

TABLE B-5
 SANTA MARGARITA RIVER WATERSHED
 ANNUAL WATER PRODUCTION AND USE
 METROPOLITAN WATER DISTRICT
 DELIVERIES IN DOMENIGONI VALLEY

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE					TOTAL USE
	WELLS	IMPORT TO SMRW	TOTAL IN SMRW	AG	COMM/DOM 1/	GW RECHARGE	TOTAL DELIVERED	LOSS 2/	
2000	0	712	712	92	356	264	712	0	712
2001	0	689	689	505	0	184	689	0	689
2002	0	595	595	569	26	0	595	0	595
2003	0	496	495	495	0	0	495	0	495
2004	0	766	766	766	0	0	766	0	766
2005	0	556	556	556	0	0	556	0	556
2006	0	506	506	506	0	0	506	0	506
2007	0	660	660	660	0	0	660	0	660
2008	0	493	493	493	0	0	493	0	493
2009	0	465	465	465	0	0	465	0	465
2010	0	372	372	372	0	0	372	0	372
2011	0	336	336	336	0	0	336	0	336
2012	0	466	466	466	0	0	466	0	466
2013	0	892	892	892	0	0	892	0	892
2014	0	1,074	1,074	1,074	0	0	1,074	0	1,074
2015	0	1,090	1,039	1,090	0	0	1,090	0	1,090
2016	0	1,186	1,186	1,186	0	0	1,186	0	1,186

1/ Construction Water

2/ Points of delivery located at metered pumps on San Diego Canal and thus the losses in the MWD system are zero.

TABLE B-6

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

PECHANGA INDIAN RESERVATION

Quantities in Acre Feet

WATER YEAR	PRODUCTION 1/					USE 2/, 4/						
	SURFACE DIVERSION	WELLS ON RESERVATION	DELIVERED GROUNDWATER FROM RCWD	RECYCLED WATER FROM EMWD	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 3/	TOTAL USE	
1966												
1967												
1968												
1969												
1970												
1971												
1972												
1973												
1974												
1975												
1976												
1977												
1978												
1979												
1980												
1981												
1982												
1983												
1984												
1985												
1986												
1987												
1988												
1989												
1990												
1991	0	58	0	0	58	0	0	58	N/R	N/R	58	
1992	0	66	0	0	66	0	0	66	N/R	N/R	66	
1993	0	91	0	0	91	0	0	91	N/R	N/R	91	
1994	0	70	0	0	70	0	0	70	N/R	N/R	70	
1995	0	63	0	0	63	0	4	59	N/R	N/R	63	
1996	0	145	0	0	145	0	45	100	N/R	N/R	145	
1997	4	167	0	0	171	0	25	146	N/R	N/R	171	
1998	4	175	0	0	179	0	62	117	N/R	N/R	179	
1999	4	241	0	0	245	33	84	128	N/R	N/R	245	

TABLE B-6

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

PECHANGA INDIAN RESERVATION

Quantities in Acre Feet

WATER YEAR	PRODUCTION 1/					USE 2/, 4/					
	SURFACE DIVERSION	WELLS ON RESERVATION	DELIVERED GROUNDWATER FROM RCWD	RECYCLED WATER FROM EMWD	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 3/	TOTAL USE
2000	4	370	0	0	374	51	182	141	N/R	N/R	374
2001	4	291	0	0	295	56	85	154	N/R	N/R	295
2002	4	460	0	0	464	73	194	174	441	23	464
2003	4	600	0	0	604	78	354	148	580	24	604
2004	4	721	0	0	725	81	537	71	689	36	725
2005	0	608	0	0	608	140	401	61	602	6	608
2006	0	754	0	0	754	159	401	194	N/R	N/R	754
2007	0	919	154	0	1,073	275	517	229	1,021	52	1,073
2008	0	865	412	0	1,277	599	370	282	1,251	26	1,277
2009	0	702	250	268	1,220	548	441	195	1,184	36	1,220
2010	0	561	230	394	1,185	531	364	235	1,130	55	1,185
2011	0	632	201	326	1,159	468	418	257	1,143	16	1,159
2012	0	669	177	329	1,175	513	405	215	1,133	42	1,175
2013	0	798	77	393	1,268	611	415	219	1,245	23	1,268
2014	0	765	171	442	1,378	0	1,133	162	1,295	83	1,378
2015	0	804	11	358	1,173	0	1,017	115	1,132	41	1,173
2016	0	755	0	387	1,142	0	960	101	1,061	81	1,142

1/ Records prior to 1991 not available.

2/ For period 1991 through 2006, use shown as reported to Watermaster and published in prior Watermaster reports.

3/ For 2007, loss assumed to be 5% for all use types; for prior years any losses shown as reported to Watermaster.

For 2008 to present, loss determined as Total Production less Total Delivered.

4/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated

definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, Pechanga Band

had no agricultural use in the SMR Watershed beginning in Water Year 2014. An undetermined amount of agricultural use

reported in prior years would be reported as commercial use under the revised definitions.

N/R--Not reported.

TABLE B-7

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT
Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE				TOTAL USE	
	LOCAL	IMPORT TO DISTRICT	TOTAL IN WATERSHED 1/	AG 2/	COMMERCIAL 3/, 4/	DOMESTIC 3/	TOTAL DELIVERED		LOSS 5/, 6/
1966	0	14,538	1,308	1,049		140	1,189	119	1,308
1967	0	12,167	1,095	878		117	995	100	1,095
1968	0	15,301	1,377	1,104		147	1,252	125	1,377
1969	0	13,917	1,253	1,005		134	1,139	114	1,252
1970	0	18,764	1,689	1,354		181	1,535	154	1,689
1971	0	18,338	1,650	1,324		177	1,500	150	1,650
1972	0	22,633	2,037	1,634		218	1,852	185	2,037
1973	0	17,955	1,616	1,296		173	1,469	147	1,616
1974	0	22,768	2,049	1,643		219	1,863	186	2,049
1975	0	13,856	1,247	1,000		133	1,134	113	1,247
1976	0	24,878	2,239	1,796		240	2,035	204	2,239
1977	0	26,038	2,343	1,879		251	2,130	213	2,343
1978	0	24,312	2,188	1,755		234	1,989	199	2,188
1979	0	26,084	2,348	1,883		251	2,134	213	2,347
1980	0	27,660	2,489	1,997		266	2,263	226	2,489
1981	0	35,036	3,153	2,529		337	2,866	287	3,153
1982	0	27,334	2,460	1,973		263	2,236	224	2,460
1983	0	24,957	2,190	1,735		256	1,991	199	2,190
1984	0	32,526	3,068	2,483		306	2,789	279	3,068
1985	0	28,612	3,410	2,798		302	3,100	310	3,410
1986	0	29,023	2,945	2,353		324	2,677	268	2,945
1987	0	29,449	3,390	2,765		317	3,082	308	3,390
1988	0	29,070	2,985	2,372		342	2,714	271	2,985
1989	0	32,034	3,003	2,385		345	2,730	273	3,003
1990	0	34,612	3,818	3,003		468	3,471	347	3,818
1991	0	27,754	2,904	2,276		364	2,640	264	2,904
1992	0	26,056	2,277	1,877		193	2,070	207	2,277
1993	0	23,766	1,965	1,655		132	1,787	178	1,965
1994	0	22,173	1,651	1,368		133	1,501	150	1,651
1995	0	20,935	1,661	1,398		112	1,510	151	1,661
1996	0	24,835	1,815	1,487		163	1,650	165	1,815
1997	0	24,638	1,429	1,139		160	1,299	130	1,429

TABLE B-7

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

RAINBOW MUNICIPAL WATER DISTRICT

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE					
	LOCAL	IMPORT TO DISTRICT	TOTAL IN WATERSHED 1/	AG 2/	COMMERCIAL 3/, 4/	DOMESTIC 3/	TOTAL DELIVERED	LOSS 5/, 6/	TOTAL USE
1998	0	19,693	1,601	1,315		141	1,456	145	1,601
1999	0	24,961	1,727	1,411		159	1,570	157	1,727
2000	0	30,446	2,217	1,861		154	2,015	202	2,217
2001	0	27,214	1,804	1,439		202	1,641	163	1,804
2002	0	32,854	1,676	1,368		156	1,524	152	1,676
2003	0	29,156	1,510	1,237		136	1,373	137	1,510
2004	0	33,686	1,888	1,567		149	1,716	172	1,888
2005	0	25,135	1,610	1,331		133	1,464	146	1,610
2006	0	29,797	1,851	1,529		154	1,683	168	1,851
2007	0	32,939	2,262	1,871		185	2,056	206	2,262
2008	0	24,390	1,790	1,461		167	1,628	162	1,790
2009	0	27,075	1,852	1,463		220	1,683	169	1,852
2010	0	20,769	1,453	1,147		174	1,321	132	1,453
2011	0	18,599	1,492	1,251		105	1,356	136	1,492
2012	0	21,152	1,892	1,602		118	1,720	172	1,892
2013	0	21,863	1,713	1,441		116	1,557	156	1,713
2014	0	22,926	1,732	1,410	0	191	1,601	131	1,732
2015	0	18,358	1,333	1,111	0	168	1,279	54	1,333
2016	0	18,103	1,298	1,058	31	158	1,247	51	1,298

1/ 1966 through 1982 estimated to be 9% of total District imports.

2/ 1966 through 1982 estimated to be 80.2% of total deliveries to SMRW.

3/ For 1966 through 2013, Commercial Use and Domestic Use reported as combined Commercial/Domestic Use; Table B-7 now shows the combined amount under the Domestic Use category. For 1966 through 1982, combined Commercial/Domestic Use estimated to be 10.7% of total deliveries to SMRW.

4/ There is minimal commercial use within the SMRW portion of the District service area. Beginning in 2014, an undetermined amount of Commercial Use is now reported under Agricultural Use category.

5/ From 1989 through 2013, Loss was calculated as 10% of total deliveries.

6/ Beginning in 2014, Loss percentage within the Santa Margarita River Watershed is determined using the calculation to determine District-wide unaccounted for water by comparing District-wide annual supply and customer deliveries, and is assumed to be constant for all months.

TABLE B-8

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE
RANCHO CALIFORNIA WATER DISTRICT
Quantities in Acre Feet

YEAR	PRODUCTION					USE 12/					VAIL LAKE		RECYCLED WATER					
	EXPORT 1/	NET WELLS	IMPORT	EXPORT 2/	NET IMPORT	AG	AG/DOM 3/	COMM 4/	DOM	SMR RELEASE	IMPORT RECHARGE TO STORAGE	TOTAL USE	LOSS 5/	TOTAL	RELEASE AND RECHARGE	IRRIGATION 6/	REUSE IN SMRW	MURRIETA CREEK DISCHARGE 7/
2007	364	27,281	64,792	974	63,818	34,810	7,049	5,063	31,820	3,859	2,247	84,848	6,251	91,099	704	0	4,730	0
2008	26,239	25,878	51,453	770	50,683	26,388	5,621	4,785	31,759	4,092	1,417	74,062	2,499	76,561	4,845	0	4,355	0
2009	27,820	27,453	50,988	718	50,270	26,811	5,986	4,306	30,159	5,302	2,357	74,921	2,802	77,723	1,236	0	4,191	0
2010	25,685	25,367	41,407	513	40,894	21,456	4,886	3,766	26,778	3,913	2,075	62,874	3,387	66,261	801	0	3,998	0
2011	27,725	27,423	39,842	431	39,411	20,954	5,010	3,847	25,747	4,399	5,239	65,196	1,638	66,834	2,470	0	3,488	0
2012	24,942	24,658	42,395	495	41,900	22,871	5,785	4,217	26,604	3,708	702	63,887	2,671	66,558	(5)	0	3,237	0
2013	27,445	27,156	41,112	541	40,571	24,111	6,331	4,401	27,594	2,530	325	65,292	2,435	67,727	2,614	0	2,929	0
2014	26,412	26,123	47,137	534	46,603	26,154	0	10,956	28,925	4,126	(264)	69,897	2,829	72,726	85	0	3,145	0
2015	24,982	24,731	33,922	349	33,573	20,776	0	8,736	23,910	3,432	(83)	56,771	1,533	58,304	147	0	2,994	0
2016	26,025	25,823	35,836	358	35,478	20,758	0	7,876	21,819	4,098	3,300	57,851	3,450	61,301	4,418	0	2,953	0

1/ Groundwater used in San Mateo Watershed.

2/ Import used in San Mateo Watershed.

3/ Beginning in 2014, the Domestic and Agricultural portions of AG/DOM are reported in their respective categories of use.

4/ Beginning in 2014, Commercial use includes golf course and landscape uses, previously these uses were reported as Agricultural use.

5/ Loss = Total production less total use.

6/ Irrigation 1966 to 1976 by pumping from Vail Lake. Figures from 1966 to 1971 supplied by USGS; 1972 to present supplied by RCWD.

7/ Discharge from 2MGD Demonstration project.

8/ Includes 98 acre feet from wells out of groundwater area.

9/ Import recharge was 2,294 AF but portion remaining in storage was not computed due to lack of data.

10/ Import recharge was 701 AF but portion remaining in storage was not computed due to lack of data.

11/ Does not include EMWD recycled water production.

12/ Water Use definitions for all major water purveyors were updated and reconciled in Water Year 2013-14. The updated definitions are provided on Table 7.2.

TABLE B-9

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON
EXCLUDING NAVAL WEAPONS STATION SHOWN ON TABLE B-10
Quantities in Acre Feet

WATER YEAR	PRODUCTION		USE 1/				WASTEWATER 4/				NET EXPORT 9/		
	AG LOCAL	CAMP SUPPLY	AGRICULTURE IN SMRW	AGRICULTURE OUT SMRW	CAMP SUPPLY IN SMRW	CAMP SUPPLY OUT SMRW	TOTAL EXPORT	TOTAL IN SMRW	RECYCLED USE IN SMRW	RECYCLED USE OUT SMRW		EXPORTED TO OCEANSIDE RECYCLED 7/	EXPORTED TO OUTFALL BRINE 8/
1966	1,101	4,605	429	672	2,026	2,579	3,251	2,455	1,893				1,893
1967	796	4,811	310	486	2,117	2,694	3,180	2,427	2,156				2,156
1968	986	4,939	385	601	2,172	2,767	3,368	2,557	2,080				2,080
1969	940	4,821	367	573	2,058	2,763	3,276	2,485	2,189				2,189
1970	1,106	5,481	431	675	2,347	3,134	3,809	2,778	2,145				2,145
1971	819	5,291	319	500	2,264	3,028	3,527	2,583	2,011				2,011
1972	817	5,323	319	498	2,278	3,045	3,543	2,597	2,068				2,068
1973	1,003	5,121	391	612	2,189	2,932	3,544	2,580	2,137				2,137
1974	909	5,202	355	554	2,224	2,978	3,532	2,579	2,055				2,055
1975	757	4,593	295	462	1,957	2,636	3,098	2,252	2,519				2,519
1976	885	5,384	345	540	2,305	3,079	3,619	2,650	2,447				2,447
1977	994	4,506	388	606	1,918	2,588	3,194	2,306	2,358				2,358
1978	176	5,177	69	107	2,213	2,964	3,071	2,282	2,446				2,446
1979	1,070	7,213	417	653	3,109	4,104	4,756	3,527	2,493				2,493
1980	835	5,495	326	509	2,353	3,142	3,651	2,679	2,506				2,506
1981	1,464	5,240	571	893	2,241	2,999	3,892	2,812	2,368				2,368
1982	1,447	5,024	564	883	2,146	2,878	3,761	2,710	2,254				2,254
1983	942	4,215	367	575	1,790	2,425	3,000	2,157	2,494				2,494
1984	1,078	4,501	420	658	1,916	2,585	3,243	2,336	2,443				2,443
1985	1,069	4,764	417	652	2,039	2,725	3,377	2,456	2,619				2,619
1986	953	4,807	372	581	2,062	2,745	3,326	2,434	2,240				2,240
1987	1,098	4,838	428	670	2,064	2,774	3,444	2,492	3,166				3,166
1988	1,223	4,721	477	746	2,010	2,711	3,457	2,487	3,396				3,396
1989	856	5,044	334	522	2,148	2,896	3,418	2,482	2,747				2,747
1990	855	4,228	333	522	1,779	2,449	2,971	2,112	2,728				2,728
1991	554	3,159	216	338	1,329	1,830	2,168	1,545	2,289		362		2,651
1992	898	3,254	350	548	1,376	1,878	2,426	1,726	2,481		279		2,760
1993	1,067	2,879	416	651	1,201	1,678	2,329	1,617	2,975		205		3,180
1994	1,471	3,150	574	897	1,345	1,805	2,702	1,919	2,535		279		2,814
1995	985	3,768	384	601	1,588	2,180	2,781	1,972	2,453		280		2,733
1996	1,000	5,199	390	610	2,232	2,967	3,577	2,622	2,444		330		2,774
1997	1,066	5,238	416	650	2,244	2,994	3,644	2,660	2,920		509		3,429
1998	1,026	5,468	400	626	2,352	3,116	3,742	2,752	3,008		222		3,230
1999	1,064	5,054	415	649	2,145	2,909	3,558	2,560	3,023		205		3,228
2000	1,296	5,765	506	790	2,483	3,282	4,072	2,989	3,152		411		3,563
2001	1,025	5,341	399	626	2,314	3,027	3,653	2,713	3,140		454		3,594
2002	1,184	5,269	462	722	2,290	2,979	3,701	2,752	2,900		469		3,369

TABLE B-9

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

U.S.M.C. - CAMP PENDLETON
EXCLUDING NAVAL WEAPONS STATION SHOWN ON TABLE B-10
Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/			WASTEWATER 4/				NET EXPORT 9/			
	AG LOCAL	CAMP SUPPLY	TOTAL	AGRICULTURE IN 2/	AGRICULTURE OUT 2/	CAMP SUPPLY IN 3/	CAMP SUPPLY OUT 3/	TOTAL IN SMRW	TOTAL EXPORT	RECYCLED USE IN SMRW 5/		RECYCLED USE OUT SMRW 6/	EXPORTED TO OCEANSIDE RECYCLED 7/	EXPORTED TO OCEANSIDE BRINE 8/
2003	1,270	5,210	6,480	495	775	2,218	2,992	2,713	3,767	2,687	415			3,102
2004	1,227	5,538	6,765	479	748	2,396	3,142	2,875	3,890	0	444	2,544		2,988
2005	1,317	4,902	6,219	514	803	2,134	2,768	2,648	3,571	0	489	2,526		3,015
2006	1,530	5,311	6,841	597	933	2,301	3,010	2,898	3,943	0	449	2,298		2,747
2007	1,385	5,850	7,235	540	845	2,535	3,315	3,075	4,160	0	416	2,309		2,725
2008	1,606	5,315	6,921	579	1,027	2,603	2,712	3,182	3,739	0	357	2,430		2,787
2009	882	5,516	6,398	273	609	2,593	2,923	2,866	3,532	49	488	1,966		2,503
2010	645	5,137	5,782	202	443	2,672	2,465	2,874	2,908	6	396	1,839		2,241
2011	76	5,165	5,241	24	52	2,583	2,582	2,607	2,634	0	320	2,562		2,882
2012	0	4,676	4,676	0	0	1,869	2,807	1,869	2,807	41	393	2,395		2,788
2013	0	5,744	5,744	0	0	2,690	2,690	2,690	2,690	0	403	1,956	364	4,233
2014	0	5,814	5,814	0	0	2,523	2,733	2,523	2,733	29	484	1,600	558	4,276
2015	0	4,690	4,690	0	0	1,816	2,311	1,816	2,311	49	401	1,562	161	2,575
2016	0	4,228	4,228	0	0	1,789	2,277	1,789	2,277	41	423	1,640	161	2,266

1/ Use equals Production less Brine byproduct from Southern Advanced Water Treatment Plant (SAWTP) beginning February 2013. Assumes no other losses.

2/ For years 1966 through 2007, agricultural water use is divided with 39% used inside SMRW and 61% used outside SMRW, thereafter proportions provided by Camp Pendleton.

3/ Prior to 1969, 44% used inside the SMRW and 56% used outside the SMRW. For years 1969 through 2007, Camp Supply water use inside SMRW equals 44% of sum of Camp Supply production plus Naval Weapons Station Import, less the NWS Import. Annual proportions provided by Camp Pendleton beginning 2008.

4/ All wastewater treated at Southern Regional Tertiary Treatment Plant (SRTTP) beginning December 2008.

5/ For years 1966 through 2003, recycled use inside SMRW reported as recharged wastewater from ponds and recharge areas. See prior reports from 2008 and earlier for additional information.

6/ Recycled use for irrigation of golf course, landscaping and park areas.

7/ Recycled water not used but rather exported to Oceanside Outfall.

8/ Brine from SAWTP exported to Oceanside Outfall.

9/ Net Export equals the sum of Agriculture Out, Camp Supply Out, Recycled Out and Export to Oceanside Outfall, minus Wastewater Return, as shown on Table A-8.

TABLE B-10

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX
Quantities in Acre Feet

WATER YEAR	PRODUCTION		USE			WASTEWATER EXPORTED	
	LOCAL	IMPORT TO WATERSHED 1/	AG	COMM/DOM	LOSS 2/		TOTAL USE
1966	87	0	0	79	9	87	0
1967	92	0	0	83	9	92	0
1968	108	0	0	97	11	108	0
1969	138	0	0	113	25	138	0
1970	152	0	0	125	27	152	0
1971	39	76	0	100	15	115	0
1972	0	115	0	105	10	115	0
1973	0	115	0	105	10	115	0
1974	0	115	0	105	10	115	0
1975	0	115	0	105	10	115	0
1976	0	115	0	105	10	115	0
1977	0	115	0	105	10	115	0
1978	0	115	0	105	10	115	0
1979	0	115	0	105	10	115	0
1980	0	115	0	105	10	115	0
1981	0	115	0	105	10	115	0
1982	0	115	0	105	10	115	0
1983	0	115	0	105	10	115	0
1984	0	115	0	105	10	115	26
1985	0	102	0	93	9	102	26
1986	0	94	0	85	9	94	18
1987	0	116	0	105	11	116	27
1988	0	120	0	109	11	120	25
1989	0	128	0	116	12	128	22
1990	0	145	0	132	13	145	27
1991	0	109	0	99	10	109	11

TABLE B-10

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**
U. S. NAVAL WEAPONS STATION, FALLBROOK ANNEX
Quantities in Acre Feet

WATER YEAR	PRODUCTION		USE				WASTEWATER EXPORTED	
	LOCAL	IMPORT TO WATERSHED 1/	TOTAL	AG	COMM/DOM	LOSS 2/		TOTAL USE
1992	0	99	99	0	90	9	99	7
1993	0	117	117	0	106	11	117	16
1994	0	73	73	0	66	7	73	5
1995	0	125	125	0	114	11	125	12
1996	0	100	100	0	91	9	100	5
1997	0	109	109	0	99	10	109	6
1998	0	97	97	0	88	9	97	8
1999	0	111	111	0	101	10	111	5
2000	0	104	104	0	95	9	104	7
2001	0	73	73	0	66	7	73	8
2002	0	97	97	0	88	9	97	9
2003	0	88	88	0	80	8	88	10
2004	0	73	73	0	66	7	73	8
2005	0	40	40	0	36	4	40	16
2006	0	64	64	0	58	6	64	8
2007	0	70	70	0	64	6	70	12
2008	0	82	82	0	75	7	82	11
2009	0	74	74	0	67	7	74	12
2010	0	69	69	0	63	6	69	7
2011	0	45	45	0	41	4	45	8
2012	0	48	48	0	44	4	48	9
2013	0	47	47	0	43	4	47	3
2014	0	58	58	0	53	5	58	6
2015	0	44	44	0	40	4	44	3
2016	0	62	62	0	57	6	62	1

1/ Estimate 1969 through 1984 - Records not available

2/ Loss = 10% of Use

TABLE B-11
SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION
 Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/					TOTAL USE
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	
1966	41	0	41	0	0	37	37	4	41
1967	45	0	45	0	0	41	41	4	45
1968	54	0	54	0	0	49	49	5	54
1969	54	0	54	0	0	49	49	5	54
1970	73	0	73	0	0	66	66	7	73
1971	83	0	83	3	0	72	75	8	83
1972	111	0	111	10	0	91	101	10	111
1973	92	0	92	11	0	72	84	8	92
1974	132	0	132	14	0	107	120	12	132
1975	153	0	153	18	0	121	139	14	153
1976	117	0	117	22	0	84	106	11	117
1977	170	0	170	21	0	134	155	15	170
1978	169	0	169	19	0	135	154	15	169
1979	197	0	197	19	0	160	179	18	197
1980	218	0	218	20	0	178	198	20	218
1981	265	0	265	30	0	211	241	24	265
1982	230	0	230	21	0	188	209	21	230
1983	216	0	216	14	0	182	196	20	216

TABLE B-11
SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION
 Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/					TOTAL USE
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	
1984	304	0	304	26	0	250	276	28	304
1985	308	0	308	19	0	261	280	28	308
1986	305	0	305	22	0	255	277	28	305
1987	326	0	326	23	0	273	296	30	326
1988	303	0	303	13	35	262	275	28	303
1989	286	0	286	11	72	262	344	(4)	286
1990	465	0	465	13	76	266	355	110	465
1991	459	0	459	15	88	250	353	106	459
1992	492	0	492	6	122	302	430	62	492
1993	508	0	508	4	105	323	432	76	508
1994	512	0	512	10	103	324	437	75	512
1995	521	0	521	12	99	321	432	89	521
1996	629	0	629	88	113	384	585	44	629
1997	638	0	638	76	99	392	567	71	638
1998	603	0	603	79	90	362	531	72	603
1999	827	0	827	79	125	548	752	75	827
2000	1,123	0	1,123	199	365	519	1,083	40	1,123
2001	1,389	0	1,389	163	414	740	1,317	72	1,389

TABLE B-11

**SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE**

**WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/					
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	TOTAL USE
2002	1,679	0	1,679	230	348	1,115	1,693	(14)	1,679
2003	1,748	102	1,850	272	275	1,340	1,887	(37)	1,850
2004	1,979	330	2,309	282	407	1,479	2,168	141	2,309
2005	2,098	75	2,173	262	274	1,539	2,075	98	2,173
2006	2,233	316	2,549	338	396	1,696	2,430	119	2,549
2007	1,978	723	2,701	467	276	1,980	2,723	(22)	2,701
2008	210	2,180	2,390	408	251	1,827	2,486	(96)	2,390
2009	861	1,654	2,515	396	219	1,723	2,338	177	2,515
2010	753	1,462	2,215	264	140	1,642	2,046	169	2,215
2011	559	1,642	2,201	324	239	1,497	2,060	141	2,201

TABLE B-11
SANTA MARGARITA RIVER WATERSHED
ANNUAL WATER PRODUCTION AND USE

WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION
 Quantities in Acre Feet

WATER YEAR	PRODUCTION			USE 1/					TOTAL USE
	WELLS	IMPORT	TOTAL	AG	COMM	DOM	TOTAL DELIVERED	LOSS 2/	
2012	750	1,371	2,121	250	340	1,418	2,008	113	2,121
2013	1,014	1,365	2,379	431	166	1,653	2,250	129	2,379
2014	951	1,407	2,358	0	657	1,640	2,297	61	2,358
2015	1,041	820	1,861	0	546	1,274	1,820	41	1,861
2016	642	1,290	1,932	0	723	1,168	1,891	41	1,932

1/ Water use definitions for all major water purveyors were updated and reconciled for Water Year 2014. The updated definitions are provided in Table 7.2. Based upon the revised definitions adopted by the Watermaster, WMWD had no agricultural use in the SMR Watershed during Water Year 2015. An undetermined amount of agricultural use reported in prior years would be reported as commercial use under the revised definitions.

2/ Loss = Total Production less Total Delivered

TABLE B-12
 SANTA MARGARITA RIVER WATERSHED
 MISCELLANEOUS WATER PRODUCTION AND IMPORTS

Quantities in Acre Feet

WATER YEAR	IMPORT		PRODUCTION							
	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	OUTDOOR RESORTS RANCHO CALIFORNIA	QUIET OAKS MOBILE HOME PARK	LAKE RIVERSIDE ESTATES	HAWTHORN WATER SYSTEM	JOJOBA HILLS SKP RESORT	COTTONWOOD ELEMENTARY	HAMILTON SCHOOLS	
1966	23.50									
1967	20.40									
1968	27.00									
1969	24.60									
1970	30.60									
1971	34.40									
1972	34.10									
1973	30.20									
1974	36.40									
1975	34.20									
1976	35.00									
1977	24.20									
1978	26.00									
1979	24.00									
1980	24.70									
1981	34.30									
1982	34.20									
1983	26.00									
1984	26.00									
1985	27.00									
1986	34.40									
1987	35.50									
1988	35.70									
1989	22.80									
1990	21.90	33.00	42.00	23.50	249.52					
1991	20.70	37.00	50.69	23.50	247.42					
1992	24.60	35.06	50.59	12.21	339.77					
1993	31.40	31.21	42.86	12.24	279.04					
1994	36.60	32.16	42.44	12.20	192.09					
1995	29.10	37.32	38.04	23.82	262.69					
		45.69	69.54	22.60	130.06					

TABLE B-12
 SANTA MARGARITA RIVER WATERSHED
 MISCELLANEOUS WATER PRODUCTION AND IMPORTS

Quantities in Acre Feet

WATER YEAR	IMPORT		PRODUCTION												
	WESTERN MWD IMPORTS TO IMPROVEMENT DISTRICT A	ANZA MUTUAL WATER COMPANY	OUTDOOR RESORTS RANCHO CALIFORNIA	QUIET OAKS MOBILE HOME PARK	LAKE RIVERSIDE ESTATES	HAWTHORN WATER SYSTEM	JOJOBA HILLS SKP RESORT	COTTONWOOD ELEMENTARY	HAMILTON SCHOOLS						
1996	35.10	45.53	58.59	21.96	219.73										
1997	30.40	43.87	83.42	30.25	233.56										
1998	31.00	39.54	87.42	24.41	134.96										
1999	40.70	33.30	70.74	25.70	209.55										
2000	41.90	44.67	90.10	24.58	316.57				53.28						
2001	58.70	45.00	208.64	23.21	274.25				74.87						
2002	64.40	41.10	216.13	24.43	323.65			82.87	91.83						
2003	42.40	44.04	201.63	34.56	255.93			81.61	74.70						
2004	50.30	40.44	216.77	32.20	350.80			94.19	74.89						
2005	62.20	38.26	187.06	18.09	208.08			55.87	66.95						
2006	65.60	51.36	198.92	27.30	268.60			40.25	64.68						
2007	45.30	39.33	480.70	19.80	421.56			37.22	66.98						
2008	53.90	34.13	483.69	23.30	334.31			21.56	65.50						
2009	50.90	34.13	492.26	23.30	347.51			25.36	67.86					18.68	
2010	62.30	36.97	510.42	23.30	255.19			24.01	55.39					N/R	
2011	52.10	27.17	494.40	23.30	270.44			19.27	56.97					N/R	
2012	48.50	26.22	506.40	23.30	310.31			26.37	69.12					N/R	
2013	34.84	28.30	655.20	34.30	341.29			16.76	76.77					15.09	
2014	35.40	29.28	560.30	27.30	378.96			8.91	75.17					15.60	
2015	29.20	24.80	454.55	23.20	368.06			6.40	71.89					10.86	
2016	42.38	23.69	312.90	17.70	379.04			6.40	69.08					14.27	12.04

N/R -- Not reported.

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 2015-16

APPENDIX C
SUBSTANTIAL USERS OUTSIDE
ORGANIZED WATER SERVICE AREAS

January 2018

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNDWATER AREA								
1/ Vail Custodial Services and Vail Lake Rancho California	43425 Sage Road	917-050-007	82.19	Total				
	44175 Sage Road	917-050-009	309.74					
	Aguanga, CA 92536	581-070-013	43.10					
		581-070-015	2.73	of				
		581-070-016	157.21					
		581-150-013	120.56					
		581-150-016	25.37	30.00		Alfalfa	8S/1E-7N(1) 8S/1E-7N(2) 8S/1E-7Q(1) 8S/1E-7Q(2)	Total of 90.00
Val Verde Partners	43023 Hwy 79	583-040-022	93.78	Total		8S/1E-19Q(1)	0.00	
	Aguanga, CA 92536	583-040-021	13.45			8S/1E-19Q(2)	0.00	
	m/t 3579 Valley Center Dr	583-130-055	40.00	of	Pasture			
	San Diego, CA 92130	583-120-092	160.00					
		583-060-003	41.60	13.45			8S/1E-29L - Diversion	10.00
Zen-Kamata, LLC	42551 Hwy 79	583-020-006	9.54	0.00				
	Aguanga, CA 92536	583-020-010	9.00	0.00				
	m/t 2635 N. First St., Ste. 213	583-030-005	3.72	0.00				
	San Jose, CA 95134	583-040-002	1.04	0.00				
		583-040-024	23.48	0.00				
		583-040-025	23.12	0.00				
		583-040-026	23.16	0.00				
		583-040-027	22.64	0.00				
		583-040-028	25.52	0.00			8S/1E-19K	0.00
		583-040-029	19.89	0.00			8S/1E-19G4	0.00
						8S/1E-29L - Diversion	0.00	
1/ Lee, Chong Suk and Juyeon P.	43900 Highway 79	583-130-029	10.09	16.61	Row Crops,	8S/1E-29	53.50	
	Aguanga, CA 92536	583-130-030	11.64	Total	Grapes & Fruit			
	m/t 7720 Stenton Ave Ste. 310							
	Philadelphia, PA 19118							
Aguanga Properties, LLC (Twin Creek Ranch)	44375 Hwy 79	583-120-083	68.09	Total	Row Crops	8S/1E-28N1	Total	
	Aguanga, CA 92536					8S/1E-28N2		
	m/t 444 W Oceanside Blvd	583-120-090	132.82		Row Crops	8S/1E-29H		
	Ste. 1508	583-120-091	39.57		Row Crops			
	Long Beach, CA 90802						of	
		583-140-014	48.03		Row Crops	8S/1E-33F		
		583-140-015	40.00	of	Row Crops	8S/1E-33G1		
		583-140-016	40.00		Row Crops	8S/1E-33B	0.00	
		583-140-018	10.09					
		583-140-019	10.12					
	583-140-020	10.15						
	583-150-001	80.00	0.00	0.00	Row Crops			

Well No. in parentheses designated by Watermaster.

1/ Water Use Report Form not received for W Y 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
AGUANGA GROUNDWATER AREA (Cont.)								
Twin Legacy, LLC Yanik, Robert	41750 Highway 79 Aguanga, CA 92536	917-050-006	233.57	70.00	Row Crops	8S/1W-13Q1	Total of 689.60	
		917-170-003	80.81	38.00	Row Crops	8S/1W-13Q2		
		917-290-001	126.26	38.00	Row Crops			
		917-290-002	82.25	16.00	Compost			
The Harris Revocable Trust of 1988, Leslie K. Harris-Trustee	m/t 44700 Sage Rd-H Aguanga, CA 92536	581-160-025	18.10	17.00	Citrus & Grass	8S/1E-18J(1) 8S/1E-18J(2)	0.00 0.00	
		581-150-009	7.00	10.00	Fruit			
		581-160-015	7.42	6.00	Fruit			
		581-180-004	20.00	0.00				
		581-180-020	20.00	0.00		8S/1E-17M	22.80	
		581-180-021 581-180-022	2.15 30.00	0.00 0.00		8S/1E-17E	41.53	
Valley Wide Recreation & Parks Dist.	m/t 901 W Esplanade Ave San Jacinto, CA 92582	581-170-009	7.82	7.82	Grass	8S/1E-18H(1) 8S/1E-18H(2)	0.00 0.00	
1/ Wilson Creek Farms	44200 Sage Road Aguanga, CA 92536 m/t P. O. Box 347 Aguanga, CA 92536	581-170-012	190.40	40.00	Row Crops**	8S/1E-17B	380.00	
		581-170-013	99.63	50.00	Alfalfa	8S/1E-17H	5.50	
		581-180-005	2.76					
		581-180-009	120.00	20.00	Row Crops			
		581-190-013	280.00	20.00	Row Crops			
1/ Wilson Creek Development, LLC	44200 Sage Road Aguanga, CA 92536 m/t P. O. Box 2921 Hemet, CA 92546	581-190-014	40.00					
		581-070-002	160.00					
		581-070-005	640.00			8S/1E-9Q - Diversion		375.00
		581-100-013	80.00			8S/1E-10		
		581-100-019	30.00					
		581-100-020	10.00					
		581-100-022	20.00					
		581-100-038	9.53					
		581-100-039	9.23					
581-100-040	8.91							
** Plus riparian restoration.								
Zhang, Aiguo	m/t 39171 Trail Creek Lane Temecula, CA 92591	581-120-006	200.00	5.00	Vineyard	8S/1E-8K2	5.50	
TOTAL AGUANGA GROUNDWATER AREA				397.88			1,288.43	385.00

Well No. in parentheses designated by Watermaster.
 1/ Water Use Report Form not received for W Y 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
TEMECULA CREEK ABOVE AGUANGA GROUNDWATER AREA								
Agri-Empire, Inc.	m/t P. O. Box 490 San Jacinto, CA 92383							
CHIHUAHUA VALLEY		113-090-01*	377.07	0.00				
		113-090-03*	21.46	0.00				
		113-090-04*	43.96	0.00				
		113-090-05*	541.26	0.00				
		113-100-01*	389.81	0.00		9S/2E-11B - Diversion		0.00
		113-130-01*	150.09	0.00		9S/2E-17D - Spring		0.00
		113-140-01 **	358.62	0.00		9S/2E-16B(1)	0.00	
						9S/2E-16B(2)	0.00	
						9S/2E-16G	0.00	
		113-140-02 **	38.75	0.00				
		113-140-03	196.54	0.00		9S/2E-16N2	61	
		113-140-04*	503.24	0.00		9S/2E-16M	123.00	
		113-140-05*	45.09	0.00		9S/2E-16F1	25.00	
		113-140-06*	93.44	0.00		9S/2E-16N1	17.00	
						9S/2E-16F2	0.00	
						9S/2E-16K - Diversion		0.00
DODGE VALLEY		114-020-09	37.16	0.00				
		114-020-10*	20.30	0.00				
		114-020-11***	38.92	0.00				
		114-020-12**	108.78	0.00				
		114-030-07	93.38	0.00				
		114-030-33*	194.29	0.00		9S/2E-22	0.00	
		114-030-34	137.50	0.00				
		114-030-35*	13.32	0.00				
		114-030-36	29.55	0.00				
* Land leased from the State of California								
** Land leased from Arlie W. and Coral R. Bergman 37126 Hwy 79 Warner Springs, CA 92086								
*** Land leased from Choi Family Trust 11-05-03 2736 Rainbow Valley Blvd Fallbrook, CA 92028								
Hill Springs Farm, LLC	38642 Highway 79 Warner Springs, CA 92086 m/t P.O. Box 1946 Duarte, CA 91009	112-030-38 112-030-67 112-030-72 112-030-74 113-060-012	40.00 67.41 129.90 70.50 63.21	Total of 65.00		9S/1E-12A 9S/1E-1M - Diversion 9S/1E-1Q(1) 9S/1E-1Q(2) 9S/2E-7D 9S/2E-7E - Diversion	Domestic 0.00 71.50 9.00 	0.00 0.00
Lovingier Family Trust	35490 Highway 79 Warner Springs, CA 92086	114-070-07 114-070-27 114-070-28 114-070-34 114-080-14 114-080-13 114-120-042 114-120-24 114-091-03	76.42 19.15 19.15 167.94 42.51 21.30 78.41 20.00 42.80	Total of 169.95	Pasture 	9S/2E-27R1 9S/2E-27R2 9S/2E-27J 9S/2E-35D2 9S/2E-35D2	Total of 645.81 	
ABOVE AGUANGA GROUNDWATER AREA				234.95			952.31	0.00

Well No. in parentheses designated by Watermaster.
 1/ Water Use Report Form not received for WY 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA								
ANZA VALLEY								
1/ Greenwald Trust	55255 Mitchell Road Anza, CA 92539 m/t 640 S San Vicente Blvd Ste. 475 Los Angeles, CA 90048	573-180-001	156.38	0.00		7S/3E-17E	0.00	
Miller, Frank C. Grabowski-Miller, Jan	55520 Hwy 371 Anza, CA 92539	573-200-007 573-200-008 573-200-009	18.88 18.31 36.40	18.00 0.00 12.00	Row Crops Vetch/grain Grapes/Row Crops	7S/3E-17(M)	8.00	
	m/t 702 Sundance Drive Verona, WI 53593			26.00	Row Crops	7S/3E-17(N) 7S/3E-17(P) 7S/3E-17(1)	0.00 66.00 0.00	
Anza Development Corp	m/t 1907 James Gaynor St Fallbrook, CA 92028	573-200-004 573-200-005 573-200-006 573-200-010	18.24 18.50 18.89 18.68	0.00 0.00 0.00 0.00				
Agri-Empire, Inc.	P.O. Box 490 San Jacinto, CA 92383							
	Section 10	575-050-044	14.36	0.00				
	Section 11	575-060-002	133.93	0.00		7S/3E-11N4 7S/3E-11P3	0.00 0.00	
	Section 13	575-100-009 575-100-032 575-100-033 575-100-034 575-100-035 575-100-036 575-100-037 575-100-039 575-100-040 575-100-041 575-100-042	19.94 89.02 89.08 37.63 157.20 27.91 57.80 7.91 0.88 19.93 0.60	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00				
	Section 14	575-110-021 575-110-027 575-110-030 575-310-002 575-310-011 575-310-012 575-310-013 575-310-014 575-310-027 575-310-028	143.75 54.45 74.86 39.09 80.00 80.00 17.46 0.75 17.46 0.92	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00		7S/3E-14D1 7S/3E-14C2	0.00 0.00	
	Section 15	575-080-010 575-080-014 575-080-015 575-080-017 575-080-018 575-080-019 575-080-021 575-080-022 575-080-024 575-080-027 575-090-010	4.77 9.92 4.35 9.75 10.13 31.29 20.00 20.00 20.00 20.00 38.80	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	Total of			

Well No. in parentheses designated by Watermaster.

1/ Water Use Report Form not received for WY 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA								
ANZA VALLEY (Cont.)								
Agri-Empire, Inc. (Cont)	Section 17	573-180-011	39.74	0.00				
	Section 20	576-060-009	8.26	Total				
		576-060-031	16.09					
		576-060-033	79.45					
		576-060-038	5.41	of				
		576-070-003	80.00					
		576-070-005	116.57	0.00				
	Section 21	576-100-061	37.71	0.00				
		576-110-001	160.00	0.00		7S/3E-21P(1)	0.00	
						7S/3E-21P(2)	0.00	
		576-110-002	28.00	0.00				
		576-110-003	2.00	0.00				
		576-110-004	50.00	0.00				
		576-110-006	19.29	19.18				
		576-110-007	17.82	17.82				
		576-110-008	17.00	17.00		7S/3E-21R3	186.23	0.00
						7S/3E-21R(4)	0	
		576-110-009	18.41	0.00				
	Section 22	575-130-003	19.55	0.00				
		575-130-006	40.89	0.00				
		575-130-008	18.56	Total				
		575-130-009	20.06					
		575-130-010	20.07					
		575-130-011	19.19	of				
		575-130-012	18.18					
		575-130-013	19.02					
		575-130-014	19.00					
		575-130-015	17.58	0.00				
		575-120-012	88.03	0.00				
		575-120-018	20.45	0.00				
		575-120-019	20.45	0.00				
		575-120-032	4.69	0.00				
		575-120-033	4.69	0.00				
		575-120-034	4.68	0.00				
		575-120-035	4.28	0.00				
	Section 23	575-140-006	9.90	0.00				
		575-140-020	90.48	0.00				

Well No. in parentheses designated by Watermaster.

1/2 Water Use Report Form not received for WY 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT	
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA									
ANZA VALLEY (Cont.)									
Burnett, Gregory V.	36990 Bonita Vista Anza, CA 92539	573-040-009	Total	20.00					
		Through	of	0.00					
Thomas Mountain Ranch	m/t P. O. Box 391111 Anza, CA 92539	573-040-054	106.65	0.00					
		573-040-055	147.07			7S/3E-5	8.00		
		573-040-056	11.48						
		573-050-001	246.33						
<hr/>									
Cahuilla Indian Reservation	Domestic and Commercial Wells Reported by Bureau of Indian Affairs						Total		
	Wells in	Wells out of	Wells with QYAL and/or QTOAL						
	<u>Basement Complex</u>	<u>Watershed</u>							
	7S/2E-14L1	8S/3E-2A1	7S/2E-14J1	7S/2E-28Q1	7S/3E-31L				
	7S/2E-25D1	8S/3E-2B1	7S/2E-14M1	7S/2E-33C1	7S/3E-31L2				
	7S/2E-26B1	8S/3E-2D1	7S/2E-14M2	7S/2E-33E1	7S/3E-34E1				
	7S/2E-26B2	8S/3E-2E1	7S/2E-14R1	7S/2E-33N1	7S/3E-34N1				
	7S/2E-26B3	8S/3E-2G1	7S/2E-23A1	7S/3E-27C1	7S/3E-34Q1				
	7S/2E-34E1	8S/3E-2H1	7S/2E-23D1	7S/3E-27C2	8S/2E-4D1				
	7S/2E-36A1	8S/3E-2K1	7S/2E-23F1	7S/3E-27H1	8S/2E-4N1				
	7S/2E-36J1		7S/2E-23G1	7S/3E-27M1	8S/2E-4N2				
	7S/2E-36R1		7S/2E-23H1	7S/3E-28A1	8S/2E-4P1				
	7S/3E-26A1		7S/2E-23K1	7S/3E-28A2	8S/2E-4R1				
	7S/3E-29Q1		7S/2E-23M1	7S/3E-28D1	8S/2E-4R2				
	7S/3E-30H1		7S/2E-23P1	7S/3E-29C1	8S/3E-5Q1				
	7S/3E-31A1		7S/2E-23Q1	7S/3E-29M1	8S/3E-6J1				
	7S/3E-31N1		7S/2E-25C1	7S/3E-30P1					
	7S/3E-31Q1		7S/2E-25F1	7S/3E-30Q1					
	7S/3E-32D1		7S/2E-25R1	7S/3E-30R1					
	7S/3E-32D2		7S/2E-26E1	7S/3E-30R2					
	8S/3E-6B1		7S/2E-26L1	7S/3E-30R3					
	8S/3E-6B2		7S/2E-27A1	7S/3E-31C1					
	8S/3E-6G1		7S/2E-27H1	7S/3E-31F1					
	8S/3E-6R1		7S/2E-28N1						
					Domestic	50.00			
					Commercial	5.00			
					Stock Watering		5.60		
<hr/>									
SUBTOTAL ANZA VALLEY				130.00			323.23	5.60	
<hr/>									
WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA									
LEWIS VALLEY									
1/ Moon Mountain Farms, LLC Moon Valley Nursery (Green Shell Co)	39850 Hwy 79 Anza, CA 92539 m/t 19820 North 7th Street, #260 Phoenix, AZ 85024 m/t 1210 Rainbow Hills Rd Fallbrook, CA 92028	571-080-012	80.00	40.00	Olive Trees	7S/1E-20Q	44.00		
<hr/>									
SUBTOTAL LEWIS VALLEY				40.00			44.00	0.00	
<hr/>									
TOTAL WILSON CREEK ABOVE AGUANGA GROUNDWATER AREA				170.00			367.23	5.60	

Well No. in parentheses designated by Watermaster.
 1/ Water Use Report Form not received for W Y 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
MURRIETA-TEMECULA GROUNDWATER AREA								
Louidar	32320 La Serena Way Temecula, CA 92591	943-040-011 943-060-010 943-060-011	19.22 90.76 26.47	18.00 0.00 24.00	Citrus N/A Citrus	7S/2W-28L*	0.00	
	33820 Rancho California Rd. Temecula, CA 92591	943-110-009 943-120-014 943-120-024	4.31 17.71 32.08	3.00 15.00 25.00	Grapes Grapes Grapes			
	m/t PO Box 891510 Temecula, CA 92591	943-120-025 943-120-026 943-120-027 943-120-028 943-120-029 943-120-030 943-120-031 943-120-032 943-120-033	83.98 30.02 0.49 0.19 0.08 0.09 2.40 0.41 4.59	12.00	Grapes			
*Well is no longer in use								
Cavaletto, Selina J Et Al Lassalette Enterprise	c/o McMillan Farm Mgt. 29379 Rancho Cal. Rd, #201 Temecula, CA 92390	942-180-002 942-240-003 942-240-004 942-240-006	40.28 40.83 40.83 39.31	40.00 40.00 40.00 35.00	Citrus Citrus Citrus Citrus	7S/2W-26B1(1) 7S/2W-26B2(2)	147.00 147.00	
1/ Baida Birdie Trust (Mendoza, Bertha)	m/t 35853 Calle Nopal Temecula, CA 92592	917-240-019	54.13	0.00				
Giddings, Richard	38055 Highway 79 South Aguanga, CA	917-150-002	117.76	0.00				
1/ Dynamic Financial Corporation	38695 Highway 79 South Aguanga, CA m/t 853 E. Valley Boulevard, Suite 200 San Gabriel, CA 91776	917-240-015 917-150-006	20.00 120.00	0.00 110.00	Citrus	8S/1W-21K(1) 8S/1W-21K(2) 8S/1W-21P(1) 8S/1W-21P(2)	262.00 0.00 0.00 0.00	
Carter, James A 109 Acres Wild Horse Peak Vineyard Mountain Inc.	Highway 79 South Temecula, CA m/t 3719 South Plaza Drive Santa Ana, CA 92704	942-120-007 943-230-007 943-230-008 917-250-004 917-250-005 917-250-007	26.14 5.65 107.03 80.00 80.00 240.00	26.00 0.00 60.00 Total of 220.00	Grapes Grapes Grapes	7S/2W-26L 8S/1W-25Q(1) 8S/1W-25P(1) 8S/1W-25N(1) - Spring 3 8S/1W-36K - Spring 4 8S/1W-36H - Spring 6 8S/1W-36K(1) 8S/1W-36K(2) 8S/1W-36K(3) 8S/1W-36L - Stream Diversion	0.00 0.00 26.50 0.00 0.00 0.00 26.00 26.00 75.00 52.00	
Regency Properties Temecula Creek Golf	44051 Rainbow Cyn Rd. Temecula, CA 92592 m/t 533 Coast Blvd S. La Jolla, CA 92037	922-220-002 922-220-003 922-220-008 922-220-031 922-230-002 922-230-007 922-230-008	86.11 5.75 4.26 67.28 59.29 25.00 16.11	Total of 		8S/2W-19(D)	65.36	
Regency La Jolla		922-230-003 922-230-004	1.00 40.00	47.00	Grass			
* Portion of water purchased from RCWD for Water Year 2015-16.								
Carson, Carol J. Murrieta Six Cs LLC	25471 Hayes Ave Murrieta, CA 92562 m/t 42882 Ivy St. Murrieta, CA 92562	909-260-036 909-260-042	8.87 4.31	7.00 3.50	Pasture Pasture	7S/3W-29G	39.90	
TOTAL MURRIETA-TEMECULA GROUNDWATER AREA				725.50			814.76	52.00

Well No. in parentheses designated by Watermaster.
 1/Water Use Report Form not received for WY 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

SANTA MARGARITA RIVER WATERSHED
 SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT
SANTA MARGARITA RIVER BELOW GORGE DE LUZ CREEK								
Stehly Family Holdings, LLC	40922 DeLuz Road Fallbrook, CA 92028 m/t 13268 McNally Road Valley Center, CA 92082	101-271-28	45.01	10.00	Avocados and Citrus	8S/4W-29D(1) 8S/4W-29D(2)	1.00 16.00	
Prestinanzi, Pete and Dorothy N.	2525 E. Mission Road Fallbrook, CA 92028 m/t 22460 Bundy Canyon Road Wildomar, CA 92595	101-220-12 101-210-53	31.63 50.44	6.00 12.00	Pasture & Flowers Avocados and Citrus	8S/4W-20A(1) 8S/4W-20H(1) 8S/4W-20H(2) 8S/4W-20A - Diversion	16.00 16.00 14.00	0.00
Alfred Varela Sr. Family Living Trust Varela, Alfred	41125 DeLuz Road Fallbrook, CA 92028	101-210-11	15.23	8.50 0.50	Avocados Citrus	8S/4W-20Q(1) 8S/4W-20Q(2)	Total of 21.60	
1/ Lake Forest, LLC	41257 DeLuz Road Fallbrook, CA 92028 m/t 26051 Glen Canyon Dr. Laguna Hills, CA 92653	101-210-12	30.28	9.00 15.00 1.00	Avocados Citrus Row crops	8S/4W-20Q(1) 8S/4W-20Q(2) 8S/4W-20Q(3)	Total of 50.00	
Wagner Family Trust	41128 DeLuz Road Fallbrook, CA 92028	101-210-23 101-210-22	17.19 4.55	15.00 3.00	Avocados Persimmons	8S/4W-20P(1) 8S/4W-20P(2) 8S/4W-20P(3) 8S/4W-20P(4)	0.00 0.00 30.00 0.00	
Lee, Charles and Catherine	44952 Vista Del Mar Temecula, CA 92590	933-120-016 933-120-017 933-120-018 933-120-019 933-120-042	9.39 9.48 8.47 9.63 20.00	30.00 6.00 0.00 0.00 12.50	Avocados, Citrus and Macadamia Nuts Avocados	8S/4W-15L	0.00 **	
** All water purchased from RCWD for Water Year 2015-16								
Chambers Family, LLC	40888 DeLuz-Murrieta Road 38664 DeLuz Road Fallbrook, CA 92028 m/t Thomas Montllor 910 N. Pacific St., Apt. 38 Oceanside, CA 92054	101-571-03 102-130-42	41.72 54.37	25.00 28.00	Flowers Fruit	8S/4W-28A 9S/4W-9B(1) 9S/4W-9B(2) 9S/4W-9B(3) 8S/4W-28A - Diversion	25.00 * 30.00 1.00 30.00	7.00
* Portion of water purchased from FPUd for Water Year 2015-16								
Welburn Family Trust Welburn, Douglas and Sue	40787 DeLuz-Murrieta Rd. Fallbrook, CA 92028	101-571-19 101-571-20 101-571-21	4.01 4.00 14.28	4.00 4.00 5.50	Gourds Gourds Fruit Trees, Gourds and Avocados	8S/4W-28G1	40.00	
Poladian, Jacqueline Poladian, Abraham Bluebird Ranch	2193 Calle Rociada Fallbrook, CA m/t P. O. Box 1089 Fallbrook, CA 92088	101-312-01 101-312-02	82.29 58.17	42.00 45.00 5.00	Flowers Flowers Avocados	8S/4W-31L 8S/4W-31L - Diversion 8S/4W-31K(1) 8S/4W-31K(2) 8S/4W-31K(3)	Total of 162.18	31.48
1/ Norman and Deborah Vanginkel Trust	39452 DeLuz Road Fallbrook, CA 92028 m/t 21136 Trailside Drive Yorba Linda, CA 92887	101-312-03 102-052-04 102-731-02	80.00 22.04 4.26	8.00 17.00	Nursery Stock Avocados	8S/4W-31J(2) 8S/4W-31J(3) 8S/4W-31J(4) 8S/4W-31J(5)	11.00 0.00 38.00 0.00	
Ross Lake, LLC Rose, William and Joanne	39985 Daily Road Fallbrook, CA 92028	101-430-30 101-480-14 101-500-01	16.39 13.20 16.62	Total of 21.00	Avocados Limes Flowers	8S/4W-34- Lake Diversion	** 0.00	
** All water purchased from FPUd for Water Year 2015-16								
SUBTOTAL DELUZ CREEK				333.00			501.78	38.48

Well No. in parentheses designated by Watermaster.

1/Water Use Report Form not received for WY 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

APPENDIX C

**SANTA MARGARITA RIVER WATERSHED
SUBSTANTIAL USERS OUTSIDE ORGANIZED WATER SERVICE AREAS**

CURRENT OWNER	ADDRESS	ASSESSOR PARCEL NO.	PARCEL ACREAGE	ACRES IRRIGATED 2015-16	IRRIGATED CROP 2015-16	WELL/ DIVERSION LOCATION TWP/RNG/SEC	WELL PRODUCTION AC. FT	SURFACE DIVERSION AC. FT			
SANTA MARGARITA RIVER BELOW GORGE (Cont.) SANDIA CREEK											
Serafina Holdings, LLC	40376 Sandia Creek Fallbrook, CA 92028	101-360-40	126.32	25.00	Avocados	8S/4W-25P(1)	77.50				
				11.00	Grapes	8S/4W-25P(2)	41.13				
				30.00	Olives	8S/4W-25P(3)	81.20				
						8S/4W-25P - Diversion		0.00			
SUBTOTAL SANDIA CREEK				66.00			199.82	0.00			
SANTA MARGARITA RIVER											
San Diego State University Foundation	47981 Willow Glen Rd. Temecula, CA 92592 SDSU Foundation 5200 Campanile Dr. San Diego, CA 92182-4614	918-040-011 918-060-017	120.00 40.00	5.00 15.00	Citrus Avocados	8S/3W-33Q1 8S/3W-33Q(2) 8S/3W-33Q - Diversion	4.31 0.00	41.30			
SUBTOTAL SANTA MARGARITA RIVER				20.00			4.31	41.30			
TOTAL SANTA MARGARITA RIVER BELOW GORGE				419.00			705.91	79.78			
LOWER MURRIETA											
Ronnenberg Family Trust (Sage Ranch Nursery)	42522 E. Benton Rd. Aguanga, CA 92536 m/t c/o Cliff Ronnenberg 11292 Western Avenue Stanton, CA 90680	571-020-046 571-020-047 571-020-048 571-020-049 571-520-004 571-520-007 571-520-008 571-520-009 571-520-012 915-140-069 915-140-070 470-210-007 470-220-004	81.09 40.80 36.75 148.86 1.50 109.50 99.43 80.23 77.54 91.56 21.39 53.62 109.23	Total							
									7S/1E-7D	5.50	
									Olive trees	7S/1E-7E - Diversion	
EG High Desert Properties, LLC	39800 E. Benton Rd. Temecula, CA 92390 m/t 12881 Bradley Avenue Sylmar, CA 91342	915-120-045	37.45	10.00	Pasture	7S/1W-10R(1) 7S/1W-10R(2) 7S/1W-10R(3) 7S/1W-10R(4) 7S/1W-10R(5) 7S/1W-10R(6) 7S/1W-10R(7)	Total of 38.00 Domestic 0.00 0.00				
TOTAL LOWER MURRIETA				310.00			43.50	100.00			
GRAND TOTAL				2,257.33			4,172.14	622.38			
GRAND TOTAL Not including Cahuilla Indian Reservation				2,257.33			4,117.14	616.78			

Well No. in parentheses designated by W asterisk.
1/W aster Use Report Form not received for W Y 2015-16, indicated value for irrigated acreage, production, and surface diversion assumed to be the same as last year reported.

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 2015-16

APPENDIX D

WATER QUALITY DATA

January 2018

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Holiday Well 7S/3W-20C09	06/16/89	1300	775	122	39	100	2	178	66	372	40
	10/18/91	---	---	---	---	---	---	---	---	---	25
	11/15/91	---	---	---	---	---	---	---	---	---	26
	12/13/91	---	---	---	---	---	---	---	---	---	28
	01/10/92	---	---	---	---	---	---	---	---	---	27
	02/07/92	---	---	---	---	---	---	---	---	---	27
	05/01/92	---	---	---	---	---	---	---	---	---	32
	05/29/92	---	---	---	---	---	---	---	---	---	28
	08/21/92	---	---	---	---	---	---	---	---	---	27
	01/22/93	960	605	83	29	83	2	130	84	278	33
	10/15/93	---	---	---	---	---	---	---	---	---	32
	03/30/94	---	---	---	---	---	---	---	---	---	44
	06/22/94	---	---	---	---	---	---	---	---	---	35
	09/14/94	---	---	---	---	---	---	---	---	---	31
	12/07/94	---	---	---	---	---	---	---	---	---	30
	03/01/95	---	---	---	---	---	---	---	---	---	32
	06/21/95	---	---	---	---	---	---	---	---	---	11
	09/13/95	---	---	---	---	---	---	---	---	---	27
	12/06/95	---	---	---	---	---	---	---	---	---	26
	03/27/96	---	---	---	---	---	---	---	---	---	15
	06/06/96	---	---	---	---	---	---	---	---	---	24
	09/11/96	---	---	---	---	---	---	---	---	---	22
	11/08/96	---	---	---	---	---	---	---	---	---	55
	11/14/96	---	---	---	---	---	---	---	---	---	25
	12/05/96	---	---	---	---	---	---	---	---	---	24
	03/27/97	---	---	---	---	---	---	---	---	---	20
	06/18/97	---	---	---	---	---	---	---	---	---	21
	12/03/97	---	---	---	---	---	---	---	---	---	18
	03/25/98	---	---	---	---	---	---	---	---	---	21
	04/22/98	1090	680	89	29	85	1	150	76	290	22
	06/17/98	---	---	---	---	---	---	---	---	---	23
	10/01/98	---	---	---	---	---	---	---	---	---	25
	12/02/98	---	---	---	---	---	---	---	---	---	28
	02/24/99	---	---	---	---	---	---	---	---	---	33
	03/24/99	---	---	---	---	---	---	---	---	---	26
	09/09/99	---	---	---	---	---	---	---	---	---	36
	12/03/99	---	---	---	---	---	---	---	---	---	32
	07/12/00	---	---	---	---	---	---	---	---	---	21
	08/04/00	1290	790	110	36	99	---	180	110	320	21
	10/24/01	---	---	---	---	---	---	---	---	---	17
03/06/02	---	---	---	---	---	---	---	---	---	15	
07/11/02	---	780	---	---	---	---	---	---	310	---	
10/03/03	---	800	113	---	---	---	---	---	332	---	
04/21/04	---	---	---	---	---	---	---	---	---	11	
01/27/05	---	980	160	47	---	---	---	---	440	---	
03/30/05	---	---	---	---	---	---	---	---	---	35	
01/26/06	1700	1000	160	48	130	1.6	240	130	---	46	
01/30/06	---	---	---	---	---	---	---	---	---	49	

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
House Well 7S/3W-20G06	06/16/89	660	345	34	3	95	2	87	60	153	<1
	02/27/91	770	---	---	---	---	---	110	65	168	<1
	03/01/91	730	---	---	---	---	---	110	---	---	<1
	03/08/91	680	420	42	5	90	2	110	68	122	<1
	05/10/91	750	---	---	---	---	---	---	---	---	<1
	10/11/91	---	---	---	---	---	---	---	---	---	<1
	11/08/91	---	---	---	---	---	---	---	---	---	<1
	05/22/92	---	---	---	---	---	---	---	---	---	<1
	08/14/92	---	---	---	---	---	---	---	---	---	<1
	01/22/93	720	415	40	5	106	2	100	68	168	<1
	09/07/94	---	---	---	---	---	---	---	---	---	<1
	12/27/95	---	---	---	---	---	---	---	---	---	<1
	03/22/95	---	---	---	---	---	---	---	---	---	<1
	06/14/95	---	---	---	---	---	---	---	---	---	<1
	09/06/95	---	---	---	---	---	---	---	---	---	<1
	12/27/95	---	---	---	---	---	---	---	---	---	<1
	03/20/96	---	---	---	---	---	---	---	---	---	<2
	06/12/96	---	---	---	---	---	---	---	---	---	<2
	09/04/96	---	---	---	---	---	---	---	---	---	<2
	12/26/96	---	---	---	---	---	---	---	---	---	<2
	03/19/97	---	---	---	---	---	---	---	---	---	<2
	06/12/97	---	---	---	---	---	---	---	---	---	<2
	12/30/97	---	---	---	---	---	---	---	---	---	<2
	03/18/98	---	---	---	---	---	---	---	---	---	<2
	04/15/98	660	360	30	3	94	1	91	62	130	<2
	06/10/98	---	---	---	---	---	---	---	---	---	<2
	10/01/98	---	---	---	---	---	---	---	---	---	<2
	12/23/98	---	---	---	---	---	---	---	---	---	<2
	02/17/99	---	---	---	---	---	---	---	---	---	<2
	03/17/99	---	---	---	---	---	---	---	---	---	<2
06/09/99	---	---	---	---	---	---	---	---	---	<2	
09/01/99	---	---	---	---	---	---	---	---	---	<2	
12/22/99	---	---	---	---	---	---	---	---	---	ND	
03/15/00	640	370	29	3	92	2	82	61	130	<2	
06/07/00	---	---	---	---	---	---	---	---	---	<2	
09/27/00	---	---	---	---	---	---	---	---	---	<2	
10/24/01	---	---	---	---	---	---	---	---	---	<2	
03/06/02	---	---	---	---	---	---	---	---	---	<2	
07/11/02	---	440	---	---	---	---	---	---	170	---	
10/03/03	630	380	34	3	103	---	87	---	140	ND	
04/21/04	---	---	---	---	---	---	---	---	---	<2	
South Well 7S/3W-20D	09/07/90	690	405	62	17	68	2	83	56	229	4
	10/04/91	---	---	---	---	---	---	---	---	---	2
	11/01/91	---	---	---	---	---	---	---	---	---	3
	11/26/91	---	---	---	---	---	---	---	---	---	2
	05/15/92	---	---	---	---	---	---	---	---	---	<1
	10/01/93	---	---	---	---	---	---	---	---	---	2
	09/28/94	---	---	---	---	---	---	---	---	---	1
	12/21/94	---	---	---	---	---	---	---	---	---	3
03/15/95	---	---	---	---	---	---	---	---	---	2	

ND - None Detected

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
South Well 7S/3W-20D (Cont)	06/07/95	---	---	---	---	---	---	---	---	---	---	2
	09/27/95	---	---	---	---	---	---	---	---	---	---	2
	12/20/95	---	---	---	---	---	---	---	---	---	---	3
	03/13/96	---	---	---	---	---	---	---	---	---	---	2
	06/15/96	---	---	---	---	---	---	---	---	---	---	3
	09/25/96	---	---	---	---	---	---	---	---	---	---	3
	12/18/96	---	---	---	---	---	---	---	---	---	---	3
	04/09/97	---	---	---	---	---	---	---	---	---	---	2
	06/04/97	---	---	---	---	---	---	---	---	---	---	2
	03/11/98	---	---	---	---	---	---	---	---	---	---	<2
	04/08/98	---	820	500	73	18	67	2	92	73	250	3
	06/03/98	---	---	---	---	---	---	---	---	---	---	3
	10/01/98	---	---	---	---	---	---	---	---	---	---	3
	12/16/98	---	---	---	---	---	---	---	---	---	---	2
	03/10/98	---	---	---	---	---	---	---	---	---	---	2
	06/09/99	---	---	---	---	---	---	---	---	---	---	2
	09/22/99	---	---	---	---	---	---	---	---	---	---	<2
	12/15/99	---	---	---	---	---	---	---	---	---	---	ND
	02/09/00	---	810	460	55	14	84	1	99	63	210	<2
	05/03/00	---	---	---	---	---	---	---	---	---	---	<2
	08/04/00	---	780	440	47	9	100	---	99	48	210	<2
	08/23/00	---	---	---	---	---	---	---	---	---	---	<2
	10/24/01	---	---	---	---	---	---	---	---	---	---	<2
	03/20/02	---	---	---	---	---	---	---	---	---	---	4
	07/11/02	---	---	460	---	---	---	---	---	---	180	---
	10/03/03	---	---	460	59	---	---	---	---	---	207	---
	04/21/04	---	---	---	---	---	---	---	---	---	---	<2
	01/27/05	---	---	610	110	28	---	---	---	---	300	---
	03/30/05	---	---	---	---	---	---	---	---	---	---	5
	01/26/06	---	800	440	42	9.1	110	1.2	120	65	---	1.2
	04/12/06	---	---	---	---	---	---	---	---	---	---	6.1
	05/10/06	---	---	---	---	---	---	---	---	---	---	1.6
	06/14/06	---	---	---	---	---	---	---	---	---	---	1.4
07/12/06	---	---	---	---	---	---	---	---	---	---	<1	
08/09/06	---	---	---	---	---	---	---	---	---	---	1.4	
09/13/06	---	---	---	---	---	---	---	---	---	---	1.5	
10/11/06	---	---	---	---	---	---	---	---	---	---	1.4	
11/08/06	---	---	---	---	---	---	---	---	---	---	1.3	
12/13/06	---	---	---	---	---	---	---	---	---	---	1.3	
01/10/07	---	---	---	---	---	---	---	---	---	---	1.4	
02/13/07	---	---	---	---	---	---	---	---	---	---	5.3	
03/14/07	---	---	---	---	---	---	---	---	---	---	1.2	
04/11/07	---	---	---	---	---	---	---	---	---	---	<2	
05/09/07	---	---	---	---	---	---	---	---	---	---	<2	
06/13/07	---	---	---	---	---	---	---	---	---	---	1.2	
07/11/07	---	---	---	---	---	---	---	---	---	---	4.7	
08/15/07	---	800	480	40	8.5	100	<1	110	61	200	1.1	
09/12/07	---	---	---	---	---	---	---	---	---	---	5.6	
11/14/07	---	---	---	---	---	---	---	---	---	---	1.4	
12/04/07	---	---	---	---	---	---	---	---	---	---	1.2	
01/24/08	---	---	---	---	---	---	---	---	---	---	4.6	

ND - None Detected

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l									
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3		
South Well 7S/3W-20D (Cont)	03/26/08	---	---	---	---	---	---	---	---	---	---	3.9	
	04/23/08	---	---	---	---	---	---	---	---	---	---	4.1	
	06/09/08	---	---	---	---	---	---	---	---	---	---	4.1	
	07/14/08	---	---	---	---	---	---	---	---	---	---	5.1	
	09/08/08	---	---	---	---	---	---	---	---	---	---	4.9	
	01/19/09	---	---	---	---	---	---	---	---	---	---	6.7	
	11/13/09	1300	820	120	34	110	1.8	200	140	320	---	---	
	11/17/09	---	---	---	---	---	---	---	---	---	---	5.8	
	11/09/11	---	---	---	---	---	---	---	---	---	---	1.6	
	01/26/12	---	---	---	---	---	---	---	---	---	---	1.5	
	North Well 7S/3W-18J02	06/16/89	730	390	40	7	98	2	98	45	201	---	<1
10/25/91		---	---	---	---	---	---	---	---	---	---	<1	
11/22/91		---	---	---	---	---	---	---	---	---	---	<1	
05/08/92		---	---	---	---	---	---	---	---	---	---	<1	
08/28/92		---	---	---	---	---	---	---	---	---	---	<1	
01/22/93		680	405	39	8	99	2	100	51	183	---	<1	
10/22/93		---	---	---	---	---	---	---	---	---	---	<1	
07/08/94		810	520	---	---	87	---	130	53	---	---	<1	
09/21/94		---	---	---	---	---	---	---	---	---	---	<1	
12/14/94		---	---	---	---	---	---	---	---	---	---	<1	
03/08/95		---	---	---	---	---	---	---	---	---	---	<1	
06/28/95		---	---	---	---	---	---	---	---	---	---	<1	
09/20/95		---	---	---	---	---	---	---	---	---	---	<1	
12/13/95		---	---	---	---	---	---	---	---	---	---	<1	
03/06/96		---	---	---	---	---	---	---	---	---	---	<2	
06/26/96		---	---	---	---	---	---	---	---	---	---	<2	
09/18/96		---	---	---	---	---	---	---	---	---	---	<2	
12/11/96		---	---	---	---	---	---	---	---	---	---	<2	
06/25/97		---	---	---	---	---	---	---	---	---	---	<2	
07/08/98		760	460	49	9	100	2	110	51	220	---	<2	
10/01/98		---	---	---	---	---	---	---	---	---	---	---	<2
12/09/98		---	---	---	---	---	---	---	---	---	---	---	<2
02/03/99		---	---	---	---	---	---	---	---	---	---	---	<2
03/03/99		---	---	---	---	---	---	---	---	---	---	---	<2
06/23/99		---	---	---	---	---	---	---	---	---	---	---	<2
09/22/99		---	---	---	---	---	---	---	---	---	---	---	<2
12/08/99		---	---	---	---	---	---	---	---	---	---	---	<2
01/05/00		780	440	47	9	100	---	99	48	210	---	<2	
05/03/00		---	---	---	---	---	---	---	---	---	---	---	<2
07/19/00		---	---	---	---	---	---	---	---	---	---	---	<2
10/24/01		---	---	---	---	---	---	---	---	---	---	---	<2
03/06/02		---	---	---	---	---	---	---	---	---	---	---	<2
07/11/02		---	420	---	---	---	---	---	---	---	180	---	---
10/03/03	---	440	53	---	---	---	---	---	---	---	---	---	
04/21/04	---	---	---	---	---	---	---	---	---	---	---	<2	
01/27/05	---	440	59	10	---	---	---	---	---	230	---	---	
03/30/05	---	---	---	---	---	---	---	---	---	---	---	<2	
01/26/06	820	450	60	11	96	2	120	52	---	---	---	1	
05/10/06	---	---	---	---	---	---	---	---	---	---	---	<1	
07/19/06	---	---	---	---	---	---	---	---	---	---	---	<1	
08/16/06	---	---	---	---	---	---	---	---	---	---	---	<1	
09/20/06	---	---	---	---	---	---	---	---	---	---	---	<1	

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
North Well 7S/3W-18J02 (Cont)	10/18/06	---	---	---	---	---	---	---	---	---	<1	
	11/15/06	---	---	---	---	---	---	---	---	---	<1	
	01/17/07	---	---	---	---	---	---	---	---	---	<1	
	02/21/07	---	---	---	---	---	---	---	---	---	<2	
	03/21/07	---	---	---	---	---	---	---	---	---	<2	
	04/18/07	---	---	---	---	---	---	---	---	---	<2	
	05/16/07	---	---	---	---	---	---	---	---	---	<2	
	07/23/07	---	---	500	---	---	---	---	---	---	---	---
	07/26/07	---	---	540	---	---	---	---	---	---	---	---
	08/15/07	830	---	520	59	11	89	1.2	110	54	230	<2
	09/19/07	---	---	---	---	---	---	---	---	---	---	<2
	12/04/07	---	---	---	---	---	---	---	---	---	---	1.5
	01/24/08	---	---	---	---	---	---	---	---	---	---	1.8
	03/26/08	---	---	---	---	---	---	---	---	---	---	2.5
	04/23/08	---	---	---	---	---	---	---	---	---	---	2.0
	05/19/08	---	---	---	---	---	---	---	---	---	---	2.2
	06/16/08	---	---	---	---	---	---	---	---	---	---	2.1
	07/21/08	---	---	---	---	---	---	---	---	---	---	<2
	09/15/08	---	---	---	---	---	---	---	---	---	---	2.0
	01/19/09	---	---	---	---	---	---	---	---	---	---	1
	02/23/09	---	---	---	---	---	---	---	---	---	---	<2
	03/16/09	---	---	---	---	---	---	---	---	---	---	<2
	04/20/09	---	---	---	---	---	---	---	---	---	---	<2
	05/18/09	---	---	---	---	---	---	---	---	---	---	<2
	06/02/09	830	---	470	54	11	92	1.6	100	54	230	<2
	06/08/09	830	---	410	57	10	89	1.6	110	54	230	<2
	06/15/09	---	---	---	---	---	---	---	---	---	---	<1
	07/07/09	870	---	490	51	10	87	1.5	110	56	220	---
	07/20/09	830	---	460	54	10	90	1.7	110	52	220	<2
	08/03/09	820	---	480	49	9	82	1.4	120	49	220	<2
	08/25/09	---	---	---	---	---	---	---	---	---	---	1.2
	09/08/09	800	---	460	55	11	97	1.7	120	52	220	<2
	09/21/09	---	---	---	---	---	---	---	---	---	---	1.1
	10/05/09	780	---	470	55	11	97	1.8	110	53	220	<2
	10/19/09	---	---	---	---	---	---	---	---	---	---	<2
	11/02/09	790	---	470	55	11	91	1.7	110	53	220	<2
	11/16/09	---	---	---	---	---	---	---	---	---	---	<2
	12/07/09	810	---	480	56	11	94	1.8	110	52	220	<1
	12/21/09	---	---	---	---	---	---	---	---	---	---	<2
	01/04/10	810	---	470	57	11	91	1.7	110	52	220	<2
01/18/10	---	---	---	---	---	---	---	---	---	---	<2	
02/01/10	860	---	460	59	13	87	1.7	110	54	240	1.2	
02/17/10	---	---	---	---	---	---	---	---	---	---	1.1	
03/01/10	810	---	460	56	11	88	1.7	110	55	220	<2	
03/15/10	---	---	---	---	---	---	---	---	---	---	<2	
04/07/10	820	---	450	56	11	92	1.5	110	52	220	<2	
04/19/10	---	---	---	---	---	---	---	---	---	---	<2	
05/03/10	810	---	450	57	11	92	1.5	110	52	220	<2	
05/17/10	---	---	---	---	---	---	---	---	---	---	1.1	
06/01/10	820	---	520	52	11	90	1.9	100	50	220	<2	
06/21/10	---	---	---	---	---	---	---	---	---	---	<2	

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
North Well	07/19/10	---	---	---	---	---	---	---	---	---	---	<2
7S/3W-18J02	08/02/10	830	470	52	10	88	1.7	100	47	220	<2	
(Cont)	08/16/10	---	---	---	---	---	---	---	---	---	<2	
	11/17/10	830	510	51	20	78	3.6	94	160	120	<2	
	02/01/11	860	480	59	12	95	1.7	110	54	220	<2	
	04/04/11	800	460	53	11	93	1.6	110	52	210	<2	
	04/18/11	---	---	---	---	---	---	---	---	---	<2	
	06/21/11	---	---	---	---	---	---	---	---	---	<2	
	07/18/11	---	---	---	---	---	---	---	---	---	<1.0	
	08/16/11	---	---	---	---	---	---	---	---	---	<1.0	
	09/19/11	---	---	---	---	---	---	---	---	---	<1.0	
	10/03/11	770	470	55	11	97	1.9	110	54	210	<1.0	
	10/17/11	---	---	---	---	---	---	---	---	---	<1.0	
	11/02/11	820	440	55	11	92	1.8	110	54	200	<1.0	
	11/15/11	---	---	---	---	---	---	---	---	---	1.1	
	12/06/11	820	510	52	10	95	1.6	120	55	200	1.0	
	12/19/11	---	---	---	---	---	---	---	---	---	1.1	
	12/28/11	820	440	53	11	93	1.8	110	54	200	<1.0	
	01/04/12	810	480	53	10	94	1.7	110	57	200	<1.0	
	01/16/12	---	---	---	---	---	---	---	---	---	<1.0	
	02/01/12	830	510	57	11	93	2.1	120	58	220	<1.0	
	02/06/12	---	---	---	---	---	---	---	---	---	<1.0	
	02/15/12	810	450	52	10	88	1.7	120	55	210	<1.0	
	03/01/12	760	460	62	13	87	1.8	120	57	230	1.0	
	03/19/12	---	---	---	---	---	---	---	---	---	<1.0	
	04/16/12	---	---	---	---	---	---	---	---	---	1.1	
	04/17/12	---	---	---	---	---	---	---	---	---	1.2	
	05/02/12	800	460	52	11	96	1.8	120	61	210	<1.0	
	05/14/12	---	---	---	---	---	---	---	---	---	<1.0	
	06/04/12	820	460	50	10	92	1.8	88	110	200	1.2	
	06/19/12	---	---	---	---	---	---	---	---	---	<1.0	
	07/02/12	830	510	54	11	93	1.7	120	55	210	1.0	
	07/17/12	---	---	---	---	---	---	---	---	---	<1.0	
	07/25/12	---	---	---	---	---	---	---	---	---	<1.0	
	08/01/12	830	470	56	11	98	1.7	110	54	210	<1.0	
	08/13/12	---	---	---	---	---	---	---	---	---	<1.0	
	09/10/12	830	440	52	10	96	1.9	110	54	210	<1.0	
	09/17/12	---	---	---	---	---	---	---	---	---	<1.0	
	10/01/12	850	480	52	10	94	1.6	110	53	210	<1.0	
	10/15/12	---	---	---	---	---	---	---	---	---	<1.0	
	11/05/12	830	450	57	12	94	1.7	120	56	220	<1.0	
	11/19/12	---	---	---	---	---	---	---	---	---	<1.0	
	11/27/12	---	460	---	---	---	---	---	---	---	---	
	12/04/12	870	480	61	12	94	1.5	120	61	230	1.1	
	12/17/12	---	---	---	---	---	---	---	---	---	1.1	
	01/07/13	860	510	63	13	98	1.7	110	58	220	<1.0	
	01/21/13	---	---	---	---	---	---	---	---	---	<1.0	
	02/05/13	860	490	60	12	92	2.1	120	61	230	<1.0	
	02/19/13	---	---	---	---	---	---	---	---	---	<1.0	
	03/04/13	850	520	63	12	96	1.6	120	61	230	<1.0	
	03/18/13	---	---	---	---	---	---	---	---	---	<1.0	
	04/16/13	---	---	---	---	---	---	---	---	---	<1.0	
	05/06/13	870	470	61	13	90	1.6	120	60	230	<1.0	

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
North Well	05/20/13	---	---	---	---	---	---	---	---	---	<1.0
7S/3W-18J02	06/04/13	990	470	63	12	98	1.8	120	61	230	<1.0
(Cont)	06/17/13	---	---	---	---	---	---	---	---	---	<1.0
	07/01/13	870	470	64	13	98	1.7	110	58	230	<1.0
	07/15/13	---	---	---	---	---	---	---	---	---	<1.0
	08/01/13	880	510	61	12	98	1.6	120	62	230	1.0
	08/19/13	---	---	---	---	---	---	---	---	---	<1.0
	09/04/13	850	480	61	12	94	1.4	120	58	230	<1.0
	09/16/13	---	---	---	---	---	---	---	---	---	<1.0
	10/01/13	860	470	60	12	94	1.6	110	59	220	<1.0
	10/14/13	---	---	---	---	---	---	---	---	---	<1.0
	11/04/13	860	480	58	11	95	1.7	130	61	230	<1.0
	11/18/13	---	---	---	---	---	---	---	---	---	1.1
	12/02/13	880	490	65	13	99	1.8	120	60	230	1.4
	12/16/13	---	---	---	---	---	---	---	---	---	<1.0
	01/07/14	860	450	62	12	98	1.7	110	55	220	<1.0
	01/21/14	---	---	---	---	---	---	---	---	---	<1.0
	02/10/14	800	470	65	13	100	1.7	120	62	230	1.1
	02/18/14	---	---	---	---	---	---	---	---	---	1.2
	03/17/14	---	---	---	---	---	---	---	---	---	1.0
	04/01/14	820	480	59	11	99	1.6	120	64	230	<1.0
	04/14/14	---	---	---	---	---	---	---	---	---	<1.0
	06/09/14	---	---	---	---	---	---	---	---	---	<1.0
	06/16/14	880	490	65	13	100	1.7	120	60	240	1.2
	07/07/14	860	500	64	13	98	1.6	120	59	230	1.2
	07/14/14	---	---	---	---	---	---	---	---	---	<1.0
	08/04/14	890	---	64	13	100	1.7	120	61	230	1.3
	08/18/14	---	---	---	---	---	---	---	---	---	1.6
	11/03/14	---	---	---	---	---	---	---	---	---	<2.0
	11/10/14	---	---	---	---	---	---	---	---	---	<1.0
	03/03/15	960	520	67	13	100	1.9	120	63	230	<1.0
	03/03/15	---	480	---	---	---	---	---	---	---	---
	03/10/15	---	---	---	---	---	---	---	---	---	<2.0
	04/14/15	---	---	---	---	---	---	---	---	---	<2.0
	07/13/15	---	---	---	---	---	---	---	---	---	<2.0
	07/20/15	---	---	---	---	---	---	---	---	---	<2.0
	08/10/15	880	540	63	13	94	1.6	130	64	240	<2.0
	07/20/15	---	---	---	---	---	---	---	---	---	<2.0
	10/13/15	880	440	---	---	---	---	120	62	230	ND
	11/10/15	890	520	69	14	100	1.7	130	68	230	<2.0
	12/08/15	880	500	64	13	95	1.6	120	60	240	ND
	01/21/16	900	490	66	13	95	1.7	120	62	230	0.22 as N
	04/12/16	930	520	65	13	99	1.5	130	64	230	ND
	05/10/16	870	530	65	13	100	1.5	130	66	230	0.24 as N
	08/08/16	940	510	67	13	98	1.6	120	63	230	0.20 as N

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
New Clay Well 7S/3W-20	03/09/04	480	340	23	1	87	1	79	64	98	<2
	01/26/06	590	310	20	1.2	93	1.2	85	57	---	<1
	01/31/06	---	---	---	---	---	---	---	---	---	7.2
	01/31/06	---	---	---	---	---	---	---	---	---	6.9
	04/04/06	---	---	---	---	---	---	---	---	---	<1
	04/12/06	---	---	---	---	---	---	---	---	---	<1
	05/10/06	---	---	---	---	---	---	---	---	---	<1
	06/07/06	---	---	---	---	---	---	---	---	---	<1
	07/05/06	---	---	---	---	---	---	---	---	---	<1
	08/02/06	---	---	---	---	---	---	---	---	---	<1
	09/06/06	---	---	---	---	---	---	---	---	---	<1
	10/04/06	---	---	---	---	---	---	---	---	---	<1
	11/01/06	---	---	---	---	---	---	---	---	---	<1
	12/06/06	---	---	---	---	---	---	---	---	---	<1
	01/04/07	---	---	---	---	---	---	---	---	---	<1
	02/07/07	---	---	---	---	---	---	---	---	---	<1
	03/07/07	---	---	---	---	---	---	---	---	---	<2
	04/04/07	---	---	---	---	---	---	---	---	---	<2
	05/02/07	---	---	---	---	---	---	---	---	---	<2
	06/06/07	---	---	---	---	---	---	---	---	---	<2
	07/05/07	---	---	---	---	---	---	---	---	---	<2
	08/01/07	---	---	---	---	---	---	---	---	---	<2
	08/15/07	510	270	13	<1	91	1	65	50	83	<2
	09/05/07	---	---	---	---	---	---	---	---	---	<2
	12/04/07	---	---	---	---	---	---	---	---	---	<2
	03/26/08	---	---	---	---	---	---	---	---	---	<1
	04/23/08	---	---	---	---	---	---	---	---	---	<1
	05/05/08	---	---	---	---	---	---	---	---	---	<1
	06/02/08	---	---	---	---	---	---	---	---	---	<1
	07/07/08	---	---	---	---	---	---	---	---	---	<1
	09/02/08	---	---	---	---	---	---	---	---	---	<2
	01/19/09	---	---	---	---	---	---	---	---	---	<2
	11/13/09	630	350	25	4.7	97	1.5	84	76	110	---
	11/17/09	---	---	---	---	---	---	---	---	---	<2
	08/25/11	700	380	30	2.7	110	1.8	97	62	150	<1.0
	05/21/12	---	---	---	---	---	---	---	---	---	<0.20
	06/01/12	590	340	19	<1.0	93	1.4	83	56	110	<1.0
	10/04/12	600	340	20	<1.0	96	1.1	84	55	110	<1.0
	11/05/12	560	320	18	<1.0	93	1.1	82	60	100	<1.0
	11/14/12	---	---	---	---	---	---	---	---	---	<1.0
12/04/12	550	340	16	<1.0	91	<1.0	74	58	96	<1.0	
12/10/12	---	---	---	---	---	---	---	---	---	<1.0	
01/07/13	560	340	19	<1.0	96	1.1	78	57	93	<1.0	
01/14/13	---	---	---	---	---	---	---	---	---	<1.0	
02/05/13	540	300	17	<1.0	85	2.0	75	57	98	<1.0	
02/11/13	---	---	---	---	---	---	---	---	---	<1.0	
03/04/13	590	300	19	<1.0	98	<1.0	82	58	150	<1.0	
03/11/13	---	---	---	---	---	---	---	---	---	<1.0	
04/09/13	520	280	18	<1.0	91	1.0	74	56	80	<1.0	
05/05/14	610	340	23	<1.0	93	1.3	84	60	100	<1.0	
05/12/14	---	---	---	---	---	---	---	---	---	<1.0	
05/28/14	---	---	23	<1.0	100	1.3	---	---	---	---	
06/02/14	580	340	22	<1.0	94	1.1	81	58	100	<1.0	
06/16/14	---	---	---	---	---	---	---	---	---	<1.0	
07/07/14	560	310	21	<1.0	94	1.2	80	56	94	<1.0	
08/11/14	---	---	---	---	---	---	---	---	---	<1.0	
08/11/14	560	270	21	<1.0	92	1.2	81	62	98	<1.0	
11/03/14	580	360	20	<1.0	95	1.2	82	59	95	<1.0	

TABLE D-3

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

**WELLS SAMPLED BY WESTERN MUNICIPAL WATER DISTRICT
MURRIETA DIVISION**

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
New Clay Well 7S/3W-20 (Cont)	12/01/14	---	---	---	---	---	---	---	---	---	---	<1.0
	01/06/15	---	---	---	---	---	---	---	---	---	---	<1.0
	02/03/15	---	---	---	---	---	---	---	---	---	---	<1.0
	03/03/15	---	---	---	---	---	---	---	---	---	---	<1.0
	04/07/15	---	---	---	---	---	---	---	---	---	---	<2.0
	05/05/15	---	---	---	---	---	---	---	---	---	---	<2.0
	06/15/15	---	---	---	---	---	---	---	---	---	---	<1.0
	07/06/15	---	---	---	---	---	---	---	---	---	---	<2.0
	09/01/15	---	---	---	---	---	---	---	---	---	---	<2.0
	10/06/15	600	310	20	<1.0	96	<1.0	85	59	100	---	<2.0
	11/03/15	590	360	20	ND	97	ND	87	61	96	---	ND
	12/01/15	580	340	20	ND	100	1.1	83	56	94	---	ND
	01/07/16	620	440	18	<1.0	95	1.0	86	60	90	---	<0.20 as N
	02/09/16	880	540	69	14	99	1.7	120	61	230	---	<0.20 as N
	09/15/16	590	320	18	ND	97	ND	78	55	87	---	ND
Lynch Well 7S/3W-17R02	06/16/89	760	410	70	17	55	1	86	30	262	---	8
Morris Well 7S/3W-19R	09/07/90	530	280	38	7	68	3	50	49	168	---	3
Alson Well 7S/3W-7M	06/06/90	1520	915	138	46	110	1	250	81	433	---	31
	07/21/98	1260	880	100	37	120	<1	180	92	330	---	23
	09/09/98	1200	850	110	39	120	<1	180	100	320	---	23
	05/03/00	---	---	---	---	---	---	---	---	---	---	20
	05/19/00	1290	800	97	36	110	<1	180	96	330	---	19
	11/28/01	1290	750	93	33	110	<1	180	96	310	---	17
	03/06/02	---	---	---	---	---	---	---	---	---	---	20
	07/01/02	---	650	---	---	---	---	---	---	270	---	---
	10/03/03	880	550	80	26	95	---	ND	ND	259	---	ND
	01/27/05	1100	640	100	32	110	---	150	81	320	---	---
	01/26/06	1500	870	120	41	120	1.2	230	120	---	---	18
	04/12/06	---	---	---	---	---	---	---	---	---	---	19
	05/10/06	---	---	---	---	---	---	---	---	---	---	18
	06/28/06	---	---	---	---	---	---	---	---	---	---	20
	07/26/06	---	---	---	---	---	---	---	---	---	---	20
	08/23/06	---	---	---	---	---	---	---	---	---	---	18
	09/27/06	---	---	---	---	---	---	---	---	---	---	21
	10/25/06	---	---	---	---	---	---	---	---	---	---	22
	11/22/06	---	---	---	---	---	---	---	---	---	---	22
	12/27/06	---	---	---	---	---	---	---	---	---	---	21
01/24/07	---	---	---	---	---	---	---	---	---	---	22	
02/28/07	---	---	---	---	---	---	---	---	---	---	22	
03/29/07	---	---	---	---	---	---	---	---	---	---	23	
04/25/07	---	---	---	---	---	---	---	---	---	---	19	

ND - None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 101 7S/3W-34G1	06/01/88	810	495	76.0	15.0	79.0	8.0	116.0	16.0	314.0	---
	08/05/88	---	---	---	---	---	---	---	---	---	<1
	05/23/90	630	365	30.0	6.0	91.0	2.0	101.0	35.0	107.0	3.0
	08/04/93	860	465	76.0	14.0	78.0	2.0	120.0	22.0	275.0	<1
	08/09/96	820	480	69.0	14.0	83.0	2.0	110.0	15.0	310.0	<2
	10/16/97	---	---	---	---	---	---	---	---	---	<2
	08/11/99	840	510	70.0	14.0	85.0	2.0	110.0	17.0	300.0	<2
	06/25/02	---	---	---	---	---	---	---	---	---	<2
	08/14/02	870	500	66.0	14.0	85.0	2.5	120.0	15.0	250.0	<2
	06/11/03	---	---	---	---	---	---	---	---	---	<2
	06/15/04	---	---	---	---	---	---	---	---	---	<2
	06/14/05	---	---	---	---	---	---	---	---	---	<1
	08/09/05	880	440	75.0	15.0	87.0	2.5	140.0	22.0	300.0	<1
	06/07/06	---	---	---	---	---	---	---	---	---	<1
	06/01/07	---	---	---	---	---	---	---	---	---	<2
	06/03/08	---	620	---	---	---	---	---	---	---	<2
	08/11/08	1000	550	91.0	18.0	110.0	2.9	150.0	36.0	300.0	<2
	09/09/08	---	620	---	---	---	---	---	---	---	---
	01/08/09	---	840	---	---	---	---	---	---	---	---
	06/25/09	---	810	---	---	---	---	---	---	---	<2
	03/24/10	---	620	---	---	---	---	---	---	---	---
	06/02/10	---	670	---	---	---	---	---	---	---	<2
	09/01/11	---	620	---	---	---	---	---	---	---	---
	12/09/11	---	610	---	---	---	---	---	---	---	---
	03/07/12	---	650	---	---	---	---	---	---	---	---
	06/12/12	---	650	---	---	---	---	---	---	---	<1
	09/13/12	---	650	---	---	---	---	---	---	---	---
	12/07/12	---	690	---	---	---	---	---	---	---	---
	03/06/13	---	640	---	---	---	---	---	---	---	---
	06/07/13	---	640	---	---	---	---	---	---	---	<1.0
09/11/13	1100	700	95.0	19.0	110.0	2.8	180.0	43.0	310.0	<1.0	
12/12/13	---	690	---	---	---	---	---	---	---	---	
03/14/14	---	660	---	---	---	---	---	---	---	---	
06/10/14	1300	710	93.0	18.0	120.0	3.0	200.0	49.0	320.0	---	
06/19/14	---	---	---	---	---	---	---	---	---	<1.0	
09/17/14	---	680	---	---	---	---	---	---	---	---	
No. 102 8S/3W-2Q1	01/04/89	695	370	9.0	2.0	134.0	1.0	101.0	25.0	195.0	<1
	01/15/92	930	615	38.0	4.0	160.0	3.0	160.0	55.0	250.0	<1
	05/17/95	850	475	21.0	1.0	144.0	1.0	120.0	130.0	98.0	<1
	06/20/95	1190	700	26.0	2.0	207.0	2.0	150.0	220.0	131.0	<1
	06/09/97	---	---	---	---	---	---	---	---	---	<2
No. 105 7S/3W-25M1	07/06/89	500	280	30.0	6.0	66.0	2.0	71.0	22.0	134.0	14.0
	03/17/93	480	310	17.0	2.0	80.0	2.0	67.0	22.0	110.0	14.0

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 106 7S/3W-26R1	06/29/88	920	485	38.0	5.0	143.0	3.0	182.0	66.0	70.0	16.0
	05/13/92	880	515	35.0	4.0	142.0	2.0	180.0	72.0	110.0	17.0
	05/16/95	870	495	32.0	3.0	138.0	2.0	160.0	57.0	116.0	14.0
	07/07/97	---	---	---	---	---	---	---	---	---	8.0
	07/20/98	---	---	---	---	---	---	---	---	---	9.0
	07/20/99	---	---	---	---	---	---	---	---	---	9.0
	07/06/00	---	---	---	---	---	---	---	---	---	8.0
	05/01/01	490	300	7.0	<1	96.0	<1	70.0	23.0	100.0	8.0
	07/10/01	---	---	---	---	---	---	---	---	---	12.0
	07/03/02	---	---	---	---	---	---	---	---	---	8.0
	07/07/03	---	---	---	---	---	---	---	---	---	6.8
	05/11/04	530	310	9.0	<1	93.0	1.0	80.0	25.0	88.0	8.0
	07/13/04	---	---	---	---	---	---	---	---	---	8.0
	07/07/05	---	---	---	---	---	---	---	---	---	6.5
	07/19/06	---	---	---	---	---	---	---	---	---	6.1
	05/02/07	550	290	8.8	<1	91.0	<1	84.0	26.0	85.0	3.7
	07/03/07	---	---	---	---	---	---	---	---	---	6.0
	07/07/08	---	370	---	---	---	---	---	---	---	12.0
	01/13/09	---	440	---	---	---	---	---	---	---	---
	04/16/09	---	310	---	---	---	---	---	---	---	---
	07/01/09	---	340	---	---	---	---	---	---	---	6.8
	03/18/10	---	440	---	---	---	---	---	---	---	---
	05/06/10	720	410	23.0	1.6	120.0	1.5	130.0	57.0	100.0	12.0
	06/02/10	---	390	---	---	---	---	---	---	---	---
	07/13/10	---	---	---	---	---	---	---	---	---	2.0
	09/01/10	---	340	---	---	---	---	---	---	---	---
	12/09/10	---	410	---	---	---	---	---	---	---	---
	04/15/11	---	400	---	---	---	---	---	---	---	---
	07/06/11	---	300	---	---	---	---	---	---	---	6.0
	10/04/11	---	320	---	---	---	---	---	---	---	---
	01/31/12	---	430	---	---	---	---	---	---	---	---
	04/09/12	---	430	---	---	---	---	---	---	---	---
	10/02/12	---	380	---	---	---	---	---	---	---	---
	01/17/13	---	440	---	---	---	---	---	---	---	---
	04/04/13	---	360	---	---	---	---	---	---	---	---
	05/01/13	730	420	22.0	1.4	120.0	1.4	120.0	56.0	100.0	9.8
	07/18/13	---	400	---	---	---	---	---	---	---	11.0
	10/01/13	---	380	---	---	---	---	---	---	---	---
	01/07/14	---	360	---	---	---	---	---	---	---	---
	04/07/14	---	400	---	---	---	---	---	---	---	---
07/02/14	---	320	---	---	---	---	---	---	---	5.9	
10/01/14	---	310	---	---	---	---	---	---	---	---	
01/21/15	---	640	---	---	---	---	---	---	---	---	
04/22/15	---	410	---	---	---	---	---	---	---	---	
07/28/15	---	390	---	---	---	---	---	---	---	10.0	
10/12/15	---	420	---	---	---	---	---	---	---	---	
07/21/16	---	440	---	---	---	---	---	---	---	2.4 as N	
07/25/16	760	410	25.0	<1.7	120.0	1.6	120.0	61.0	100.0	2.4 as N	
No. 107 7S/3W-26J1	04/11/88	490	365	19.0	4.0	73.0	2.0	69.0	22.0	116.0	15.0
	05/29/91	950	535	63.0	15.0	104.0	3.0	130.0	120.0	171.0	11.0

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 108 7S/3W-25E1	05/25/88	780	455	51.0	11.0	96.0	2.0	120.0	68.0	153.0	14.0
	05/29/91	930	500	59.0	14.0	104.0	3.0	130.0	110.0	153.0	10.0
	05/13/94	640	395	23.0	5.0	100.0	2.0	120.0	51.0	104.0	7.0
	05/16/95	---	---	---	---	---	---	---	---	---	5.0
	05/13/97	540	300	7.0	<1	110.0	<1	110.0	15.0	85.0	4.0
	05/05/99	---	---	---	---	---	---	---	---	---	8.0
	05/16/00	630	350	7.0	<1	110.0	<1	130.0	12.0	65.0	3.0
	05/02/01	---	---	---	---	---	---	---	---	---	2.0
	11/19/02	---	---	---	---	---	---	---	---	---	2.0
	04/14/05	---	---	---	---	---	---	---	---	---	2.0
	04/18/06	---	---	---	---	---	---	---	---	---	1.0
	05/12/06	750	360	8.2	<1	140.0	<1	190.0	7.9	50.0	1.1
	02/13/08	---	---	---	---	---	---	---	---	---	1.4
	08/06/08	---	400	---	---	---	---	---	---	---	---
	02/05/09	---	340	---	---	---	---	---	---	---	2.2
	05/08/09	730	380	7.2	<1	130.0	<1	170.0	9.4	60.0	<2.0
	08/05/09	---	370	---	---	---	---	---	---	---	---
	02/03/10	---	---	---	---	---	---	---	---	---	3.0
	05/06/10	---	380	---	---	---	---	---	---	---	---
	08/13/10	---	350	---	---	---	---	---	---	---	---
	11/03/10	---	380	---	---	---	---	---	---	---	---
	02/02/11	---	350	---	---	---	---	---	---	---	2.0
	05/05/11	---	380	---	---	---	---	---	---	---	---
	08/02/11	---	400	---	---	---	---	---	---	---	---
	11/01/11	---	350	---	---	---	---	---	---	---	---
	02/08/12	---	350	---	---	---	---	---	---	---	<2.0
	05/02/12	700	380	7.2	<1	130.0	1.2	180.0	10.0	63.0	2.3
	11/06/12	---	350	---	---	---	---	---	---	---	---
	02/07/13	---	380	---	---	---	---	---	---	---	2.1
	05/01/13	---	350	---	---	---	---	---	---	---	---
	08/13/13	---	400	---	---	---	---	---	---	---	---
	10/23/13	---	390	---	---	---	---	---	---	---	---
	10/31/13	---	440	---	---	---	---	---	---	---	---
	11/12/13	---	340	---	---	---	---	---	---	---	---
	02/04/14	---	360	---	---	---	---	---	---	---	2.1
	05/01/14	---	480	---	---	---	---	---	---	---	---
	08/05/14	---	380	---	---	---	---	---	---	---	---
	11/05/14	---	400	---	---	---	---	---	---	---	---
	02/06/15	---	460	---	---	---	---	---	---	---	2.2
	05/14/15	760	400	7.7	<0.50	140.0	1.0	180.0	10.0	71.0	1.9
05/14/15	---	410	---	---	---	---	---	---	---	---	
08/05/15	---	390	---	---	---	---	---	---	---	---	
11/05/15	---	360	---	---	---	---	---	---	---	---	
02/05/16	---	400	---	---	---	---	---	---	---	0.45 as N	
05/12/16	---	390	---	---	---	---	---	---	---	---	
08/02/16	---	420	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 109 8S/2W-17J1	06/01/88	1400	920	136.0	35.0	120.0	4.0	100.0	300.0	296.0	---
	08/05/88	---	---	---	---	---	---	---	---	---	10.0
	06/12/91	1330	800	110.0	26.0	120.0	5.0	120.0	270.0	275.0	9.0
	06/22/94	1370	1010	138.0	32.0	124.0	5.0	140.0	320.0	287.0	7.0
	06/06/95	---	---	---	---	---	---	---	---	---	8.0
	06/13/97	1440	1010	130.0	31.0	140.0	4.0	140.0	330.0	280.0	10.0
	07/16/97	---	---	---	---	---	---	---	---	---	2.2 as N
	04/14/99	---	---	---	---	---	---	---	---	---	12.0
	04/11/00	---	---	---	---	---	---	---	---	---	13.0
	06/21/00	1330	870	120.0	28.0	130.0	4.0	120.0	280.0	270.0	3.2
	04/10/01	---	---	---	---	---	---	---	---	---	13.0
	06/11/03	1400	970	140.0	32.0	130.0	4.0	130.0	340.0	290.0	12.0
	06/19/03	1400	970	150.0	32.0	120.0	4.2	130.0	340.0	290.0	12.0
	01/07/04	---	---	---	---	---	---	---	---	---	13.0
	01/11/05	---	---	---	---	---	---	---	---	---	13.0
	01/04/06	---	---	---	---	---	---	---	---	---	12.0
	07/12/06	1300	930	130.0	30.0	130.0	4.8	130.0	280.0	280.0	12.0
	01/10/07	---	---	---	---	---	---	---	---	---	13.0
	01/04/08	---	---	---	---	---	---	---	---	---	13.0
	07/07/08	---	810	---	---	---	---	---	---	---	---
	01/13/09	---	860	---	---	---	---	---	---	---	16.0
	04/02/09	---	810	---	---	---	---	---	---	---	---
	07/06/09	---	770	---	---	---	---	---	---	---	---
	01/05/10	---	---	---	---	---	---	---	---	---	14.0
	04/07/10	---	930	---	---	---	---	---	---	---	---
	07/01/10	---	1000	---	---	---	---	---	---	---	---
	10/06/10	---	830	---	---	---	---	---	---	---	---
	01/12/11	---	920	---	---	---	---	---	---	---	14.0
	01/25/12	---	880	---	---	---	---	---	---	---	12.0
	04/03/12	---	910	---	---	---	---	---	---	---	---
	10/02/12	---	880	---	---	---	---	---	---	---	---
	01/17/13	---	950	---	---	---	---	---	---	---	12.0
	04/03/13	---	830	---	---	---	---	---	---	---	---
07/02/13	---	910	---	---	---	---	---	---	---	---	
10/03/13	---	770	---	---	---	---	---	---	---	---	
01/09/14	---	710	---	---	---	---	---	---	---	14.0	
04/09/14	---	800	---	---	---	---	---	---	---	---	
07/09/14	---	770	---	---	---	---	---	---	---	---	
10/01/14	---	750	---	---	---	---	---	---	---	---	
01/08/15	---	900	---	---	---	---	---	---	---	13.0	
04/08/15	---	740	---	---	---	---	---	---	---	---	
07/02/15	---	740	---	---	---	---	---	---	---	---	
07/07/15	1100	670	110.0	23.0	110.0	3.6	110.0	180.0	270.0	14.0	
10/06/15	---	770	---	---	---	---	---	---	---	---	
01/12/16	---	910	---	---	---	---	---	---	---	2.8 as N	
04/05/16	---	780	---	---	---	---	---	---	---	---	
07/13/16	---	800	---	---	---	---	---	---	---	---	
No. 110 8S/1W-06K1 (Replaced by Well No. 164)	03/31/88	1100	630	70.0	23.0	132.0	6.0	115.0	163.0	268.0	3.0
	03/11/93	1010	610	60.0	21.0	124.0	5.0	110.0	200.0	201.0	3.0
	04/27/95	---	---	---	---	---	---	---	---	---	1.0
	07/20/99	---	---	---	---	---	---	---	---	---	<2
	07/06/00	---	---	---	---	---	---	---	---	---	2.0
07/10/01	---	---	---	---	---	---	---	---	---	2.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 110 8S/1W-06K1 (Replaced by Well No. 164) (Cont)	03/11/02	850	500	58.0	20.0	81.0	5.0	74.0	190.0	160.0	<2	
	07/03/02	---	---	---	---	---	---	---	---	---	<2	
	09/16/03	---	---	---	---	---	---	---	---	---	2.0	
	09/01/04	---	---	---	---	---	---	---	---	---	2.0	
	03/02/05	810	510	56.0	21.0	79.0	4.9	76.0	170.0	150.0	<2	
	09/07/05	---	---	---	---	---	---	---	---	---	1.8	
	09/06/07	---	---	---	---	---	---	---	---	---	2.0	
	03/04/08	980	560	59.0	21.0	95.0	4.6	110.0	160.0	190.0	2.5	
	01/20/09	---	610	---	---	---	---	---	---	---	---	
	04/02/09	---	550	---	---	---	---	---	---	---	---	
	07/09/09	---	560	---	---	---	---	---	---	---	---	
	01/06/10	---	560	---	---	---	---	---	---	---	---	
	04/07/10	---	630	---	---	---	---	---	---	---	---	
	07/01/10	---	730	---	---	---	---	---	---	---	---	
	09/01/10	---	---	---	---	---	---	---	---	---	<2	
	10/07/10	---	600	---	---	---	---	---	---	---	---	
	01/12/11	---	520	---	---	---	---	---	---	---	---	
	04/05/11	---	560	---	---	---	---	---	---	---	---	
	07/06/11	---	530	---	---	---	---	---	---	---	---	
	09/02/11	---	---	---	---	---	---	---	---	---	3.8	
	10/13/11	---	470	---	---	---	---	---	---	---	---	
	02/16/12	---	440	---	---	---	---	---	---	---	---	
	04/04/12	---	400	---	---	---	---	---	---	---	---	
	09/05/12	---	---	---	---	---	---	---	---	---	1.5	
	10/09/12	---	380	---	---	---	---	---	---	---	---	
	01/09/13	---	420	---	---	---	---	---	---	---	---	
	04/08/13	---	420	---	---	---	---	---	---	---	---	
	07/09/13	---	450	---	---	---	---	---	---	---	---	
	No. 164 8S/1W	10/14/15	970	600	70.0	26.0	89.0	4.6	91.0	210.0	160.0	<0.47
		10/14/15	---	610	---	---	---	---	---	---	---	<0.47
01/20/16		1300	810	100.0	36.0	120.0	6.5	180.0	200.0	280.0	0.49 as N	
01/20/16		---	780	---	---	---	---	---	---	---	0.50 as N	
04/14/16		1200	710	74.0	26.0	140.0	5.0	130.0	210.0	230.0	0.43 as N	
04/14/16		---	690	---	---	---	---	---	---	---	0.44 as N	
07/27/16		1100	690	64.0	24.0	120.0	4.8	99.0	230.0	180.0	0.25 as N	
07/27/16	---	660	---	---	---	---	---	---	---	0.26 as N		
No. 113 7S/2W-25H01	03/28/88	700	400	41.0	12.0	87.0	2.0	11.0	20.0	192.0	18.0	
	03/21/91	570	290	21.0	5.0	79.0	2.0	88.0	17.0	119.0	11.0	
	03/03/94	700	410	46.0	13.0	86.0	2.0	120.0	25.0	189.0	19.0	
	04/27/95	---	---	---	---	---	---	---	---	---	24.0	
	03/20/97	880	500	53.0	15.0	96.0	2.0	140.0	33.0	200.0	22.0	
	07/20/98	---	---	---	---	---	---	---	---	---	23.0	
	09/16/98	---	---	---	---	---	---	---	---	---	22.0	
	02/25/99	---	---	---	---	---	---	---	---	---	19.0	
	04/14/99	---	---	---	---	---	---	---	---	---	17.0	
	06/03/99	---	---	---	---	---	---	---	---	---	21.0	
	09/14/99	---	---	---	---	---	---	---	---	---	22.0	
	10/21/99	---	---	---	---	---	---	---	---	---	25.0	
	11/02/99	---	---	---	---	---	---	---	---	---	22.0	
	12/14/99	---	---	---	---	---	---	---	---	---	23.0	
	01/11/00	---	---	---	---	---	---	---	---	---	18.0	
	03/07/00	810	470	75.0	16.0	59.0	2.0	70.0	94.0	200.0	11.0	
	04/11/00	---	---	---	---	---	---	---	---	---	23.0	
	05/03/00	---	---	---	---	---	---	---	---	---	24.0	
	06/21/00	---	---	---	---	---	---	---	---	---	23.0	
	09/13/00	---	---	---	---	---	---	---	---	---	23.0	
10/06/00	---	---	---	---	---	---	---	---	---	21.0		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 113 7S/2W-25H01 (Cont)	02/14/01	---	---	---	---	---	---	---	---	---	16.0
	05/30/01	---	---	---	---	---	---	---	---	---	23.0
	06/12/01	---	---	---	---	---	---	---	---	---	22.0
	08/01/01	---	---	---	---	---	---	---	---	---	22.0
	11/13/01	---	---	---	---	---	---	---	---	---	22.0
	05/01/02	---	---	---	---	---	---	---	---	---	19.0
	08/06/02	---	---	---	---	---	---	---	---	---	20.0
	11/05/02	---	---	---	---	---	---	---	---	---	21.0
	02/07/03	---	---	---	---	---	---	---	---	---	22.0
	03/05/03	1000	610	65.0	19.0	110.0	2.5	160.0	41.0	260.0	26.0
	08/05/03	---	---	---	---	---	---	---	---	---	21.0
	11/13/03	---	---	---	---	---	---	---	---	---	24.0
	02/10/04	---	---	---	---	---	---	---	---	---	24.0
	05/04/04	---	---	---	---	---	---	---	---	---	23.0
	08/10/04	---	---	---	---	---	---	---	---	---	24.0
	11/17/04	---	---	---	---	---	---	---	---	---	25.0
	02/09/05	---	---	---	---	---	---	---	---	---	25.0
	05/12/05	---	---	---	---	---	---	---	---	---	23.0
	11/02/05	---	---	---	---	---	---	---	---	---	25.0
	02/14/06	---	---	---	---	---	---	---	---	---	24.0
	03/08/06	880	540	54.0	15.0	100.0	2.3	140.0	31.0	210.0	24.0
	05/11/06	---	---	---	---	---	---	---	---	---	24.0
	08/03/06	---	---	---	---	---	---	---	---	---	21.0
	11/08/06	---	---	---	---	---	---	---	---	---	23.0
	02/07/07	---	---	---	---	---	---	---	---	---	24.0
	05/01/07	---	---	---	---	---	---	---	---	---	23.0
	08/07/07	---	---	---	---	---	---	---	---	---	23.0
	02/12/08	---	---	---	---	---	---	---	---	---	22.0
	05/06/08	---	540	---	---	---	---	---	---	---	21.0
	08/11/08	---	530	---	---	---	---	---	---	---	21.0
	11/06/08	---	570	---	---	---	---	---	---	---	24.0
	02/05/09	---	530	---	---	---	---	---	---	---	21.0
	03/03/09	930	520	56.0	15.0	97.0	2.1	150.0	41.0	210.0	22.0
	05/11/09	---	---	---	---	---	---	---	---	---	19.0
	08/04/09	---	520	---	---	---	---	---	---	---	20.0
02/02/10	---	510	---	---	---	---	---	---	---	22.0	
05/07/10	---	600	---	---	---	---	---	---	---	22.0	
08/10/10	---	540	---	---	---	---	---	---	---	22.0	
11/03/10	---	520	---	---	---	---	---	---	---	21.0	
02/15/11	---	550	---	---	---	---	---	---	---	20.0	
05/04/11	---	550	---	---	---	---	---	---	---	20.0	
08/03/11	---	540	---	---	---	---	---	---	---	20.0	
11/02/11	---	540	---	---	---	---	---	---	---	21.0	
02/02/12	---	580	---	---	---	---	---	---	---	21.0	
05/03/12	---	570	---	---	---	---	---	---	---	20.0	
08/09/12	---	---	---	---	---	---	---	---	---	20.0	
11/02/12	---	600	---	---	---	---	---	---	---	21.0	
02/12/13	---	550	---	---	---	---	---	---	---	22.0	
05/14/13	---	570	---	---	---	---	---	---	---	20.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l									
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3		
No. 113 7S/2W-25H01 (Cont)	08/14/13	---	540	---	---	---	---	---	---	---	---	20.0	
	11/06/13	---	520	---	---	---	---	---	---	---	---	21.0	
	02/07/14	---	480	---	---	---	---	---	---	---	---	20.0	
	04/21/15	---	550	---	---	---	---	---	---	---	---	---	
	04/21/15	990	510	61.0	17.0	110.0	2.5	150.0	47.0	200.0	---	21.0	
	05/19/15	---	580	---	---	---	---	---	---	---	---	22.0	
	08/04/15	---	550	---	---	---	---	---	---	---	---	21.0	
	11/10/15	---	560	---	---	---	---	---	---	---	---	21.0	
	02/17/16	---	530	---	---	---	---	---	---	---	---	4.7 as N	
	05/15/16	---	540	---	---	---	---	---	---	---	---	4.5 as N	
	08/02/16	---	550	---	---	---	---	---	---	---	---	4.4 as N	
	No. 118 8S/3W-11B	08/08/90	715	480	14.0	1.0	162.0	1.0	120.0	79.0	101.0	---	1.0
		09/26/90	---	---	---	---	---	---	---	---	---	---	1.0
09/10/93		860	525	19.0	1.0	178.0	1.0	130.0	94.0	198.0	---	<1	
06/20/95		---	---	---	---	---	---	---	---	---	---	<1	
09/16/96		970	560	33.0	2.0	180.0	2.0	120.0	120.0	230.0	---	<2	
07/23/97		---	---	---	---	---	---	---	---	---	---	0.2 as N	
09/16/98		---	---	---	---	---	---	---	---	---	---	2.0	
11/02/99		1040	580	46.0	4.0	170.0	2.0	130.0	100.0	240.0	---	<2	
09/20/00		---	---	---	---	---	---	---	---	---	---	<2	
08/18/02		---	---	---	---	---	---	---	---	---	---	<2	
11/08/02		1100	590	46.0	4.5	160.0	1.3	140.0	94.0	240.0	---	<2	
09/23/03		---	---	---	---	---	---	---	---	---	---	<2	
12/30/04		---	---	---	---	---	---	---	---	---	---	<2	
01/25/05		---	---	---	---	---	---	---	---	---	---	<2	
09/07/05		---	---	---	---	---	---	---	---	---	---	<1	
11/03/05		980	590	55.0	5.1	150.0	1.7	140.0	110.0	240.0	---	<1	
09/05/07		---	---	---	---	---	---	---	---	---	---	1.1	
09/08/08		---	670	---	---	---	---	---	---	---	---	<2	
11/06/08		1100	640	71.0	150.0	150.0	1.9	150.0	140.0	250.0	---	ND	
12/05/08		---	660	---	---	---	---	---	---	---	---	---	
03/03/09		---	620	---	---	---	---	---	---	---	---	---	
06/04/09		---	610	---	---	---	---	---	---	---	---	---	
03/03/10		---	640	---	---	---	---	---	---	---	---	---	
06/02/10		---	630	---	---	---	---	---	---	---	---	---	
09/02/10		---	640	---	---	---	---	---	---	---	---	2.2	
12/08/10		---	640	---	---	---	---	---	---	---	---	---	
03/02/11		---	650	---	---	---	---	---	---	---	---	---	
06/08/11		---	640	---	---	---	---	---	---	---	---	---	
09/02/11		---	620	---	---	---	---	---	---	---	---	2.0	
12/06/11		---	610	---	---	---	---	---	---	---	---	---	
06/12/12		---	640	---	---	---	---	---	---	---	---	---	
11/14/12		1100	680	70.0	7.2	150.0	2.0	140.0	130.0	250.0	---	1.1	
12/05/12	---	610	---	---	---	---	---	---	---	---	---		
03/06/13	---	610	---	---	---	---	---	---	---	---	---		
09/17/13	---	600	---	---	---	---	---	---	---	---	<1.0		
12/10/13	---	640	---	---	---	---	---	---	---	---	---		
03/12/14	---	600	---	---	---	---	---	---	---	---	---		
06/05/14	---	630	---	---	---	---	---	---	---	---	---		
09/03/14	---	620	---	---	---	---	---	---	---	---	<1.0		

ND - None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 119 8S/2W-19J	07/16/96	450	280	44.0	9.0	35.0	<1	39.0	18.0	180.0	15.0
	08/14/97	---	---	---	---	---	---	---	---	---	12.0
	12/24/97	---	320	---	---	---	---	---	---	---	3.1 as N
	03/04/98	---	380	---	---	---	---	---	---	---	3.3 as N
	06/04/98	---	---	---	---	---	---	---	---	---	3.8 as N
	06/12/98	---	400	---	---	---	---	---	---	---	---
	09/16/98	---	---	---	---	---	---	---	---	---	3.7 as N
	01/08/99	---	430	---	---	---	---	---	---	---	---
	04/13/99	---	---	---	---	---	---	---	---	---	28.0
	06/02/99	---	560	---	---	---	---	---	---	---	4.8 as N
	07/27/99	940	640	103.0	21.0	58.0	1.0	70.0	150.0	264.0	30.0
	09/14/99	---	---	---	---	---	---	---	---	---	22.0
	09/14/99	---	---	---	---	---	---	---	---	---	4.8 as N
	10/26/99	---	---	---	---	---	---	---	---	---	24.0
	11/02/99	---	---	---	---	---	---	---	---	---	22.0
	12/14/99	---	560	---	---	---	---	---	---	---	22.0
	04/04/00	---	---	---	---	---	---	---	---	---	20.0
	12/14/00	---	---	---	---	---	---	---	---	---	4.6 as N
	03/29/01	---	---	---	---	---	---	---	---	---	20.0
	06/20/01	---	---	---	---	---	---	---	---	---	4.2 as N
	09/14/01	---	---	---	---	---	---	---	---	---	4.2 as N
	09/28/01	---	---	---	---	---	---	---	---	---	18.0
	11/16/01	---	---	---	---	---	---	---	---	---	16.0
	05/23/02	---	480	---	---	---	---	---	---	---	18.0
	07/24/02	770	490	81.0	15.0	49.0	1.1	51.0	90.0	240.0	19.0
	11/08/02	---	---	---	---	---	---	---	---	---	15.0
	02/19/03	---	---	---	---	---	---	---	---	---	17.0
	02/10/04	---	---	---	---	---	---	---	---	---	15.0
	02/28/05	---	---	---	---	---	---	---	---	---	10.0
	07/06/05	820	600	95.0	20.0	63.0	1.4	64.0	140.0	260.0	13.0
	02/07/06	---	---	---	---	---	---	---	---	---	15.0
	02/07/07	---	---	---	---	---	---	---	---	---	15.0
	02/12/08	---	---	---	---	---	---	---	---	---	15.0
	05/14/08	---	520	---	---	---	---	---	---	---	13.0
	07/08/08	810	520	88.0	17.0	57.0	1.4	66.0	120.0	250.0	14.0
	08/11/08	---	480	---	---	---	---	---	---	---	13.0
	11/17/08	---	520	---	---	---	---	---	---	---	16.0
	02/05/09	---	460	---	---	---	---	---	---	---	13.0
	05/11/09	---	560	---	---	---	---	---	---	---	12.0
	08/04/09	---	540	---	---	---	---	---	---	---	14.0
01/12/10	---	580	---	---	---	---	---	---	---	15.0	
04/09/10	---	560	---	---	---	---	---	---	---	13.0	
07/01/10	---	620	---	---	---	---	---	---	---	14.0	
10/07/10	---	610	---	---	---	---	---	---	---	14.0	
01/12/11	---	480	---	---	---	---	---	---	---	13.0	
04/12/11	---	560	---	---	---	---	---	---	---	12.0	
07/07/11	840	560	85.0	18.0	60.0	1.9	84.0	120.0	250.0	16.0	
10/13/11	---	610	---	---	---	---	---	---	---	15.0	
01/10/12	---	520	---	---	---	---	---	---	---	14.0	
04/03/12	---	550	---	---	---	---	---	---	---	---	
10/04/12	---	550	---	---	---	---	---	---	---	15.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 119 8S/2W-19J (Cont)	01/16/13	---	530	---	---	---	---	---	---	---	---	17.0
	04/12/13	---	540	---	---	---	---	---	---	---	---	18.0
	07/03/13	---	540	---	---	---	---	---	---	---	---	16.0
	10/03/13	---	500	---	---	---	---	---	---	---	---	17.0
	01/28/14	---	600	---	---	---	---	---	---	---	---	21.0
	04/16/14	---	540	---	---	---	---	---	---	---	---	21.0
	07/10/14	860	560	90.0	18.0	60.0	1.2	73.0	110.0	260.0	---	18.0
	07/10/14	---	500	---	---	---	---	---	---	---	---	---
	10/02/14	---	600	---	---	---	---	---	---	---	---	18.0
	01/20/15	---	540	---	---	---	---	---	---	---	---	19.0
	04/14/15	---	710	---	---	---	---	---	---	---	---	17.0
	07/07/15	---	600	---	---	---	---	---	---	---	---	17.0
	10/08/15	---	550	---	---	---	---	---	---	---	---	20.0
	01/12/16	---	610	---	---	---	---	---	---	---	---	4.9 as N
	04/21/16	---	620	---	---	---	---	---	---	---	---	5.1 as N
	07/13/16	---	610	---	---	---	---	---	---	---	---	4.2 as N
	No. 120 8S/2W-17G	06/20/90	570	330	6.0	1.0	116.0	1.0	82.0	31.0	113.0	---
06/10/93		590	340	6.0	<1	122.0	1.0	85.0	35.0	104.0	---	12.0
07/19/96		630	360	6.0	<1	120.0	1.0	88.0	42.0	120.0	---	14.0
06/16/97		---	---	---	---	---	---	---	---	---	---	10.0
08/14/97		---	---	---	---	---	---	---	---	---	---	9.0
06/02/99		620	360	6.0	<1	122.0	<1	84.0	45.0	120.0	---	10.0
06/06/00		---	---	---	---	---	---	---	---	---	---	11.0
06/13/01		---	---	---	---	---	---	---	---	---	---	12.0
06/01/02		670	370	8.1	<1	130.0	1.0	86.0	46.0	130.0	---	11.0
06/11/03		---	---	---	---	---	---	---	---	---	---	12.0
06/22/04		---	---	---	---	---	---	---	---	---	---	15.0
06/15/05		720	410	11.0	<1	140.0	1.3	90.0	62.0	140.0	---	12.0
06/07/06		---	---	---	---	---	---	---	---	---	---	11.0
06/01/07		---	---	---	---	---	---	---	---	---	---	10.0
06/05/08		690	400	11.0	<1	140.0	104.0	89.0	66.0	140.0	---	10.0
06/05/08		---	400	---	---	---	---	---	---	---	---	10.0
09/15/08		---	350	---	---	---	---	---	---	---	---	---
08/21/09		---	500	---	---	---	---	---	---	---	---	11.0
02/02/10		---	440	---	---	---	---	---	---	---	---	---
05/05/10		---	440	---	---	---	---	---	---	---	---	---
08/09/10		---	430	---	---	---	---	---	---	---	---	11.0
11/03/10		---	400	---	---	---	---	---	---	---	---	---
02/02/11		---	440	---	---	---	---	---	---	---	---	---
05/04/11		---	450	---	---	---	---	---	---	---	---	---
08/02/11		---	420	---	---	---	---	---	---	---	---	10.0
11/03/11		---	380	---	---	---	---	---	---	---	---	---
02/07/12		---	430	---	---	---	---	---	---	---	---	---
05/03/12		---	410	---	---	---	---	---	---	---	---	---
08/09/12		---	400	---	---	---	---	---	---	---	---	10.0
11/01/12		---	440	---	---	---	---	---	---	---	---	---
02/07/13	---	810	---	---	---	---	---	---	---	---	---	
05/02/13	---	410	---	---	---	---	---	---	---	---	---	
08/19/13	---	460	---	---	---	---	---	---	---	---	12.0	
11/07/13	---	450	---	---	---	---	---	---	---	---	---	
02/04/14	---	430	---	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 120 8S/2W-17G (Cont)	05/06/14	---	420	---	---	---	---	---	---	---	---	---
	06/03/14	820	600	22.0	1.6	150.0	1.7	98.0	100.0	150.0	16.0	
	08/08/14	---	410	---	---	---	---	---	---	---	13.0	
	11/05/14	---	460	---	---	---	---	---	---	---	---	
	02/04/15	---	350	---	---	---	---	---	---	---	---	
	05/07/15	---	480	---	---	---	---	---	---	---	---	
	08/06/15	---	450	---	---	---	---	---	---	---	12.0	
	11/10/16	---	440	---	---	---	---	---	---	---	---	
	02/10/16	---	520	---	---	---	---	---	---	---	---	
	05/10/16	---	450	---	---	---	---	---	---	---	---	
	08/03/16	---	540	---	---	---	---	---	---	---	2.8 as N	
	No. 121 7S/3W-34J	10/27/89	900	475	63.0	14.0	99.0	2.0	109.0	28.0	290.0	<1
05/19/92		1000	560	72.0	17.0	120.0	3.0	170.0	56.0	270.0	<1	
07/18/97		---	---	---	---	---	---	---	---	---	ND	
07/24/97		---	640	---	---	---	---	---	---	---	ND	
08/20/97		---	---	---	---	---	---	---	---	---	ND	
09/03/97		---	---	---	---	---	---	---	---	---	ND	
06/19/02		---	---	---	---	---	---	---	---	---	ND	
No. 122 8S/2W-20P1	06/23/97	---	---	---	---	---	---	---	---	---	6.0	
	07/25/97	660	460	64.0	13.0	44.0	1.0	61.0	65.0	190.0	8.0	
	10/10/97	---	---	---	---	---	---	---	---	---	9.0	
	12/23/97	---	400	---	---	---	---	---	---	---	1.8 as N	
	03/25/98	---	450	---	---	---	---	---	---	---	2.2 as N	
	06/03/98	---	---	---	---	---	---	---	---	---	2.4 as N	
	06/05/98	---	460	---	---	---	---	---	---	---	---	
	09/17/98	---	---	---	---	---	---	---	---	---	2.2 as N	
	01/08/99	---	450	---	---	---	---	---	---	---	---	
	06/03/99	---	470	---	---	---	---	---	---	---	2.1 as N	
	04/13/99	---	---	---	---	---	---	---	---	---	9.0	
	09/21/99	---	---	---	---	---	---	---	---	---	2.1 as N	
	03/07/00	---	---	---	---	---	---	---	---	---	16.0	
	04/04/00	---	---	---	---	---	---	---	---	---	9.0	
	06/28/00	780	470	79.0	16.0	62.0	1.0	73.0	100.0	210.0	11.0	
	12/13/00	---	---	---	---	---	---	---	---	---	---	2.5 as N
	03/27/01	---	---	---	---	---	---	---	---	---	---	2.5 as N
	04/18/01	---	---	---	---	---	---	---	---	---	---	10.0
	06/20/01	---	---	---	---	---	---	---	---	---	---	2.4 as N
	09/13/01	---	---	---	---	---	---	---	---	---	---	2.7 as N
	12/13/01	---	550	---	---	---	---	---	---	---	---	---
	05/14/02	---	570	---	---	---	---	---	---	---	---	9.0
	03/05/03	---	---	---	---	---	---	---	---	---	---	10.0
	03/16/04	---	---	---	---	---	---	---	---	---	---	12.0
	03/17/05	---	---	---	---	---	---	---	---	---	---	9.0
03/21/06	---	---	---	---	---	---	---	---	---	---	9.4	
03/06/07	---	---	---	---	---	---	---	---	---	---	9.7	
03/03/08	---	---	---	---	---	---	---	---	---	---	8.5	
03/07/08	---	620	---	---	---	---	---	---	---	---	---	
10/08/08	---	620	---	---	---	---	---	---	---	---	---	
01/20/09	---	680	---	---	---	---	---	---	---	---	---	

ND - None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 122 8S/2W-20P1 (Cont)	03/10/09	---	---	---	---	---	---	---	---	---	---	8.9
	04/16/09	---	660	---	---	---	---	---	---	---	---	---
	07/14/09	---	670	---	---	---	---	---	---	---	---	---
	03/15/10	---	640	---	---	---	---	---	---	---	---	10.0
	03/10/11	---	---	---	---	---	---	---	---	---	---	9.6
	05/25/11	---	670	---	---	---	---	---	---	---	---	---
	08/04/11	---	680	---	---	---	---	---	---	---	---	---
	01/10/12	---	680	---	---	---	---	---	---	---	---	---
	03/06/12	---	---	---	---	---	---	---	---	---	---	9.1
	04/03/12	---	730	---	---	---	---	---	---	---	---	---
	08/07/12	1100	710	110.0	20.0	87.0	1.9	84.0	190.0	260.0	---	8.0
	10/04/12	---	680	---	---	---	---	---	---	---	---	---
	01/17/13	---	720	---	---	---	---	---	---	---	---	---
	03/07/13	---	---	---	---	---	---	---	---	---	---	8.4
	04/17/13	---	700	---	---	---	---	---	---	---	---	---
	07/03/13	---	740	---	---	---	---	---	---	---	---	---
	10/03/13	---	700	---	---	---	---	---	---	---	---	---
	01/28/14	---	730	---	---	---	---	---	---	---	---	---
	03/13/14	---	---	---	---	---	---	---	---	---	---	9.5
	04/16/14	---	680	---	---	---	---	---	---	---	---	---
	07/10/14	---	620	---	---	---	---	---	---	---	---	---
	10/02/14	---	730	---	---	---	---	---	---	---	---	---
	01/13/15	---	710	---	---	---	---	---	---	---	---	---
	03/10/15	---	---	---	---	---	---	---	---	---	---	8.9
	04/14/15	---	770	---	---	---	---	---	---	---	---	---
	07/07/15	---	690	---	---	---	---	---	---	---	---	---
	08/07/15	1000	710	110.0	20.0	85.0	1.9	92.0	200.0	260.0	---	9.0
10/08/15	---	720	---	---	---	---	---	---	---	---	---	
01/12/16	---	710	---	---	---	---	---	---	---	---	---	
04/05/16	---	700	---	---	---	---	---	---	---	---	---	
04/21/16	---	---	---	---	---	---	---	---	---	---	1.9 as N	
07/13/16	---	750	---	---	---	---	---	---	---	---	---	
No. 123 8S/1W-7B	06/06/90	1100	690	69.0	27.0	132.0	6.0	130.0	170.0	281.0	---	4.0
	06/10/93	1120	690	74.0	25.0	136.0	6.0	120.0	190.0	250.0	---	5.0
	02/05/97	930	550	55.0	18.0	110.0	5.0	83.0	130.0	250.0	---	1.3
	04/27/99	---	---	---	---	---	---	---	---	---	---	3.0
	06/02/99	---	---	---	---	---	---	---	---	---	---	3.0
	07/20/99	---	---	---	---	---	---	---	---	---	---	2.0
	08/11/99	---	---	---	---	---	---	---	---	---	---	2.0
	09/14/99	---	---	---	---	---	---	---	---	---	---	2.0
	10/21/99	---	---	---	---	---	---	---	---	---	---	2.0
	11/02/99	---	---	---	---	---	---	---	---	---	---	2.0
	02/09/00	1150	610	59.0	20.0	100.0	5.0	83.0	150.0	240.0	---	3.0
	02/09/01	---	---	---	---	---	---	---	---	---	---	3.0
	03/10/03	880	550	59.0	20.0	87.0	4.5	80.0	180.0	170.0	---	<2
	02/03/04	---	---	---	---	---	---	---	---	---	---	2.0
	02/14/05	---	---	---	---	---	---	---	---	---	---	2.0
	02/14/06	---	---	---	---	---	---	---	---	---	---	3.6
	03/14/06	890	530	65.0	22.0	88.0	5.0	91.0	180.0	180.0	---	2.3
	04/24/07	---	---	---	---	---	---	---	---	---	---	1.4
	05/01/07	---	---	---	---	---	---	---	---	---	---	2.7
	06/05/07	---	---	---	---	---	---	---	---	---	---	2.2
	07/05/07	---	---	---	---	---	---	---	---	---	---	2.5
08/07/07	---	---	---	---	---	---	---	---	---	---	2.2	
09/05/07	---	---	---	---	---	---	---	---	---	---	2.1	
09/06/07	---	---	---	---	---	---	---	---	---	---	2.0	
10/03/07	---	---	---	---	---	---	---	---	---	---	2.0	
12/13/07	---	---	---	---	---	---	---	---	---	---	1.9	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 123 8S/1W-7B (Cont)	01/10/08	---	---	---	---	---	---	---	---	---	1.4	
	02/13/08	---	---	---	---	---	---	---	---	---	1.1	
	03/03/08	---	---	---	---	---	---	---	---	---	1.3	
	03/07/08	---	---	540	---	---	---	---	---	---	---	
	04/08/08	---	---	---	---	---	---	---	---	---	2.2	
	05/12/08	---	---	---	---	---	---	---	---	---	2.4	
	06/23/08	---	---	---	---	---	---	---	---	---	2.7	
	07/08/08	---	---	---	---	---	---	---	---	---	2.9	
	08/12/08	---	---	---	---	---	---	---	---	---	2.6	
	09/15/08	---	---	---	---	---	---	---	---	---	2.7	
	11/06/08	---	---	---	---	---	---	---	---	---	2.6	
	12/05/08	---	---	---	---	---	---	---	---	---	2.0	
	01/07/09	---	---	640	---	---	---	---	---	---	ND	
	02/04/09	---	---	---	---	---	---	---	---	---	1.6	
	03/09/09	---	980	610	62.0	21.0	97.0	4.8	98.0	180.0	110.0	<2.0
	04/02/09	---	---	600	---	---	---	---	---	---	---	<2.0
	05/07/09	---	---	---	---	---	---	---	---	---	---	<2.0
	06/01/09	---	---	---	---	---	---	---	---	---	---	<2.0
	07/09/09	---	---	590	---	---	---	---	---	---	---	<2.0
	08/05/09	---	---	---	---	---	---	---	---	---	---	<2.0
	01/06/10	---	---	590	---	---	---	---	---	---	---	1.4
	02/02/10	---	---	---	---	---	---	---	---	---	---	1.1
	03/03/10	---	---	---	---	---	---	---	---	---	---	1.2
	04/08/10	---	---	600	---	---	---	---	---	---	---	1.2
	05/06/10	---	---	---	---	---	---	---	---	---	---	1.5
	06/02/10	---	---	---	---	---	---	---	---	---	---	<2
	07/01/10	---	---	750	---	---	---	---	---	---	---	<2
	08/10/10	---	---	---	---	---	---	---	---	---	---	2.4
	09/01/10	---	---	---	---	---	---	---	---	---	---	2.1
	10/07/10	---	---	630	---	---	---	---	---	---	---	<2
	11/01/10	---	---	---	---	---	---	---	---	---	---	<2
	12/02/10	---	---	---	---	---	---	---	---	---	---	<2
	01/12/11	---	---	570	---	---	---	---	---	---	---	2.0
	02/15/11	---	---	---	---	---	---	---	---	---	---	2.0
	03/09/11	---	---	---	---	---	---	---	---	---	---	2.0
	04/05/11	---	---	580	---	---	---	---	---	---	---	2.0
05/05/11	---	---	---	---	---	---	---	---	---	---	2.0	
06/07/11	---	---	---	---	---	---	---	---	---	---	2.0	
07/06/11	---	---	600	---	---	---	---	---	---	---	2.0	
08/03/11	---	---	---	---	---	---	---	---	---	---	2.0	
09/02/11	---	---	---	---	---	---	---	---	---	---	2.3	
10/13/11	---	---	550	---	---	---	---	---	---	---	2.2	
11/10/11	---	---	---	---	---	---	---	---	---	---	<2	
12/07/11	---	---	---	---	---	---	---	---	---	---	<2	
01/06/12	---	---	540	---	---	---	---	---	---	---	<2.0	
09/05/12	---	---	---	---	---	---	---	---	---	---	1.4	
10/10/12	---	---	360	---	---	---	---	---	---	---	1.2	
11/01/12	---	---	---	---	---	---	---	---	---	---	1.6	
11/28/12	---	710	450	46.0	16.0	69.0	4.3	69.0	110.0	150.0	1.7	
12/05/12	---	---	---	---	---	---	---	---	---	---	1.9	
01/09/13	---	---	440	---	---	---	---	---	---	---	1.3	

ND - None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 123 8S/1W-7B (Cont)	02/12/13	---	---	---	---	---	---	---	---	---	1.4
	03/06/13	---	---	---	---	---	---	---	---	---	1.6
	04/08/13	---	430	---	---	---	---	---	---	---	1.8
	05/07/13	---	---	---	---	---	---	---	---	---	1.9
	06/05/13	---	---	---	---	---	---	---	---	---	1.7
	07/09/13	---	470	---	---	---	---	---	---	---	2.2
	08/15/13	---	---	---	---	---	---	---	---	---	1.8
	09/05/13	---	---	---	---	---	---	---	---	---	1.6
	10/08/13	---	490	---	---	---	---	---	---	---	1.7
	11/06/13	---	---	---	---	---	---	---	---	---	1.7
	12/11/13	---	---	---	---	---	---	---	---	---	1.9
	01/14/14	---	530	---	---	---	---	---	---	---	1.5
	02/06/14	---	---	---	---	---	---	---	---	---	2.0
	03/05/14	---	---	---	---	---	---	---	---	---	1.3
	04/09/14	---	550	---	---	---	---	---	---	---	1.8
	05/08/14	---	---	---	---	---	---	---	---	---	1.8
	06/03/14	---	---	---	---	---	---	---	---	---	2.1
	07/03/14	---	540	---	---	---	---	---	---	---	2.1
	08/07/14	---	---	---	---	---	---	---	---	---	2.1
	09/03/14	---	---	---	---	---	---	---	---	---	1.2
	10/02/14	---	550	---	---	---	---	---	---	---	1.3
	11/06/14	---	---	---	---	---	---	---	---	---	1.7
	12/04/14	---	---	---	---	---	---	---	---	---	2.0
	01/21/15	---	730	---	---	---	---	---	---	---	1.8
	02/05/15	---	---	---	---	---	---	---	---	---	2.0
	03/05/15	920	570	61.0	21.0	89.0	5.1	82.0	160.0	160.0	2.1
	04/15/15	---	550	---	---	---	---	---	---	---	2.2
	05/06/15	---	---	---	---	---	---	---	---	---	2.3
	06/02/15	---	---	---	---	---	---	---	---	---	2.4
	07/14/15	---	660	---	---	---	---	---	---	---	2.4
08/04/15	---	---	---	---	---	---	---	---	---	2.5	
09/09/15	---	---	---	---	---	---	---	---	---	2.5	
10/14/15	---	540	---	---	---	---	---	---	---	2.5	
11/04/15	---	---	---	---	---	---	---	---	---	2.7	
12/02/15	---	---	---	---	---	---	---	---	---	2.1	
No. 124 8S/2W-11R1	06/20/90	660	380	38.0	4.0	92.0	3.0	97.0	48.0	153.0	13.0
	07/22/93	690	430	42.0	5.0	89.0	3.0	90.0	57.0	159.0	17.0
	07/18/95	---	---	---	---	---	---	---	---	---	11.0
	10/26/99	700	420	45.0	4.0	94.0	3.0	97.0	61.0	160.0	16.0
	07/06/00	---	---	---	---	---	---	---	---	---	17.0
	07/10/01	---	---	---	---	---	---	---	---	---	16.0
	07/03/02	---	---	---	---	---	---	---	---	---	10.0
	10/02/02	600	330	24.0	2.4	92.0	1.9	75.0	38.0	150.0	10.0
	01/08/03	---	---	---	---	---	---	---	---	---	2.3 as N
	07/01/03	---	---	---	---	---	---	---	---	---	8.3
	07/07/04	---	---	---	---	---	---	---	---	---	9.4
	07/06/05	---	---	---	---	---	---	---	---	---	8.4
	10/05/05	580	360	19.0	2.4	96.0	1.6	74.0	35.0	140.0	7.8
	09/26/06	---	---	---	---	---	---	---	---	---	17.0
	09/05/07	---	---	---	---	---	---	---	---	---	8.2
	10/28/08	780	490	52.0	6.5	84.0	3.1	91.0	84.0	150.0	1.8
	01/13/09	---	390	---	---	---	---	---	---	---	---
	04/07/09	---	330	---	---	---	---	---	---	---	---
	07/09/09	---	320	---	---	---	---	---	---	---	---
	01/06/10	---	390	---	---	---	---	---	---	---	---
04/08/10	---	360	---	---	---	---	---	---	---	---	
07/01/10	---	390	---	---	---	---	---	---	---	---	
10/06/10	---	320	---	---	---	---	---	---	---	10.0	
01/04/11	---	390	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 124 8S/2W-11R1 (Cont)	04/05/11	---	390	---	---	---	---	---	---	---	---	---
	07/06/11	---	350	---	---	---	---	---	---	---	---	---
	10/12/11	610	390	23.0	2.5	95.0	2.2	80.0	44.0	150.0	9.8	
	10/12/11	---	320	---	---	---	---	---	---	---	10.0	
	01/10/12	---	330	---	---	---	---	---	---	---	---	
	04/04/12	---	410	---	---	---	---	---	---	---	---	
	10/09/12	---	360	---	---	---	---	---	---	---	9.3	
	03/20/13	---	480	---	---	---	---	---	---	---	---	
	04/08/13	---	410	---	---	---	---	---	---	---	---	
	07/19/13	---	360	---	---	---	---	---	---	---	---	
	10/08/13	---	360	---	---	---	---	---	---	---	11.0	
	01/14/14	---	350	---	---	---	---	---	---	---	---	
	04/09/14	---	400	---	---	---	---	---	---	---	---	
	07/24/14	---	460	---	---	---	---	---	---	---	---	
	10/02/14	600	350	22.0	2.3	100.0	1.7	78.0	45.0	150.0	9.6	
	10/02/14	---	370	---	---	---	---	---	---	---	---	
	01/07/15	---	390	---	---	---	---	---	---	---	---	
	04/23/15	---	490	---	---	---	---	---	---	---	---	
	07/16/15	---	360	---	---	---	---	---	---	---	---	
	10/09/15	---	310	---	---	---	---	---	---	---	9.7	
04/13/16	---	410	---	---	---	---	---	---	---	---		
07/13/16	---	340	---	---	---	---	---	---	---	---		
No. 125 8S/2W-12H	06/20/90	740	425	17.0	5.0	132.0	3.0	99.0	54.0	186.0	4.0	
	06/10/93	770	450	18.0	5.0	140.0	3.0	150.0	60.0	131.0	3.0	
	06/20/95	---	---	---	---	---	---	---	---	---	2.0	
	06/09/97	---	---	---	---	---	---	---	---	---	2.0	
	09/17/98	---	---	---	---	---	---	---	---	---	3.0	
	06/03/99	720	440	10.0	3.0	135.0	2.0	89.0	76.0	170.0	<2	
	11/02/99	---	---	---	---	---	---	---	---	---	3.0	
	11/15/00	---	---	---	---	---	---	---	---	---	2.0	
	07/24/01	---	---	---	---	---	---	---	---	---	4.0	
	06/19/02	700	400	8.8	2.3	130.0	1.8	87.0	54.0	170.0	<2	
	07/03/02	---	---	---	---	---	---	---	---	---	2.0	
	01/13/03	---	---	---	---	---	---	---	---	---	.38 as N	
	07/01/03	---	---	---	---	---	---	---	---	---	<2	
	06/09/04	---	---	---	---	---	---	---	---	---	<2	
	06/14/05	650	350	8.3	2.1	130.0	1.6	82.0	52.0	180.0	1.8	
	06/13/06	---	---	---	---	---	---	---	---	---	2.8	
	06/05/07	---	---	---	---	---	---	---	---	---	1.6	
	06/10/08	770	460	17.0	4.6	150.0	2.4	93.0	64.0	190.0	2.7	
	09/15/08	---	370	---	---	---	---	---	---	---	---	
	12/05/08	---	450	---	---	---	---	---	---	---	---	
	03/04/09	---	440	---	---	---	---	---	---	---	---	
	06/01/09	---	560	---	---	---	---	---	---	---	<2.0	
	07/27/10	---	480	---	---	---	---	---	---	---	3.7	
10/06/10	---	430	---	---	---	---	---	---	---	---		
01/14/11	---	420	---	---	---	---	---	---	---	---		
04/05/11	---	390	---	---	---	---	---	---	---	---		
No. 126 8S/2W-15H	05/04/88	480	290	4.0	<1	106.0	<1	53.0	14.0	64.0	<1	
	07/06/89	500	270	2.0	1.0	108.0	<1	55.0	11.0	98.0	<1	
	07/18/95	540	315	1.0	<1	122.0	<1	72.0	11.0	122.0	<1	
	07/07/97	---	---	---	---	---	---	---	---	---	<2	
	07/16/97	---	---	---	---	---	---	---	---	---	0.2 as N	
	07/23/97	---	---	---	---	---	---	---	---	---	0.2 as N	
	08/20/97	---	---	---	---	---	---	---	---	---	0.4 as N	
	09/03/97	---	---	---	---	---	---	---	---	---	0.2 as N	
	09/17/97	---	---	---	---	---	---	---	---	---	0.2 as N	
	07/20/98	520	330	2.0	<1	120.0	<1	56.0	11.0	130.0	<2	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 126 8S/2W-15H (Cont)	09/16/98	---	300	---	---	---	---	---	---	---	0.4 as N
	04/14/99	---	---	---	---	---	---	---	---	---	2.0
	04/11/00	---	---	---	---	---	---	---	---	---	<2
	04/11/01	---	---	---	---	---	---	---	---	---	2.0
	07/12/01	530	300	2.0	<1	100.0	<1	53.0	12.0	140.0	<2
	06/20/02	---	---	---	---	---	---	---	---	---	<2
	08/06/02	---	---	---	---	---	---	---	---	---	<2
	01/08/03	---	---	---	---	---	---	---	---	---	0.25 as N
	11/04/03	---	---	---	---	---	---	---	---	---	<2
	07/22/04	520	310	1.5	ND	110.0	ND	59.0	10.0	120.0	0.27 as N
	11/03/04	---	---	---	---	---	---	---	---	---	<2
	11/02/05	---	---	---	---	---	---	---	---	---	<1
	11/08/06	---	---	---	---	---	---	---	---	---	<1
	07/03/07	530	330	1.4	<1	110.0	<1	62.0	10.0	140.0	<2
	11/14/07	---	---	---	---	---	---	---	---	---	1.9
	08/07/08	---	280	---	---	---	---	---	---	---	---
	02/04/09	---	280	---	---	---	---	---	---	---	---
	05/06/09	---	280	---	---	---	---	---	---	---	---
	08/04/09	---	270	---	---	---	---	---	---	---	---
	02/03/10	---	290	---	---	---	---	---	---	---	---
	05/06/10	---	390	---	---	---	---	---	---	---	---
	07/13/10	530	300	1.6	<1	110.0	<1	58.0	11.0	130.0	<2
	08/24/10	---	330	---	---	---	---	---	---	---	---
	11/03/10	---	300	---	---	---	---	---	---	---	1.5
	02/04/11	---	280	---	---	---	---	---	---	---	---
	05/03/11	---	300	---	---	---	---	---	---	---	---
	08/02/11	---	280	---	---	---	---	---	---	---	---
	11/01/11	---	270	---	---	---	---	---	---	---	<2
	02/06/12	---	350	---	---	---	---	---	---	---	---
	05/02/12	---	330	---	---	---	---	---	---	---	---
	08/06/12	---	290	---	---	---	---	---	---	---	---
	11/05/12	---	320	---	---	---	---	---	---	---	1.9
	02/05/13	---	290	---	---	---	---	---	---	---	---
05/01/13	---	280	---	---	---	---	---	---	---	---	
08/01/13	---	290	---	---	---	---	---	---	---	---	
08/01/13	640	310	2.4	<1.0	120.0	<1.0	81.0	13.0	140.0	2.3	
11/04/13	---	280	---	---	---	---	---	---	---	<1.0	
02/04/14	---	270	---	---	---	---	---	---	---	---	
08/04/14	---	270	---	---	---	---	---	---	---	---	
11/12/14	---	280	---	---	---	---	---	---	---	2.5	
02/04/15	---	260	---	---	---	---	---	---	---	---	
05/05/15	---	270	---	---	---	---	---	---	---	---	
08/04/15	---	250	---	---	---	---	---	---	---	---	
11/03/15	---	250	---	---	---	---	---	---	---	1.0	
02/11/16	---	340	---	---	---	---	---	---	---	---	
05/03/16	---	270	---	---	---	---	---	---	---	---	
07/06/16	570	290	1.6	<0.50	110.0	<0.50	60.0	10.0	130.0	0.28 as N	
08/02/16	---	290	---	---	---	---	---	---	---	---	
No. 128 7S/3W-36M	07/06/89	400	230	27.0	3.0	54.0	2.0	59.0	7.0	101.0	25.0
	07/08/92	390	230	21.0	2.0	59.0	2.0	55.0	1	110.0	24.0
	07/20/95	380	275	16.0	2.0	66.0	1.0	65.0	10.0	101.0	19.0
	07/07/97	---	---	---	---	---	---	---	---	---	15.0
	07/20/98	370	260	12.0	<1	71.0	1.0	48.0	11.0	110.0	14.0
	06/02/99	---	---	---	---	---	---	---	---	---	13.0
	06/08/01	---	---	---	---	---	---	---	---	---	14.0
	07/10/01	400	230	10.0	<1	68.0	<1	44.0	12.0	100.0	12.0
	06/20/02	---	---	---	---	---	---	---	---	---	12.0
	01/08/03	---	---	---	---	---	---	---	---	---	12.0

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 128 7S/3W-36M (Cont)	01/14/04	---	---	---	---	---	---	---	---	---	10.0
	07/14/04	390	240	8.3	1.0	67.0	1.0	48.0	11.0	92.0	13.0
	01/11/05	---	---	---	---	---	---	---	---	---	6.0
	01/10/06	---	---	---	---	---	---	---	---	---	7.9
No. 129 7S/2W-20L	11/29/89	430	260	16.0	3.0	66.0	2.0	71.0	16.0	92.0	9.0
	08/08/90	440	280	20.0	5.0	64.0	2.0	72.0	14.0	119.0	10.0
	04/01/92	---	---	---	---	---	---	---	---	---	12.0
	09/10/93	470	275	24.0	6.0	60.0	2.0	74.0	16.0	110.0	13.0
	08/09/96	460	270	19.0	3.0	67.0	2.0	70.0	15.0	100.0	11.0
	02/04/97	---	---	---	---	---	---	---	---	---	53.0
	12/20/00	550	330	44.0	13.0	47.0	2.0	81.0	14.0	130.0	20.0
	03/22/01	---	---	---	---	---	---	---	---	---	20.0
	04/17/01	---	---	---	---	---	---	---	---	---	20.0
	05/02/01	---	---	---	---	---	---	---	---	---	18.0
	06/08/01	---	---	---	---	---	---	---	---	---	20.0
	10/16/01	---	---	---	---	---	---	---	---	---	19.0
	11/13/01	---	---	---	---	---	---	---	---	---	18.0
	02/26/02	---	---	---	---	---	---	---	---	---	16.0
05/23/02	---	---	---	---	---	---	---	---	---	14.0	
09/18/02	---	---	---	---	---	---	---	---	---	15.0	
No. 130 8S/2W-11R	02/17/88	650	365	16.0	1.0	132.0	1.0	69.0	64.0	0.0	4.0
	02/14/91	640	365	4.0	<1	132.0	1.0	68.0	56.0	122.0	---
	04/24/91	---	---	---	---	---	---	---	---	---	3.0
	02/09/94	650	410	3.0	<1	148.0	1.0	81.0	72.0	146.0	4.0
	05/16/95	---	---	---	---	---	---	---	---	---	4.0
	02/05/97	780	450	4.0	<1	170.0	<1	78.0	82.0	150.0	5.0
	05/14/97	---	---	---	---	---	---	---	---	---	4.0
	04/14/99	---	---	---	---	---	---	---	---	---	5.0
	02/10/00	750	440	4.0	<1	170.0	<1	76.0	77.0	170.0	5.0
	04/12/00	---	---	---	---	---	---	---	---	---	5.0
	05/25/00	---	---	---	---	---	---	---	---	---	6.0
	05/24/01	---	---	---	---	---	---	---	---	---	6.0
	05/24/02	---	---	---	---	---	---	---	---	---	5.0
	02/19/03	820	460	4.1	<1	170.0	<1	87.0	96.0	180.0	5.0
	05/04/04	---	---	---	---	---	---	---	---	---	5.1
	05/12/05	---	---	---	---	---	---	---	---	---	5.0
	02/14/06	800	450	4.1	<1	170.0	<1	83.0	91.0	200.0	5.1
	05/12/06	---	---	---	---	---	---	---	---	---	4.5
	05/01/07	---	---	---	---	---	---	---	---	---	4.5
	05/07/08	---	440	---	---	---	---	---	---	---	4.1
08/12/08	---	470	---	---	---	---	---	---	---	---	
11/09/08	---	560	---	---	---	---	---	---	---	---	
02/11/09	840	440	4.6	<1	170.0	<1	91.0	110.0	150.0	4.8	
05/11/09	---	480	---	---	---	---	---	---	---	3.5	
08/31/09	---	470	---	---	---	---	---	---	---	---	
02/04/10	---	480	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 130 8S/2W-11R (Cont)	05/06/10	---	410	---	---	---	---	---	---	---	---	4.5
	08/11/10	---	460	---	---	---	---	---	---	---	---	---
	11/01/10	---	480	---	---	---	---	---	---	---	---	---
	12/02/10	---	400	---	---	---	---	---	---	---	---	---
	07/15/11	---	480	---	---	---	---	---	---	---	---	---
	08/04/11	---	---	---	---	---	---	---	---	---	---	4.7
	10/13/11	---	490	---	---	---	---	---	---	---	---	---
	01/10/12	---	460	---	---	---	---	---	---	---	---	---
	02/09/12	810	480	4.4	<1.0	160.0	1.2	80.0	100.0	180.0	---	4.0
	08/08/12	---	---	---	---	---	---	---	---	---	---	4.2
	10/09/12	---	480	---	---	---	---	---	---	---	---	---
	01/03/13	---	500	---	---	---	---	---	---	---	---	---
	04/08/13	---	490	---	---	---	---	---	---	---	---	---
	07/09/13	---	460	---	---	---	---	---	---	---	---	---
	08/15/13	---	---	---	---	---	---	---	---	---	---	4.2
	10/08/13	---	470	---	---	---	---	---	---	---	---	---
	01/14/14	---	470	---	---	---	---	---	---	---	---	---
	04/09/14	---	500	---	---	---	---	---	---	---	---	---
	07/08/14	---	480	---	---	---	---	---	---	---	---	---
	08/07/14	---	---	---	---	---	---	---	---	---	---	4.7
	10/02/14	---	520	---	---	---	---	---	---	---	---	---
	02/20/15	880	480	5.1	<0.50	170.0	<0.50	81.0	110.0	180.0	---	4.1
	04/15/15	---	470	---	---	---	---	---	---	---	---	---
	07/14/15	---	510	---	---	---	---	---	---	---	---	---
	08/04/15	---	---	---	---	---	---	---	---	---	---	4.4
	10/13/15	---	470	---	---	---	---	---	---	---	---	---
	01/13/16	---	470	---	---	---	---	---	---	---	---	---
	04/13/16	---	550	---	---	---	---	---	---	---	---	---
	07/19/16	---	490	---	---	---	---	---	---	---	---	---
	08/03/16	---	---	---	---	---	---	---	---	---	---	0.89 as N
No. 131 8S/1W-12J	03/10/88	530	270	4.0	<1	108.0	1.0	57.0	52.0	31.0	1.0	
	03/21/91	630	335	7.0	<1	120.0	1.0	74.0	65.0	98.0	3.0	
	03/03/94	660	345	9.0	<1	124.0	2.0	86.0	73.0	119.0	2.0	
	03/30/95	---	---	---	---	---	---	---	---	---	2.0	
	03/20/97	660	370	6.0	<1	125.0	1.0	81.0	73.0	100.0	2.0	
	07/07/97	---	---	---	---	---	---	---	---	---	<2	
	07/27/98	---	---	---	---	---	---	---	---	---	2.0	
	06/03/99	---	---	---	---	---	---	---	---	---	<2	
	03/07/00	720	380	9.0	<1	140.0	2.0	81.0	80.0	130.0	3.0	
	06/21/00	---	---	---	---	---	---	---	---	---	2.0	
	06/27/01	---	---	---	---	---	---	---	---	---	2.0	
	06/05/02	---	---	---	---	---	---	---	---	---	<2	
	03/13/03	700	390	8.0	<1	130.0	1.4	88.0	88.0	130.0	3.0	
	06/11/03	---	---	---	---	---	---	---	---	---	<2	
	06/09/04	---	---	---	---	---	---	---	---	---	<2	
	06/15/05	---	---	---	---	---	---	---	---	---	2.0	
	03/07/06	710	420	9.1	<1	140.0	1.5	93.0	93.0	130.0	3.0	
	06/07/06	---	---	---	---	---	---	---	---	---	1.7	
	06/26/07	---	---	---	---	---	---	---	---	---	2.4	
	06/04/08	---	390	---	---	---	---	---	---	---	1.5	
	09/15/08	---	330	---	---	---	---	---	---	---	---	
	12/03/08	---	430	---	---	---	---	---	---	---	---	
	03/04/09	640	370	6.0	<1	130.0	1.2	71.0	77.0	130.0	<2.0	
	03/04/09	---	380	---	---	---	---	---	---	---	---	
	06/02/09	---	360	---	---	---	---	---	---	---	<2.0	
03/03/10	---	380	---	---	---	---	---	---	---	---		
06/02/10	---	360	---	---	---	---	---	---	---	2.0		
09/01/10	---	360	---	---	---	---	---	---	---	---		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l									
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3		
No. 131 8S/1W-12J (Cont)	03/02/11	---	430	---	---	---	---	---	---	---	---	---	
	06/07/11	---	360	---	---	---	---	---	---	---	---	2.0	
	09/02/11	---	330	---	---	---	---	---	---	---	---	---	
	12/07/11	---	420	---	---	---	---	---	---	---	---	---	
	03/02/12	---	410	---	---	---	---	---	---	---	---	---	
	06/05/12	---	350	---	---	---	---	---	---	---	---	1.5	
	09/05/12	---	370	---	---	---	---	---	---	---	---	---	
	12/04/12	---	370	---	---	---	---	---	---	---	---	---	
	03/06/13	---	350	---	---	---	---	---	---	---	---	---	
	06/05/13	---	360	---	---	---	---	---	---	---	---	1.8	
	09/04/13	---	370	---	---	---	---	---	---	---	---	---	
	12/04/13	---	370	---	---	---	---	---	---	---	---	---	
	03/11/14	---	440	---	---	---	---	---	---	---	---	---	
	06/03/14	---	460	---	---	---	---	---	---	---	---	3.4	
	09/03/14	---	380	---	---	---	---	---	---	---	---	---	
	06/03/15	---	370	---	---	---	---	---	---	---	---	2.2	
	09/09/15	---	380	---	---	---	---	---	---	---	---	---	
	11/04/15	660	360	6.8	<0.5	130.0	1.0	72.0	78.0	140.0	---	2.2	
	12/02/15	---	30	---	---	---	---	---	---	---	---	---	
	03/03/16	---	330	---	---	---	---	---	---	---	---	---	
06/07/16	---	370	---	---	---	---	---	---	---	---	0.47 as N		
09/07/16	---	370	---	---	---	---	---	---	---	---	---		
No. 132 8S/1W-07D	04/18/88	1000	620	94.0	13.0	103.0	6.0	109.0	153.0	235.0	---	2.0	
	05/08/91	920	590	64.0	19.0	110.0	5.0	100.0	160.0	201.0	---	<1	
	05/13/94	730	460	50.0	15.0	78.0	5.0	73.0	110.0	195.0	---	1.0	
	05/16/95	---	---	---	---	---	---	---	---	---	---	<1	
	07/18/95	860	520	59.0	17.0	100.0	4.0	90.0	130.0	223.0	---	1.0	
	07/20/98	900	590	69.0	20.0	110.0	5.0	89.0	150.0	230.0	---	2.0	
	01/06/99	---	---	---	---	---	---	---	---	---	---	2.0	
	02/03/99	---	---	---	---	---	---	---	---	---	---	2.0	
	04/14/99	---	---	---	---	---	---	---	---	---	---	3.0	
	06/03/99	---	---	---	---	---	---	---	---	---	---	3.0	
	07/27/99	---	---	---	---	---	---	---	---	---	---	5.0	
	08/11/99	---	---	---	---	---	---	---	---	---	---	4.0	
	09/15/99	---	---	---	---	---	---	---	---	---	---	4.0	
	10/21/99	---	---	---	---	---	---	---	---	---	---	4.0	
	11/02/99	---	---	---	---	---	---	---	---	---	---	3.0	
	12/15/99	---	---	---	---	---	---	---	---	---	---	3.0	
	05/03/00	---	---	---	---	---	---	---	---	---	---	2.0	
	05/16/01	800	500	57.0	17.0	74.0	5.0	63.0	180.0	150.0	---	3.0	
	05/01/02	---	---	---	---	---	---	---	---	---	---	---	2.0
	05/03/05	---	---	---	---	---	---	---	---	---	---	---	<2
	05/12/06	---	---	---	---	---	---	---	---	---	---	---	3.2
	05/01/07	---	---	---	---	---	---	---	---	---	---	---	4.7
	05/03/07	820	500	53.0	16.0	64.0	4.4	72.0	150.0	160.0	---	3.2	
	05/06/08	---	670	---	---	---	---	---	---	---	---	---	3.6
	08/12/08	---	690	---	---	---	---	---	---	---	---	---	---
	11/06/08	---	650	---	---	---	---	---	---	---	---	---	---
	02/05/09	---	570	---	---	---	---	---	---	---	---	---	---
	05/11/09	---	590	---	---	---	---	---	---	---	---	---	<2.0
	08/05/09	---	600	---	---	---	---	---	---	---	---	---	---
	02/03/10	---	580	---	---	---	---	---	---	---	---	---	---
05/06/10	960	600	67.0	22.0	88.0	5.6	96.0	220.0	170.0	---	1.2		
08/10/10	---	570	---	---	---	---	---	---	---	---	---	---	
11/01/10	---	610	---	---	---	---	---	---	---	---	---	---	
02/15/11	---	580	---	---	---	---	---	---	---	---	---	---	
05/04/11	---	590	---	---	---	---	---	---	---	---	---	2.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 132 8S/1W-07D (Cont)	08/03/11	---	580	---	---	---	---	---	---	---	---	---
	11/02/11	---	510	---	---	---	---	---	---	---	---	---
	02/08/12	---	450	---	---	---	---	---	---	---	---	---
	05/02/12	---	420	---	---	---	---	---	---	---	---	3.3
	08/08/12	---	360	---	---	---	---	---	---	---	---	---
	11/01/12	---	370	---	---	---	---	---	---	---	---	---
	01/29/14	---	520	---	---	---	---	---	---	---	---	---
	02/06/14	---	460	---	---	---	---	---	---	---	---	---
	05/15/14	---	510	---	---	---	---	---	---	---	---	1.5
	08/06/14	---	500	---	---	---	---	---	---	---	---	---
	11/06/14	---	540	---	---	---	---	---	---	---	---	---
	02/05/15	---	530	---	---	---	---	---	---	---	---	---
	05/07/15	---	520	---	---	---	---	---	---	---	---	1.2
	08/07/15	---	570	---	---	---	---	---	---	---	---	---
	11/10/15	---	620	---	---	---	---	---	---	---	---	---
	02/10/16	---	660	---	---	---	---	---	---	---	---	---
	05/11/16	1300	760	94.0	33.0	100.0	6.1	140.0	200.0	220.0	0.44 as N	
	05/11/16	---	740	---	---	---	---	---	---	---	---	0.43 as N
	08/03/16	---	820	---	---	---	---	---	---	---	---	---
	No. 133 8S/1W-7C	03/28/90	970	605	50.0	20.0	112.0	5.0	120.0	131.0	235.0	3.0
03/11/93		970	580	48.0	19.0	120.0	4.0	110.0	140.0	204.0	3.0	
06/06/95		---	---	---	---	---	---	---	---	---	2.0	
07/18/95		850	680	26.0	10.0	142.0	2.0	120.0	100.0	174.0	2.0	
06/23/97		---	---	---	---	---	---	---	---	---	3.0	
07/20/98		790	500	24.0	9.0	140.0	2.0	96.0	93.0	170.0	2.0	
08/02/00		---	---	---	---	---	---	---	---	---	3.0	
03/28/01		800	460	22.0	10.0	130.0	2.0	98.0	100.0	170.0	<2	
08/02/01		---	---	---	---	---	---	---	---	---	<2	
09/18/02		---	---	---	---	---	---	---	---	---	2.0	
09/16/03		---	---	---	---	---	---	---	---	---	2.0	
03/12/04		810	500	25.0	10.0	130.0	2.4	95.0	99.0	180.0	2.0	
03/07/07		820	500	26.0	9.7	140.0	2.4	94.0	98.0	160.0	2.3	
03/03/08		---	---	---	---	---	---	---	---	---	2.1	
03/07/08		---	480	---	---	---	---	---	---	---	---	
07/08/08		---	470	---	---	---	---	---	---	---	---	
01/07/09		---	540	---	---	---	---	---	---	---	---	
03/04/09		---	---	---	---	---	---	---	---	---	2.6	
04/02/09		---	460	---	---	---	---	---	---	---	---	
07/09/09		---	450	---	---	---	---	---	---	---	---	
01/06/10		---	490	---	---	---	---	---	---	---	---	
03/03/10		860	460	37.0	16.0	110.0	3.1	110.0	110.0	200.0	3.0	
04/08/10		---	490	---	---	---	---	---	---	---	---	
07/08/10		---	470	---	---	---	---	---	---	---	---	
10/06/10		---	460	---	---	---	---	---	---	---	---	
01/12/11		---	490	---	---	---	---	---	---	---	---	
03/09/11		---	---	---	---	---	---	---	---	---	2.9	
04/05/11		---	460	---	---	---	---	---	---	---	---	
07/06/11		---	440	---	---	---	---	---	---	---	---	
10/13/11		---	470	---	---	---	---	---	---	---	---	
10/09/12		---	490	---	---	---	---	---	---	---	---	
12/12/12		---	---	---	---	---	---	---	---	---	2.8	
01/15/13		---	470	---	---	---	---	---	---	---	---	
03/07/13		840	510	36.0	15.0	110.0	3.0	100.0	100.0	200.0	3.0	
04/08/13	---	470	---	---	---	---	---	---	---	---		
07/09/13	---	470	---	---	---	---	---	---	---	---		
10/08/13	---	500	---	---	---	---	---	---	---	---		
01/14/14	---	490	---	---	---	---	---	---	---	---		
03/11/14	---	---	---	---	---	---	---	---	---	3.7		
04/09/14	---	530	---	---	---	---	---	---	---	---		
07/08/14	---	540	---	---	---	---	---	---	---	---		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 133 8S/1W-7C (Cont)	10/02/14	---	500	---	---	---	---	---	---	---	---	---
	01/15/15	---	460	---	---	---	---	---	---	---	---	---
	03/04/15	---	---	---	---	---	---	---	---	---	---	2.8
	04/15/15	---	490	---	---	---	---	---	---	---	---	---
	07/15/15	---	500	---	---	---	---	---	---	---	---	---
	10/13/15	---	400	---	---	---	---	---	---	---	---	---
	01/20/16	---	430	---	---	---	---	---	---	---	---	---
	03/03/16	---	---	---	---	---	---	---	---	---	---	0.51 as N
	03/15/16	930	510	36.0	14.0	120.0	2.8	99.0	110.0	190.0	0.76 as N	---
	04/13/16	---	550	---	---	---	---	---	---	---	---	---
	07/19/16	---	480	---	---	---	---	---	---	---	---	---
	No. 135 7S/3W-27M	05/24/89	2450	1390	122.0	65.0	300.0	2.0	410.0	225.0	464.0	33.0
		06/06/90	1540	945	73.0	36.0	215.0	1.0	250.0	150.0	323.0	13.0
12/11/90		4400	2670	270.0	109.0	480.0	4.0	1030.0	380.0	314.0	<1	
08/06/92		1800	810	63.0	33.0	170.0	1.0	200.0	160.0	281.0	---	
01/16/97		---	---	---	---	---	---	---	---	---	3.7 as N	
02/04/97		---	---	---	---	---	---	---	---	---	3.5 as N	
02/12/97		---	---	---	---	---	---	---	---	---	4.0 as N	
02/20/97		---	---	---	---	---	---	---	---	---	3.4 as N	
02/25/97		---	---	---	---	---	---	---	---	---	3.4 as N	
03/04/97		---	---	---	---	---	---	---	---	---	3.7 as N	
03/18/97		---	---	---	---	---	---	---	---	---	3.3 as N	
03/25/97		---	---	---	---	---	---	---	---	---	3.5 as N	
04/08/97		---	---	---	---	---	---	---	---	---	3.4 as N	
04/15/97		---	---	---	---	---	---	---	---	---	3.4 as N	
04/22/97		---	---	---	---	---	---	---	---	---	3.5 as N	
05/06/97		1930	1050	97.0	48.0	220.0	2.0	340.0	190.0	360.0	3.3 as N	
05/14/97		---	---	---	---	---	---	---	---	---	3.4 as N	
05/21/97		---	---	---	---	---	---	---	---	---	3.3 as N	
06/04/97		---	---	---	---	---	---	---	---	---	3.3 as N	
06/11/97		---	---	---	---	---	---	---	---	---	3.3 as N	
06/18/97		---	---	---	---	---	---	---	---	---	3.3 as N	
06/25/97	---	---	---	---	---	---	---	---	---	3.3 as N		
07/02/97	---	---	---	---	---	---	---	---	---	3.3 as N		
09/17/97	1960	1260	---	---	---	---	430.0	220.0	---	---	13.0	
No. 138 8S/2W-6F	10/30/90	460	240	19.0	2.0	74.0	2.0	71.0	13.0	113.0	18.0	
	10/06/93	420	240	11.0	<1	70.0	1.0	56.0	10.0	92.0	14.0	
	10/11/96	430	270	9.0	<1	78.0	1.0	55.0	8.9	100.0	15.0	
	04/14/99	---	---	---	---	---	---	---	---	---	5.0	
	06/03/99	---	---	---	---	---	---	---	---	---	3.0	
	10/26/99	430	240	10.0	<1	76.0	1.0	60.0	11.0	100.0	19.0	
	03/13/00	---	---	---	---	---	---	---	---	---	5.0	
	03/22/01	---	---	---	---	---	---	---	---	---	17.0	
	03/13/02	---	---	---	---	---	---	---	---	---	21.0	
	06/20/02	---	---	---	---	---	---	---	---	---	16.0	
	10/02/02	440	220	10.0	<1	75.0	1.2	58.0	7.8	96.0	17.0	
	06/12/03	---	---	---	---	---	---	---	---	---	16.0	
	12/30/04	---	---	---	---	---	---	---	---	---	5.0	
	01/27/05	---	---	---	---	---	---	---	---	---	12.0	
	10/18/05	430	280	11.0	<1	72.0	1.3	65.0	8.3	110.0	18.0	
	01/06/06	---	---	---	---	---	---	---	---	---	17.0	
	01/10/07	---	---	---	---	---	---	---	---	---	16.0	
	01/08/08	---	---	---	---	---	---	---	---	---	16.0	
	10/08/08	430	220	12.0	59.0	82.0	1.1	59.0	11.0	32.0	18.0	
01/08/09	---	---	---	---	---	---	---	---	---	18.0		
01/12/09	---	280	---	---	---	---	---	---	---	---		
04/08/09	---	250	---	---	---	---	---	---	---	---		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 138 8S/2W-6F (Cont)	07/06/09	---	240	---	---	---	---	---	---	---	---	---
	01/06/10	---	250	---	---	---	---	---	---	---	---	16.0
	04/08/10	---	270	---	---	---	---	---	---	---	---	---
	07/14/10	---	260	---	---	---	---	---	---	---	---	---
	10/05/10	---	230	---	---	---	---	---	---	---	---	---
	01/12/11	---	190	---	---	---	---	---	---	---	---	17.0
	04/06/11	---	290	---	---	---	---	---	---	---	---	---
	07/07/11	---	250	---	---	---	---	---	---	---	---	---
	10/04/11	440	240	10.0	1.0	78.0	1.9	62.0	10.0	110.0	---	17.0
	10/04/11	---	200	---	---	---	---	---	---	---	---	---
	01/17/12	---	260	---	---	---	---	---	---	---	---	16.0
	04/03/12	---	280	---	---	---	---	---	---	---	---	---
	10/02/12	---	290	---	---	---	---	---	---	---	---	---
	01/03/13	---	240	---	---	---	---	---	---	---	---	14.0
	04/03/13	---	230	---	---	---	---	---	---	---	---	---
	07/02/13	---	220	---	---	---	---	---	---	---	---	---
	10/10/13	---	230	---	---	---	---	---	---	---	---	---
	01/07/14	---	220	---	---	---	---	---	---	---	---	16.0
	04/22/14	---	220	---	---	---	---	---	---	---	---	---
	07/09/14	---	260	---	---	---	---	---	---	---	---	---
	10/02/14	430	260	10.0	ND	81.0	1.2	67.0	11.0	110.0	---	16.0
	01/14/15	---	210	---	---	---	---	---	---	---	---	17.0
	04/09/15	---	260	---	---	---	---	---	---	---	---	---
07/02/15	---	240	---	---	---	---	---	---	---	---	---	
10/08/15	---	250	---	---	---	---	---	---	---	---	---	
01/12/16	---	260	---	---	---	---	---	---	---	---	2.9 as N	
04/05/16	---	290	---	---	---	---	---	---	---	---	---	
07/12/16	---	280	---	---	---	---	---	---	---	---	---	
No. 139 7S/2W-32G	12/29/87	460	295	24.0	7.0	65.0	1.0	60.0	11.0	104.0	---	7.0
	11/23/92	450	275	32.0	9.0	46.0	2.0	60.0	13.0	134.0	---	20.0
	12/19/95	500	298	36.0	12.0	50.0	2.0	72.0	12.0	156.0	---	2.8
	03/25/97	---	---	---	---	---	---	---	---	---	---	10.0
	03/13/00	---	---	---	---	---	---	---	---	---	---	9.0
	03/28/01	---	---	---	---	---	---	---	---	---	---	8.0
	03/11/02	530	280	29.0	10.0	57.0	2.0	73.0	13.0	140.0	---	9.0
	03/09/04	---	---	---	---	---	---	---	---	---	---	8.0
	03/09/05	520	310	21.0	7.7	72.0	1.3	78.0	13.0	150.0	---	6.0
	03/09/06	---	---	---	---	---	---	---	---	---	---	9.9
	03/07/07	---	---	---	---	---	---	---	---	---	---	6.9
	04/15/08	550	340	40.0	14.0	43.0	1.9	80.0	10.0	150.0	---	14.0
	07/17/08	---	330	---	---	---	---	---	---	---	---	---
	10/08/08	---	320	---	---	---	---	---	---	---	---	---
	01/13/09	---	390	---	---	---	---	---	---	---	---	---
	07/06/09	---	290	---	---	---	---	---	---	---	---	---
	04/08/09	---	310	---	---	---	---	---	---	---	---	5.8
	05/17/10	---	320	---	---	---	---	---	---	---	---	---
	08/09/10	---	340	---	---	---	---	---	---	---	---	---
	10/21/10	---	---	---	---	---	---	---	---	---	---	8.9
11/03/10	---	290	---	---	---	---	---	---	---	---	---	
02/09/11	---	340	---	---	---	---	---	---	---	---	---	
04/21/11	570	340	39.0	15.0	45.0	2.3	97.0	16.0	140.0	---	12.0	
05/04/11	---	340	---	---	---	---	---	---	---	---	---	
07/07/11	---	350	---	---	---	---	---	---	---	---	---	
08/04/11	---	320	---	---	---	---	---	---	---	---	---	

ND- None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 139 7S/2W-32G (Cont)	10/05/11	---	---	---	---	---	---	---	---	---	---	6.1
	11/02/11	---	310	---	---	---	---	---	---	---	---	---
	02/09/12	---	330	---	---	---	---	---	---	---	---	---
	05/02/12	---	320	---	---	---	---	---	---	---	---	---
	08/09/12	---	310	---	---	---	---	---	---	---	---	---
	10/02/12	---	---	---	---	---	---	---	---	---	---	5.4
	11/02/12	---	360	---	---	---	---	---	---	---	---	---
	02/07/13	---	320	---	---	---	---	---	---	---	---	---
	05/02/13	---	300	---	---	---	---	---	---	---	---	---
	08/13/13	---	330	---	---	---	---	---	---	---	---	---
	10/10/13	---	---	---	---	---	---	---	---	---	---	4.9
	11/07/13	---	340	---	---	---	---	---	---	---	---	---
	02/05/14	---	310	---	---	---	---	---	---	---	---	---
	04/09/14	560	370	32.0	13.0	64.0	1.8	92.0	13.0	150.0	---	5.2
	05/20/14	---	300	---	---	---	---	---	---	---	---	---
	08/07/14	---	370	---	---	---	---	---	---	---	---	---
	10/01/14	---	---	---	---	---	---	---	---	---	---	3.4
	11/06/14	---	310	---	---	---	---	---	---	---	---	---
	02/05/15	---	320	---	---	---	---	---	---	---	---	---
	05/14/15	---	320	---	---	---	---	---	---	---	---	---
08/07/15	---	320	---	---	---	---	---	---	---	---	---	
10/08/15	---	---	---	---	---	---	---	---	---	---	6.4	
11/17/15	---	360	---	---	---	---	---	---	---	---	---	
02/05/16	---	350	---	---	---	---	---	---	---	---	---	
05/13/16	---	330	---	---	---	---	---	---	---	---	---	
08/03/16	---	330	---	---	---	---	---	---	---	---	---	
No. 140 7S/2W-33F	02/18/88	560	325	33.0	10.0	65.0	2.0	77.0	14.0	153.0	---	13.0
	01/15/92	450	235	11.0	2.0	88.0	1.0	68.0	18.0	107.0	---	2.0
	02/28/95	560	325	36.0	11.0	58.0	2.0	94.0	14.0	140.0	---	12.0
	03/25/97	---	---	---	---	---	---	---	---	---	---	8.0
	02/27/98	650	360	31.0	11.0	76.0	2.0	95.0	16.0	130.0	---	5.0
	09/17/98	---	---	---	---	---	---	---	---	---	---	8.0
	05/16/01	---	---	---	---	---	---	---	---	---	---	11.0
	02/01/01	650	370	31.0	12.0	72.0	2.0	110.0	21.0	150.0	---	4.0
	05/24/02	---	---	---	---	---	---	---	---	---	---	7.0
	04/05/05	680	390	37.0	16.0	69.0	2.3	140.0	18.0	150.0	---	4.0
	04/06/06	---	---	---	---	---	---	---	---	---	---	4.4
	04/24/07	---	---	---	---	---	---	---	---	---	---	3.0
	04/08/08	630	340	26.0	9.5	79.0	1.9	110.0	21.0	140.0	---	2.7
	04/08/08	---	350	---	---	---	---	---	---	---	---	2.7
	07/07/08	---	360	---	---	---	---	---	---	---	---	---
	01/07/09	---	400	---	---	---	---	---	---	---	---	---
	04/15/09	---	380	---	---	---	---	---	---	---	---	4.6
	07/06/09	---	360	---	---	---	---	---	---	---	---	---
	01/06/10	---	350	---	---	---	---	---	---	---	---	---
	04/08/10	---	350	---	---	---	---	---	---	---	---	2.1
	07/14/10	---	360	---	---	---	---	---	---	---	---	---
	10/05/10	---	350	---	---	---	---	---	---	---	---	---
	01/12/11	---	280	---	---	---	---	---	---	---	---	---
	04/05/11	640	360	26.0	9.4	82.0	1.9	100.0	19.0	130.0	---	2.4
	04/05/11	---	340	---	---	---	---	---	---	---	---	2.7
	10/05/11	---	360	---	---	---	---	---	---	---	---	---
	01/17/12	---	380	---	---	---	---	---	---	---	---	---
04/03/12	---	390	---	---	---	---	---	---	---	---	---	
10/02/12	---	370	---	---	---	---	---	---	---	---	---	
01/21/14	---	380	---	---	---	---	---	---	---	---	---	
03/12/14	---	---	---	---	---	---	---	---	---	---	2.8	
04/03/14	660	330	32.0	12.0	84.0	2.1	120.0	23.0	140.0	---	3.2	
04/03/14	---	330	---	---	---	---	---	---	---	---	3.3	
07/08/14	---	380	---	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 140 7S/2W-33F (Cont)	10/01/14	---	370	---	---	---	---	---	---	---	---	---
	01/20/15	---	340	---	---	---	---	---	---	---	---	---
	04/09/15	---	350	---	---	---	---	---	---	---	---	2.1
	07/02/15	---	360	---	---	---	---	---	---	---	---	---
	10/08/15	---	330	---	---	---	---	---	---	---	---	---
	01/12/16	---	330	---	---	---	---	---	---	---	---	---
	04/21/16	---	330	---	---	---	---	---	---	---	---	0.42 as N
	07/12/16	---	400	---	---	---	---	---	---	---	---	---
	08/04/16	---	---	---	---	---	---	---	---	---	---	0.45 as N
	No. 141 8S/2W-11P	01/06/88	780	440	64.0	11.0	82.0	3.0	65.0	91.0	217.0	13.0
01/30/92		820	500	63.0	13.0	95.0	3.0	79.0	110.0	238.0	19.0	
03/30/95		840	490	58.0	11.0	100.0	3.0	70.0	97.0	241.0	14.0	
03/25/97		---	---	---	---	---	---	---	---	---	15.0	
03/26/98		760	480	62.0	12.0	90.0	3.0	69.0	86.0	230.0	16.0	
01/04/99		---	---	---	---	---	---	---	---	---	14.0	
02/12/99		---	---	---	---	---	---	---	---	---	19.0	
10/21/99		---	---	---	---	---	---	---	---	---	17.0	
11/03/99		---	---	---	---	---	---	---	---	---	14.0	
12/14/99		---	---	---	---	---	---	---	---	---	14.0	
06/20/00		---	---	---	---	---	---	---	---	---	15.0	
01/04/01		700	450	52.0	6.0	84.0	3.0	75.0	70.0	190.0	15.0	
09/28/01		---	---	---	---	---	---	---	---	---	18.0	
11/08/02		---	---	---	---	---	---	---	---	---	15.0	
09/16/03		---	---	---	---	---	---	---	---	---	19.0	
01/13/04		760	490	65.0	11.0	84.0	3.1	70.0	90.0	220.0	21.0	
01/06/05		---	---	---	---	---	---	---	---	---	18.0	
01/06/06		---	---	---	---	---	---	---	---	---	16.0	
06/04/08		---	410	---	---	---	---	---	---	---	11.0	
12/05/08		---	480	---	---	---	---	---	---	---	---	
03/04/09		---	440	---	---	---	---	---	---	---	---	
06/02/09		---	390	---	---	---	---	---	---	---	10.0	
01/05/10		760	450	62.0	8.1	84.0	3.5	77.0	68.0	200.0	16.0	
03/03/10		---	480	---	---	---	---	---	---	---	---	
06/02/10		---	400	---	---	---	---	---	---	---	13.0	
09/01/10		---	370	---	---	---	---	---	---	---	---	
01/12/11		---	460	---	---	---	---	---	---	---	---	
04/05/11		---	420	---	---	---	---	---	---	---	---	
06/07/11		---	---	---	---	---	---	---	---	---	12.0	
07/06/11		---	360	---	---	---	---	---	---	---	---	
10/11/11		---	420	---	---	---	---	---	---	---	---	
01/10/12		---	400	---	---	---	---	---	---	---	---	
04/03/12		---	510	---	---	---	---	---	---	---	---	
06/05/12		---	---	---	---	---	---	---	---	---	12.0	
10/09/12		---	400	---	---	---	---	---	---	---	---	
01/03/13		---	490	---	---	---	---	---	---	---	---	
01/03/13		830	490	70.0	10.0	89.0	3.6	80.0	81.0	220.0	17.0	
04/17/13		---	460	---	---	---	---	---	---	---	---	
06/06/13		---	---	---	---	---	---	---	---	---	13.0	
07/09/13		---	450	---	---	---	---	---	---	---	---	
10/08/13	---	390	---	---	---	---	---	---	---	---		
01/28/14	---	520	---	---	---	---	---	---	---	---		
04/09/14	---	420	---	---	---	---	---	---	---	---		
06/03/14	---	---	---	---	---	---	---	---	---	16.0		
07/09/14	---	400	---	---	---	---	---	---	---	---		
10/02/14	---	410	---	---	---	---	---	---	---	---		
01/21/15	---	600	---	---	---	---	---	---	---	---		
04/08/15	---	400	---	---	---	---	---	---	---	---		
06/03/15	---	---	---	---	---	---	---	---	---	13.0		
07/07/15	---	420	---	---	---	---	---	---	---	---		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 141 8S/2W-11P (cont)	10/22/15	---	500	---	---	---	---	---	---	---	---
	01/13/16	---	480	---	---	---	---	---	---	---	---
	01/13/16	810	480	66.0	8.1	87.0	3.4	81.0	89.0	210.0	4.1 as N
	04/13/16	---	490	---	---	---	---	---	---	---	---
	06/07/16	---	---	---	---	---	---	---	---	---	---
	07/13/16	---	400	---	---	---	---	---	---	---	---
No. 143 8S/2W-17J	01/15/88	670	345	8.0	2.0	134.0	1.0	91.0	57.0	95.0	11.0
	10/17/90	660	345	25.0	4.0	112.0	2.0	89.0	62.0	140.0	12.0
	03/03/94	690	370	24.0	3.0	114.0	2.0	93.0	68.0	131.0	11.0
	03/30/95	---	---	---	---	---	---	---	---	---	11.0
	03/25/97	600	330	15.0	2.0	110.0	1.0	87.0	44.0	89.0	9.0
	07/18/97	---	---	---	---	---	---	---	---	---	2.0 as N
	07/23/97	---	---	---	---	---	---	---	---	---	2.0 as N
	08/20/97	---	---	---	---	---	---	---	---	---	2.3 as N
	09/03/97	---	---	---	---	---	---	---	---	---	2.2 as N
	09/17/97	---	---	---	---	---	---	---	---	---	2.0 as N
	09/17/98	---	350	---	---	---	---	---	---	---	2.3 as N
	10/21/99	---	---	---	---	---	---	---	---	---	13.0
	03/07/00	730	400	21.0	3.0	120.0	2.0	84.0	68.0	140.0	12.0
	10/13/00	---	---	---	---	---	---	---	---	---	8.0
	10/10/01	---	---	---	---	---	---	---	---	---	8.0
	11/19/02	---	---	---	---	---	---	---	---	---	10.0
	01/13/03	---	---	---	---	---	---	---	---	---	2.1 as N
	03/10/03	650	370	14.0	1.9	110.0	1.0	92.0	52.0	130.0	10.0
	01/07/04	---	---	---	---	---	---	---	---	---	12.0
	01/18/05	---	---	---	---	---	---	---	---	---	10.0
	01/06/06	---	---	---	---	---	---	---	---	---	8.7
	06/08/06	560	270	9.5	1.3	100.0	1.0	86.0	<0.5	100.0	7.2
	01/10/07	---	---	---	---	---	---	---	---	---	7.3
	01/04/08	---	---	---	---	---	---	---	---	---	7.1
	01/08/09	---	---	---	---	---	---	---	---	---	9.0
	02/04/09	---	300	---	---	---	---	---	---	---	---
	05/11/09	---	290	---	---	---	---	---	---	---	---
	08/05/09	---	300	---	---	---	---	---	---	---	---
	01/05/10	---	---	---	---	---	---	---	---	---	6.5
	02/04/10	---	320	---	---	---	---	---	---	---	---
	05/06/10	---	330	---	---	---	---	---	---	---	---
	08/13/10	---	280	---	---	---	---	---	---	---	---
	11/01/10	---	350	---	---	---	---	---	---	---	---
01/13/11	---	---	---	---	---	---	---	---	---	9.1	
02/09/11	---	320	---	---	---	---	---	---	---	---	
05/04/11	---	300	---	---	---	---	---	---	---	---	
08/03/11	---	320	---	---	---	---	---	---	---	---	
11/02/11	---	370	---	---	---	---	---	---	---	---	
01/06/12	---	---	---	---	---	---	---	---	---	7.2	
02/09/12	---	300	---	---	---	---	---	---	---	---	
05/10/12	---	300	---	---	---	---	---	---	---	---	
06/05/12	540	320	7.3	1.1	100.0	1.0	73.0	21.0	100.0	5.9	
08/07/12	---	310	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 143 8S/2W-17J (Cont)	11/01/12	---	290	---	---	---	---	---	---	---	---	---
	01/03/13	---	---	---	---	---	---	---	---	---	---	8.5
	02/10/13	---	360	---	---	---	---	---	---	---	---	---
	05/02/13	---	290	---	---	---	---	---	---	---	---	---
	08/19/13	---	330	---	---	---	---	---	---	---	---	---
	11/07/13	---	290	---	---	---	---	---	---	---	---	---
	01/09/14	---	---	---	---	---	---	---	---	---	---	6.4
	02/05/14	---	280	---	---	---	---	---	---	---	---	---
	05/06/14	---	270	---	---	---	---	---	---	---	---	---
	08/08/14	---	260	---	---	---	---	---	---	---	---	---
	11/06/14	---	320	---	---	---	---	---	---	---	---	---
	01/08/15	---	---	---	---	---	---	---	---	---	---	11.0
	02/04/15	---	240	---	---	---	---	---	---	---	---	---
	05/07/15	---	300	---	---	---	---	---	---	---	---	---
	06/02/15	590	300	6.4	<0.50	100.0	<0.50	79.0	25.0	120.0	---	6.3
	08/07/15	---	270	---	---	---	---	---	---	---	---	---
	11/10/15	---	330	---	---	---	---	---	---	---	---	---
	01/12/16	---	---	---	---	---	---	---	---	---	---	2.3 as N
	02/09/16	---	350	---	---	---	---	---	---	---	---	---
	05/10/16	---	290	---	---	---	---	---	---	---	---	---
No. 144 7S/3W-27D3	09/14/88	610	335	8.0	<1	114.0	1.0	95.0	33.0	92.0	---	<1
	12/19/95	730	420	34.0	1.0	124.0	1.0	120.0	33.0	186.0	---	<1
	12/20/00	690	400	28.0	1.0	120.0	<1	120.0	35.0	170.0	---	<2
	05/22/01	---	---	---	---	---	---	---	---	---	---	<2
	08/20/02	---	---	---	---	---	---	---	---	---	---	<2
	08/27/03	---	---	---	---	---	---	---	---	---	---	<2
	12/16/03	630	420	33.0	1.8	110.0	1.0	110.0	28.0	170.0	---	<2
	08/12/04	---	---	---	---	---	---	---	---	---	---	<2
	10/11/05	---	---	---	---	---	---	---	---	---	---	2.0
	12/07/06	670	370	21.0	1.0	98.0	1.2	110.0	27.0	150.0	---	<1
	08/07/07	---	---	---	---	---	---	---	---	---	---	<2
	08/11/08	---	320	---	---	---	---	---	---	---	---	<2
	02/09/09	---	340	---	---	---	---	---	---	---	---	---
	05/08/09	---	360	---	---	---	---	---	---	---	---	---
	08/05/09	---	370	---	---	---	---	---	---	---	---	<2
	02/04/10	---	380	---	---	---	---	---	---	---	---	---
	05/06/10	---	410	---	---	---	---	---	---	---	---	---
	08/10/10	---	370	---	---	---	---	---	---	---	---	<2
	11/10/10	---	400	---	---	---	---	---	---	---	---	---
	02/02/11	---	340	---	---	---	---	---	---	---	---	---
	05/04/11	---	350	---	---	---	---	---	---	---	---	---
	08/09/11	---	340	---	---	---	---	---	---	---	---	<2
	11/02/11	---	320	---	---	---	---	---	---	---	---	---
	02/08/12	---	320	---	---	---	---	---	---	---	---	---
	05/03/12	---	340	---	---	---	---	---	---	---	---	---
	08/09/12	---	330	---	---	---	---	---	---	---	---	<1.0
	11/02/12	---	370	---	---	---	---	---	---	---	---	---
	12/04/12	660	350	23.0	1.2	110.0	<1.0	100.0	26.0	150.0	---	<1.0
	02/06/13	---	350	---	---	---	---	---	---	---	---	---
	05/03/13	---	360	---	---	---	---	---	---	---	---	---
	08/14/13	---	340	---	---	---	---	---	---	---	---	<1.0
	11/07/13	---	350	---	---	---	---	---	---	---	---	---
	02/05/14	---	340	---	---	---	---	---	---	---	---	---
05/14/14	---	340	---	---	---	---	---	---	---	---	---	
08/07/14	---	340	---	---	---	---	---	---	---	---	<1.0	
11/05/14	---	370	---	---	---	---	---	---	---	---	---	
02/18/15	---	380	---	---	---	---	---	---	---	---	---	
05/14/15	---	310	---	---	---	---	---	---	---	---	---	
08/19/15	---	380	---	---	---	---	---	---	---	---	<0.47	
11/18/15	---	330	---	---	---	---	---	---	---	---	---	
12/09/15	620	340	20.0	1.1	110.0	<0.50	110.0	30.0	130.0	---	<0.11 as N	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 144 7S/3W-27D3 (cont)	02/10/16	---	460	---	---	---	---	---	---	---	---	---
	05/05/16	---	350	---	---	---	---	---	---	---	---	---
	08/02/16	---	350	---	---	---	---	---	---	---	---	<0.11 as N
No. 145 7S/3W-28C	10/04/90	800	490	43.0	8.0	110.0	2.0	110.0	78.0	171.0		<1
	10/06/93	650	375	23.0	3.0	106.0	1.0	85.0	58.0	146.0		<1
	11/27/96	650	340	26.0	2.0	110.0	1.0	87.0	48.0	150.0		<2
	02/04/97	670	370	24.0	2.0	110.0	1.0	87.0	55.0	160.0		<2
	01/28/98	---	---	---	---	---	---	---	---	---		<2
	01/04/99	---	---	---	---	---	---	---	---	---		<2
	10/26/99	690	400	29.0	3.0	110.0	1.0	96.0	61.0	170.0		<2
	01/06/00	---	---	---	---	---	---	---	---	---		<2
	01/25/01	---	---	---	---	---	---	---	---	---		<2
	01/18/02	---	---	---	---	---	---	---	---	---		<2
	10/09/02	690	390	26.0	2.3	110.0	1.2	94.0	52.0	160.0		<2
	01/15/03	---	---	---	---	---	---	---	---	---		<2
	01/07/04	---	---	---	---	---	---	---	---	---		<2
	01/13/05	---	---	---	---	---	---	---	---	---		<2
	10/11/05	680	430	33.0	2.7	120.0	1.4	100.0	54.0	180.0		<1
	10/18/05	700	440	34.0	2.8	120.0	1.5	100.0	59.0	180.0		<1
	04/13/06	---	---	---	---	---	---	---	---	---		<1
	01/19/07	---	---	---	---	---	---	---	---	---		<1
	01/04/08	---	---	---	---	---	---	---	---	---		<2
	08/11/08	---	360	---	---	---	---	---	---	---		---
	10/08/08	720	400	37.0	3.2	100.0	1.3	95.0	56.0	150.0		ND
	01/06/09	---	---	---	---	---	---	---	---	---		ND
	02/03/09	---	390	---	---	---	---	---	---	---		---
	05/08/09	---	410	---	---	---	---	---	---	---		---
	08/05/09	---	400	---	---	---	---	---	---	---		---
	01/07/10	---	---	---	---	---	---	---	---	---		<2
	02/04/10	---	400	---	---	---	---	---	---	---		---
	05/07/10	---	470	---	---	---	---	---	---	---		---
	08/10/10	---	390	---	---	---	---	---	---	---		---
	11/10/10	---	410	---	---	---	---	---	---	---		---
	01/12/11	---	---	---	---	---	---	---	---	---		<2
	02/09/11	---	390	---	---	---	---	---	---	---		---
05/05/11	---	380	---	---	---	---	---	---	---		---	
08/04/11	---	360	---	---	---	---	---	---	---		---	
10/05/11	670	380	28.0	2.6	110.0	1.6	100.0	49.0	160.0		<2	
11/10/11	---	400	---	---	---	---	---	---	---		---	
01/12/12	---	---	---	---	---	---	---	---	---		<1.0	
02/08/12	---	510	---	---	---	---	---	---	---		---	
05/17/12	---	440	---	---	---	---	---	---	---		---	
08/09/12	---	410	---	---	---	---	---	---	---		---	
11/06/12	---	600	---	---	---	---	---	---	---		---	
01/16/13	---	---	---	---	---	---	---	---	---		<1.0	
02/07/13	---	400	---	---	---	---	---	---	---		---	
05/03/13	---	390	---	---	---	---	---	---	---		---	
08/14/13	---	370	---	---	---	---	---	---	---		---	

ND- None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 145 7S/3W-28C (Cont)	11/07/13	---	390	---	---	---	---	---	---	---	---	---
	01/28/14	---	---	---	---	---	---	---	---	---	---	<1.0
	02/11/14	---	350	---	---	---	---	---	---	---	---	---
	05/21/14	---	440	---	---	---	---	---	---	---	---	---
	08/19/14	---	370	---	---	---	---	---	---	---	---	---
	10/09/14	690	400	42.0	0.0	110.0	1.4	100.0	55.0	180.0	---	<1.0
	11/14/14	---	440	---	---	---	---	---	---	---	---	---
	01/27/15	---	---	---	---	---	---	---	---	---	---	<0.47
	02/18/15	---	420	---	---	---	---	---	---	---	---	---
	05/19/15	---	460	---	---	---	---	---	---	---	---	---
	08/06/15	---	390	---	---	---	---	---	---	---	---	---
	11/18/15	---	390	---	---	---	---	---	---	---	---	---
	04/19/16	---	430	---	---	---	---	---	---	---	---	---
	05/13/16	---	400	---	---	---	---	---	---	---	---	---
	08/03/16	---	---	410	---	---	---	---	---	---	---	---
	No. 146 7S/3W-28	12/10/96	900	500	57.0	23.0	98.0	<1	100.0	64.0	280.0	---
03/02/00		---	---	---	---	---	---	---	---	---	---	4.0
No. 149 8S/1W-2C	06/15/93	---	---	---	---	---	---	---	---	---	---	5.0
	10/10/01	---	---	---	---	---	---	---	---	---	---	4.0
	03/11/02	1040	610	61.0	23.0	120.0	4.0	100.0	170.0	250.0	---	4.0
	12/11/02	---	---	---	---	---	---	---	---	---	---	3.2
	01/23/03	---	---	---	---	---	---	---	---	---	---	4.0
	03/12/03	1000	600	59.0	22.0	120.0	3.7	100.0	170.0	230.0	---	3.0
	01/13/04	---	---	---	---	---	---	---	---	---	---	4.0
	01/11/06	---	---	---	---	---	---	---	---	---	---	2.5
	03/09/06	940	580	56.0	21.0	110.0	3.8	87.0	160.0	220.0	---	2.7
	01/24/07	---	---	---	---	---	---	---	---	---	---	2.4
	03/11/08	---	550	---	---	---	---	---	---	---	---	---
	07/08/08	---	590	---	---	---	---	---	---	---	---	---
	01/08/09	---	590	---	---	---	---	---	---	---	---	2.6
	03/04/09	900	590	52.0	20.0	100.0	3.6	93.0	170.0	210.0	---	2.5
	04/02/09	---	570	---	---	---	---	---	---	---	---	---
	07/13/09	---	560	---	---	---	---	---	---	---	---	---
	01/07/10	---	570	---	---	---	---	---	---	---	---	2.6
	04/08/10	---	570	---	---	---	---	---	---	---	---	---
	05/12/11	---	570	---	---	---	---	---	---	---	---	2.0
	08/03/11	---	600	---	---	---	---	---	---	---	---	---
	11/09/11	---	620	---	---	---	---	---	---	---	---	---
	02/09/12	---	580	---	---	---	---	---	---	---	---	---
	03/02/12	970	600	59.0	20.0	99.0	4.4	95.0	180.0	190.0	---	2.3
	05/03/12	---	600	---	---	---	---	---	---	---	---	2.0
	08/08/12	---	610	---	---	---	---	---	---	---	---	---
	11/01/12	---	620	---	---	---	---	---	---	---	---	---
	02/10/13	---	600	---	---	---	---	---	---	---	---	---
	05/14/13	---	610	---	---	---	---	---	---	---	---	1.8
	08/15/13	---	580	---	---	---	---	---	---	---	---	---
	11/06/13	---	560	---	---	---	---	---	---	---	---	---
	02/06/14	---	580	---	---	---	---	---	---	---	---	---
	05/08/14	---	620	---	---	---	---	---	---	---	---	4.8
08/07/14	---	560	---	---	---	---	---	---	---	---	---	
11/06/14	---	550	---	---	---	---	---	---	---	---	---	
02/05/15	---	570	---	---	---	---	---	---	---	---	---	
03/11/15	910	580	55.0	22.0	110.0	3.8	90.0	160.0	190.0	---	2.1	
05/15/15	---	630	---	---	---	---	---	---	---	---	2.0	
08/04/15	---	560	---	---	---	---	---	---	---	---	---	
11/17/15	---	590	---	---	---	---	---	---	---	---	---	
02/05/16	---	---	570	---	---	---	---	---	---	---	---	
No. 149A 7S/3W-28A	08/26/88	950	540	71.0	211.0	96.0	1.0	115.0	47.0	302.0	---	18.0
	10/31/91	800	480	36.0	13.0	122.0	3.0	93.0	110.0	195.0	---	---

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 150 7S/3W-27P	09/29/88	1950	1235	134.0	29.0	225.0	2.0	290.0	220.0	390.0	15.0
	12/21/91	1000	590	74.0	17.0	108.0	4.0	130.0	110.0	207.0	---
No. 151 8S/2W-2G	07/25/91	860	485	53.0	16.0	103.0	4.0	90.0	130.0	183.0	---
	07/28/91	730	400	39.0	12.0	100.0	3.0	91.0	58.0	177.0	---
	07/29/91	600	340	9.0	2.0	122.0	5.0	63.0	34.0	204.0	---
	10/17/91	510	295	3.0	<1	118.0	1.0	45.0	10.0	137.0	---
	08/10/94	550	340	3.0	<1	110.0	1.0	59.0	22.0	119.0	<1
	06/16/97	---	---	---	---	---	---	---	---	---	<2
	08/14/97	540	300	2.0	<1	110.0	<1	44.0	10.0	160.0	<2
	09/16/98	---	---	---	---	---	---	---	---	---	<2
	01/06/00	510	300	1.0	<1	110.0	<1	33.0	4.6	180.0	<2
	01/06/05	---	---	---	---	---	---	---	---	---	<2
	05/12/09	530	380	1.4	1.0	110.0	<1	36.0	7.7	140.0	<2.0
	05/05/10	---	---	---	---	---	---	---	---	---	<2
	10/28/10	---	290	---	---	---	---	---	---	---	---
	12/01/10	---	290	---	---	---	---	---	---	---	---
	03/09/11	---	310	---	---	---	---	---	---	---	---
	05/03/11	---	---	---	---	---	---	---	---	---	<2
	06/02/11	---	280	---	---	---	---	---	---	---	---
	09/06/11	---	310	---	---	---	---	---	---	---	---
	12/06/11	---	300	---	---	---	---	---	---	---	---
	03/05/12	---	290	---	---	---	---	---	---	---	---
	05/02/12	490	300	1.3	<1	110.0	<1	38.0	4.2	180.0	<1
	06/05/12	---	240	---	---	---	---	---	---	---	---
	09/04/12	---	300	---	---	---	---	---	---	---	---
	12/03/12	---	290	---	---	---	---	---	---	---	---
	03/06/13	---	260	---	---	---	---	---	---	---	---
	05/01/13	---	---	---	---	---	---	---	---	---	<1.0
	06/05/13	---	260	---	---	---	---	---	---	---	---
09/03/13	---	280	---	---	---	---	---	---	---	---	
01/29/14	---	340	---	---	---	---	---	---	---	---	
03/13/14	---	280	---	---	---	---	---	---	---	---	
05/01/14	---	---	---	---	---	---	---	---	---	<1.0	
06/02/14	---	290	---	---	---	---	---	---	---	---	
09/03/14	---	280	---	---	---	---	---	---	---	---	
12/01/14	---	250	---	---	---	---	---	---	---	---	
03/03/15	---	340	---	---	---	---	---	---	---	---	
05/05/15	500	280	1.3	<0.50	110.0	<0.50	38.0	3.8	170.0	<0.47	
05/05/15	---	---	---	---	---	---	---	---	---	<0.47	
06/01/15	---	290	---	---	---	---	---	---	---	---	
09/02/15	---	290	---	---	---	---	---	---	---	---	
12/01/15	---	260	---	---	---	---	---	---	---	---	
03/01/16	---	290	---	---	---	---	---	---	---	---	
06/21/16	---	270	---	---	---	---	---	---	---	<0.11 as N	
No. 151 7S/3W-34B	09/20/88	5780	3410	280.0	114.0	840.0	5.0	1660.0	670.0	369.0	<1
	Abandoned										
No. 152 8S/1W-5K2	01/11/02	860	550	64.0	20.0	77.0	6.0	75.0	190.0	160.0	<2
	01/08/03	---	---	---	---	---	---	---	---	---	<2
	01/07/04	---	---	---	---	---	---	---	---	---	<2
	01/24/05	850	510	71.0	25.0	77.0	4.6	85.0	190.0	160.0	<2
	01/04/06	---	---	---	---	---	---	---	---	---	1.1
	01/10/07	---	---	---	---	---	---	---	---	---	<1
	04/08/08	---	510	---	---	---	---	---	---	---	---
	01/02/09	---	580	---	---	---	---	---	---	---	ND
	04/06/09	---	620	---	---	---	---	---	---	---	---

ND - None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 152 8S/1W-5K2 (Cont)	07/13/09	---	610	---	---	---	---	---	---	---	---	---
	01/06/10	---	740	---	---	---	---	---	---	---	---	1.7
	04/19/10	---	670	---	---	---	---	---	---	---	---	---
	07/08/10	---	620	---	---	---	---	---	---	---	---	---
	10/07/10	---	580	---	---	---	---	---	---	---	---	---
	01/11/11	---	710	---	---	---	---	---	---	---	---	3.8
	04/13/11	---	490	---	---	---	---	---	---	---	---	---
	07/12/11	---	460	---	---	---	---	---	---	---	---	---
	10/06/11	---	420	---	---	---	---	---	---	---	---	---
	01/11/12	---	270	---	---	---	---	---	---	---	---	<1.1
	04/12/12	---	330	---	---	---	---	---	---	---	---	---
	10/10/12	---	420	---	---	---	---	---	---	---	---	---
	11/28/12	760	590	54.0	20.0	70.0	5.2	80.0	110.0	170.0	---	1.4
	01/09/13	---	530	---	---	---	---	---	---	---	---	1.8
	04/11/13	---	380	---	---	---	---	---	---	---	---	---
	07/10/13	---	530	---	---	---	---	---	---	---	---	---
	10/16/13	---	540	---	---	---	---	---	---	---	---	---
	01/16/14	850	510	65.0	24.0	77.0	4.7	74.0	180.0	140.0	---	<1.0
	01/16/14	---	540	---	---	---	---	---	---	---	---	<1.0
	04/02/14	---	510	---	---	---	---	---	---	---	---	---
	07/03/14	---	550	---	---	---	---	---	---	---	---	---
	10/09/14	---	520	---	---	---	---	---	---	---	---	---
	01/13/15	---	620	---	---	---	---	---	---	---	---	1.2
	04/21/15	---	620	---	---	---	---	---	---	---	---	---
	07/15/15	---	580	---	---	---	---	---	---	---	---	---
	10/21/15	---	650	---	---	---	---	---	---	---	---	---
	01/14/16	---	960	---	---	---	---	---	---	---	---	0.50 as N
04/20/16	---	570	---	---	---	---	---	---	---	---	---	
07/19/16	---	660	---	---	---	---	---	---	---	---	---	
No. 153 8S/1W-5K3	12/29/93	804	485	53.0	18.0	92.0	5.0	86.0	120.0	214.0	---	<1
	04/13/99	880	540	63.0	23.0	79.0	5.0	68.0	220.0	150.0	---	<2
	04/11/00	---	---	---	---	---	---	---	---	---	---	2.0
	06/14/01	---	---	---	---	---	---	---	---	---	---	<2
	04/02/02	820	500	63.0	22.0	75.0	4.2	80.0	190.0	140.0	---	<2
	04/14/05	700	410	44.0	17.0	65.0	3.0	76.0	110.0	140.0	---	3.0
	04/04/06	---	---	---	---	---	---	---	---	---	---	2.3
	04/04/07	---	---	---	---	---	---	---	---	---	---	<2
	04/08/08	920	560	62.0	23.0	79.0	4.3	100.0	170.0	170.0	---	1.9
	01/02/09	---	570	---	---	---	---	---	---	---	---	---
	04/06/09	---	610	---	---	---	---	---	---	---	---	<2.0
	07/13/09	---	590	---	---	---	---	---	---	---	---	---
	01/06/10	---	560	---	---	---	---	---	---	---	---	---
	04/08/10	---	610	---	---	---	---	---	---	---	---	1.0
	07/08/10	---	590	---	---	---	---	---	---	---	---	---
	10/07/10	---	540	---	---	---	---	---	---	---	---	---
01/11/11	---	640	---	---	---	---	---	---	---	---	---	
04/13/11	850	520	45.0	17.0	93.0	3.8	92.0	130.0	170.0	---	2.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 153 8S/1W-5K3 (Cont)	04/13/11	---	490	---	---	---	---	---	---	---	2.0
	07/12/11	---	450	---	---	---	---	---	---	---	---
	10/06/11	---	380	---	---	---	---	---	---	---	---
	01/11/12	---	280	---	---	---	---	---	---	---	---
	04/12/12	---	300	---	---	---	---	---	---	---	<1.0
	10/10/12	---	390	---	---	---	---	---	---	---	---
	01/09/13	---	420	---	---	---	---	---	---	---	---
	04/11/13	---	390	---	---	---	---	---	---	---	<1.0
	07/10/13	---	470	---	---	---	---	---	---	---	---
	10/16/13	---	540	---	---	---	---	---	---	---	---
	01/15/14	---	550	---	---	---	---	---	---	---	---
	04/02/14	880	560	62.0	23.0	80.0	4.2	78.0	180.0	150.0	<1.0
	04/02/14	---	540	---	---	---	---	---	---	---	---
	07/03/14	---	550	---	---	---	---	---	---	---	---
	10/09/14	---	520	---	---	---	---	---	---	---	---
	01/13/15	---	600	---	---	---	---	---	---	---	---
	04/21/15	---	580	---	---	---	---	---	---	---	1.3
	07/15/15	---	600	---	---	---	---	---	---	---	---
	10/21/15	---	680	---	---	---	---	---	---	---	---
	01/14/16	---	890	---	---	---	---	---	---	---	---
04/20/16	---	720	---	---	---	---	---	---	---	0.64 as N	
07/19/16	---	680	---	---	---	---	---	---	---	---	
No. 154 8S/1W-5L2	01/28/94	930	530	46.0	20.0	106.0	6.0	89.0	130.0	214.0	3.0
	11/03/15	---	760	---	---	---	---	---	---	---	<0.47
	11/04/15	1000	600	75.0	26.0	---	5.6	95.0	---	160.0	1.1
	11/04/15	---	---	---	---	---	---	---	---	---	<0.017 as N
	02/04/16	---	850	---	---	---	---	---	---	---	---
	05/05/16	---	670	---	---	---	---	---	---	---	---
	08/04/16	---	620	---	---	---	---	---	---	---	---
	08/04/16	---	620	---	---	---	---	---	---	---	---
No. 155 7S/3W-28C	09/16/93	680	355	22.0	2.0	108.0	1.0	90.0	64.0	104.0	<1
	02/23/95	760	445	30.0	3.0	126.0	1.0	120.0	82.0	140.0	4.0
	06/06/95	---	---	---	---	---	---	---	---	---	5.0
	08/14/97	---	---	---	---	---	---	---	---	---	4.0
	02/25/98	880	540	43.0	5.0	130.0	1.0	100.0	100.0	190.0	5.0
	07/27/98	---	---	---	---	---	---	---	---	---	3.0
	02/09/00	---	---	---	---	---	---	---	---	---	2.0
	09/13/00	690	410	23.0	2.0	120.0	<1	100.0	72.0	130.0	2.0
	02/14/01	---	---	---	---	---	---	---	---	---	5.0
	02/21/02	---	---	---	---	---	---	---	---	---	2.0
	02/28/03	---	---	---	---	---	---	---	---	---	<2
	01/07/04	600	360	10.0	<1	120.0	<1	100.0	60.0	100.0	<2
	02/23/04	---	---	---	---	---	---	---	---	---	6.0
	10/11/05	---	---	---	---	---	---	---	---	---	2.0
	02/16/05	---	---	---	---	---	---	---	---	---	5.0
	02/07/06	---	---	---	---	---	---	---	---	---	4.9
	02/07/07	---	---	---	---	---	---	---	---	---	2.5

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 156 7S/3W-18	08/11/08	670	350	48.0	13.0	78.0	2.2	70.0	62.0	190.0	1.9
	08/11/08	---	370	---	---	---	---	---	---	---	1.7
	05/08/09	---	400	---	---	---	---	---	---	---	---
	08/05/09	---	410	---	---	---	---	---	---	---	1.5
	02/03/10	---	370	---	---	---	---	---	---	---	---
	05/07/10	---	470	---	---	---	---	---	---	---	---
	08/10/10	---	390	---	---	---	---	---	---	---	<2
	11/10/10	---	410	---	---	---	---	---	---	---	---
	02/09/11	---	410	---	---	---	---	---	---	---	---
	05/04/11	---	400	---	---	---	---	---	---	---	---
	08/04/11	660	380	44.0	11.0	72.0	1.8	75.0	53.0	180.0	2.0
	08/04/11	---	380	---	---	---	---	---	---	---	1.4
	11/10/11	---	390	---	---	---	---	---	---	---	---
	02/08/12	---	340	---	---	---	---	---	---	---	---
	05/03/12	---	360	---	---	---	---	---	---	---	---
	08/09/12	---	360	---	---	---	---	---	---	---	1.3
	11/02/12	---	420	---	---	---	---	---	---	---	---
	02/06/13	---	390	---	---	---	---	---	---	---	---
	05/02/13	---	370	---	---	---	---	---	---	---	---
	08/14/13	---	370	---	---	---	---	---	---	---	1.2
	11/07/13	---	390	---	---	---	---	---	---	---	---
	02/05/14	---	390	---	---	---	---	---	---	---	---
	05/23/14	---	400	---	---	---	---	---	---	---	---
	08/07/14	650	380	42.0	11.0	78.0	1.8	86.0	62.0	170.0	1.5
	11/05/14	---	400	---	---	---	---	---	---	---	---
	02/10/15	---	510	---	---	---	---	---	---	---	---
	05/14/15	---	380	---	---	---	---	---	---	---	---
	08/06/15	---	400	---	---	---	---	---	---	---	1.3
	03/03/16	---	380	---	---	---	---	---	---	---	---
	05/05/16	---	400	---	---	---	---	---	---	---	---
08/02/16	---	400	---	---	---	---	---	---	---	0.21 as N	
No. 157 8S/1W-5L	04/13/99	930	600	59.0	21.0	110.0	7.0	95.0	150.0	240.0	<2
	04/11/00	---	---	---	---	---	---	---	---	---	2.0
	06/14/01	---	---	---	---	---	---	---	---	---	<2
	04/02/02	830	520	60.0	22.0	78.0	4.1	78.0	190.0	150.0	<2
	04/14/05	720	420	47.0	18.0	69.0	3.2	74.0	120.0	150.0	2.0
	04/04/07	---	---	---	---	---	---	---	---	---	<2
	04/08/08	1100	640	68.0	24.0	110.0	4.3	130.0	170.0	230.0	2.6
	07/08/08	---	580	---	---	---	---	---	---	---	---
	01/02/09	---	560	---	---	---	---	---	---	---	---
	04/06/09	---	640	---	---	---	---	---	---	---	<2.0
	07/13/09	---	590	---	---	---	---	---	---	---	---
	01/07/10	---	660	---	---	---	---	---	---	---	---
	04/08/10	---	620	---	---	---	---	---	---	---	<2
	07/08/10	---	610	---	---	---	---	---	---	---	---
	10/07/10	---	540	---	---	---	---	---	---	---	---
	01/11/11	---	590	---	---	---	---	---	---	---	---
	04/13/11	830	520	49.0	17.0	84.0	3.4	89.0	120.0	180.0	<2
04/13/11	---	490	---	---	---	---	---	---	---	<2	
07/12/11	---	460	---	---	---	---	---	---	---	---	
10/06/11	---	370	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 157 8S/1W-5L (Cont)	01/11/12	---	260	---	---	---	---	---	---	---	---	---
	04/12/12	---	330	---	---	---	---	---	---	---	---	<1.0
	10/10/12	---	360	---	---	---	---	---	---	---	---	---
	11/28/12	930	530	68.0	25.0	82.0	5.1	110.0	110.0	230.0	---	1.1
	01/09/13	---	470	---	---	---	---	---	---	---	---	---
	04/11/13	---	370	---	---	---	---	---	---	---	---	1.1
	07/10/13	---	480	---	---	---	---	---	---	---	---	---
	10/16/13	---	510	---	---	---	---	---	---	---	---	---
	01/16/14	---	510	---	---	---	---	---	---	---	---	---
	04/02/14	960	540	66.0	24.0	79.0	4.1	81.0	190.0	160.0	---	1.2
	04/02/14	---	560	---	---	---	---	---	---	---	---	---
	07/03/14	---	560	---	---	---	---	---	---	---	---	---
	10/09/14	---	520	---	---	---	---	---	---	---	---	---
	01/13/15	---	630	---	---	---	---	---	---	---	---	---
	04/21/15	---	590	---	---	---	---	---	---	---	---	1.0
	07/15/15	---	630	---	---	---	---	---	---	---	---	---
	10/21/15	---	670	---	---	---	---	---	---	---	---	---
	01/14/16	---	960	---	---	---	---	---	---	---	---	---
	06/30/16	---	650	---	---	---	---	---	---	---	---	0.57 as N
	07/19/16	---	660	---	---	---	---	---	---	---	---	---
No. 158 8S/1W-5K	06/21/94	1090	620	67.0	23.0	124.0	7.0	120.0	170.0	259.0	---	---
	04/14/99	1050	660	63.0	24.0	120.0	7.0	110.0	160.0	270.0	---	<2
	04/11/00	---	---	---	---	---	---	---	---	---	---	2.0
	06/14/01	---	---	---	---	---	---	---	---	---	---	2.0
	04/02/02	900	550	61.0	22.0	92.0	5.7	93.0	190.0	180.0	---	<2
	04/14/05	800	450	51.0	19.0	79.0	4.6	83.0	150.0	160.0	---	2.0
	04/04/06	---	---	---	---	---	---	---	---	---	---	3.9
	04/04/07	---	---	---	---	---	---	---	---	---	---	4.6
	04/08/08	1300	760	77.0	25.0	140.0	6.4	150.0	180.0	280.0	---	3.5
	07/08/08	---	750	---	---	---	---	---	---	---	---	---
	01/02/09	---	640	---	---	---	---	---	---	---	---	---
	04/06/09	---	650	---	---	---	---	---	---	---	---	<2.0
	07/13/09	---	670	---	---	---	---	---	---	---	---	---
	01/06/10	---	810	---	---	---	---	---	---	---	---	---
	04/08/10	---	800	---	---	---	---	---	---	---	---	1.5
	07/08/10	---	680	---	---	---	---	---	---	---	---	---
	10/07/10	---	750	---	---	---	---	---	---	---	---	---
	01/11/11	---	710	---	---	---	---	---	---	---	---	---
	04/13/11	870	510	43.0	16.0	100.0	4.8	97.0	130.0	180.0	---	2.0
	04/13/11	---	530	---	---	---	---	---	---	---	---	2.0
	07/12/11	---	610	---	---	---	---	---	---	---	---	---
	10/06/11	---	570	---	---	---	---	---	---	---	---	---
	02/09/12	---	520	---	---	---	---	---	---	---	---	---
	04/12/12	---	---	---	---	---	---	---	---	---	---	<1.0
	05/02/12	---	460	---	---	---	---	---	---	---	---	---
	08/08/12	---	550	---	---	---	---	---	---	---	---	---
	11/01/12	---	740	---	---	---	---	---	---	---	---	---
	02/12/13	---	470	---	---	---	---	---	---	---	---	---
04/11/13	---	---	---	---	---	---	---	---	---	---	1.3	
05/14/13	---	620	---	---	---	---	---	---	---	---	---	
08/14/13	---	710	---	---	---	---	---	---	---	---	---	
11/06/13	---	720	---	---	---	---	---	---	---	---	---	
02/06/14	---	710	---	---	---	---	---	---	---	---	---	
04/02/14	1200	700	70.0	25.0	120.0	6.2	120.0	170.0	250.0	---	1.7	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 158 8S/1W-5K (Cont)	05/08/14	---	660	---	---	---	---	---	---	---	---	---
	08/06/14	---	480	---	---	---	---	---	---	---	---	---
	11/13/14	---	700	---	---	---	---	---	---	---	---	---
	02/05/15	---	670	---	---	---	---	---	---	---	---	---
	04/21/15	---	---	---	---	---	---	---	---	---	---	1.2
	05/06/15	---	680	---	---	---	---	---	---	---	---	---
	08/05/15	---	660	---	---	---	---	---	---	---	---	---
	11/03/15	---	850	---	---	---	---	---	---	---	---	---
	02/04/16	---	840	---	---	---	---	---	---	---	---	---
	04/20/16	---	---	---	---	---	---	---	---	---	---	0.26 as N
	05/05/16	---	820	---	---	---	---	---	---	---	---	---
	08/04/16	---	790	---	---	---	---	---	---	---	---	---
	No. 161 8S/1W-5	02/25/16	1100	690	70.0	27.0	120.0	4.8	100.0	220.0	170.0	<0.11 as N
05/04/16		1200	710	77.0	32.0	100.0	5.8	120.0	200.0	210.0	0.56 as N	
05/04/16		---	700	---	---	---	---	---	---	---	0.42 as N	
08/04/16		930	580	59.0	26.0	91.0	6.2	96.0	200.0	150.0	0.28 as N	
08/04/16		---	570	---	---	---	---	---	---	---	0.27 as N	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 201 7S/2W-27J	03/28/91	530	315	19.0	6.0	83.0	2.0	83.0	16.0	110.0	2.0
	03/11/93	460	300	8.0	2.0	87.0	1.0	51.0	20.0	146.0	<1
No. 202 7S/2W-36J1	12/11/88	740	440	47.0	18.0	84.0	3.0	97.0	48.0	223.0	17.0
No. 203 8S/1W-6P1	05/18/88	960	580	50.0	39.0	110.0	4.0	96.0	115.0	275.0	---
	06/29/88	970	530	44.0	36.0	112.0	4.0	120.0	123.0	250.0	5.0
	06/12/91	800	415	21.0	17.0	108.0	3.0	91.0	90.0	174.0	2.0
	06/22/94	980	645	59.0	38.0	99.0	4.0	130.0	130.0	256.0	4.0
	06/07/95	---	---	---	---	---	---	---	---	---	5.0
	06/23/97	880	530	31.0	26.0	120.0	3.0	100.0	110.0	230.0	4.0
	08/14/97	---	---	---	---	---	---	---	---	---	3.0
	11/02/99	---	---	---	---	---	---	---	---	---	5.0
	06/22/00	820	580	94.0	18.0	58.0	<1	63.0	110.0	250.0	22.0
	07/12/00	880	570	43.0	33.0	120.0	3.0	100.0	130.0	240.0	7.0
	08/08/00	---	---	---	---	---	---	---	---	---	6.0
	11/22/00	---	---	---	---	---	---	---	---	---	5.0
	11/20/01	---	---	---	---	---	---	---	---	---	5.0
	11/08/02	---	---	---	---	---	---	---	---	---	4.0
	01/08/03	---	---	---	---	---	---	---	---	---	.90 as N
	06/10/03	850	460	31.0	23.0	100.0	2.2	92.0	100.0	220.0	5.0
	11/04/03	---	---	---	---	---	---	---	---	---	5.0
	11/18/04	---	---	---	---	---	---	---	---	---	7.0
	06/08/06	940	540	39.0	32.0	110.0	3.0	100.0	130.0	220.0	5.5
	06/01/07	---	---	---	---	---	---	---	---	---	5.1
	06/04/08	---	520	---	---	---	---	---	---	---	4.3
	09/16/08	---	450	---	---	---	---	---	---	---	---
	12/02/08	---	500	---	---	---	---	---	---	---	---
	03/04/09	---	470	---	---	---	---	---	---	---	---
	06/01/09	---	440	---	---	---	---	---	---	---	2.7
	03/03/10	---	460	---	---	---	---	---	---	---	---
	06/02/10	---	490	---	---	---	---	---	---	---	3.3
	09/01/10	---	440	---	---	---	---	---	---	---	---
	12/08/10	---	450	---	---	---	---	---	---	---	---
03/31/11	---	490	---	---	---	---	---	---	---	---	
06/02/11	---	430	---	---	---	---	---	---	---	3.2	
09/02/11	---	420	---	---	---	---	---	---	---	---	
12/07/11	---	450	---	---	---	---	---	---	---	---	
06/05/12	740	430	19.0	15.0	110.0	2.3	72.0	94.0	180.0	3.2	
09/05/12	---	440	---	---	---	---	---	---	---	---	
12/05/12	---	410	---	---	---	---	---	---	---	---	
03/06/13	---	420	---	---	---	---	---	---	---	---	
06/05/13	---	400	---	---	---	---	---	---	---	2.7	
09/05/13	---	430	---	---	---	---	---	---	---	---	
12/05/13	---	440	---	---	---	---	---	---	---	---	
03/11/14	---	430	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 203 8S/1W-6P1 (Cont)	06/03/14	---	480	---	---	---	---	---	---	---	---	4.4
	09/04/14	---	440	---	---	---	---	---	---	---	---	---
	03/11/15	---	410	---	---	---	---	---	---	---	---	---
	06/02/15	780	420	17.0	13.0	110.0	1.8	76.0	93.0	170.0	---	2.8
	06/02/15	---	400	---	---	---	---	---	---	---	---	2.6
	09/24/15	---	480	---	---	---	---	---	---	---	---	---
	12/02/15	---	420	---	---	---	---	---	---	---	---	---
	03/15/16	---	530	---	---	---	---	---	---	---	---	---
	06/07/16	---	420	---	---	---	---	---	---	---	---	0.63 as N
	09/08/16	---	420	---	---	---	---	---	---	---	---	---
No. 204 7S/2W-26G	05/22/91	740	425	50.0	12.0	85.0	3.0	120.0	18.0	198.0	---	19.0
	05/13/94	690	375	37.0	7.0	85.0	3.0	130.0	19.0	125.0	---	19.0
No. 205 7S/3W-35A	03/28/88	500	290	23.0	3.0	81.0	2.0	83.0	27.0	107.0	---	21.0
	03/13/91	490	275	22.0	3.0	75.0	2.0	62.0	23.0	113.0	---	21.0
	03/03/94	510	275	20.0	2.0	72.0	2.0	72.0	24.0	104.0	---	20.0
	04/26/95	---	---	---	---	---	---	---	---	---	---	22.0
	03/25/97	480	270	20.0	2.0	75.0	2.0	66.0	18.0	110.0	---	21.0
	05/09/01	410	270	21.0	3.0	67.0	1.0	60.0	17.0	120.0	---	23.0
	11/13/01	---	---	---	---	---	---	---	---	---	---	21.0
	02/19/02	---	---	---	---	---	---	---	---	---	---	20.0
	05/14/02	---	---	---	---	---	---	---	---	---	---	18.0
	08/27/02	---	---	---	---	---	---	---	---	---	---	20.0
	11/20/02	---	---	---	---	---	---	---	---	---	---	18.0
	01/08/03	---	---	---	---	---	---	---	---	---	---	4.5 as N
	03/31/03	---	---	---	---	---	---	---	---	---	---	18.0
	06/11/03	---	---	---	---	---	---	---	---	---	---	18.0
	09/16/03	---	---	---	---	---	---	---	---	---	---	21.0
	12/04/03	---	---	---	---	---	---	---	---	---	---	20.0
	03/09/04	---	---	---	---	---	---	---	---	---	---	18.0
	06/09/04	---	---	---	---	---	---	---	---	---	---	18.0
	09/01/04	---	---	---	---	---	---	---	---	---	---	19.0
	12/07/04	---	---	---	---	---	---	---	---	---	---	20.0
	03/08/05	---	---	---	---	---	---	---	---	---	---	21.0
	06/07/05	---	---	---	---	---	---	---	---	---	---	17.0
	09/13/05	---	---	---	---	---	---	---	---	---	---	16.0
	12/05/05	---	---	---	---	---	---	---	---	---	---	15.0
	03/09/06	---	---	---	---	---	---	---	---	---	---	17.0
	06/07/06	---	---	---	---	---	---	---	---	---	---	17.0
	04/15/09	500	290	19.0	2.0	71.0	1.4	68.0	18.0	120.0	---	20.0
	07/14/09	---	270	---	---	---	---	---	---	---	---	20.0
	01/06/10	---	280	---	---	---	---	---	---	---	---	17.0
	04/08/10	---	---	---	---	---	---	---	---	---	---	14.0
04/20/10	---	290	---	---	---	---	---	---	---	---	---	
07/20/10	---	260	---	---	---	---	---	---	---	---	16.0	
10/05/10	---	240	---	---	---	---	---	---	---	---	15.0	
01/04/11	---	210	---	---	---	---	---	---	---	---	19.0	
04/12/11	---	280	---	---	---	---	---	---	---	---	15.0	
07/08/11	---	260	---	---	---	---	---	---	---	---	14.0	
10/04/11	---	260	---	---	---	---	---	---	---	---	16.0	
01/12/12	---	250	---	---	---	---	---	---	---	---	16.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 205 7S/3W-35A (Cont)	04/03/12	---	300	---	---	---	---	---	---	---	18.0
	04/24/12	470	260	16.0	1.4	73.0	1.6	70.0	18.0	98.0	16.0
	10/02/12	---	240	---	---	---	---	---	---	---	15.0
	01/03/13	---	270	---	---	---	---	---	---	---	15.0
	04/03/13	---	250	---	---	---	---	---	---	---	14.0
	07/02/13	---	270	---	---	---	---	---	---	---	18.0
	10/02/13	---	280	---	---	---	---	---	---	---	16.0
	01/07/14	---	280	---	---	---	---	---	---	---	14.0
	04/15/14	---	280	---	---	---	---	---	---	---	15.0
	07/03/14	---	280	---	---	---	---	---	---	---	14.0
	10/09/14	---	290	---	---	---	---	---	---	---	15.0
	01/07/15	---	340	---	---	---	---	---	---	---	18.0
	04/22/15	490	260	19.0	1.6	80.0	1.7	76.0	22.0	100.0	14.0
	04/22/15	---	310	---	---	---	---	---	---	---	---
	07/16/15	---	330	---	---	---	---	---	---	---	---
	10/22/15	---	300	---	---	---	---	---	---	---	15.0
	01/20/16	---	220	---	---	---	---	---	---	---	3.2 as N
04/05/16	---	310	---	---	---	---	---	---	---	3.2 as N	
07/12/16	---	290	---	---	---	---	---	---	---	3.0 as N	
No. 207 8S/2W-14B	09/01/88	510	245	1.0	<1	108.0	<1	54.0	26.0	82.0	<1
	09/14/88	480	305	3.0	<1	106.0	<1	58.0	23.0	24.0	1.0
	08/14/91	480	245	1.0	<1	100.0	<1	52.0	28.0	55.0	<1
	08/10/94	440	285	2.0	<1	91.0	1.0	56.0	29.0	76.0	2.0
	08/15/97	510	280	2.0	<1	97.0	<1	52.0	25.0	98.0	<2
	07/27/98	---	---	---	---	---	---	---	---	---	2.0
	12/27/00	480	280	2.0	<1	100.0	<1	53.0	30.0	120.0	2.0
No. 208 7S/2W-35M	09/01/88	680	415	44.0	15.0	77.0	3.0	119.0	14.0	186.0	18.0
	09/14/88	690	440	44.0	14.0	77.0	3.0	129.0	14.0	183.0	16.0
	08/14/91	600	340	23.0	7.0	89.0	2.0	85.0	18.0	162.0	4.0
	08/10/94	560	370	22.0	6.0	89.0	2.0	93.0	20.0	156.0	5.0
	06/06/95	---	---	---	---	---	---	---	---	---	4.0
	08/12/96	---	---	---	---	---	---	---	---	---	2.0
	07/27/99	---	---	---	---	---	---	---	---	---	15.0
	08/18/99	---	---	---	---	---	---	---	---	---	20.0
No. 209 7S/2W-28J	05/22/91	790	435	40.0	14.0	105.0	2.0	150.0	35.0	162.0	8.0
	05/13/94	760	525	64.0	22.0	48.0	3.0	150.0	15.0	153.0	25.0
	06/20/95	---	---	---	---	---	---	---	---	---	5.0
	05/15/97	690	390	10.0	3.0	130.0	<1	110.0	56.0	130.0	1.3
No. 210 8S/2W-12K	04/15/59	1366	---	101.0	23.0	150.0	10.0	149.0	200.0	275.0	3.0
	01/18/63	400	926	99.0	30.0	17.5	4.5	145.0	255.0	329.0	4.0
	11/30/67	1415	890	136.0	5.0	152.0	10.0	146.0	230.0	305.0	3.0
	07/26/68	1250	825	96.0	22.0	144.0	8.0	130.0	190.0	290.0	5.0
	09/06/68	1310	840	82.0	26.0	132.0	5.0	142.0	222.0	276.0	12.0
	07/19/73	1200	579	84.0	21.4	149.0	6.8	121.9	237.0	301.1	19.7

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 210 8S/2W-12K (Cont)	08/08/75	1140	695	84.0	14.0	150.0	6.0	101.0	190.0	287.0	15.0
	06/22/76	1240	675	76.0	26.0	142.0	7.0	101.0	205.0	278.0	36.0
	10/13/76	1120	640	92.0	22.0	100.0	6.0	110.0	170.0	262.0	5.0
	06/16/77	1130	610	84.0	18.0	114.0	6.0	110.0	170.0	259.0	11.0
	05/20/80	580	340	30.0	8.0	75.0	4.0	51.0	67.0	152.0	9.0
	04/03/86	800	540	65.0	17.0	86.0	4.5	75.0	112.0	235.0	3.5
	07/15/86	830	560	72.0	19.0	86.0	4.0	87.0	118.0	250.0	4.0
	03/28/88	1030	575	76.0	22.0	93.0	5.0	99.0	143.0	247.0	4.0
	09/25/91	1040	600	74.0	20.0	120.0	5.0	120.0	160.0	238.0	5.0
	09/19/94	645	460	52.0	14.0	79.0	4.0	70.0	100.0	198.0	2.0
	09/16/96	---	---	---	---	---	---	---	---	---	3.0
	09/16/98	---	---	---	---	---	---	---	---	---	3.0
	12/15/98	---	---	---	---	---	---	---	---	---	2.0
	01/04/99	---	---	---	---	---	---	---	---	---	2.0
	02/03/99	---	---	---	---	---	---	---	---	---	2.0
	04/08/99	---	---	---	---	---	---	---	---	---	3.0
	06/02/99	---	---	---	---	---	---	---	---	---	3.0
	09/07/99	---	---	---	---	---	---	---	---	---	4.0
	10/21/99	---	---	---	---	---	---	---	---	---	5.0
	12/15/99	---	---	---	---	---	---	---	---	---	5.0
	05/03/00	---	---	---	---	---	---	---	---	---	5.0
	09/13/00	830	560	64.0	17.0	100.0	4.0	74.0	190.0	180.0	4.0
	05/08/01	---	---	---	---	---	---	---	---	---	4.0
	05/13/02	---	---	---	---	---	---	---	---	---	3.0
	01/08/03	---	---	---	---	---	---	---	---	---	.52 as N
	08/20/03	---	---	---	---	---	---	---	---	---	2.2
	09/16/03	830	560	65.0	18.0	78.0	4.5	76.0	180.0	160.0	2.0
	08/10/04	---	---	---	---	---	---	---	---	---	3.2
	08/02/05	---	---	---	---	---	---	---	---	---	5.4
	08/15/06	---	---	---	---	---	---	---	---	---	6.7
	08/14/07	---	---	---	---	---	---	---	---	---	12.0
	08/12/08	---	590	---	---	---	---	---	---	---	7.6
	03/05/09	---	520	---	---	---	---	---	---	---	---
06/02/09	---	570	---	---	---	---	---	---	---	---	
08/05/09	---	---	---	---	---	---	---	---	---	4.9	
03/03/10	---	600	---	---	---	---	---	---	---	---	
06/02/10	---	600	---	---	---	---	---	---	---	---	
08/11/10	---	---	---	---	---	---	---	---	---	3.6	
09/08/10	---	600	---	---	---	---	---	---	---	---	
12/08/10	---	590	---	---	---	---	---	---	---	---	
03/09/11	---	620	---	---	---	---	---	---	---	---	
06/08/11	---	600	---	---	---	---	---	---	---	---	
11/10/11	---	600	---	---	---	---	---	---	---	3.8	
02/09/12	---	560	---	---	---	---	---	---	---	---	
05/02/12	---	540	---	---	---	---	---	---	---	---	
08/09/12	---	490	---	---	---	---	---	---	---	---	
09/05/12	840	530	60.0	19.0	84.0	5.6	86.0	150.0	180.0	12.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l									
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3		
No. 210 8S/2W-12K (Cont)	11/01/12	---	500	---	---	---	---	---	---	---	---	2.8	
	02/12/13	---	460	---	---	---	---	---	---	---	---	---	
	05/03/13	---	420	---	---	---	---	---	---	---	---	---	
	08/15/13	---	420	---	---	---	---	---	---	---	---	---	
	11/14/13	---	440	---	---	---	---	---	---	---	---	2.4	
	02/05/14	---	430	---	---	---	---	---	---	---	---	---	
	05/15/14	---	480	---	---	---	---	---	---	---	---	---	
	08/06/14	---	440	---	---	---	---	---	---	---	---	---	
	11/06/14	---	520	---	---	---	---	---	---	---	---	2.1	
	02/05/15	---	520	---	---	---	---	---	---	---	---	---	
	05/07/15	---	530	---	---	---	---	---	---	---	---	---	
	08/07/15	---	510	---	---	---	---	---	---	---	---	---	
	09/09/15	840	510	60.0	19.0	79.0	5.0	81.0	160.0	160.0	---	2.0	
	No. 211 8S/2W-20R1	04/08/97	720	400	67.0	14.0	54.0	1.0	59.0	65.0	220.0	---	13.0
		12/23/97	---	410	---	---	---	---	---	---	---	---	3.1 as N
03/25/98		---	620	---	---	---	---	---	---	---	---	3.6 as N	
06/03/98		---	---	---	---	---	---	---	---	---	---	3.4 as N	
06/05/98		---	480	---	---	---	---	---	---	---	---	---	
09/17/98		---	---	---	---	---	---	---	---	---	---	3.3 as N	
12/17/98		---	430	---	---	---	---	56.0	66.0	---	---	16.0	
06/03/99		---	430	---	---	---	---	---	---	---	---	3.4 as N	
12/14/99		---	310	---	---	---	---	---	---	---	---	10.0	
04/04/00		700	430	71.0	14.0	52.0	1.0	57.0	66.0	220.0	---	17.0	
06/22/00		---	400	---	---	---	---	---	---	---	---	15.0	
12/13/00		---	---	---	---	---	---	---	---	---	---	4.5 as N	
03/27/01		---	---	---	---	---	---	---	---	---	---	4.5 as N	
06/20/01		---	---	---	---	---	---	---	---	---	---	2.7 as N	
09/13/01		---	---	---	---	---	---	---	---	---	---	4.7 as N	
11/13/01		---	450	---	---	---	---	---	---	---	---	---	
05/14/02		---	370	---	---	---	---	---	---	---	---	12.0	
07/15/03		630	370	61.0	11.0	46.0	1.2	46.0	51.0	220.0	---	11.0	
12/09/08		---	480	---	---	---	---	---	---	---	---	22.0	
03/09/09		---	560	---	---	---	---	---	---	---	---	17.0	
06/02/09		---	480	---	---	---	---	---	---	---	---	14.0	
01/12/10		---	360	---	---	---	---	---	---	---	---	6.3	
04/15/10		---	500	---	---	---	---	---	---	---	---	16.0	
07/21/10		---	510	---	---	---	---	---	---	---	---	15.0	
10/07/10		---	540	---	---	---	---	---	---	---	---	14.0	
01/18/11		---	550	---	---	---	---	---	---	---	---	15.0	
04/06/11		---	560	---	---	---	---	---	---	---	---	16.0	
07/07/11		---	520	---	---	---	---	---	---	---	---	13.0	
09/01/11		840	460	86.0	16.0	56.0	1.2	66.0	100.0	260.0	---	13.0	
10/12/11		---	420	---	---	---	---	---	---	---	---	14.0	
01/10/12		---	520	---	---	---	---	---	---	---	---	14.0	
04/18/12		---	510	---	---	---	---	---	---	---	---	14.0	
10/02/12	---	520	---	---	---	---	---	---	---	---	13.0		
01/10/13	---	520	---	---	---	---	---	---	---	---	13.0		
04/17/13	---	510	---	---	---	---	---	---	---	---	12.0		
07/03/13	---	540	---	---	---	---	---	---	---	---	14.0		
10/03/13	---	550	---	---	---	---	---	---	---	---	14.0		
01/28/14	---	560	---	---	---	---	---	---	---	---	15.0		
04/16/14	---	430	---	---	---	---	---	---	---	---	11.0		
07/10/14	---	590	---	---	---	---	---	---	---	---	14.0		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 211 8S/2W-20R1 (Cont)	09/04/14	840	590	92.0	17.0	60.0	1.3	67.0	100.0	260.0	13.0
	10/02/14	---	630	---	---	---	---	---	---	---	13.0
	11/13/14	880	610	93.0	18.0	63.0	1.3	71.0	120.0	260.0	13.0
	01/13/15	---	370	---	---	---	---	---	---	---	12.0
	04/14/15	---	650	---	---	---	---	---	---	---	12.0
	07/07/15	---	550	---	---	---	---	---	---	---	12.0
	10/08/15	---	720	---	---	---	---	---	---	---	12.0
	01/12/16	---	400	---	---	---	---	---	---	---	2.4 as N
	04/21/16	---	550	---	---	---	---	---	---	---	2.8 as N
	07/13/16	---	600	---	---	---	---	---	---	---	2.6 as N
No. 212 8S/2W-11N	03/28/88	640	330	42.0	2.0	74.0	3.0	81.0	33.0	146.0	14.0
	09/25/91	600	320	41.0	2.0	82.0	4.0	86.0	35.0	146.0	14.0
No. 215 7S/2W-34M	08/15/90	650	380	40.0	13.0	71.0	3.0	100.0	14.0	162.0	11.0
	09/26/90	---	---	---	---	---	---	---	---	---	13.0
	06/22/94	630	400	41.0	13.0	67.0	2.0	110.0	16.0	159.0	11.0
	06/16/97	630	370	29.0	9.0	81.0	2.0	110.0	16.0	160.0	6.0
	08/15/97	---	---	---	---	---	---	---	---	---	7.0
	08/11/04	630	380	35.0	12.0	76.0	2.6	100.0	14.0	150.0	<2
	09/09/04	---	---	---	---	---	---	---	---	---	9.0
	06/26/06	---	---	---	---	---	---	---	---	---	6.6
	06/05/07	---	---	---	---	---	---	---	---	---	2.4
	08/14/07	590	320	22.0	7.3	85.0	2.2	88.0	16.0	150.0	2.2
	12/02/08	---	370	---	---	---	---	---	---	---	---
	03/09/09	---	380	---	---	---	---	---	---	---	---
	06/04/09	---	300	---	---	---	---	---	---	---	---
	03/04/10	---	340	---	---	---	---	---	---	---	---
	06/18/10	---	340	---	---	---	---	---	---	---	---
	08/18/10	580	330	20.0	6.5	79.0	1.9	82.0	16.0	150.0	2.5
09/03/10	---	330	---	---	---	---	---	---	---	2.2	
12/17/10	---	350	---	---	---	---	---	---	---	---	
03/15/11	---	250	---	---	---	---	---	---	---	---	
06/07/11	---	320	---	---	---	---	---	---	---	---	
12/06/11	---	320	---	---	---	---	---	---	---	---	
No. 216 8S/2W-7W	06/01/88	480	280	25.0	4.0	65.0	2.0	71.0	11.0	134.0	---
	06/29/88	480	275	29.0	5.0	59.0	3.0	81.0	7.0	110.0	26.0
	06/12/91	500	285	30.0	5.0	59.0	2.0	76.0	9.0	113.0	23.0
	05/27/92	470	285	33.0	6.0	53.0	2.0	72.0	10.0	119.0	20.0
	04/25/01	490	300	28.0	4.0	55.0	2.0	74.0	13.0	120.0	12.0
	09/21/04	540	320	31.0	5.6	53.0	2.1	74.0	10.0	130.0	14.0
	10/26/04	---	---	---	---	---	---	---	---	---	15.0
	11/02/04	---	---	---	---	---	---	---	---	---	15.0
	11/10/04	---	---	---	---	---	---	---	---	---	16.0
	10/18/05	---	---	---	---	---	---	---	---	---	19.0
	10/12/06	---	---	---	---	---	---	---	---	---	19.0
	09/07/07	510	300	28.0	4.7	57.0	3.5	82.0	12.0	110.0	18.0
	10/03/07	---	---	---	---	---	---	---	---	---	17.0
	04/23/09	---	---	---	---	---	---	---	---	---	14.0
	03/18/10	---	370	---	---	---	---	---	---	---	---
	04/08/10	---	---	---	---	---	---	---	---	---	12.0
06/10/10	---	380	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 216 8S/2W-7W (Cont.)	09/01/10	---	340	---	---	---	---	---	---	---	---
	09/01/10	570	320	41.0	6.9	58.0	2.3	86.0	16.0	130.0	16.0
	12/08/10	---	360	---	---	---	---	---	---	---	---
	12/14/10	---	390	---	---	---	---	---	---	---	---
	06/08/11	---	390	---	---	---	---	---	---	---	---
	08/10/11	---	---	---	---	---	---	---	---	---	15.0
	12/08/11	---	400	---	---	---	---	---	---	---	---
	06/08/12	---	420	---	---	---	---	---	---	---	---
No. 217 8S/2W-17M1	03/28/88	580	285	8.0	1.0	108.0	1.0	81.0	20.0	113.0	15.0
	08/10/88	570	280	8.0	1.0	105.0	1.0	82.0	20.0	55.0	13.0
	08/14/91	570	305	17.0	2.0	99.0	2.0	74.0	28.0	134.0	16.0
	08/10/94	610	365	20.0	3.0	97.0	2.0	82.0	38.0	134.0	16.0
	08/15/97	660	370	20.0	3.0	107.0	1.0	80.0	41.0	130.0	13.0
	05/09/00	---	---	---	---	---	---	---	---	---	15.0
	10/12/00	650	380	19.0	2.0	110.0	1.0	81.0	49.0	150.0	16.0
	05/14/01	---	---	---	---	---	---	---	---	---	17.0
	05/14/02	---	---	---	---	---	---	---	---	---	12.0
	10/15/03	690	400	25.0	3.3	110.0	1.6	84.0	58.0	150.0	16.0
	05/06/04	---	---	---	---	---	---	---	---	---	17.0
	05/11/06	---	---	---	---	---	---	---	---	---	15.0
	05/15/07	---	---	---	---	---	---	---	---	---	16.0
	05/06/08	---	400	---	---	---	---	---	---	---	14.0
	08/12/08	---	430	---	---	---	---	---	---	---	---
	05/11/09	---	400	---	---	---	---	---	---	---	13.0
	08/05/09	---	400	---	---	---	---	---	---	---	---
	02/02/10	---	390	---	---	---	---	---	---	---	---
	05/06/10	---	480	---	---	---	---	---	---	---	17.0
	08/09/10	---	470	---	---	---	---	---	---	---	---
	11/16/10	---	420	---	---	---	---	---	---	---	---
	02/02/11	---	410	---	---	---	---	---	---	---	---
	05/04/11	---	440	---	---	---	---	---	---	---	15.0
	08/02/11	---	440	---	---	---	---	---	---	---	---
	11/03/11	---	400	---	---	---	---	---	---	---	---
	02/07/12	---	420	---	---	---	---	---	---	---	---
	05/02/12	---	440	---	---	---	---	---	---	---	16.0
	08/07/12	---	450	---	---	---	---	---	---	---	---
	10/02/12	790	440	31.0	4.0	120.0	1.7	89.0	79.0	170.0	16.0
	11/01/12	---	440	---	---	---	---	---	---	---	---
02/06/13	---	440	---	---	---	---	---	---	---	---	
05/02/13	---	440	---	---	---	---	---	---	---	17.0	
08/19/13	---	470	---	---	---	---	---	---	---	---	
11/05/13	---	450	---	---	---	---	---	---	---	---	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l									
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3		
No. 217 8S/2W-17M1 (Cont)	02/05/14	---	420	---	---	---	---	---	---	---	---	---	
	08/08/14	---	470	---	---	---	---	---	---	---	---	---	
	11/05/14	---	460	---	---	---	---	---	---	---	---	---	
	12/18/14	---	---	---	---	---	---	---	---	---	---	19.0	
	02/04/15	---	380	---	---	---	---	---	---	---	---	---	
	05/07/15	---	450	---	---	---	---	---	---	---	---	15.0	
	08/06/15	---	470	---	---	---	---	---	---	---	---	---	
	10/06/15	820	480	35.0	4.7	120.0	1.7	88.0	82.0	170.0	---	16.0	
	11/17/15	---	470	---	---	---	---	---	---	---	---	---	
	02/10/16	---	490	---	---	---	---	---	---	---	---	---	
	05/10/16	---	460	---	---	---	---	---	---	---	---	3.9 as N	
	08/03/16	---	450	---	---	---	---	---	---	---	---	---	
	No. 231 8S/2W-20B6	08/15/90	1280	805	126.0	18.0	120.0	5.0	100.0	310.0	244.0	---	9.0
		09/26/90	---	---	---	---	---	---	---	---	---	---	6.0
03/04/92		1700	1270	180.0	51.0	160.0	6.0	140.0	510.0	332.0	---	5.0	
06/20/95		1640	1300	171.0	44.0	124.0	6.0	75.0	520.0	287.0	---	5.3	
02/27/98		---	---	---	---	---	---	---	---	---	---	3.0	
05/16/00		---	---	---	---	---	---	---	---	---	---	5.0	
05/24/01		1490	1080	140.0	35.0	120.0	5.0	120.0	340.0	330.0	---	3.0	
05/13/02		---	---	---	---	---	---	---	---	---	---	2.0	
07/12/05		---	---	---	---	---	---	---	---	---	---	2.2	
07/20/06		---	---	---	---	---	---	---	---	---	---	3.7	
05/02/07		1400	830	120.0	27.0	110.0	4.0	130.0	250.0	300.0	---	2.1	
03/07/08		---	900	---	---	---	---	---	---	---	---	2.4	
No. 232 8S/2W-11J3		08/15/90	960	590	71.0	19.0	110.0	5.0	98.0	130.0	235.0	---	30.0
	09/26/90	---	---	---	---	---	---	---	---	---	---	35.0	
	09/25/91	980	565	74.0	19.0	106.0	5.0	98.0	120.0	244.0	---	37.0	
	09/19/94	805	495	54.0	14.0	92.0	4.0	80.0	110.0	207.0	---	15.0	
	09/13/96	---	---	---	---	---	---	---	---	---	---	22.0	
	11/04/97	1000	660	76.0	20.0	110.0	4.0	97.0	130.0	230.0	---	29.0	
	07/27/98	---	---	---	---	---	---	---	---	---	---	38.0	
	12/10/98	---	---	---	---	---	---	---	---	---	---	22.0	
	01/06/98	---	---	---	---	---	---	---	---	---	---	30.0	
	01/29/99	---	---	---	---	---	---	---	---	---	---	10.0	
	02/03/99	---	---	---	---	---	---	---	---	---	---	26.0	
	02/24/99	---	---	---	---	---	---	---	---	---	---	37.0	
	04/08/99	---	---	---	---	---	---	---	---	---	---	33.0	
	04/21/99	---	---	---	---	---	---	---	---	---	---	34.0	
	06/23/99	---	---	---	---	---	---	---	---	---	---	33.0	
	07/08/99	---	---	---	---	---	---	---	---	---	---	36.0	
	08/25/99	---	---	---	---	---	---	---	---	---	---	33.0	
	09/21/99	---	---	---	---	---	---	---	---	---	---	31.0	
	10/06/99	---	---	---	---	---	---	---	---	---	---	30.0	
	11/17/99	---	---	---	---	---	---	---	---	---	---	32.0	
	12/14/99	---	---	---	---	---	---	---	---	---	---	32.0	
	01/18/00	---	---	---	---	---	---	---	---	---	---	31.0	
	02/29/00	---	---	---	---	---	---	---	---	---	---	10.0	
03/21/00	---	---	---	---	---	---	---	---	---	---	25.0		
04/11/00	---	---	---	---	---	---	---	---	---	---	29.0		
05/25/00	---	---	---	---	---	---	---	---	---	---	26.0		
06/21/00	---	---	---	---	---	---	---	---	---	---	26.0		
07/11/00	---	---	---	---	---	---	---	---	---	---	25.0		

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 232 8S/2W-11J3 (Cont)	09/13/00	920	590	65.0	17.0	105.0	4.0	91.0	150.0	210.0	21.0	
	10/06/00	---	---	---	---	---	---	---	---	---	18.0	
	11/08/00	---	---	---	---	---	---	---	---	---	17.0	
	12/13/00	---	---	---	---	---	---	---	---	---	20.0	
	01/04/01	---	---	---	---	---	---	---	---	---	19.0	
	02/28/01	---	---	---	---	---	---	---	---	---	10.0	
	04/10/01	---	---	---	---	---	---	---	---	---	20.0	
	10/10/01	---	---	---	---	---	---	---	---	---	26.0	
	05/14/02	---	---	---	---	---	---	---	---	---	22.0	
	08/06/02	---	---	---	---	---	---	---	---	---	4*	
	01/08/03	---	---	---	---	---	---	---	---	---	6.0 as N	
	03/31/03	---	---	---	---	---	---	---	---	---	11.0	
	06/10/03	---	---	---	---	---	---	---	---	---	31.0	
	07/08/03	---	---	---	---	---	---	---	---	---	30.0	
	08/20/03	---	---	---	---	---	---	---	---	---	28.0	
	09/16/03	1100	680	67.0	18.0	110.0	4.3	100.0	150.0	240.0	33.0	
	10/14/03	---	---	---	---	---	---	---	---	---	---	31.0
	01/14/04	---	---	---	---	---	---	---	---	---	---	23.0
	02/10/04	---	---	---	---	---	---	---	---	---	---	21.0
	04/14/04	---	---	---	---	---	---	---	---	---	---	25.0
	05/06/04	---	---	---	---	---	---	---	---	---	---	26.0
	06/22/04	---	---	---	---	---	---	---	---	---	---	25.0
	07/14/04	---	---	---	---	---	---	---	---	---	---	25.0
	08/10/04	---	---	---	---	---	---	---	---	---	---	31.0
	09/08/04	---	---	---	---	---	---	---	---	---	---	26.0
	10/26/04	---	---	---	---	---	---	---	---	---	---	15.0
	11/18/04	---	---	---	---	---	---	---	---	---	---	26.0
	12/07/04	---	---	---	---	---	---	---	---	---	---	16.0
	01/10/05	---	---	---	---	---	---	---	---	---	---	20.0
	02/14/05	---	---	---	---	---	---	---	---	---	---	14.0
	03/11/05	---	---	---	---	---	---	---	---	---	---	11.0
	04/13/05	---	---	---	---	---	---	---	---	---	---	25.0
	06/08/05	---	---	---	---	---	---	---	---	---	---	24.0
07/12/05	---	---	---	---	---	---	---	---	---	---	22.0	
08/02/05	---	---	---	---	---	---	---	---	---	---	18.0	
09/20/05	---	---	---	---	---	---	---	---	---	---	19.0	
10/18/05	---	---	---	---	---	---	---	---	---	---	18.0	
11/08/05	---	---	---	---	---	---	---	---	---	---	18.0	
12/06/05	---	---	---	---	---	---	---	---	---	---	19.0	
01/04/06	---	---	---	---	---	---	---	---	---	---	15.0	
02/14/06	---	---	---	---	---	---	---	---	---	---	18.0	
03/13/06	---	---	---	---	---	---	---	---	---	---	8.3	
04/18/06	---	---	---	---	---	---	---	---	---	---	12.0	
05/12/06	---	---	---	---	---	---	---	---	---	---	15.0	
06/22/06	---	---	---	---	---	---	---	---	---	---	11.0	
07/19/06	---	---	---	---	---	---	---	---	---	---	13.0	
08/15/06	---	---	---	---	---	---	---	---	---	---	14.0	
11/02/06	---	---	---	---	---	---	---	---	---	---	15.0	
01/10/07	---	---	---	---	---	---	---	---	---	---	13.0	
02/07/07	---	---	---	---	---	---	---	---	---	---	15.0	
03/14/07	---	---	---	---	---	---	---	---	---	---	15.0	
04/17/07	---	---	---	---	---	---	---	---	---	---	14.0	
05/01/07	---	---	---	---	---	---	---	---	---	---	13.0	

* Sample may have been switched with Well 233

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 232 8S/2W-11J3 (Cont)	06/01/07	---	---	---	---	---	---	---	---	---	11.0	
	07/05/07	---	---	---	---	---	---	---	---	---	12.0	
	08/14/07	---	---	---	---	---	---	---	---	---	14.0	
	10/03/07	---	---	---	---	---	---	---	---	---	13.0	
	12/05/07	---	---	---	---	---	---	---	---	---	12.0	
	01/08/08	---	---	---	---	---	---	---	---	---	11.0	
	02/13/08	---	---	---	---	---	---	---	---	---	6.9	
	03/04/08	---	---	---	---	---	---	---	---	---	9.7	
	03/07/08	---	---	610	---	---	---	---	---	---	---	---
	04/08/08	---	---	---	---	---	---	---	---	---	---	13.0
	05/07/08	---	---	---	---	---	---	---	---	---	---	12.0
	07/10/08	---	---	580	---	---	---	---	---	---	---	---
	07/28/08	---	---	---	---	---	---	---	---	---	---	12.0
	08/12/08	---	---	---	---	---	---	---	---	---	---	13.0
	12/03/08	---	---	---	---	---	---	---	---	---	---	14.0
	01/13/09	---	---	660	---	---	---	---	---	---	---	14.0
	02/05/09	---	---	---	---	---	---	---	---	---	---	13.0
	03/04/09	---	---	---	---	---	---	---	---	---	---	12.0
	04/02/09	---	---	580	---	---	---	---	---	---	---	13.0
	05/11/09	---	---	---	---	---	---	---	---	---	---	11.0
	06/02/09	---	---	---	---	---	---	---	---	---	---	11.0
	07/13/09	---	---	580	---	---	---	---	---	---	---	12.0
	08/05/09	---	---	---	---	---	---	---	---	---	---	12.0
	01/06/10	---	---	590	---	---	---	---	---	---	---	12.0
	02/03/10	---	---	---	---	---	---	---	---	---	---	10.0
	03/10/10	---	---	---	---	---	---	---	---	---	---	8.5
	04/08/10	---	---	570	---	---	---	---	---	---	---	12.0
	05/07/10	---	---	---	---	---	---	---	---	---	---	13.0
	06/03/10	---	---	---	---	---	---	---	---	---	---	13.0
	07/08/10	---	---	570	---	---	---	---	---	---	---	13.0
	08/10/10	---	---	---	---	---	---	---	---	---	---	14.0
	09/02/10	---	---	---	---	---	---	---	---	---	---	3.6
	10/06/10	---	---	590	---	---	---	---	---	---	---	15.0
	11/16/10	---	---	---	---	---	---	---	---	---	---	13.0
12/01/10	---	---	---	---	---	---	---	---	---	---	14.0	
01/04/11	---	---	490	---	---	---	---	---	---	---	7.9	
03/09/11	---	---	---	---	---	---	---	---	---	---	8.4	
04/05/11	---	---	560	---	---	---	---	---	---	---	13.0	
05/03/11	---	---	---	---	---	---	---	---	---	---	11.0	
06/08/11	---	---	---	---	---	---	---	---	---	---	11.0	
07/06/11	---	---	590	---	---	---	---	---	---	---	10.0	
08/03/11	---	---	---	---	---	---	---	---	---	---	10.0	
09/02/11	---	---	---	---	---	---	---	---	---	---	10.0	
10/14/11	---	---	610	---	---	---	---	---	---	---	11.0	
11/02/11	---	---	---	---	---	---	---	---	---	---	11.0	
12/07/11	---	---	---	---	---	---	---	---	---	---	11.0	
01/11/12	---	---	590	---	---	---	---	---	---	---	9.9	
02/02/12	---	---	---	---	---	---	---	---	---	---	9.4	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 232 8S/2W-11J3 (Cont)	03/07/12	---	---	---	---	---	---	---	---	---	9.7
	04/04/12	---	580	---	---	---	---	---	---	---	8.4
	05/02/12	---	---	---	---	---	---	---	---	---	9.4
	06/05/12	---	---	---	---	---	---	---	---	---	9.6
	08/08/12	---	---	---	---	---	---	---	---	---	10.0
	09/05/12	950	610	69.0	19.0	100.0	4.5	99.0	200.0	190.0	11.0
	10/17/12	---	620	---	---	---	---	---	---	---	10.0
	11/01/12	---	---	---	---	---	---	---	---	---	11.0
	12/04/12	---	---	---	---	---	---	---	---	---	10.0
	01/09/13	---	610	---	---	---	---	---	---	---	9.9
	02/12/13	---	---	---	---	---	---	---	---	---	11.0
	03/12/13	---	---	---	---	---	---	---	---	---	10.0
	04/11/13	---	600	---	---	---	---	---	---	---	12.0
	05/02/13	---	---	---	---	---	---	---	---	---	13.0
	06/05/13	---	---	---	---	---	---	---	---	---	11.0
	07/10/13	---	580	---	---	---	---	---	---	---	12.0
	08/14/13	---	---	---	---	---	---	---	---	---	12.0
	09/05/13	---	---	---	---	---	---	---	---	---	13.0
	10/15/13	---	630	---	---	---	---	---	---	---	14.0
	11/06/13	---	---	---	---	---	---	---	---	---	14.0
	12/05/13	---	---	---	---	---	---	---	---	---	14.0
	01/15/14	---	620	---	---	---	---	---	---	---	16.0
	02/05/14	---	---	---	---	---	---	---	---	---	15.0
	03/12/14	---	---	---	---	---	---	---	---	---	11.0
	04/03/14	---	560	---	---	---	---	---	---	---	11.0
	05/27/14	---	---	---	---	---	---	---	---	---	8.7
	06/04/14	---	---	---	---	---	---	---	---	---	14.0
	07/16/14	---	610	---	---	---	---	---	---	---	14.0
	08/06/14	---	---	---	---	---	---	---	---	---	16.0
	09/03/14	---	---	---	---	---	---	---	---	---	16.0
	10/08/14	---	610	---	---	---	---	---	---	---	15.0
	11/06/14	---	---	---	---	---	---	---	---	---	17.0
12/09/14	---	---	---	---	---	---	---	---	---	15.0	
01/07/15	---	690	---	---	---	---	---	---	---	13.0	
02/05/15	---	---	---	---	---	---	---	---	---	17.0	
03/05/15	---	---	---	---	---	---	---	---	---	8.8	
04/16/15	---	600	---	---	---	---	---	---	---	16.0	
06/04/15	---	---	---	---	---	---	---	---	---	9.0	
07/14/15	---	580	---	---	---	---	---	---	---	18.0	
08/04/15	---	---	---	---	---	---	---	---	---	19.0	
09/10/15	900	530	64.0	17.0	97.0	3.8	89.0	150.0	200.0	11.0	
10/22/15	---	590	---	---	---	---	---	---	---	19.0	
11/10/15	---	---	---	---	---	---	---	---	---	19.0	
12/03/15	---	---	---	---	---	---	---	---	---	4.3 as N	
01/20/16	---	480	---	---	---	---	---	---	---	3.7 as N	
02/03/16	---	---	---	---	---	---	---	---	---	3.5 as N	
03/02/16	---	---	---	---	---	---	---	---	---	3.8 as N	
04/22/16	---	590	---	---	---	---	---	---	---	4.1 as N	
05/04/16	---	---	---	---	---	---	---	---	---	3.9 as N	
06/07/16	---	---	---	---	---	---	---	---	---	4.2 as N	
07/20/16	---	490	---	---	---	---	---	---	---	3.9 as N	
08/04/16	---	---	---	---	---	---	---	---	---	4.1 as N	
09/08/16	---	---	---	---	---	---	---	---	---	3.8 as N	
No. 233 (Old 112) 8S/2W-12K2	06/15/88	900	535	71.0	21.0	100.0	5.0	96.0	136.0	247.0	4.0
	03/27/91	1020	580	66.0	19.0	114.0	5.0	95.0	140.0	247.0	12.0
	03/03/94	740	425	50.0	14.0	75.0	4.0	71.0	100.0	186.0	2.0
	04/27/95	---	---	---	---	---	---	---	---	---	6.0
	03/27/97	880	510	57.0	15.0	100.0	4.0	81.0	120.0	220.0	4.0
	01/04/99	---	---	---	---	---	---	---	---	---	5.0
	02/03/99	---	---	---	---	---	---	---	---	---	4.0
04/08/99	---	---	---	---	---	---	---	---	---	4.0	
06/03/99	---	---	---	---	---	---	---	---	---	4.0	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 233 (Old 112) 8S/2W-12K2 (Cont)	07/20/99	---	---	---	---	---	---	---	---	---	5.0
	08/11/99	---	---	---	---	---	---	---	---	---	4.0
	09/07/99	---	---	---	---	---	---	---	---	---	4.0
	10/21/99	---	---	---	---	---	---	---	---	---	5.0
	11/03/99	---	---	---	---	---	---	---	---	---	4.0
	04/11/00	970	570	64.0	18.0	110.0	4.0	85.0	150.0	230.0	4.0
	10/06/00	---	---	---	---	---	---	---	---	---	3.0
	10/10/01	---	---	---	---	---	---	---	---	---	4.0
	08/06/02	---	---	---	---	---	---	---	---	---	26*
	01/13/03	---	---	---	---	---	---	---	---	---	1 as N
	07/07/03	---	---	---	---	---	---	---	---	---	2.7
	07/13/04	---	---	---	---	---	---	---	---	---	3.0
	07/12/05	---	---	---	---	---	---	---	---	---	2.8
	04/04/06	960	600	75.0	20.0	87.0	4.5	93.0	180.0	180.0	7.3
	08/04/06	---	---	---	---	---	---	---	---	---	11.0
	08/14/07	---	---	---	---	---	---	---	---	---	8.1
	08/13/08	---	530	---	---	---	---	---	---	---	6.1
	02/05/09	---	570	---	---	---	---	---	---	---	---
	04/02/09	960	580	70.0	20.0	88.0	4.7	100.0	160.0	200.0	6.8
	05/11/09	---	610	---	---	---	---	---	---	---	---
	08/04/09	---	570	---	---	---	---	---	---	---	5.0
	02/02/10	---	560	---	---	---	---	---	---	---	---
	05/06/10	---	660	---	---	---	---	---	---	---	---
	08/10/10	---	580	---	---	---	---	---	---	---	5.1
	07/02/11	---	630	---	---	---	---	---	---	---	---
	08/03/11	---	---	---	---	---	---	---	---	---	4.2
	10/14/11	---	620	---	---	---	---	---	---	---	---
	01/10/12	---	580	---	---	---	---	---	---	---	---
	04/12/12	930	560	67.0	20.0	93.0	5.5	91.0	190.0	180.0	4.7
	04/12/12	---	570	---	---	---	---	---	---	---	---
	08/08/12	---	---	---	---	---	---	---	---	---	5.3
	10/17/12	---	540	---	---	---	---	---	---	---	---
	01/09/13	---	520	---	---	---	---	---	---	---	---
04/11/13	---	500	---	---	---	---	---	---	---	---	
07/10/13	---	440	---	---	---	---	---	---	---	---	
08/15/13	---	---	---	---	---	---	---	---	---	4.1	
10/15/13	---	490	---	---	---	---	---	---	---	---	
01/15/14	---	480	---	---	---	---	---	---	---	---	
04/17/14	---	550	---	---	---	---	---	---	---	---	
07/16/14	---	450	---	---	---	---	---	---	---	---	
08/06/14	---	---	---	---	---	---	---	---	---	2.8	
10/08/14	---	480	---	---	---	---	---	---	---	---	
01/14/15	---	490	---	---	---	---	---	---	---	---	
04/16/15	800	510	57.0	18.0	82.0	5.0	78.0	130.0	160.0	2.4	
04/16/15	---	510	---	---	---	---	---	---	---	---	
07/14/15	---	510	---	---	---	---	---	---	---	---	
08/06/15	---	---	---	---	---	---	---	---	---	2.3	
10/22/15	---	560	---	---	---	---	---	---	---	---	
01/04/16	---	510	---	---	---	---	---	---	---	---	
04/05/16	---	570	---	---	---	---	---	---	---	---	
07/20/16	---	580	---	---	---	---	---	---	---	---	
No. 234 (Old 114) 8S/2W-11P	03/31/88	840	480	54.0	15.0	100.0	4.0	61.0	109.0	241.0	18.0
	03/27/91	1020	605	69.0	19.0	114.0	5.0	77.0	138.0	256.0	37.0
	06/20/95	---	---	---	---	---	---	---	---	---	11.0
	09/26/96	---	---	---	---	---	---	---	---	---	9.0
	02/04/97	---	---	---	---	---	---	---	---	---	12.0
	04/25/97	840	500	56.0	15.0	95.0	4.0	77.0	120.0	230.0	8.0
01/19/99	---	---	---	---	---	---	---	---	---	12.0	

* Sample might have been switched with Well 232

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 234 (Old 114) 8S/2W-11P (Cont)	02/12/99	---	---	---	---	---	---	---	---	---	16.0
	04/21/99	---	---	---	---	---	---	---	---	---	15.0
	06/03/99	---	---	---	---	---	---	---	---	---	16.0
	07/27/99	---	---	---	---	---	---	---	---	---	18.0
	08/19/99	---	---	---	---	---	---	---	---	---	17.0
	09/21/99	---	---	---	---	---	---	---	---	---	16.0
	10/26/99	---	---	---	---	---	---	---	---	---	13.0
	04/13/00	900	550	64.0	18.0	10.0	4.0	70.0	150.0	220.0	13.0
	07/06/00	---	---	---	---	---	---	---	---	---	12.0
	07/12/01	---	---	---	---	---	---	---	---	---	7.0
	08/02/01	---	---	---	---	---	---	---	---	---	<2
	11/20/02	---	---	---	---	---	---	---	---	---	3.0
	12/11/02	850	520	62.0	17.0	80.0	3.7	74.0	170.0	170.0	4.0
	11/04/03	---	---	---	---	---	---	---	---	---	10.0
	11/05/04	---	---	---	---	---	---	---	---	---	10.0
	11/03/05	---	---	---	---	---	---	---	---	---	12.0
	12/06/05	890	620	70.0	19.0	89.0	4.1	85.0	180.0	200.0	12.0
	11/08/06	---	---	---	---	---	---	---	---	---	14.0
	11/16/07	---	---	---	---	---	---	---	---	---	16.0
	08/12/08	---	610	---	---	---	---	---	---	---	---
	11/06/08	---	570	---	---	---	---	---	---	---	20.0
	12/03/08	960	660	83.0	21.0	89.0	4.9	87.0	160.0	230.0	20.0
	02/05/09	---	590	---	---	---	---	---	---	---	---
	05/07/09	---	620	---	---	---	---	---	---	---	---
	08/04/09	---	590	---	---	---	---	---	---	---	---
	02/03/10	---	610	---	---	---	---	---	---	---	---
	05/06/10	---	680	---	---	---	---	---	---	---	---
	08/10/10	---	610	---	---	---	---	---	---	---	---
	08/11/10	---	610	---	---	---	---	---	---	---	---
	11/01/10	---	610	---	---	---	---	---	---	---	21.0
	02/09/11	---	620	---	---	---	---	---	---	---	---
	05/03/11	---	620	---	---	---	---	---	---	---	---
	08/03/11	---	570	---	---	---	---	---	---	---	---
11/02/11	---	560	---	---	---	---	---	---	---	20.0	
12/06/11	990	660	71.0	20.0	99.0	4.2	91.0	160.0	240.0	21.0	
05/03/12	---	620	---	---	---	---	---	---	---	---	
08/08/12	---	620	---	---	---	---	---	---	---	---	
11/01/12	---	620	---	---	---	---	---	---	---	22.0	
02/07/13	---	580	---	---	---	---	---	---	---	---	
05/02/13	---	610	---	---	---	---	---	---	---	---	
08/15/13	---	620	---	---	---	---	---	---	---	---	
11/07/13	---	620	---	---	---	---	---	---	---	21.0	
02/05/14	---	640	---	---	---	---	---	---	---	---	
05/15/14	---	630	---	---	---	---	---	---	---	---	
08/13/14	---	610	---	---	---	---	---	---	---	---	
11/06/14	---	620	---	---	---	---	---	---	---	25.0	
11/19/14	---	---	---	---	---	---	---	---	---	23.0	
12/09/14	780	630	73.0	21.0	110.0	4.5	97.0	160.0	230.0	26.0	
02/06/15	---	670	---	---	---	---	---	---	---	25.0	
05/07/15	---	620	---	---	---	---	---	---	---	23.0	
08/06/15	---	590	---	---	---	---	---	---	---	23.0	
11/17/15	---	620	---	---	---	---	---	---	---	22.0	
No. 235 (Old 137) 8S/3W-1Q1	06/24/88	460	310	40.0	10.0	41.0	2.0	58.0	10.0	140.0	15.0
	06/20/90	420	230	22.0	4.0	56.0	2.0	50.0	6.0	128.0	18.0
	06/10/93	370	235	15.0	2.0	65.0	2.0	51.0	9.0	113.0	17.0
	07/16/96	410	230	16.0	2.0	60.0	1.0	48.0	8.9	110.0	20.0
	06/09/97	---	---	---	---	---	---	---	---	---	17.0

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 235 (Old 137) 8S/3W-1Q1 (Cont)	06/03/99	390	240	13.0	1.0	63.0	1.0	46.0	6.7	98.0	17.0
	11/03/99	---	---	---	---	---	---	---	---	---	16.0
	11/09/00	---	---	---	---	---	---	---	---	---	15.0
	11/20/01	---	---	---	---	---	---	---	---	---	13.0
	06/11/02	380	210	10.0	<1	62.0	1.2	48.0	7.2	100.0	16.0
	11/05/02	---	---	---	---	---	---	---	---	---	17.0
	11/18/03	---	---	---	---	---	---	---	---	---	11.0
	11/18/05	---	---	---	---	---	---	---	---	---	18.0
	06/22/05	380	230	9.4	<1	68.0	1.1	49.0	7.3	96.0	16.0
	11/08/05	---	---	---	---	---	---	---	---	---	17.0
	11/14/06	---	---	---	---	---	---	---	---	---	16.0
	06/11/08	400	210	11.0	1.0	72.0	1.4	48.0	8.4	100.0	15.0
	07/07/08	---	200	---	---	---	---	---	---	---	---
	01/13/09	---	260	---	---	---	---	---	---	---	---
	04/07/09	---	210	---	---	---	---	---	---	---	---
	07/13/09	---	200	---	---	---	---	---	---	---	---
	01/06/10	---	230	---	---	---	---	---	---	---	---
	04/08/10	---	220	---	---	---	---	---	---	---	---
	07/14/10	---	220	---	---	---	---	---	---	---	---
	10/05/10	---	180	---	---	---	---	---	---	---	---
	11/16/10	---	---	---	---	---	---	---	---	---	15.0
	01/12/11	---	170	---	---	---	---	---	---	---	---
	08/17/11	380	210	13.0	1.2	65.0	1.7	48.0	8.4	100.0	16.0
	08/17/11	---	230	---	---	---	---	---	---	---	---
	11/02/11	---	200	---	---	---	---	---	---	---	15.0
	02/09/12	---	200	---	---	---	---	---	---	---	---
	05/03/12	---	220	---	---	---	---	---	---	---	---
	08/09/12	---	200	---	---	---	---	---	---	---	---
	11/02/12	---	220	---	---	---	---	---	---	---	14.0
	02/10/13	---	230	---	---	---	---	---	---	---	---
05/02/13	---	200	---	---	---	---	---	---	---	---	
09/10/13	---	220	---	---	---	---	---	---	---	---	
11/07/13	---	250	---	---	---	---	---	---	---	14.0	
02/05/14	---	200	---	---	---	---	---	---	---	---	
05/20/14	---	180	---	---	---	---	---	---	---	---	
08/07/14	370	190	9.4	<1.0	68.0	1.2	51.0	8.9	110.0	15.0	
11/05/14	---	230	---	---	---	---	---	---	---	15.0	
02/04/15	---	110	---	---	---	---	---	---	---	---	
05/14/15	---	230	---	---	---	---	---	---	---	---	
08/07/15	---	190	---	---	---	---	---	---	---	---	
11/17/15	---	240	---	---	---	---	---	---	---	13.0	
02/10/16	---	240	---	---	---	---	---	---	---	---	
05/11/16	---	210	---	---	---	---	---	---	---	---	
08/02/16	---	230	---	---	---	---	---	---	---	---	
No. 301 7S/3W-18Q1	07/29/92	500	290	20.0	6.0	80.0	1.0	45.0	56.0	143.0	<1
	02/27/97	580	350	45.0	16.0	48.0	2.0	49.0	54.0	200.0	4.0
	08/15/97	---	---	---	---	---	---	---	---	---	6.0
	12/27/00	570	360	49.0	15.0	53.0	2.0	55.0	57.0	180.0	7.0
	02/22/02	---	---	---	---	---	---	---	---	---	<2
	05/14/02	550	340	---	---	---	---	57.0	50.0	---	3.0
12/11/02	580	350	---	---	---	---	---	---	---	2.5	

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
No. 302 7S/3W-18H	04/11/88	690	360	36.0	6.0	100.0	1.0	77.0	65.0	192.0	<1	
	05/15/91	760	425	58.0	9.0	87.0	2.0	83.0	72.0	220.0	<1	
	05/14/92	---	270	12.0	2.0	90.0	<1	48.0	48.0	---	---	
	05/05/94	870	530	69.0	16.0	84.0	2.0	110.0	88.0	238.0	<1	
	05/16/95	---	---	---	---	---	---	---	---	---	<1	
	07/16/96	530	320	---	---	---	---	60.0	54.0	---	2.0	
	05/13/97	560	500	73.0	14.0	94.0	2.0	110.0	86.0	240.0	<2	
	07/27/99	---	---	---	---	---	---	---	---	---	<2	
	05/17/00	520	320	11.0	1.0	99.0	<1	51.0	50.0	130.0	<2	
	06/13/00	520	310	---	---	---	---	---	---	---	<2	
	07/11/00	---	---	---	---	---	---	---	---	---	<2	
	12/20/01	790	500	---	---	---	---	110.0	140.0	---	<2	
	12/11/02	870	510	---	---	---	---	---	---	---	ND	
	06/19/03	620	370	22.0	3.8	95.0	<1	77.0	63.0	140.0	<2	
	03/17/04	830	510	---	---	---	---	110.0	85.0	---	<2	
	06/22/04	---	---	---	---	---	---	---	---	---	<2	
	09/21/04	900	550	---	---	---	---	110.0	82.0	---	<2	
	No. 309 7S/3W-27H	08/15/90	690	370	19.0	3.0	119.0	2.0	140.0	25.0	73.0	5.0
		04/11/91	---	---	---	---	---	---	---	---	---	<.001
		09/25/91	730	365	19.0	2.0	122.0	2.0	150.0	27.0	82.0	5.0
08/11/94		730	430	20.0	2.0	120.0	2.0	160.0	30.0	73.0	5.0	
02/16/95		---	---	---	---	---	---	---	---	---	18.0	
07/16/97		---	---	---	---	---	---	---	---	---	1.1 as N	
07/23/97		---	---	---	---	---	---	---	---	---	1.2 as N	
08/20/97		---	---	---	---	---	---	---	---	---	1.1 as N	
09/03/97		---	---	---	---	---	---	---	---	---	1.1 as N	
09/18/97		---	---	---	---	---	---	---	---	---	1.1 as N	
10/03/97		790	520	21.0	2.0	130.0	2.0	170.0	33.0	85.0	6.0	
08/06/98		---	---	---	---	---	---	---	---	---	6.0	
09/16/98		---	460	---	---	---	---	---	---	---	1.4 as N	
07/20/99		---	---	---	---	---	---	---	---	---	6.0	
05/10/00		---	450	20.0	2.0	130.0	<1	---	---	85.0	---	
07/06/00		---	---	---	---	---	---	---	---	---	6.0	
08/02/00		740	450	21.0	2.0	140.0	1.0	180.0	38.0	87.0	7.0	
07/19/01		---	---	---	---	---	---	---	---	---	7.0	
11/19/02		---	---	---	---	---	---	---	---	---	5.0	
01/13/03		---	---	---	---	---	---	---	---	---	1.1 as N	
08/20/03	880	490	21.0	2.1	140.0	1.5	190.0	33.0	83.0	5.0		
01/07/04	---	---	---	---	---	---	---	---	---	6.0		
11/11/05	---	---	---	---	---	---	---	---	---	6.0		

ND - None Detected

TABLE D-4

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS SAMPLED BY RANCHO CALIFORNIA WATER DISTRICT

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
No. 309	01/04/06	---	---	---	---	---	---	---	---	---	5.4
7S/3W-27H	12/07/06	870	470	21.0	1.9	140.0	2.0	190.0	36.0	84.0	5.4
(Cont)	01/10/07	---	---	---	---	---	---	---	---	---	5.3
	01/08/08	---	---	---	---	---	---	---	---	---	5.4
	08/12/08	---	470	---	---	---	---	---	---	---	---
	01/06/09	---	---	---	---	---	---	---	---	---	6.7
	02/03/09	---	450	---	---	---	---	---	---	---	---
	04/01/09	---	---	25.0	2.9	---	---	---	---	---	---
	05/11/09	---	460	---	---	---	---	---	---	---	---
	08/04/09	---	450	---	---	---	---	---	---	---	---
	01/07/10	---	---	---	---	---	---	---	---	---	5.7
	02/02/10	---	480	---	---	---	---	---	---	---	---
	05/06/10	---	500	---	---	---	---	---	---	---	---
	08/09/10	---	490	---	---	---	---	---	---	---	---
	11/10/10	---	460	---	---	---	---	---	---	---	---
	01/04/11	---	---	---	---	---	---	---	---	---	5.8
	02/02/11	---	480	---	---	---	---	---	---	---	---
	05/04/11	---	470	---	---	---	---	---	---	---	---
	08/04/11	---	480	---	---	---	---	---	---	---	---
	11/02/11	---	460	---	---	---	---	---	---	---	---
	01/17/12	---	---	---	---	---	---	---	---	---	5.5
	02/08/12	---	480	---	---	---	---	---	---	---	---
	05/03/12	---	490	---	---	---	---	---	---	---	---
	08/09/12	---	440	---	---	---	---	---	---	---	---
	11/02/12	---	500	---	---	---	---	---	---	---	---
	12/04/12	950	500	24.0	2.5	150.0	1.7	190.0	45.0	92.0	5.8
	01/10/13	---	---	---	---	---	---	---	---	---	5.5
	02/05/13	---	490	---	---	---	---	---	---	---	---
	05/02/13	---	470	---	---	---	---	---	---	---	---
	08/14/13	---	460	---	---	---	---	---	---	---	---
	11/05/13	---	460	---	---	---	---	---	---	---	---
	01/21/14	---	---	---	---	---	---	---	---	---	5.9
	02/05/14	---	480	---	---	---	---	---	---	---	---
	05/23/14	---	560	---	---	---	---	---	---	---	---
	06/26/14	---	480	---	---	---	---	200.0	---	---	---
	06/26/14	---	510	---	---	---	---	220.0	---	---	---
	06/26/14	---	510	---	---	---	---	200.0	---	---	---
	06/26/14	---	530	---	---	---	---	240.0	---	---	---
	06/26/14	---	510	---	---	---	---	240.0	---	---	---
	06/26/14	---	430	---	---	---	---	210.0	---	---	---
	06/26/14	---	480	---	---	---	---	200.0	---	---	---
	06/26/14	---	410	---	---	---	---	180.0	---	---	---
	08/07/14	---	480	---	---	---	---	---	---	---	---
	11/05/14	---	520	---	---	---	---	---	---	---	---
	01/08/15	---	---	---	---	---	---	---	---	---	6.5
	02/06/15	---	590	---	---	---	---	---	---	---	---
	05/14/15	---	490	---	---	---	---	---	---	---	---
	08/06/15	---	510	---	---	---	---	---	---	---	---
	11/18/15	---	490	---	---	---	---	---	---	---	---
	12/09/15	910	480	25.0	2.6	150.0	1.5	200.0	51.0	94.0	1.4 as N
	01/12/16	---	---	---	---	---	---	---	---	---	1.5 as N
	02/10/16	---	540	---	---	---	---	---	---	---	---
	05/05/16	---	520	---	---	---	---	---	---	---	---
	08/02/16	---	510	---	---	---	---	---	---	---	---

TABLE D-5

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON INDIAN RESERVATIONS

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation											
8S/2W-28M03	08/26/99	562	319	38	13	52	0.77	68	15	---	2.59 as N
	08/12/03	534	344	40.7	14.7	53.5	0.86	58.9	14.1	---	4.21 as N
	08/19/04	708	440	61.4	22.5	51	0.93	87.6	52	---	6.16 as N
	08/02/05	746	459	69.7	26.9	44.3	1.01	87.8	61.8	---	5.09 as N
	08/02/06	678	413	55.9	21	42.6	0.85	74.9	43.1	153	8.25 as N
	09/04/07	663	392	53.7	19.5	51.1	0.92	70.1	32.1	158	8.32 as N
8S/2W-28M05	09/01/09	457	253	10.7	0.483	77.7	0.53	65.6	17.4	91	0.08 as N
	07/26/10	---	261	11	0.942	83.3	0.53	78.3	17.1	---	E 0.048
	08/31/11	482	272	10.7	0.999	86.0	0.49	77.8	16.9	88	0.052
	08/13/13	475	281	12.3	1.14	81.9	0.51	77.6	15.8	87.9	<.177
	09/17/14	475	256	10.9	0.98	83.9	0.52	74.2	15.1	85.9	0.177
	07/29/15	459	255	10	1.03	79.8	0.44	72.9	15.8	85	<0.177
	08/10/16	487	271	13	1.32	91.6	0.40	76.5	15.4	105	<0.04
8S/2W-28Q02	10/05/89	629	378	48	19	49	0.7	76	14	169	4.2 as N
	07/26/90	613	383	48	18	47	0.6	75	12	171	3.9 as N
	07/18/91	618	379	49	18	49	0.7	83	14	172	3.0 as N
	07/28/93	620	400	51	20	47	0.7	63	15	174	9.6 as N
	08/17/94	641	396	51	21	50	0.8	60	17	179	11.0 as N
	08/31/95	653	396	53	21	48	0.7	60	19	184	12.0 as N
	08/28/96	---	---	---	---	---	---	---	---	---	11.0 as N
	08/12/97	614	411	47	19	47	0.7	63	15	176	8.9 as N
	08/19/98	625	402	47	20	47	0.7	60	14	---	9.85 as N
	08/21/02	598	394	47	19	46	0.7	64	15	---	8.5 as N
	08/12/03	604	405	48.8	19.8	47.8	0.7	69.1	14.0	---	7.1 as N
	08/18/04	615	386	51.6	20.2	45.6	0.9	78.8	16.5	---	4.03 as N
	08/02/05	822	514	76.8	30.2	54	0.8	93.7	30.9	---	14.7 as N
8S/2W-28R01	08/03/89	495	286	41	4.0	60	0.9	37	13	177	1.1 as N
	07/26/90	525	296	48	4.8	54	1.0	45	14	191	1.5 as N
	07/17/91	462	261	31	3.2	66	0.8	44	12	155	.8 as N
	07/27/93	445	269	44	4.4	43	0.5	28	14	170	1.9 as N
	08/15/94	421	232	32	3.3	55	0.9	28	11	156	1.5 as N
	08/30/95	375	200	21	2.2	55	0.6	31	11	129	.7 as N
	08/27/96	---	---	---	---	---	---	---	---	---	1.5 as N
	08/13/97	398	241	20	2.1	59	0.62	37	11	130	.572 as N
	08/20/98	481	282	36	3.9	60	0.85	38	14	167	1.1 as N
	08/25/99	446	252	28	3.1	59	0.66	41	12	---	.758 as N
	08/22/00	456	265	29	3.3	61	0.73	39	14	---	.759 as N
	08/21/01	522	320	51	5.9	48	1.0	42	16	---	1.73 as N
	08/21/02	457	284	33	3.7	61	0.87	41	13	---	1.09 as N
	08/12/03	518	330	55	6.5	50.4	1.1	39.7	14.3	---	1.94 as N
08/18/04	516	317	56.8	6.2	47.9	1.4	42.6	14.2	---	1.64 as N	

* - Alkalinity as CaCO3

E - estimated

TABLE D-5

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON INDIAN RESERVATIONS

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation (Continued)											
8S/2W-28R01 (Cont)	08/03/05	541	333	60.5	6.5	45.3	1.2	40.2	14.1	---	2.23 as N
	09/10/08	480	278	37.2	4.67	62.4	1.14	41.2	11.4	160	---
	08/04/09	543	329	50	5.49	55.5	1.12	38.7	18.4	194	1.78 as N
	07/26/10	564	335	58.3	6.57	49.9	1.12	41.9	18.7	203	9.89
	08/22/11	548	357	55.0	6.75	52.9	1.07	41.3	18.8	187	10.5
	08/21/12	507	287	44.7	5.19	60.5	0.95	39.2	17.4	178	8.33
	07/24/13	498	302	43.9	4.87	60.6	0.91	39.8	17.6	178	7.63
	09/17/14	592	339	59.3	7.23	54.7	1.17	43.4	20.8	206	10
	07/29/15	589	364	64.5	7.79	55.9	1.22	44.9	20.6	212	10.5
	08/10/16	587	356	62.6	7.46	54.0	1.09	44.9	19.8	258	2.6
8S/2W-29A01	08/02/89	346	207	31	11	24	0.4	18	7.0	131	2.0 as N
	07/24/90	354	193	32	11	25	0.4	24	6.7	133	2.0 as N
	07/18/91	361	194	32	10	26	0.4	25	6.0	134	1.8 as N
	08/15/94	363	216	33	12	25	0.5	24	7.7	132	2.6 as N
	08/31/95	363	208	32	11	23	0.4	21	8.1	137	2.6 as N
	08/28/96	---	---	---	---	---	---	---	---	---	2.9 as N
	08/12/97	368	238	32	12	24	0.44	22	7.4	138	3.05 as N
	08/19/98	411	246	36	11	31	0.45	25	8.2	153	2.94 as N
	08/25/99	375	222	33	12	23	0.39	20	6.7	---	3.81 as N
	08/22/00	374	237	33	12	24	0.42	18	7.3	---	3.48 as N
	08/21/01	374	236	34	12	24	0.46	20	7.3	---	3.56 as N
	08/02/05	382	243	38.7	11.6	27.1	0.53	27.6	7.7	---	2.79 as N
	8S/2W-29A02	08/02/06	392	242	36.2	10.9	26.6	0.43	29.4	7.94	139
08/04/09		394	245	29.8	11.3	32.2	0.64	34.5	7.38	133	0.81 as N
07/26/10		---	268	37.5	11.9	32.5	0.55	38.5	12.9	---	E 10.8
08/22/11		434	299	35.9	12.0	35.7	0.59	41.9	12.7	132	9.30
08/21/12		465	298	42.0	13.2	38.1	0.55	42.4	15.8	148	11.8
07/24/13		464	297	39.7	13.6	37.0	0.62	45.6	16.3	147	11.3
09/17/14		481	284	38.7	13.2	36.4	0.63	46	16.3	145	11.2
07/29/15		485	298	41.3	14.4	38.5	0.63	47.9	18.6	146	12.1
08/10/16		522	317	47.4	14.4	42.0	0.40	52.0	22.9	180	3.8
8S/2W-29B02	03/01/90	456	257	5.5	0.14	89	0.8	66	22	100	---
	03/06/90	456	256	5.9	0.13	90	0.7	66	20	99	<0.1 as N
8S/2W-29B03	03/06/90	478	275	14	1.9	84	0.8	65	16	123	<0.1 as N
8S/2W-29B05	03/02/90	397	229	29	9.5	43	1.2	35	4.9	141	1.8 as N
8S/2W-29B06	03/02/90	406	259	34	11	38	0.8	38	10	143	---
	03/06/90	427	240	32	11	40	1.0	40	8.1	148	1.2 as N
8S/2W-29B07	03/07/90	396	230	8.6	2.5	71	0.9	51	11	102	<0.1 as N
	08/16/90	371	199	8.4	1.8	69	0.8	50	14	106	<0.1 as N

* - Alkalinity as CaCO3

E - estimated

TABLE D-5

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON INDIAN RESERVATIONS

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation (Continued)											
8S/2W-29B08	03/07/90	464	272	31	9.4	52	1.2	58	12	134	0.45 as N
	08/16/90	458	261	34	9.1	48	1.1	59	17	135	0.4 as N
8S/2W-29B09	03/07/90	343	210	21	9.2	39	1.0	24	6.7	131	1.3 as N
	08/17/90	317	197	26	10	26	1.1	22	3.4	130	1.6 as N
8S/2W-29B10	08/19/98	367	223	12	0.64	75	0.62	50	10	121	<.05 as N
	08/26/99	393	219	12	0.72	68	0.56	46	11	---	<.05 as N
	08/22/00	393	228	12	0.76	69	0.58	43	11	---	<.05 as N
	08/21/01	398	231	11	0.62	72	0.57	49	15	---	.04 as N
	08/12/03	387	239	11.3	0.65	75.1	0.57	47.2	18.4	---	2.41as N
	08/18/04	390	232	11.2	0.64	72.6	0.64	48	20.8	---	<.06 as N
	08/02/05	404	242	12.5	0.67	69.9	0.65	47.2	23.2	---	<.06 as N
	08/03/06	381	222	12.3	0.77	62.8	0.54	40.3	17.3	110	<.06 as N
	09/04/07	430	237	12.1	0.70	78.3	0.65	47.2	27.5	107	<.06 as N
	09/15/08	420	242	11.2	0.664	77.3	0.59	45.3	29.6	106 E	.03 as N
	08/04/09	381	217	12.1	0.76	66	0.64	39.9	23.7	108 E	.03 as N
	07/26/10	394	220	11.4	0.67	71.6	0.64	42.2	26	107	E 0.079
	08/22/11	421	265	11.5	0.697	75.5	0.58	45.5	31.0	99	0.115
	08/21/12	432	245	12.8	0.734	82.4	0.62	47.1	34.9	106	<.177
	07/24/13	451	264	13.6	0.756	83.6	0.63	49.2	43.1	107	<.177
	09/17/14	490	274	14.8	0.853	84.8	0.67	51.1	52	105	0.177
	07/29/15	498	289	16.2	0.975	91.7	0.75	52.9	56.5	107	<0.177
08/10/16	535	315	18.2	1.031	92.5	0.61	55.3	65.8	121	<0.04	
8S/2W-29B11	08/02/06	483	285	30.1	7.84	51.5	0.93	57.1	11.8	138	1.44 as N
	08/04/09	497	281	33	8.51	51	0.98	52.6	16.6	140	2.33 as N
	07/26/10	---	287	34.7	9.09	53.4	1.05	56.8	15.3	---	E 10.3
	08/22/11	482	308	32.7	9.52	53.0	1.00	54.2	16.0	131	10.9
	08/21/12	492	300	35.9	10.0	55.9	1.03	54.3	17.9	142	11.9
	07/24/13	505	300	36.2	10.1	57.2	1.05	54.5	20.4	144	12.3
	09/17/14	542	315	37.1	10.4	55.3	1.11	56.2	23.9	145	13.8
	07/29/15	530	315	39.9	11.3	56.4	1.18	56.5	24.8	146	12.5
08/10/16	530	313	40.4	10.9	58.0	1.00	57.5	24.6	174	3.0	
8S/2W-29F3	08/03/06	378	251	21.9	7.67	38.9	1.9	47.2	10.4	104	0.46 as N
8S/2W-29J02	08/26/99	565	329	39	15	47	1.6	66	14	---	2.67 as N
	08/22/00	562	337	39	15	47	1.5	65	14	---	2.70 as N
	08/21/01	574	351	40	15	50	1.6	70	15	---	2.63 as N
	08/21/02	554	345	41	16	50	1.8	68	14	---	2.93 as N
	08/12/03	592	372	45.4	16.6	54.2	1.65	78.2	15.4	---	2.41 as N
	08/19/04	598	362	48.8	16.9	---	1.88	80	17	---	3.06 as N
8S/2W-29J03	08/02/06	532	337	40.3	13.2	43.1	1.34	44.8	17.5	152	8.48 as N

* - Alkalinity as CaCO3

E - estimated

TABLE D-5

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON INDIAN RESERVATIONS

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Pechanga Indian Reservation (Continued)											
8S/2W-34B04	10/05/89	617	371	51	8.2	67	1	58	30	192	.47 as N
	07/26/90	605	341	50	8	65	1	61	31	194	.50 as N
	07/18/91	564	339	46	7.4	67	1	53	27	185	.87 as N
	07/27/93	267	170	18	2.8	34	0.5	14	9.7	96	1.10 as N
8S/2W-35D01	08/03/89	660	358	43	5.5	87	1.2	78	35	169	.35 as N
	07/26/90	669	384	41	4.9	92	1.5	82	36	176	.40 as N
	07/17/91	641	371	40	4.4	98	1.7	81	36	175	.39 as N
	07/27/93	638	374	49	5.9	79	1.8	71	27	199	.34 as N
	08/16/94	601	334	30	3.2	95	1.5	71	29	163	.16 as N
	08/30/95	587	322	33	4	81	1.5	68	25	178	.11 as N
	08/27/96	596	352	28	3.3	92	1.4	72	29	167	.10 as N

* - Alkalinity as CaCO3

TABLE D-5

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON INDIAN RESERVATIONS

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Cahuilla Indian Reservation											
7S/2E14M01	12/14/83	1220	708	130	40	45	11	53	390	98	0.04 as N
7S/2E-23H01	05/18/06	428	288	39.6	5.7	33.7	3.1	31	14	---	8.26 as N
7S/2E-23Q01	05/18/06	245	160	15.6	2.55	26.6	2.5	29.5	5.4	---	1.07 as N
7S/2E-26B03	07/11/07	296	197	23.7	3.04	31	2.94	33.9	7.64	76	1.79 as N
7S/2E-33N1	08/02/89	355	206	16	2.1	53	3.5	48	15	78	.73 as N
7S/2E-36J01	02/03/84	---	252	43	4.4	36	4.8	32	5.4	---	3.40 as N
7S-3E-14P03	08/10/05	1080	741	113	42.4	70	9.7	66.8	296	---	.15 as N
7S-3E-20J05	08/23/07	753	466	49.4	7.09	89.2	3.19	87.9	83.6	110	6.88 as N
7S/3E-21L01	05/27/53	750	---	66	20	70	---	67	76	---	---
	08/02/89	1050	675	90	19	100	3.5	84	190	216	3.1 as N
	08/01/90	1020	610	87	18	100	3.4	85	180	217	3.0 as N
	07/17/91	995	636	93	18	100	3.7	95	180	206	2.5 as N
	08/23/07	1040	677	96.1	20.2	90.9	3.67	96.2	169	190	3.42 as N
7S/3E-31L02	02/03/84	---	184	23	4.8	24	2.9	24	0	---	2.0 as N
7S/3E-31N01	07/27/84	684	412	69	12	37	---	75	12	---	---
7S/3E-34E01	07/07/76	---	---	25	4.6	21	4.2	26	7.3	---	4.0 as N
	09/22/77	---	---	25	4.9	23	4.4	25	6.9	---	---
	07/19/78	---	---	26	5.1	22	4.5	24	6.5	---	3.7 as N
	06/28/79	---	190	26	5	22	4.3	24	6	---	---
	07/02/80	---	---	26	4.9	23	4.7	28	6.9	---	3.7 as N
	07/08/81	309	---	27	5	23	4.7	26	7.7	81	4.1 as N
	06/29/82	311	---	27	5.3	27	4.9	27	10	88	4.0 as N
	08/10/83	306	---	27	5	23	4.8	29	7.7	90	3.8 as N
	08/21/84	319	---	30	5.3	24	4.3	29	7.2	92	3.7 as N
	08/01/85	321	---	28	5.2	24	4.6	29	7.0	86	3.5 as N

* - Alkalinity as CaCO3

TABLE D-5

**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON INDIAN RESERVATIONS

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3*	NO3
Cahuilla Indian Reservation (Continued)											
7S/3E-34E01	08/14/87	332	207	29	5.6	25	4.8	28	8.0	96	3.5 as N
	07/20/89	338	204	30	5.6	26	5.0	29	7.0	98	3.3 as N
	07/31/91	337	109	31	5.5	25	4.5	31	6.3	99	3.5 as N
	07/16/91	335	209	31	5.9	26	4.7	32	6.3	99	3.5 as N
8S/2E-4P01	01/21/86	1870	---	190	54	64	7.9	480	13	136	4.0 as N
	05/18/06	794	441	59.8	19.3	44.1	4.44	101	10.4	---	5.45 as N
8S/3E-2A01	02/05/86	591	---	54	11	43	3.2	93	21	103	3.4 as N
8S/3E-2D01	07/08/81	293	---	17	2.2	39	1.7	30	8.8	68	2.5 as N
	07/24/85	279	---	11	1.2	42	1.5	28	8	71	2.1 as N
8S/3E-2E01	12/07/50	---	---	30	10	53	---	50	14	---	---
	11/15/51	---	---	38	8	43	---	50	6	---	---
	05/27/76	---	---	39	9.4	32	2.2	49	12	---	4.9 as N
	09/22/77	---	280	39	9.6	33	2.6	42	8.4	---	---
	07/19/78	---	---	42	10	36	2.4	57	13	---	5.7 as N
	06/28/79	---	284	40	9	32	2.8	42	9	---	---
	07/02/80	---	---	34	6.5	22	2.4	27	7.4	---	0
	07/08/81	296	---	33	4.8	19	1.9	36	1	61	2.0 as N
	06/29/82	494	---	43	9.7	41	3	54	14	127	5.7 as N
	07/26/83	427	---	40	9.6	32	3	42	9.7	131	4.8 as N
	08/21/84	428	---	42	9.3	32	2.9	39	9.6	129	4.7 as N
	08/13/87	428	276	39	9.4	32	3.2	37	9.6	129	4.6 as N
	08/10/05	424	283	42.4	10.2	33.6	3.4	39.9	9.14	---	4.88 as N
8S/3E-2K01	09/22/77	---	---	43	10	48	3.2	65	18	---	---
	07/19/78	---	---	42	9.8	48	3.4	68	17	---	3.7 as N
	06/28/79	---	342	46	10	46	3.1	69	19	---	---
	07/02/80	---	---	64	12	92	2.7	140	48	---	4.1 as N
	06/29/82	454	---	41	10	38	3.7	46	13	129	3.6 as N
	08/10/83	435	---	39	9.5	32	3.6	43	13	133	3.6 as N
	08/21/84	561	---	50	11	48	3.1	68	27	139	4.0 as N
	08/01/85	472	---	41	9.7	34	3.4	48	15	125	3.7 as N
	08/13/87	451	282	40	9.9	31	3.4	41	16	133	3.6 as N
	07/20/89	531	323	46	11	41	3.4	60	22	136	3.6 as N
	08/01/90	508	310	46	11	38	3.3	60	19	134	3.8 as N
	07/16/91	522	306	50	10	39	3.3	61	21	139	3.7 as N

* - Alkalinity as CaCO3

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-26C1 (Bldg 2201)	10/60	1060	639	66.5	24.0	116.0	4.5	160.0	110.0	264.0	trace
	06/62	1190	718	60.0	33.2	123.0	3.8	190.0	124.0	232.0	1.4
	07/64	1217	734	79.2	27.8	144.0	1.6	180.0	150.0	248.9	---
	05/65	1485	896	75.2	30.3	158.0	2.4	180.0	120.0	253.8	0.0
	01/66	---	808	76.8	33.2	157.0	3.4	170.0	180.0	292.8	0.6
	06/66	---	684	75.2	26.8	112.0	2.4	128.0	148.0	263.5	3.9
	01/67	---	856	81.6	26.3	138.0	3.5	162.0	140.0	310.0	3.0
	08/67	---	880	99.2	38.1	156.0	3.6	160.0	230.0	322.1	5.3
	02/68	---	768	65.6	25.4	156.0	3.4	160.0	164.0	236.7	0.0
	04/69	---	852	66.0	32.0	162.0	3.2	166.0	210.0	249.0	0.0
	11/69	---	844	87.0	31.0	140.0	3.6	164.0	180.0	262.0	0.0
	07/70	---	672	99.0	32.0	139.0	3.0	158.0	205.0	259.0	2.7
	12/70	1180	712	83.0	28.0	138.0	3.0	166.0	170.0	266.0	0.0
	09/71	1062	640	83.0	27.0	128.0	2.8	136.0	175.0	278.0	0.4
	05/72	1130	681	56.0	24.0	140.0	2.8	136.0	165.0	220.0	0.0
	10/72	1165	703	64.0	27.0	159.0	3.6	132.0	180.0	293.0	1.8
	10/73	1140	688	72.0	27.0	131.0	3.8	144.0	190.0	200.0	0.3 as N
	02/76	1140	688	70.4	28.3	143.0	3.1	132.0	182.0	273.3	1.8 as N
	09/76	1100	663	67.0	25.0	152.0	2.5	152.0	131.0	327.0	2.8 as N
	03/77	1080	651	67.0	28.0	173.0	3.1	128.0	160.0	254.0	4.4 as N
	10/78	1150	694	70.0	25.0	120.0	3.5	139.0	145.0	253.8	<1 as N
	06/79	1100	663	72.0	27.3	125.0	3.0	134.0	142.0	258.6	<1 as N
	10/80	1200	693	78.8	23.7	136.0	3.3	172.0	136.0	273.3	0.2 as N
	04/81	1160	737	82.4	22.4	126.0	3.6	140.0	134.0	268.4	<0.5 as N
	11/81	1300	863	97.6	31.5	169.0	2.2	204.0	209.0	248.9	0.8 as N
	11/81	950	573	74.0	18.3	120.0	2.1	144.0	130.0	224.5	0.3 as N
	05/82	1100	663	80.8	26.6	140.0	1.5	181.0	138.0	268.4	<0.5 as N
	03/83	1000	603	84.0	20.5	144.0	3.2	152.0	143.0	273.3	<0.5 as N
	05/84	1150	694	80.0	27.6	126.0	3.1	133.0	150.0	283.0	0.2 as N
	06/85	1100	680	89.0	26.0	140.0	3.0	150.0	64.0	440.0	<0.4
	09/85	1242	724	78.0	28.0	122.0	6.0	154.0	149.1	244.4	<0.4
	05/86	1387	750	85.2	29.1	130.7	4.3	166.0	130.8	242.6	<1
	06/89	1302	734	78.1	23.0	85.9	---	136.0	145.0	212.0	<0.4
	01/91	1271	---	81.0	36.1	152.0	---	166.0	---	---	<0.04
	06/91	1290	752	99.0	32.4	133.0	---	167.0	136.0	237.0	<0.4
	03/92	1210	792	91.0	29.8	146.0	---	159.0	135.0	279.0	<0.4
	06/93	1290	764	68.3	27.5	149.0	---	168.0	130.0	265.0	<0.4
	03/94	1210	783	100.0	37.1	100.0	---	145.0	167.0	---	2.2
	08/94	1160	741	87.5	35.5	96.1	---	141.0	187.0	---	4.2
	06/95	1330	806	97.7	37.4	142.0	---	207.0	166.0	---	<0.04
	01/96	1300	764	91.0	33.0	140.0	---	177.0	142.0	363.0	---
	06/96	1300	751	93.0	30.0	130.0	---	164.0	156.0	252.0	---
	06/97	1215	758	88.0	29.0	130.0	<2.0	151.0	148.0	292.0	<2 as N
	12/97	1200	690	81.0	29.0	140.0	3.0	155.0	150.0	250.0	ND
	04/98	1200	790	83.0	31.0	101.0	3.0	165.0	156.0	240.0	ND
	06/98	1230	714	85.0	30.0	136.0	3.0	163.0	158.0	293.0	ND
	02/99	1250	731	84.0	29.0	127.0	3.0	160.0	140.0	281.0	ND
	04/99	1220	769	88.0	30.0	127.0	3.0	168.0	160.0	317.0	ND
	05/01	1300	794	98.0	36.0	130.0	3.0	173.0	179.0	317.0	ND

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-18M5 (Bldg 23073) (Previously reported as 10S/4W-18M4)	06/89	1156	688	74.6	24.4	67.9	---	130.0	138.0	197.0	8.9
	01/90	1120	630	86.4	32.3	101.0	---	156.0	166.0	210.0	<0.05
	04/90	1160	720	98.8	34.8	107.0	---	152.0	146.0	218.0	1.4
	01/91	1202	---	84.1	40.5	117.0	---	162.0	153.0	---	<0.04
	06/91	1180	736	102.0	37.1	106.0	---	163.0	138.0	197.0	<0.4
	03/94	1020	658	69.6	27.8	104.0	---	135.0	140.0	---	0.9
	08/94	1110	684	81.4	32.2	178.0	---	144.0	157.0	---	<0.44
	06/95	1170	679	95.3	35.2	113.0	---	145.0	116.0	---	13.8
	06/96	1100	682	86.0	32.0	95.0	---	155.0	261.0	210.0	<0.0
	02/97	1180	640	79.0	32.0	110.0	---	142.0	162.0	190.0	<2 as N
	06/97	1117	709	85.0	33.0	110.0	<5.0	150.0	164.0	223.0	<2 as N
	12/97	1100	700	82.0	33.0	110.0	3.0	141.0	157.0	220.0	ND
	03/98	1100	710	83.0	33.0	100.0	3.0	182.0	158.0	150.0	ND
	06/98	1200	720	85.0	34.0	119.0	4.0	159.0	154.0	281.0	ND
	02/99	1020	613	70.0	30.0	85.0	4.0	130.0	85.0	179.0	8.0
	05/00	1020	709	81.0	33.0	94.0	4.0	146.0	149.0	220.0	ND
	08/00	1160	728	83.0	33.0	89.0	4.0	161.0	178.0	232.0	ND
	02/01	1200	736	85.0	35.0	116.0	4.0	164.0	180.0	244.0	0.7
	04/01	1200	606	85.0	34.0	112.0	4.0	154.0	177.0	232.0	ND
	09/01	1250	761	90.0	37.0	115.0	4.0	166.0	188.0	232.0	ND
	11/01	1290	737	91.0	37.0	118.0	3.0	181.0	207.0	256.0	0.0
	02/02	1260	781	89.0	36.0	123.0	4.6	170.0	189.0	255.0	1.3
	04/02	1250	755	90.0	37.0	116.0	4.1	175.0	195.0	200.0	1.0
	05/02	1290	750	92.0	38.0	110.0	4.0	157.0	194.0	180.0	0.6
	07/02	1260	753	90.0	37.0	114.0	4.0	171.0	196.0	200.0	0.0
	01/03	1350	816	96.0	40.0	131.0	4.6	160.0	201.0	193.0	0.0
	04/03	1210	738	95.0	27.0	118.0	3.9	175.0	210.0	192.0	0.0
	10/03	1290	752	91.0	37.0	134.0	5.0	167.0	193.0	199.0	0.0
	01/04	1230	717	93.0	38.0	111.0	6.0	159.0	194.0	173.0	0.0
	04/04	1280	722	82.0	36.0	112.0	6.0	168.0	213.0	180.0	2.2
07/04	1080	739	88.0	37.0	92.0	7.0	156.0	198.0	190.0	0.0	
11/04	1230	563	91.0	38.0	124.0	4.8	172.0	215.0	175.0	0.0	
01/05	1240	687	96.0	39.0	124.0	4.0	172.0	215.0	190.0	0.0	
04/07	1240	770	98.0	40.0	100.0	3.8	160.0	220.0	240.0	0.0	
04/08	1370	908	100.0	42.0	110.0	3.7	180.0	240.0	234.0	<2	
04/09	1300	800	97.0	39.0	120.0	3.7	140.0	200.0	220.0	8.7	
8/11/10	1300	780	97.0	39.0	110.0	3.6	180.0	220.0	220.0	<2	
4/22/11	1300	810	90.0	37.0	110.0	3.6	170.0	230.0	220.0	<2	
4/20/12	1200	810	94.0	38.0	120.0	3.8	160.0	220.0	240.0	2.0	
4/18/13	1200	780	88.0	37.0	100.0	3.9	160.0	200.0	210.0	<2	
3/18/15	1400	890	100.0	42.0	130.0	3.7	170.0	240.0	240.0	<2	
4/27/16	1350	912	95.0	40.7	120.0	3.8	180.0	267.0	212.0	0.3	

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-23J1	05/56	1090	685	61.5	24.3	142.0	---	142.0	110.0	293.0	0.1
(Bldg 2301)	12/56	1060	666	67.0	27.0	96.0	---	124.0	85.0	274.0	---
(Replaced by Well	12/57	---	780	66.3	23.9	159.0	---	138.0	155.0	308.0	10.6
10S/5W-23J8	05/59	1100	691	75.2	25.3	112.0	---	136.0	152.0	297.7	---
(Bldg 23001))	01/60	1120	704	72.7	27.3	116.5	---	112.0	144.0	291.0	---
	10/60	1045	657	63.2	21.4	99.0	3.6	140.0	112.0	242.0	0.0
	05/61	1280	770	76.0	36.5	136.0	3.0	124.0	195.0	299.6	0.0
	05/62	1133	712	68.8	30.3	136.0	2.0	128.0	175.0	275.7	---
	01/63	1111	698	72.0	35.1	127.0	2.8	128.0	199.0	268.4	---
	06/63	1108	696	78.4	25.4	118.0	2.9	148.0	130.0	258.6	0 as N
	07/64	1165	732	74.4	27.8	128.0	1.2	139.0	160.0	268.4	---
	05/65	1130	710	80.0	26.4	145.0	2.1	148.0	120.0	268.4	0.1
	01/66	---	736	88.0	18.1	142.0	2.8	124.0	155.0	263.5	1.8
	06/66	---	736	75.2	29.3	138.0	2.7	145.0	175.0	295.2	4.8
	01/67	---	744	76.8	25.9	118.0	3.0	136.0	125.0	287.9	2.2
	08/67	---	680	70.4	28.3	128.0	2.3	140.0	100.0	292.8	8.4
	02/68	---	660	48.0	19.5	130.0	2.8	124.0	119.0	234.0	6.1
	04/69	---	708	70.0	28.0	126.0	2.5	128.0	170.0	278.0	0.0
	11/69	---	684	73.0	28.0	126.0	2.8	138.0	165.0	273.0	0.0
	05/70	---	716	74.0	25.0	122.0	0.1	134.0	170.0	210.0	4.4
	12/70	1090	385	78.0	25.0	126.0	2.6	142.0	170.0	250.0	3.1
	09/71	1025	644	75.0	38.0	120.0	2.7	124.0	190.0	229.0	0.9
	05/72	1050	660	75.0	21.0	124.0	2.3	124.0	155.0	244.0	2.2
	10/73	1140	716	74.0	22.0	128.0	2.8	136.0	160.0	220.0	0.5 as N
	06/74	1060	680	74.0	13.0	131.0	2.9	158.0	138.0	220.0	0.01 as N
	02/76	1050	660	73.6	25.4	136.0	2.9	119.0	170.0	248.9	2.0 as N
	09/76	1100	691	58.0	32.0	146.0	2.6	140.0	148.0	321.8	2.6 as N
	03/77	1080	679	69.0	29.0	110.0	3.0	128.0	155.0	259.0	4.3 as N
	01/78	1100	691	70.0	23.0	147.0	3.0	140.0	135.0	259.0	4.4 as N
	10/78	1150	723	74.0	22.0	120.0	2.9	134.0	149.0	248.9	<1 as N
	04/79	1000	628	70.4	22.4	118.0	2.6	122.0	138.0	239.1	<1 as N
	10/80	1150	745	74.0	22.5	128.0	3.0	152.0	138.0	239.1	0.2 as N
	05/81	1020	580	67.2	17.3	116.0	3.1	132.0	111.0	205.0	<0.5 as N
	03/83	900	599	65.6	19.5	129.0	2.8	136.0	129.0	234.2	<0.5 as N
	12/83	1000	628	72.4	22.4	127.0	2.6	140.0	150.0	249.0	<0.1 as N
	05/84	1100	691	78.8	25.9	120.0	2.8	130.0	150.0	254.0	0.2 as N
	06/85	1100	691	59.0	26.0	130.0	3.0	140.0	70.0	440.0	3.5
	09/85	1203	705	66.0	26.0	110.0	6.0	150.0	144.0	226.6	<0.4
	06/89	1139	662	71.5	21.7	80.8	---	117.0	128.0	209.0	<0.4
	01/90	1150	632	90.6	32.4	102.0	---	160.0	170.0	214.0	<0.5
	01/91	1112	---	73.7	32.0	128.0	---	136.0	136.0	---	<0.04
	06/91	1090	662	87.4	29.7	117.0	---	140.0	121.0	204.0	<0.4
	03/92	1080	644	74.2	25.8	133.0	---	127.0	118.0	282.0	1.3
	03/93	1210	674	72.8	24.5	117.0	---	127.0	124.0	261.0	<0.4
	06/93	1090	670	63.9	25.7	119.0	---	117.0	128.0	237.0	<0.4
	03/94	1120	683	73.9	27.0	121.0	---	141.0	130.0	---	<0.4

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-23J1	08/94	1160	707	78.9	28.2	129.0	---	139.0	153.0	---	<0.44
(Bldg 2301)	06/95	1160	742	88.2	28.8	131.0	---	165.0	147.0	---	<0.04
(Replaced by Well	01/96	1300	690	79.0	29.0	140.0	---	147.0	131.0	292.0	---
10S/5W-23J8	06/96	1020	674	82.0	29.0	120.0	---	134.0	129.0	204.0	---
(Bldg 23001))	02/97	1100	650	74.0	27.0	150.0	---	126.0	172.0	245.0	<2 as N
(Cont)	03/97	1073	630	77.0	28.0	130.0	---	142.0	134.0	254.0	<2 as N
	02/99	1180	647	75.0	27.0	125.0	3.0	150.0	130.0	272.0	ND
	04/99	1240	722	81.0	30.0	124.0	3.0	157.0	150.0	293.0	ND
	08/99	1180	735	79.0	29.0	120.0	3.0	190.0	183.0	281.0	ND
	12/99	1190	699	83.0	30.0	118.0	3.0	100.0	158.0	278.0	ND
	02/00	1110	723	81.0	30.0	116.0	3.0	90.0	163.0	293.0	ND
	05/00	1070	714	81.0	29.0	115.0	3.0	170.0	152.0	273.0	ND
	08/00	1200	735	80.0	29.0	117.0	3.0	150.0	118.0	275.0	ND
	02/01	1230	730	84.0	31.0	132.0	---	158.0	158.0	293.0	ND
	04/01	1190	636	81.0	30.0	123.0	3.0	146.0	148.0	287.0	ND
	09/01	1300	751	88.0	32.0	132.0	3.0	155.0	160.0	293.0	ND
	10/01	1380	757	88.0	33.0	133.0	3.0	152.0	159.0	311.0	ND
	02/02	1220	724	86.0	31.0	124.0	2.6	146.0	156.0	293.0	ND
	04/02	1210	726	89.0	32.0	124.0	2.8	151.0	162.0	240.0	---
	07/02	1280	735	85.0	31.0	129.0	3.1	155.0	165.0	236.0	ND
	10/02	1300	701	87.0	31.0	141.0	2.9	157.0	170.0	257.0	ND
	01/03	1260	760	88.0	32.0	139.0	3.5	146.0	162.0	239.0	ND
	02/03	---	---	68.0	32.0	139.0	3.5	---	---	---	---
	04/03	1200	708	87.0	32.0	127.0	2.8	158.0	175.0	245.0	ND
	10/03	1210	696	82.0	30.0	144.0	3.0	167.0	177.0	232.0	0 as N
	01/04	1170	678	87.0	31.0	121.0	4.0	151.0	175.0	227.0	0 as N
	04/04	1270	697	82.0	31.0	120.0	4.0	155.0	171.0	250.0	0 as N
	07/04	1030	702	87.0	31.0	98.0	5.0	138.0	151.0	245.0	0 as N
	10/04	1230	879	89.0	31.0	102.0	5.0	158.0	176.0	---	0 as N
	02/05	1170	704	88.0	31.0	134.0	3.1	157.0	171.0	235.0	0 as N
	04/05	1220	755	88.0	30.0	121.0	2.7	132.0	167.0	213.0	0 as N
	07/05	1190	725	83.0	29.0	117.0	2.8	153.0	---	206.0	0 as N
	04/07	1200	708	89.0	32.0	120.0	2.6	150.0	170.0	270.0	0.0
	04/08	1210	718	90.0	32.0	100.0	2.5	150.0	170.0	274.0	<2
	04/09	1200	720	90.0	32.0	110.0	2.6	130.0	160.0	250.0	<2
	04/14/10	1200	740	92.0	33.0	120.0	2.6	150.0	180.0	260.0	<2
	04/22/11	1200	770	90.0	32.0	110.0	2.6	160.0	190.0	260.0	<2
	04/20/12	1200	790	96.0	34.0	120.0	2.9	160.0	190.0	250.0	<2
	05/02/13	1200	790	93.0	34.0	120.0	2.8	160.0	190.0	240.0	<2
	06/11/14	1300	810	100.0	35.0	120.0	2.7	160.0	200.0	250.0	<2
	03/13/15	1200	820	98.0	36.0	120.0	2.9	160.0	210.0	250.0	<2
	04/28/16	1260	828	90.3	32.3	109.0	2.7	164.0	210.0	240.0	ND
10S/4W-18E3	06/89	1166	758	80.5	28.1	67.4	---	132.0	157.0	198.0	9.5
(Bldg 23093)	01/90	1230	748	97.4	39.7	106.0	---	178.0	179.0	226.0	<0.05
	04/90	1190	733	99.6	37.5	112.0	---	159.0	156.0	207.0	2.5
	06/91	1130	680	97.6	37.6	100.0	---	139.0	142.0	166.0	2.7
	02/94	1180	731	83.3	35.5	104.0	---	142.0	159.0	---	11.1
	08/94	1150	725	84.3	35.2	102.0	---	147.0	164.0	---	1.0
	06/95	932	636	75.4	29.1	86.6	---	102.0	140.0	---	14.0

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-18E3 (Bldg 23093) (Cont)	06/96	1117	710	92.0	36.0	93.0	---	180.0	297.0	206.0	---
	02/97	1100	686	89.0	38.0	110.0	---	157.0	166.0	220.0	<2 as N
	03/97	1116	673	87.0	36.0	110.0	---	147.0	113.0	213.0	<2 as N
	06/97	1131	779	90.0	37.0	99.0	<5.0	151.0	177.0	199.0	<2 as N
	09/98	1160	727	83.0	36.0	90.0	3.0	160.0	181.0	232.0	ND
	10/99	1200	325	88.0	39.0	117.0	4.0	130.0	180.0	268.0	ND
	02/00	1100	739	84.0	37.0	100.0	4.0	130.0	180.0	281.0	ND
	05/00	1030	717	80.0	35.0	96.0	4.0	168.0	183.0	229.0	2.0
	02/01	1360	798	97.0	44.0	111.0	4.0	184.0	212.0	244.0	ND
	04/01	1310	728	94.0	42.0	114.0	4.0	168.0	208.0	232.0	ND
	09/01	1330	791	96.0	42.0	115.0	4.0	173.0	209.0	224.0	1.0
	03/02	1320	778	102.0	44.0	123.0	4.4	196.0	229.0	242.0	1.0
	04/02	1300	808	101.0	44.0	117.0	4.0	183.0	220.0	200.0	1.1
	07/02	1390	778	96.0	42.0	114.0	3.7	180.0	214.0	209.0	ND
	10/02	1360	763	97.0	41.0	126.0	4.0	180.0	207.0	214.0	ND
	01/03	1290	749	96.0	40.0	116.0	3.7	172.0	200.0	200.0	ND
	04/03	1210	783	99.0	42.0	129.0	3.9	176.0	229.0	191.0	1.3
	10/03	1320	775	97.0	41.0	126.0	5.0	168.0	231.0	174.0	0.0
	01/04	1270	763	101.0	42.0	106.0	6.0	162.0	220.0	180.0	0.0
	04/04	1320	781	96.0	43.0	105.0	6.0	179.0	250.0	195.0	0.0
	07/04	1370	784	100.0	43.0	89.0	6.0	169.0	219.0	203.0	0.0
	10/04	1300	857	99.0	42.0	88.0	6.0	188.0	245.0	210.0	0.0
	01/05	1270	760	99.0	42.0	115.0	4.3	170.0	234.0	185.0	2.7
	07/05	1120	724	89.0	36.0	91.0	3.5	133.0	---	203.0	0 as N
	11/05	1230	815	101.0	40.0	113.0	4.1	153.0	213.0	174.0	0 as N
	04/06	1350	832	110.0	44.0	120.0	3.8	180.0	250.0	220.0	0 as N
	04/07	1298	806	100.0	45.0	110.0	3.7	180.0	247.0	230.0	0.0
	04/08	1270	816	92.0	40.0	100.0	3.4	150.0	220.0	202.0	4.7
	04/09	1300	840	100.0	43.0	120.0	3.8	150.0	220.0	230.0	<2
	04/28/10	1200	700	83.0	36.0	99.0	3.4	140.0	200.0	190.0	2.8
	07/27/11	1200	810	88.0	39.0	98.0	3.4	160.0	230.0	190.0	4.3
	04/25/12	1200	830	95.0	42.0	100.0	4.0	170.0	240.0	190.0	<2
	05/08/13	1300	800	88.0	37.0	120.0	3.6	170.0	220.0	190.0	<2
06/24/14	1300	820	95.0	41.0	120.0	3.5	170.0	240.0	190.0	<2	
03/16/15	1300	810	86.0	38.0	120.0	3.9	170.0	240.0	200.0	<2	
04/26/16	1400	916	99.0	43.5	122.0	4.2	192.0	275.0	223.0	0.2	
10S/4W-7R2 (Bldg 2603)	06/89	1281	765	76.5	25.1	82.4	---	149.0	153.0	209.0	10.3
	04/89	1270	788	104.0	36.5	126.0	---	173.0	161.0	215.0	2.6
	06/91	1400	836	111.0	41.1	130.0	---	195.0	155.0	215.0	0.0
	02/94	1260	738	83.3	32.0	131.0	---	169.0	155.0	---	<0.04
	08/94	1260	738	84.3	33.7	129.0	---	166.0	149.0	---	<0.44
	06/95	1290	897	93.6	35.2	129.0	---	202.0	164.0	---	0.7
	02/97	1200	720	84.0	36.0	130.0	---	150.0	152.0	240.0	<1 as N
	03/97	1143	708	83.0	35.0	130.0	---	152.0	137.0	240.0	<2 as N
	06/97	1227	831	94.0	34.0	120.0	<5.0	185.0	147.0	247.0	<2 as N
	12/97	1200	700	84.0	36.0	120.0	3.0	150.0	173.0	240.0	ND
	12/97	1200	700	84.0	36.0	120.0	3.0	150.0	173.0	240.0	ND
	03/98	1200	780	85.0	36.0	110.0	3.0	187.0	162.0	180.0	ND
	06/98	1190	734	83.0	35.0	110.0	3.0	160.0	167.0	275.0	ND
	02/99	1160	663	76.0	32.0	102.0	3.0	150.0	150.0	214.0	ND

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7R2 (Bldg 2603) (Cont)	08/99	1120	727	76.0	33.0	99.0	3.0	156.0	230.0	281.0	ND
	10/99	1130	660	78.0	33.0	120.0	3.0	110.0	160.0	262.0	ND
	02/00	1030	592	79.0	35.0	95.9	3.0	120.0	160.0	244.0	ND
	05/00	1010	699	76.0	33.0	96.0	3.0	129.0	127.0	229.0	ND
	08/00	1140	720	77.0	33.0	87.0	3.0	---	157.0	232.0	ND
	12/02	1120	617	73.0	32.0	102.0	3.6	132.0	164.0	174.0	0.4
	01/03	1150	689	76.0	34.0	113.0	3.6	135.0	165.0	185.0	ND
	04/03	1190	717	82.0	37.0	122.0	4.0	164.0	182.0	209.0	ND
	05/03	1190	---	---	---	---	---	156.0	182.0	---	---
	10/03	1250	737	81.0	37.0	130.0	5.0	163.0	201.0	192.0	0.0
	01/04	1240	694	86.0	39.0	107.0	6.0	153.0	182.0	185.0	0.0
	04/04	1320	750	84.0	40.0	108.0	6.0	170.0	210.0	220.0	0.0
	07/04	1100	761	92.0	41.0	88.0	7.0	172.0	204.0	205.0	0.0
	10/04	1280	893	93.0	41.0	88.0	6.0	179.0	222.0	---	0.0
	02/05	1270	839	99.0	44.0	121.0	5.2	180.0	215.0	198.0	0.0
	04/05	1300	880	98.0	41.0	109.0	3.8	158.0	216.0	183.0	0 as N
	07/05	1380	870	101.0	43.0	109.0	4.0	430.0	540.0	176.0	0 as N
	11/05	1310	865	104.0	43.0	115.0	3.8	164.0	221.0	181.0	0 as N
	04/06	1220	810	100.0	43.0	110.0	3.8	170.0	240.0	206.0	0 as N
	04/07	1400	856	99.0	44.0	110.0	3.6	170.0	250.0	210.0	0.0
04/08	1290	888	91.0	39.0	100.0	3.4	160.0	230.0	207.0	2.6	
10S/4W-7H2 (Bldg 26071)	08/56	1060	882	78.0	30.0	112.0	---	150.0	82.0	326.0	---
	01/60	820	500	55.2	14.7	85.0	---	76.0	98.0	224.0	---
	10/60	1300	793	74.5	20.5	126.0	4.3	182.0	116.0	320.0	---
	05/61	1390	840	100.0	29.2	170.0	3.3	170.0	135.0	362.0	---
	05/62	1220	744	70.4	39.0	142.0	2.4	184.0	86.0	312.3	---
	01/63	1300	740	65.6	26.4	162.0	2.4	166.0	153.0	259.0	0.7
	07/63	1100	671	64.0	25.4	118.0	2.7	148.0	97.0	280.6	0.0 as N
	01/64	1020	622	70.4	33.2	117.0	2.7	172.0	98.0	302.6	3.3
	07/64	1400	854	83.2	27.3	134.0	1.4	164.0	98.0	322.1	---
	04/65	1490	909	97.6	23.4	152.0	4.7	196.0	110.0	346.5	0.9
	01/66	---	832	102.0	28.0	166.0	3.1	194.0	88.0	414.8	6.6
	06/66	---	768	86.4	26.3	150.0	3.1	184.0	110.0	331.8	6.9
	01/67	---	768	72.0	29.3	128.0	3.1	174.0	72.0	324.5	6.9
	08/67	---	608	57.6	24.4	116.0	2.4	132.0	70.0	251.3	10.2
	02/68	---	572	67.2	17.6	105.0	2.4	118.0	94.0	251.0	0.0
	09/68	---	636	74.0	19.0	112.0	3.0	144.0	96.0	268.0	0.4
	04/69	---	820	72.0	33.0	138.0	2.8	180.0	140.0	285.0	0.9
	11/69	---	604	66.0	24.0	116.0	2.8	140.0	110.0	259.0	1.8
	05/70	---	640	65.0	26.0	115.0	2.4	142.0	120.0	183.0	3.1
	09/71	1075	656	77.0	24.0	120.0	2.8	144.0	125.0	273.0	1.3

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7H2 (Bldg 26071) (Cont)	05/72	1000	610	46.0	24.0	117.0	2.4	140.0	130.0	141.0	0.0
	10/72	1110	677	88.0	26.0	105.0	3.6	144.0	126.0	283.0	3.5
	10/73	1120	683	75.0	23.0	118.0	2.7	132.0	130.0	200.0	0.6 as N
	06/74	1210	712	72.0	19.0	150.0	3.1	208.0	112.0	195.0	0.01 as N
	01/75	850	519	61.0	21.0	93.0	2.4	102.0	95.0	212.0	2.3 as N
	02/76	1200	732	91.2	20.5	126.0	3.2	176.0	130.0	244.0	2.6 as N
	09/76	1200	732	48.0	29.0	180.0	2.4	192.0	123.0	336.7	4.2 as N
	03/77	1400	854	94.0	33.0	158.0	2.8	216.0	140.0	342.0	2.8 as N
	01/78	1000	610	66.0	23.0	100.0	2.7	128.0	123.0	205.0	4.4 as N
	10/78	1300	793	82.0	31.0	134.0	2.7	160.0	157.0	258.6	<1 as N
	04/79	1200	732	84.8	28.3	144.0	3.1	164.0	116.0	312.3	<1 as N
	01/80	1450	885	93.0	30.0	163.0	3.0	196.0	200.0	273.0	<1 as N
	10/80	1050	591	70.4	21.7	104.0	3.7	140.0	125.0	219.6	2.0 as N
	05/81	1000	645	72.4	21.7	105.0	3.5	128.0	123.0	209.8	<0.5 as N
	05/82	1330	811	100.8	35.9	176.0	1.6	269.0	198.0	263.5	<0.5 as N
	03/83	890	669	77.2	23.7	95.0	3.4	132.0	136.0	209.8	0.65 as N
	12/83	1000	610	70.4	23.7	123.0	2.6	136.0	150.0	224.0	0.5 as N
	05/84	1100	671	77.2	24.6	116.0	2.7	133.0	155.0	244.0	0.2 as N
	09/84	1300	650	6.6	29.0	120.0	2.6	200.0	170.0	250.0	12.0
	11/84	1100	671	81.6	23.4	124.0	2.7	149.0	175.0	249.0	1.2 as N
	05/86	1592	994	104.7	39.7	167.3	4.4	232.0	167.0	301.8	<1 as N
	06/89	1137	826	79.1	28.5	85.5	---	157.0	158.0	246.0	12.6
	01/90	1290	772	96.3	38.6	116.0	---	184.0	179.0	252.0	0.9/1.2
	04/90	1320	817	109.0	42.1	128.0	---	177.0	167.0	249.0	5.4
	01/91	401	---	87.3	44.4	103.1	---	205.0	179.0	---	1.1
	03/93	1500	824	92.6	33.1	136.0	---	194.0	154.0	277.0	1.8
	03/94	1370	827	103.0	36.4	135.0	---	163.0	145.0	---	0.9
	08/94	1270	762	91.1	35.5	129.0	---	162.0	172.0	---	5.6
	06/95	1260	771	100.0	35.8	127.0	---	197.0	178.0	---	2.8
	06/96	1300	751	96.0	36.0	120.0	---	162.0	174.0	247.0	1.1
	02/97	1300	830	100.0	41.0	150.0	---	186.0	161.0	186.0	<2 as N
	06/97	1323	831	94.0	36.0	140.0	<5.0	158.0	149.0	271.0	2 as N
	12/97	1200	670	91.0	36.0	120.0	3.0	150.0	169.0	220.0	ND
12/97	1200	710	87.0	35.0	120.0	2.0	152.0	182.0	220.0	1.5	
03/98	1200	810	89.0	36.0	120.0	3.0	201.0	168.0	240.0	ND	
06/98	1390	830	91.0	36.0	140.0	2.0	185.0	150.0	366.0	ND	
02/99	1130	663	75.0	31.0	106.0	3.0	150.0	150.0	238.0	5.0	
05/99	1170	711	75.0	32.0	85.0	4.0	---	180.0	268.0	ND	
08/99	1040	692	74.0	30.0	94.0	2.0	100.0	400.0	207.0	ND	
10/99	1210	757	86.0	35.0	120.0	3.0	154.0	100.0	295.0	3.0	
08/00	1290	766	83.0	33.0	89.0	2.0	184.0	150.0	323.0	ND	
02/01	1140	707	85.0	35.0	107.0	2.0	152.0	179.0	232.0	4.9	
04/01	1190	718	88.0	37.0	112.0	3.0	153.0	193.0	218.0	5.0	
09/01	1200	729	89.0	38.0	106.0	3.0	158.0	192.0	201.0	4.6	
11/01	1210	693	90.0	38.0	106.0	3.0	169.0	209.0	214.0	5.4	

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
10S/4W-7H2 (Bldg 26071) (Cont)	02/02	1190	726	94.0	39.0	106.0	2.7	147.0	184.0	218.0	5.9	
	04/02	1190	724	91.0	38.0	107.0	2.9	153.0	204.0	173.0	6.6	
	07/02	1200	755	88.0	37.0	107.0	3.1	162.0	201.0	180.0	6.0	
	10/02	1250	722	91.0	38.0	99.0	2.6	150.0	197.0	177.0	6.2	
	01/03	1260	781	95.0	39.0	119.0	3.2	144.0	204.0	169.0	4.5	
	04/03	1310	776	93.0	38.0	125.0	3.0	178.0	217.0	185.0	4.1	
	04/04	1660	890	112.0	47.0	143.0	4.0	208.0	162.0	370.0	ND	
	07/04	1460	785	98.0	38.0	109.0	4.0	186.0	191.0	275.0	3.4	
	05/06	1380	870	100.0	41.0	110.0	2.3	180.0	240.0	210.0	3.0	
	04/07	1300	812	99.0	41.0	110.0	2.5	160.0	230.0	220.0	5.2	
	04/09	1300	830	100.0	43.0	110.0	2.9	170.0	260.0	190.0	4.7	
	04/22/10	1300	790	100.0	42.0	110.0	2.7	170.0	230.0	210.0	4.2	
	04/20/11	1400	860	97.0	42.0	110.0	3.2	180.0	250.0	210.0	2.4	
	04/20/12	1200	840	93.0	40.0	110.0	3.3	160.0	220.0	200.0	5.1	
	04/14/13	1300	830	88.0	40.0	100.0	3.6	160.0	220.0	230.0	12.0	
	04/28/14	1400	860	93.0	42.0	110.0	3.1	170.0	220.0	230.0	3.7	
	08/13/15	1300	910	100.0	46.0	120.0	3.3	180.0	260.0	220.0	3.0	
	04/21/16	1340	886	107.0	46.8	119.0	3.5	172.0	270.0	204.0	3.2	
	10S/4W-7A2 (Bldg 2673) (Replaced by Well 26073)	05/56	920	651	59.0	22.0	100.0	---	104.0	94.0	213.0	---
		05/59	---	745	52.8	16.5	60.3	---	84.0	41.0	207.4	---
01/60		---	840	51.2	17.6	95.0	---	98.0	92.0	210.0	---	
10/60		870	566	62.0	23.0	80.0	4.2	110.0	104.0	234.0	0.0	
05/61		1180	710	72.0	34.0	114.0	3.3	104.0	150.0	227.0	---	
05/62		797	518	63.2	23.4	75.0	2.0	100.0	96.0	214.7	---	
01/63		1195	730	64.0	24.9	157.0	3.1	162.0	183.0	220.0	0.0	
07/63		574	610	57.6	19.5	85.0	2.7	102.0	100.0	244.0	0.3 as N	
01/64		760	494	59.2	19.3	82.0	3.3	100.0	85.0	253.7	0.5 as N	
07/64		980	637	64.0	21.5	94.0	1.4	100.0	95.0	241.6	---	
04/65		1230	800	73.3	22.5	106.0	4.5	120.0	110.0	248.9	1.3	
01/66		---	448	---	---	86.0	2.5	82.0	75.0	190.3	9.7	
06/66		---	540	60.8	21.0	81.0	2.5	102.0	95.0	222.0	9.1	
01/67		---	544	60.8	19.5	88.0	2.9	106.0	69.0	229.4	6.9	
08/67		---	504	54.4	20.0	79.0	2.1	96.0	58.0	214.7	8.0	
02/68		---	456	60.8	17.6	86.0	2.7	94.0	78.0	222.0	0.0	
09/68		---	600	67.0	18.0	90.0	3.0	110.0	96.0	232.0	0.0	
04/69		---	428	46.0	18.0	73.0	---	76.0	90.0	183.0	3.1	
11/69		---	476	59.0	18.0	88.0	2.7	98.0	110.0	198.0	0.9	
05/70		---	416	54.0	18.0	79.0	2.6	92.0	90.0	151.0	2.9	
12/70		780	507	64.0	16.0	89.0	2.7	100.0	90.0	222.0	10.1	
05/72		990	644	77.0	24.0	86.0	2.8	116.0	135.0	207.0	0.0	
10/72		965	627	77.0	27.0	94.0	2.9	104.0	145.0	239.0	5.3	
10/73		960	624	72.0	19.0	105.0	2.8	112.0	140.0	195.0	0.9 as N	
06/74		950	548	68.0	19.0	101.0	3.1	138.0	102.0	207.0	0.35 as N	
01/75		840	546	58.0	22.0	87.0	2.7	98.0	95.0	217.0	2.2 as N	
02/76		820	533	68.8	20.5	76.0	3.0	106.0	88.0	214.7	2.2 as N	
09/76		900	585	48.0	45.0	98.0	2.3	116.0	112.0	258.6	3.0 as N	
03/77		900	585	70.0	23.0	76.0	2.8	123.0	113.0	195.0	2.6 as N	
01/78	950	618	64.0	24.0	100.0	2.7	124.0	108.0	200.0	4.3 as N		
10/78	1050	683	74.0	20.0	80.0	3.0	113.0	128.0	205.0	<1 as N		
04/79	950	618	65.6	19.5	98.0	3.1	109.0	118.0	190.3	<1 as N		

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7A2	01/80	1000	650	67.0	23.0	99.0	3.1	128.0	111.0	187.0	<1 as N
(Bldg 2673)	10/80	900	546	67.2	20.5	86.0	3.4	108.0	86.0	205.0	2.3 as N
(Replaced by Well 26073)	05/81	810	585	57.2	14.4	83.0	3.4	92.0	84.0	180.6	0.7 as N
(Cont)	11/81	800	451	57.2	16.3	85.0	2.0	92.0	110.0	185.4	0.5 as N
	05/82	930	605	68.8	21.5	97.0	1.6	115.0	96.0	205.0	<0.5 as N
	03/83	900	663	78.8	23.7	95.0	3.4	132.0	135.0	209.8	0.7 as N
	09/84	1000	530	51.0	23.0	80.0	2.9	110.0	110.0	200.0	4.2
	11/84	850	553	67.2	28.3	73.0	2.9	111.0	137.0	190.0	1.7 as N
	09/85	1007	593	66.0	26.0	64.0	5.8	124.0	139.0	180.6	6.0
	05/86	1051	623	72.6	26.5	79.5	3.5	131.0	124.0	153.6	8.8
	06/89	1073	688	72.1	23.9	59.6	---	120.0	140.0	184.0	15.9
	01/89	1080	572	91.2	34.2	80.2	---	151.0	178.0	174.0	1.4
	04/90	1130	718	111.0	42.1	91.0	---	148.0	167.0	175.0	9.1
	06/91	1190	718	113.0	40.3	93.8	---	173.0	180.0	160.0	7.5
	03/93	1370	708	86.9	32.8	93.3	---	147.0	93.3	200.0	4.9
	03/94	1210	783	100.0	37.1	100.0	---	145.0	167.0	---	2.2
	08/94	1160	741	87.5	35.5	96.1	---	141.0	184.0	---	4.2
	06/95	1200	788	99.4	37.5	101.0	---	173.0	200.0	---	2.9
	06/96	1129	739	91.0	37.0	90.0	---	188.0	312.0	206.0	---
	02/97	1100	690	82.0	35.0	140.0	---	127.0	131.0	180.0	<2 as N
	03/97	1109	695	91.0	39.0	93.0	---	137.0	191.0	166.0	2.2 as N
	06/97	1096	749	89.0	36.0	90.0	<5.0	138.0	178.0	187.0	2 as N
	12/97	1100	690	84.0	36.0	83.0	4.0	140.0	181.0	160.0	<2 as N
	05/99	1050	648	78.0	32.0	111.0	3.0	171.0	---	207.0	ND
	08/99	1040	696	78.0	33.0	84.0	4.0	120.0	390.0	146.0	ND
	10/99	1070	663	78.0	34.0	90.0	4.0	132.0	120.0	195.0	6 as N
	02/00	1010	559	83.0	36.0	82.0	4.0	140.0	190.0	220.0	4 as N
	05/00	972	688	80.0	34.0	79.0	4.0	144.0	167.0	190.0	4 as N
	02/01	1200	753	92.0	40.0	100.0	3.0	164.0	212.0	195.0	ND
	04/01	1210	736	91.0	40.0	103.0	5.0	159.0	217.0	183.0	4.2
	09/01	1200	741	93.0	41.0	98.0	4.0	153.0	202.0	183.0	7.6
	11/01	1220	750	92.0	41.0	106.0	4.0	170.0	228.0	189.0	8.0
	02/02	1230	769	99.0	43.0	101.0	4.2	173.0	218.0	195.0	7.9
	04/02	1260	793	101.0	45.0	102.0	4.5	170.0	229.0	160.0	8.5
	07/02	1350	784	98.0	43.0	103.0	4.3	183.0	239.0	159.0	4.8
	10/02	1370	788	102.0	45.0	104.0	4.3	175.0	241.0	167.0	3.4
	01/03	1330	825	108.0	45.0	121.0	5.4	180.0	231.0	168.0	2.4
	04/03	1260	721	90.0	40.0	102.0	4.3	170.0	228.0	153.0	9.9
	10/03	1340	791	94.0	41.0	121.0	6.0	180.0	268.0	144.0	3.0
	01/04	1390	800	99.0	46.0	105.0	7.0	173.0	264.0	136.0	4.1
	04/04	1270	739	86.0	42.0	98.0	6.0	160.0	252.0	160.0	5.1
	07/04	1390	764	97.0	45.0	87.0	7.0	176.0	262.0	163.0	3.7
	10/04	1290	943	95.0	44.0	84.0	7.0	178.0	267.0	---	3.6
	01/05	1030	610	76.0	35.0	93.0	3.8	136.0	194.0	155.0	6.9
	04/05	1060	630	77.0	34.0	82.0	3.2	125.0	174.0	139.0	2.7
	07/05	1120	750	81.0	35.0	84.0	3.4	129.0	---	129.0	0 as N

ND - None Detected

TABLE D-6
SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
10S/4W-7A2 (Bldg 2673) (Replaced by Well 26073) (Cont)	11/05	1170	790	94.7	41.2	97.9	3.7	138.0	199.0	156.0	7.5	
	04/06	1140	704	91.0	39.0	98.0	4.5	150.0	220.0	180.0	7.3	
	04/07	1200	716	97.0	44.0	97.0	3.7	160.0	240.0	190.0	4.2	
	04/08	1270	900	98.0	45.0	97.0	3.8	180.0	260.0	170.0	14.0	
	04/09	1200	780	94.0	42.0	100.0	3.7	130.0	230.0	180.0	22.0	
	04/13/10	1300	770	93.0	42.0	100.0	3.8	160.0	240.0	180.0	8.7	
	04/13/11	1200	780	83.0	38.0	93.0	3.5	150.0	220.0	170.0	3.9	
	04/19/12	1300	790	92.0	42.0	94.0	3.8	160.0	240.0	260.0	6.2	
	04/17/13	1200	780	85.0	40.0	94.0	4.3	160.0	230.0	190.0	2.1	
	04/23/14	1200	770	84.0	40.0	93.0	3.7	150.0	220.0	170.0	2.8	
	08/24/15	1300	860	90.0	43.0	97.0	3.6	170.0	240.0	200.0	2.3	
	05/05/16	1320	880	101.0	47.8	109.0	4.1	172.0	267.0	199.0	1.3	
	10S/4W-7R3 (Bldg 2602)	04/09	1300	830	100.0	45.0	110.0	4.5	170.0	240.0	220.0	<2
		04/13/10	1300	800	100.0	43.0	100.0	3.6	160.0	240.0	200.0	<2
04/13/11		1300	870	96.0	42.0	98.0	3.7	160.0	240.0	200.0	<2	
04/25/12		1300	860	100.0	44.0	110.0	3.6	170.0	260.0	200.0	<2	
04/18/13		1300	840	96.0	41.0	100.0	4.0	180.0	240.0	220.0	<2	
04/23/14		1300	830	94.0	41.0	110.0	3.9	170.0	220.0	200.0	<2	
03/18/15		1300	850	100.0	42.0	120.0	3.9	160.0	240.0	220.0	<2	
04/21/16		1300	834	101.0	42.2	122.0	4.1	170.0	238.0	215.0	1.7	
10S/5W-23G3 (Bldg 33926)	06/91	1160	684	83.4	28.3	125.0	---	145.0	124.0	223.0	<0.04	
	03/92	1060	674	75.9	24.1	127.0	---	139.0	111.0	269.0	<0.4	
	03/93	1182	584	67.8	21.1	110.0	---	135.0	101.0	274.0	<0.4	
	06/93	1020	623	60.5	22.4	116.0	---	125.0	107.0	225.0	<0.4	
	03/94	1120	665	80.0	25.0	122.0	---	129.0	117.0	---	1.8	
	08/94	1150	699	78.7	26.4	125.0	---	141.0	118.0	---	<0.44	
	06/95	1060	673	75.9	23.1	118.0	---	158.0	114.0	---	<0.04	
	01/96	1200	619	71.0	24.0	120.0	---	139.0	107.0	262.0	---	
	07/96	---	---	---	---	---	---	---	---	---	---	
10S/5W-23K2 (Bldg 33924) (Replaced by Well 330924) 10S/5W-23G9)	06/89	1207	698	75.6	22.8	84.0	---	138.0	137.0	231.0	<0.4	
	04/89	1240	728	100.0	32.9	129.0	---	158.0	148.0	245.0	1.3	
	01/91	1193	---	80.6	35.2	131.0	---	21.3	146.0	---	<0.04	
	06/91	1160	676	88.1	29.6	118.0	---	141.0	129.0	224.0	<0.04	
	03/92	1130	705	76.7	26.0	126.0	---	149.0	125.0	279.0	<0.4	
	06/92	1130	717	66.8	26.7	124.0	---	146.0	140.0	232.0	<0.4	
	03/93	1285	331	72.1	23.8	115.0	---	131.0	122.0	273.0	<0.4	
	02/97	1200	780	89.0	32.0	130.0	---	166.0	165.0	250.0	<2 as N	
	03/97	1230	700	94.0	34.0	140.0	---	187.0	162.0	264.0	<2 as N	
	06/97	1231	778	91.0	31.0	130.0	<2.0	171.0	165.0	264.0	<2 as N	
	12/97	1200	710	82.0	30.0	130.0	2.0	156.0	162.0	230.0	ND	
	03/98	1200	710	82.0	30.0	110.0	2.0	191.0	146.0	240.0	ND	
	06/98	1170	658	79.0	28.0	123.0	2.0	157.0	151.0	293.0	ND	
	02/99	1170	698	75.0	27.0	123.0	3.0	160.0	130.0	259.0	ND	
	04/99	1210	667	76.0	27.0	118.0	3.0	148.0	140.0	268.0	ND	
	08/99	1140	714	79.0	27.0	116.0	3.0	180.0	165.0	268.0	ND	
	10/99	1150	721	80.0	28.0	131.0	3.0	110.0	150.0	281.0	ND	
	02/00	1050	619	82.0	28.0	108.0	3.0	100.0	140.0	293.0	ND	
	05/00	1060	716	80.0	29.0	112.0	3.0	173.0	141.0	268.0	ND	
	08/00	1210	722	82.0	29.0	105.0	3.0	162.0	156.0	268.0	ND	
	04/01	1210	705	85.0	30.0	130.0	3.0	163.0	157.0	281.0	ND	
	09/01	1190	672	81.0	30.0	125.0	3.0	152.0	149.0	275.0	ND	
	10/01	1200	680	81.0	29.0	143.0	3.0	162.0	159.0	281.0	ND	
	02/02	1160	675	80.0	29.0	129.0	3.5	143.0	152.0	268.0	ND	
	04/02	1180	682	84.0	31.0	124.0	2.9	151.0	155.0	230.0	ND	
	07/02	1210	706	80.0	29.0	127.0	2.9	156.0	156.0	221.0	ND	
10/02	1210	669	83.0	30.0	122.0	2.9	151.0	162.0	206.0	8.0		
01/03	1320	801	97.0	34.0	140.0	2.8	154.0	180.0	245.0	ND		

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-23K2 (Bldg 33924) (Replaced by Well 330924 10S/5W-23G9) (Cont)	04/03	1330	743	89.0	32.0	133.0	2.8	165.0	183.0	234.0	ND
	10/03	1210	712	87.0	31.0	135.0	4.0	155.0	177.0	204.0	ND
	04/04	1320	713	85.0	32.0	121.0	5.0	165.0	167.0	228.0	ND
	07/04	1070	703	89.0	32.0	101.0	5.0	147.0	173.0	230.0	ND
	10/04	1230	806	91.0	33.0	102.0	5.0	166.0	183.0	---	ND
	02/05	1310	837	104.0	37.0	136.0	4.2	175.0	191.0	253.0	0 as N
	07/05	1170	750	83.0	29.0	114.0	2.7	139.0	---	210.0	ND
	11/05	1260	750	91.9	29.6	119.0	3.1	144.0	171.0	225.0	ND
	04/06	1220	774	92.0	32.0	120.0	2.8	160.0	180.0	284.0	ND
	04/07	1010	706	86.0	29.0	120.0	2.7	150.0	170.0	260.0	0.0
	04/08	1270	792	91.0	30.0	110.0	2.6	160.0	190.0	175.0	<2
	04/09	1300	800	100.0	34.0	120.0	2.7	160.0	200.0	260.0	<2
	04/15/10	1200	740	95.0	34.0	120.0	2.8	150.0	180.0	260.0	<2
	04/27/11	1200	740	87.0	29.0	110.0	2.7	160.0	170.0	230.0	<2
	04/30/12	1200	800	92.0	32.0	110.0	2.6	170.0	190.0	220.0	<2
	05/16/13	1200	740	92.0	32.0	120.0	3.0	160.0	190.0	220.0	<2
	06/12/14	1200	780	90.0	30.0	120.0	2.4	160.0	190.0	210.0	<2
03/13/15	1200	780	94.0	34.0	120.0	2.2	160.0	200.0	240.0	<2	
07/28/16	1200	758	85.3	29.4	105.0	2.0	161.0	203.0	216.0	ND	
10S/5W-13R2 (Bldg 23063)	01/90	1030	540	96.0	26.6	94.8	---	141.0	130.0	200.0	0.7
	06/91	1150	702	98.7	32.0	109.0	---	149.0	125.0	288.0	1.3
	06/93	1130	705	72.0	28.4	107.0	---	140.0	139.0	262.0	0.9
	03/94	1020	658	69.6	27.8	104.0	---	135.0	140.0	---	0.9
	06/95	1140	636	92.5	30.7	115.0	---	149.0	151.0	---	14.2
	06/96	1103	680	91.0	31.0	100.0	---	148.0	251.0	233.0	---
	06/97	1082	708	85.0	29.0	110.0	<5.0	135.0	145.0	244.0	<2 as N
	12/97	1000	640	81.0	28.0	100.0	2.0	119.0	128.0	250.0	ND
	03/98	1100	620	85.0	31.0	110.0	2.0	161.0	144.0	220.0	ND
	06/98	1100	680	83.0	30.0	109.0	3.0	137.0	140.0	275.0	0.7
	09/98	1160	662	81.0	28.0	90.0	3.0	144.0	90.0	256.0	ND
	04/01	1100	612	83.0	29.0	106.0	3.0	131.0	146.0	238.0	3.5
	09/01	1150	679	89.0	31.0	103.0	2.0	142.0	156.0	241.0	3.2
	11/01	1130	658	87.0	30.0	104.0	2.0	148.0	169.0	262.0	3.4
	02/02	1120	674	85.0	30.0	112.0	3.2	140.0	160.0	257.0	3.1
	04/02	1120	682	89.0	32.0	106.0	2.7	142.0	167.0	205.0	2.8
	07/02	1150	676	83.0	30.0	111.0	2.7	145.0	64.0	205.0	2.3
	10/02	1220	711	87.0	31.0	110.0	2.7	149.0	175.0	203.0	ND
	01/03	1210	713	91.0	33.0	106.0	2.7	138.0	165.0	197.0	2.0
	05/03	1230	728	93.0	33.0	112.0	2.9	155.0	183.0	181.0	2.2
10/03	1190	741	93.0	33.0	123.0	3.0	188.0	212.0	179.0	0 as N	
04/04	1270	701	87.0	32.0	103.0	4.0	163.0	186.0	220.0	ND	
07/04	1270	701	220.0	32.0	103.0	4.0	163.0	186.0	220.0	0 as N	
4/25/12	1200	790	100.0	37.0	120.0	2.8	160.0	220.0	220.0	<2	
3/19/15	1200	780	93.0	34.0	100.0	2.6	150.0	220.0	210.0	2.1	
10S/4W-7D1 (Previously reported as 10S/4W-7A3 (Bldg 26072)	03/99	1280	765	91.0	34.0	127.0	2.0	190.0	160.0	272.0	ND
	06/99	1080	706	76.0	31.0	88.0	2.2	163.0	118.0	220.0	ND
	08/99	1080	690	76.0	32.0	93.0	3.0	160.0	191.0	244.0	ND
	10/99	1070	660	76.0	32.0	100.0	3.0	131.0	120.0	232.0	4.0
	05/00	1010	702	79.0	34.0	94.0	3.0	177.0	164.0	254.0	ND
08/00	1170	732	84.0	36.0	89.0	3.0	155.0	188.0	201.0	5.0	

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/4W-7D1 (Previously reported as 10S/4W-7A3 (Bldg 26072) (Cont))	02/01	1230	753	89.0	39.0	113.0	2.0	170.0	198.0	220.0	2.7
	04/01	1230	726	89.0	39.0	115.0	4.0	160.0	191.0	243.0	2.9
	09/01	1210	735	89.0	39.0	107.0	4.0	153.0	185.0	217.0	5.3
	11/01	1240	725	89.0	39.0	117.0	3.0	168.0	205.0	220.0	5.6
	02/02	1250	765	97.0	43.0	109.0	3.4	155.0	198.0	234.0	4.7
	04/02	1290	790	98.0	44.0	109.0	3.4	158.0	208.0	200.0	3.9
	07/02	1320	809	96.0	43.0	117.0	3.7	182.0	217.0	200.0	ND
	10/02	1380	787	99.0	43.0	113.0	3.7	170.0	216.0	203.0	2.8
	01/03	1370	810	101.0	44.0	134.0	4.0	155.0	194.0	217.0	ND
	04/03	1440	789	93.0	40.0	125.0	3.6	177.0	205.0	216.0	2.1
	10/03	1370	820	91.0	40.0	130.0	4.0	175.0	235.0	180.0	4.3
	01/04	1350	747	97.0	42.0	114.0	6.0	168.0	226.0	184.0	2.1
	04/04	1400	766	92.0	42.0	112.0	6.0	162.0	228.0	198.0	2.0
	07/04	1410	784	98.0	43.0	92.0	6.0	171.0	231.0	200.0	3.8
	11/04	1290	831	100.0	43.0	134.0	4.2	176.0	224.0	203.0	ND
	01/05	1310	804	102.0	44.0	125.0	3.7	184.0	241.0	200.0	2.7
	04/05	1100	690	78.0	34.0	84.0	3.2	128.0	177.0	162.0	2.6
	07/05	1160	716	84.0	35.0	96.0	3.0	136.0	---	166.0	0 as N
	11/05	1180	785	92.5	40.4	97.1	3.8	138.0	202.0	174.0	5.93 as N
	04/06	1280	786	98.0	43.0	110.0	3.3	160.0	220.0	233.0	7.1
	04/07	1400	784	98.0	43.0	110.0	3.4	165.0	230.0	230.0	5.0
	04/08	1230	840	88.0	40.0	98.0	3.4	160.0	250.0	169.0	7.1
	11/09	---	---	---	---	---	---	---	---	---	<2
	04/13/10	1300	820	96.0	42.0	120.0	3.5	170.0	240.0	220.0	4.5
	07/27/11	1200	800	89.0	39.0	110.0	3.2	150.0	200.0	220.0	5.0
	04/19/12	1200	860	97.0	42.0	120.0	3.8	180.0	210.0	160.0	<2
	04/18/13	1500	960	120.0	45.0	150.0	4.0	200.0	210.0	370.0	<2
03/16/15	1300	860	100.0	43.0	110.0	2.4	170.0	270.0	220.0	2.1	
05/12/16	1400	870	100.0	50.0	120.0	3.2	180.0	240.0	260.0	ND	
10S/5W-23G4 (Bldg 330925)	06/99	1070	668	69.0	23.0	106.0	1.7	163.0	144.0	305.0	ND
	08/99	1090	657	72.0	25.0	115.0	2.0	180.0	153.0	317.0	ND
	10/99	1150	716	79.0	27.0	140.0	2.0	120.0	140.0	305.0	ND
	02/00	956	522	67.0	23.0	117.0	2.0	90.0	120.0	268.0	ND
	05/00	1040	686	77.0	27.0	116.0	2.0	181.0	141.0	307.0	ND
	08/00	1180	722	80.0	28.0	105.0	2.0	155.0	143.0	232.0	ND
	02/01	1100	706	73.0	25.0	125.0	2.0	149.0	164.0	268.0	ND
	04/01	1170	701	81.0	29.0	128.0	2.0	154.0	149.0	282.0	ND
	09/01	1180	671	80.0	28.0	126.0	2.0	149.0	142.0	271.0	ND
	10/01	1180	678	81.0	28.0	132.0	2.0	161.0	156.0	281.0	ND
	02/02	1170	685	80.0	28.0	134.0	2.8	143.0	144.0	279.0	ND
	04/02	1200	711	87.0	31.0	127.0	2.3	150.0	204.0	235.0	ND
	07/02	1180	730	83.0	29.0	130.0	2.5	158.0	151.0	230.0	ND
	10/02	1180	649	78.0	27.0	115.0	2.1	135.0	138.0	217.0	ND
	01/03	1210	740	87.0	30.0	129.0	2.2	145.0	154.0	225.0	ND
	04/03	1200	681	79.0	27.0	128.0	2.5	150.0	152.0	215.0	ND
	10/03	1160	647	80.0	27.0	136.0	3.0	152.0	155.0	216.0	ND
	04/04	1140	604	66.0	24.0	117.0	3.0	147.0	133.0	215.0	ND
08/04	1180	657	68.0	24.0	99.0	4.0	140.0	114.0	245.0	ND	
10/04	1170	712	85.0	29.0	97.0	5.0	160.0	172.0	---	ND	

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
10S/5W-23G4 (Bldg 330925) (Cont)	02/05	1070	661	84.0	29.0	125.0	3.3	154.0	148.0	185.0	ND	
	07/05	1050	655	72.0	23.0	118.0	2.0	127.0	---	202.0	ND	
	11/05	1080	665	75.9	23.2	121.0	2.0	135.0	125.0	227.0	ND	
	05/06	1110	650	71.0	24.0	120.0	1.9	140.0	130.0	217.0	ND	
	04/07	950	632	72.0	25.0	120.0	1.9	140.0	130.0	260.0	0.0	
	04/08	1150	672	73.0	25.0	120.0	1.8	150.0	130.0	250.0	<2	
	04/09	1100	670	76.0	26.0	120.0	2.1	150.0	140.0	250.0	<2	
	04/22/10	1100	660	71.0	24.0	120.0	1.8	140.0	120.0	250.0	<2	
	04/20/11	1200	720	83.0	29.0	110.0	2.1	150.0	170.0	240.0	<2	
	04/30/12	1100	720	83.0	29.0	120.0	2.0	150.0	160.0	230.0	<2	
	04/17/13	1200	750	82.0	29.0	110.0	2.4	160.0	170.0	230.0	<2	
	04/24/14	1300	770	88.0	31.0	120.0	2.3	160.0	180.0	220.0	<2	
	03/24/15	1200	780	91.0	32.0	120.0	2.3	160.0	190.0	250.0	<2	
	04/26/16	1260	802	90.0	30.8	116.0	2.2	171.0	195.0	251.0	ND	
	10S/5W-23K3 (Bldg 330923)	06/99	1150	700	75.0	27.0	106.0	2.2	163.0	155.0	317.0	ND
		08/99	1170	722	79.0	28.0	114.0	3.0	330.0	161.0	342.0	ND
10/99		1170	723	78.0	28.0	140.0	3.0	120.0	140.0	293.0	ND	
02/00		1120	712	83.0	30.0	117.0	3.0	120.0	157.0	293.0	ND	
02/01		1240	758	85.0	31.0	136.0	3.0	167.0	152.0	305.0	ND	
04/01		1220	735	85.0	31.0	135.0	3.0	162.0	154.0	293.0	ND	
09/01		1240	682	81.0	29.0	132.0	3.0	162.0	144.0	281.0	ND	
10/01		1330	746	87.0	32.0	134.0	3.0	166.0	156.0	293.0	ND	
02/02		1190	720	83.0	29.0	140.0	3.5	150.0	155.0	281.0	ND	
04/02		1210	691	82.0	29.0	127.0	2.7	145.0	142.0	231.0	ND	
07/02		1230	738	81.0	29.0	134.0	3.1	167.0	151.0	240.0	ND	
10/02		1270	716	85.0	30.0	137.0	2.9	150.0	162.0	221.0	ND	
01/03		1340	826	100.0	35.0	141.0	2.6	156.0	185.0	252.0	0.4	
04/03		1350	733	85.0	30.0	129.0	2.6	162.0	171.0	235.0	ND	
10/03		887	800	84.0	30.0	141.0	3.0	160.0	173.0	224.0	ND	
02/04		1250	698	83.0	29.0	120.0	4.0	154.0	172.0	233.0	ND	
04/04		1240	706	78.0	28.0	121.0	4.0	163.0	170.0	220.0	ND	
07/04		1040	729	84.0	30.0	99.0	5.0	158.0	169.0	240.0	ND	
10/04		1180	857	86.0	30.0	97.0	5.0	159.0	172.0	235.0	ND	
02/05		1160	685	87.0	31.0	125.0	3.7	159.0	168.0	210.0	ND	
04/05		1230	760	91.0	30.0	122.0	2.6	149.0	148.0	213.0	ND	
07/05		1170	755	83.0	29.0	115.0	2.6	135.0	---	210.0	ND	
11/05		1230	735	92.8	29.5	123.0	3.0	141.0	165.0	332.0	ND	
04/06		1190	720	89.0	31.0	120.0	2.7	160.0	170.0	233.0	ND	
04/07		1010	718	87.0	30.0	120.0	2.6	160.0	170.0	250.0	0.0	
04/08	1250	754	91.0	32.0	110.0	2.5	160.0	180.0	184.0	ND		
04/09	1200	760	92.0	33.0	120.0	2.7	160.0	180.0	250.0	<2		
04/15/10	1200	760	98.0	34.0	120.0	2.6	160.0	180.0	240.0	<2		
04/13/11	1300	760	88.0	30.0	110.0	2.6	160.0	180.0	240.0	<2		
04/16/12	1200	760	98.0	34.0	120.0	2.9	170.0	190.0	230.0	<2		
04/10/13	1300	780	95.0	33.0	130.0	3.3	160.0	190.0	240.0	<2		
05/12/16	1260	752	92.4	32.1	126.0	2.8	176.0	182.0	244.0	ND		
10S/5W-26C3 (Bldg 2202)	09/01	1410	819	101.0	38.0	138.0	3.0	173.0	175.0	296.0	ND	
	10/01	1370	814	104.0	38.0	131.0	3.0	199.0	198.0	317.0	ND	
	02/02	1380	834	99.0	36.0	128.0	3.0	172.0	183.0	318.0	ND	
	04/02	1370	808	104.0	39.0	124.0	3.2	180.0	184.0	258.0	ND	
	07/02	1450	829	101.0	37.0	137.0	3.3	187.0	193.0	260.0	ND	
	10/02	1400	793	98.0	35.0	143.0	3.4	179.0	195.0	248.0	ND	

ND - None Detected

TABLE D-6
**SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA**

WELLS ON CAMP PENDLETON

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
10S/5W-26C3 (Bldg 2202) (Cont)	01/03	1300	806	94.0	33.0	144.0	2.0	163.0	180.0	235.0	ND
	04/03	1290	759	94.0	33.0	137.0	3.1	182.0	198.0	230.0	ND
	04/03	1290	759	94.0	32.0	137.0	3.1	182.0	198.0	230.0	ND
	10/03	1340	761	90.0	31.0	146.0	4.0	162.0	188.0	210.0	ND
	01/04	1320	743	94.0	32.0	124.0	5.0	182.0	212.0	203.0	ND
	04/04	1350	731	90.0	32.0	127.0	5.0	184.0	197.0	235.0	ND
	07/04	1100	773	91.0	32.0	98.0	5.0	167.0	197.0	215.0	ND
	10/04	1290	826	93.0	32.0	106.0	5.0	187.0	185.0	---	ND
	02/05	1260	735	101.0	35.0	127.0	3.7	175.0	188.0	215.0	ND
	04/05	1300	760	98.0	33.0	122.0	2.8	160.0	184.0	200.0	ND
	07/05	1450	1260	97.0	33.0	119.0	2.9	154.0	---	200.0	ND
	11/05	1240	795	99.0	32.0	122.0	2.9	159.0	169.0	202.0	ND
	06/06	1300	796	95.0	34.0	140.0	2.9	180.0	170.0	250.0	ND
	04/07	1080	764	91.0	31.0	130.0	2.9	190.0	190.0	250.0	0.0
	04/08	1260	694	80.0	29.0	140.0	2.7	180.0	150.0	286.0	<2
10S/5W-18B1 (Bldg 26018)	04/01/10	1400	840	100.0	42.0	110.0	3.6	170.0	230.0	240.0	<2
	04/20/11	1400	880	100.0	41.0	100.0	3.4	180.0	250.0	220.0	<2
	04/25/12	1300	910	100.0	44.0	120.0	3.8	180.0	---	230.0	<2
	04/18/13	1300	880	98.0	42.0	120.0	4.2	180.0	240.0	220.0	<2
	05/09/16	1370	868	104.0	44.2	122.0	3.9	189.0	216.0	262.0	ND

ND - None Detected

TABLE D-12

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

SURFACE STREAMS SAMPLED BY USGS ON CAHUILLA CREEK

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Cahuilla Creek	02/28/05	644	446	41.90	11.20	76.90	10.10	---	---	---	.23 @N
Cahuilla Creek Below Highway 37	02/28/05	476	337	34.20	10.10	51.90	3.69	36.9	---	---	.64 @N
Unnamed Tributary to Cahuilla Creek	02/14/05	783	529	64.00	17.50	80.70	8.94	35.2	---	---	3.05 @N

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l									
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3		
Hamilton School Dist 7S/3E-10 Well #1	7/24/2012	---	---	---	---	---	---	---	---	---	---	ND	
	3/5/2013	---	---	---	---	---	---	---	---	---	---	2.10	
	2/25/2014	---	---	---	---	---	---	---	---	---	---	3.00	
	7/7/2015	---	---	---	---	---	---	---	---	---	---	ND	
	7S/3E-10 Well #2	7/24/2012	---	---	---	---	---	---	---	---	---	---	4.10
		3/5/2013	---	---	---	---	---	---	---	---	---	---	2.10
		2/25/2014	---	---	---	---	---	---	---	---	---	---	14.00
		7/7/2015	---	---	---	---	---	---	---	---	---	---	7.40
12/1/2015		---	---	---	---	---	---	---	---	---	---	14.00	
Marchant, Cynthia Jean (Valley Auto Center) 7S/3E-14 Well #1	3/15/2012	---	---	---	---	---	---	---	---	---	---	43.00	
	6/20/2012	---	---	---	---	---	---	---	---	---	---	35.00	
	9/12/2012	---	---	---	---	---	---	---	---	---	---	43.00	
	12/13/2012	---	---	---	---	---	---	---	---	---	---	46.00	
	3/13/2013	---	---	---	---	---	---	---	---	---	---	40.00	
	6/13/2013	---	---	---	---	---	---	---	---	---	---	43.00	
	9/11/2013	---	---	---	---	---	---	---	---	---	---	54.00	
	12/11/2013	---	---	---	---	---	---	---	---	---	---	43.00	
	3/12/2014	---	---	---	---	---	---	---	---	---	---	49.00	
	5/7/2014	---	---	---	---	---	---	---	---	---	---	14.00	
	6/11/2014	---	---	---	---	---	---	---	---	---	---	43.00	
	9/10/2014	---	---	---	---	---	---	---	---	---	---	47.00	
	1/5/2015	---	---	---	---	---	---	---	---	---	---	15.00	
	3/4/2015	---	---	---	---	---	---	---	---	---	---	47.00	
	6/10/2015	---	---	---	---	---	---	---	---	---	---	46.00	
	9/8/2015	---	---	---	---	---	---	---	---	---	---	52.00	
	11/10/2015	---	---	---	---	---	---	---	---	---	---	20.00	
	12/9/2015	---	---	---	---	---	---	---	---	---	---	48.00	
6/7/2016	---	---	---	---	---	---	---	---	---	---	11.0 as N		
7/12/2016	---	---	---	---	---	---	---	---	---	---	3.0 as N		
9/13/2016	---	---	---	---	---	---	---	---	---	---	10.0 as N		
Jakobs, Terry and Brenda (La Cocina) 7S/3E-16 Well #1	12/3/2012	---	---	---	---	---	---	---	---	---	---	17.00	
	12/17/2013	---	---	---	---	---	---	---	---	---	---	17.00	
	12/29/2014	---	---	---	---	---	---	---	---	---	---	16.00	
	12/16/2015	---	---	---	---	---	---	---	---	---	---	17.00	
Agostino, Kathleen D (Anza Valley Business Center) 7S/3E-16 Well #1	6/11/2016	---	---	---	---	---	---	---	---	---	---	15.0 as N	
Griffin, Robert and Bertrand (Country Corners) 7S/3E-16 Well #1	12/28/2011	---	---	---	---	---	---	---	---	---	---	18.00	
	8/16/2012	---	---	---	---	---	---	---	---	---	---	17.00	
	10/8/2013	---	---	---	---	---	---	---	---	---	---	20.00	
	11/18/2014	---	---	---	---	---	---	---	---	---	---	20.00	
	12/23/2015	---	---	---	---	---	---	---	---	---	---	21.26	
ND - None Detected													

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Kathawa, George and Bernadette (Jilberto's Restaurant)											
7S/3E-20 Well #1	5/9/2012	---	---	---	---	---	---	---	---	---	21.00
	8/8/2012	---	---	---	---	---	---	---	---	---	15.00
	11/8/2012	---	---	---	---	---	---	---	---	---	22.00
	2/13/2013	---	---	---	---	---	---	---	---	---	20.00
	5/15/2013	---	---	---	---	---	---	---	---	---	21.00
	7/17/2013	---	---	---	---	---	---	---	---	---	22.00
	11/14/2013	---	---	---	---	---	---	---	---	---	21.00
	2/13/2014	---	---	---	---	---	---	---	---	---	26.00
	5/8/2014	---	---	---	---	---	---	---	---	---	19.00
	8/14/2014	---	---	---	---	---	---	---	---	---	21.00
	11/13/2014	---	---	---	---	---	---	---	---	---	23.00
	2/18/2015	---	---	---	---	---	---	---	---	---	23.00
	5/6/2015	---	---	---	---	---	---	---	---	---	22.00
	7/1/2015	---	---	---	---	---	---	---	---	---	20.00
	11/4/2015	---	---	---	---	---	---	---	---	---	23.00
	2/3/2016	---	---	---	---	---	---	---	---	---	4.5 as N
	5/4/2016	---	---	---	---	---	---	---	---	---	4.5 as N
	8/3/2016	---	---	---	---	---	---	---	---	---	4.7 as N
Anza Mutual Water Company											
7S/3E-21 Well #1	4/23/2008	---	---	---	---	---	---	---	---	---	31.00
	7/3/2008	640.0	390.0	27.0	15.0	71.0	4.5	80.0	72.0	130.0	ND
	12/17/2009	---	---	---	---	---	---	---	---	---	33.00
	3/15/2010	---	---	---	---	---	---	---	---	---	35.00
	8/19/2010	---	---	---	---	---	---	---	---	---	ND
	11/18/2010	---	---	---	---	---	---	---	---	---	31.00
	2/17/2010	---	---	---	---	---	---	---	---	---	30.00
	5/19/2011	---	---	---	---	---	---	---	---	---	35.00
	9/15/2011	850.0	500.0	70.0	21.0	76.0	4.6	77.0	100.0	190.0	32.00
	11/17/2011	---	---	---	---	---	---	---	---	---	31.00
	2/9/2012	---	---	---	---	---	---	---	---	---	36.00
	5/9/2012	---	---	---	---	---	---	---	---	---	32.00
	8/8/2012	---	---	---	---	---	---	---	---	---	30.00
	11/8/2012	---	---	---	---	---	---	---	---	---	33.00
	2/13/2013	---	---	---	---	---	---	---	---	---	28.00
	5/15/2013	---	---	---	---	---	---	---	---	---	33.00
	7/11/2013	---	---	---	---	---	---	---	---	---	32.00
	11/14/2013	---	---	---	---	---	---	---	---	---	31.00
	2/13/2014	---	---	---	---	---	---	---	---	---	32.00
	5/8/2014	---	---	---	---	---	---	---	---	---	36.00
	8/14/2014	---	---	---	---	---	---	---	---	---	33.00
	11/13/2014	---	---	---	---	---	---	---	---	---	32.00
	3/18/2015	---	---	---	---	---	---	---	---	---	33.00
	5/6/2015	---	---	---	---	---	---	---	---	---	32.00
	7/1/2015	---	---	---	---	---	---	---	---	---	34.00
	8/26/2015	---	---	---	---	---	---	---	---	---	35.00
	11/4/2015	---	---	---	---	---	---	---	---	---	32.00
	2/3/2016	---	---	---	---	---	---	---	---	---	7.3 as N
	5/4/2016	---	---	---	---	---	---	---	---	---	7.3 as N
	8/3/2016	---	---	---	---	---	---	---	---	---	8.0 as N

ND - None Detected

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
7S/3E-21 Well #2	5/19/2011	---	---	---	---	---	---	---	---	---	---	35.00
	9/15/2011	900.0	540.0	70.0	15.0	97.0	4.2	100.0	87.0	190.0	41.00	
	11/16/2011	730.0	440.0	66.0	13.0	61.0	3.8	63.0	86.0	170.0	36.00	
	11/17/2011	---	---	---	---	---	---	---	---	---	---	37.00
	5/9/2012	---	---	---	---	---	---	---	---	---	---	37.00
	8/8/2012	---	---	---	---	---	---	---	---	---	---	31.00
	11/8/2012	---	---	---	---	---	---	---	---	---	---	37.00
	2/13/2013	---	---	---	---	---	---	---	---	---	---	29.00
	5/15/2013	---	---	---	---	---	---	---	---	---	---	35.00
	7/11/2013	---	---	---	---	---	---	---	---	---	---	38.00
	11/14/2013	---	---	---	---	---	---	---	---	---	---	31.00
	2/13/2014	---	---	---	---	---	---	---	---	---	---	33.00
	5/8/2014	---	---	---	---	---	---	---	---	---	---	42.00
	6/12/2014	---	---	---	---	---	---	---	---	---	---	40.00
	7/10/2014	---	---	---	---	---	---	---	---	---	---	40.00
	8/14/2014	---	---	---	---	---	---	---	---	---	---	40.00
	9/11/2014	---	---	---	---	---	---	---	---	---	---	41.00
	10/9/2014	---	---	---	---	---	---	---	---	---	---	39.00
	11/13/2014	---	---	---	---	---	---	---	---	---	---	35.00
	12/10/2014	---	---	---	---	---	---	---	---	---	---	32.00
1/8/2015	---	---	---	---	---	---	---	---	---	---	30.00	
3/18/2015	---	---	---	---	---	---	---	---	---	---	37.00	
Anza Mutual Water Company 7S/3E-21 Well #2 (cont)	5/6/2015	---	---	---	---	---	---	---	---	---	---	38.00
	7/1/2015	---	---	---	---	---	---	---	---	---	---	40.00
	8/26/2015	740.0	490.0	71.0	15.0	61.0	3.5	59.0	92.0	200.0	41.00	
	11/4/2015	---	---	---	---	---	---	---	---	---	---	36.00
	2/3/2016	---	---	---	---	---	---	---	---	---	---	7.4 as N
	5/4/2016	---	---	---	---	---	---	---	---	---	---	8.2 as N
	8/3/2016	---	---	---	---	---	---	---	---	---	---	8.8 as N
ND - None Detected												

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l								
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3	
R J Mission Plaza (Anza Petroleum) 7S/3E-21 Well #1	2/8/2012	---	---	---	---	---	---	---	---	---	---	29.00
	5/9/2012	---	---	---	---	---	---	---	---	---	---	29.00
	8/8/2012	---	---	---	---	---	---	---	---	---	---	27.00
	11/8/2012	---	---	---	---	---	---	---	---	---	---	31.00
	2/13/2013	---	---	---	---	---	---	---	---	---	---	27.00
	5/15/2013	---	---	---	---	---	---	---	---	---	---	27.00
	7/11/2013	---	---	---	---	---	---	---	---	---	---	30.00
	11/14/2013	---	---	---	---	---	---	---	---	---	---	29.00
	2/13/2014	---	---	---	---	---	---	---	---	---	---	28.00
	5/8/2014	---	---	---	---	---	---	---	---	---	---	29.00
	8/14/2014	---	---	---	---	---	---	---	---	---	---	28.00
	11/13/2014	---	---	---	---	---	---	---	---	---	---	29.00
	2/25/2015	---	---	---	---	---	---	---	---	---	---	28.00
	5/6/2015	---	---	---	---	---	---	---	---	---	---	29.00
	7/1/2015	---	---	---	---	---	---	---	---	---	---	29.00
	11/4/2015	---	---	---	---	---	---	---	---	---	---	30.00
12/9/2015	---	---	---	---	---	---	---	---	---	---	30.00	
5/4/2016	---	---	---	---	---	---	---	---	---	---	7.2 as N	
La Plata Enterprises Inc 7S/3E-21 Well #1	3/15/2012	---	---	---	---	---	---	---	---	---	---	ND
	1/18/2015	---	---	---	---	---	---	---	---	---	---	ND
	1/12/2016	---	---	---	---	---	---	---	---	---	---	2.91
	1/12/2016	---	---	---	---	---	---	---	---	---	---	0.66 as N
	9/13/2016	---	---	---	---	---	---	---	---	---	---	1.5 as N
Georges, John (Diner 371) 7S/3E-22 Well #1	2/13/2013	---	---	---	---	---	---	---	---	---	---	ND
	2/13/2014	---	---	---	---	---	---	---	---	---	---	ND
	2/10/2016	---	---	---	---	---	---	---	---	---	---	ND
Anza First Southern Baptist Church 7S/3E-23 Well #1	4/18/2012	---	---	---	---	---	---	---	---	---	---	79.00
	10/17/2012	---	---	---	---	---	---	---	---	---	---	78.00
	4/17/2013	---	---	---	---	---	---	---	---	---	---	85.00
	10/16/2013	---	---	---	---	---	---	---	---	---	---	71.00
	1/15/2014	---	---	---	---	---	---	---	---	---	---	70.00
	6/18/2014	---	---	---	---	---	---	---	---	---	---	74.00
	7/20/2014	---	---	---	---	---	---	---	---	---	---	86.00
	10/9/2014	---	---	---	---	---	---	---	---	---	---	79.00
	1/5/2015	---	---	---	---	---	---	---	---	---	---	83.00
	4/7/2015	---	---	---	---	---	---	---	---	---	---	85.00
	7/7/2015	---	---	---	---	---	---	---	---	---	---	80.00
	10/20/2015	---	---	---	---	---	---	---	---	---	---	85.00
	4/12/2016	---	---	---	---	---	---	---	---	---	---	22.0 as N
7/13/2016	---	---	---	---	---	---	---	---	---	---	22.0 as N	

ND - None Detected

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Ramona Water Company Patterson Well	12/20/2012	---	---	---	---	---	---	---	---	---	20.00
	2/13/2013	---	---	---	---	---	---	---	---	---	18.00
	2/13/2014	---	---	---	---	---	---	---	---	---	18.00
	12/11/2014	---	---	---	---	---	---	---	---	---	19.00
Well #2-Red Shank	3/30/2009	---	---	---	---	---	---	---	---	---	38.00
	6/22/2009	---	---	---	---	---	---	---	---	---	37.00
	9/28/2009	---	---	---	---	---	---	---	---	---	41.00
	11/19/2009	---	---	---	---	---	---	---	---	---	38.00
	12/14/2009	---	---	---	---	---	---	---	---	---	38.00
	6/17/2010	---	---	---	---	---	---	---	---	---	36.00
	8/19/2010	---	---	---	---	---	---	---	---	---	44.00
	9/20/2010	---	---	---	---	---	---	---	---	---	47.00
	9/23/2010	---	---	---	---	---	---	---	---	---	38.00
	2/17/2011	---	---	---	---	---	---	---	---	---	41.00
	5/18/2011	580.0	---	57.0	13.0	42.0	8.2	48.0	11.0	210.0	41.00
	6/28/2011	---	---	---	---	---	---	---	---	---	43.00
	11/17/2011	---	---	---	---	---	---	---	---	---	41.00
	2/8/2012	---	---	---	---	---	---	---	---	---	44.00
	4/11/2012	---	---	---	---	---	---	---	---	---	42.00
	8/8/2012	---	---	---	---	---	---	---	---	---	47.00
	11/8/2012	---	---	---	---	---	---	---	---	---	52.00
	2/13/2013	---	---	---	---	---	---	---	---	---	49.00
	5/15/2013	---	---	---	---	---	---	---	---	---	48.00
	9/6/2013	---	---	---	---	---	---	---	---	---	49.00
	11/14/2013	---	---	---	---	---	---	---	---	---	51.00
	2/13/2014	---	---	---	---	---	---	---	---	---	49.00
5/8/2014	---	---	---	---	---	---	---	---	---	53.00	
6/12/2014	---	---	---	---	---	---	---	---	---	50.00	
8/14/2014	---	---	---	---	---	---	---	---	---	49.00	
12/11/2014	---	---	---	---	---	---	---	---	---	48.00	
4/8/2015	---	---	---	---	---	---	---	---	---	42.00	
6/24/2015	---	---	---	---	---	---	---	---	---	48.00	
1/12/2016	---	---	---	---	---	---	---	---	---	10.0 as N	
2/9/2016	---	---	---	---	---	---	---	---	---	12.0 as N	
Well #3-Burnt Valley	3/30/2009	---	---	---	---	---	---	---	---	---	6.50
	12/14/2009	---	---	---	---	---	---	---	---	---	4.90
	2/17/2011	---	---	---	---	---	---	---	---	---	7.50
	5/18/2011	600.0	---	57.0	17.0	35.0	11.0	61.0	12.0	240.0	5.70
	4/11/2012	---	---	---	---	---	---	---	---	---	8.10
10/20/2015	---	---	---	---	---	---	---	---	---	6.80	
ND - None Detected											

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Ramona Water Company (cont)											
Well #4-Reynolds	3/30/2009	---	---	---	---	---	---	---	---	---	20.00
	6/22/2009	---	---	---	---	---	---	---	---	---	37.00
	9/28/2009	---	---	---	---	---	---	---	---	---	24.00
	11/19/2009	---	---	---	---	---	---	---	---	---	22.00
	12/14/2009	---	---	---	---	---	---	---	---	---	21.00
	7/15/2010	---	---	---	---	---	---	---	---	---	29.00
	8/19/2010	---	---	---	---	---	---	---	---	---	24.00
	5/18/2011	510.0	---	47.0	11.0	39.0	10.0	39.0	9.4	200.0	32.00
	6/28/2011	---	---	---	---	---	---	---	---	---	27.00
	11/17/2011	---	---	---	---	---	---	---	---	---	27.00
	2/8/2012	---	---	---	---	---	---	---	---	---	33.00
	4/11/2012	---	---	---	---	---	---	---	---	---	25.00
	8/8/2012	---	---	---	---	---	---	---	---	---	26.00
	11/8/2012	---	---	---	---	---	---	---	---	---	30.00
	2/13/2013	---	---	---	---	---	---	---	---	---	27.00
	5/15/2013	---	---	---	---	---	---	---	---	---	32.00
	9/6/2013	---	---	---	---	---	---	---	---	---	28.00
	11/14/2013	---	---	---	---	---	---	---	---	---	42.00
	9/11/2014	---	---	---	---	---	---	---	---	---	45.00
	9/17/2014	---	---	---	---	---	---	---	---	---	42.00
	12/11/2014	---	---	---	---	---	---	---	---	---	31.00
	4/8/2015	---	---	---	---	---	---	---	---	---	40.00
Well #5-Everett											
	3/30/2009	---	---	---	---	---	---	---	---	---	62.00
	9/28/2009	---	---	---	---	---	---	---	---	---	49.00
	11/19/2009	---	---	---	---	---	---	---	---	---	57.00
	12/14/2009	---	---	---	---	---	---	---	---	---	56.00
	3/15/2010	---	---	---	---	---	---	---	---	---	60.00
	6/17/2010	---	---	---	---	---	---	---	---	---	55.00
	8/27/2010	---	---	---	---	---	---	---	---	---	56.00
	2/17/2011	---	---	---	---	---	---	---	---	---	58.00
	2/18/2011	---	---	---	---	---	---	---	---	---	59.00
	5/18/2011	660.0	---	64.0	12.0	52.0	8.2	48.0	12.0	260.0	50.00
	6/28/2011	---	---	---	---	---	---	---	---	---	58.00
	11/17/2011	---	---	---	---	---	---	---	---	---	59.00
	2/8/2012	---	---	---	---	---	---	---	---	---	56.00
	4/11/2012	---	---	---	---	---	---	---	---	---	54.00
	8/8/2012	---	---	---	---	---	---	---	---	---	57.00
	11/8/2012	---	---	---	---	---	---	---	---	---	66.00
	2/13/2013	---	---	---	---	---	---	---	---	---	56.00
	5/15/2013	---	---	---	---	---	---	---	---	---	50.00
	9/6/2013	---	---	---	---	---	---	---	---	---	35.00
	11/14/2013	---	---	---	---	---	---	---	---	---	38.00
	2/13/2014	---	---	---	---	---	---	---	---	---	38.00
	5/8/2014	---	---	---	---	---	---	---	---	---	34.00
	7/10/2014	---	---	---	---	---	---	---	---	---	29.00
	8/14/2014	---	---	---	---	---	---	---	---	---	30.00
	12/11/2014	---	---	---	---	---	---	---	---	---	30.00
	7/22/2015	---	---	---	---	---	---	---	---	---	42.00

ND - None Detected

TABLE D-13

SANTA MARGARITA RIVER WATERSHED
WATER QUALITY DATA

ANZA AREA WATER QUALITY FROM ALLUVIUM AS REPORTED BY RIVERSIDE COUNTY

Site Location	Date Sampled	Specific Conductance umhos	Total Dissolved Solids (mg/l)	Chemical Constituents - mg/l							
				Ca	Mg	Na	K	Cl	SO4	HCO3	NO3
Ramona Water Company (cont)											
Well #6-End Everett Road	3/30/2009	---	---	---	---	---	---	---	---	---	23.00
	12/14/2009	---	---	---	---	---	---	---	---	---	16.00
	2/17/2011	---	---	---	---	---	---	---	---	---	19.00
	5/18/2011	390.0	---	42.0	9.0	22.0	10.0	29.0	5.6	160.0	19.00
	4/11/2012	---	---	---	---	---	---	---	---	---	18.00
	1/12/2016	---	---	---	---	---	---	---	---	---	12.00
Well #7-Anzanita											
	3/30/2009	---	---	---	---	---	---	---	---	---	16.00
	11/19/2009	---	---	---	---	---	---	---	---	---	15.00
	8/27/2010	---	---	---	---	---	---	---	---	---	30.00
	2/16/2011	---	---	---	---	---	---	---	---	---	21.00
	5/18/2011	550.0	---	50.0	9.2	50.0	8.8	39.0	9.2	240.0	24.00
	7/6/2011	---	---	---	---	---	---	---	---	---	32.00
	11/18/2011	---	---	---	---	---	---	---	---	---	27.00
	2/8/2012	---	---	---	---	---	---	---	---	---	24.00
	4/13/2012	---	---	---	---	---	---	---	---	---	26.00
	8/8/2012	---	---	---	---	---	---	---	---	---	33.00
	9/30/2012	---	---	---	---	---	---	---	---	---	30.00
	11/8/2012	---	---	---	---	---	---	---	---	---	39.00
	2/13/2013	---	---	---	---	---	---	---	---	---	14.00
	5/15/2013	---	---	---	---	---	---	---	---	---	28.00
	9/6/2013	---	---	---	---	---	---	---	---	---	41.00
	11/14/2013	---	---	---	---	---	---	---	---	---	26.00
	2/13/2014	---	---	---	---	---	---	---	---	---	24.00
	5/8/2014	---	---	---	---	---	---	---	---	---	25.00
	8/14/2014	---	---	---	---	---	---	---	---	---	26.00

ND - None Detected

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 2015-16

APPENDIX E

**COOPERATIVE WATER RESOURCE
MANAGEMENT AGREEMENT
REQUIRED FLOWS AND ACCOUNTS
CALENDAR YEAR 2016**

January 2018

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

JANUARY 2016 - BELOW NORMAL YEAR

Day	Minimum Flow										CAMP PENDLETON GROUNDWATER BANK			
	USGS Official Discharge cfs	USGS Daily Website Discharge cfs	10-Day Running Average of Website Discharge cfs	Minimum Flow Maintenance Requirement /1 cfs	Running Average Less Required Flow cfs	WR-34 Make-Up Discharge cfs	Climatic Credit Earned /2 cfs	AF	Input /3 cfs	Input AF	Output cfs	Output AF	Cumulative Balance AF	
1	9.1	9.1				8.7	17.3	3.1	6.1	4.7	0.0	0.0	5,000.0	
2	9.1	9.1				8.7	17.3	3.1	6.1	4.7	0.0	0.0	5,000.0	
3	9.2	9.2				8.7	17.3	3.1	6.1	4.7	0.0	0.0	5,000.0	
4	9.1	9.1				8.6	17.1	3.0	5.9	4.7	0.0	0.0	5,000.0	
5	285.0	285.0				5.4	10.8	0.0	0.0	4.7	0.0	0.0	5,000.0	
6	427.0	427.0				0.0	0.0	0.0	0.0	4.7	0.0	0.0	5,000.0	
7	300.0	433.0				0.0	0.0	0.0	0.0	4.7	0.0	0.0	5,000.0	
8	41.0	44.0				0.0	0.0	0.0	0.0	4.7	0.0	0.0	5,000.0	
9	8.6	9.1				0.0	0.0	0.0	0.0	4.7	0.0	0.0	5,000.0	
10	8.5	8.9				6.2	12.3	0.6	1.1	4.7	0.0	0.0	5,000.0	
11	8.6	9.0	124.3	9.1	115.2	7.9	15.7	2.3	4.5	4.7	0.0	0.0	5,000.0	
12	8.8	9.2	124.4	9.1	115.3	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
13	8.8	9.2	124.4	9.1	115.3	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
14	8.7	9.1	124.4	9.1	115.3	8.5	16.8	2.8	5.6	4.7	0.0	0.0	5,000.0	
15	8.8	9.2	96.8	9.1	87.7	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
16	8.7	9.1	55.0	9.1	45.9	8.5	16.8	2.8	5.6	4.7	0.0	0.0	5,000.0	
17	8.7	9.1	12.6	9.1	3.5	8.5	16.8	2.8	5.6	4.7	0.0	0.0	5,000.0	
18	8.7	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
19	8.7	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
20	8.7	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
21	8.6	9.0	9.1	9.1	0.0	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
22	9.0	9.0	9.1	9.1	0.0	8.5	16.9	2.9	5.7	4.7	0.0	0.0	5,000.0	
23	9.2	9.2	9.1	9.1	0.0	8.8	17.5	3.2	6.3	4.7	0.0	0.0	5,000.0	
24	9.1	9.1	9.1	9.1	0.0	9.0	17.8	3.3	6.6	4.7	0.0	0.0	5,000.0	
25	9.1	9.1	9.1	9.1	0.0	8.9	17.7	3.3	6.5	4.7	0.0	0.0	5,000.0	
26	9.1	9.1	9.1	9.1	0.0	8.9	17.7	3.3	6.5	4.7	0.0	0.0	5,000.0	
27	9.1	9.1	9.1	9.1	0.0	9.0	17.8	3.3	6.6	4.7	0.0	0.0	5,000.0	
28	9.1	9.1	9.1	9.1	0.0	9.0	17.9	3.4	6.7	4.7	0.0	0.0	5,000.0	
29	9.2	9.2	9.1	9.1	0.0	9.0	17.9	3.4	6.7	4.7	0.0	0.0	5,000.0	
30	9.1	9.1	9.1	9.1	0.0	8.9	17.7	3.3	6.5	4.7	0.0	0.0	5,000.0	
31	180.0	179.0	26.1	9.1	17.0	5.2	10.4	0.0	0.0	4.7	0.0	0.0	5,000.0	
TOTAL SFD	1,464.4	1,604.7	806.3	191.1	615.2	224.9	446.8	73.8	145.6	145.7	0.0	0.0	5,000.0	
TOTAL AF	2,904.6	3,182.9	1,599.3	379.0	1,220.2									

1 - Required flows for January through April are equal to 11.5 cfs less 2.4 cfs of credits (562 AF of Climatic Credit earned in 2015 and 4.5 AF of CAP Credit earned in 2014).
 2 - Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA less applicable credits, but not less than 3.0 cfs.
 3 - Art. 17 - Camp Pendleton rights to groundwater equal the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

FEBRUARY 2016 - BELOW NORMAL YEAR

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned		Input /3		Output		Cumulative Balance	
	cfs	cfs	cfs	cfs	cfs	cfs	/1	cfs	cfs	cfs	cfs	AF	cfs	AF	cfs	AF	cfs	AF	AF	AF
1	66.0	62.0	31.4	9.1	22.3	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.7	0.0	0.0	5,000.0				
2	14.0	13.0	31.8	9.1	22.7	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.7	0.0	0.0	5,000.0				
3	9.8	9.8	31.9	9.1	22.8	6.4	12.6	0.7	1.4	1.4	1.4	2.4	4.7	0.0	0.0	5,000.0				
4	9.1	9.1	31.9	9.1	22.8	8.0	15.8	2.3	4.6	4.6	4.6	2.4	4.7	0.0	0.0	5,000.0				
5	9.1	9.1	31.9	9.1	22.8	8.3	16.5	2.7	5.3	5.3	5.3	2.4	4.7	0.0	0.0	5,000.0				
6	9.1	9.1	31.9	9.1	22.8	8.5	16.8	2.8	5.6	5.6	5.6	2.4	4.7	0.0	0.0	5,000.0				
7	9.1	9.1	31.9	9.1	22.8	8.5	16.8	2.8	5.6	5.6	5.6	2.4	4.7	0.0	0.0	5,000.0				
8	9.1	9.1	31.8	9.1	22.7	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
9	9.2	9.2	31.9	9.1	22.8	8.6	17.1	3.0	5.9	5.9	5.9	2.4	4.7	0.0	0.0	5,000.0				
10	9.1	9.1	14.9	9.1	5.8	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
11	9.0	9.0	9.6	9.1	0.5	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
12	9.1	9.1	9.2	9.1	0.1	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
13	9.1	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
14	9.1	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
15	9.1	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
16	9.1	9.1	9.1	9.1	0.0	8.5	16.9	2.9	5.7	5.7	5.7	2.4	4.7	0.0	0.0	5,000.0				
17	9.2	9.2	9.1	9.1	0.0	8.6	17.1	3.0	5.9	5.9	5.9	2.4	4.7	0.0	0.0	5,000.0				
18	9.1	9.1	9.1	9.1	0.0	8.5	16.8	2.8	5.6	5.6	5.6	2.4	4.7	0.0	0.0	5,000.0				
19	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
20	9.2	9.2	9.1	9.1	0.0	8.5	16.8	2.8	5.6	5.6	5.6	2.4	4.7	0.0	0.0	5,000.0				
21	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
22	9.0	9.0	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
23	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
24	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
25	9.1	9.1	9.1	9.1	0.0	8.5	16.8	2.8	5.6	5.6	5.6	2.4	4.7	0.0	0.0	5,000.0				
26	9.1	9.1	9.1	9.1	0.0	8.5	16.8	2.8	5.6	5.6	5.6	2.4	4.7	0.0	0.0	5,000.0				
27	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
28	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
29	9.1	9.1	9.1	9.1	0.0	8.4	16.7	2.8	5.5	5.5	5.5	2.4	4.7	0.0	0.0	5,000.0				
TOTAL SFD	326.5	321.5	474.8	263.9	210.9	226.2	448.8	74.1	146.4	146.4	146.4	69.6	136.3	0.0	0.0	5,000.0				
TOTAL AF	647.6	637.7	941.8	523.4	418.3	418.3	448.8	74.1	146.4	146.4	146.4	69.6	136.3	0.0	0.0	5,000.0				

CAMP PENDLETON
 GROUNDWATER BANK

1 - Required flows for January through April are equal to 11.5 cfs less 2.4 cfs of credits (562 AF of Climatic Credit earned in 2015 and 4.5 AF of CAP Credit earned in 2014).
 2 - Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA, less applicable credits, but not less than 3.0 cfs.
 3 - Art. 17 - Camp Pendleton rights to groundwater equal the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

MARCH 2016 - BELOW NORMAL YEAR

Day	CAMP PENDLETON GROUNDWATER BANK												
	USGS Official Discharge cfs	USGS Daily Website Discharge cfs	10-Day Running Average of Website Discharge cfs	Minimum Flow Maintenance Requirement /1 cfs	Running Average Less Required Flow cfs	WR-34 Make-Up Discharge cfs	Climatic Credit Earned /2 cfs	AF	Input /3 cfs	Input AF	Output cfs	Output AF	Cumulative Balance AF
1	9.2	9.2	9.1	9.1	0.0	8.4	2.8	16.7	2.4	4.7	0.0	0.0	5,000.0
2	9.2	9.2	9.1	9.1	0.0	8.4	2.8	16.7	2.4	4.7	0.0	0.0	5,000.0
3	9.1	9.1	9.1	9.1	0.0	8.3	2.7	16.5	2.4	4.7	0.0	0.0	5,000.0
4	9.2	9.2	9.1	9.1	0.0	8.3	2.7	16.5	2.4	4.7	0.0	0.0	5,000.0
5	9.2	9.2	9.1	9.1	0.0	8.2	2.5	16.2	2.4	4.7	0.0	0.0	5,000.0
6	9.0	9.0	9.1	9.1	0.0	7.4	1.8	14.7	2.4	4.7	0.0	0.0	5,000.0
7	36.0	36.0	11.8	9.1	2.7	3.4	0.0	6.8	2.4	4.7	0.0	0.0	5,000.0
8	8.8	8.8	11.8	9.1	2.7	4.3	0.0	8.6	2.4	4.7	0.0	0.0	5,000.0
9	9.2	9.2	11.8	9.1	2.7	8.0	2.4	15.9	2.4	4.7	0.0	0.0	5,000.0
10	9.1	9.1	11.8	9.1	2.7	8.2	2.6	16.3	2.4	4.7	0.0	0.0	5,000.0
11	9.4	9.4	11.8	9.1	2.7	7.6	1.9	15.0	2.4	4.7	0.0	0.0	5,000.0
12	12.0	12.0	12.1	9.1	3.0	2.8	0.0	5.6	2.4	4.7	0.0	0.0	5,000.0
13	8.9	8.9	12.1	9.1	3.0	7.0	1.4	13.9	2.4	4.7	0.0	0.0	5,000.0
14	9.0	9.0	12.1	9.1	3.0	8.1	2.5	16.1	2.4	4.7	0.0	0.0	5,000.0
15	9.1	9.1	12.1	9.1	3.0	8.3	2.6	16.4	2.4	4.7	0.0	0.0	5,000.0
16	9.1	9.1	12.1	9.1	3.0	8.3	2.7	16.5	2.4	4.7	0.0	0.0	5,000.0
17	9.2	9.2	9.4	9.1	0.3	8.4	2.8	16.7	2.4	4.7	0.0	0.0	5,000.0
18	9.2	9.2	9.4	9.1	0.3	8.4	2.7	16.6	2.4	4.7	0.0	0.0	5,000.0
19	9.1	9.1	9.4	9.1	0.3	8.3	2.7	16.5	2.4	4.7	0.0	0.0	5,000.0
20	9.1	9.1	9.4	9.1	0.3	8.4	2.7	16.6	2.4	4.7	0.0	0.0	5,000.0
21	9.1	9.1	9.4	9.1	0.3	8.4	2.8	16.7	2.4	4.7	0.0	0.0	5,000.0
22	9.1	9.1	9.4	9.1	0.0	8.4	2.8	16.7	2.4	4.7	0.0	0.0	5,000.0
23	9.0	9.0	9.1	9.1	0.0	8.4	2.8	16.7	2.4	4.7	0.0	0.0	5,000.0
24	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
25	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
26	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
27	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
28	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
29	9.1	9.1	9.1	9.1	0.0	8.5	2.8	16.8	2.4	4.7	0.0	0.0	5,000.0
30	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
31	9.1	9.1	9.1	9.1	0.0	8.5	2.9	16.9	2.4	4.7	0.0	0.0	5,000.0
TOTAL SFD	312.1	312.1	312.1	282.1	30.0	241.7	73.8	480.0	74.4	145.7	0.0	0.0	5,000.0
TOTAL AF	619.0	619.0	619.0	559.5	59.5	480.0	145.4						

1 - Required flows for January through April are equal to 11.5 cfs less 2.4 cfs of credits (562 AF of Climatic Credit earned in 2015 and 4.5 AF of CAP Credit earned in 2014).
 2 - Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA less applicable credits, but not less than 3.0 cfs.
 3 - Art. 17 - Camp Pendleton rights to groundwater equal the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

APRIL 2016 - BELOW NORMAL YEAR

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement /1		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned /2		Input /3		Output		Cumulative Balance	
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	AF	cfs	AF	cfs	AF	AF
1	9.0	9.0	9.0	9.1	9.1	9.1	9.1	0.0	0.0	8.5	16.9	2.9	5.7	2.4	4.7	0.0	0.0	5,000.0		
2	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
3	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
4	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
5	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.7	17.2	3.0	6.0	2.4	4.7	0.0	0.0	5,000.0			
6	8.9	8.9	8.9	9.1	9.1	9.1	0.0	0.0	8.5	16.8	2.8	5.6	2.4	4.7	0.0	0.0	5,000.0			
7	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.8	17.4	3.1	6.2	2.4	4.7	0.0	0.0	5,000.0			
8	9.2	9.2	9.2	9.1	9.1	9.1	0.0	0.0	8.7	17.2	3.0	6.0	2.4	4.7	0.0	0.0	5,000.0			
9	9.2	9.2	9.2	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
10	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
11	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
12	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
13	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
14	9.0	9.0	9.0	9.1	9.1	9.1	0.0	0.0	8.6	17.1	3.0	5.9	2.4	4.7	0.0	0.0	5,000.0			
15	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.7	17.2	3.0	6.0	2.4	4.7	0.0	0.0	5,000.0			
16	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.7	17.3	3.1	6.1	2.4	4.7	0.0	0.0	5,000.0			
17	9.0	9.0	9.0	9.1	9.1	9.1	0.0	0.0	8.8	17.5	3.2	6.3	2.4	4.7	0.0	0.0	5,000.0			
18	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.7	3.3	6.5	2.4	4.7	0.0	0.0	5,000.0			
19	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	9.0	17.9	3.4	6.7	2.4	4.7	0.0	0.0	5,000.0			
20	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	9.0	17.9	3.4	6.7	2.4	4.7	0.0	0.0	5,000.0			
21	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	9.0	17.9	3.4	6.7	2.4	4.7	0.0	0.0	5,000.0			
22	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	9.0	17.9	3.4	6.7	2.4	4.7	0.0	0.0	5,000.0			
23	9.2	9.2	9.2	9.1	9.1	9.1	0.0	0.0	9.0	17.8	3.3	6.6	2.4	4.7	0.0	0.0	5,000.0			
24	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.7	3.3	6.5	2.4	4.7	0.0	0.0	5,000.0			
25	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.7	3.3	6.5	2.4	4.7	0.0	0.0	5,000.0			
26	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.7	3.3	6.5	2.4	4.7	0.0	0.0	5,000.0			
27	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.7	3.3	6.5	2.4	4.7	0.0	0.0	5,000.0			
28	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.7	3.3	6.5	2.4	4.7	0.0	0.0	5,000.0			
29	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.9	17.6	3.2	6.4	2.4	4.7	0.0	0.0	5,000.0			
30	9.1	9.1	9.1	9.1	9.1	9.1	0.0	0.0	8.7	17.3	3.1	6.1	2.4	4.7	0.0	0.0	5,000.0			
TOTAL SFD	272.8	272.8	273.0	273.0	273.0	273.0	0.0	0.0	262.8	521.9	94.1	185.9	72.0	141.0	0.0	0.0	5,000.0			
TOTAL AF	541.1	541.1	541.5	541.5	541.5	541.5	0.0	0.0	521.9	521.9	185.9	185.9	72.0	141.0	0.0	0.0	5,000.0			

1 - Required flows for January through April are equal to 11.5 cfs less 2.4 cfs of credits (562 AF of Climatic Credit earned in 2015 and 4.5 AF of CAP Credit earned in 2014).
 2 - Climatic Credits equal the WR-34 discharge less the Actual Flow Maintenance Requirement which is the flow indicated in Section 5 of the CWRMA, less applicable credits, but not less than 3.0 cfs.
 3 - Art. 17 - Camp Pendleton rights to groundwater equal the flow indicated in Section 5 of the CWRMA minus the Actual Flow Maintenance Requirement which cannot be less than 3.0 cfs. Input to Groundwater Bank shown but cumulative balance did not increase due to account balance maximum of 5,000 AF.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

MAY 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement /1		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned /2		Input		Output		Cumulative Balance	
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	cfs	AF	cfs	AF	AF	AF
1	6.2	5.7	5.7	5.7							5.9	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
2	6.2	5.7	5.7	5.7							5.9	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3	6.2	5.7	5.7	5.7							6.0	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4	6.3	5.8	5.8	5.8							6.1	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
5	6.1	5.8	5.8	5.8							5.9	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6	5.8	5.7	5.7	5.7							5.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	5.7	5.7	5.7	5.7							5.4	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
8	5.7	5.7	5.7	5.7							5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9	5.7	5.7	5.7	5.7							5.2	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10	5.6	5.7	5.7	5.7							5.2	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.4	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
25	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
26	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
28	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
29	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
30	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.3	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
31	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	0.0	0.0	5.2	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	179.2	176.9	176.9	176.9	119.7	119.7	119.7	119.7	0.0	0.0	167.7	333.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL AF	355.4	350.9	350.9	350.9	237.4	237.4	237.4	237.4	0.0	0.0										

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

JUNE 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement /1		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned /2		Input		Output		Cumulative Balance AF
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	cfs	cfs	AF	AF	
1	5.0	5.0	5.0								4.6	9.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
2	4.9	4.9	4.9								4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3	4.9	4.9	4.9								4.7	9.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4	4.9	4.9	4.9								4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
5	4.9	4.9	4.9								4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6	4.9	4.9	4.9								4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	4.9	4.9	4.9								4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
8	4.9	4.9	4.9								4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9	4.9	4.9	4.9								4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10	4.9	4.9	4.9								4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11	4.9	4.9	4.9			4.9			0.0		4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12	4.9	4.9	4.9			4.9			0.0		4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13	4.9	4.9	4.9			4.9			0.0		4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14	4.9	4.9	4.9			4.9			0.0		4.7	9.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15	4.9	4.9	4.9			4.9			0.0		4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16	4.9	4.9	4.9			4.9			0.0		4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	4.9	4.9	4.9			4.9			0.0		4.8	9.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20	4.9	4.9	4.9			4.9			0.0		4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	4.9	4.9	4.9			4.9			0.0		4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23	4.8	4.8	4.8			4.9			0.0		4.9	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
25	4.9	4.9	4.9			4.9			0.0		4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
26	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
28	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
29	4.9	4.9	4.9			4.9			0.0		4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
30	4.9	4.9	4.9			4.9			0.0		4.8	9.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	147.0	147.0	147.0			98.0			0.0		143.6	285.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL AF	291.6	291.6	291.6			194.4			0.0										5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

JULY 2016 - BELOW NORMAL YEAR

Day	CAMP PENDLETON GROUNDWATER BANK												
	USGS Official Discharge cfs	USGS Daily Website Discharge cfs	10-Day Running Average of Website Discharge cfs	Minimum Flow Maintenance Requirement /1 cfs	Running Average Less Required Flow cfs	WR-34 Make-Up Discharge cfs	AF	Climatic Credit Earned /2 cfs	Input cfs	Input AF	Output cfs	Output AF	Cumulative Balance AF
1	4.3	4.3				4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
2	4.3	4.3				4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
3	4.3	4.3				4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
4	4.3	4.3				4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
5	4.3	4.3				4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
6	4.3	4.3				4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
7	4.3	4.3				4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
8	4.3	4.3				4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
9	4.3	4.3				4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
10	4.3	4.3				4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
11	4.3	4.3		4.3	0.0	4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
12	4.3	4.3		4.3	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
13	4.3	4.3		4.3	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
14	4.3	4.3		4.3	0.0	4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
15	4.3	4.3		4.3	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
16	4.3	4.3		4.3	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
17	4.3	4.3		4.3	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
18	4.3	4.3		4.3	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
19	4.3	4.3		4.3	0.0	4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
20	4.3	4.3		4.3	0.0	4.3	8.5	0.0	0.0	0.0	0.0	0.0	5,000.0
21	4.3	4.3		4.3	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
22	4.3	4.3		4.3	0.0	4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
23	4.3	4.3		4.3	0.0	4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
24	4.3	4.3		4.3	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
25	4.3	4.3		4.3	0.0	4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
26	4.3	4.3		4.3	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
27	4.3	4.3		4.3	0.0	4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
28	4.3	4.3		4.3	0.0	4.4	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
29	4.3	4.3		4.3	0.0	4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
30	4.3	4.3		4.3	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
31	4.3	4.3		4.3	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	133.3	133.3	90.3	90.3	0.0	132.7	264.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL AF	264.4	264.4	179.1	179.1	0.0								

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

AUGUST 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official	USGS Daily	10-Day Running	Minimum Flow	Running Average	WR-34 Make-Up		Climatic Credit Earned		Input	Output	Output	Cumulative
	Discharge	Website	Average of	Maintenance	Less Required	Discharge	AF	cfs	/2	cfs	AF	cfs	AF
	cfs	cfs	Website	Requirement/1	Flow	cfs	AF	cfs	AF	cfs	AF	cfs	AF
1	4.6	4.4	4.4			4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
2	4.6	4.4	4.4			4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
3	4.6	4.4	4.4			4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
4	4.6	4.4	4.4			4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
5	4.6	4.6	4.4			4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
6	4.4	4.4	4.4			4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
7	4.4	4.4	4.4			4.1	8.1	0.0	0.0	0.0	0.0	0.0	5,000.0
8	4.4	4.4	4.4			3.8	7.6	0.0	0.0	0.0	0.0	0.0	5,000.0
9	4.4	4.4	4.4			4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
10	4.4	4.4	4.4			4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
11	4.4	4.4	4.4	4.4	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
12	4.4	4.4	4.4	4.4	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
13	4.4	4.4	4.4	4.4	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
14	4.5	4.4	4.4	4.4	0.0	4.1	8.2	0.0	0.0	0.0	0.0	0.0	5,000.0
15	4.4	4.4	4.4	4.4	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
16	4.4	4.4	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	4.4	4.4	4.4	4.4	0.0	3.3	6.6	0.0	0.0	0.0	0.0	0.0	5,000.0
18	4.4	4.4	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	5,000.0
19	4.4	4.4	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	5,000.0
20	4.4	4.4	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	4.4	4.4	4.4	4.4	0.0	4.1	8.1	0.0	0.0	0.0	0.0	0.0	5,000.0
22	4.4	4.4	4.4	4.4	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
23	4.4	4.4	4.4	4.4	0.0	4.2	8.4	0.0	0.0	0.0	0.0	0.0	5,000.0
24	4.4	4.4	4.4	4.4	0.0	4.2	8.3	0.0	0.0	0.0	0.0	0.0	5,000.0
25	4.4	4.4	4.4	4.4	0.0	4.2	8.3	0.0	0.0	0.0	0.0	0.0	5,000.0
26	4.4	4.4	4.4	4.4	0.0	4.0	8.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	4.4	4.4	4.4	4.4	0.0	4.2	8.3	0.0	0.0	0.0	0.0	0.0	5,000.0
28	4.5	4.5	4.4	4.4	0.0	4.2	8.3	0.0	0.0	0.0	0.0	0.0	5,000.0
29	4.5	4.5	4.4	4.4	0.0	4.3	8.6	0.0	0.0	0.0	0.0	0.0	5,000.0
30	4.8	4.8	4.4	4.4	0.1	4.4	8.7	0.0	0.0	0.0	0.0	0.0	5,000.0
31	4.4	4.4	4.4	4.4	0.1	4.2	8.3	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	138.1	137.3	92.6	92.4	0.2	128.4	255.4	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL AF	273.9	272.3	183.7	183.3	0.4								

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

SEPTEMBER 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement /1		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned /2		Input		Output		Cumulative Balance AF
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	cfs	AF	cfs	cfs	AF	
1			4.2	4.2							4.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
2			4.1	4.1							3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3			4.1	4.1							3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4			4.1	4.1							3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
5			4.1	4.1							3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6			4.1	4.1							3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7			4.1	4.1							3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
8			4.1	4.1							3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9			4.1	4.1							3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10			4.1	4.1							3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21			4.1	4.1			4.1	0.0	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22			4.1	4.1			4.1	0.0	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23			4.1	4.1			4.1	0.0	0.0	0.0	3.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
25			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
26			4.1	4.1			4.1	0.0	0.0	0.0	4.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
28			4.1	4.1			4.1	0.0	0.0	0.0	4.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
29			4.1	4.1			4.1	0.0	0.0	0.0	4.0	7.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
30			4.1	4.1			4.1	0.0	0.0	0.0	3.9	7.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD			123.1	123.1			82.0	0.0	0.0	0.0	116.9		0.0	0.0	0.0	0.0	0.0	0.0	
TOTAL AF			244.2	244.2			162.6	0.0	0.0	0.0	232.2		0.0	0.0	0.0	0.0	0.0	0.0	5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

OCTOBER 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement /1		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned /2		Input		Output		Cumulative Balance AF
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	cfs	AF	cfs	AF	cfs	
1	3.9	3.9	3.9	3.9							3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
2	3.9	3.9	3.9	3.9							3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3	3.9	3.9	3.9	3.9							3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4	3.9	3.9	3.9	3.9							3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
5	3.9	3.9	3.9	3.9							3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6	3.9	3.9	3.9	3.9							3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	3.9	3.9	3.9	3.9							3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
8	3.9	3.9	3.9	3.9							3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9	3.9	3.9	3.9	3.9							3.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10	3.9	3.9	3.9	3.9							3.8	7.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.5	6.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.1	6.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.1	6.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.2	6.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	3.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.5	6.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.8	7.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24	4.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.7	7.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
25	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.6	7.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
26	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.6	7.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
28	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
29	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.5	6.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
30	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.2	6.4	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
31	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	0.0	0.0	3.5	6.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	120.9	120.9	120.9	120.9	81.9	81.9	162.4	162.4	0.0	0.0	111.9	222.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL AF	239.8	239.8	239.8	239.8	162.4	162.4	162.4	162.4	0.0	0.0	222.0	222.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

NOVEMBER 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned		Input		Output		Cumulative Balance AF	
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	cfs	cfs	AF	cfs		AF
1			4.5													0.0			0.0	5,000.0
2			4.3													0.0			0.0	5,000.0
3			4.3													0.0			0.0	5,000.0
4			4.3													0.0			0.0	5,000.0
5			4.6													0.0			0.0	5,000.0
6			4.6													0.0			0.0	5,000.0
7			4.6													0.0			0.0	5,000.0
8			4.5													0.0			0.0	5,000.0
9			4.5													0.0			0.0	5,000.0
10			4.5													0.0			0.0	5,000.0
11			4.4													0.0			0.0	5,000.0
12			4.5													0.0			0.0	5,000.0
13			4.4													0.0			0.0	5,000.0
14			4.5													0.0			0.0	5,000.0
15			4.5													0.0			0.0	5,000.0
16			4.5													0.0			0.0	5,000.0
17			4.5													0.0			0.0	5,000.0
18			4.6													0.0			0.0	5,000.0
19			4.5													0.0			0.0	5,000.0
20			4.5													0.0			0.0	5,000.0
21			4.5													0.0			0.0	5,000.0
22			4.5													0.0			0.0	5,000.0
23			4.5													0.0			0.0	5,000.0
24			4.5													0.0			0.0	5,000.0
25			4.5													0.0			0.0	5,000.0
26			4.5													0.0			0.0	5,000.0
27			18.0													0.0			0.0	5,000.0
28			6.8													0.0			0.0	5,000.0
29			4.4													0.0			0.0	5,000.0
30			4.5													0.0			0.0	5,000.0
TOTAL SFD			150.1													0.0			0.0	5,000.0
TOTAL AF			297.7													233.1			0.0	5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.
 2 - Climatic Credits not applicable in May through December.

APPENDIX E

SANTA MARGARITA RIVER WATERSHED
 COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT REQUIRED FLOWS AND ACCOUNTS
 SANTA MARGARITA RIVER NEAR TEMECULA

DECEMBER 2016 - BELOW NORMAL YEAR

CAMP PENDLETON
 GROUNDWATER BANK

Day	USGS Official Discharge		USGS Daily Website Discharge		10-Day Running Average of Website Discharge		Minimum Flow Maintenance Requirement /1		Running Average Less Required Flow		WR-34 Make-Up Discharge		Climatic Credit Earned /2		Input		Output		Cumulative Balance AF
	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	cfs	AF	cfs	cfs	AF	cfs	cfs	AF	
1	5.3	5.3	5.3	5.3							4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
2	5.3	5.3	5.3	5.3							4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
3	5.3	5.3	5.3	5.3							4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
4	5.3	5.3	5.3	5.3							4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
5	5.3	5.3	5.3	5.3							4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
6	5.3	5.3	5.3	5.3							4.9	9.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
7	5.3	5.3	5.3	5.3							4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
8	5.3	5.3	5.3	5.3							4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
9	5.3	5.3	5.3	5.3							4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
10	5.3	5.3	5.3	5.3							4.9	9.7	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
11	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	0.0	0.0	4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
12	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	0.0	0.0	4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
13	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	0.0	0.0	4.8	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
14	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	0.0	0.0	4.8	9.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
15	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	0.0	0.0	4.8	9.6	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
16	232.0	232.0	232.0	232.0	28.0	28.0	28.0	28.0	22.7	22.7	1.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
17	17.0	17.0	17.0	17.0	29.1	29.1	29.1	29.1	23.8	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
18	5.1	5.1	5.1	5.1	29.1	29.1	29.1	29.1	23.8	23.8	2.5	4.9	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
19	5.1	5.1	5.1	5.1	29.1	29.1	29.1	29.1	23.8	23.8	4.4	8.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
20	5.1	5.1	5.1	5.1	29.1	29.1	29.1	29.1	23.8	23.8	4.7	9.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
21	24.0	24.0	24.0	24.0	31.0	31.0	31.0	31.0	25.7	25.7	4.5	9.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
22	492.0	492.0	492.0	492.0	79.6	79.6	79.6	79.6	74.3	74.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
23	69.0	69.0	69.0	69.0	86.0	86.0	86.0	86.0	80.7	80.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
24	599.0	599.0	599.0	599.0	145.4	145.4	145.4	145.4	140.1	140.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
25	48.0	48.0	48.0	48.0	149.7	149.7	149.7	149.7	144.4	144.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
26	12.0	12.0	12.0	12.0	127.7	127.7	127.7	127.7	122.4	122.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
27	5.2	5.2	5.2	5.2	126.6	126.6	126.6	126.6	121.3	121.3	0.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
28	2.5	2.5	2.7	2.7	126.3	126.3	126.3	126.3	121.0	121.0	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
29	1.3	1.3	1.4	1.4	125.9	125.9	125.9	125.9	120.6	120.6	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
30	1.1	1.1	1.2	1.2	125.6	125.6	125.6	125.6	120.3	120.3	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
31	17.0	17.0	18.0	18.0	125.0	125.0	125.0	125.0	119.7	119.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL SFD	1,614.9	1,617.3	1,617.3	1,617.3	1,419.7	1,419.7	1,419.7	1,419.7	1,308.4	1,308.4	91.7	182.1	0.0	0.0	0.0	0.0	0.0	0.0	5,000.0
TOTAL AF	3,203.1	3,207.9	3,207.9	3,207.9	2,815.9	2,815.9	2,815.9	2,815.9	2,595.2	2,595.2									5,000.0

1 - Minimum Flow Maintenance Requirement equals the Section 5 flow for a Below Normal year.

2 - Climatic Credits not applicable in May through December.

SANTA MARGARITA RIVER WATERSHED

ANNUAL WATERMASTER REPORT

WATER YEAR 2015-16

APPENDIX F

**ANNUAL REPORT ISSUES SUBORDINATED
DURING EFFECTIVE PERIOD OF THE
COOPERATIVE WATER RESOURCE
MANAGEMENT AGREEMENT**

January 2018

APPENDIX F

SANTA MARGARITA RIVER WATERSHED

ANNUAL REPORT ISSUES SUBORDINATED DURING EFFECTIVE PERIOD OF THE COOPERATIVE WATER RESOURCE MANAGEMENT AGREEMENT

Introduction

Prior to implementation of the Cooperative Water Resource Management Agreement (CWRMA) entered into by Rancho California Water District (RCWD) and the United States on behalf of Camp Pendleton, there were contentions raised by Camp Pendleton each year, with respect to various aspects of the Annual Watermaster Report. These contentions are settled so long as CWRMA is in effect. Accordingly, there is no need to raise those particular issues or publish them in the main text of the annual report or in related correspondence.

However, the respective positions on these issues need to be preserved and protected from any finding of waiver, and there is a need to continue to collect related data in the event of need in the future.

Therefore, the applicable textual material in the previous annual reports and related comments and responses have been gathered here for preservation and maintenance of rights, with the understanding that the previous annual exchange of applicable contentions in the process of preparing the annual report is no longer necessary.

Issues Reserved

Section 3, Surface Water Availability and Use: In the absence of CWRMA implementation, Camp Pendleton disputes the method of calculation used in the annual report in Subsection 3.2 (Surface Water Diversions) and Table 3.3 (Surface Water Diversions to Storage for Vail Lake) for presentation of the information regarding Vail Lake and further asserts its belief that the Vail Dam impoundment fails to comply with the 1940 Stipulated Judgment.

Section 4, Subsurface Water Availability and Use: In the absence of CWRMA implementation, and with respect to Figure 4.1 (Water Level Elevations – Windmill Well) and to Subsections 4.3 (Water Levels) and 4.4 (Groundwater Storage), Camp Pendleton is concerned about the apparent excessive pumping in the Upper Basin, and further asserts its belief that the lengthy and significant drawdown and concomitant loss in storage adversely affect the water supply for adjacent and downstream users holding senior water rights.

Section 7, Water Production and Use: First, in the absence of CWRMA implementation, and with regard to the local production figures shown in Table 7.1 (Water Production and Use), Camp Pendleton is concerned about the high level of groundwater production from the Upper Basin, a level that Camp Pendleton believes to be substantially greater than the safe yield.

Second, in the absence of CWRMA implementation, and with regard to Footnote 4 of Table 7.1 (distinction between RCWD pumping of older alluvium water and of Vail recovery water), Camp Pendleton has serious reservations as to the accounting system that is being used as well as the legal and technical bases upon which such system has been formulated.

Third, in the absence of CWRMA implementation, and as to the RCWD part of Subsection 7.2.8 (Water Purveyors – Rancho California Water District), Camp Pendleton has serious reservations as to the accounting system that is being used as well as the legal and technical bases upon which such system has been formulated. These reservations include the following:

1. As to the “Vail Appropriation” part: *Representatives of the United States contend that under the 1940 Stipulated Judgment storage of water in Vail Lake is limited to Rancho California Water District’s share of the flood waters of the Santa Margarita River system. However, to date, the parties have not agreed on a definition of “flood waters.”*
2. As to the “Division of Local Water” part: *In 1995 well logs and geophysical logs of all Rancho California WD wells were reviewed by representatives of the United States and Rancho California WD to determine the depths of the younger alluvium. There was general agreement between the parties about the depth of the younger alluvium in production wells, except for ten wells shown on Table 7.7 of the 1994-95 report. In 2015, Watermaster, Rancho California WD and Camp Pendleton reviewed available geologic reports, geologic cross sections, well completion reports, driller logs, and geophysical logs to develop new geologic cross sections to delineate the depth of younger alluvium. The parties reached consensus on the depth of younger alluvium for wells previously in dispute as indicated in Table 7.7.*

Section 8, Unauthorized Water Use: In the absence of CWRMA implementation, and with respect to water use by RCWD, Camp Pendleton asserts the following:

1. Such use is in violation of the 1940 Stipulated Judgment by reason of, among other things, Vail Lake operations in excess of entitlement and pumping from both younger and older alluvium in excess of entitlement, which contentions RCWD disputes;
2. Rediversion and use of water impounded by Vail Dam are not in accord with terms of Permit 7032;
3. Unauthorized pumping is being done, including pumping from the younger alluvium outside of Pauba Valley without a permit and pumping from the older alluvium in violation of Court adjudications.

Section 9, Threats to Water Supply: In the absence of CWRMA implementation, and with respect to Subsection 9.3 (Potential Overdraft Conditions) and as noted in the foregoing comments to Sections 4 and 7, Camp Pendleton is seriously concerned regarding the apparent excessive pumping in the Upper Basin.

SANTA MARGARITA RIVER WATERSHED
ANNUAL WATERMASTER REPORT
WATER YEAR 2015-16

APPENDIX G
INDEPENDENT AUDITOR'S REPORT
WATER YEAR 2015-16

January 2018



Certified Public Accountants
and Financial Advisors

**Watermaster of the Santa
Margarita River Watershed**
Financial Report
September 30, 2016

INDEX TO FINANCIAL STATEMENTS

Independent Auditor's Report	1
Management's Discussion and Analysis	3
Statement of Net Position	7
Statement of Revenues, Expenses and Changes in Net Position	8
Statement of Cash Flows	9
Notes to Financial Statements	10
Supplementary Information	
Schedule of Revenues and Expenses – Budget and Actual	15

INDEPENDENT AUDITOR'S REPORT

To the Steering Committee
Watermaster of the Santa Margarita River Watershed

Report on the Financial Statements

We have audited the accompanying financial statements of Watermaster of the Santa Margarita River Watershed, as of and for the year ended September 30, 2016, and the related notes to the financial statements, as listed in the table of contents.

Management's Responsibility for the Financial Statements

Management is responsible for the preparation and fair presentation of these financial statements in accordance with accounting principles generally accepted in the United States of America; this includes the design, implementation, and maintenance of internal control relevant to the preparation and fair presentation of financial statements that are free from material misstatement, whether due to fraud or error.

Auditor's Responsibility

Our responsibility is to express an opinion on these financial statements based on our audit. We conducted our audit in accordance with auditing standards generally accepted in the United States of America and the State Controller's minimum audit requirements for California Special Districts. Those standards require that we plan and perform the audit to obtain reasonable assurance about whether the financial statements are free from material misstatement.

An audit involves performing procedures to obtain audit evidence about the amounts and disclosures in the financial statement. The procedures selected depend on the auditor's judgment, including the assessment of the risks of material misstatement of the financial statements, whether due to fraud or error. In making those risk assessments, the auditor considers internal control relevant to the entity's preparation and fair presentation of the financial statement in order to design audit procedures that are appropriate in the circumstances, but not for the purpose of expressing an opinion on the effectiveness of the entity's internal control. Accordingly, we express no such opinion. An audit also includes evaluating the appropriateness of accounting policies used and the reasonableness of significant accounting estimates made by management, as well as evaluating the overall presentation of the financial statements.

We believe that the audit evidence we have obtained is sufficient and appropriate to provide a basis for our audit opinion.



Opinion

In our opinion, the financial statements referred to above present fairly, in all material respects, the financial position of Watermaster of the Santa Margarita River Watershed as of September 30, 2016, and the changes in financial position and cash flows thereof for the year then ended in accordance with accounting principles generally accepted in the United States of America, as well as the accounting systems prescribed by the State Controller's Office and state regulations governing special districts.

Other Matters

Other Information

Our audit was conducted for the purpose of forming an opinion on the financial statements of Watermaster of the Santa Margarita River Watershed. The Schedule of Revenues and Expenses Budget and Actual are presented for purposes of additional analysis and are not a required part of the financial statements. The schedule of revenues and expenses budget and actual on page 16 has not been subjected to the auditing procedures applied in the audit of the basic financial statements and, accordingly, we do not express an opinion or provide any assurance on it.

SQUAR MILNER LLP

SQUAR MILNER LLP

San Diego, California
April 4, 2017

**WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
MANAGEMENT'S DISCUSSION AND ANALYSIS
September 30, 2016**

This discussion and analysis of Watermaster of the Santa Margarita River Watershed (the "Watermaster") financial performance provides an overview of the Watermaster's financial activities for the fiscal year ended September 30, 2016. Please read it in conjunction with the Watermaster's financial statements, which immediately follows this section.

FINANCIAL HIGHLIGHTS

Operating revenue for the Watermaster comes from municipal agencies based on an administrative assessment.

- The Watermaster ended the year with a net position of \$377,765.
- Operating revenues were \$716,100, while operating expenses were \$735,327.

OVERVIEW OF THE FINANCIAL STATEMENTS

This annual report consists of two parts – management's discussion and analysis (this section) and the basic financial statements. The financial statements that accompany this report include a statement of net position, statement of revenues, expenses, and changes in net position, and statement of cash flows. These statements provide information about the activities and performance of the Watermaster using accounting methods similar to those used by private sector companies. The Statement of Net Position includes all of the Watermaster's investments in resources (assets) and the obligations to creditors (liabilities). It also provides the basis for computing a rate of return, evaluating the capital structure of the Watermaster and assessing the liquidity and financial flexibility of the Watermaster. All of the current year's revenue and expenses are accounted for in the Statement of Revenues, Expenses and Changes in Net Position. This statement measures the success of the Watermaster's operations over the past year and can be used to determine if the Watermaster has successfully recovered all of its costs through its rates and other charges. This statement can also be used to evaluate profitability and credit worthiness. The final required financial statement is the Statement of Cash Flows, which provides information about the Watermaster's cash receipts and cash payments during the reporting period. The Statement of Cash Flows reports cash receipts, cash payments and net changes in cash resulting from operations, investing, non-capital financing, and capital and related financing activities and provides answers to such questions as where did cash come from, what was cash used for, and what was the change in cash balance during the reporting period.

**WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
MANAGEMENT'S DISCUSSION AND ANALYSIS
September 30, 2016**

FINANCIAL ANALYSIS OF THE WATERMASTER

One of the most important questions asked about the Watermaster's finances is, "Is the Watermaster better off or worse off as a result of this year's activities?" The Statement of Net Position and the Statement of Revenues, Expenses and Changes in Net Position report information about the Watermaster in a way that helps answer this question. These statements include all assets and liabilities using the accrual basis of accounting, which is similar to the accounting method used by most private sector companies. All of the current year's revenues and expenses are taken into account regardless of when the cash is received or paid. These two statements report the Watermaster's net position and changes in net position. You can think of the Watermaster's net position – the difference between assets and liabilities – as one way to measure the Watermaster's financial health, or financial position. Over time, increases or decreases in the Watermaster's net position are one indicator of whether it's financial health is improving or deteriorating. However, one will need to consider other non-financial factors such as changes in economic conditions, population growth, zoning and new or changed government legislation, such as changes in Federal and State water quality standards.

NOTES TO THE BASIC FINANCIAL STATEMENTS

The notes provide additional information that is essential to a full understanding of the data provided in the basic financial statements.

BASIC FINANCIAL STATEMENT – COMPARATIVE ANALYSIS

Statement of Net Position

	<u>2016</u>	<u>2015</u>	<u>Change</u>
ASSETS			
Current assets	\$ 539,913	\$ 545,629	\$ (5,716)
Non current assets	3,384	4,252	(868)
Total assets	<u>\$ 543,297</u>	<u>\$ 549,881</u>	<u>\$ (6,584)</u>
LIABILITIES			
Current liabilities	\$ 165,532	\$ 153,450	\$ 12,082
Total liabilities	165,532	153,450	12,082
NET POSITION			
Unrestricted	377,765	396,431	(18,666)
Total net position	<u>\$ 377,765</u>	<u>\$ 396,431</u>	<u>\$ (18,666)</u>

**WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
MANAGEMENT'S DISCUSSION AND ANALYSIS
September 30, 2016**

BASIC FINANCIAL STATEMENT – COMPARATIVE ANALYSIS (continued)

Statement of Net Position (continued)

As noted earlier, net position may serve over time as a useful indicator of a government's financial position. In the case of the Watermaster, assets of the Watermaster exceeded liabilities by \$377,765 as of September 30, 2016, a decrease in net position of \$18,666 compared to 2015.

Statement of Revenues, Expenses, and Changes in Net Position

	<u>2016</u>	<u>2015</u>	<u>Change</u>
REVENUES			
Operating revenues	\$ 716,100	\$ 679,700	\$ 36,400
Non operating revenues - interest	561	637	(76)
Total revenues	<u>716,661</u>	<u>680,337</u>	<u>36,324</u>
 EXPENSES			
Operating expenses	<u>735,327</u>	<u>658,962</u>	<u>76,365</u>
 Change in net position	(18,666)	21,375	(40,041)
 Net position - beginning of year	<u>396,431</u>	<u>375,056</u>	<u>21,375</u>
 Net position - end of year	<u>\$ 377,765</u>	<u>\$ 396,431</u>	<u>\$ (18,666)</u>

The statement of revenues, expenses and changes of net position shows how the Watermaster's net position changed during the fiscal year. In the case of the Watermaster, net position decreased by \$18,666 for the year ended Septemebr 30, 2016, as compared to an increase of \$21,375 in 2015. This was primarily due to increases in operating expenses.

CONDITIONS AFFECTING CURRENT FINANCIAL POSITION

Management is unaware of any conditions, which could have a significant impact on the Watermaster's current financial position, net position or operating results based on past, present and future events.

**WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
MANAGEMENT'S DISCUSSION AND ANALYSIS
September 30, 2016**

CONTACTING THE WATERMASTER'S FINANCIAL MANAGEMENT

This financial report is designed to provide our citizens, taxpayers, customers, and investors and creditors with a general overview of the Watermaster's finances and to demonstrate the Watermaster's accountability for the money it receives. If you have any questions about this report or need additional financial information, please contact the Watermaster of the Santa Margarita River Watershed at 990 E. Mission Road, Fallbrook, CA 92028.

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
STATEMENT OF NET POSITION
September 30, 2016

ASSETS

Current assets:

Cash and investments	\$ 539,713
Prepaid expenses	200
Total current assets	<u>539,913</u>

Fixed assets, net of depreciation	<u>3,384</u>
-----------------------------------	--------------

Total assets	<u><u>\$ 543,297</u></u>
--------------	--------------------------

LIABILITIES AND NET ASSETS

Current liabilities:

Accounts payable	\$ 82
Unearned assessments	165,450
Total current liabilities	<u>165,532</u>

NET POSITION

Unrestricted	<u>377,765</u>
--------------	----------------

Total net position	<u>377,765</u>
--------------------	----------------

Total liabilities and net position	<u><u>\$ 543,297</u></u>
------------------------------------	--------------------------

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
STATEMENT OF REVENUES, EXPENSES, AND CHANGES IN NET POSITION
For the Year Ended September 30, 2016

Operating revenues	
Assessments	\$ 716,100
Total operating revenues	716,100
Operating expenses	
Watermaster fees:	
Consulting services	266,905
Travel reimbursements	33,124
Other expenses:	
Gauging station operation	240,094
Human resource services	126
Rent	18,000
Accounting services	5,213
Supplies	1,931
Insurance	575
Printing	10,913
Audit	6,585
Legal services	34,545
Publications	1,675
Clerical / Analyst	101,463
Telephone / Internet	2,988
Travel	1,539
Postage	1,704
Conference / Training	4,844
IT System / Computer	2,231
Depreciation expense	867
Miscellaneous	5
Total operating expenses	735,327
Loss from operations	(19,227)
Non operating reveues (expenses)	
Interest	561
Change in net position	(18,666)
Net position - beginning of year	396,431
Net position - end of year	\$ 377,765

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
STATEMENT OF CASH FLOWS
For the Year Ended September 30, 2016

CASH FLOWS FROM OPERATING ACTIVITIES:

Receipts from customers	\$ 830,401
Payment to suppliers and vendors	<u>(734,378)</u>
Net cash provided by operating activities	96,023

CASH FLOWS FROM INVESTING ACTIVITIES:

Interest received	561
Purchase of Certificates of Deposit	<u>201,068</u>
Net cash provided by investing activities	<u>201,629</u>
Change in cash and cash equivalents	297,652
Cash and cash equivalents - beginning of year	<u>242,061</u>
Cash and cash equivalents - end of year	<u><u>\$ 539,713</u></u>

RECONCILIATION OF OPERATING REVENUES TO NET CASH PROVIDED BY OPERATING ACTIVITIES

Loss from operations	\$ (19,227)
----------------------	-------------

ADJUSTMENT TO RECONCILE NET INCOME TO NET CASH PROVIDED BY OPERATING ACTIVITIES

Depreciation	867
--------------	-----

(INCREASE) DECREASE IN:

Accounts receivable	102,301
---------------------	---------

INCREASE (DECREASE) IN:

Accounts payable	82
Unearned assessments	<u>12,000</u>

Net cash provided by operating activities	<u><u>\$ 96,023</u></u>
---	-------------------------

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
NOTES TO FINANCIAL STATEMENTS
September 30, 2016

1. ORGANIZATION

Nature of Operations

Watermaster of the Santa Margarita River Watershed (Watermaster) was created by order of the United States District Court, Southern District of California (Court). The Court, as part of its continuing jurisdiction in the case of United States vs. Fallbrook Public Utility District et al., has authority to make judicial determination of all water rights within the Santa Margarita River Watershed. The Watermaster is empowered by the Court to administer and enforce the provisions of a Modified Final Judgment and Decree entered April 6, 1966, and subsequent instructions and orders of the Court. On November 15, 2005, the Court issued an Order authorizing the Steering Committee to execute an Employment Agreement with Charles W. Binder, DBA Binder & Associates Consulting, Inc., to serve as Watermaster.

A Steering Committee was appointed by the Court to assist the Watermaster and the Court. The Steering Committee is comprised of representatives from the United States (Camp Pendleton Marine Corps Base), Rancho California Water District, Fallbrook Public Utility District (FPUD), Eastern Municipal Water District, Metropolitan Water District of Southern California, the Pechanga Band of Luiseño Mission Indians, and Western Municipal Water District.

The fees and expenses of the Watermaster during the water year ended September 30, 2016, were, per court order, paid from equal assessments against the Steering Committee members. The Court retains the right to assess other parties in the watershed in future years. Pursuant to an agreement between the Watermaster and the United States Geological Survey (USGS). The USGS provides operations and maintenance services for stream gauging stations and groundwater monitoring wells in the watershed.

2. SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES

Basis of Accounting and Measurement Focus

The Watermaster reports its activities as an enterprise fund, which is used to account for operations that are financed and operated in a manner similar to a private business enterprise. Revenues and expenses are recognized on the full accrual basis of accounting. Revenues are recognized in the accounting period in which they are earned and expenses are recognized in the period incurred, regardless of when the related cash flows take place.

Operating revenues and expenses, such as Watermaster assessments result from exchange transactions associated with the principal activity of the Agency. Exchange transactions are those in which each party receives and gives up essentially equal values. The principal operating revenues of the Watermaster are regulatory assessments to member water right holders. Management, administration and depreciation expenses are also considered operating expenses. Other revenues and expenses not included in the above categories are reported as non-operating revenues and expenses.

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
NOTES TO FINANCIAL STATEMENTS
September 30, 2016

2. SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES (continued)

Governmental Accounting Standards Implementation in Current Year

In February 2015, GASB issued Statement No. 72, *Fair Value Measurement and Application*. This statement addresses accounting and financial reporting issues related to fair value measurements. The definition of fair value is the price that would be received to sell an asset or paid to transfer a liability in an orderly transaction between market participants at the measurement date. This statement provides guidance for determining a fair value measurement for financial reporting purposes. This statement also provides guidance for applying fair value to certain investments and disclosures related to all fair value measurements. This statement was effective for the current fiscal year. Implementation of this GASB had no significant effect on the Watermaster's financial statements.

In June 2015, GASB issued Statement No. 76, *The Hierarchy of Generally Accepted Accounting Principles for State and Local Governments*. This statement establishes the hierarchy of generally accepted accounting principles ("GAAP") for all state and local governments. The GAAP hierarchy sets forth what constitutes GAAP for all state and local governmental entities. It establishes the order of priority of pronouncements and other sources of accounting and financial reporting guidance that a governmental entity should apply. This statement became effective in the current fiscal year. Implementation of this GASB had no significant effect on the Watermaster's financial statements.

Cash and Cash Equivalents

Cash and cash equivalents are composed of cash in banks and liquid investments with original maturities of three months or less.

Investments

Investments in marketable securities with readily determinable fair values and all investments in debt securities are reported at their fair values in the Statement of Net Assets. The fair values of these investments are subject to change based on the fluctuations of market values. Unrealized gains and losses are included in the change in net assets. Investment income and gains restricted by a donor or by the Watermaster are reported as increases in unrestricted net assets if the restrictions are met (either by the passage of time or by use) in the reporting period in which the income and gains are recognized.

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
NOTES TO FINANCIAL STATEMENTS
September 30, 2016

2. SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES (continued)

Fair Value Measurements

Certain assets and liabilities are required to be reported at fair value. The fair value framework provides a hierarchy that prioritizes the inputs to valuation techniques used to measure fair value. The hierarchy gives the highest priority to unadjusted quoted prices in active markets for identical assets or liabilities (Level 1 measurements) and the lowest priority to unobservable inputs (Level 3 measurements). The three levels of fair value hierarchy are described as follows:

Level 1 – Inputs to the valuation methodology are unadjusted quoted prices for identical assets or liabilities in active markets.

Level 2 – Inputs other than quoted prices included within Level 1 that are observable for the asset or liability, either directly or indirectly and fair value is determined through the use of models or other valuation methodologies including:

- Quoted prices for similar assets or liabilities in active markets;
- Quoted prices for identical or similar assets or liabilities in markets that are inactive;
- Inputs other than quoted prices that are observable for the asset or liability;
- Inputs that are derived principally from or corroborated by observable market data by correlation or other means.

Level 3 – Inputs to the valuation methodology are unobservable and significant to the fair value measurement. These unobservable input reflect the District’s own assumptions about the inputs market participants would use in pricing the asset or liability (including assumptions about risk). These unobservable inputs are developed based on the best information available in the circumstances and may include the District’s own data.

Accounts Receivable

Watermaster considers accounts receivable to be fully collectible; accordingly, no allowance for doubtful accounts is required.

Fixed Assets

Fixed assets are recorded at cost and depreciated under the straight-line method over their estimated useful lives of 3 to 10 years. Repair and maintenance costs, which do not extend the useful lives of the asset, are charged to expense. The cost of assets, sold or retired, and related amounts of accumulated depreciation are eliminated from the accounts in the year of disposal, and any resulting gain or loss is included in the earnings. Management has elected to capitalize and depreciate all assets costing \$2,000 or more; all other assets are charged to expense in the year incurred.

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
NOTES TO FINANCIAL STATEMENTS
September 30, 2016

2. SUMMARY OF SIGNIFICANT ACCOUNTING POLICIES (continued)

Unearned Assessments

Advanced assessments represent amounts levied or collected in the current year that apply to the next fiscal year.

Use of Estimates

The preparation of financial statements in conformity with generally accepted accounting principles requires management to make estimates and assumptions that affect certain reported amounts and disclosures. Accordingly, actual results could differ from those estimates.

3. CASH AND INVESTMENTS

Cash and investments at September 30, 2016, consisted of the following:

Cash in bank	\$ (37,583)
Money market	337,296
Certificates of deposit	<u>240,000</u>
Total cash and investments	<u><u>\$ 539,713</u></u>

Custodial credit risk is the risk that in the event of a bank failure, the Watermaster's deposits may not be returned to it. Cash balances held in banks are insured up to \$250,000 by the Federal Deposit Insurance Corporation (FDIC). In addition, the California Government Code requires that a financial institution secure deposits made by state or local governmental units by pledging securities in an undivided collateral pool held by a depository regulated under state law (unless so waived by the governmental unit). The market value of the pledged securities in the collateral pool must equal at least 110 percent of the total amount deposited by the public agencies. California law also allows financial institutions to secure public deposits by pledging first trust deed mortgage notes having a value of 150 percent of the secured public deposits and letters of credit issued by the Federal Home Loan Bank of San Francisco having a value of 105 percent of the secured deposits. The Watermaster waived its right to secure its deposits. At December 31, 2016 the Watermaster's bank balance was \$1,643. The bank balance and the Certificates of deposit of \$240,000 are fully insured by FDIC. The Watermaster's money market account is uninsured in the amount of \$337,296.

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
NOTES TO FINANCIAL STATEMENTS
September 30, 2016

3. CASH AND INVESTMENTS (continued)

Custodial credit risk for investments is the risk that an issuer of an investment will not fulfill its obligation to the holder of the investment. This is measured by assigning a minimum credit rating by a national credit rating agency. This does not apply to money market funds or certificates of deposit. The investment policy of the District contains no limitations on the amount that can be invested in any one issuer beyond that stipulated by the California Government Code. The Watermaster's funds are held by one institution Pacific Western Bank. Fair value level reporting and interest rate risk do not apply to money market funds or certificates of deposit.

4. FIXED ASSETS

Fixed assets at September 30, 2016, consisted of the following:

Computer equipment	\$ 10,862
Office furniture and equipment	19,461
Less: accumulated depreciation	<u>(26,939)</u>
Total fixed assets, net of depreciation	<u><u>\$ 3,384</u></u>

5. RELATED PARTY TRANSACTIONS

The Watermaster has entered into an agreement with Fallbrook Public Utility District (FPUD), which is a member of the Watermaster Steering Committee, whereby FPUD provides office space and accounting services. Rent of office space and accounting services for the fiscal year ended September 30, 2016 was \$18,000.

Data management and clerical support services are performed at the Watermaster office by an FPUD employee under contract. Watermaster reimburses FPUD for the actual cost of wages and fringe benefits. For the fiscal year ended September 30, 2016, these reimbursements totaled \$101,463.

SUPPLEMENTARY INFORMATION

WATERMASTER OF THE SANTA MARGARITA RIVER WATERSHED
SCHEDULE OF REVENUES AND EXPENSES - BUDGET AND ACTUAL
For the Year Ended September 30, 2016


	<u>Original/ Final Budget</u>	<u>Actual</u>	<u>Variance Favorable (Unfavorable)</u>
Revenues			
Assessments	\$ 716,100	\$ 716,100	\$ -
Interest	-	561	561
Total revenues	716,100	716,661	561
Expenses			
Watermaster fees:			
Consulting services	241,000	266,905	(25,905)
Travel reimbursements	27,600	33,124	(5,524)
Other expenses:			
Gauging station operation	242,475	240,094	2,381
Human resource services	800	126	674
Rent	18,000	18,000	-
Accounting services	8,400	5,213	3,187
Supplies	1,900	1,931	(31)
Insurance	600	575	25
Printing	10,000	10,913	(913)
Audit	6,600	6,585	15
Legal services	20,000	34,545	(14,545)
Publications	3,300	1,675	1,625
Clerical / Analyst	115,700	101,463	14,237
Telephone / Internet	3,000	2,988	12
Travel	1,000	1,539	(539)
Postage	2,000	1,704	296
Conference/Training	1,400	4,844	(3,444)
Office equipment and furniture	1,000	-	1,000
IT System/Computer	10,000	2,231	7,769
Depreciation expense	-	867	(867)
Miscellaneous	1,325	5	1,320
	<u>716,100</u>	<u>735,327</u>	<u>(19,227)</u>



Map Produced by:
 Rancho California Water District
 Planning and Capital Projects
 Geographic Information Services
 June 2016



1 inch = 4 miles
 0 1 2 Miles



Legend

- Gaging Station
- Santa Margarita River Watershed
- Indian Reservation

RCWD Divisions

- R.C.W.D.-R - Rancho California Water District - Rancho Division
- R.C.W.D.-SR - Rancho California Water District - Santa Rosa Division

Water Purveyors

- E.M.W.D. - Eastern Municipal Water District
- E.V.M.W.D. - Elsinore Valley Municipal Water District
- F.P.U.D. - Fallbrook Public Utility District
- R.M.W.D. - Rainbow Municipal Water District
- W.M.W.D. - Western Municipal Water District
- W.M.W.D.-M - Western Municipal Water District - Murrieta Division

Note: The Western Municipal Water District Service Area also includes the Elsinore Valley Municipal Water District and portions of the Rancho California Water District.
 The Eastern Municipal Water District Service Area also includes portions of Rancho California Water District and Murrieta Division of the Western Municipal Water District.

Major Water Purveyors

Santa Margarita River Watershed Watermaster